

Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS)

Forrest G. Hall and Jaime Nickeson, Editors

Volume 48 BOREAS RSS-3 Imagery and Snapshots from a Helicopter-Mounted Video Camera

C.L. Walthall and S. Loechel

National Aeronautics and Space Administration

Goddard Space Flight Center Greenbelt, Maryland 20771

The NASA STI Program Office ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- TECHNICAL PUBLICATION. Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- TECHNICAL MEMORANDUM. Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- CONTRACTOR REPORT. Scientific and technical findings by NASA-sponsored contractors and grantees.

- CONFERENCE PUBLICATION. Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- SPECIAL PUBLICATION. Scientific, technical, or historical information from NASA programs, projects, and mission, often concerned with subjects having substantial public interest.
- TECHNICAL TRANSLATION. English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at http://www.sti.nasa.gov/STI-homepage.html
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- Telephone the NASA Access Help Desk at (301) 621-0390
- Write to: NASA Access Help Desk NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320



Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS)

Forrest G. Hall and Jaime Nickeson, Editors

Volume 48 BOREAS RSS-3 Imagery and Snapshots from a Helicopter-Mounted Video Camera

Charles L. Walthall, U.S.D.A. Agricultural Research Service, Beltsville, Maryland Sara Loechel, University of Maryland

National Aeronautics and Space Administration

Goddard Space Flight Center Greenbelt, Maryland 20771

Available from:

NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320 Price Code: A17 National Technical Information Service 5285 Port Royal Road Springfield, VA 22161 Price Code: A10

BOREAS RSS-3 Imagery and Snapshots from a Helicopter-Mounted Video Camera

Charles L. Walthall, Sara Loechel

Summary

The BOREAS RSS-3 team collected helicopter-based video coverage of forested sites acquired during BOREAS as well as single-frame "snapshots" processed to still images. Helicopter data used in this analysis were collected during all three 1994 IFCs (24-May to 16-Jun, 19-Jul to 10-Aug, and 30-Aug to 19-Sep), at numerous tower and auxiliary sites in both the NSA and the SSA. The VHS-camera observations correspond to other coincident helicopter measurements. The field of view of the camera is unknown. The video tapes are in both VHS and Beta format.

Note: An extensive helicopter log (in Acrobat format) is available for the 1994 IFC's. Environmental, technical, instrumental, and operational conditions are noted for each observation where applicable. It is strongly recommended that any researcher doing extended work with this data set review this helicopter log.

Table of Contents

- 1) Data Set Overview
- 2) Investigator(s)
- 3) Theory of Measurements
- 4) Equipment
- 5) Data Acquisition Methods
- 6) Observations
- 7) Data Description
- 8) Data Organization
- 9) Data Manipulations
- 10) Errors
- 11) Notes
- 12) Application of the Data Set
- 13) Future Modifications and Plans
- 14) Software
- 15) Data Access
- 16) Output Products and Availability
- 17) References
- 18) Glossary of Terms
- 19) List of Acronyms
- 20) Document Information

1. Data Set Overview

1.1 Data Set Identification

BOREAS RSS-03 Imagery and Snapshots from a Helicopter-Mounted Video Camera

1.2 Data Set Introduction

The Remote Sensing Science (RSS)-03 helicopter-based video data set was compiled during the BOReal Ecosystem-Atmosphere Study (BOREAS) 1994 Intensive Field Campaigns (IFCs) with a color VHS video camera mounted on a helicopter platform. Video imagery was taken from the helicopter platform at BOREAS sites simultaneous with radiometric ground measurements and

sunphotometer measurements from the same platform. The instrumentation used was designed and developed at the National Aeronautics and Space Administration (NASA) Goddard Space Flight Center (GSFC). The data were collected during the green-up, peak, and senescent stages of the growing season at numerous tower and auxiliary sites in both the Northern Study Area (NSA) and the Southern Study Area (SSA). The images were taken during the following periods:

- 31-May-1994 to 10-Jun-1994 (IFC-1)
- 21-Jul-1994 to 08-Aug-1994 (IFC-2)
- 06-Sep-1994 to 16-Sep-1994 (IFC-3)

Multiple observations were captured from the video at sites where the cover changed significantly during the scan time; this was determined subjectively by the operator.

1.3 Objective/Purpose

The study objective was to acquire multispectral, bidirectional reflectance, and surface temperature data of the study sites for assessments of spectral, spatial, and temporal variability, and the impacts of these variabilities on vegetation indices. A helicopter with a pointable, stabilized mount was used to carry a spectrometer (visible and near-infrared), spectroradiometer, infrared thermometer, video camera, and a sun tracking photometer.

1.4 Summary of Parameters

Helicopter-based VHS video photographs of tower and auxiliary sites during all three IFCs in 1994. Video observations were captured while onboard devices were in operation over sites.

1.5 Discussion

The video imagery was taken to capture visual conditions at the site during data collection that could then later be referred to as necessary when processing the data to aid in the quality assessment of the data.

1.6 Related Data Sets

BOREAS RSS-01 PARABOLA Surface Reflectance and Transmittance Data BOREAS RSS-02 Level-1b ASAS Imagery: At-sensor Radiance in BSQ Format BOREAS RSS-03 Reflectance Measured from a Helicopter-Mounted SE-590 BOREAS RSS-03 Reflectance Measured from a Helicopter-Mounted Barnes MMR BOREAS RSS-03 Atmospheric Conditions from a Helicopter-Mounted Sunphotometer BOREAS RSS-19 Background Spectral Reflectance Data BOREAS RSS-20 POLDER Measurements of Surface BRDF

2. Investigator(s)

2.1 Investigator(s) Name and Title

Dr. Charles L. Walthall, Physical Scientist

2.2 Title of Investigation

Biophysical Significance of Spectral Vegetation Indices in the Boreal Forest

2.3 Contact Information

Contact 1:

Dr. Charles L. Walthall Physical Scientist USDA Agricultural Research Service Remote Sensing and Modeling Laboratory Rm. 008, Bldg. 007, BARC-West 10300 Baltimore Avenue Beltsville, MD 20705 USA (301) 504-6074 (301) 504-5031 (fax) cwalthal@asrr.arsusda.gov

Contact 2:

Sara Loechel Faculty Research Assistant Department of Geography University of Maryland Remote Sensing and Modeling Laboratory Rm. 008, Bldg. 007, BARC-West 10300 Baltimore Avenue Beltsville, MD 20705 USA (301) 504-6823 (301) 504-5031 (fax) sloechel@asrr.arsusda.gov

Contact 3:

Jaime Nickeson Raytheon ITSS NASA GSFC Code 923 Greenbelt, MD 20771 (301) 286-3373 (301) 286-0239 (fax) Jaime.Nickeson@gsfc.nasa.gov

3. Theory of Measurements

The video imagery was taken to capture visual conditions at the site during data collection that could then later be referred to as necessary when processing the data to aid in the quality assessment. Two video cameras are used in the system. One video camera is bore-sighted with the main instruments on the pointable platform, and the other is next to the 70 mm photographic camera set to view nadir only. Video data are fed through a time and date video generator to superimpose month, day, year, and system clock time on the video tape frames.

4. Equipment

4.1 Sensor/Instrument Description

Color Video System. The color video system consists of Charge-Coupled Device (CCD)-based color video cameras connected to a stereo-audio VCR. During IFC-1 and IFC-2, the VCR was a Beta format unit that had been used with the helicopter system since the mid-1980s. Beta format was originally chosen over VHS to take advantage of its higher video image resolution. Prior to IFC-3, an industrial-quality Super-VHS unit was installed and used for the rest of the experiment.

The image is then displayed on a 14-inch color screen in the center instrument rack. Images from the nadir-only viewing camera are fed directly to a small color screen located on the pilot's instrument panel and then to a selector switch. The selector switch allows the back-seat instrument operators to view either the images from the bore-sighted video camera or the pilot's video camera. The bore-sighted camera provides feedback to the instrument operator when pointing the instrument package, and the nadir camera image is used by the pilot while positioning the helicopter during hovers. During IFC-1, a video camera with an operator-controlled electronic zoom and focus system with a was used. During IFC-2 and IFC-3, this lens was replaced with the same type of lens used with the nadir-looking camera. These lenses had a manual focus and a 20 to 80 mm zoom range, which was set at 30 to 35 mm.

The stereo audio tracks of the VCR are used for an additional data record. One track is used to record an audible tone that is generated each time the instruments are triggered. The other audio track records the cabin intercom conversations among the aircrew.

4.1.1 Collection Environment

In general, the helicopter was flown during relatively clear days when possible. Data collection was attempted during conditions of highest possible solar elevation. All observations were attempted from a nadir observation point and usually at 300 m above ground level (AGL). Exceptions are noted in the helicopter log.

4.1.2 Source/Platform

A Bell UH-1H "Iroquois" helicopter, operated by the NASA's Wallops Flight Facility (WFF) was used as the airborne platform during BOREAS. This particular aircraft, call number N415, was built in 1965 and was acquired by WFF in 1993. Upon acquisition, the aircraft was slightly modified for use as a scientific platform.

Helicopter N415 operates with standard or low-mount, rear-leaning skids. The engine is a Lycoming T53/L13, which provides 1,400 shaft HP with 1,290 transmission HP. The fuel capacity provides 2.0 hours flying time with a 20 minute fuel reserve under normal modes of operation. The addition of an auxiliary fuel tank in the port-side door crewman's position provided an additional 15 minutes of flight time during BOREAS given optimum flight conditions. The weight of the entire helicopter system with full instrumentation, full fuel, and crew members was 9,500 lbs.

4.1.3 Source/Platform Mission Objectives

The video imagery was collected to capture site conditions at a fine spatial resolution during data collection that could then later be referred to as necessary when processing the data and to aid in the quality assessment of the data.

4.1.4 Key Variables

Video imagery.

4.1.5 Principles of Operation

The system is configured for multiple sensor data collection. The Modular Multiband Radiometer (MMR), Spectron Engineering spectroradiometer (SE-590), infrared thermometer, autotracking sunphotometer, and video sensor were the primary payload during BOREAS. The video camera was run continuously during data collection.

4.1.6 Sensor/Instrument Measurement Geometry Unknown.

4.1.7 Manufacturer of Sensor/Instrument

Unknown.

4.2 Calibration

Images are not calibrated. However, the images provide an overhead view of the tower and auxiliary sites with fine spatial resolution.

4.2.1 Specifications

4.2.1.1 Tolerance

Not applicable.

4.2.2 Frequency of Calibration Not applicable.

4.2.3 Other Calibration Information

Not applicable.

5. Data Acquisition Methods

The NASA GSFC/WFF helicopter-based optical remote sensing system was deployed to acquire canopy multispectral data while hovering approximately 300 meters AGL (Walthall et al., 1996). A VHS color video camera was in operation during all data collection flights. The field of view (FOV) of the lens is unknown. Images are not calibrated. However, the images provide an overhead view of the tower and auxiliary sites with fine spatial resolution. A visual record of conditions at the time of the spectral data collection can assist in analysis.

The video snapshots were generated on a Power Macintosh PC 8500/220 using a VHS video player and Avid VideoShop 3.0.2. The images were then converted from PICT format to JPEG for universal accessibility.

6. Observations

6.1 Data Notes

An extensive helicopter log is available. Environmental, technical, instrumental, and operator conditions are noted for each observation where applicable.

6.2 Field Notes

See helicopter log.

7. Data Description

7.1 Spatial Characteristics

7.1.1 Spatial Coverage

The helicopter visited all of the NSA and SSA tower and category-1 auxiliary sites. Each site listed below was observed by this instrument at least once during the 1994 campaign at BOREAS. The coordinates in the table are based on the North American Datum of 1983 (NAD83).

_____ . _ _ _ _ _ _ Site Id Operat'l Longitude Latitude UTM UTM UTM Grid ID Easting Northing Zone _____ Flux Tower Sites SSA: SSA-FEN F0L9T 104.61798° W 53.80206° N 525159.8 5961566.6 13 SSA-OBS G814T 105.11779° W 53.98717° N 492276.5 5982100.5 13 SSA-OJP G2L3T 104.69203° W 53.91634° N 520227.7 5974257.5 13 SSA-YJP F8L6T 104.64529° W 53.87581° N 523320.2 5969762.5 13 SSA-90A C3B7T 106.19779° W 53.62889° N 420790.5 5942899.9 13 SSA-9YA D0H4T 105.32314° W 53.65601° N 478644.1 5945298.9 13 _____ NSA: NSA-OBS T3R8T 98.48139° W 55.88007° N 532444.5 6192853.4 14 NSA-OJP T7Q8T 98.62396° W 55.92842° N 523496.2 6198176.3 14 NSA-YJPT8S9T98.28706° W55.89575° N544583.96194706.914NSA-BVPT4U6T98.02747° W55.84225° N560900.66188950.714NSA-FENT7S1T98.42072° W55.91481° N536207.96196749.614 _____ Auxiliary Sites SSA: SSA-9BS D0H6S 105.29534° W 53.64877° N 480508.7 5944263.4 13 SSA-9BS G2I4S 105.13964° W 53.93021° N 490831.4 5975766.3 13 SSA-9BS G2L7S 104.63785° W 53.90349° N 523793.6 5972844.3 13 SSA-9BS G6K8S 104.75900° W 53.94446° N 515847.9 5977146.9 13 SSA-9BS G9I4S 105.11805° W 53.99877° N 492291.2 5983169.1 13 SSA-9JP F516P 105.11175° W 53.86608° N 492651.3 5968627.1 13 SSA-9JP F7J0P 105.05115° W 53.88336° N 496667.0 5970323.3 13 SSA-9JP F7J1P 105.03226° W 53.88211° N 497879.4 5970405.6 13 SSA-9JP G1K9P 104.74812° W 53.90880° N 516546.7 5973404.5 13 SSA-9JP G4K8P 104.76401° W 53.91883° N 515499.1 5974516.6 13 SSA-9JP G7K8P 104.77148° W 53.95882° N 514994.2 5978963.8 13 SSA-9JP G8L6P 104.63755° W 53.96558° N 523778.0 5979752.7 13 SSA-9JP G9L0P 104.73779° W 53.97576° N 517197.7 5980856.0 13 I2I8P 105.05107° W 54.11181° N 496661.4 5995963.1 13 SSA-9JP SSA-ASP B9B7A 106.18693° W 53.59098° N 421469.8 5938447.2 13 SSA-ASP D6H4A 105.31546° W 53.70828° N 479177.5 5951112.1 13 D6L9A 104.63880° W 53.66879° N 523864.0 5946733.2 13 SSA-ASP D9G4A 105.46929° W 53.74019° N 469047.1 5954718.4 13 SSA-ASP SSA-MIX D9I1M 105.20643° W 53.72540° N 486379.7 5952989.7 13 SSA-MIX F1NOM 104.53300° W 53.80594° N 530753.7 5962031.8 13 SSA-MIX G4I3M 105.14246° W 53.93750° N 490677.3 5976354.9 13 SSA-CLR FRSHCL 104.69194° W 53.91639° N 520205.2 5974269.4 13 _____

Site Id	Operat'l Grid ID	Longitude		Latitude		UTM Easting	UTM Northing	UTM Zone
Auxilia NSA:	ry Sites							
NSA-9BS	S8W0S	97.84024°	W	55.76824°	Ν	572761.9	6180894.9	14
NSA-9BS	T0P7S	98.82345°	W	55.88371°	Ν	511043.9	6193151.1	14
NSA-9BS	T0P8S	98.80225°	W	55.88351°	Ν	512370.1	6193132.0	14
NSA-9BS	TOW1S	97.80937°	W	55.78239°	Ν	574671.7	6182502.0	14
NSA-9BS	T3U9S	97.98339°	W	55.83083°	Ν	563679.1	6187719.2	14
NSA-9BS	T4U8S	97.99325°	W	55.83913°	Ν	563048.2	6188633.4	14
NSA-9BS	T4U9S	97.98364°	W	55.83455°	Ν	563657.5	6188132.8	14
NSA-9BS	T5Q7S	98.64022°	W	55.91610°	Ν	522487.2	6196800.5	14
NSA-9BS	T6R5S	98.51865°	W	55.90802°	Ν	530092.0	6195947.0	14
NSA-9BS	T6T6S	98.18658°	W	55.87968°	Ν	550887.9	6192987.9	14
NSA-9BS	T7R9S	98.44877°	W	55.91506°	Ν	534454.5	6196763.6	14
NSA-9BS	T7T3S	98.22621°	W	55.89358°	Ν	548391.8	6194505.6	14
NSA-9BS	T8S4S	98.37111°	W	55.91689°	Ν	539306.4	6197008.6	14
NSA-9BS	U5W5S	97.70986°	W	55.90610°	Ν	580655.5	6196380.8	14
NSA-9BS	U6W5S	97.70281°	W	55.91021°	Ν	581087.8	6196846.5	14
NSA-9JP	9909P	99.03952°	W	55.88173°	Ν	497527.8	6192917.5	14
NSA-9JP	Q3V3P	98.02473°	W	55.55712°	Ν	561517.9	6157222.2	14
NSA-9JP	T7S9P	98.30037°	W	55.89486°	Ν	543752.4	6194599.1	14
NSA-9JP	T8Q9P	98.61050°	W	55.93219°	Ν	524334.5	6198601.4	14
NSA-9JP	T8S9P	98.28385°	W	55.90456°	Ν	544774.3	6195688.9	14
NSA-9JP	T8T1P	98.26269°	W	55.90539°	Ν	546096.3	6195795.3	14
NSA-9JP	T9Q8P	98.59568°	W	55.93737°	Ν	525257.1	6199183.2	14
NSA-90A	T2Q6A	98.67479°	W	55.88691°	Ν	520342.0	6193540.7	14
NSA-ASP	P7V1A	98.07478°	W	55.50253°	Ν	558442.1	6151103.7	14
NSA-ASP	Q3V2A	98.02635°	W	55.56227°	Ν	561407.9	6157793.5	14
NSA-ASP	R8V8A	97.89260°	W	55.67779°	Ν	569638.4	6170774.8	14
NSA-ASP	S9P3A	98.87621°	W	55.88576°	Ν	507743.3	6193371.6	14
NSA-ASP	T4U5A	98.04329°	W	55.84757°	Ν	559901.6	6189528.2	14
NSA-ASP	T8S4A	98.37041°	W	55.91856°	Ν	539348.3	6197194.6	14
NSA-ASP	V5X7A	97.48565°	W	55.97396°	Ν	594506.1	6204216.6	14
NSA-ASP	W0Y5A	97.33550°	W	56.00339°	Ν	603796.6	6207706.6	14
NSA-MIX	Q1V2M	98.03769°	W	55.54568°	Ν	560718.3	6155937.3	14
NSA-MIX	T0P5M	98.85662°	W	55.88911°	Ν	508967.7	6193747.3	14

7.1.2 Spatial Coverage Map

None given.

7.1.3 Spatial Resolution

The spatial resolution is somewhat variable based on the altitude of the helicopter and the height of the trees and ground cover.

7.1.4 Projection

None given.

7.1.5 Grid Description

Not applicable.

7.2 Temporal Characteristics

7.2.1 Temporal Coverage

Observations were made during all three BOREAS 1994 IFCs, which occurred during the following periods:

IFC-1 24-May to 16-Jun IFC-2 19-Jul to 10-Aug IFC-3 30-Aug to 19-Sep

7.2.2 Temporal Coverage Map

Observations were made at several sites on the following dates:

Date	Study Area
31-May-94	SSA
1-Jun-94	SSA
4-Jun-94	SSA
6-Jun-94	SSA
7-Jun-94	SSA
8-Jun-94	NSA
10-Jun-94	NSA
21-Jul-94	NSA
22-Jul-94	SSA
23-Jul-94	SSA
24-Jul-94	SSA
25-Jul-94	SSA
28-Jul-94	SSA
4-Aug-94	NSA
8-Aug-94	NSA
6-Sep-94	NSA
8-Sep-94	NSA
9-Sep-94	NSA
13-Sep-94	NSA
15-Sep-94	SSA
16-Sep-94	SSA

In addition to the still images from each IFC, videotapes exist for the dates indicated below:

Video Tape Description

```
_____
RSS-03, HELICOPTER VIDEO, GPS, IFC-1, OA AND YA, 25-MAY-94 AND 27-MAY-94
RSS-03, HELICOPTER VIDEO, GPS, IFC-1, OA AND YA, 25-MAY-94 AND 27-MAY-94
RSS-03, HELICOPTER VIDEO, HELO A & B, IFC-1, 31-MAY-94
RSS-03, HELICOPTER VIDEO, HELO, IFC-1, 01-JUN-94
RSS-03, HELICOPTER VIDEO HELO, IFC-1, 04-JUN-94
RSS-03, HELICOPTER VIDEO, HELO, IFC-1, 06-JUN-94
RSS-03, HELICOPTER VIDEO, HELO, IFC-1, NSA, 07-JUN-94
RSS-03, HELICOPTER VIDEO, HELO, IFC-1, NSA, 08-JUN-94
RSS-03, HELICOPTER VIDEO, HELO, OPTICAL 22-JUL-94
RSS-03, HELICOPTER VIDEO, HELO, 23-JUL-94
RSS-03, HELICOPTER VIDEO, HELO A, TRANSECT B, 24-JUL-94
RSS-03, HELICOPTER VIDEO HELO, 25-JUL-94
```

```
RSS-03,HELICOPTER VIDEO HELO, B HELO, 25-JUL-94
RSS-03,HELICOPTER VIDEO, HELO, A & B 04-AUG-94
RSS-03,HELICOPTER VIDEO, C HELO, 04-AUG-94
RSS-03,HELICOPTER VIDEO, HELO A 08-AUG-94
```

7.2.3 Temporal Resolution

Measurements were collected as conditions permitted during each IFC. Each site was visited as often as possible during each IFC, with priority given to tower flux sites and category 1 auxiliary sites. Helicopter flight time was limited to approximately 2 hours by fuel constraints. As many sites as possible were visited during each flight.

7.3 Data Characteristics

7.3.1 Parameter/Variable

Video tapes and still frame imagery. The parameters contained in the video tape inventory file on the CD-ROM are:

Column Name

MEDIA_ID MEDIA_DESCR

7.3.2 Variable Description/Definition

The still frames were digitized from the video tape as representative views of the sites. The video tapes are Beta and VHS format containing the collected video imagery. The descriptions of the parameters contained in the video tape inventory file on the CD-ROM are:

Column Name	Description
MEDIA_ID	The BORIS identifier assigned to the data/
	information containing media. The form of the
	MEDIA_ID varies with each data set.
MEDIA_DESCR	The description of the information holding media.
	An example would be: RSS-03 Helicopter video
	tapes. IFC-1 OA and YA 25-MAY-1994 and
	27-MAY-1994 (VHS and BETA formats)

7.3.3 Unit of Measurement

There are no measurement units associated with the video tape or still frame imagery. The measurement units for the parameters contained in the video tape inventory file on the CD-ROM are:

Column Name	Units
MEDIA_ID	[none]
MEDIA_DESCR	[none]

7.3.4 Data Source

The images were gathered with a color, VHS video recorder. The source of the parameter values contained in the video tape inventory file on the CD-ROM are:

 Column Name
 Data Source

 MEDIA_ID
 [Assigned by BORIS]

 MEDIA_DESCR
 [Provided by RSS-03]

7.3.5 Data Range

The following table gives information about the parameter values found in the video tape inventory file on the CD-ROM.

Column Name	Minimum Data Value	Maximum Data Value	Missng Data Value	Unrel Data Value	Below Detect Limit	Data Not Cllctd
MEDIA_ID MEDIA_DESCR	N/A N/A N/A	N/A N/A	None None	None None	None None	None None
Minimum Data Value The minimum value found in the column. Maximum Data Value The maximum value found in the column. Missng Data Value The value that indicates missing data. This is used to indicate that an attempt was made to determine the parameter value, but the attempt was unsuccessful. Unrel Data Value The value that indicates unreliable data. This is used to indicate an attempt was made to determine the parameter value, but the value was deemed to be						l to used
Below Detect Limit Data Not Cllctd	The value instrument indicate t parameter that the p limit of t This value determine	that indicates that indicates detection lin hat an attempt value, but the parameter value he instrumentate indicates that the parameter v	parameter v nits. This was made to analysis pe was below t tion. no attempt value. This	alues k is used determ rsonnel he dete was ma usuall	elow the to ine the determi ction de to	.ned
Blank Indicates N/A Indicates	indicates not identi but this p measure th that blank sp that the value	that BORIS comb cal data sets in particular scient tat parameter. paces are used to the is not applic	pined severa into the sam nce team did to denote th cable to the	l simil e data not at type respec	ar but base tak of valu tive col	ole ne.

None -- Indicates that no values of that sort were found in the column.

7.4 Sample Data Record

The following are wrapped versions of data records from the video tape inventory file on the CD-ROM.

MEDIA_ID,MEDIA_DESCR
'VIDHEL001-0','RSS-03 Helicopter video tapes. 25-JUL-1994 (VHS and BETA
formats).'
'VIDHEL002-0','RSS-03 Helocopter video tapes. IFC-1 04-JUN-1994 (VHS and BETA
formats).'

8. Data Organization

8.1 Data Granularity

The smallest unit of information for the video tapes is one video tape. The smallest unit of data for the still images is a single image.

8.2 Data Format(s)

The video tapes are stored in Beta and/or VHS format. The still images are stored in JPEG image files that are named with the date when and site where the imagery was acquired.

The Compact Disk-Read-Only Memory (CD-ROM) file of video tape inventory information contains American Standard Code for Information Interchange (ASCII) numerical and character fields of varying length separated by commas. The character fields are enclosed with single apostrophe marks. There are no spaces between the fields.

Each data file on the CD-ROM has four header lines of Hyper-Text Markup Language (HTML) code at the top. When viewed with a Web browser, this code displays header information (data set title, location, date, acknowledgments, etc.) and a series of HTML links to associated data files and related data sets. Line 5 of each data file is a list of the column names, and line 6 and following lines contain the actual data.

9. Data Manipulations

9.1 Formulae

None given.

- **9.1.1 Derivation Techniques and Algorithms** None given.
- **9.2 Data Processing Sequence** None given.
- 9.2.1 Processing Steps None given.
- 9.2.2 Processing Changes None given.
- 9.3 Calculations

None given.

- **9.3.1 Special Corrections/Adjustments** None given.
- **9.3.2 Calculated Variables** None given.

9.4 Graphs and Plots

None given.

10. Errors

10.1 Sources of Error

None given.

10.2 Quality Assessment

Visual quality assessment during data collection. See reference list and helicopter logs. BOREAS Information System (BORIS) staff viewed some of the JPEG imagery to verify data format. Some of the video tape was viewed in the process of copying from Beta to VHS format.

10.2.1 Data Validation by Source

None given.

- **10.2.2 Confidence Level/Accuracy Judgment** None given.
- **10.2.3 Measurement Error for Parameters** None given.

10.2.4 Additional Quality Assessments None given.

10.2.5 Data Verification by Data Center See Section 10.2.

11. Notes

11.1 Limitations of the Data

None given.

11.2 Known Problems with the Data None given.

11.3 Usage Guidance

The video imagery was taken to capture visual conditions at the site during data collection that can be referred to as necessary when using any of the helicopter data sets.

11.4 Other Relevant Information

None given.

12. Application of the Data Set

See Section 11.3.

13. Future Modifications and Plans

None.

14. Software

14.1 Software Description

Avid VideoShop 3.0.2

14.2 Software Access

The software described is publicly available.

15. Data Access

The RSS-03 imagery and snapshots are available from the Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC).

15.1 Contact Information

For BOREAS data and documentation please contact:

ORNL DAAC User Services Oak Ridge National Laboratory P.O. Box 2008 MS-6407 Oak Ridge, TN 37831-6407 Phone: (423) 241-3952 Fax: (423) 574-4665 E-mail: ornldaac@ornl.gov or ornl@eos.nasa.gov

15.2 Data Center Identification

Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC) for Biogeochemical Dynamics http://www-eosdis.ornl.gov/.

15.3 Procedures for Obtaining Data

Users may obtain data directly through the ORNL DAAC online search and order system [http://www-eosdis.ornl.gov/] and the anonymous FTP site [ftp://www-eosdis.ornl.gov/data/] or by contacting User Services by electronic mail, telephone, fax, letter, or personal visit using the contact information in Section 15.1.

15.4 Data Center Status/Plans

The ORNL DAAC is the primary source for BOREAS field measurement, image, GIS, and hardcopy data products. The BOREAS CD-ROM and data referenced or listed in inventories on the CD-ROM are available from the ORNL DAAC.

16. Output Products and Availability

16.1 Tape Products

None.

16.2 Film Products

The video tapes are in both VHS and Beta format.

16.3 Other Products

The still imagery is provided as files in JPEG format. These data are available on the BOREAS CD-ROM series.

17. References

17.1 Platform/Sensor/Instrument/Data Processing Documentation

Walthall, C., D.L. Williams, B. Markham, J. Kalshoven, and R. Nelson. 1996. Development and present configuration of the NASA GSFC/WFF helicopter-based remote sensing system. International Geosciences and Remote Sensing Symposium (IGARSS) Spring 1996, Lincoln, Nebraska.

17.2 Journal Articles and Study Reports

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. 2000. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM.

Sellers, P. and F. Hall. 1994. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1994-3.0, NASA BOREAS Report (EXPLAN 94).

Sellers, P. and F. Hall. 1996. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1996-2.0, NASA BOREAS Report (EXPLAN 96).

Sellers, P., F. Hall, and K.F. Huemmrich. 1996. Boreal Ecosystem-Atmosphere Study: 1994 Operations. NASA BOREAS Report (OPS DOC 94).

Sellers, P., F. Hall, and K.F. Huemmrich. 1997. Boreal Ecosystem-Atmosphere Study: 1996 Operations. NASA BOREAS Report (OPS DOC 96).

Sellers, P., F. Hall, H. Margolis, B. Kelly, D. Baldocchi, G. den Hartog, J. Cihlar, M.G. Ryan, B. Goodison, P. Crill, K.J. Ranson, D. Lettenmaier, and D.E. Wickland. 1995. The boreal ecosystem-atmosphere study (BOREAS): an overview and early results from the 1994 field year. Bulletin of the American Meteorological Society. 76(9):1549-1577.

Sellers, P.J., F.G. Hall, R.D. Kelly, A. Black, D. Baldocchi, J. Berry, M. Ryan, K.J. Ranson, P.M. Crill, D.P. Lettenmaier, H. Margolis, J. Cihlar, J. Newcomer, D. Fitzjarrald, P.G. Jarvis, S.T. Gower, D. Halliwell, D. Williams, B. Goodison, D.E. Wickland, and F.E. Guertin. 1997. BOREAS in 1997: Experiment Overview, Scientific Results and Future Directions. Journal of Geophysical Research 102(D24): 28,731-28,770.

17.3 Archive/DBMS Usage Documentation None.

18. Glossary of Terms

None.

19. List of Acronyms

A/D	-	Analog-to-digital				
AGL	-	Above Ground Level				
ASCII	-	American Standard Code for Information Interchange				
BOREAS	-	BOReal Ecosystem-Atmosphere Study				
BORIS	-	BOREAS Information System				
CCD	-	Charge-Coupled Device				
CD-ROM	-	Compact Disk-Read-Only Memory				
DAAC	-	Distributed Active Archive Center				
FOV	-	Field of View				
GIS	-	Geographic Information System				
GSFC	-	Goddard Space Flight Center				
HTML	-	HyperText Markup Language				
IFC	-	Intensive Field Campaign				
MMR	-	Modular Multiband Radiometer				
NAD83	-	North American Datum of 1983				
NASA	-	National Aeronautics and Space Administration				
NSA	-	Northern Study Area				
OA	-	Old Aspen				
OBS	-	Old Black Spruce				
OJP	-	Old Jack Pine				
ORNL	-	Oak Ridge National Laboratory				
PANP	-	Prince Albert National Park				
RSS	-	Remote Sensing Science				
SE-590	-	Spectron Engineering spectroradiometer (SE590)				
SSA	-	Southern Study Area				
TM	-	Thematic Mapper				
URL	-	Uniform Resource Locator				
UTM	-	Universal Transverse Mercator				
WFF	-	Wallops Flight Facility				
YA	-	Young Aspen				
YJP	-	Young Jack Pine				

20. Document Information

20.1 Document Revision Date

Written: 30-Jun-1997 Last Updated: 31-Aug-1999

20.2 Document Review Dates BORIS Review: 03-Dec-1998 Science Review:

20.3 Document ID

20.4 Citation

When using these data, please contact the individuals listed in Section 2.3 as well as citing relevant papers in Section 17.2.

If using data from the BOREAS CD-ROM series, also reference the data as:

Walthall, C.L., "Biophysical Significance of Spectral Vegetation Indices in the Boreal Forest." In Collected Data of The Boreal Ecosystem-Atmosphere Study. Eds. J. Newcomer, D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers. CD-ROM. NASA, 2000.

Also, cite the BOREAS CD-ROM set as:

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM. NASA, 2000.

20.5 Document Curator

20.6 Document URL

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of in gathering and maintaining the data needed, a collection of information, including suggestior Davis Highway, Suite 1204, Arlington, VA 222	nformation is estimated to average 1 hour per and completing and reviewing the collection of is for reducing this burden, to Washington He 202-4302, and to the Office of Management a	response, including the time for re information. Send comments regr adquarters Services, Directorate fo ind Budget, Paperwork Reduction	viewing instructions, searching existing data sources, rrding this burden estimate or any other aspect of this r Information Operations and Reports, 1215 Jefferson Project (0704-0188), Washington, DC 20503.			
1. AGENCY USE ONLY (Leave blan	AGENCY USE ONLY (Leave blank)2. REPORT DATE July 20003. REPORT TYPE AND DATE Technical Memora					
 4. TITLE AND SUBTITLE Technical Report Series on th BOREAS RSS-3 Imagery a Camera 6. AUTHOR(S) Charles L. Walthall and S Forrest G. Hall and Jaime 	he Boreal Ecosystem-Atmosph nd Snapshots from a Helicop dara Loechel e Nickeson, Editors	ere Study (BOREAS) ter-Mounted Video	5. FUNDING NUMBERS 923 RTOP: 923-462-33-01			
7. PERFORMING ORGANIZATION	NAME(S) AND ADDRESS (ES)		8. PEFORMING ORGANIZATION REPORT NUMBER			
Goddard Space Flight Cent Greenbelt, Maryland 20771	er I		2000-03136-0			
9. SPONSORING / MONITORING	AGENCY NAME(S) AND ADDRE	CSS (ES)	10. SPONSORING / MONITORING			
National Aeronautics and S Washington, DC 20546-000	TM—2000–209891 Vol. 48					
11. SUPPLEMENTARY NOTES C.L. Walthall: U.S.D.A. Agricultural Research Service; S. Loechel: University of Maryland; J. Nickeson: Raytheon ITSS						
 12a. DISTRIBUTION / AVAILABILITY Unclassified–Unlimited Subject Category: 43 Report available from the N 7121 Standard Drive, Hano 	12b. DISTRIBUTION CODE					
13. ABSTRACT (Maximum 200 word	s)					
The BOREAS RSS-3 team collected helicopter-based video coverage of forested sites acquired during BOREAS as well as single-frame "snapshots" processed to still images. Helicopter data used in this analysis were collected during all three 1994 IFCs (24-May to 16-Jun, 19-Jul to 10-Aug, and 30-Aug to 19-Sep), at numerous tower and auxiliary sites in both the NSA and the SSA. The VHS-camera observations correspond to other coincident helicopter measurements. The field of view of the camera is unknown. The video tapes are in both VHS and Beta format. The still images are stored in JPEG format.						
14. SUBJECT TERMS BOREAS, remote sensing	15. NUMBER OF PAGES					
			16. PRICE CODE			
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIF OF ABSTRACT Unclassified	CATION 20. LIMITATION OF ABSTRACT			
NSN 7540-01-280-5500			Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. Z39.18 298-102			