U.S. Fish & Wildlife Service

Atchafalaya

National Wildlife Refuge








prothonotary warbler

Atchafalaya National Wildlife Refuge (including Sherburne WMA)

Atchafalaya National Wildlife Refuge is one of more than 540 national wildlife refuges, managing over 94 million acres of land. The refuge is adjacent to the Sherburne Wildlife Management Area. Public use is managed through a cooperative agreement with the Louisiana Department of Wildlife and Fisheries as Sherburne Wildlife Management Area. P.O. Box 127, Krotz Springs, LA 70750, 337/566 2251.



eastern kingbird

Located in St. Martin and Iberville Parishes, the refuge is 30 miles west of Baton Rouge, Louisiana, 1 mile east of Krotz Springs, Louisiana and just east of the Atchafalava River. To access from Interstate 10, take the Whiskey Bay Exit onto highway 975 (gravel road) nine miles north to the management area headquarters. From Highway 190, exit at the east toe of the Atchafalava River Levee on Hwy 975. Head south for 2.5 miles to the management area headquarters.



wood duck

Atchafalaya National Wildlife Refuge was established by Congress on October 26, 1984 (Public Law 98-396) with money from the Land and Water Conservation Fund. The U.S. Fish and Wildlife Service purchased 15,220 acres in 1986 from the Iberville Land Company. The refuge's name originated from its location within the Atchafalaya River Basin, the largest bottomland swamp in the USA.



great egret

The climate is mild with subtropical weather throughout the year. Average rainfall is approximately 54 inches.

The refuge manages for any and all threatened and endangered wildlife and plants that inhabit the refuge including the American Bald Eagle and Louisiana Black Bear. Secondary management is for waterfowl and other migratory birds, all other



 $tufted\ titmouse$



yellow-crowned night heron



belted kingfisher



little blue heron



swallow-tailed kite

indigenous wildlife, and to provide wildlife oriented recreation, education, and demonstration.

Opportunities exist for bird-watching on the refuge. The refuge was identified as a Globally Important Bird Area by the American Bird Conservancy. The bottomland hardwood forests and the mix of bayous, oxbow lakes, sloughs, and swamps create a diversity of habitats important to a wide range of bird species. Neotropical migrants abound during the fall and spring migrations, and many species nest on the refuge. The refuge supports a number of small wading bird rookeries. Each winter, several thousand waterfowl make their home on the refuge. Wood Ducks are common summer nesters.

The Swallow-tailed Kite nests on the refuge.

The following bird list contains 206 species, representing observations by refuge and state WMA personnel, local birders, researchers, and volunteers.

Sightings of unlisted species should be reported to:

Refuge Manager Southeast Louisiana Refuges 61389 Highway 434 Lacombe, Louisiana 70445

Seasons

SP-Spring March-May S-Summer June-July F-Fall August-Nover

F-Fall August-November W-Winter December-February

Habitat where found (H)

W- Open water

S - Swamp

F - Field

M - Marsh/Mud flat

A - Aerial/flyover

f - forest

s - scrub-shrub

E - forest Edge

a-abundant – Many individuals per day in appropriate habitat and season (>100/day)

c-common – Certain to be seen in suitable habitat (10-100/day)

 $\textbf{u-uncommon} - Usually \ present \ in \ suitable \ habitat \ (<10/day)$

r-rare – Seen only a few times during a season (<1/day)

 $\textbf{o-occasional}- Only \ seen \ every \ few \ years$

Grebes	SP	S	F	W	H
Pied-billed Grebe	r		c	c	W
Cormorants Double-crested Cormorant	c	0	c	c	W
	Č	Ü	C	C	• • •
Anhinga Anhinga	u	c	u	r	W
Herons & Bitterns					
Great Blue Heron	c	c	c	c	\mathbf{S}
Great Egret	a	a	c	c	\mathbf{S}
Snowy Egret	c	c	c	u	$\frac{S}{S}$
Little Blue Heron*	c	c	c	0	S
Tricolored Heron*	c	a	r		\mathbf{S}
Cattle Egret	a	a	a	r	$\operatorname*{F}_{\simeq}$
Green Heron	u	u	u		S
Black-crowned Night-Heron*	u	u	u	r	M
Yellow-crowned Night-Heron	a	a			\mathbf{S}
lbises					
White Ibis					M
Roseate Spoonbill	a o	a 0	с 0	c o	M
noseate Spoonbin	U	U	U	U	IVI
Storks					
Wood Stork*		u	c		M
American Vultures					
Black Vulture	c	c	c	c	A
Turkey Vulture	c	u	c	c	A
Waterfowl					
Greater White-fronted Goose	0	r	0	0	W
Snow (Blue) Goose	0	r	0	u	w
Wood Duck	c	c	c	a	S
Gadwall	u		r	u	$\widetilde{\mathrm{W}}$
American Wigeon	u		u	c	w
Mallard	c		c	c	W
Blue-winged Teal	u	0	u	u	W

NT 41 C1 1	SP	S	F	W	H
Northern Shoveler	u		u	c	W
Northern Pintail	u		u	c	W
Green-winged Teal	r		0	0	W
Canvasback	r		r	u	W
Redhead	r		r	u	W
Ring-necked Duck	u		u	c	W W
Lesser Scaup Bufflehead	c		c	c	W
Hooded Merganser	r	70	r	u	W
	u	r	u	c	W
Red-breasted Merganser	0		0	0	W
Ruddy Duck	С		С	С	VV
Hawks					
Osprey	u	r	u	r	W
Swallow-tailed Kite*	u	u	u		A
Mississippi Kite*	a	a	c		Α
Bald Eagle*	r		$^{\rm r}$	r	W
Northern Harrier*	u		u	u	F
Sharp-shinned Hawk*	u		u	u	f
Cooper's Hawk*	u		u	u	f
Red-shouldered Hawk	c	c	c	c	S
Rroad-winged Hawk	c		c	C	f
Red-tailed Hawk	c	u o	c	c	F
ned-tailed Hawk	C	U	C	C	T.
Falcons					
American Kestrel*	c		c	c	\mathbf{F}
Merlin	0		0	r	F
Peregrine Falcon*	r		r	0	F
Teregrine rateon	1		1	O	-
Turkeys					
Wild Turkey	c	c	c	c	F
n-ti-					
Rails					a
King Rail	c	u	c	c	S
Virginia Rail	u		u	u	M
Sora	u		u	c	$_{\widetilde{\alpha}}$
Purple Gallinule	u	u	r		S
Common Moorhen (Gallinule)	u	u	r		M
American Coot	c		c	c	W
Plovers					
					1\ /T
Black-bellied Plover	r		r		M
Semipalmated Plover	0		0		M
Killdeer	c	С	c	c	F
Stilts					
Black-necked Stilt	c	c	c	u	M
	C		Č	а	111
Sandpipers					
Greater Yellowlegs	\mathbf{c}		c		M
Lesser Yellowlegs	u		u	u	M
Solitary Sandpiper*	u	r	u		S
v					_

	SP	S	F	W	H
Spotted Sandpiper	u		u	u	S
Semipalmated Sandpiper*	u		u		M
Western Sandpiper	r	r	r	r	M
Least Sandpiper*	u		u	c	M
Pectoral Sandpiper*	u		u	r	M
Dunlin*	u		u	r	M
Stilt Sandpiper*	\mathbf{r}		r	r	M
Wilson's Snipe	u		u	c	M
American Woodcock	u	u	c	c	S
Long-billed Dowitcher	r		r	r	M
Doves					
Rock Dove				u	Α
Eurasian Collared-dove			0		A
Mourning Dove	c	c	c	c	F
Cuckoos					
Black-billed Cuckoo	r	r	r		s
Yellow-billed Cuckoo*	c	c	c		s
ichow shied edekoo	C	C	C		
Barn Owls					
Barn Owl	0	0	0	0	F
0wls					
Eastern Screech-Owl	u	u	u	u	\mathbf{f}
Great Horned Owl	u	u	u	u	F
Barred Owl	c	c	c	c	S
Nightjars					
Common Nighthawk	c	u	c		A
Chuck-will's-widow*	u		u		f
Whip-poor-will*	0		0	0	f
Swifts					
Chimney Swift	c	c	c		Α
Unamainakinda					
Hummingbirds	k _		_		173
Ruby-throated Hummingbird'	° C	С	c		E
Rufous Hummingbird			u		Е
Kingfishers					
Belted Kingfisher	c	r	c	c	W
Woodpeckers					
Red-headedWoodpecker*	u	u	u	r	\mathbf{f}
Red-bellied Woodpecker	c	c	c	c	f
Yellow-bellied Sapsucker	u		c	c	f
Downy Woodpecker	c	c	c	c	\mathbf{f}
Hairy Woodpecker	u	u	u	u	$\dot{\mathbf{f}}$
Northern Flicker	c	r	c	c	Ē
Pileated Woodpecker	c	c	c	c	f
	-				

	SP	S	F	W	Н
Flycatchers					
Olive-sided Flycatcher	0		0		\mathbf{f}
Eastern Wood-Pewee*	u		u		\mathbf{f}
Yellow-bellied Flycatcher			r		s
Acadian Flycatcher	c	c	c		$\tilde{\mathbf{f}}$
Alder Flycatcher		_	u		S
Least Flycatcher			u		s
Eastern Phoebe	c		c	c	S
Vermilion Flycatche	r	r	r	r	\mathbf{E}
Great Crested Flycatcher	u	u	u	-	$\bar{\mathrm{E}}$
Eastern Kingbird*	r	r	r		$\overline{\mathrm{E}}$
Scissor-tailed Flycatcher	0	-	-		F
Vireos					
				70	E
White-eyed Vireo* Yellow-throated Vireo	a	a	a	r	E
Blue-headed Vireo	u	u	r		$^{\mathrm{E}}$
Warbling Vireo	u		u	c	$^{\mathrm{f}}$
	0	0	0		$\overset{1}{\mathrm{f}}$
Philadelphia Vireo	r		u		$\overset{1}{\mathrm{f}}$
Red-eyed Vireo	a	a	a		1
Jays and Crows					_
Blue Jay	c	c	c	c	\mathbf{f}
American Crow	a	a	a	a	F
Fish Crow	c	c	c	c	F
Swallows					
Purple Martin	c	c	0		A
Tree Swallow	c		c	c	A
Northern Rough-winged Swallo	w* c	u	c		A
Bank Swallow	u		u		A
—Cliff Swallow	u	u	u		A
Barn Swallow	c	u	c		A
Titmice					
Carolina Chickadee*	c	c	c	c	\mathbf{f}
Tufted Titmouse	c	c	c	c	$\dot{\mathbf{f}}$
	Č	Č	Č	C	•
Nuthatches Red-breasted Nuthatch				0	f
ned-breasted Nuthatch			0	0	1
Creepers					
Brown Creeper	u		u	u	f
Wrens					
Carolina Wren	a	a	a	a	S
House Wren	u		u	u	S
Winter Wren	u		u	u	s
Kinglets					
Golden-crowned Kinglet	u		c	u	\mathbf{f}
Ruby-crowned Kinglet	a		a	a	s

Cuetastakana	SP	S	F	W	H
Gnatcatchers Blue-gray Gnatcatcher	c	c	c	u	f
Blue-gray Ghaccacher	C	C	C	и	1
Thrushes					
Eastern Bluebird	u	u	u	u	\mathbf{F}
Veery	u		u		\mathbf{f}
Gray-cheeked Thrush	u		u		$\bar{\mathbf{f}}$
Swainson's Thrush	u		u		f
Hermit Thrush	u		c	c	f
Wood Thrush*	c	c	c	C	s
American Robin	a	C	a	a	F
	а		а	а	1
Shrikes					
Loggerhead Shrike*	u	u	u	u	F
Mockingbirds and Thrashers					
Gray Catbird*	c		c	u	s
Northern Mockingbird	c	u	c	c	s
Brown Thrasher*	u	и	u	u	s
Brown Thrasher	и		и	и	Б
Starlings					
European Starling (exotic)	c	c	c	a	\mathbf{F}
Pipits					
American Pipit	u		u	u	F
Waxwings					
Cedar Waxing	a		u	a	f
Nood Warblers					
Blue-winged Warbler	u		u		G
Golden-winged Warbler					S
Tennessee Warbler	r		r		S
	c		c		S
Orange-crowned Warbler	u		u	c	S
Nashville Warbler Northern Parula*				u	s f
	a	a			
Yellow Warbler	u	0	c		S
Yellow-throated Warbler	u	u	r		S
Chestnut-sided Warbler	u		u		S
Magnolia Warbler	u		c		S
Yellow-rumped Warbler	a		a	a	S
Black-throated Green Warbler	u		c		\mathbf{f}
Blackburnian Warbler	u		r		f
Pine Warbler	\mathbf{r}		u	u	f
Prairie Warbler	0		r		s
Palm Warbler*	0		u	u	\mathbf{F}
Bay-breasted Warbler	u		\mathbf{r}		\mathbf{f}
Cerulean Warbler*	u				\mathbf{f}
Black-and-WhiteWarbler	u		u	0	\mathbf{f}
American Redstart	a	a	c		$\bar{\mathbf{f}}$
Prothonotary Warbler*	a	a	r		S
Worm-eating Warbler*	u		u		s
Swainson's Warbler*	c	c	r		s
	-				

Grospeaks, Sparrows, Buntings					
Eastern Towhee	c	c	c	c	S
Fox Sparrow	\mathbf{r}		r	u	S
Song Sparrow	u		u	c	\mathbf{S}
	-			c	\mathbf{S}
Swamp Sparrow	c		c	c	\mathbf{M}
White-throated Sparrow	a		a	a	${ m E}$
White-crowned Sparrow	u		\mathbf{r}	u	\mathbf{S}
Dark-eyed Junco	u		\mathbf{r}	u	\mathbf{E}
Northern Cardinal	a	a	a	a	\mathbf{f}
Rose-breasted Grosbeak	u		u		\mathbf{f}
Blue Grosbeak	u	r	c	u	S
Indigo Bunting	c	c	c		\mathbf{S}
Painted Bunting*	c	c	u		${ m E}$
Dickcissel*	u	r	u		F
Blackbirds and Orioles					
Bobolink		u			\mathbf{F}
Red-winged Blackbird	a	a	a	a	$\dot{\mathbf{M}}$
Eastern Meadowlark*	c	c	c	c	F
Rusty Blackbird*	u	C	$^{ m c}$	u	S
Common Grackle	a	a	a	a	$\widetilde{\mathrm{F}}$
Brown-headed Cowbird	a	a	c	a	F
Orchard Oriole*	u	u	0	a	s
Baltimore Oriole*	u	O.	u		$\tilde{\mathbf{f}}$
Purple Finch	u		r	u	f
House Finch	u	0	u	u	F
American Goldfinch	c	Ü	u	a	F
* Species of concern, due to declining populations					
Ethics of Birdwatching					
Take care not to disturb nesting birds, exposing eggs and					
young to extreme temperatures a	and pre	edati	on.		
Do not litter! Many birds die when they become entangled in fishing lines, 6-pack rings and other trash, or when they mistake garbage for food.					

S

c c

c

F

u

u

u

u

u

c c

u

u

c

u

SP

u

u

u

c c

c

c

u

r

a a c

c

u

Ovenbird

Northern Waterthrush

Kentucky Warbler*

Hooded Warbler

Wilson's Warbler

Canada Warbler

Summer Tanager

Scarlet Tanager

Tanagers

Mourning Warbler Common Yellowthroat

Yellow-breasted Chat*

Grosbeaks, Sparrows, Buntings

Louisiana Waterthrush*

Н

S

S

S

S

 \mathbf{s}

S

S

 \mathbf{s}

S

 \mathbf{s}

f

f

W

c

r

0



Date	
Time	
Weather	
No. of species	
Route or area	
Observers	
Remarks	
Z Z	
This blue goose,	
designed by J.N. "Ding" Darling,	
has become the symbol of the	
National Wildlife Refuge System.	

Sighting Notes

Southeast Louisiana Refuges 61389 Highway 434 Lacombe, Louisiana 70445 985/882 2000 Email: atchafalaya@fws.gov http://southeast.fws.gov http://southeastlouisiana.fws.gov

U.S. Fish & Wildlife Service 1 800/344 WILD

March 2003

