

WAUS43 KKCI 100245

WA3Z

CHIZ WA 100245

AIRMET ZULU FOR ICE AND FRZLVL VALID UNTIL 100900

.
AIRMET ICE...ND SD NE KS MN IA MO WI LM LS MI LH IL IN
FROM 70NW INL TO YQT TO SSM TO YVV TO DXO TO FWA TO CVG TO PXV TO
40ESE FAM TO 30SSW BAE TO 40WSW FOD TO 40SSE OVR TO 50ESE MCK TO
20W BFF TO 50NNW ISN TO 70NW INL
MOD ICE BTN FRZLVL AND FL200. FRZLVL SFC-100. CONDS CONTG BYD 09Z
THRU 15Z.

.
OTLK VALID 0900-1500Z...ICE MO IL IN KY TN
BOUNDED BY CVG-HNN-50WSW BKW-40SSW LOZ-20S DYR-40NW DYR-20SSE
FAM-40NE FAM-40SE TTH-CVG
MOD ICE BTN 100 AND FL180. CONDS DVLPG 09-12Z. CONDS CONTG THRU
15Z.

.
FRZLVL...RANGING FROM SFC-120 ACRS AREA
MULT FRZLVL BLW 120 BOUNDED BY 90ESE YWG-YQT-SSM-YVV-40ENE
ECK-DXO-30NE GRR-30W TVC-50NE GRB-30NNW RHI-20SE FAR-60W
ABR-50NW MOT-60NNE MOT-90ESE YWG
SFC ALG 20S GLD-40SW LBF-40SSW RAP-20N RAP-60ENE BIS-60SSW YWG
SFC ALG 40ENE INL-60ESE INL-70SW SSM-30SSE ECK
040 ALG 60WSW RAP-20W ANW-40ESE FSD-20S RWF-70NW RWF-60SSE
FAR-30SSE ECK
080 ALG 30E LBL-70WSW SLN-20NE SLN-30SSE GIJ-20NE FWA

WAUS43 KKCI 100245

WA3S

CHIS WA 100245

AIRMET SIERRA FOR IFR AND MTN OBSCN VALID UNTIL 100900

.
AIRMET IFR...ND SD NE KS MN IA MO WI LM LS MI LH IL IN
FROM 70NW INL TO YQT TO SSM TO 40S ECK TO FWA TO 40NW TTH TO
50SSE FAM TO 50NNW ARG TO 50NNE UIN TO 60SE FSD TO 50SSE ANW TO
70SW RAP TO 50NNW ISN TO 70NW INL
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 09Z THRU 15Z.

.
OTLK VALID 0900-1500Z...MTN OBSCN KY
BOUNDED BY HNN-HMV-40WSW LOZ-HNN
MTNS OCNL OBSC BY CLDS/PCPN/BR. CONDS DVLPG 12-15Z. CONDS CONTG
THRU 15Z.

WAUS43 KKCI 100245

WA3T

CHIT WA 100245

AIRMET TANGO FOR TURB STG WNDS AND LLWS VALID UNTIL 100900

.
AIRMET TURB...ND SD NE KS MN IA MO WI LM LS MI LH IL IN KY
FROM 70SW YWG TO 30N INL TO YQT TO SSM TO YVV TO 30ESE ECK TO
FWA TO CVG TO HNN TO HMV TO RZC TO OSW TO 50W LBL TO 50E SNY TO
50SSW BFF TO 80SW DIK TO 70SW YWG
MOD TURB BTN FL180 AND FL410. CONDS CONTG BYD 09Z THRU 15Z.

AIRMET TURB...ND SD NE KS MN IA MO IL IN KY
FROM 60WSW DIK TO 50NNW FSD TO CVG TO HNN TO HMV TO RZC TO OSW
TO 50W LBL TO 40E SNY TO 50SSW BFF TO 80NW RAP TO 60WSW DIK
MOD TURB BLW FL180. CONDS CONTG BYD 09Z THRU 15Z.

AIRMET TURB...ND SD MN IA WI LM LS MI LH IL IN KY
FROM 30N INL TO YQT TO SSM TO YVV TO DXO TO FWA TO CVG TO 50NNW
FSD TO 90SW YWG TO 30N INL
MOD TURB BLW FL180. CONDS CONTG BYD 09Z THRU 15Z.

AIRMET STG SFC WINDS...SD NE
FROM 60SSE DIK TO 30NNW ANW TO 60SSE OBH TO 50ESE SNY TO 50SSW
BFF TO 80SW DIK TO 60SSE DIK
SUSTAINED SURFACE WINDS GTR THAN 30KT EXP. CONDS ENDG 03-06Z.

LLWS POTENTIAL...ND SD NE KS MN IA MO WI LM LS MI LH IL IN
BOUNDED BY 90ESE YWG-YQT-SSM-GIJ-20SSE JOT-UIN-40S COU-50ENE ICT-
50NW ANW-60SW BIS-20W MSP-20SW BJI-90ESE YWG
LLWS EXP. CONDS CONTG BYD 09Z ENDG 12-15Z.

WAUS43 KKCI 100845
WA3T
CHIT WA 100845
AIRMET TANGO UPDT 1 FOR TURB AND LLWS VALID UNTIL 101500

AIRMET TURB...LM MI LH IN
FROM SSM TO YVV TO 30SE ECK TO DXO TO FWA TO 50SW TVC TO SSM
MOD TURB BTN FL200 AND FL390. CONDS ENDG 12-15Z.

AIRMET TURB...ND SD NE KS MN IA MO WI LM LS MI LH IL IN KY
FROM 30N INL TO YQT TO SSM TO YVV TO 30SE ECK TO FWA TO CVG TO
50N DYR TO 20SSE SLN TO 70SW RAP TO 50NNW ISN TO 40NNE MOT TO
50NNW ABR TO 60SE FAR TO 30N INL
MOD TURB BLW 160. CONDS CONTG BYD 15Z THRU 21Z.

AIRMET TURB...KS MO IL IN KY OK TX AR TN LA MS AL
FROM CVG TO HNN TO HMV TO GQO TO 20SE IGB TO 50E LFK TO 20SW OSW
TO 20SSE SLN TO 50N DYR TO CVG
MOD TURB BLW 080. CONDS CONTG BYD 15Z THRU 21Z.

AIRMET TURB...ND SD NE KS MN IA MO WI LS MI OK TX
FROM 50NNW ISN TO 60E BIS TO 50SE INL TO 50WSW SAW TO 20SW END
TO 20E TCC TO 30ESE TBE TO 50W LBL TO 40E SNY TO 30E CYS TO
50NNW ISN
MOD TURB BTN FL200 AND FL400. CONDS CONTG BYD 15Z THRU 21Z.

LLWS POTENTIAL...KS MN IA MO WI LM LS MI LH IL IN KY
BOUNDED BY 30N DLH-SSM-30SE ECK-FWA-CVG-HNN-20NE LOZ-60SSE TTH-
20ESE STL-30ENE SGF-60W BUM-30N DLH
LLWS EXP. CONDS ENDG 12-15Z.

OTLK VALID 1500-2100Z
AREA 1...TURB ND SD NE MN IA MO WI LM LS MI LH IL IN KY
BOUNDED BY 30N INL-YQT-SSM-YVV-30SE ECK-FWA-CVG-50NNE DYR-70WSW
FAM-30NE COU-50WNW RAP-50NNW ISN-50NNE MOT-60WSW FAR-60ESE FAR-
30N INL

MOD TURB BLW 160. CONDS CONTG THRU 21Z.

.
AREA 2...TURB MO IL IN KY AR TN LA MS AL
BOUNDED BY CVG-HNN-HMV-GQO-30SSE VUZ-20NE JAN-40NW AEX-40NNW LIT-
70WSW FAM-50NNE DYR-CVG
MOD TURB BLW 080. CONDS CONTG THRU 21Z.

.
AREA 3...TURB ND SD NE KS MN IA MO WI LM LS MI IL OK TX
BOUNDED BY YQT-SSM-20N MLC-DLF-90S MRF-ELP-INK-30ESE TBE-50W LBL-
40E SNY-30E CYS-50SSW ISN-60E BIS-50ESE INL-YQT
MOD TURB BTN FL200 AND FL400. CONDS CONTG THRU 21Z.

....
WAUS43 KPCI 100845
WA3Z
CHIZ WA 100845
AIRMET ZULU UPDT 1 FOR ICE AND FRZLVL VALID UNTIL 101500

.
AIRMET ICE...ND SD NE MN IA WI LS MI
FROM 30N INL TO YQT TO 60NW SAW TO 40ESE EAU TO 20SW ODI TO 60SSW
FSD TO 30NNW ANW TO 70NW RAP TO 50NNW ISN TO 30N INL
MOD ICE BTN FRZLVL AND FL200. FRZLVL SFC-060. CONDS CONTG BYD 15Z
THRU 21Z.

.
AIRMET ICE...LM MI LH
FROM SSM TO YVV TO 30SE ECK TO 50NNE FWA TO SSM
MOD ICE BTN FRZLVL AND 140. FRZLVL SFC-090. CONDS ENDG 09-12Z.

.
OTLK VALID 1500-2100Z
AREA 1...ICE ND SD MN WI LS MI
BOUNDED BY 30N INL-YQT-80ESE YQT-50NE SAW-40E EAU-40SE RWF-50SE
PIR-50SSW DIK-50NNW ISN-30N INL
MOD ICE BTN FRZLVL AND FL200. FRZLVL SFC-060. CONDS CONTG THRU
21Z.

.
AREA 2...ICE MO IL KY AR TN MS AL
BOUNDED BY CVG-HNN-50WSW BKW-MSL-50WSW MEM-50S FAM-IIU-CVG
MOD ICE BTN 110 AND FL240. CONDS DVLPG 15-18Z. CONDS CONTG THRU
21Z.

.
FRZLVL...RANGING FROM SFC-110 ACRS AREA
MULT FRZLVL BLW 070 BOUNDED BY 30N INL-YQT-SSM-YVV-30ENE ECK-
50ENE SAW-70SW YQT-30SSW INL-40ESE GFK-40N ABR-40ESE BIS-
80ENE MOT-30N INL
SFC ALG 30W LBL-30ESE LBF-60ESE RAP-20SE DPR-50SW GFK-50SSE
YWG
SFC ALG 30NNE INL-50WSW YQT-40ESE YQT
SFC ALG SSM-40NE ASP-50ENE ECK
040 ALG 40S GLD-30ESE ANW-20WNW ODI-RHI-40WSW SAW-30ESE SAW-
40ENE ECK
080 ALG 50NNE GAG-20E SLN-50ESE BAE-30SSE GRR-60SW DXO

....
WAUS43 KPCI 100845
WA3S
CHIS WA 100845
AIRMET SIERRA UPDT 1 FOR IFR VALID UNTIL 101500

.
AIRMET IFR...ND SD MN IA WI LM LS MI LH
FROM 30N INL TO YQT TO SSM TO 30SE ECK TO DXO TO 50NNE FWA TO
BAE TO 40SSW BRD TO 40SE FSD TO 70SW PIR TO 60SW DIK TO 50NNW
ISN TO 30N INL
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 15Z THRU 21Z.
.....