

Appendix D2

Substances Tested in the *In Vitro* AR Binding Assays

References

[This page intentionally left blank]

- Bauer, E.R.S., Daxenberger, A., Petri, T., Sauerwein, H., Meyer, H.H.D. (2000) Characterisation of the affinity of different anabolics and synthetic hormones to the human androgen receptor, human sex hormone binding globulin and to the bovine progestin receptor. *APMIS* 108:838-846.
- Bauer, E.R.S., Meyer, H.H.D. (1998) Stahlschmidt-Allner P, Sauerwein H. Application of an androgen receptor assay for the characterisation of the androgenic or antiandrogenic activity of various phenylurea herbicides and their derivatives. *Analyst* 123:2485-2487.
- Breiner, M., Romalo, G., Schweikert, H.-U. (1986) Inhibition of androgen receptor binding by natural and synthetic steroids in cultured human genital skin fibroblasts. *Klin Wochenschr* 64:732-737.
- Brown, T.R., Rothwell, S.W., Sultan, C., Migeon, C.J. (1981) Inhibition of androgen binding in human foreskin fibroblasts by antiandrogens. *Steroids* 37:635-648.
- Danzo, B.J. (1997) Environmental xenobiotics may disrupt normal endocrine function by interfering with the binding of physiological ligands to steroid receptors and binding proteins. *Environ Health Perspect* 105:294-301.
- Deckers, G.H., Schoonen, W.G.E.J., Kloosterboer, H.J. (2000) Influence of the substitution of 11-methylene, ¹⁵ and/or 18-methyl groups in norethisterone on receptor binding, transactivation assays and biological activities in animals. *J Steroid Biochem Mol Biol* 74:83-92.
- Eil, C., Edelson, S.K. (1984) The use of human skin fibroblasts to obtain potency estimates of drug binding to androgen receptors. *J Clin Endocrinol Metab* 59:51-55.
- Kelce, W.R., Monosson, E., Gamcsik, M.P., Laws, S.C., Gray, L.E., Jr. (1994) Environmental hormone disruptors: Evidence that vinclozolin developmental toxicity is mediated by antiandrogenic metabolites. *Toxicol Appl Pharmacol* 126:276-285.
- Kelce, W.R., Stone, C.R., Laws, S.C., Gray, L.E., Jr., Kempainen, J.A., Wilson, E.M. (1995) Persistent DDT metabolite *p,p'*-DDE is a potent androgen receptor antagonist. *Nature* 375:581-585.
- Kempainen, J.A., Lane, M.V., Sar, M., Wilson, E. (1992) Androgen receptor phosphorylation, turnover, nuclear transport, and transcriptional activation. *J Biol Chem* 267:968-974.
- Kempainen, J.A., Langley, E., Wong, C., Bobseine, K., Kelce, W.R., Wilson, E.M. (1999) Distinguishing androgen receptor agonists and antagonists: Distinct mechanisms of activation by medroxyprogesterone acetate and dihydrotestosterone. *Mol Endocrinol* 13:440-454.

Kemppainen, J.A., Wilson, E.M. (1996) Agonist and antagonist activities of hydroxyflutamide and casodex relate to androgen receptor stabilization. *Urology* 48:157-163.

Lambright, C., Ostby, J., Bobseine, K., Wilson, V., Hotchkiss, A.K., Mann, P.C., Gray, L.E., Jr. (2000) Cellular and molecular mechanisms of action of linuron: An antiandrogenic herbicide that produces reproductive malformations in male rats. *Toxicol Sci* 56:389-399.

Schilling, K., Liao, S. (1984) The use of radioactive 7 α , 17 β -dimethyl-19-nortestosterone (Mibolerone) in the assay of androgen receptors. *Prostate* 5:581-588.

Schoonen, W.G.E.J., Joosten, J.W.H., Kloosterboer, H.J. (1995) Effects of two classes of progestagens, pregnane and 19-nortestosterone derivatives, on cell growth of human breast tumor cells: I. MCF-7 cell lines. *J Steroid Biochem Mol Biol* 55:423-437.

Sonnenschein, C., Olea, N., Pasanen, M.E., Soto, A.M. (1989) Negative controls of cell proliferation: Human prostate cancer cells and androgens. *Cancer Res* 49:3474-3481.

Takeo, J., Yamashita, S. (2000) Rainbow trout androgen receptor- fails to distinguish between any of the natural androgens tested in transactivation assay, not just 11-ketotestosterone and testosterone. *Gen Comp Endocrinol* 117:200-206.

Teutsch, G., Goubet, F., Battmann, T., Bonfils, A., Bouchoux, F., Cerede, E., Gofflo, D., Gaillard-Kelly, M., Philibert, D. (1994) Non-steroidal antiandrogens: Synthesis and biological profile of high-affinity ligands for the androgen receptor. *J Steroid Biochem Mol Biol* 48:111-119.

Tilley, W.D., Marcelli, M., Wilson, J.D., McPhaul, M.J. (1989) Characterization and expression of a cDNA encoding the human androgen receptor. *Proc Natl Acad Sci U S A* 86:327-331.

Van Dort, M.E., Robins, D.M., Wayburn, B. (2000) Design, synthesis, and pharmacological characterization of 4- [4,4-dimethyl-3-(4-hydroxybutyl)-5-oxo-2-thioxo-1-imidazolidinyl]-2-iodobenzonitrile as a high-affinity nonsteroidal androgen receptor ligand. *J Med Chem* 43:3344-3347.

Waller, C.L., Juma, B.W., Gray, L.E., Jr., Kelce, W.R. (1996) Three-dimensional quantitative structure-activity relationships for androgen receptor ligands. *Toxicol Appl Pharmacol* 137:219-227.

Wilson, E.M., French, F.S. (1976) Binding properties of androgen receptor: Evidence for identical receptors in rat testis, epididymis, and prostate. *J Biol Chem* 251:5620-5629.

Wong, C., Kelce, W.R., Sar, M., Wilson, E.M. (1995) Androgen receptor antagonist versus agonist activities of the fungicide vinclozolin relative to hydroxyflutamide. *J Biol Chem* 270:19998-20003.