

- Aas, E. and Brith, K. (1997). Self-shading effect by radiance meters on upward radiance observed in coastal waters. *Limnology and Oceanography* **42**, 968-974.
- Aas, E. and Hokedal, J. (1999). Reflection of spectral sky irradiance on the surface of the sea and related properties. *Remote Sensing Environment* **70**, 181-190.
- Abrams, M. (2000). The Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER): data products for the high spatial resolution imager on NASA's Terra platform. *Int. J. Remote Sensing* **21**, 847-859.
- Ackleson, S. G. and Klemas, V. (1986). Two-flow simulation of the natural light field within a canopy of submerged aquatic plants. *Applied Optics* **25**, 1129-1135.
- Ackleson, S. G. and Klemas, V. (1987). Remote sensing of submerged aquatic vegetation in Lower Chesapeake Bay: a comparison of LANDSAT MSS to TM imagery. *Remote Sensing of Environment* **22**, 235-248.
- Adjeroud, M., Andréfouët, S., Payri, C. and Orrempuller, J. (2000). Physical factors of differentiation in macrobenthic communities between atoll lagoons in the Central Tuamotu Archipelago (French Polynesia). *Marine Ecology Progress Series* **196**, 39-48.
- Ahmad, W. and Neil, D. T. (1994). An evaluation of Landsat Thematic Mapper (TM) digital data for discriminating coral reef zonation: Heron Reef (GBR). *Int. J. Remote Sensing* **15**, 2583-2597.
- Alberotanza, L., Brando, V. E., Ravagnan, G. and Zandonella, A. (1999). Hyperspectral aerial images. A valuable tool for submerged vegetation recognition in the Orbetello lagoons, Italy. *Int. J. Remote Sensing* **20**, 523-533.
- Alpers, W. and Hennings, I. (1984). A theory of the imaging mechanism of underwater bottom topography by real and synthetic aperture radar. *Journal of Geophysical Research* **89**, 10529-10546.
- Andre, J. M. and Morel, A. (1991). Atmospheric correction and interpretation of marine radiances in CZCS imagery, revisited. *Oceanologica Acta* **14**, 3-22.
- Andréfouët, S. and Bonneville, A. (1997). Classification floue d'une image basée sur des contraintes paysagères: application aux milieux coralliens. In *VII Journées scientifiques du réseau Télédétection de l'AUPELF-UREF* (ed. J.-M. Dubois, M. Bernier, J.-P. Fortin and F. Boivin), pp. 91-99. Québec, Canada: AUPELF-UREF.
- Andréfouët, S. and Claereboudt, M. (2000). Objective class definitions using correlation of similarities between remotely sensed and environmental data. *Int. J. Remote Sensing* **21**, 1925-1930.
- Andréfouët, S., Claereboudt, M., Matsakis, P., Pagès, J. and Dufour, P. (in press). Typology of atolls rims in Tuamotu archipelago (French Polynesia) at landscape scale using SPOT-HRV images. *Int. J. Remote Sensing* .
- Andréfouët, S. and Payri, C. (in press). Scaling-up carbon and carbonate metabolism in coral reefs using in situ and remote sensing data. *Coral Reefs* .
- Andréfouët, S. and Roux, L. (1998). Characterisation of ecotones using membership degrees computed with a fuzzy classifier. *Int. Journal of Remote Sensing* **19**, 3205-3211.
- Andréfouët, S., Roux, L., Chancerelle, Y. and Bonneville, A. (2000). A fuzzy possibilistic scheme of study for objects with indeterminate boundaries: application to french polynesian reefs. *IEEE Trans. Geoscience and Remote Sensing* **38**, 257-270.
- Armstrong, R. A. (1993). Remote sensing of submerged vegetation canopies for biomass estimation. *Int. J. Remote Sensing* **14**, 10-16.
- Arvidson, T. and Gasch, J. (2000). Building a global, consistent, and meaningful Landsat 7 data archive. In *SPIE/Aerosense 2000*, vol. CDROM paper 4049-34. Orlando.

- Arvidson, T., Gasch, J. and Goward, S. (1999). Long Term Acquisition Plan: pleasing all of the people most of the time... Planning Landsat 7 acquisitions for the US archive. In *14th Pecora Memorial Remote Sensing Conference*. Denver Colorado.
- Atkinson, M. J. and Grigg, R. W. (1984). Model of a coral reef ecosystem. II. Gross and net benthic primary production at French Frigate Shoals, Hawaii. *Coral Reefs* **3**, 13-22.
- Atkinson, P. M. (1991). Optimal ground based sampling for remote sensing investigations: estimating the regional mean. *Int. J. Remote Sensing* **12**, 559-567.
- Atkinson, P. M. (1997). On estimating measurement error in remotely sensed images with the variogram. *Int. J. Remote Sensing* **18**, 3075-3084.
- Atkinson, P. M. and Curran, P. J. (1995). Defining an optimal size of support for remote sensing investigations. *IEEE Trans. Geoscience Remote Sensing* **33**, 768-776.
- Atkinson, P. M. and Curran, P. J. (1997). Choosing an appropriate spatial resolution for remote sensing investigations. *Photogrammetric Engineering Remote Sensing* **63**, 1345-1351.
- Atkinson, P. M. and Emery, D. R. (1999). Exploring the relation between spatial structure and wavelength: implications for sampling reflectance in the field. *Int. J. Remote Sensing* **20**, 2663-2678.
- Atkinson, P. M. and Lewis, P. (2000). Geostatistical classification for remote sensing: an introduction. *Computers and Geosciences* **26**, 361-371.
- Austin, R. W. and Petzold, T. J. (1981). The determination of the diffuse attenuation coefficient of sea water using the coastal zone color scanner. In *Oceanography from Space* (ed. J. F. R. Gower), pp. 239-256. New York: Plenum Publishing Corp.
- Baban, S. M. J. (1996). Trophic classification and ecosystem checking of lakes using remotely sensed information. *Hydrological Sciences* **41**, 939-957.
- Bainbridge, S. (1990). Coral reef remote sensing: separating facts from fiction. In *Marine Science and Technology in the tropics*. Townsville, Australia: James Cook University.
- Bainbridge, S. J. and Reichelt, R. E. (1988). An assessment of ground truth methods for coral reef remote sensing data. In *6th Int. Coral Reef Symp.*, vol. 2, pp. 439-444. Townsville, Australia.
- Bajjouk, T., Guillaumont, B. and Populus, J. (1996). Application of airborne imaging spectrometry system data to intertidal seaweed classification and mapping. *Hydrobiologia* **326/327**, 463-471.
- Bajjouk, T., Populus, J. and Guillaumont, B. (1998). Quantification of subpixel cover fractions using Principal Component Analysis and a linear programming method: application to the coastal zone of Roscoff (France). *Remote Sensing of Environment* **64**, 153-165.
- Baker, K. S. and Smith, R. C. (1979). Quasi-inherent characteristics of the diffuse attenuation coefficient for irradiance. *SPIE: Ocean Optics VI* **208**, 60-63.
- Baker, K. S. and Smith, R. C. (1982). Bio-optical classification and model of natural waters. *Limnology and Oceanography* **27**, 500-509.
- Balch, W. M., Abbott, M. R. and Eppley, R. W. (1989). Remote sensing of primary production - I. A comparison of empirical and semi-analytical algorithms. *Deep-Sea Research* **36**, 281-295.
- Balch, W. M., Evans, R., Brown, J., Feldman, G., McClain, C. and Esaias, W. (1992). The remote sensing of ocean primary productivity: use of a new data compilation to test satellite algorithms. *Journal of Geophysical Research* **97**, 2279-2293.
- Banister, T. T. (1990). Empirical equations relating scalar irradiance to a, b/a, and solar zenith angle. *Limnology and Oceanography* **35**, 173-177.
- Banister, T. T. (1992). Model of the mean cosine of underwater radiance and estimation of underwater scalar irradiance. *Limnology and Oceanography* **37**, 773-780.

- Barber, D. G. and LeDrew, E. F. (1991). SAR sea ice discrimination using texture statistics: a multivariate approach. *Photogrammetric Engineering & Remote Sensing* **57**, 385-395.
- Barnsley, M. J., Strahler, A. H., Morris, K. P. and Muller, J. P. (1994). Sampling the surface bidirectional reflectance distribution function (BRDF): 1 Evaluation of current and future satellite sensors. *Remote Sensing Reviews* **8**, 271-311.
- Bartlett, D. S. (1981). In situ spectral reflectance studies of tidal wetland grasses. *Photogrammetric Engineering and Remote Sensing* **47**, 1695-1703.
- Bastin, L. (1997). Comparison of fuzzy C-means classification, linear mixture modelling and MLC probabilities as tools for unmixing coarse pixels. *Int. J. Remote Sensing* **18**, 3629-3648.
- Belsher, T., loubersac, L. and Belbeoch, G. (1985). Remote sensing and mapping. In *Handbook of phycological methods ecological field methods: macroalgae* (ed. M. M. Littler and D. S. Littler), pp. 177-197. Cambridge: Cambridge University Press.
- Belsher, T., Meinesz, A., Payri, C. and Ben Moussa, H. (1990). Apport du satellite SPOT à la connaissance des écosystèmes récifaux coralliens. La végétation marine de l'île de Moorea, Polynésie Française. *Oceanologica Acta* **13**, 513-524.
- Benson, B. J. and MacKenzie, M. D. (1995). Effects of sensor spatial resolution on landscape structure parameters. *Landscape Ecology* **10**, 113-120.
- Berberoglu, S., Lloyd, C. D., Atkinson, P. M. and Curran, P. J. (2000). The integration of spectral and textural information using neural networks for land cover mapping in the Mediterranean. *Computers and Geosciences* **26**, 385-396.
- Berkelmans, R. and Oliver, J. (1999). Large scale bleaching of corals on the Great Barrier Reef. *Coral Reefs* **18**, 55-60.
- Bezdek, J. C. (1981). Pattern recognition with fuzzy objective function algorithms. New-York: Plenum Press.
- Bierwirth, P. N., Lee, T. J. and Burne, R. V. (1993). Shallow sea-floor reflectance and water depth derived by unmixing multispectral imagery. *Photogrammetric Engineering & Remote Sensing* **59**, 331-338.
- Bina, R. T., carpenter, K., Zacher, W., Jara, R. and Lim, J. B. (1978). Coral reef mapping using LANDSAT data: follow-up studies. In *12th Int. Symp. on Rem. Sens. of Env.*, pp. 1293-1308. Ann Arbor, Michigan: ERIM.
- Blake, S. G., Jupp, D. L. B. and Byrne, G. T. (1994). The potential use of high resolution CASI data to determine sedimentation patterns and primary productivity throughout the Whitsunday Islands region, Great Barrier Reef. In *7th Australian Remote Sensing Conference*, pp. 43-48. Melbourne, Australie.
- Bloch, I. (1994). Information combination operators for data fusion: a comparative review with classification. In *ISPRS'94*, vol. 2315, pp. 148-159. Rome, Italie: SPIE.
- Bolstad, P. V. and Lillesand, T. M. (1991). Rapid maximum likelihood classification. *Photog. Eng. Remote Sensing* **57**, 67-74.
- Bonn, F. and Rochon, G. (1992). Précis de télédétection: principes et méthodes (ed. AUPELF-UREF), 485p. Québec: Presses de l'Université du Québec.
- Borstad, G., Brown, L., Cross, W., Nallee, M. and Wainwright, P. (1997). Towards a management plan for a tropical reef-lagoon system using airborne multispectral imaging and GIS. In *4th Int. Conf. on Remote Sensing for Marine and Coastal Environments*. Orlando, USA.
- Bosdogianni, P., Petrou, M. and Kittler, J. (1994). Mixed Pixel Classification in Remote Sensing. In *ISPRS'94*, vol. 2315, pp. 494-505. Rome, Italie: SPIE.

- Bostater, C. R. (1997). Modeling water surface reflectance signatures and in-water irradiance profiles in shallow tropical waters influenced by bottom reflectance. In *IGARSS'97*, vol. 2, pp. 881-884. Singapore.
- Bouchon-Meunier, B. (1995). La logique floue et ses applications. In *Vie artificielle*. Londres: Addison-Wesley.
- Bour, W. (1988). SPOT images for coral reef mapping in New Caledonia. A fruitful approach for classic and new topics. In *6th International Coral Reef Symposium*, vol. 2, pp. 445-448. Townsville, Australie.
- Bour, W., Dupont, S. and Joannot, P. (1993). Establishing a SPOT thematic neo-channel for the study of hard-of-access lagoon environments. Example of application on the growth areas of the new-caledonian reefs. *Geocarto Int.* **11**, 29-39.
- Bour, W., Loubersac, L. and Rual, P. (1986). Thematic mapping of reefs by processing of simulated SPOT satellite data: application to the *Trochus niloticus* biotope on Tetembia Reef (New Caledonia). *Marine Ecology Progress Series* **34**, 243-249.
- Bour, W. and Pichon, M. (1997). Discrimination of scleractinian-dominated from other reef communities using SPOT satellite imagery. In *8th Int. Coral Reef Symp.*, vol. 2 (ed. H. A. Lessios and I. G. Macintyre), pp. 1487-1490. Panama.
- Bourrouilh-LeJan, F. G. and Tallandier, J. (1985). Sedimentation et fracturation de haute énergie en milieu récifal: tsunamis, ouragans et cyclones et leurs effets sur la sédimentologie et la géomorphologie d'un atoll: motu et hoa, à Rangiroa, Tuamotu, Pacifique SE. *Marine Geology* **67**, 263-333.
- BradMusick, H. A. and Grover, H. D. (1990). Image textural measures as indices of landscape pattern. In *Quantitative methods in landscape ecology: the analysis and interpretation of landscape heterogeneity*, vol. 82 (ed. M. G. Turner and R. H. Gardner), pp. 77-103. New-York: Springer-Verlag.
- Braga, C. Z. F., Setzer, A. W. and Lacerda, L. D. (1993). Water quality assessment with simultaneous Landsat 5 TM data at Guanabara Bay, Rio de Janeiro, Brazil. *Remote Sensing of Environment* **45**, 95-106.
- Bricaud, A., Morel, A. and Prieur, L. (1981). Absorption by dissolved organic matter of the sea (yellow substance) in the UV and visible domains. *Limnology and Oceanography* **26**, 43-53.
- Bricaud, A., Roesler, C. and Zaneveld, J. R. V. (1995). In situ methods for measuring the inherent optical properties of ocean waters. *Limnology and Oceanography* **40**, 393-410.
- Bricaud, A. and Stramski, D. (1990). Spectral absorption coefficients of living phytoplankton and nonalgal biogenous matter: a comparison between the Peru upwelling area and the Sargasso Sea. *Limnology and Oceanography* **35**, 562-582.
- Brown, W. L., Polcyn, F. C. and Stewart, S. R. (1971). A method for calculating water depth, attenuation coefficients and bottom reflectance characteristics. In *7th Int. Symp. on Remote Sensing of the Environment* (ed. E. R. I. o. Michigan), pp. 663-680. Ann Arbor, Michigan.
- Burrage, D. M., Steinberg, C. R., Skirving, W. J. and Kleypas, J. A. (1996). Mesoscale circulation features of the Great Barrier Reef region inferred from NOAA satellite imagery. *Remote Sensing of Environment* **56**, 21-41.
- Burrough, P. A. (1981). Fractal dimensions of landscapes and other environmental data. *Nature* **294**, 240-242.
- Burrough, P. A. (1996). Natural objects with indeterminate boundaries. In *Geographic objects with indeterminate boundaries*, vol. 2 (ed. P. A. Burrough and A. U. Frank), pp. 3-28. London: Taylor&Francis.
- Burrough, P. A. and Frank, A. U. (1996). Geographic objects with indeterminate boundaries. In *GISDATA*, vol. 2 (ed. I. Masser and F. Salgé), pp. 345. London: Taylor&Francis.

- Burrough, P. A., Gaans, P. F. M. and Hootsmans, R. (1997). Continuous classification in soil survey: spatial correlation, confusion and boundaries. *Geoderma* **77**, 115-135.
- Buschmann, C., Nagel, E., Szabo, K. and Kocsanyi, L. (1994). Spectrometer for fast measurements of in vivo reflectance, absorptance and fluorescence in the visible and near-infra red. *Remote Sensing of Environment* **48**, 18-24.
- Buttner, G. and Kapovits, A. (1990). Characterization and removal of horizontal striping from SPOT panchromatic imagery. *Int. J. Remote Sensing* **11**, 359-366.
- Cabaniss, S. E. and Shuman, M. S. (1987). Synchronous fluorescence spectra of natural waters: tracing sources of dissolved organic matter. *Marine Chemistry* **21**, 37-57.
- Cachorro, V. E., Frutos, A. M. d. and Casanova, J. L. (1987). Absorption by oxygen and water vapor in the real atmosphere. *Applied Optics* **26**, 501-505.
- Campbell, J. W. and Esaias, W. E. (1983). Basis for spectral curvature algorithms in remote sensing of chlorophyll. *Applied Optics* **22**, 1084-1093.
- Campbell, J. W. and Spinrad, R. W. (1987). The relationship between light attenuation and particle characteristics in a turbid estuary. *Estuarine, Coastal and Shelf Science* **25**, 53-65.
- Cao, C. and Lam, N. S. (1997). Understanding the scale and resolution effects in remote sensing and GIS. In *Scale in remote sensing and GIS* (ed. D. A. Quattrochi and M. F. Goodchild), pp. 57-72. New-York: Lewis Publishers.
- Carder, K. L., Chen, F. R., Lee, Z. P., Hawes, S. K. and Kamykowski, D. (1999). Semianalytic Moderate-Resolution Imaging Spectrometer algorithms for chlorophyll a and absorption with bio-optical domains based on nitrate-depletion temperatures. *J. Geophys. Res.* **104**, 5403-5421.
- Carder, K. L., Gregg, W. W., Costello, D. K., Haddad, K. and Prospero, J. M. (1991a). Determination of Saharan dust radiance and chlorophyll from CZCS imagery. *Journal of Geophysical Research* **99**, 5369-5378.
- Carder, K. L., Hawes, S. K., Baker, K. A., Smith, R. C., Steward, R. G. and Mitchell, B. G. (1991b). Reflectance model for quantifying chlorophyll a in the presence of productivity degradation products. *Journal of Geophysical Research* **96**, 20,599-20,611.
- Carder, K. L., Lee, Z. P., Chen, R. F. and Davis, C. O. (1993a). Unmixing of spectral components affecting AVIRIS imagery of Tampa Bay. In *Imaging Spectrometry of the Terrestrial Environment*, vol. 1937, pp. 77-90. Orlando, FL: SPIE.
- Carder, K. L., Reinersman, P., Chen, R. F., Muller-Karger, F., Davis, C. O. and Hamilton, M. (1993b). AVIRIS calibration and application in coastal oceanic environments. *Remote Sensing Environ.* **44**, 205-216.
- Carder, K. L. and Steward, R. G. (1985). A remote-sensing reflectance model of a red-tide dinoflagellate off west Florida. *Limnology and Oceanography* **30**, 286-298.
- Carder, K. L., Steward, R. G., Paul, J. H. and Vargo, G. A. (1986). Relationships between chlorophyll and ocean color constituents as they affect remote-sensing reflectance models. *Limnology and Oceanography* **31**, 403-413.
- Carpenter, R. (1985). Relationships between primary production and irradiance in coral-reef algal communities. *Limnol. Oceanogr.* **30**, 784-793.
- Carper, M. J., Lillesand, T. M. and Kiefer, R. W. (1990). The use of Intensity-Hue-Saturation transformations for merging SPOT Panchromatic and multispectral image data. *Photogrammetric Engineering and Remote Sensing* **56**, 459-467.
- Carr, J. R. and PellonDeMiranda, F. (1998). The semi-variogram in comparison to the co-occurrence matrix for classification of image texture. *IEEE Trans. Geosciences Remote Sensing* **36**, 1945-1952.

- Caselles, V. and Lopez-Garcia, M. J. (1989). An alternative simple approach to estimate atmospheric correction in multitemporal studies. *Int. J. Remote Sensing* **10**, 1127-1134.
- Chassery, J.-M. and Montanvert, A. (1991). Géométrie discrète en analyse d'images. In *Traité des Nouvelles Technologies/ Série Images* (ed. B. Péroche), 358p. Paris: Hermès.
- Chauvaud, S., Bouchon, C. and Maniere, R. (1998). Remote sensing techniques adapted to high resolution mapping of tropical coastal marine ecosystems (coral reefs, seagrass beds and mangrove). *Int. J. Remote Sensing* **19**, 3625-3639.
- Chavez, P. S., Sides, S. C. and Anderson, J. A. (1991). Comparison of three different methods to merge multiresolution and multispectral data: LANDSAT TM and SPOT Panchromatic. *Photogrammetric Engineering and Remote Sensing* **57**, 295-303.
- Chen, K. S., Kao, W. L. and Tzeng, Y. C. (1995a). Retrieval of surface parameters using dynamic learning neural network. *Int. J. Remote Sensing* **16**, 801-809.
- Chen, K. S., Tzeng, Y. C., Chen, C. F. and Kao, W. L. (1995b). Land-cover classification of multispectral imagery using a dynamic learning neural network. *Photogrammetric Engineering and Remote Sensing* **61**, 403-408.
- Chenon, F., Varet, H., Loubersac, L., Grand, S. and Hauti, A. (1990). SIGMA POE RAVA, système d'informations géographique du Service de la Mer et de l'Aquaculture. Un outil de gestion du domaine public maritime pour la perliculture. In *Pix'Îles 90: Int. Workshop on Remote Sensing and Insular Environments in the Pacific: integrated approaches*, vol. 1 (ed. IFREMER/ORSTOM), pp. 561-570, 6 pl. Nouméa-Tahiti: ORSTOM, Nouméa.
- Chica-Olmo, M. and Abarca-Hernandez, F. (2000). Computing geostatistical image texture for remotely sensed data classification. *Computers and Geosciences* **26**, 373-383.
- Churnside, J. H., Hanson, S. G. and Wilson, J. J. (1995). Determination of ocean wave spectra from images of backscattered incoherent light. *Applied Optics* **34**, 962-968.
- Chuvieco, E. and Congalton, R. G. (1988). Using clustering analysis to improve the selection of training statistics in classifying remotely sensed data. *Photog. Eng. Remote Sensing* **54**, 1275-1281.
- Clark, C., Mumby, P., Chisholm, J., Jaubert, J. and Andréfouët, S. (2000). Spectral discrimination of coral mortality states following a severe bleaching event. *Int. J. Remote Sensing* **21**, 2321-2327.
- Clark, C. D. (1993). Satellite remote sensing of marine pollution. *Int. J. of Remote Sensing* **14**, 2985-3004.
- Clark, C. D., Ripley, H. T., Green, E. P., Edwards, A. J. and Mumby, P. (1997). Mapping and measurement of tropical coastal environments with hyperspectral and high spatial resolution data. *Int. J. Remote Sensing* **18**, 237-242.
- Clark, R. K. (1987). A comparison of models for remotely sensed bathymetry: Naval Ocean Research and Development Activity, Report 145.
- Clark, R. K., Fay, T. H. and Walker, C. L. (1987). Bathymetry calculations with Landsat 4 TM imagery under a generalized ratio assumption. *Applied Optics* **26**, 4036-4038.
- Clark, R. K., Fay, T. H. and Walker, C. L. (1988). Bathymetry using thematic mapper imagery. In *Ocean Optics IX*, vol. SPIE 925 (ed. SPIE), pp. 229-231. Orlando, Florida.
- Clarke, G. L., Ewing, G. C. and Lorenzen, C. J. (1970). Spectra of backscattered light from the sea obtained from aircraft as a measure of chlorophyll concentration. *Science* **167**, 1119-1121.
- Clarke, K. R. and Ainsworth, M. (1993). A method of linking multivariate community structure to environmental variables. *Marine Ecology Progress Series* **92**, 205-219.
- CNES-SPOT-IMAGE. (1986). Guide des utilisateurs de données SPOT. Toulouse: SPOT IMAGE.
- Collins, J. B. and Woodcock, C. E. (1996). An assessment of several linear change detection techniques for mapping forest mortality using multitemporal LANDSAT TM data. *Remote Sensing of Environment* **56**, 66-77.

- COMITAS. (1988). Glossaire des termes officiels de la télédétection aérospatiale. *Bull. S.F.P.T.* **112**, 1-63.
- Congalton, R. and Green, K. (1999). Assessing the accuracy of remotely sensed data: Principles and practices, 137p. New-York: Lewis Publishers.
- Congalton, R. G. (1988a). A comparison of sampling schemes used in generating error matrices for assessing the accuracy of maps generated from remotely sensed data. *Photog. Eng. Remote Sensing* **54**, 593-600.
- Congalton, R. G. (1988b). Using spatial autocorrelation analysis to explore the errors in maps generated from remotely sensed data. *Photog. Eng. Remote Sensing* **54**, 587-592.
- Congalton, R. G. (1991a). A review of assessing the accuracy of classification of remotely sensed data. *Remote Sensing of Environment* **37**, 35-46.
- Congalton, R. G. (1991b). Using spatial autocorrelation analysis to explore the errors in maps generated from remotely sensed data. *Photogrammetric Engineering and Remote Sensing* **54**, 587-592.
- Costello, D. K., Carder, K. L., Chen, R. F., Peacock, T. G. and Nettles, N. S. (1995). Multi-spectral imagery, hyper-spectral radiometry, and unmanned underwater vehicles: tools for the assessment of natural resources in coastal waters. *SPIE: Visual Communications and Image Processing '95* **2501**, 407-415.
- Cotton, P. D. and Carter, D. J. T. (1994). Cross-calibration of Topex, ERS-1 and Geosat wave heights. *J. Geophys. Res.* **99**, 25025-25033.
- Coulson, R. N., Lovelady, C. N., Flamm, R. O., Spradling, S. L. and Saunders, M. C. (1990). Intelligent geographic information systems for natural resources management. In *Quantitative methods in landscape ecology: the analysis and interpretation of landscape heterogeneity*, vol. 82 (ed. M. G. Turner and R. H. Gardner), pp. 153-172. New-York: Springer-Verlag.
- Courboulès, J. and Manière, R. (1989). Application de la télédétection à l'étude de la relation entre l'hydrodynamisme de surface et les récifs coralliens. *Photo-Interprétation* **89**, 4149.
- Courboulès, J. and Manière, R. (1992). Apport de la télédétection à l'étude de la relation entre l'hydrodynamisme de surface et les récifs coralliens. *Int. J. of Remote Sensing* **13**, 1911-1923.
- Courboulès, J., Manière, R. and Bouchon, C. (1988). Systèmes d'informations géocodés et télédétection à haute résolution. Exemples d'application aux côtes jordaniennes. *Oceanologica Acta* **11**, 337-351.
- Courboulès, J., Manière, R., Bouchon, C., Bouchon-Navarro, Y. and Louis, M. (1992). Imagerie spatiale et gestion des littoraux tropicaux: exemple d'application aux îles Saint-Barthelemy, Saint-Martin et Anguilla. *Photo-Interprétation* **91/92**, 5-8,25-26.
- Courboulès, J., Manière, R., Jaubert, J., Mandura, A. S., Khaffaji, A. K., Eshky, A. A. and Saifullah, S. (1987). Cartographie d'une zone littorale en mer Rouge par traitements numériques des données HRV de SPOT 1. *Photo-Interprétation* **87**, 35-38.
- Cracknell, A. P. (1999). Remote sensing techniques in estuaries and coastal zones - an update. *Int. J. Remote Sensing* **19**, 485-496.
- Crapper, P. F. (1980). Errors incurred in estimating an area of uniform land cover using Landsat. *Photog. Eng. Remote Sensing* **46**, 1295-1301.
- Crippen, R. E. (1989). A simple spatial filtering routine for the cosmetic removal of scan-line noise from Landsat TM P-Tape imagery. *Photogrammetric Engineering and Remote Sensing* **55**, 327-331.
- Cross, A. M., Mason, D. C. and Dury, S. J. (1988). Segmentation of remotely-sensed images by a split-and-merge process. *Int. J. Remote Sensing* **9**, 1329-1345.
- Cullen, J. J., Aurea, M. C., Davis, R. F. and Lewis, M. R. (1997). Optical detection and assessment of algal blooms. *Limnol. Oceanogr.* **42**, 1223-1239.
- Cullinan, V. I. and Thomas, J. M. (1992). A comparison of quantitative methods for examining landscape pattern and scale. *Landscape Ecology* **7**, 211-227.

- Curran, P. J. (1994). Imaging spectrometry. *Progress in Physical Geography* **18**, 247-266.
- Curran, P. J. and Atkinson, P. M. (1998). Geostatistics and remote sensing. *Progress in Physical Geography* **22**, 61-78.
- Darzi, M. (1998). SeaWiFS science algorithm flow chart. Greenbelt, MD: GSFC/CR-1998-206848 NASA/GSFC.
- Dave, R. N. (1992). Characterization and detection of noise in clustering. *Pattern Recognition Letters* **12**, 657-664.
- Davis, F. W., Quattrochi, D. A., Ridd, M. K., Lam, N. S., Walsh, S. J., Michaelsen, J. C., Franklin, J., Stow, D. A., Johannsen, C. J. and Johnston, C. A. (1991). Environmental analysis using integrated GIS and remotely sensed data: some research needs and priorities. *Photogrammetric Engineering & Remote Sensing* **57**, 689-697.
- Davis, T. J. and Keller, C. P. (1997). Modelling and visualizing multiple spatial uncertainties. *Computers and Geosciences* **23**, 397-408.
- Dawson, B. R. P. and Parsons, A. J. (1994). Texture measures for the identification and monitoring of urban derelict land. *Int. J. Remote Sensing* **15**, 1259-1271.
- Deer, P. J. (1996). The application of fuzzy sets theory to image processing and remote sensing. In *8th Australasian Remote Sensing Conference*, pp. 152-168. Canberra, Australia.
- Dekker, A. G., Hoogenboom, H. J., Goddijn, L. M. and Malthus, T. J. (1997). The relation between inherent optical properties and reflectance spectra in turbid inland waters. *Remote Sensing Reviews* **15**, 59-74.
- Dekker, A. G., Malthus, T. J. and Seyhan, E. (1991). Quantitative modeling of inland water quality for high-resolution MSS systems. *IEEE Transactions on Geoscience and Remote Sensing* **29**, 89-95.
- Dekker, A. G., Malthus, T. J., Wijnen, M. M. and Seyhan, E. (1992a). The effect of spectral bandwidth and positioning on the spectral signature analysis of inland waters. *Remote Sensing of Environment* **41**, 211-225.
- Dekker, A. G., Malthus, T. J., Wijnen, M. M. and Seyhan, E. (1992b). Remote sensing as a tool for assessing water quality in Loosdrecht lakes. *Hydrobiologia* **233**, 137-159.
- Dekker, A. G. and Peters, S. W. (1993). The use of the Thematic Mapper for the analysis of eutrophic lakes: a case study in the Netherlands. *Int. J. Remote Sensing* **14**, 799-821.
- Deriche, R., Cocquerez, J. P. and Almouzni, G. (1988). An efficient method to build early image description. In *IGARSS'88*, pp. 588-590.
- Desachy, J., Roux, L. and Zahzah, E. (1996). Numeric and symbolic data fusion: a soft computing approach to remote sensing images analysis. *Pattern Recognition Letters* **17**, 1361-1378.
- Deschamps, P. Y., Herman, M. and Tanre, D. (1983). Modeling of the atmospheric effects and its application to the remote sensing of ocean color. *Applied Optics* **22**, 3751-3758.
- Despinoy, M. (1997). Etude sur l'océanographie cotière à l'île de la Réunion par télédétection multibande. In *VII Journées scientifiques du réseau Télédétection de l'AUPELF-UREF* (ed. AUPELF-UREF), pp. (in press). Québec, Canada.
- Destival, I. (1987). Recherche automatique des réseaux linéaires sur les images SPOT. *Bull. S.F.P.T* **105**, 5-16.
- DeVel, O. and Bour, W. (1990). The structural and thematic mapping of coral reefs using high resolution SPOT data: application to the Tetembia Reef (New Caledonia). *Geocarto International* **2**, 27-34.
- Dicks, S. E. and Lo, T. H. (1990). Evaluation of thematic map accuracy in a land-use and land-cover mapping program. *Photog. Eng. Remote Sensing* **56**, 1247-1252.

- D'sa, E. J., Zaitzeff, J. B. and Steward, R. G. (2000). Monitoring water quality in Florida Bay with remotely sensed salinity and in situ bio-optical observations. *Int. J. Remote Sensing* **21**, 811-816.
- Dubois, D. and Jaulent, M. (1987). A general approach to parameter evaluation in fuzzy digital pictures. *Pattern Recognition Letters* **6**, 251-261.
- Dubois, D. and Prade, H. (1988a). An introduction to possibilistic and fuzzy logics. In *Non-standard logics for automated reasoning* (ed. P. Smets, E. H. Mamdani, D. Dubois and H. Prade), pp. 287-326: Academic Press.
- Dubois, D. and Prade, H. (1988b). Possibility theory. New-York: Plenum Press.
- Dubois, D. and Prade, H. (1992). Combination of fuzzy information in the framework of possibility theory. In *Data fusion in robotics and machine intelligence* (ed. M. A. Abidi and R. C. Gonzalez), pp. 481-505. New-York: Academic Press.
- Dubois, D. and Prade, H. (1996). An introduction to fuzzy systems. *Appl. Math. and Comp. Sci.* **6**, 485-503.
- Dubois, D. and Prade, H. (1999). Fundamentals of fuzzy sets: Kluwer Academic Publishers.
- Durand, D., Bijaoui, J. and Cauneau, F. (2000). Optical remote sensing of shallow water environmental parameters: a feasibility study. *Remote Sensing of Environment* **73**, 152-161.
- Durand, D. and Cauneau, F. (1997). Diffuse attenuation in turbid shallow-waters: Influence on water-leaving radiance measured by airborne spectrometers. In *Third Int. Airborne Remote Sensing Conference and Exhibition*, vol. 2 (ed. A. A. ERIM, Michigan), pp. 543-544. Copenhagen, Denmark.
- Dustan, P. (1982). Depth-dependent photoadaptation by zooxanthellae of the reef coral *Montastrea annularis*. *Marine Biology* **68**, 253-264.
- Edmunds, P. J. and Bruno, J. F. (1996). The importance of sampling scale in ecology: kilometer-wide variation in coral reef communities. *Marine Ecology Progress Series* **143**, 165-171.
- Edwards Jr, T. C., Deshler, E. T., Foster, D. and Moisen, G. G. (1995). Adequacy of wildlife habitat relation models for estimating spatial distributions of terrestrial vertebrates. *Conservation Biology* **10**, 263-270.
- Egenhofer, M. J. and Frank, A. U. (1990). LOBSTER: combining AI and database techniques for GIS. *Photog. Eng. and Remote Sensing* **56**, 919-926.
- Estep, L. L., Lillycrop, W. J. and Parson, L. E. (1994). Estimation of maximum depth of penetration of a bathymetric Lidar system using a Secchi depth database. *Marine Technology Society Journal* **28**, 31-36.
- Fargion, G. S. and Mueller, J. L. (2000). Ocean optics protocols for satellite ocean color sensor validation, Revision 2. Greenbelt, MD: NASA/TM-2000-209966 NASA/GSFC.
- Ferguson, R. L. and Korfmacher, K. (1997). Remote sensing and GIS analysis of seagrass meadows in North Carolina, USA. *Aquatic Botany* **58**, 241-258.
- Ferrari, G. M. and Tassan, S. (1992). Evaluation of the influence of yellow substance absorption on the remote sensing of water quality in the gulf of Naples: a case study. *Int. J. Remote Sensing* **13**, 2177-2189.
- Field, C., Behrenfeld, M., Randerson, J. and Falkowski, P. (1998). Primary production of the Biosphere: integrating terrestrial and oceanic components. *Science* **281**, 237-240.
- Field, C. B., Randerson, J. T. and Malmstrom, C. M. (1995). Global net primary production: combining ecology and remote sensing. *Remote Sens. Envir.* **51**, 74-88.
- Fierens, F., Kanellopoulos, I., wilkinson, G. G. and Mégier, J. (1994). Comparison and visualization of features space behaviour of statistical and neural classifiers of satellite imagery. In *IGARSS'94*, pp. 1879-1882.

- Finn, J. T. (1993). Use of the average mutual information index in evaluating classification error and consistency. *Int. J. Geogr. Inf. Syst.* **7**, 349-366.
- Fischer, J., Doerffer, R. and Grassl, H. (1986). Factor analysis of multispectral radiances over coastal and open water based on radiative transfer calculations. *Applied Optics* **25**, 448-456.
- Flouzat, G. (1988). Morphologie mathématique et analyse des images de télédétection. *Photo-interprétation* **1988**, 1-16.
- Foody, G. M. (1992). On the compensation of chance agreement in image classification accuracy assessment. *Photogrammetric Engineering and Remote Sensing* **10**, 1459-1460.
- Foody, G. M. (1995a). Cross-entropy for the evaluation of the accuracy of a fuzzy land cover classification with fuzzy ground data. *ISPRS J. of Photogrammetry and Remote Sensing* **50**, 2-12.
- Foody, G. M. (1995b). Using prior knowledge in artificial neural network classification with a minimal training set. *Int. J. Remote Sensing* **16**, 301-312.
- Foody, G. M. (1996a). Approaches for the production and evaluation of fuzzy land cover classifications from remotely sensed data. *Int. J. Remote Sensing* **17**, 1317-1340.
- Foody, G. M. (1996b). Fuzzy modelling of vegetation from remotely sensed imagery. *Ecological Modelling* **85**, 3-12.
- Foody, G. M. (1999). The continuum of classification fuzziness in thematic mapping. *Photogrammetric Engineering and Remote Sensing* **65**, 443-451.
- Foody, G. M. (2000). Estimation of sub-pixel land cover composition in the presence of untrained classes. *Computer and Geosciences* **26**, 469-478.
- Foody, G. M. and Arora, M. K. (1996). Incorporating mixed pixels in the training, allocation and testing stages of supervised classifications. *Pattern Recognition Letters* **17**, 1389-1398.
- Foody, G. M. and Cox, D. P. (1994). Sub-pixel land-cover composition estimation using a linear mixture model and fuzzy membership functions. *Int. J. Remote Sensing* **15**, 619-631.
- Forget, P. and Ouillon, S. (1998). Surface suspended matter of the Rhone river mouth from visible satellite imagery. *Oceanologica Acta* **21**, 739-749.
- Forget, P., Ouillon, S., Lahet, F. and Broche, P. (1999). Inversion of reflectance spectra of nonchlorophyllous turbid coastal waters. *Remote Sensing of Environment* **68**, 264-272.
- Forman, R. T. T. and Godron, M. (1986). *Landscape ecology*, 619p. New-York: John Wiley & Sons.
- Fortin, M. J. (1999). Effects of quadrat size and data measurement on the detection of boundaries. *Journal of Vegetation Science* **10**, 43-50.
- Fortin, M. J. and Drapeau, P. (1995). Delineation of ecological boundaries: comparison of approaches and significance tests. *Oikos* **72**, 323-332.
- Fortin, M. J., Drapeau, P. and Jacquez, G. M. (1996). Quantification of the spatial occurrences of ecological boundaries. *Oikos* **77**, 51-60.
- Fortin, M. J., Drapeau, P. and Legendre, P. (1989). Spatial autocorrelation and sampling design in plant ecology. *Vegetatio* **83**, 209-222.
- Fourgassié, A. (1990). La spatocarte marine, une solution pour la cartographie des atolls polynésiens. In *Pix'Illes 90: Int. Workshop on Remote Sensing and Insular Environments in the Pacific: integrated approaches*, vol. 1 (ed. IFREMER/ORSTOM), pp. 329-341. Nouméa-Tahiti: ORSTOM, Nouméa.
- Frohlich, C. and Shaw, G. E. (1980). New determination of rayleigh scattering in the terrestrial atmosphere. *Applied Optics* **19**, 1773-1775.
- Frontier, S. (1991). Transfert d'échelle en océanographie. In *Le transfert d'échelle* (ed. C. Mullon), pp. 365-377. Paris: ORSTOM Editions.

- Frouin, R., Lingner, D. W., Gautier, C., Baker, K. S. and Smith, R. C. (1989). A simple formula to compute clear sky total and photosynthetically available solar irradiance at the ocean surface. *Journal of Geophysical Research* **94**, 9731-9742.
- Fung, T. and LeDrew, E. (1988). The determination of optimal threshold levels for change detection using various accuracy indices. *Photog. Eng. Remote Sensing* **54**, 1449-1454.
- Fusco, L., Frei, U., Trevese, D., Blonda, P. N., Pasquariello, G. and Milillo, G. (1986). Landsat TM image forward/reverse scan banding: characterization and correction. *Int. J. Remote Sensing* **7**, 557-575.
- Fux, E. and Mazel, C. (1999). Unmixing coral fluorescence emission spectra and predicting new spectra under different excitation conditions. *Applied Optics* **38**, 486-494.
- Gabric, A. J., Hoffenberg, P. and Broughton, W. (1990). Spatio-temporal variability in surface chlorophyll distribution in the Central Great Barrier Reef as derived from CZCS imagery. *Aust. J. Freshwater Res.* **41**, 313-324.
- Gaines, S. D. and Denny, M. W. (1993). The largest, smallest, highest, lowest, longest, and shortest: extremes in ecology. *Ecology* **74**, 1677-1692.
- Gao, B. C., Heidebrecht, K. B. and Goetz, A. F. H. (1993). Derivation of scaled surface reflectances from AVIRIS data. *Remote Sensing of Environment* **44**, 165-178.
- Gao, B. C., Montes, M. J., Ahmad, Z. and Davis, C. O. (2000). Atmospheric correction algorithm for hyperspectral remote sensing of ocean color from space. *Applied Optics* **39**, 887-896.
- Garcia, C. A. E. and Robinson, I. S. (1989). Sea surface velocities in shallow seas extracted from sequential coastal zone color scanner satellite data. *Journal Geophys. Research* **94**.
- Garlan, T. (1989). Cartographie spatiale du littoral corallien: topographie et bathymétrie. Rapport final du PEPS n° 203. Brest: Rapport d'Etude 006/89 EPSHOM.
- Gasch, J., Arvidson, T., Goward, S. N., Andréfouët, S., Hu, C. and Müller-Karger, F. E. (2000). An Assessment of Landsat 7/ETM+ Coverage of Coral Reefs Worldwide. In *IGARSS 2000*. Honolulu, Hawaii: IEEE.
- Gasch, J. and Campana, K. A. (2000). Cloud cover avoidance in space-based remote sensing acquisition. In *SPIE/Aerosense 2000*, vol. paper 4049-36 (ed. a. M. R. D. S. S. Shen). Orlando.
- Gath, I. and Geva, A. B. (1989). Unsupervised optimal fuzzy clustering. *IEEE Trans. on PAMI* **11**, 773-781.
- George, D. G. (1997). Bathymetric mapping using a Compact Airborne Spectrographic Imager (CASI). *Int. J. Remote Sensing* **18**, 2067-2071.
- Girard, M. C. and Girard, C. M. (1989). Télédétection appliquée aux zones tempérées et intertropicales, 260p. Paris, Masson.
- Gleeson, M. W. and Strong, A. E. (1995). Applying MCSST to coral reef bleaching. *Adv. Space Res.* **16**, 151-154.
- Gobert, D., Ozer, A. and Cornet, Y. (1996). Etude diachronique de 1948 à 1990 de l'évolution du littoral des plages de Nonza et d'Albo (Cap Corse) par traitement analogique de photographies aériennes. *Photo-interprétation* **1996/1**, 49-61.
- Goetz, A. F. H. and Davis, C. O. (1991). High Resolution Imaging Spectrometer (HIRIS): science and instrument. *International Journal Imaging Systems & Technology* **3**, 131-143.
- Gong, P. and Howarth, P. J. (1990). An assessment of some factors influencing multispectral land-cover classification. *Photogrammetric Engineering & Remote Sensing* **56**, 597-603.
- Gong, P., LeDrew, E. F. and Miller, J. R. (1992). Registration-noise reduction in difference images for change detection. *Int. J. Remote Sensing* **13**, 773-779.

- Gopal, S. and Woodcock, C. (1994). Theory and methods for accuracy assessment of thematic maps using fuzzy sets. *Photogramm. Eng. Remote Sensing* **60**, 181-188.
- Gordon, H. and Wang, M. (1994a). Retrieval of water-leaving radiance and aerosol optical thickness over the oceans with SeaWiFS: a preliminary algorithm. *Applied Optics* **33**, 443-452.
- Gordon, H. R. (1973). Simple calculation of the diffuse reflectance of the ocean. *Applied Optics* **12**, 2803-2804.
- Gordon, H. R. (1974). Spectral variations in the volume scattering function at large angles in natural waters. *Journal of the Optical Society of America* **64**, 773-775.
- Gordon, H. R. (1976). Radiative transfer: a technique for simulating the ocean in satellite remote sensing calculations. *Applied Optics* **15**, 1974-1979.
- Gordon, H. R. (1977). One-parameter characterization of the ocean's inherent optical properties for remote sensing. *Applied Optics* **16**, 2627.
- Gordon, H. R. (1978). Removal of atmospheric effects from satellite imagery of the oceans. *Applied Optics* **17**, 1631-1636.
- Gordon, H. R. (1979a). Diffuse reflectance of the ocean: the theory of its augmentation by chlorophyll a fluorescence at 685 nm. *Applied Optics* **18**, 1161-1166.
- Gordon, H. R. (1979b). Estimation of the depth of sunlight penetration in natural waters for the remote sensing of chlorophyll a via in vivo fluorescence. *Applied Optics* **18**, 1883-1884.
- Gordon, H. R. (1989). Dependence of the diffuse reflectance of natural waters on the sun angle. *Limnology and Oceanography* **34**, 1484-1489.
- Gordon, H. R. (1991). Absorption and scattering estimates from irradiance measurements: Monte Carlo simulations. *Limnology and Oceanography* **36**, 769-777.
- Gordon, H. R. (1995). Remote sensing of ocean color: a methodology for dealing with broad spectral bands and significant out-of-band response. *Applied Optics* **34**, 8363-8374.
- Gordon, H. R. and Boynton, G. C. (1997). Radiance-irradiance inversion algorithm for estimating the absorption and backscattering coefficients of natural waters: homogeneous waters. *Applied Optics* **36**, 2636-2641.
- Gordon, H. R. and Brown, O. B. (1973). Irradiance reflectivity of a flat ocean as a function of its optical properties. *Applied Optics* **12**, 1549-1551.
- Gordon, H. R. and Brown, O. B. (1974). Influence of bottom depth and albedo on the diffuse reflectance of a flat homogeneous ocean. *Applied Optics* **13**, 2153-2159.
- Gordon, H. R., Brown, O. B., Evans, R. H., Brown, J. W., Smith, R. C., Baker, K. S. and Clark, D. K. (1988). A semianalytical radiance model of ocean color. *Journal of Geophysical Research* **93**, 10909-10924.
- Gordon, H. R., Brown, O. B. and Jacobs, M. M. (1975). Computed relationships between the inherent and apparent optical properties of a flat homogeneous ocean. *Applied Optics* **14**, 417-427.
- Gordon, H. R. and Clark, D. K. (1980). Atmospheric effects in the remote sensing of phytoplankton pigments. *Boundary Layer Meteorology* **18**, 299-313.
- Gordon, H. R., Clark, D. K., Mueller, J. L. and Hovis, W. A. (1980a). Phytoplankton pigments from the Nimbus-7 coastal zone color scanner: comparisons with surface measurements. *Science* **210**, 63-66.
- Gordon, H. R. and Ding, K. (1992). Self-shading of in-water optical instruments. *Limnology and Oceanography* **37**, 491-500.
- Gordon, H. R. and McCluney, W. R. (1975). Estimation of the depth of sunlight penetration in the sea for remote sensing. *Applied Optics* **14**, 413-416.

- Gordon, H. R. and Smith, J. M. (1972). Light-scattering profiles in the Straits of Florida. *Bulletin of Marine Science* **22**, 1-9.
- Gordon, H. R., Smith, J. M. and Brown, O. B. (1971). Spectra of underwater light-field fluctuations in the photic zone. *Bulletin of Marine Science* **21**, 466-470.
- Gordon, H. R. and Wang, M. (1994b). Influence of oceanic whitecaps on atmospheric correction of ocean color sensors. *Applied Optics* **33**, 7754-7763.
- Gordon, H. R. and Wouters, A. W. (1978). Some relationships between Secchi depth and inherent optical properties of natural waters. *Applied Optics* **17**, 3341-3343.
- Gordon, H. R. and Zhang, T. (1995). Columnar aerosol properties over oceans by combining surface and aircraft measurements: simulations. *Applied Optics* **34**, 5552-5555.
- Gould, R. W. and Arnone, R. A. (1997). Remote sensing estimates of inherent optical properties in a coastal environment. *Remote Sensing of Environment* **61**, 290-301.
- Gould, R. W. and Arnone, R. A. (1998). Three-dimensionnal modelling of inherent optical properties in a coastal environment: coupling ocean colour imagery and in situ measurements. *Int. J. Remote Sensing* **19**, 2141-2159.
- Goward, S., Haskett, J., Williams, D., Arvidson, T., Gasch, J., Lonigro, R., Reeley, M., Irons, J., Dubayah, R., Turner, S., Campana, K. and Bindschadler, R. (1999). Enhanced Landsat capturing all the Earth's land areas. *EOS Trans. AGU* **80**, 289-293.
- Gower, J. F. R. and Borstad, G. A. (1990). Mapping of phytoplankton by solar stimulated fluorescence using an imaging spectrometer. *Int. J. Remote Sensing* **11**, 313-320.
- Gower, J. F. R., Doerffer, R. and Borstad, G. A. (1999). Interpretation of the 685 peak in water leaving radiance spectra in terms of fluorescence, absorption and scattering, and its observation by MERIS. *Int. J. Remote Sensing* **20**, 1771-1786.
- Graetz, R. D. (1990). Remote sensing of terrestrial ecosystem structure: an ecologist's pragmatic view. In *Remote sensing of biosphere functioning* (ed. R. J. Hobbs and H. A. Mooney), pp. 5-30. New-York: Springer-Verlag.
- Green, E. P., Mumby, P. J., Clark, C. D., Edwards, A. J. and Ellis, A. C. (1997). A comparison between satellite and airborne multispectral data for the assessment of mangrove areas in the Eastern Caribbean. In *4th Int. Conf. on Remote Sensing for Marine and Coastal Environments*, vol. 1, pp. 168-176. Orlando, Florida.
- Green, E. P., Mumby, P. J., Edwards, A. J. and Clark, C. D. (1996). A review of remote sensing for the assessment and management of tropical coastal resources. *Coastal management* **24**, 1-40.
- Green, E. P., Mumby, P. J., Edwards, A. J. and Clark, C. D. (2000). Remote sensing handbook for tropical coastal management, 316p. Paris: UNESCO.
- Green, R. O., Eastwood, M. L., Sarture, C. M., Chrien, T. G., Aronson, M., Chippendale, B. J., Faust, J. A., Pavri, B. E., Chovit, C. J., Ollis, M. S., Olah, M. R. and Williams, O. (1998). Imaging spectroscopy and the Airborne/Infrared Imaging Spectrometer (AVIRIS). *Remote Sensing of Environment* **65**, 227-248.
- Gregg, W. W. and Carder, K. L. (1990). A simple spectral solar irradiance model for cloudless maritime atmospheres. *Limnology and Oceanography* **35**, 1657-1675.
- Grégoire, C. and Raffy, M. (1994). Quantification intra-pixel de surfaces couvertes par des algues: application à un estran émergé. In *Les nouvelles frontières de la télédétection océanique*, vol. 18 (ed. F. Doumenge), pp. 45-52. Monaco: Musée Océanographique de Monaco.
- Groom, G. B., Fuller, R. M. and Jones, A. R. (1996). Contextual correction techniques for improving land cover mapping from remotely sensed data. *Int. J. Remote Sensing* **17**, 69-89.

- Gross, L., Thiria, S., Frouin, R. and Mitchell, B. (2000). Artificial neural networks for modeling the transfer function between marine reflectance and phytoplankton pigment concentration. *JGR* **105 C2**, 3483-3495.
- Gross, M. F., Hardisky, M. A., Klemas, V. and Wolf, P. L. (1987). Quantification of biomass of the marsh grass *Spartina alterniflora* loisel using Landsat Thematic Mapper imagery. *Photogrammetric Engineering & Remote Sensing* **53**, 1577-1583.
- Gross, M. F., Klemas, V. and Levasseur, J. E. (1986). Remote sensing of *Spartina anglica* biomass in five french salt marshes. *Int. J. remote Sensing* **7**, 657-664.
- Gruijter, J. J. D., Walvoort, D. J. J. and Gaans, P. F. M. v. (1997). Continuous soil maps - a fuzzy set approach to bridge the gap between aggregation levels of process and distribution models. *Geoderma* **77**, 169-195.
- Guenther, G. C., Brooks, M. W. and LaRocque, P. E. (1998). New capabilities of the SHOALS airborne Lidar bathymeter. In *Fifth Int. Conf. Remote Sensing of the Marine Environment*, vol. 1, pp. 1-47-55. San Diego, Calif.: ERIM.
- Gurney, R., Foster, J. and Parkinson, C. (1993). Atlas of satellite observations related to global change, 470p. Cambridge: Cambridge University Press.
- Gustafson, E. E. and Kessel, W. C. (1979). Fuzzy clustering with a fuzzy covariance matrix. In *IEEE CDC*, pp. 761-766. San Diego, USA.
- Haardt, H. and Maske, H. (1987). Specific in vivo absorption coefficient of chlorophyll a at 675 nm. *Limnology and Oceanography* **32**, 608-619.
- Haertel, V. and Landgrebe, D. A. (1999). On the classification of classes with nearly equal spectral response in remote sensing hyperspectral image data. *IEEE Trans. Geoscience Remote Sensing* **37**, 2374-2386.
- Hallock, P. and Elrod, J. A. (1988). Oceanic chorophyll around carboante platforms in the Western Caribbean; Observations from CZCS data. In *6th Int. Coral Reef Symposium*, vol. 2, pp. 449-454. Townsville, Australia.
- Hallock, P., Muller-Karger, F. E. and Halas, J. C. (1993). Coral reef decline. *National Geographic Research & Exploration* **9**, 358-378.
- Haltrin, W. I. (1997). Monte-Carlo modeling of light field parameters in ocean with Petzold laws of scattering. In *4th Int. Conf. on remote Sensing for Marine and Coastal Environments*, vol. 1, pp. 502-508. Orlando, Florida.
- Hamilton, M. K., Davis, C. O., Rhea, W. J., Pilorz, S. H. and Carder, K. L. (1993). Estimating chlorophyll content and bathymetry of Lake Tahoe using AVIRIS data. *Remote Sens. Environ.* **44**, 217-230.
- Hammond, T. O. and Verbyla, D. L. (1996). Optimistic bias in classification accuracy assessment. *Int. J. Remote Sensing* **17**, 1261-1266.
- Haralick, R. M., Shanmugan, K. and Dinstein, I. (1973). Textural features for image classification. *IEEE Trans. Systems, Man and Cybernetics* **6**, 610-621.
- Haralick, R. M. and Shapiro, L. G. (1993). Computer and robot vision, vol. 1. New-York: Addison-Wesley.
- Harding, L. W., Itsweire, E. C. and Esaias, W. E. (1995). Algorithm development for recovering chlorophyll concentrations in the Chesapeake Bay using aircraft remote sensing, 1989-91. *Photogrammetric Engineering & Remote Sensing* **61**, 177-185.
- Hardy, J. T., Dustan, P. and Mazel, C. H. (1992). Remote detection of temperature-induced coral "bleaching" using pulsed-laser fluorescence spectroscopy. *Mar. Ecol. Prog. Ser.* **88**, 247-255.
- Harney, J. N., Grossman, E. E., Richmond, B. M. and Fletcher, C. H. (2000). Age and composition of carbonate shoreface sediments, Kailua Bay, Oahu, Hawaii. *Coral Reefs* **19**, 141-154.

- Harris, R. (1985). Contextual classification post-processing of Landsat data using a probabilistic relaxation model. *Int. J. Remote Sensing* **6**, 847-866.
- Hatcher, B. G. (1997). Coral reef ecosystems: how much greater is the whole than the sum of the parts? *Coral Reefs* **16**, S77-S91.
- Hatcher, B. G., Imberger, J. and Smith, S. V. (1987). Scaling analysis of coral reef systems: an approach to problems of scale. *Coral Reefs* **5**, 171-181.
- Haton, J. P., Bouzid, N., Charpillat, F., Haton, M.-C., Laasri, B., Laasri, H., Marquis, P., Mondot, T. and Napoli, A. (1991). *Le raisonnement en intelligence artificielle*, 480p. Paris: InterEditions.
- Hay, A. H. (1979). Sampling designs to test land-use map accuracy. *Photogrammetric Engineering and Remote Sensing* **45**, 529-533.
- Hayasaka, T., Kuji, M. and Tanaka, M. (1994). Air truth validation of cloud albedo estimated from NOAA advanced very high resolution radiometer data. *Journal of Geophysical Research* **99**, 18685-18693.
- He, F., Legendre, P., Bellehumeur, C. and Lafrankie, J. V. (1994). Diversity pattern and spatial scale: a study of a tropical rain forest of Malaysia. *Environmental and Ecological Statistics* **1**, 265-286.
- Healey, G. and Slater, D. (1999). Models and methods for automated material identification and hyperspectral imagery acquired under unknown illumination and atmospheric conditions. *IEEE Trans. Geoscience Remote Sensing* **37**, 2706-2717.
- Helder, D., Bonczyk, W. and Morfitt, R. (1997). Landsat TM memory effect characterization and correction. *Canadian Journal of Remote Sensing* **23**, 299-308.
- Helder, D. L., Quirk, B. K. and Hood, J. J. (1992). A technique for the reduction of banding in Landsat Thematic Mapper images. *Photogrammetric Engineering and Remote Sensing* **58**, 1425-1431.
- Hendee, J. C. (1998). An expert-system for marine environmental monitoring in the Florida Keys National Marine Sanctuary and Florida Bay. In *2nd Int. Conf. Env. Coastal Regions* (ed. C. A. Brebbia), pp. 57-66. Southampton: Computational Mechanics Publications/WIT Press.
- Hendee, J. C., Humphrey, C. and Moore, T. (1998). A data-driven expert system for producing coral bleaching alerts. In *7th Int. Conf. on Development and Application of Computer Techniques to Environmental Studies* (ed. D. W. Pepper, C. A. Brebbia and P. Zanetti), pp. 139-147. Southampton: Computational Mechanics Publications/WIT Press.
- Hennings, I. (1998). An historical overview of radar imagery of sea bottom topography. *Int. J. Remote Sensing* **19**, 1447-1454.
- Hesselmans, G., Calkoen, C. and Wensink, H. (1997). Mapping of seabed topography to and from synthetic aperture radar. In *3rd ERS Symposium on Space at the Service of the Environment* (ed. ESA), pp. 1055-1058. Florence, Italie.
- Higashi, M. and Klir, G. J. (1983). On the notion of distance representing information closeness: possibility and probability distributions. *Int. J. General Systems* **9**, 103-115.
- Hochberg, E. and Atkinson, M. (2000). Spectral discrimination of coral reef benthic communities. *Coral Reefs* **19**, 164-171.
- Hochman, H. T., Muller-Karger, F. E. and Walsh, J. J. (1994). Interpretation of the coastal zone color scanner signature of the Orinoco River plume. *Journal of Geophysical Research* **99**, 7443-7455.
- Hoffbeck, J. P. and Landgrebe, D. A. (1994). Effect of radiance-to-reflectance transformation and atmosphere removal on maximum likelihood classification accuracy of high-dimensional remote sensing data. In *Proceedings of the International Geoscience and Remote Sensing Symposium (IGARSS '94)*, pp. 3289-3294.
- Hoge, F. E., Swift, R. N. and Frederick, E. B. (1980). Water depth measurement using an airborne pulsed neon laser system. *Applied Optics* **19**, 871-883.

- Hojerslev, N. K. (1985). Bio-optical measurements in the southwest Florida shelf ecosystem. *Journal Cons. International Explor. Mer.* **42**, 65-82.
- Holben, B. N. and Shimabukuro, Y. E. (1993). Linear mixing model applied to coarse spatial resolution data from multispectral satellite sensors. *Int. J. Remote Sensing* **14**, 2231-?
- Holden, H. and LeDrew, E. (1998). The scientific issue surrounding remote detection of submerged coral ecosystems. *Progress in Physical Geography* **22**, 190-221.
- Holden, H. and Ledrew, E. (1998). Spectral discrimination of healthy and non-healthy corals based on cluster analysis, principal components analysis and derivative spectroscopy. *Remote Sensing of Environment* **65**, 217-224.
- Holden, H. and Ledrew, E. (1999). Hyperspectral identification of coral reef features. *Int. J. Remote Sensing* **20**, 2545-2563.
- Holden, H. and LeDrew, E. (in press-a). Accuracy assessment of hyperspectral classification of coral reef features. *Geocarto Int.*
- Holden, H. and LeDrew, E. (in press-b). Effects of the water column on hyperspectral reflectance of submerged coral reef features. *Bulletin Marine Science.*
- Holden, H., LeDrew, E. and Melsheimer, C. (1999). Simulated SPOT-equivalent reflectance characteristics of common coral reef features. In *20th Asian Conf. Remote Sensing*. Hong-Kong.
- Holden, H., Peddle, D. and LeDrew, E. (1996). Fluorescence as a potential indicator of coral health. In *IGARSS'96*, pp. 88-90. Lincoln, Nebraska.
- Hoogenboom, H. J., Dekker, A. G. and Althuis, I. J. (1998). Simulation of AVIRIS sensitivity for detecting chlorophyll over coastal and inland waters. *Remote Sensing of Environment* **65**, 333-340.
- Hooker, S. B. and Aiken, J. (1998). Calibration evaluation and radiometric testing of field radiometers with the SeaWiFS quality monitor. *J. Atmos. Ocean. Tech.* **15**, 995-1007.
- Hooker, S. B. and Esaias, W. E. (1993). An overview of the SeaWiFS project. *EOS* **74**, 241-246.
- Hooker, S. B. and Maritorena, S. (2000). An evaluation of oceanographic radiometers and deployment methodologies. *J. Atmos. Ocean. Tech.* **17**, 811-830.
- Hopley, D. (1978). Aerial photography and other remote sensing techniques. In *Coral reefs: research and methods* (ed. R. E. Johannes and D. R. Stoddart), pp. 23-44. Paris: UNESCO.
- Hopley, D. and Catt, P. C. (1988). Use of near infra-red aerial photography for monitoring ecological changes to coral reef flats on the Great Barrier Reef. In *6th International Coral Reef Symposium*, vol. 3, pp. 503-507. Townsville, Australia: James Cook University.
- Hou, W., Carder, K. L. and Costello, D. K. (1997). Scattering phase function of very large particles in the ocean. *SPIE* **2963**, 579-584.
- Hu, C., Carder, K. and Muller-Karger, F. (2000a). Atmospheric correction of SeaWiFS imagery over turbid coastal waters: a practical method. *Remote Sensing of Environment* **74**, 195-206 (<http://paria.marine.usf.edu/errata>).
- Hu, C., Carder, K. L. and Muller-Karger, F. (1998). Preliminary algorithm to derive chlorophyll pigment concentration and DOM absorption in turbid coastal waters from SeaWiFS imagery. In *4th Pacific Ocean Remote Sensing Conference (PORSEC 98)*.
- Hu, C., Carder, K. L. and Muller-Karger, F. E. (2000b). Atmospheric correction of SeaWiFS imagery: assessment of the use of alternative bands. *Applied Optics* **39**, 3573-3581.
- Hu, C., Muller-Karger, F., Andréfouët, S. and Carder, K. (in press). Atmospheric correction and cross-calibration of LANDSAT-7/ETM+ imagery over aquatic environments: multi-platform approach using SeaWiFS/MODIS. *Remote Sensing of Environment.*

- Huguenin, R. L., Boudreau, E. R. and Karaska, M. A. (1997). An adaptation of the AASAP subpixel analysis software for automated bathymetry mapping. In *4th Int. Conf. on remote Sensing for Marine and Coastal Environments*, vol. 1, pp. 308-316. Orlando, Florida.
- Hundahl, H. and Hojerslev, N. K. (1988). Optical methods in oceanography with special reference to oil fluorometry. *Oil & Chemical Pollution* **4**, 71-85.
- Hyppanen, H. (1996). Spatial autocorrelation and optimal spatial resolution of optical remote sensing data in boreal forest environment. *Int. J. Remote Sensing* **17**, 3441-3452.
- IOCCG. (2000). Remote sensing of ocean colour in coastal, and other optically complex, waters. (ed. S. Sathyendranath, Bedford Inst. Oceanography), Dartmouth, Canada. Report Int. Ocean Color Coordinating Group 3.
- Irish, J. L. and Lillycrop, W. J. (1997). Monitoring New Pass, Florida, with high density lidar bathymetry. *J. Coastal Research* **13**, 1130-1140.
- Isoun, E., Harney, J., Gradie, J. and Fletcher, C. (1998). Airborne Multi-Spectral (MS) Scanning in Kailua Bay. In *Coastal Erosion Management Conference*, vol. Abstract. Wailea, Maui.
- Jain, A. and Dubes, R. (1989). Algorithms for clustering data. Englewood Cliffs, NJ: Prentice-Hall.
- Jeffrey, S. W. and Humphrey, G. F. (1975). New spectrophotometric equations for determining chlorophylls a, b, c1 and c2 in higher plants, algae and natural phytoplankton. *Biochem. Physiol. Pflanzen* **167**, 191-194.
- Jensen, J. R. (1996). Introductory digital image processing: a remote sensing perspective, 2nd ed. In *Geographic Information Science* (ed. K. C. Clarke), 316p. Upper Saddle River, NJ: Prentice Hall.
- Jensen, J. R., Rutchey, K., Koch, M. S. and Narumalani, S. (1995). Inland wetland change detection in the Everglades water conservation area 2A using a time-series of normalized remotely sensed data. *Photogrammetric Engineering and Remote Sensing* **61**, 199-209.
- Jerlov, N. G. (1976). Marine optics, 231p. Amsterdam: Elsevier Scientific Publishing Company.
- Johannessen, J. A., Roed, L. P., Johannessen, O. M., Evensen, G., Hackett, B., Pettersson, L. H., Haugan, P. M., Sandven, S. and Schuman, R. (1993). Monitoring and modeling of the marine coastal environment. *Photogrammetric Engineering and Remote Sensing* **59**, 351-361.
- Johnston, C. A. and Bonde, J. (1989). Quantitative analysis of ecotones using a geographic information system. *Photo. Eng. Remote Sensing* **55**, 1643-1647.
- Johnston, C. A., Pastor, J. and Pinay, G. (1992). Quantitative methods for studying landscape boundaries. In *Landscape boundaries: consequences for biotic diversity and ecological flows*, vol. 92 (ed. A. J. Hansen and F. d. Castri), pp. 107-124. New-York: Springer-Verlag.
- Jorgensen, P. V. and Edolvang, K. (2000). CASI data utilized for mapping suspended matter concentrations in sediment plumes and verification of 2-D hydrodynamic modelling. *Int. J. Remote Sensing* **21**, 2247-2258.
- Joyce, K. E. (2000). Hyperspectral techniques for analysis of coral reefs processes and dynamics. Thesis *Dept. of Geographical Sciences and Planning*, 187p. St Lucia: University of Queensland.
- Joyce, K. E. and Phinn, S. R. (2000). Coral reefs: hyperspectral and multiple view angle approaches for assessment of coral structure and dynamics. In *IGARSS 2000*. Honolulu, Hawaii (poster).
- Jupp, D. B. L. (1986). The application and potential of remote sensing in the Great Barrier Reef region. Townsville. Research Publication, GBRMPA report.
- Jupp, D. L. B. (1988). Background and extensions to depth of penetration (DOP) mapping in shallow coastal waters. In *Symposium on Remote Sensing of the Coastal Zone*, pp. Session 4, paper 2. Goald Coast, Queensland.
- Jupp, D. L. B. (1989). The stability of global estimates from confusion matrices. *Int. J. Remote Sensing* **10**, 1563-1569.

- Jupp, D. L. B., Heggen, S. S., Mayo, K. K., Kendall, S. W., Bolton, J. R. and Harrison, B. A. (1985a). The Brian Handbook. Australia: Natural Resources Series 3, CSIRO report, Division on water and land resources.
- Jupp, D. L. B., Kirk, J. T. O. and Harris, G. P. (1994). Detection, identification and mapping of cyanobacteria - using remote sensing to measure the optical quality of turbid inland waters. *Aust. J. Mar. Freshwater Res.* **45**, 801-828.
- Jupp, D. L. B., Mayo, K., Kuchler, D. A., VanClaasen, D., Kenchington, R. A. and Guerin, P. R. (1985b). Remote sensing for planning and managing the Great Barrier Reef of Australia. *Photogrammetria* **40**, 21-42.
- Jupp, D. L. B., Mayo, K. K., Kuchler, D. A., Heggen, S. J., Kendall, S. W., Radke, B. M. and Ayling, T. (1985c). LANDSAT based interpretation of the CAIRNS section of the Great Barrier Reef Marine Park. Natural Resources Series 4, CSIRO report, Division on water and land resources.
- Jupp, D. L. B., Strahler, A. H. and Woodcock, C. E. (1988a). Auto-correlation and regularization in digital images I. Basic theory. *IEEE Trans. Geosciences Remote Sensing* **26**, 463-473.
- Jupp, D. L. B., Strahler, A. H. and Woodcock, C. E. (1988b). Auto-correlation and regularization in digital images II. Simple image models. *IEEE Trans. Geosciences Remote Sensing* **27**, 247-258.
- Kahru, M. and Mitchell, B. G. (1999). Empirical chlorophyll algorithm and preliminary SeaWiFS validation for the California Current. *Int. J. Remote Sensing* **20**, 3423-3429.
- Kanellopoulos, I., Wilkinson, G. G. and Mégier, J. (1991). Segmentation of remotely-sensed images using best-merge region growing and spectral-spatial clustering with spatial context rules: ISPR Joint Research Centre Technical Note I.91.119 Report.
- Karnieli, A. (1997). Development and implementation of spectral crust index over dune sands. *Int. J. Remote Sensing* **18**, 1207-1220.
- Karnieli, A., Fidron, G. J., Glaesser, C. and Ben-Dor, E. (1999). Spectral characteristics of cyanobacteria soil crust in semiarid environments. *Remote Sensing of Environment* **69**, 67-75.
- Karnieli, A. and Sarafis, V. (1996). Reflectance spectrophotometry of cyanobacteria within soil crusts - a diagnostic tool. *Int. J. Remote Sensing* **17**, 1609-1615.
- Karnieli, A. and Tsoar, H. (1995). Spectral reflectance of biogenic crust developed on desert dune sand along the Israel-Egypt border. *Int. J. Remote Sensing* **16**, 369-374.
- Kawata, Y., Ueno, S. and Kusaka, T. (1988). Radiometric correction for atmospheric and topographic effects on LANDAT MSS images. *Int. J. Remote Sensing* **9**, 729-748.
- Keller, M. and Bostater, C. (1997). Measuring high spectral resolution specific absorption coefficients for use with hyperspectral imagery. In *4th Int. Conf. on Remote Sensing for Marine and Coastal Environments*, vol. 1, pp. 197-202. Orlando, Florida.
- Key, J. R., Maslanik, A. and Barry, R. G. (1989). Cloud classification from satellite data using a fuzzy sets algorithm: a polar example. *Int. J. Remote Sensing* **10**, 1823-1842.
- Khan, M. A., Fadlallah, Y. H. and Al-Hinai, K. G. (1992). Thematic mapping of subtidal coastal habitats in the western Arabian Gulf using Landsat TM data- Abu Ali Bay, Saudi Arabia. *Int. J. Remote Sensing* **13**, 605-614.
- Kiefer, D. A. and Austin, R. W. (1974). The effect of varying phytoplankton concentration on submarine light transmission in the Gulf of California. *Limnology and Oceanography* **19**, 55-64.
- Kiefer, D. A. and SooHoo, J. B. (1982). Spectral absorption by marine particles of coastal waters of Baja California. *Limnology and Oceanography* **27**, 492-499.
- King, A. W. (1990). Translating models across scales in the landscape. In *Quantitative methods in landscape ecology: the analysis and interpretation of landscape heterogeneity*, vol. 82 (ed. M. G. Turner and R. H. Gardner), pp. 479-517. New-York: Springer-Verlag.

- Kirk, J. T. O. (1976). Yellow substance (gelbstoff) and its contribution to the attenuation of photosynthetically active radiation in some inland and coastal south-eastern Australian waters. *Ast. Journal Mar. Freshwater Research* **27**, 61-71.
- Kirk, J. T. O. (1979). Spectral distribution of photosynthetically active radiation in some south-eastern Australian waters. *Aust. Journal Mar. Freshwater Research* **30**, 81-91.
- Kirk, J. T. O. (1980). Relationship between nephelometric turbidity and scattering coefficients in certain Australian waters. *Aust. Journal Mar. Freshwater Research* **31**, 1-12.
- Kirk, J. T. O. (1981). Estimation of the scattering coefficient of natural waters using underwater irradiance measurements. *Aust. Journal Mar. Freshwater Research* **32**, 533-539.
- Kirk, J. T. O. (1989). The upwelling light stream in natural waters. *Limnology & Oceanography* **34**, 1410-1425.
- Kirk, J. T. O. (1994a). Characteristics of the light field in highly turbid waters: a Monte -Carlo study. *Limnology & Oceanography* **39**, 702-706.
- Kirk, J. T. O. (1994b). *Light & Photosynthesis in Aquatic Ecosystems*, 2nd ed., 509p. New York: Cambridge University Press.
- Klemas, V. (1980). Remote sensing of coastal fronts and their effects on oil dispersion. *International Journal Remote Sensing* **1**, 11-28.
- Klemas, V. and Philpot, W. D. (1981). Drift and dispersion studies of ocean-dumped waste using LANDSAT imagery and current drogues. *Photogrammetric Engineering and Remote Sensing* **47**, 533-542.
- Klemas, V. V., Dobson, J. E., Ferguson, R. L. and Haddad, K. D. (1993). A coastal land cover classification system for the NOAA coastwatch change analysis project. *J. Coastal Res.* **9**, 862-872.
- Kleypas, J. and Burrage, D. (1994). Satellite-observations of circulation in the Southern Great Barrier Reef, Australia. *Int. J. Remote Sensing* **15**, 2051-2063.
- Kleypas, J. A. (1997). Modeled estimates of global reef habitat and carbonate production since the last glacial maximum. *Paleoceanography* **12**, 533-545.
- Knight, D., Ledrew, E. and Holden, H. (1997). Mapping submerged corals in Fiji from remote sensing and in situ measurements: applications for integrated coastal management. *Ocean and Coastal Management* **34**, 153-170.
- Kopelevich, O. V. (1982). The "yellow substance" in the ocean, according to optical data. *Oceanology* **22**, 152-156.
- Krishnapuram, R. (1993). Fuzzy clustering methods in computer vision. In *1st European Congress on Fuzzy and Intelligent Technologies*, pp. 720-730. Aachen, Germany.
- Krishnapuram, R. and Keller, J. M. (1993). A possibilistic approach to clustering. *IEEE Trans. Fuzzy Systems* **1**, 98-110.
- Krishnapuram, R. and Keller, J. M. (1996). The possibilistic C-Means algorithm: insights and recommendations. *IEEE Trans. Fuzzy Systems* **4**, 385-393.
- Krishnapuram, R., Keller, J. M. and Ma, Y. (1993). Quantitative analysis of properties and spatial relations of fuzzy image regions. *IEEE Trans. Fuzzy Systems* **1**, 222-233.
- Kuchler, D. (1987a). Geomorphological separability, LANDSAT MSS and aerial photographic data: Heron Island, Great Barrier Reef. Townsville: Technical Memorandum Report GBRMPA-TM-9 10.
- Kuchler, D. (1987b). Reef cover and zonation classification system for use with remotely sensed Great Barrier reef data. Townsville: Technical Memorandum Report GBRMPA-TM-7.

- Kuchler, D. (1987c). Reef cover and zonation classification system for use with remotely sensed Great Barrier reef data - user guide and handbook. Townsville: Technical Memorandum Report GBRMPA-TM-9.
- Kuchler, D. A., Bina, R. T. and VanClaasen, D. (1988). Status of high-technology remote sensing for mapping and monitoring coral reef environments. In *6th International Coral Reef Symposium*, vol. 1, pp. 97-101. Townsville, Australie: James Cook University.
- Kuchler, D. A. and Jupp, D. L. B. (1988). Shuttle photographs captures massive phytoplankton bloom in the Great Barrier Reef. *Int. J. Remote Sensing* **9**, 1299-1301.
- Kuchler, D. A., Jupp, D. L. B., VanClaasen, D. B. and Bour, W. (1986a). Coral reef remote sensing applications. *Geocarto Int.* **1986**, 3-15.
- Kuchler, D. A., Maguire, C., McKenna, A., Priest, R. and Mellor, J. R. (1986b). Coral reef survey method for verification of LANDSAT MSS image data. *ITC Journal* **1986-3**, 217-223.
- Lagro, J. (1991). Assessing patch shape in landscape mosaics. *Photogrammetric Engineering & Remote Sensing* **57**, 285-293.
- Lahet, F., Ouillon, S. and Forget, P. (1998). Classification of coastal waters from hyperspectral and hydrological data. In *Fifth Int. Conf. Remote Sensing of the Marine Environment*, vol. 2, pp. II-298-305. San Diego, Calif.: ERIM.
- Landgrebe, D. (1997). The evolution of LANDSAT data analysis. *Photogrammetric Engineering and Remote Sensing* **63**, 859-867.
- Landry, R., Fournier, R. A., Ahern, F. J. and Lang, R. H. (1997). Tree vectorization: a methodology to characterize fine tree architecture in support of remote sensing models. *Canadian Journal of Remote Sensing* **23**, 91-107.
- Lathrop, R. G. and Lillesand, T. M. (1989). Monitoring water quality and river plume transport in Green Bay, lake Michigan with SPOT-1 imagery. *Photogrammetric Engineering and Remote Sensing* **55**, 349-354.
- Lavoie, A. (1997). Potentiel des images satellitaires multibandes à haute résolution spatiale pour la cartographie des composants de l'eau en milieu côtier marin. PhD Thesis *Géographie*, 208p., Montréal: Université de Montréal.
- Laydoo, R. and Griffith, J. K. (1995). Coral reef distribution in South-West Tobago. *Int. J. Remote Sensing* **16**, 1367-1369.
- LeDrew, E., Holden, H., Peddle, D. and Knight, D. (1996a). Spectral measures of coral ecosystem stress derived from SPOT satellite imagery. In *Eco-Infoma*. Lake Buena-Vista, Florida.
- LeDrew, E., Holden, H., Peddle, D. and Morrow, J. (1996b). Mapping coral reef ecosystem stress in Fiji from SPOT imagery with in situ optical correction. In *26th Int. Symp. on Remote Sensing and Environment*, pp. 581-584. Vancouver, Canada.
- LeDrew, E., Holden, H., Peddle, D., Morrow, J., Murphy, R. and Bour, W. (1995). Towards a procedure for mapping coral stress from SPOT imagery with in situ optical correction. In *3rd Thematic Conference on Remote Sensing for Marine and Coastal Environments*, vol. 1, pp. I-211-219. Seattle, USA.
- LeDrew, E., Knight, D. and Holden, H. (1997). Remote sensing analysis of submerged coral reefs: applications for integrated coastal management in Fiji. In *IGARSS'97*. Singapore.
- LeDrew, E., Wulder, M. and Holden, H. (2000). Change detection of satellite imagery for reconnaissance of stressed tropical corals. In *IGARSS 2000*, vol. CDR0M, pp. TH04-1620. Honolulu, Hawaii.
- Lee, C. and Landgrebe, D. A. (1991). Fast likelihood classification. *IEEE Transactions on Geoscience and Remote Sensing* **29**.

- Lee, T., Richards, J. A. and Swain, P. H. (1987). Probabilistic and evidential approaches for multi-source data analysis. *IEEE Trans. Geoscience and Remote Sensing* **25**, 283-292.
- Lee, Z., Carder, K. L., Hawes, S. K., Steward, R. G., Peacock, T. G. and Davis, C. O. (1994). A model for interpretation of hyperspectral remote sensing reflectance. *Applied Optics* **33**, 5721-5732.
- Lee, Z. P. (1994). Visible-infrared remote-sensing model and applications for oceanic waters. *Doctoral Dissertation*, University of South Florida, 145p.
- Lee, Z. P., Carder, K. L., Mobley, C. D., Steward, R. G. and Patch, J. S. (1998a). Hyperspectral remote sensing for shallow waters. 1. A semianalytical model. *Applied Optics* **37**, 6329-6228.
- Lee, Z. P., Carder, K. L., Mobley, C. D., Steward, R. G. and Patch, J. S. (1999). Hyperspectral remote sensing for shallow waters: 2. Deriving bottom depths and water properties by optimization. *Applied Optics* **38**, 3831-3843.
- Lee, Z. P., Carder, K. L., Peacock, T. G., Davis, C. O. and Mueller, J. L. (1996). Method to derive ocean absorption coefficients from remote-sensing reflectance. *Applied Optics* **35**, 453-462.
- Lee, Z. P., Carder, K. L., Steward, R. G., Peacock, T. G., Davis, C. O. and Patch, J. S. (1998b). An empirical algorithm for light absorption by ocean water based on color. *JGR* **103**, 27967-27978.
- Legendre, P. and Fortin, M. J. (1989). Spatial pattern and ecological analysis. *Vegetatio* **80**, 107-138.
- LeGouic, M. (1985). Etude des applications bathymétriques d'un radiomètre canal bleu embarqué sur satellite, à partir des données d'une simulation aéroportée (Nouvelle-Calédonie- Décembre 1993). Brest: Rapport d'Etude EPSHOM 002/85.
- LeGouic, M. (1987). Utilisation de SPOT en hydrographie. In *SPOT 1, Utilisation des images, bilan, résultats*, pp. 1063-1068. Paris: Editions Cépaduès.
- Leprieur, C., Carrere, V. and Gu, X. F. (1995). Atmospheric correction and ground reflectance for Airborne Visible Infrared Imaging Spectrometer (AVIRIS) data: MAC Europe'91. *Photogrammetric Engineering Remote Sensing* **61**, 1233-1238.
- Lesser, M. P., Mazel, C., Phinney, D. and Yentsch, C. S. (2000). Light absorption and utilization by colonies of the congeneric hermatypic corals *Montastrea faveolata* and *Montastrea cavernosa*. *Limnol. Oceanogr.* **45**, 76-86.
- Levin, S. A. (1992). The problem of pattern and scale in ecology. *Ecology* **73**, 1943-1967.
- Li, X. and Strahler, A. H. (1992). Geometric-optical bidirectional reflectance modelling of the discrete crown vegetation canopy. *IEEE Trans. on Geoscience and Remote Sensing* **30**, 276-292.
- Liceaga-Correa, M. A. and Euan-Avila, J. I. (in press). Assessment of coral reef bathymetric mapping using visible LANDSAT TM data. *Int. J. Remote Sensing*.
- Lillesand, T. M. and Kiefer, R. W. (1987). Remote sensing and image interpretation 2nd Ed, 721p. New-York: John Wiley & Sons.
- Lillesand, T. M. and Kiefer, R. W. (1994). Remote sensing and image interpretation, 750p. New-York: J. Wiley & Sons, Inc.
- Long, B. G., Poiner, I. R. and Harris, A. N. (1993). Method of estimating the standing stock of *Trochus niloticus* incorporating LANDSAT satellite data, with application to the Trochus resources of the Bourke Isles, Torres Strait, Australia. *Marine Biology* **115**, 587-593.
- Loubersac, L. (1994). Information géographique dérivée des données de la télédétection spatiale de haute résolution sur les lagons des îles hautes et des atolls. Application aux environnements des îles de la Polynésie Française: états et perspectives. In *Les nouvelles frontières de la télédétection océanique*, vol. 18 (ed. F. Doumenge), pp. 75-85. Monaco: Musée Océanographique de Monaco.
- Loubersac, L., Burban, P. Y., Lemaire, O., Varet, H. and Chenon, F. (1991). Integrated study of Aitutaki's lagoon (Cook Islands) using SPOT satellite data and in situ measurements: bathymetric modelling. *Geocarto Int.* **6**, 31-37.

- Loubersac, L., Dahl, A. L., Collotte, P., Lemaire, O., D'Ozouville, L. and Grotte, A. (1988). Impact assessment of cyclone Sally on the almost atoll of Aitutaki (Cook Islands) by remote sensing. In *6th International Coral Reef Symposium*, vol. 2, pp. 455-462. Townsville, Australie.
- Loubersac, L., Lemaire, O., Varet, H., Chenon, F. and Burban, P. Y. (1989). Nature des fonds et bathymétrie du lagon de l'atoll d'Aitutaki (Iles Cook) d'après des données SPOT-1. *Photo-Interprétation* **5-6**, 29-40.
- Loubersac, L., Salvat, B., Burban, P. Y., Salvat, F., Chenon, F., Varet, H. and Wibaux, B. (1990a). Télédétection SPOT et géomorphologie de l'atoll de Nukuteipi (Tuamotu). Papeete, Tahiti: Report IFREMER/EPHE.
- Loubersac, L., Wibaux, B., Chenon, F. and Varet, H. (1990b). A method for SPOT images segmentation: application to identification of morphologic contours in atoll environments. In *Pix'Illes 90: Int. Workshop on Remote Sensing and Insular Environments in the Pacific: integrated approaches*, vol. 1 (ed. IFREMER/ORSTOM), pp. 321-328/647-648. Nouméa-Tahiti: ORSTOM, Nouméa.
- Lowell, K. and Jaton, A. (1999). Spatial accuracy assessment, 455p. Chelsea, Michigan: Ann Arbor Press.
- Lubin, D., Li, W., Dustan, P., Mazel, C. H. and Stamnes, K. (2001). Spectral signatures of coral reefs: features from space. *Remote Sensing of Environment* **75**, 127-137.
- Luczkovich, J. J., Wagner, T. W., Michalek, J. L. and Stoffle, R. W. (1993). Discrimination of coral reefs, seagrass meadows, and sand bottom types from space: a Dominican Republic case study. *Photogram. Eng. Rem. Sens.* **59**, 385-389.
- Lulla, K. and Mausel, P. (1983). Ecological applications of remotely sensed multispectral data. In *Introduction to remote sensing of the environment, 2nd ed.* pp. 354-377. Dubuque, Iowa: Kendall/Hunt.
- Lulla, K. L., Evans, C., Amsbury, D., Wilkinson, J., Willis, K., Caruana, J., O'Neill, C., Runco, S., McLaughlin, D., Gaunce, M., McKay, M. F. and Trenchard, M. (1996). The Space Shuttle Earth Observations Photography Database: an underutilized resource for global environmental sciences. *Environmental Geosciences* **3**, 40-44.
- Lunetta, R. S., Congalton, R. G., Fenstermaker, L. K., Jensen, J. R., McGwire, K. C. and Tinney, L. R. (1991). Remote sensing and geographic information system data integration: error sources and research issues. *Photogrammetric Engineering and Remote Sensing* **57**, 677-687.
- Lunetta, R. S. and Elvidge, C. E. (1999). Remote sensing change detection, 318p. London: Taylor and Francis.
- Lyon, J. G. and Hutchinson, W. S. (1995). Application of a radiometric model for evaluation of water depths and verification of results with airborne scanner data. *Photogrammetric Engineering and Remote Sensing* **61**, 161-166.
- Lyzenga, D. R. (1978). Passive remote sensing techniques for mapping water depth and bottom features. *Applied Optics* **17**, 379-383.
- Lyzenga, D. R. (1985). Shallow water bathymetry using combined lidar and passive multispectral scanner data. *Int. J. Remote Sensing* **6**, 115-125.
- Lyzenga, D. R., Wezernak, C. T. and Polcyn, F. C. (1976). Spectral band positioning for purposes of bathymetry and mapping bottom features from satellite altitudes. Ann Arbor, Michigan: 115300-5-T ERIM report.
- Ma, Z. and Redmond, R. L. (1995). Tau coefficients for accuracy assessment of classification of remote sensing data. *Photogrammetric Engineering & Remote Sensing* **61**, 435-439.
- Macleod, R. D. and Congalton, R. G. (1998). Quantitative comparison of change detection algorithms for monitoring eelgrass from remotely sensed data. *Photogrammetric Engineering Remote Sensing* **64**, 207-216.

- Manière, R., Bouchon, C. and Bouchon-Navarro, Y. (1994). Mapping of the seagrass beds in the bay of Fort-de-France (Martinique, West French Indies) by digitized aerial photographs. In *First Airborne Remote Sensing Conference and Exhibition*, pp. 735-743. Strabourg, France.
- Manière, R., Bouchon, C., Bouchon-Navarro, Y., Louis, M., Menut, T. and Chiaverini, D. (1993). Photographies aériennes numérisées et cartographie des herbiers de phanérogames marines de la baie de Fort-de-France (Ile de la Martinique, Antilles Françaises). *Photo-interprétation* **1993/2**, 131-140.
- Manière, R., Cournoulès, J., Bouchon, C., Jaubert, J. and Mahasneh, D. (1986). Application of high resolution remote sensing and geographic information systems to the Jordanian coast (Gulf of Aqaba, Red Sea). In *20th Int. Symp. Remote Sensing of Environment*, pp. 771-780. Nairobi, Kenya.
- Manière, R. and Jaubert, J. (1985). Traitement d'image et cartographie de récifs coralliens en Mer Rouge (golfe d'Aqaba). *Oceanologica Acta* **8**, 321-328.
- Marceau, D. J., Gratton, D. J., Fournier, R. A. and Fortin, J. P. (1994a). Remote sensing and the measurement of geographical entities in a forested environment. 2. The optimal spatial resolution. *Remote Sens. Environ.* **49**, 105-117.
- Marceau, D. J., Howarth, P. J. and Gratton, D. J. (1994b). Remote sensing and the measurement of geographical entities in a forested environment. 1. The scale and spatial aggregation problem. *Remote Sens. Environ.* **49**, 93-104.
- Marees, G., Spitzer, D., Wernand, M. R. and Dirks, R. W. J. (1989). Interpretation of remote sensing measurements over Madura Bay from in situ radiometric and biochemical data. *Netherlands J. Sea Res.* **23**, 483-492.
- Maritorena, S. (1990). Etude comparative des valeurs des coefficients d'atténuation diffuse des eaux polynésiennes déterminés in situ et à partir d'images SPOT. In *Pix'Illes 90: Int. Workshop on Remote Sensing and Insular Environments in the Pacific: integrated approaches*, vol. 1 (ed. IFREMER/ORSTOM), pp. 369-384. Nouméa-Tahiti: ORSTOM, Nouméa.
- Maritorena, S. (1993). Etude spectroradiométrique de la colonne d'eau et des fonds en milieu lagonaire récifal. Implications sur l'imagerie télédéetectée à haute résolution dans le visible. PhD thesis *Océanologie*, 195p. Tahiti: Université Française du Pacifique.
- Maritorena, S. (1996). Remote sensing of the water attenuation in coral reefs: a case study in French Polynesia. *Int. J. Remote Sensing* **17**, 155-166.
- Maritorena, S. and Guillocheau, N. (1996). Optical properties of water and spectral light absorption by living and non-living particles and by yellow substances in coral reef waters of French polynesia. *Marine Ecology Progress Series* **131**, 245-255.
- Maritorena, S., Morel, A. and Gentili, B. (1994). Diffuse reflectance of oceanic shallow waters: influence of water depth and bottom albedo. *Limnology & Oceanography* **39**, 1689-1703.
- Markham, B. L. and Barker, J. L. (1985). Spectral characterization of the LANDSAT Thematic Mapper sensors. *Int. J. Remote Sensing* **6**, 697-716.
- Marshall, T. R. and Lee, P. F. (1994). Mapping aquatic macrophytes through digital image analysis of aerial photographs: an assessment. *J. Aquat. Plant. Manage.* **32**, 61-66.
- Martinez, A. B., Joy, R. T., Kalcic, M. K., Terrie, G. and Haimbach, S. P. (1988). Adaptive estimation of water depth using multispectral remote sensing. In *SPIE*, vol. 925 Ocean Optics IX, pp. 222-228.
- Mas, J. F. (1999). Monitoring land-cover changes: a comparison of change detection techniques. *Int. J. Remote Sensing* **20**, 139-152.
- Maselli, F., Conese, C. and Petkov, L. (1994). Use of entropy for the estimation and graphical representation of the accuracy of maximum likelihood classifications. *ISPRS J. Photogramm. Rem. Sensing* **49**, 13-20.

- Maslanka, A. (1995). Modélisation de la bathymétrie des lagons à partir d'images SPOT. Papeete, Tahiti: IFREMER report.
- Mathieu, S., Leymarie, P. and Berthod, M. (1994). Determination of proportions and entropy of land use mixing in pixels of a multispectral satellite image. In *IGARSS'94*. Pasadena, USA.
- Matsakis, P., Andréfouët, S. and Capolsini, P. (2000). Evaluation of fuzzy partitions. *Remote Sensing of Environment* **74**, 515-532.
- Matsunaga, T. and Kayanne, H. (1997). Observation of coral reefs on Ishigaki island, Japan, using Landsat TM images and aerial photographs. In *4th Int. Conf. on Remote Sensing for Marine and Coastal Environments*, vol. 1, pp. 657-666. Orlando, Florida.
- Mausel, P. W., Karaska, M. A. and Mao, C. Y. (1991). Insights into Secchi transparency through computer analysis of aerial multispectral video data. *Int. J. Remote Sensing* **12**, 2485-2492.
- Mausel, P. W., Kramber, W. J. and Lee, J. K. (1990). Optimum band selection for supervised classification of multispectral data. *Photogrammetric Engineering and Remote Sensing* **56**, 55-60.
- Mayo, M., Gitelson, A., Yacobi, Y. Z. and Ben-Avraham, Z. (1995). Chlorophyll distribution in Lak Kinneret determined from LANDSAT Thematic Mapper data. *Int. J. Remote Sensing* **16**, 175-182.
- Mazel, C. (1997). Diver-operated instrument for in situ measurement of spectral fluorescence and reflectance of benthic marine organisms and substrates. *Optical Engineering* **36**, 2612-2617.
- Mazel, C. H. (1995). Spectral measurements of fluorescence emission in caribbean cnidarians. *Mar. Ecol. Prog. Ser.* **120**, 185-191.
- Mazel, C. H. (1996). Coral fluorescence characteristics: excitation-emission spectra, fluorescence efficiencies, and contribution to apparent reflectance. In *Ocean Optics XIII*, vol. SPIE 2963, pp. 240-245. Halifax, Canada.
- McBratney, A. B. and Odeh, I. O. A. (1997). Application of fuzzy sets in soil science: fuzzy logic, fuzzy measurements and fuzzy decisions. *Geoderma* **77**, 85-113.
- McBratney, A. B. and Webster, R. (1983). How many observations are needed for regional estimation of soil properties. *Soil Science* **135**, 177-183.
- McCormick, N. J. and Hojerslev, N. K. (1994). Ocean optics attenuation coefficients: local versus spatially averaged. *Applied Optics* **33**, 7067-7069.
- McGwire, K., Friedl, M. and Estes, J. E. (1993). Spatial structure, sampling designs and scale in remotely sensed imagery of a California savanna woodland. *Int. J. Remote Sensing* **14**, 2137-2164.
- McManus, J. and Noordeloos, M. (1998). Towards a global inventory of coral reefs (GICOR): remote sensing international cooperation and Reefbase. In *Fifth Int. Conf. Remote Sensing of the Marine Environment*, vol. 1, pp. I83-I89. San Diego, Calif.: ERIM.
- McManus, J. W. and Ablan, M. C. (1997). ReefBase: a global database of coral reefs and their resources. In *8th Int. Coral Reef Symp.*, vol. 2 (ed. H. A. Lessios and I. G. Macintyre), pp. 1541-1544. Panama.
- Menges, C. H., Hill, G. J. E. and Ahmad, W. (1998). Landsat TM data and potential feeding grounds for threatened marine species turtle in northern Australia. *Int. J. Remote Sensing* **19**, 1207-1221.
- Mering, C. (1991). Quelques remarques à propos des transferts d'échelle lors de l'interprétation des images de télédétection. In *Le transfert d'échelle* (ed. C. Mullon), pp. 3-38. Paris: ORSTOM Editions.
- Michalek, J. L., Wagner, T. W., Luczkovich, J. J. and Stoffle, R. W. (1993). Multispectral change vector analysis for monitoring coastal marine environments. *Photogram. Eng. Rem. Sens.* **59**, 381-384.
- Miller, R. L. and Cruise, J. F. (1995). Effects on suspended sediments on coral growth: evidence from remote sensing and hydrologic modeling. *Remote Sensing of Environment* **53**, 177-187.
- Mobley, C. (1994). Light and water: radiative transfer in natural waters, 592p. San Diego, California: Academic Press.

- Mobley, C. D. (1992). The optical properties of water. In *Handbook of Optics* (ed. M. Bass). New York: McGraw-Hill.
- Mobley, C. D. (1995). Hydrolight 3.0 User's Guide. *SRI Project 5632*.
- Mobley, C. D., Gentili, B., Gordon, H. R., Jin, Z., Kattawar, G. W., Morel, A., Reinersman, P., Stamnes, K. and Stavn, R. H. (1993). Comparison of numerical models for computing underwater light fields. *Applied Optics* **32**, 7484-7504.
- Mooradian, G., Holasek, R., Voelker, M., Sunshine, J., Tompkins, S., Warren, C., Even, D., Fené, M., Atkinson, M. and Hochberg, E. (1996a). Characterization of coral reefs using the Advanced Airborne Hyperspectral Imaging System (AAHIS). In *8th Int. Symp. Coral Reef*, vol. Abstracts (ed. H. A. Lessios), pp. 136. Panama.
- Mooradian, G., Voelker, M., Warren, C., Holasek, R. and Rhodes, D. (1996b). Dual mode fluorescence imaging systems for applications in coral reef characterization. In *8th Int. Symp. Coral Reef*, vol. Abstracts (ed. H. A. Lessios), pp. 136. Panama.
- Moore, K. D., Voss, K. J. and Gordon, H. R. (2000). Spectral reflectance of whitecaps: their contribution to water leaving radiance. *JGR* **105**, 6493-6499.
- Moran, M. S., Jackson, R. D., Clarke, T. R., Qi, J., Cabot, F., Thome, K. J. and Markham, B. L. (1995). Reflectance factor retrieval from LANDSAT TM and SPOT HRV data for bright and dark targets. *Remote Sensing Environment* **52**, 218-230.
- Morel, A. (1988). Optical modelling of the upper ocean in relation to its biogenous matter content (Case I waters). *J. Geophys. Res.* **93**, 10749-10768.
- Morel, A. (1991). Light and marine photosynthesis: a spectral model with geochemical and climatological implications. *Prog. Oceanog.* **26**, 263-306.
- Morel, A. and Gentili, B. (1991). Diffuse reflectance of oceanic waters: its dependence on sun angle as influenced by the molecular scattering contribution. *Applied Optics* **30**, 4427-4438.
- Morel, A. and Gentili, B. (1993). Diffuse reflectance of oceanic waters: II. Bidirectional aspects. *Applied Optics* **32**, 6864-6879.
- Morel, A. and Gentili, B. (1996). Diffuse reflectance of oceanic waters: III. implication of bidirectionality for the remote sensing problem. *Applied Optics* **35**, 4850-4862.
- Morel, A. and Prieur, L. (1977). Analysis of variations in ocean color. *Limnol. Oceanogr.* **22**, 709-722.
- Morel, A. and Smith, R. C. (1982). Terminology and units in optical oceanography. *Marine Geodesy* **5**, 335-349.
- Morel, Y. (1996). A coral reef lagoon as seen by SPOT. In *8th Australasian Remote Sensing Conference*, vol. 2, pp. 51-62. Canberra, Australia.
- Morel, Y. G. and Lindell, L. T. (1998). Passive multispectral bathymetry mapping of Negril Shores, Jamaica. In *5th Int. Conf. on Remote Sensing for Marine and Coastal Environments*, vol. 1, pp. 315-324. San Diego, California.
- Mueller, J. L. (1984). Effects of water reflectance at 670nm on Coastal Zone Color Scanner (CZCS) aerosol radiance estimates off the coast of central California. *SPIE: Ocean Optics VII* **489**, 179-186.
- Mueller, J. L. and Lange, R. E. (1989). Bio-optical provinces of the northeast Pacific Ocean: a provisional analysis. *Limnology and Oceanography* **34**, 1572-1586.
- Muller-Karger, F. E. (1992). Remote sensing of marine pollution: a challenge for the 1990's. *Marine Pollution Bulletin* **25**, 54-60.
- Muller-Karger, F. E. and Castro, R. A. (1994). Mesoscale processes affecting phytoplankton abundance in the southern Caribbean Sea. *Continental Shelf Research* **14**, 199-221.

- Muller-Karger, F. E., McClain, C. R. and Richardson, P. L. (1988). The dispersal of the Amazon's water. *Nature* **333**, 56-59.
- Muller-Karger, F. E., Richardson, P. L. and McGillicuddy, D. (1995). On the offshore dispersal of the Amazon's Plume in the North Atlantic. *Deep Sea Research I* **42**, 2127-2137.
- Muller-Karger, F. E., Walsh, J. J., Evans, R. H. and Meyers, M. B. (1991). On the seasonal phytoplankton concentration and sea surface temperature cycles of the Gulf of Mexico as determined by satellites. *Journal of Geophysical Research* **96**, 12,645-12,665.
- Mumby, P., Clark, C. D., Green, E. P. and Edwards, A. J. (1998a). Benefits of water column correction and contextual editing for mapping coral reefs. *Int. J. Remote Sensing* **19**, 203-210.
- Mumby, P., Green, E. P., Clark, C. D. and Edwards, A. J. (1998b). Digital analysis of multispectral airborne imagery of coral reefs. *Coral Reefs* **17**, 59-69.
- Mumby, P., Raines, P., Gray, D. and Gibson, J. (1995). Geographic Information Systems: a tool for integrated coastal zone management in Belize. *Coastal Management* **23**, 111-121.
- Mumby, P. J. (1999). Can Caribbean coral population be modeled at metapopulation scale? *Marine Ecology Progress Series* **180**, 275-288.
- Mumby, P. J., Green, E. P., Clark, C. D. and Edwards, A. J. (1997a). Coral reef habitat mapping: how much detail can remote sensing provide? *Marine Biology* **130**, 193-202.
- Mumby, P. J., Green, E. P., Clark, C. D. and Edwards, A. J. (1997b). Reef habitat assessment using (CASI) airborne remote sensing. In *8th Int. Coral Reef Symp.*, vol. 2 (ed. H. A. Lessios and I. G. Macintyre), pp. 1499-1502. Panama.
- Mumby, P. J., Green, E. P., Edwards, A. J. and Clark, C. D. (1997c). Measurement of seagrass standing crop using satellite and digital airborne remote sensing. *Marine Ecology Progress Series* **159**, 51-60.
- Mumby, P. J., Green, E. P., Edwards, A. J. and Clark, C. D. (1999). The cost-effectiveness of remote sensing for tropical coastal resources assessment and management. *Journal of Environmental Management* **3**, 157-166.
- Mumby, P. J. and Harborne, A. R. (1999). Development of a systematic classification scheme of marine habitats to facilitate regional management and mapping of Caribbean coral reefs. *Biological Conservation* **88**, 155-163.
- Murdoch, T. J. T. and Aronson, R. B. (1999). Scale dependent spatial variability of coral assemblages along the Florida Reef tract. *Coral Reefs* **18**, 341-351.
- Myers, M. R., Hardy, J. T., Mazel, C. H. and Dustan, P. (1999). Optical spectra and pigmentation of Caribbean reef corals and macroalgae. *Coral Reefs* **18**, 179-186.
- Naesset, E. (1996). Conditionnal Tau coefficient for assessment of producer's accuracy of classified remotely sensed data. *ISPRS J. Photogrammetry and Remote Sensing* **51**, 91-98.
- Nayak, S., Chauhan, P., Chauhan, H. B., Bahuguna, A. and NarendraNath, A. (1996). IRS-1 C applications for coastal management. *Current Science* **70**, 614-618.
- Nedeltchev, N. M. (1999). Space Shuttle photography: a powerful tool of remote sensing investigation of human effects on the Earth. *Int. J. Remote Sensing* **20**, 183-188.
- Neill, D. T., Phinn, S. R. and Ahmad, W. (2000). Reef zonation and cover mapping with Landsat Thematic Mapper data: intra and inter reef patterns in the Southern Great Barrier Reef region. In *IGARSS 2000*. Honolulu, Hawaii (poster).
- Newman, C. N. (2000). Deriving water attenuation properties for multi-spectral remote sensing of deep and shallow waters over tropical corals. In *Sixth International Conference on Remote Sensing for Marine and Coastal Environments*, vol. I, pp. 442-448. Charleston, South Carolina, 1-3 May 2000: ERIM.

- Newman, C. N. and LeDrew, E. (2000). Statistical characterization of the diffuse attenuation coefficient over tropical corals. In *IGARSS 2000*, vol. CDROM, pp. TH04.1500. Honolulu, Hawaii: IEEE.
- Nilsson, C. S. and Tildesley, P. C. (1995). Imaging of oceanic features by ERS 1 synthetic aperture radar. *Journal Geophys Research* **100**, 953-967.
- Novo, E. M. and Shimabukuro, Y. E. (1994). Spectral mixture analysis of inland tropical waters. *Int. J. Remote Sensing* **15**, 1351-1356.
- Ogden, J. C. (1997). Ecosystems interactions in the tropical coastal seascape. In *Life and death of coral reefs* (ed. C. Birkeland), pp. 288-297. New-York: Chapman&Hall.
- Ohring, G., Gallo, K., Gruber, A., Planet, W., Stowe, L. and Tarpley, J. D. (1989). Climate and global change: characteristics of NOAA satellite data. *Eos* **70**, 889-901.
- O'Neill, A. L. (1994). Reflectance spectra of microphytic soil crusts in semi-arid Australia. *Int. J. Remote Sensing* **15**, 675-681.
- O'Neill, N. T., Gauthier, Y., Lambert, E., Hubert, L., Dubois, J. M. and Edel, H. (1988). Imaging spectrometry applied to the remote sensing of submerged seaweed. In *4th Int. Col. Spectral Signatures of objects in Remote Sensing*, pp. 315-318. Aussois, France.
- O'Neill, N. Y. and Miller, J. R. (1989). On calibration of passive optical bathymetry through depth soundings. Analysis and treatment of errors resulting from the spatial variation of environmental parameters. *Int. J. Remote Sensing* **10**, 1481-1501.
- O'Reilly, J. E., Maritorena, S., Mitchell, B. G., Siegel, D. A., Carder, K. L., Garver, S. A., Kahru, M. and McClain, C. (1998). Ocean color chlorophyll algorithms for SeaWiFS. *J. Geophys. Res.* **103**, 24937-24953.
- Oren, A. and Ben-Yosef, N. (1997). Development and spatial distribution of an algal bloom in the Dead Sea: a remote sensing study. *Aquatic Microbial Ecology* **13**, 219-223.
- Paerl, H. W. (1988). Nuisance phytoplankton blooms in coastal, estuarine, and inland waters. *Limnol. Oceanogr.* **33**, 823-847.
- Pagès, J., Torréton, J.-P. and Sempéré, R. (1997). Dissolved organic carbon in coral reef lagoons, by high temperature catalytic oxidation and UV spectrometry. *C.R. Acad. Sci. Paris Série IIa* **324**, 915-922.
- Pal, N. R. and Bezdek, J. C. (1995). On cluster validity for the fuzzy C-Means model. *IEEE Trans. on Fuzzy Systems* **3**.
- Palandro, D. (2000). Coral reef change detection using LANDSAT 5 and 7: a case study using Carysfort reef in the Florida Keys. Thesis *Marine Science*, 50p. University South Florida.
- Palubinskas, G., Lucas, R., Foody, G. M. and Curran, P. J. (1995). An evaluation of fuzzy and texture-based classification approaches for mapping regenerating tropical forest classes from Landsat TM. *Int. J. Remote Sensing* **16**, 747-759.
- Paredes, J. M. and Spero, R. E. (1983). Water depth mapping from passive remote sensing data under a generalized ratio assumption. *Applied Optics* **22**, 1134-1135.
- Parson, L. E., Lillycrop, W. J., Klein, C. J., Ives, R. C. and Orlando, S. P. (1996). Use of lidar technology for collecting shallow water bathymetry of Florida Bay. *J. Coastal Research* **13**, 1173-1180.
- Pasqualini, V. and Pergent-Martini, C. (1996). Monitoring of *Posidonia oceanica* meadows using image processing. In *Seagrass Biology* (ed. J. Kuo, R. C. Phillips, D. I. Walker and H. Kirkman), pp. 352-358. Rottneisl., Western Australia.
- Pasqualini, V., Pergent-Martini, C., Fernandez, C. and Pergent, G. (1997). The use of airborne remote sensing for benthic cartography: advantages and reliability. *Int. J. of Remote Sensing* **1**, 1167-1177.

- Patzert, W. C. (2000). Coral reef bleaching: the view from space. In *9th Int. Coral Reef Symposium*, vol. Abstract, pp. 265. Bali, Indonesia.
- Peacock, T. G., Carder, K. L., Daviss, C. O. and Steward, R. G. (1990). Effects of fluorescence and water Raman scattering on models of remote sensing reflectance. *SPIE: Ocean Optics X* **1302**, 303-319.
- Peddle, D., LeDrew, E. and Holden, H. (1995). Spectral mixture analysis of coral reef abundance from satellite imagery and in situ ocean spectra, Savusavu Bay, Fiji. In *3rd Thematic Conference on Remote Sensing for Marine and Coastal Environments*, vol. 2, pp. II-563-575. Seattle, USA.
- Peddle, D. R. (1993). An empirical comparison of evidential reasoning, linear discriminant analysis and maximum likelihood algorithms for alpine land cover classification. *Canadian J. of Remote Sensing* **19**, 31-44.
- Peddle, D. R. (1995a). Knowledge formulation for supervised evidential classification. *Photogrammetric Engineering & Remote Sensing* **61**, 409-417.
- Peddle, D. R. (1995b). Mercury: an evidential reasoning image classifier. *Computers and Geosciences* **21**, 1163-1176.
- Peddle, D. R. and Franklin, S. E. (1991). Image texture processing and data integration for surface pattern discrimination. *Photogrammetric Engineering & Remote Sensing* **57**, 413-420.
- Peddle, D. R., Hall, F. G. and LeDrew, E. F. (1999). Spectral mixture analysis and geometric-optical reflectance modeling of boreal forest biophysical structure. *Remote Sensing of Environment* **67**, 288-297.
- Peddle, D. R., Hall, F. G., LeDrew, E. F. and Knapp, D. E. (1997). Classification of forest land-cover in BOREAS II: comparison of results from a sub-pixel scale physical modeling approach and a training based method. *Canadian Journal of Remote Sensing* **23**, 131-142.
- Perry, M. J. (1986). Assessing marine primary production from space: satellite remote sensing has already improved understanding of phytoplankton standing stocks. *BioScience* **July/August**, 461-467.
- Petrou, M. and Foschi, P. G. (1999). Confidence in linear spectral unmixing of single pixels. *IEEE Trans. Geoscience Remote Sensing* **37**, 624-626.
- Petzold, T. J. (1972). Volume scattering functions for selected ocean waters. San Diego, California: Scripps Institute of Oceanography, Visibility Laboratory SIO Ref 72-78 Report.
- Phillips, D. M. and Kirk, J. T. O. (1984). Study of the spectral variation of absorption and scattering in some Australian coastal waters. *Aust. Journal Mar. Freshw. Research* **35**, 635-644.
- Philpot, W., Kim, M. and Tsai, F. (1997). Analysis of hyperspectral data for detailed water quality information. In *4th Int. Conf. on remote Sensing for Marine and Coastal Environments*, vol. 1, pp. 259-268. Orlando, Florida.
- Philpot, W. D. (1987). Radiative transfer in stratified waters: a single-scattering approximation for irradiance. *Applied Optics* **26**, 4123-4132.
- Philpot, W. D. (1989). Bathymetric mapping with passive multispectral imagery. *Applied Optics* **28**, 1569-1578.
- Phinn, S. R., Menges, C., Hill, G. J. E. and Stanford, M. (2000a). Optimizing remotely sensed solutions for monitoring, modeling, and managing coastal environments. *Remote Sensing of Environment* **73**, 117-132.
- Phinn, S. R., Neil, D. T. and Joyce, K. E. (2000b). Coral reefs: a multi-scale approach to monitoring their composition and dynamics. In *IGARSS 2000*, vol. CDROM, pp. TH04.1540. Honolulu, Hawaii.
- Pickett, S. T. A. and Cadenasso, M. L. (1995). Landscape ecology: spatial heterogeneity in ecological systems. *Science* **269**, 331-334.
- Pinckney, J., Paerl, H., Reid, R. and Bebout, B. (1995). Ecophysiology of stromatolitic microbial mats, Stocking Island, Exuma Cays, Bahamas. *Microbial Ecology* **29**, 19-37.

- Pirazzoli, P. A. (1982). Télédétection en milieu récifal. Utilisation d'une image Landsat pour évaluer la bathymétrie dans l'atoll de Rangiroa (Polynésie française). *Océanis* **8**, 297-308.
- Pirazzoli, P. A. (1984). Cartographie des hauts fonds par télédétection dans l'archipel des Gambier (Polynésie française). *L'espace Géographique* **3**, 277-284, 304.
- Plass, G. N., Humphreys, T. J. and Kattawaar, G. W. (1981). Ocean-atmosphere interface: its influence on radiation. *Applied Optics* **20**, 917-931.
- Plass, G. N. and Kattawaar, G. W. (1972). Monte-Carlo calculation of radiative transfer in the earth's atmosphere-ocean system, I: flux in the atmosphere and ocean. *J. Phys. Oceanogr.* **2**, 139-145.
- Platt, T. and Sathyendranath, S. (1988). Oceanic primary production: estimation by remote sensing at local and regional scales. *Science* **241**, 1613-1620.
- Polcyn, F. C. and Lyzenga, D. R. (1973). Calculation of water depth from ERTS-MSS data. In *Symp. on Significant Results Obtained from ERTS-I*, vol. SP-327 (ed. NASA): NASA-Publication.
- Pope, R. M. and Fry, E. S. (1997). Absorption spectrum (380-700 nm) of pure water. 2. Integrating cavity measurements. *Applied Optics* **36**, 8710-8723.
- Populus, J., Guillaumont, B., Ruiz, O. and Tallec, P. (1994). Biomass assessment of green algae proliferations with high resolution airborne images. In *1st Int. Airborne Remote Sensing Conf. and Exhibition*. Strasbourg, France.
- Porcher, M. (1993). Milieu littoral et récifal intertropical et aménagements. Guide pratique. Méthodologie d'études, recommandations techniques. CETE Méditerranée.
- Poulter, M. A. (1996). On the integration of Earth Observation data: defining landscape boundaries to a GIS. In *Geographic objects with indeterminate boundaries* (ed. P. A. Burrough and A. U. Frank), pp. 287-298. London: Taylor&Francis.
- Pozdnyakov, D. V., Lyaskovsky, A. V. and Tanis, F. J. (1998). A comparative assessment of water quality retrieval algorithms for SeaWiFS data processing. In *Fifth Int. Conf. on Remote Sensing for Marine and Coastal Environments*, vol. 1, pp. 2545-2563. San Diego, California.
- Priesendorfer, R. W. and Mobley, C. O. (1988). Theory of fluorescent irradiance fields in natural waters. *Journal of Geophysical Research* **93**, 10,831-10,855.
- Prieur, L. and Sathyendranath, S. (1981). An optical classification of coastal and oceanic waters based on the specific spectral absorption curves of phytoplankton pigments, dissolved organic matter, and other particulate materials. *Limnology and Oceanography* **26**, 671-689.
- Puech, C. (1995). Matrices de confusion et changement d'échelle en zone de continuum. *Bul. S.F.P.T.* **137**, 92-97.
- Purkis, S., Kenter, J. A. M., Oikonomou, E. K. and Robinson, I. S. (in press). High resolution ground verification, cluster analysis and optical model of reef substrate coverage on LANDSAT TM imagery (Red Sea, Egypt). *Int. J. Remote Sensing* .
- Quarmby, N. A. (1987). Noise removal for SPOT HRV imagery. *Int. J. Remote Sensing* **8**, 1229-1234.
- Quarmby, N. A., Townshend, J. R. G., Settle, J. J., White, K. H., Milnes, M., Hindle, T. L. and Silleos, N. (1992). Linear mixture modelling applied to AVHRR data for crop area estimation. *Int. J. Remote Sensing* **13**, 415-425.
- Quattrochi, D. and Goodchild, M. (1997). Scale in remote sensing and GIS, 406p. New-York: Lewis Publishers.
- Quattrochi, D. A. and Pelletier, R. E. (1990). Remote sensing for analysis of landscapes: an introduction. In *Quantitative methods in landscape ecology: the analysis and interpretation of landscape heterogeneity*, vol. 82 (ed. M. G. Turner and R. H. Gardner), pp. 51-76. New-York: Springer-Verlag.

- Quirk, B. K. and Scarface, F. L. (1980). A method of assessing accuracy of a digital classification. *Photogrammetric Engineering and Remote Sensing* **46**, 1427-1431.
- Raffy, M. (1993). Remotely-sensed quantification of covered areas and spatial resolution. *Int. J. Remote Sensing* **14**, 135-159.
- Raffy, M. (1997). Quantification of surfaces and spatial resolution: the necessity of fuzzy sets concepts. *Remote Sensing Reviews* **15**, 257-264.
- Ray, G. C. and Hayden, B. P. (1992). Coastal zones ecotones. In *Landscape boundaries: consequences for biotic diversity and ecological flows*, vol. 92 (ed. A. J. Hansen and F. d. Castri), pp. 402-420. New-York: Springer-Verlag.
- Rees, W. G. (1990). Physical principles of remote sensing. In *Topics in Remote Sensing* (ed. R. Arvidson and M. Rycroft), 247p. Cambridge: Cambridge University Press.
- Reinersman, P. N., Carder, K. L. and Chen, F. R. (1998). Satellite-sensor calibration verification with the cloud-shadow method. *Applied Optics* **37**, 5541-5549.
- Richardson, L. L. (1996). Remote sensing of algal bloom dynamics. *BioScience* **46**, 492-501.
- Richardson, L. L., Buisson, D., Liu, C. J. and Ambrosia, V. (1994). The detection of algal photosynthetic accessory pigments using Airborne Visible-Infrared Imaging Spectrometer (AVIRIS) spectral data. *Marine Technology Society Journal* **28**, 10-21.
- Richter, R. (1990). A fast atmospheric correction algorithm applied to LANDSAT TM images. *Int. J. Remote Sensing* **11**, 159-166.
- Riegl, B. and Piller, W. E. (2000). Mapping of benthic habitats in northern Safaga Bay (Red Sea, Egypt): a tool for proactive management. *Aquatic Conservation Marine and Freshwater Ecosystems* **10**, 127-???
- Riitters, K. H., O'Neill, R. V., Hunsaker, C. T., Wickham, J. D., Yankee, D. H., Timmins, S. P., Jones, K. B. and Jackson, B. L. (1995). A factor analysis of landscape pattern and structure metrics. *Landscape Ecology* **10**, 23-39.
- Ritchie, J. C. and Cooper, C. M. (1987). Comparison of LANDSAT MSS pixel array sizes for estimating water quality. *Photogrammetric Engineering and Remote Sensing* **53**, 1549-1553.
- Ritchie, J. C. and Cooper, C. M. (1988). Comparison of measured suspended sediment. *International Journal Remote Sensing* **9**, 379-387.
- Ritchie, J. C. and Cooper, C. M. (1991). An algorithm for estimating surface suspended sediment concentrations with Landsat MSS digital data. *Water Resources Bulletin* **27**, 373-379.
- Ritchie, J. C., Cooper, C. M. and Schiebe, F. R. (1990). The relationship of MSS and TM digital data with suspended sediments, chlorophyll, and temperature in Moon Lake, Mississippi. *Remote Sens. Environ.* **33**, 137-148.
- Ritchie, J. C., Cooper, C. M. and Yongoing, J. (1987). Using LANDSAT multispectral scanner data to estimate suspended sediments in Moon Lake, Mississippi. *Remote Sens. Environ.* **23**, 65-81.
- Robbins, B. D. (1997). Quantifying temporal change in seagrass areal coverage: the use of GIS and low resolution aerial photography. *Aquatic Botany* **58**, 259-267.
- Roberts, A. C. and Anderson, J. M. (1999). Shallow water bathymetry using integrated airborne multi-spectral remote sensing. *Int. J. Remote Sensing* **20**, 497-510.
- Robinson, J. A., Feldman, G. C., Kuring, N., Franz, B., Green, E., Noordeloos, M. and Stumpf, R. P. (2000a). Data fusion in coral reef mapping: working at multiple scales with SeaWiFS and astronaut photography. In *Sixth International Conference on Remote Sensing for Marine and Coastal Environments*, vol. II, pp. 473-483. Charleston, South Carolina, 1-3 May 2000: ERIM.

- Robinson, J. A., Holland, S. D., Runco, S. K., Pitts, D. E., Whitehead, V. S. and Andréfouët, S. (2000b). High-definition television (HDTV) images for Earth observations and Earth science applications. Houston: NASA/TP-2000-210189, NASA.
- Roger, R. E. and Arnold, J. F. (1996). Reliably estimating the noise in AVIRIS hyperspectral images. *Int. J. Remote Sensing* **17**, 1951-1962.
- Rohmann, S., Monaco, M. and Klein, J. (1999). A strategy to map state, commonwealth, territory and freely associated state coral reef ecosystems in the US: Coral Reef Task Force, Mapping and Information Synthesis Working Group.
- Rosenfeld, A. (1984). The fuzzy geometry of image subsets. *Pattern Recognition Letters* **2**, 311-317.
- Roux, L. (1995). Auto-adaptative information fusion for satellite images classification. In *Satellite Remote Sensing 2*, vol. 2579, pp. 78-89. Paris, France: SPIE.
- Roux, L. and Desachy, J. (1995). Information fusion for supervised classification in a satellite image. In *FUZZ-IEEE/IFES'95*, vol. 3, pp. 1119-1124. Yokohama, Japan.
- Roux, L. and Desachy, J. (1996). Conjonctive and adaptive information-fusion for satellite images classification. In *Fusion of Earth Data*, pp. 87-92. Cannes, France: Ecole des Mines de Paris,SEE, EARSEL.
- Ruiz-Azuara, P. (1995). Multitemporal analysis of simultaneous Landsat imagery (MSS and TM) for monitoring primary production in a small tropical coastal lagoon. *Photo. Eng. Rem. Sens* **61**, 187-198.
- Ruspini, E. H. (1969). A new approach to clustering. *Information and Control* **15**, 22-32.
- Sabins, F. S. (1997). Remote sensing: principles and interpretation, 3rd ed., 494p. New-York: W. H. Freeman & Co.
- Salih, A., Larkum, A., Cox, G., Kuhl, M. and Hoegh-Guldberg, O. (2000). Fluorescent pigments in corals are photoprotective. *Nature* **408**, 850-853.
- Salvat, B., Salvat, F. and Loubersac, L. (1990). Imagerie satellitaire SPOT et caractérisation géomorphologique des atolls: d'une étude de cas (Nukutepipi, Tuamotu) à la généralisation. In *Pix'Illes 90: Int. Workshop on Remote Sensing and Insular Environments in the Pacific: integrated approaches*, vol. 1 (ed. IFREMER/ORSTOM), pp. 573-576/705-711. Nouméa-Tahiti: ORSTOM, Nouméa.
- Sanchez, J. A., Thomas, I. F., Diaz, J. M. and Parra, C. (1996). Satellite imagery versus aerial photography: a comparative analysis of benthic habitats in Roncador Bank, Carribean Sea. In *8th Int. Symp. Coral Reef*, vol. Abstracts (ed. H. A. Lessios), pp. 175. Panama.
- Sandidge, J. C. and Hoyler, R. J. (1998). Coastal bathymetry from hyperspectral observations of water radiance. *Remote Sensing of Environment* **65**, 341-352.
- Sathyendranath, S. and Platt, T. (1988). The spectral irradiance field at the surface and in the interior of the ocean: a model for applications in oceanography and remote sensing. *Journal of Geophysical Research* **93**, 9270-9280.
- Sathyendranath, S. and Platt, T. (1997). Analytical model of ocean color. *Applied Optics* **36**, 2620-2629.
- Sathyendranath, S., Prieur, L. and Morel, A. (1989). A three-component model of ocean colour and its application to remote sensing of phytoplankton pigments in coastal waters. *Int. J. Remote Sensing* **10**, 1373-1394.
- Schalles, J. F., Rundquist, D. C., Gitelson, A. and Keck, J. (2000). Close range, hyperspectral reflectance measurements of healthy Indo-Pacific and Caribbean corals. In *Sixth International Conference on Remote Sensing for Marine and Coastal Environments*, vol. I, pp. 431-440. Charleston, South Carolina, 1-3 May 2000: ERIM.

- Schalles, J. F., Sheil, A. T., Tycast, J. F., Alberts, J. A. and Yacobi, Y. Z. (1998). Detection of chlorophyll, seston, and dissolved organic matter in the estuarine mixing zone of Georgia coastal plain rivers. In *Fifth Int. Conf. Remote Sensing of the Marine Environment*, vol. 2, pp. II-315-324. San Diego, Calif.: ERIM.
- Scherrer, B. (1984). *Biostatistiques*, 850p.. Chicoutimi: Gaetan-Morin.
- Schofield, O., Grzymiski, J., Bisset, W. P., Kirkpatrick, G. J., Millie, D. F., Moline, M. and Roesler, C. S. (1999). Optical monitoring and forecasting systems for harmful algal blooms: possibility or pipe dream? *J. Phycol.* **35**, 1477-1496.
- Scott, J. M., Davis, F., Csuti, B., Noss, R., Butterfield, B., Groves, C., Anderson, H., caicco, S., D'erchia, F., Edwards Jr, T. C., Ulliman, J. and Wright, R. G. (1993). GAP analysis: a geographic approach to protection of biological diversity. *Wildlife Monography* **123**, 1-41.
- Serra, J. (1982). *Mathematical morphology and image analysis*. London: Academic Press.
- Serra, J. (1988). *Image analysis and mathematical morphology*, 610p. London: Academic Press.
- Settle, J. J. and Drake, N. A. (1993). Linear mixing and the estimation of ground cover proportions. *Int. J. Remote Sensing* **14**, 1159-1177.
- Settle, M. and Taranik, J. V. (1982). Use of the Space Shuttle for remote sensing research, recent results and future prospects. *Science* **218**, 993-995.
- Shafer, G. (1976). *A mathematical theory of evidence*, 297p. Princeton, New Jersey: Princeton University Press.
- Shafer, G. (1986). A combination of evidence. *Journal of Intelligent Systems* **1**, 155-179.
- Shafer, G. and Logan, R. (1987). Implementing Dempster's rule for hierarchical evidence. *Artificial Intelligence* **33**, 271-298.
- Sheppard, C. R. C., Matheson, K., Bythell, J. C., Murphy, P., Myers, C. B. and Blake, B. (1995). Habitat mapping in the Caribbean for management and conservation: use and assessment of aerial photography. *Aquatic conservation: marine and freshwater ecosystems* **5**, 277-298.
- Shinn, E. A., Smith, G. W., Prospero, J. M., Betzer, P., Hayes, M. L., Garrisson, V. and Barber, R. T. (2000). African dust and the demise of Caribbean coral reefs. *Geophysical Research Letters* **27**, 3029-3032.
- SHOM-SPT. (1990). Les dossiers de spatio-préparation des campagnes hydrographiques aux Tuamotu-Gambier. In *Pix'Illes 90: Int. Workshop on Remote Sensing and Insular Environments in the Pacific: integrated approaches*, vol. 1 (ed. IFREMER/ORSTOM), pp. 593-595, 6 pl. Nouméa-Tahiti: ORSTOM, Nouméa.
- Shoshany, M. and Degani, A. (1992). Shoreline detection by digital image processing of aerial photography. *J. Coastal Research* **8**, 29-34.
- Sieburth, J. M. and Jensen, A. (1968). Studies on algal substances in the sea: I. Gelbstoff (humic material) in terrestrial and marine waters. *Journal Exp. Mar. Biol. Ecol.* , 2, 174-189.
- Sieburth, J. M. and Jensen, A. (1969). Studies on algal substances in the sea: II. The formation of gelbstoff (humic material) by exudates of phaeophyta. *Journal Exp. Mar. Biol. Ecol.* **3**: 275-289.
- Siegel, D. A. and Michaels, A. F. (1996). Quantification of non-algal light attenuation in the Sargasso Sea: implications for biogeochemistry and remote sensing. *Deep-Sea Research II* **43**, 321-345.
- Siegel, D. A., Wang, M., Maritorea, S. and Robinson, W. (2000). Atmospheric correction of satellite ocean color imagery: the black pixel assumption. *Applied Optics* **39**, 3582-3591.
- Siljestrom, P. A., Rey, J. and Moreno, A. (1996). Characterization of phanerogam communities (posidonia oceanica and Cymodocea nodosa) using side-scan sonar images. *ISPRS Journal of Photogrammetry and remote Sensing* **51**, 308-315.

- Simpson, J. J. and Keller, R. H. (1995). An improved fuzzy logic segmentation of sea ice, clouds, and ocean in remotely sensed arctic imagery. *Remote Sens. Envir.* **54**, 290-312.
- Smith, R. C. (1969). An underwater spectral irradiance collector. *Journal of Marine Research* **27**, 341-351.
- Smith, R. C. and Baker, K. S. (1978). The Bio-optical State of Ocean Waters and Remote Sensing. *Limnology and Oceanography* **23**, 247-258.
- Smith, R. C. and Baker, K. S. (1981). Optical properties of the clearest natural waters (200-800 nm). *Applied Optics* **20**, 177-184.
- Soballe, D. M. and Kimmel, B. L. (1987). A large-scale comparison of factors influencing phytoplankton abundance in rivers, lakes and impoundments. *Ecology* **68**, 1943-1954.
- Song, C., Woodcock, C. E., Seto, K. C., Lenney, M. P. and Macomber, S. A. (2001). Classification and change detection using LANDSAT TM data: when and how to correct atmospheric effects? *Remote Sensing of Environment* **75**, 230-244.
- Spalding, M. D. (1995). Global reef mapping. *Coral reefs* **14**, 215-223.
- Spalding, M. D. (1997). Mapping global coral reef distribution. In *8th Int. Symp. Coral Reef*, vol. 2 (ed. H. A. Lessios and I. G. Macintyre), pp. 1555-1560. Panama.
- Spalding, M. D. and Grenfell, A. M. (1997). New estimates of global and regional coral reef areas. *Coral Reefs* **16**, 225-230.
- Spitzer, D. and Dirks, R. W. J. (1985). Contamination of the reflectance of natural waters by solar-induced fluorescence of dissolved organic matter. *Applied Optics* **24**, 444-445.
- Spitzer, D. and Dirks, R. W. J. (1987). Bottom influence on the reflectance of the sea. *Int. J. Remote Sensing* **8**, 279-290.
- Srinivasan, A., Cannon, M. and White, J. (1987). LANDSAT data destripping using power spectral filtering. *Optical Engineering* **27**, 939-943.
- Srinivasan, A. and Richards, J. A. (1990). Knowledge-based techniques for multi-source classification. *Int. J. Remote Sensing* **11**, 505-525.
- Staenz, K. (1992). A decade of imaging spectrometry in Canada. *Canadian J. Remote Sensing* **18**, 187-197.
- Stehman, S. V. (1992). Comparison of systematic and random sampling for estimating the accuracy of maps generated from remotely sensed data. *Photogrammetric Engineering and Remote Sensing* **58**, 1343-1350.
- Stehman, S. V. (1995a). Thematic map accuracy assessment from the perspective of finite population sampling. *Int. J. Remote Sensing* **16**, 589-593.
- Stehman, S. V. (1995b). Use of auxiliary data to improve the precision of estimators of thematic map accuracy. *Remote Sensing of Environment* **58**, 169-176.
- Stehman, S. V. (1996). Estimating the Kappa coefficient and its variance under stratified random sampling. *Photogrammetric Engineering and Remote Sensing* **62**, 401-402.
- Stehman, S. V. (1997). Selecting and interpreting measures of thematic classification accuracy. *Remote Sensing of Environment* **62**, 77-89.
- Stehman, S. V. (1999a). Basic probability sampling designs for thematic map accuracy assessment. *Int. J. Remote Sensing* **20**, 2423-2441.
- Stehman, S. V. (1999b). Comparing thematic maps based on map value. *Int. J. Remote Sensing* **20**, 2347-2366.
- Stehman, S. V. (2000). Practical implications of design-based sampling inference for thematic map accuracy assessment. *Remote Sensing of Environment* **72**, 35-45.

- Stehman, S. V. and Czaplewski, R. L. (1998). Design and analysis for thematic map accuracy assessment: fundamental principles. *Remote Sensing of Environment* **64**, 331-344.
- Stoffle, R. W., Halmo, D. B., Wagner, T. W. and Luczkowitch, J. J. (1994). Reefs from space: satellite imagery, marine ecology, and ethnography in the Dominican Republic. *Human Ecology* **22**, 355-378.
- Stoms, D. M. and Estes, J. E. (1993). A remote sensing research agenda for mapping and monitoring biodiversity. *Int. Journal of Remote Sensing* **14**, 1839-1860.
- Story, M. and Congalton, R. G. (1986). Accuracy assessment: a user's perspective. *Photogramm. Eng. Remote Sensing* **52**, 397-399.
- Stow, D. A. (1993). The role of geographic information systems for landscape ecological studies. In *Landscape ecology and geographic information systems* (ed. R. Haines-Young, D. R. Green and S. Cousins), pp. 11-21. London: Taylor&Francis.
- Stow, D. A. (1999). Reducing the effects of misregistration on pixel-level change detection. *Int. J. Remote Sensing* **20**, 2477-2483.
- Strahler, A. (1997). Vegetation canopy reflectance modelling - Recent developments and remote sensing perspectives. *Remote Sensing Reviews* **15**, 179-194.
- Strong, A. E., Barrientos, C. S. and Sapper, J. (1997). Improved satellite techniques for monitoring coral reef bleaching. In *8th Int. Symp. Coral Reef*, vol. 2 (ed. H. A. Lessios and I. G. Macintyre), pp. 1495-1498. Panama.
- Strong, A. E., Toscano, M. A. and Guch, M. A. (2000). Extent and severity of the 1998 mass bleaching event from satellite SST "Hotspot" mapping. In *9th Int. Coral Reef Symposium*, vol. Abstract, pp. 266. Bali, Indonesia.
- Stumpf, R. P. and Frayer, M. L. (1997). Temporal and spatial change in coastal ecosystems using remote sensing: example with Florida Bay, USA, emphasizing AVHRR imagery. In *4th Int. Conf. on Remote Sensing for Marine and Coastal Environments*, vol. 1, pp. 65-74. Orlando, Florida.
- Stumpf, R. P., Frayer, M. L., Durako, M. J. and Brock, J. C. (1999). Variations in water clarity and bottom albedo in Florida Bay from 1985 to 1997. *Estuaries* **22**, 431-444.
- Subramaniam, A., Carpenter, E. J. and Falkowski, P. G. (1999). Bio-optical properties of the marine diazotrophic cyanobacteria *Trichodesmium* spp. II. A reflectance model for remote sensing. *Limnol. Oceanogr.* **44**, 618-627.
- Talsky, G. (1994). *Derivative spectrophotometry: low and high order*, 228p. New-York: Weinheim.
- Tanré, D., Deroo, C., Duhaut, P., Herman, M., Morcrette, J.-J., Perbos, J. and Deschamps, P.-Y. (1990). Description of a computer code to simulate the satellite signal in the solar spectrum: the 5S code. *Int. J. of Remote Sensing* **11**, 659-668.
- Tanre, D., Herman, M. and Deschamps, P. Y. (1981). Influence of the background contribution upon space measurements of ground reflectance. *Applied Optics* **20**, 3676-3684.
- Tassan, S. (1988). The effect of dissolved yellow substance on the quantitative retrieval of chlorophyll and total suspended sediment concentrations from remote measurements of water color. *Int. J. Remote Sensing* **9**, 787-797.
- Tassan, S. (1996). Modified Lyzenga's method for macroalgae detection in water with non-uniform composition. *Int. J. Remote Sensing* **17**, 1601-1607.
- Tassan, S. (1998). A procedure to determine the particulate content of shallow water from Thematic Mapper data. *Int. J. Remote Sensing* **19**, 557-562.
- Tassan, S. and d'Alcala, M. R. (1993). Water quality monitoring by Thematic Mapper in coastal environments. A performance analysis of local biooptical algorithms and atmospheric correction procedures. *Remote Sensing of Environment* **45**, 177-191.

- Teillet, P. M. (1986). Image correction for radiometric effects in remote sensing. *Int. J. Remote Sensing* **7**, 1637-1651.
- Teillet, P. M., Barker, J. L., Markham, B. L., Irish, R. R., Fodesejevs, G. and Storey, J. C. (in press). Radiometric cross-calibration of the LANDSAT 7 ETM+ and LANDSAT 5 TM sensors based on tandem data set. *Remote Sensing of Environment* .
- Teillet, P. M., Horler, D. N. and O'Neill, N. T. (1998). Etalonnage/validation et assurance de la qualité en télédétection: un nouveau paradigme. In *VII Journées scientifiques du réseau Télédétection de l'AUPELF-UREF* (ed. J.-M. Dubois, M. Bernier, J.-P. Fortin and F. Boivin), pp. 3-12. Québec, Canada: AUPELF-UREF.
- Thomassin, B., Gout, B., Loubersac, L., Populus, J., Guillaumont, B. and Vercelli, C. (1985). Cartographie thématique des récifs coralliens par télédétection (simulation des données du satellite SPOT): problèmes méthodologiques en relation avec les stades évolutifs des platiers. Report ATP CNRS Télédétection 1985/AIP (06931) 1196.
- Thomassin, B. A. (1991). Apports de la télédétection spatiale dans l'étude des écosystèmes coralliens, récifo-lagonaires: le point de la situation: Report Centre d'Océanologie de Marseille/IFREMER 87.1.430004.
- Thome, K., Markham, B., Barker, J., Slater, P. and Biggar, S. (1997). Radiometric calibration of LANDSAT. *Photogrammetric Engineering and Remote Sensing* **63**, 853-858.
- Toole, D. A., Siegel, D. A., Menzies, D. W., Neumann, M. J. and Smith, R. C. (2000). Remote-sensing reflectance determinations in the coastal ocean environment: impact of instrumental characteristics and environmental variability. *Applied Optics* **39**, 456-469.
- Topika, J. A., Bellows, K. and Yentsch, C. S. (1990). Characterization of marine marine macroalgae by fluorescence signatures. *Int. J. Remote Sensing* **11**, 2329-2335.
- Townshend, J. R., Justice, C. O., Gurney, C. and McManus, J. (1992). The impact of misregistration on change detection. *IEEE Trans. Geoscience & Remote Sensing* **30**, 1054-1060.
- Treloar, P. L. and Bell, P. R. F. (1996). Satellite monitoring of large scale eutrophication in the Great Barrier Reef (GBR). In *8th Int. Symp. Coral Reef*, vol. Abstracts (ed. H. A. Lessios), pp. 198. Panama.
- Tsai, F. and Philpot, W. (1998). Derivative analysis of hyperspectral data. *Remote Sensing of Environment* **66**, 41-51.
- Turcotte, D. L. (1992). Fractal and chaos in geology and geophysics, 221p. Cambridge: Cambridge University Press.
- Turner, S. J., O'Neill, R. V., Conley, W., Conley, M. R. and Humphries, H. C. (1990). Pattern and scale: statistics for landscape ecology. In *Quantitative methods in landscape ecology: the analysis and interpretation of landscape heterogeneity*, vol. 82 (ed. M. G. Turner and R. H. Gardner), pp. 17-49. New-York: Springer-Verlag.
- Usery, E. L. (1996). A conceptual framework and fuzzy set implementation for geographic features. In *Geographic objects with indeterminate boundaries*, vol. 2 (ed. P. A. Burrough and A. U. Frank), pp. 71-85. London: Taylor&Francis.
- van Gardingen, P. R., Foody, G. M. and Curran, P. J. (1997). Scaling-up. From cell to landscape. Cambridge, 386p. Cambridge University Press.
- Vecsei, A. (2000). Database on isolated low-latitude carbonate banks. *Facies* **43**, 205-222.
- Vercelli, C., Gabrié, C. and Ricard, M. (1988). Utilisation of SPOT-1 data in coral reef cartography Moorea Island and Takapoto atoll, French Polynesia. In *6th Int. Coral reef Symposium*, vol. 2, pp. 463-468. Townsville, Australia.

- Vierros, M. K. (1997). Integrating multisource imagery and GIS analysis for mapping Bermuda's benthic habitats. In *4th Int. Conf. on Remote Sensing for Marine and Coastal Environments*, vol. 1, pp. 649-656. Orlando, Florida.
- Vierros, M. K., Meylan, A. and Meylan, P. (1998). Evaluation of green turtle feeding areas and population size using remote sensing and GIS techniques. In *5th Int. Conf. on Remote Sensing for Marine and Coastal Environments*, vol. 2, pp. II-63-70. San Diego, California.
- Viollier, M., Belscher, T. and Loubersac, L. (1985). Signatures spectrales des objets du littoral. In *3rd Int. Colloquium on Spectral Signatures of Objects in Remote Sensing*, pp. 253-258. Les Arcs, France.
- Vos, C. C., Verboom, J., Opdam, P. F. M. and TerBraak, C. J. F. (2001). Towards ecologically scaled landscapes indices. *The American Naturalist* **157**, 24-41.
- Wagle, B. G. and Hashimi, N. H. (1990). Coastal geomorphology of Mahe island, Seychelles. *Int. J. of Remote Sensing* **11**, 281-287.
- Wald, L. (1999). Some terms of reference in data fusion. *IEEE Trans. Geosciences Remote Sensing* **37**, 1190-1193.
- Wang, F. (1990). Improving remote sensing image analysis through fuzzy information representation. *Photogrammetric Engineering and Remote Sensing* **56**, 1163-1169.
- Wang, L. and He, D. C. (1990). A new statistical approach for texture analysis. *Photogrammetric Engineering & Remote Sensing* **56**, 61-66.
- Wang, M. (1999). A sensitivity study of the SeaWiFS atmospheric correction algorithm: effects of spectral band variations. *Remote Sensing of Environment* **67**, 348-359.
- Ward, J. H. (1963). Hierarchical grouping to optimize an objective function. *J. Amer. Statist. Ass.* **58**, 236-244.
- Warner, R. A., Elvidge, C., Dietz, J. and Goddard, G. (2000). Use of NOAA photogrammetry for shallow coral reef mapping and bathymetry. In *IGARSS 2000*, vol. CDROM, pp. TH04.1600. Honolulu, Hawaii: IEEE.
- Warren, D. (1989). AVHRR channel-3 noise and methods for its removal. *Int. J. Remote Sensing* **10**, 645-651.
- Wellburn, A. R. (1994). The spectral determination of chlorophylls a and b, as well as total carotenoids, using various solvents with spectrophotometers of different resolution. *Journal of Plant Physiology* **144**, 307-313.
- Wellington, G. W., Glynn, P. W., Strong, A. E., Navarrete, S. A., Wieters, E. and Hubbard, D. (2001). Crisis on coral reefs linked to climate change. *EOS Trans. AGU* **82**, 1,5.
- Wendling, L., Zehana, M. and Desachy, J. (1995). Fuzzy segmentation and structural knowledge for satellite image analysis. In *ICIAP'95*, pp. 703-708: Springer-Verlag.
- White, K. (1998). Remote sensing. *Progress in Physical Geography* **22**, 95-102.
- Wiens, J. A. (1989). Spatial scaling in ecology. *Func. Ecol.* **3**, 385-397.
- Wilkinson, C., Linden, O., Cesar, H., Hodgson, G., Rubens, J. and Strong, A. E. (1999). Ecological and socioeconomic impacts of 1998 coral mortality in the Indian Ocean: an ENSO impact and a warning of future change? *Ambio* **28**, 188-196.
- Wilkinson, G. G., Fierens, F. and Kanellopoulos, I. (1995a). Integration of neural and statistical approaches in spatial data classification. *Geographical Systems* **2**, 1-20.
- Wilkinson, G. G., Folving, S., Kanellopoulos, I., McCormick, N., Fullerton, K. and Mégier, J. (1995b). Forest mapping from multi-source satellite data using neural network classifiers - an experiment in Portugal. *Remote Sensing Reviews* **12**, 83-106.

- Wolanski, E. (1994). *Physical Oceanographic Processes of the Great Barrier Reef*, 194p. Boca Raton, Florida: CRC Press.
- Wolanski, E. and Jones, M. (1981). Physical properties of Great Barrier reef lagoon waters near Townsville. I Effects of Burdekin river floods. *Aust. J. Mar. Freshw. Res.* **32**, 305-319.
- Wolanski, E., Jupp, D. L. B. and Pickard, G. L. (1986). Currents and coral reefs. *Oceanus* **29**, 83-89.
- Woodcock, C. and Harward, V. J. (1992). Nested-hierarchical scene models and image segmentation. *Int. J. Remote Sensing* **13**, 3167-3187.
- Woodcock, C. E. and Strahler, A. H. (1987). The factor of scale in Remote Sensing. *Remote Sensing of Environment* **21**, 311-332.
- Woodcock, C. E., Strahler, A. H. and Jupp, D. L. B. (1988a). The use of variograms in remote sensing I. Scene models and simulated images. *Remote Sensing of Environment* **25**, 323-348.
- Woodcock, C. E., Strahler, A. H. and Jupp, D. L. B. (1988b). The use of variograms in remote sensing II. Real digital images. *Remote Sensing of Environment* **25**, 349-379.
- Yacobi, Y. Z., Gitelson, A. and Mayo, M. (1995). Remote sensing of chlorophyll in Lake Kinneret using high-spectral-resolution radiometer and Landsat TM: spectral features of reflectance and algorithm development. *J. Plankton Research* **17**, 2155-2173.
- Yoder, J. A., Ackleson, S. G., Barber, R. T., Flament, P. and Balch, W. M. (1994). A line in the sea. *Nature* **371**, 689-692.
- Yoder, J. A., Aiken, J., Swift, R. N., Hoge, F. E. and Stegmann, P. M. (1993). Spatial variability in near-surface chlorophyll a fluorescence measured by the Airborne Oceanographic Lidar (AOL). *Deep-Sea Research II*, **40**:37-53.
- Young, I. R., Black, K. P. and Heron, M. L. (1994). Circulation in the Ribbon Reef region of the Great Barrier Reef. *Continental Shelf Research* **14**, 117-142.
- Young, L. R., Carder, K. L., Steward, R. G. and Chen, F. R. (1995). Comparison of measured and modeled bottom reflectance spectra on the Southeastern Shelf of the Florida Keys. *SPIE* **2480**, 237-247.
- Zadeh, L. A. (1965). Fuzzy sets. *Information and Control* **8**, 338-353.
- Zadeh, L. A. (1978). Fuzzy sets as a basis for a theory of possibility. *Fuzzy Sets and Systems* **1**, 3-28.
- Zainal, A., Dalby, D. H. and Robinson, I. S. (1993). Monitoring marine ecological changes in the east coast of Bahrain with Landsat TM. *Photogrammetric Engineering and Remote Sensing* **59**, 415-421.
- Zanini, J. M. and Salvat, B. (2000). Assessment of deep water stocks of pearl oysters at Takapoto atoll (Tuamotu Archipelago, French Polynesia). *Coral Reefs* **19**: 83-87.
- Zar, J. H. (1984). *Biostatistical analysis*, 718p. Englewood Cliffs, New jersey: Prentice Hall.
- Zhang, J. and Kirby, R. P. (1997). An evaluation of fuzzy approaches to mapping land cover from aerial photographs. *ISPRS J. Photogrammetry Remote Sensing* **52**, 193-201.
- Zhang, M., Carder, K. L., Muller-Karger, F. E., Lee, Z. and Goldgof, D. B. (1999). Noise reduction and atmospheric correction for coastal applications of Landsat Thematic Mapper imagery. *Remote Sensing of Environment* **70**, 167-180.
- Zheng, Q., Klemas, V., Yan, X. H., Wang, Z. and Kagleder, K. (1997). Digital orthorectification of Space Shuttle coastal ocean photographs. *Int. J. Remote Sensing* **18**, 197-211.
- Zhu, A. X. (1997). Measuring uncertainty in class assignment for natural resource maps under fuzzy logic. *Photogramm. Eng. Remote Sensing* **63**, 1195-1202.
- Zhuang, X., Engel, B. A., Xiong, X. and Johannsen, C. J. (1995). Analysis of classification results of remotely sensed data and evaluation of classification algorithms. *Photogrammetric Engineering & Remote Sensing* **61**, 427-433.

Zimmerman, H. J. and Zysno, P. (1985). Quantifying vagueness in decision models. *European J. Operationnal Research* **22**, 148-158.