

Table B.1
December 31 Point Prevalence Counts Of Reported ESRD Therapy
By Year, By Age, Race, Sex, and Primary Disease Causing ESRD for U.S. Residents
By Year, By Region for All ESRD Patients
By Year for All ESRD Patients Lost to Followup

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
AGE AT ESRD										
0- 4	266	266	270	261	275	291	302	336	381	437
5- 9	469	501	547	591	623	600	621	662	703	718
10- 14	820	883	912	977	1022	1083	1138	1225	1340	1392
15- 19	1946	1991	2076	2042	2031	2085	2156	2348	2526	2633
20- 24	3851	3962	4087	4252	4454	4662	4761	4896	4980	5021
25- 29	6708	7070	7498	7878	8022	8191	8292	8605	9041	9386
30- 34	9050	9722	10583	11228	12090	12669	13336	14050	14659	14859
35- 39	10591	11570	12596	13738	14718	15939	16842	18149	19278	20284
40- 44	10029	11296	12951	14729	16431	17883	19230	20624	22696	24184
45- 49	9969	11143	12642	13764	15744	17605	19621	22199	25147	27494
50- 54	10548	11728	13085	14402	15688	17665	19489	21969	24174	26717
55- 59	12008	12806	14026	15413	17012	18727	20299	22476	24819	27011
60- 64	13544	14741	16264	17850	19389	20859	22154	24072	26687	28612
65- 69	13195	14651	16825	18810	20738	23057	25082	27252	29197	30545
70- 74	10002	11068	12960	15118	17623	19920	22076	24704	26645	28004
75- 79	6773	7690	9062	10248	11866	13496	14782	16807	18814	20566
80- 84	3049	3559	4299	5185	6007	7114	8115	9248	10310	11151
85 plus	1004	1246	1565	1954	2373	2801	3295	3773	4346	4918
	123822	135893	152248	168440	186106	204647	221591	243395	265743	283932
RACE										
White	81198	88603	98437	108426	119213	130006	139639	151831	163641	173443
Black	37032	40995	46519	51864	57735	64344	70291	77754	85220	91580
Asian	3381	3848	4202	4707	5346	6012	6895	7953	9103	9863
Native Amer.	1352	1590	1897	2164	2445	2849	3104	3502	4017	4504
Other	634	649	613	643	688	724	842	1135	2072	3124
Unknown	225	208	580	636	679	712	820	1220	1690	1418
	123822	135893	152248	168440	186106	204647	221591	243395	265743	283932
SEX										
Male	66770	73108	81711	90613	100308	110187	119496	131137	142969	153381
Female	57052	62785	70537	77827	85798	94460	102095	112258	122774	130551
	123822	135893	152248	168440	186106	204647	221591	243395	265743	283932
PRIMARY DIAGNOSIS										
Diabetes	26074	30257	36176	42472	49668	57134	63541	72782	83300	92211
Hypertension	28088	31545	36297	41097	46279	52083	56651	62993	66791	69538
Glomeruloneph.	26337	28612	31268	33765	36315	38814	41273	44463	47729	50378
Cystic Kidney	7142	7684	8286	8932	9685	10457	11135	11968	12848	13454
Other Urologic	2322	2517	2760	3017	3361	3725	3988	4390	4983	5547
Other Cause	15568	16796	18560	20001	21704	23424	24871	26936	30110	32301
Unknown Cause	9609	10113	10343	10746	11418	12162	12681	13453	13832	14209
Missing Cause	8682	8369	8558	8410	7676	6848	7451	6410	6150	6294
	123822	135893	152248	168440	186106	204647	221591	243395	265743	283932
Region										
U. S.	123737	135740	151935	168060	185591	203918	220480	240898	262853	281896
Presumed U. S.	85	153	313	380	515	729	1111	2497	2890	2036
Puerto Rico	1470	1596	1819	2020	2183	2422	2582	2835	3006	3237
Other non-U. S.	91	107	126	151	177	213	228	256	297	346
	125383	137596	154193	170611	188466	207282	224401	246486	269046	287515
Lost to Followup										
Lost to Followup	8814	9362	8906	9312	10222	11206	12020	13107	14463	18348

Patients alive on ESRD therapy and not lost to followup on December 31 of each year (with exception of last row detailing Lost to Followup). Includes Medicare patients only. Age is as of December 31.

Table B.2
Counts Of U.S. Patients Lost to Followup on December 31
By Year, By Age, Race, Sex, and Primary Disease Causing ESRD

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
AGE AT ESRD										
0- 4	6	13	10	16	20	25	19	18	22	32
5- 9	34	33	34	30	33	35	40	46	51	63
10- 14	49	43	37	45	50	51	55	67	55	74
15- 19	114	119	116	112	111	97	97	82	95	115
20- 24	205	189	150	167	180	183	177	185	189	256
25- 29	439	397	349	322	319	317	314	287	309	454
30- 34	679	667	614	606	595	588	569	580	583	704
35- 39	810	811	802	811	872	859	870	867	894	1156
40- 44	745	777	781	846	911	983	1022	1110	1194	1472
45- 49	727	792	739	744	809	911	974	1082	1218	1588
50- 54	704	700	668	707	767	853	892	940	1070	1512
55- 59	821	832	717	725	803	836	886	995	1105	1444
60- 64	941	991	901	926	993	1096	1111	1144	1195	1713
65- 69	942	1034	948	1002	1082	1224	1337	1497	1614	1995
70- 74	693	854	860	907	1089	1268	1453	1656	1902	2186
75- 79	498	619	655	708	824	957	1097	1268	1470	1818
80- 84	266	339	368	437	516	602	714	815	945	1089
85 plus	141	152	157	201	248	321	393	468	552	677
	8814	9362	8906	9312	10222	11206	12020	13107	14463	18348
RACE										
White	6125	6406	6348	6575	7066	7706	8185	8868	9574	11418
Black	2380	2600	2196	2326	2610	2791	2989	3221	3665	5056
Asian	177	209	233	263	291	355	403	464	565	872
Native Amer.	75	84	75	93	109	124	132	142	157	236
Other	28	30	22	24	22	23	20	25	31	59
Unknown	29	33	32	31	124	207	291	387	471	707
	8814	9362	8906	9312	10222	11206	12020	13107	14463	18348
SEX										
Male	5276	5623	5494	5707	6142	6640	7102	7603	8258	10086
Female	3538	3739	3412	3605	4080	4566	4918	5504	6205	8262
	8814	9362	8906	9312	10222	11206	12020	13107	14463	18348
PRIMARY DIAGNOSIS										
Diabetes	898	1049	1052	1135	1346	1587	1826	2183	2609	3854
Hypertension	1813	2006	1874	1988	2238	2560	2795	3099	3507	4633
Glomeruloneph.	2245	2286	2232	2290	2399	2499	2567	2598	2740	3228
Cystic Kidney	359	368	307	307	311	330	338	376	391	487
Other Urologic	165	187	182	187	212	188	220	243	282	349
Other Cause	1321	1454	1419	1555	1711	1898	2057	2278	2459	3052
Unknown Cause	1115	1174	1116	1137	1176	1224	1236	1290	1355	1562
Missing Cause	898	838	724	713	829	920	981	1040	1120	1183
	8814	9362	8906	9312	10222	11206	12020	13107	14463	18348

Patients lost to followup on December 31 of each year.
Includes Medicare patients only.
Age is as of December 31.

Table B.3
Annual U.S. Period Prevalence Counts Of Reported ESRD Therapy
By Year, By Age, Race, Sex, and Primary Disease Causing ESRD for U.S. Residents

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
AGE AT ESRD										
0- 4	330	327	348	333	355	351	363	394	465	522
5- 9	497	544	571	646	646	665	669	736	756	780
10- 14	899	941	992	1070	1127	1157	1234	1303	1442	1478
15- 19	2127	2223	2340	2324	2264	2326	2345	2539	2751	2904
20- 24	4264	4378	4506	4601	4851	5061	5255	5420	5578	5510
25- 29	7227	7743	8222	8641	8804	9020	9117	9439	9760	10158
30- 34	9898	10563	11413	12168	13040	13785	14414	15263	16071	16256
35- 39	11396	12532	13601	14704	15839	17205	18316	19590	21000	22008
40- 44	10971	12059	13855	15837	17953	19372	20816	22424	24498	26183
45- 49	10863	12313	13888	15212	16825	19328	21269	24088	27221	30284
50- 54	12139	13319	14778	16308	17607	19554	21653	24451	27173	29106
55- 59	14264	15324	16643	17935	19685	21739	23539	26036	28643	30864
60- 64	16451	18084	19805	21639	23525	25288	26884	29079	31901	33901
65- 69	16670	18616	21417	23899	26383	29065	31558	34257	36594	38185
70- 74	13335	14762	16962	19595	22613	25933	28826	31982	34710	36580
75- 79	9114	10506	12417	14075	15959	18333	20259	22390	25205	27501
80- 84	4175	5021	6107	7147	8408	9770	11222	12829	14308	15665
85 plus	1434	1794	2274	2798	3371	4052	4738	5460	6288	7129
	146054	161049	180139	198932	219255	242004	262477	287680	314364	335014
RACE										
White	96684	106079	117466	129552	142211	155972	167730	181849	196154	207925
Black	42939	47624	54145	59962	66621	74252	81394	90022	98878	105653
Asian	3852	4451	4749	5310	5954	6724	7643	8957	10262	11210
Native Amer.	1580	1849	2184	2523	2838	3287	3619	4055	4657	5217
Other	730	789	755	686	737	779	897	1219	2252	3390
Unknown	269	257	840	899	894	990	1194	1578	2161	1619
	146054	161049	180139	198932	219255	242004	262477	287680	314364	335014
SEX										
Male	79020	86834	96803	106997	117939	130084	141022	154529	168516	180432
Female	67034	74215	83336	91935	101316	111920	121455	133151	145848	154582
	146054	161049	180139	198932	219255	242004	262477	287680	314364	335014
PRIMARY DIAGNOSIS										
Diabetes	32580	37703	44597	52299	60911	70262	78225	88852	101743	112999
Hypertension	34083	38624	44424	50169	56453	63515	69213	76625	81398	84518
Glomeruloneph.	29076	31719	34554	37276	39820	42622	45177	48603	52250	55146
Cystic Kidney	7769	8420	9050	9743	10459	11292	12067	12878	13907	14549
Other Urologic	2756	2991	3277	3556	3884	4272	4579	5014	5706	6384
Other Cause	17930	19276	21237	22953	24865	26974	28645	31054	34884	37746
Unknown Cause	11178	12076	12439	12646	13323	14312	14816	15480	16091	16494
Missing Cause	10682	10240	10561	10290	9540	8755	9755	9174	8385	7178
	146054	161049	180139	198932	219255	242004	262477	287680	314364	335014

Includes residents of 50 states and District of Columbia only.
 Patients alive on ESRD therapy and not lost to followup at any time during each year. Includes Medicare patients only.
 Age is as of July 1.

Table B.4
 December 31, 1996 Point Prevalence Counts of Reported ESRD Therapy
 By Age, Sex, and Primary Disease Causing ESRD
 For Patients Residing Outside 50 States and D.C.

	Puerto Rico	Other non-US
	Count	Count
	Count	%
ALL PATIENTS	3237,	346,
AGE AT ESRD		
0- 19	46,	7,
20- 44	763,	70,
45- 64	1556,	186,
65- 74	582,	66,
75 plus	290,	17,
SEX		
Male	1950,	183,
Female	1287,	163,
PRIMARY DIAGNOSIS		
Diabetes	1231,	159,
Hypertension	574,	87,
Glomeruloneph.	753,	45,
Cystic Kidney	130,	9,
Other Urologic	75,	11,
Other Cause	263,	18,
Unknown Cause	163,	10,
Missing Cause	48,	7,

Patients alive on ESRD therapy and not lost to followup on December 31, 1996. Includes Medicare patients only.
 Age is as of December 31.

Table B.5
December 31 Point Prevalence Rates Per Million Population Of Reported ESRD Therapy
By Year, By Age, Race, Sex, and Primary Disease Causing ESRD
Unadjusted

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
AGE AT ESRD										
0- 4	15	14	14	14	14	15	15	17	20	23
5- 9	27	28	30	33	34	33	33	35	36	37
10-14	50	53	54	56	57	59	61	65	71	73
15-19	105	109	116	117	118	121	123	131	137	139
20-24	193	204	213	222	233	246	255	268	280	290
25-29	308	327	350	375	393	412	428	451	476	493
30-34	427	451	486	509	545	570	601	638	678	704
35-39	563	602	639	678	707	747	773	820	859	893
40-44	631	682	745	806	875	941	988	1032	1105	1146
45-49	790	845	928	986	1069	1125	1203	1300	1401	1453
50-54	968	1056	1159	1252	1323	1425	1503	1637	1753	1898
55-59	1107	1205	1335	1475	1627	1769	1878	2041	2211	2349
60-64	1256	1371	1525	1684	1845	2018	2181	2392	2662	2869
65-69	1349	1481	1679	1871	2074	2308	2512	2741	2948	3092
70-74	1291	1409	1628	1858	2109	2332	2545	2814	3028	3199
75-79	1159	1289	1489	1648	1873	2098	2266	2535	2776	2952
80-84	835	946	1109	1300	1471	1697	1888	2098	2286	2422
85 plus	352	426	520	630	731	832	945	1049	1172	1289
0-19	49	51	53	54	54	55	57	61	65	68
20-44	412	443	480	515	550	585	616	654	697	728
45-64	1020	1104	1216	1321	1427	1529	1623	1759	1903	2016
65-74	1324	1449	1656	1865	2090	2319	2527	2775	2985	3142
75 plus	877	987	1150	1307	1482	1673	1830	2038	2232	2381
RACE										
White	395	428	472	516	562	608	648	699	747	786
Black	1254	1370	1533	1683	1840	2016	2169	2365	2559	2717
Other	664	708	780	831	895	966	1055	1207	1426	1547
SEX										
Male	563	611	676	741	811	880	944	1025	1107	1176
Female	457	498	555	606	661	720	771	840	910	960
PRIMARY DIAGNOSIS										
Diabetes	107	123	146	169	196	223	245	278	315	346
Hypertension	115	128	146	164	183	203	219	241	253	261
Glomeruloneph.	108	116	126	135	143	151	159	170	181	189
Cystic Kidney	29	31	33	36	38	41	43	46	49	50
Other Urologic	10	10	11	12	13	15	15	17	19	21
Other Cause	64	68	75	80	86	91	96	103	114	121
Unknown Cause	39	41	42	43	45	47	49	51	52	53
Missing Cause	36	34	34	34	30	27	29	25	23	24
CRUDE RATE	509	553	614	672	734	798	855	930	1006	1065

Includes residents of 50 states and District of Columbia only.
 Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.
 Rates are not reported for some race categories for reasons discussed in notes at beginning of this Section.
 The population base is the U.S. resident population on December 31 of each year.
 Age is as of December 31.
 See Table B.8 and following for rates adjusted for age, race, and sex.

Table B.6
December 31 Point Prevalence Counts Of Reported ESRD Therapy
By Year, By Age, Race, Sex, and Primary Disease Causing ESRD
After Dropping Patients With Race "Other" and "Unknown"

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
AGE AT ESRD										
0- 4	265	265	270	260	272	289	298	325	354	406
5- 9	466	497	542	586	616	593	615	650	687	692
10- 14	814	879	908	969	1014	1074	1123	1202	1307	1343
15- 19	1927	1969	2056	2021	2009	2061	2130	2315	2477	2572
20- 24	3819	3924	4052	4219	4428	4637	4733	4841	4899	4907
25- 29	6643	7018	7444	7823	7960	8125	8227	8521	8921	9239
30- 34	8959	9624	10484	11133	11994	12573	13246	13936	14487	14629
35- 39	10488	11467	12479	13623	14594	15823	16712	17964	19055	20005
40- 44	9940	11199	12848	14614	16312	17749	19091	20438	22428	23853
45- 49	9896	11053	12556	13672	15639	17489	19491	22028	24859	27118
50- 54	10485	11661	13016	14325	15601	17574	19369	21804	23882	26295
55- 59	11931	12740	13953	15344	16946	18653	20211	22321	24510	26592
60- 64	13469	14676	16191	17768	19308	20779	22064	23931	26396	28182
65- 69	13131	14589	16679	18655	20570	22865	24858	26916	28636	29996
70- 74	9957	11024	12822	14955	17449	19751	21864	24415	26213	27540
75- 79	6737	7659	8956	10144	11749	13376	14648	16600	18490	20216
80- 84	3037	3550	4258	5130	5940	7051	8012	9125	10124	10971
85 plus	999	1242	1541	1920	2338	2749	3237	3708	4256	4834
	122963	135036	151055	167161	184739	203211	219929	241040	261981	279390
RACE										
White	81198	88603	98437	108426	119213	130006	139639	151831	163641	173443
Black	37032	40995	46519	51864	57735	64344	70291	77754	85220	91580
Asian	3381	3848	4202	4707	5346	6012	6895	7953	9103	9863
Native Amer.	1352	1590	1897	2164	2445	2849	3104	3502	4017	4504
	122963	135036	151055	167161	184739	203211	219929	241040	261981	279390
SEX										
Male	66315	72656	81105	89972	99612	109460	118705	130021	141119	151121
Female	56648	62380	69950	77189	85127	93751	101224	111019	120862	128269
	122963	135036	151055	167161	184739	203211	219929	241040	261981	279390
PRIMARY DIAGNOSIS										
Diabetes	25985	30161	36089	42375	49558	56993	63322	72397	82411	90817
Hypertension	28013	31464	36210	41005	46176	51960	56495	62709	66347	68969
Glomeruloneph.	26145	28398	31049	33532	36069	38563	40996	44118	47214	49721
Cystic Kidney	7118	7659	8260	8904	9653	10425	11097	11919	12776	13366
Other Urologic	2314	2509	2752	3008	3348	3712	3970	4358	4936	5481
Other Cause	15499	16725	18490	19929	21625	23337	24771	26773	29850	31953
Unknown Cause	9484	9988	10234	10633	11300	12043	12559	13298	13641	13980
Missing Cause	8405	8132	7971	7775	7010	6178	6719	5468	4806	5103
	122963	135036	151055	167161	184739	203211	219929	241040	261981	279390

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Age is as of December 31.

Table B.7
Percent Decrease In December 31 Point Prevalence Counts Of Reported ESRD Therapy
By Year, By Age, Race, Sex, and Primary Disease Causing ESRD
After Dropping Patients With Race "Other" and "Unknown"

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
AGE AT ESRD										
0- 4	0.4	0.4	0.0	0.4	1.1	0.7	1.3	3.3	7.1	7.1
5- 9	0.6	0.8	0.9	0.8	1.1	1.2	1.0	1.8	2.3	3.6
10-14	0.7	0.5	0.4	0.8	0.8	0.8	1.3	1.9	2.5	3.5
15-19	1.0	1.1	1.0	1.0	1.1	1.2	1.2	1.4	1.9	2.3
20-24	0.8	1.0	0.9	0.8	0.6	0.5	0.6	1.1	1.6	2.3
25-29	1.0	0.7	0.7	0.7	0.8	0.8	0.8	1.0	1.3	1.6
30-34	1.0	1.0	0.9	0.8	0.8	0.8	0.7	0.8	1.2	1.5
35-39	1.0	0.9	0.9	0.8	0.8	0.7	0.8	1.0	1.2	1.4
40-44	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.9	1.2	1.4
45-49	0.7	0.8	0.7	0.7	0.7	0.7	0.7	0.8	1.1	1.4
50-54	0.6	0.6	0.5	0.5	0.6	0.5	0.6	0.8	1.2	1.6
55-59	0.6	0.5	0.5	0.4	0.4	0.4	0.4	0.7	1.2	1.6
60-64	0.6	0.4	0.4	0.5	0.4	0.4	0.4	0.6	1.1	1.5
65-69	0.5	0.4	0.9	0.8	0.8	0.8	0.9	1.2	1.9	1.8
70-74	0.4	0.4	1.1	1.1	1.0	0.8	1.0	1.2	1.6	1.7
75-79	0.5	0.4	1.2	1.0	1.0	0.9	0.9	1.2	1.7	1.7
80-84	0.4	0.3	1.0	1.1	1.1	0.9	1.3	1.3	1.8	1.6
85 plus	0.5	0.3	1.5	1.7	1.5	1.9	1.8	1.7	2.1	1.7
	0.7	0.6	0.8	0.8	0.7	0.7	0.8	1.0	1.4	1.6
SEX										
Male	0.7	0.6	0.7	0.7	0.7	0.7	0.7	0.9	1.3	1.5
Female	0.7	0.6	0.8	0.8	0.8	0.8	0.9	1.1	1.6	1.7
	0.7	0.6	0.8	0.8	0.7	0.7	0.8	1.0	1.4	1.6
PRIMARY DIAGNOSIS										
Diabetes	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.5	1.1	1.5
Hypertension	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.5	0.7	0.8
Glomeruloneph.	0.7	0.7	0.7	0.7	0.7	0.6	0.7	0.8	1.1	1.3
Cystic Kidney	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.6	0.7
Other Urologic	0.3	0.3	0.3	0.3	0.4	0.3	0.5	0.7	0.9	1.2
Other Cause	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.6	0.9	1.1
Unknown Cause	1.3	1.2	1.1	1.1	1.0	1.0	1.0	1.2	1.4	1.6
Missing Cause	3.2	2.8	6.9	7.6	8.7	9.8	9.8	14.7	21.9	18.9
	0.7	0.6	0.8	0.8	0.7	0.7	0.8	1.0	1.4	1.6

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Note that the Missing disease group is disproportionately represented.

Table B.8
December 31 Point Prevalence Rates Per Million Population Of Reported ESRD Therapy
By Year, By Age, Race, Sex, and Primary Disease Causing ESRD
Adjusted for Age, Race, and Sex

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
AGE AT ESRD										
0- 4	14	14	14	14	14	15	15	16	18	21
5- 9	26	28	30	32	33	32	32	34	35	35
10-14	49	52	53	55	56	58	60	63	68	69
15-19	103	106	113	114	115	117	118	125	131	132
20-24	189	199	208	217	227	239	247	257	265	273
25-29	304	323	346	370	385	403	418	439	460	475
30-34	425	448	482	506	540	564	595	630	665	685
35-39	570	607	642	681	707	746	769	812	849	880
40-44	662	711	776	834	898	959	1003	1043	1111	1147
45-49	831	892	984	1044	1136	1198	1275	1369	1462	1505
50-54	1035	1131	1240	1337	1411	1524	1614	1757	1873	2018
55-59	1219	1322	1460	1606	1768	1920	2036	2200	2366	2509
60-64	1414	1544	1709	1883	2052	2239	2405	2620	2889	3091
65-69	1554	1700	1914	2126	2346	2594	2813	3037	3223	3368
70-74	1504	1644	1889	2151	2436	2699	2952	3261	3492	3667
75-79	1371	1535	1756	1946	2212	2484	2688	3000	3254	3435
80-84	1061	1187	1378	1621	1834	2136	2348	2606	2821	2982
85 plus	506	602	720	863	1014	1145	1280	1413	1553	1729
AGE BY RACE										
0-19	48	50	52	53	54	55	56	60	63	64
20-44	430	458	491	521	552	582	606	636	670	692
45-64	1125	1222	1348	1467	1592	1720	1833	1986	2147	2280
65-74	1529	1672	1901	2138	2391	2646	2883	3149	3357	3518
75 plus	979	1108	1285	1477	1687	1921	2105	2340	2543	2715
RACE										
White	393	425	467	508	552	593	629	676	720	754
Black	1623	1769	1979	2171	2372	2594	2780	3016	3234	3404
Asian	697	748	775	820	877	938	1031	1138	1250	1291
Native Amer.	1030	1162	1365	1514	1671	1928	2051	2256	2524	2761
SEX										
Male	624	674	742	811	884	955	1018	1097	1170	1233
Female	447	486	537	583	633	685	729	787	844	883
PRIMARY DIAGNOSIS										
Diabetes	112	128	151	174	200	226	247	278	312	339
Hypertension	124	137	154	171	189	208	222	242	251	256
Glomeruloneph.	112	120	129	137	145	153	160	170	179	185
Cystic Kidney	31	32	35	37	39	42	43	46	48	50
Other Urologic	10	10	11	12	13	15	15	17	19	21
Other Cause	64	69	75	80	86	92	96	103	113	119
Unknown Cause	41	42	42	44	46	48	49	51	52	52
Missing Cause	36	34	33	32	28	25	26	21	18	19
CRUDE RATE										
	505	550	609	667	729	793	849	921	992	1048
ADJUSTED RATE										
	529	573	631	688	747	808	860	928	992	1041

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section. All rates are therefore slightly low but are consistently defined and are comparable. The bias introduced by excluding the cases with race Other or Unknown is unpredictable.

Age is as of December 31 of each year.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

Rates by age are adjusted for race and sex.

Rates by sex are adjusted for race and age.

Rates by race are adjusted for sex and age.

Rates by primary disease and "adjusted rate" row are adjusted for age, race, and sex.

The "Crude rate" row is not adjusted.

Table B.9
December 31 Point Prevalence Counts
Of Reported ESRD Therapy
By Age, By Sex, By Race

1991-1993

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0- 4	478	99	*	*	585	224	37	*	*	274	702	136	10	11	859
5- 9	952	219	27	13	1211	505	88	19	*	613	1457	307	46	14	1824
10- 14	1501	334	44	25	1904	1031	194	56	26	1307	2532	528	100	51	3211
15- 19	2416	820	111	61	3408	2015	619	111	47	2792	4431	1439	222	108	6200
20- 24	5046	2264	264	93	7667	4194	1630	218	89	6131	9240	3894	482	182	13798
25- 29	9099	3812	427	119	13457	7457	2918	355	125	10855	16556	6730	782	244	24312
30- 34	14759	5744	611	255	21369	11359	4356	519	210	16444	26118	10100	1130	465	37813
35- 39	18088	8915	843	275	28121	12506	5593	706	203	19008	30594	14508	1549	478	47129
40- 44	19934	11258	905	355	32452	13170	6500	802	228	20700	33104	17758	1707	583	53152
45- 49	19127	10764	847	469	31207	13133	7145	787	347	21412	32260	17909	1634	816	52619
50- 54	17767	10464	943	543	29717	13072	8496	768	491	22827	30839	18960	1711	1034	52544
55- 59	17819	10517	879	545	29760	14341	10380	781	548	26050	32160	20897	1660	1093	55810
60- 64	19578	10122	856	469	31025	17566	12092	849	619	31126	37144	22214	1705	1088	62151
65- 69	22711	8990	912	368	32981	20538	13137	1033	604	35312	43249	22127	1945	972	68293
70- 74	21049	6598	764	229	28640	18533	10571	884	436	30424	39582	17169	1648	665	59064
75- 79	15227	3852	497	147	19723	12697	6547	602	204	20050	27924	10399	1099	351	39773
80- 84	8146	1906	323	70	10445	6934	3215	285	124	10558	15080	5121	608	194	21003
85 plus	3172	779	126	28	4105	2714	1395	89	21	4219	5886	2174	215	49	8324
All Age	216869	97457	9383	4068	327777	171989	94913	8870	4330	280102	388858	192370	18253	8398	607879

1994-1996

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0- 4	557	136	14	*	715	289	65	12	*	370	846	201	26	12	1085
5- 9	1033	247	17	17	1314	562	111	26	16	715	1595	358	43	33	2029
10- 14	1754	481	70	32	2337	1181	257	59	18	1515	2935	738	129	50	3852
15- 19	2852	1099	132	64	4147	2262	751	131	73	3217	5114	1850	263	137	7364
20- 24	5017	2612	303	118	8050	4158	2019	318	102	6597	9175	4631	621	220	14647
25- 29	9378	4917	533	169	14997	7408	3726	393	157	11684	16786	8643	926	326	26681
30- 34	16005	7167	763	243	24178	12312	5665	647	250	18874	28317	12832	1410	493	43052
35- 39	21324	10589	1000	398	33311	15002	7433	964	314	23713	36326	18022	1964	712	57024
40- 44	24318	14133	1246	529	40226	16068	8935	1122	368	26493	40386	23068	2368	897	66719
45- 49	25946	15966	1294	733	43939	17843	10440	1257	526	30066	43789	26406	2551	1259	74005
50- 54	24442	14398	1361	772	40973	17644	11562	1144	658	31008	42086	25960	2505	1430	71981
55- 59	23495	14023	1409	763	39690	18484	13293	1154	802	33733	41979	27316	2563	1565	73423
60- 64	24867	13188	1338	689	40082	20944	15410	1219	854	38427	45811	28598	2557	1543	78509
65- 69	27859	11647	1312	590	41408	25311	16465	1517	847	44140	53170	28112	2829	1437	85548
70- 74	27503	8834	1293	345	37975	23843	14309	1396	645	40193	51346	23143	2689	990	78168
75- 79	21053	5349	919	212	27533	17395	8975	1047	356	27773	38448	14324	1966	568	55306
80- 84	11991	2643	527	87	15248	9824	4435	555	158	14972	21815	7078	1082	245	30220
85 plus	4743	1125	228	42	6138	4248	2149	199	64	6660	8991	3274	427	106	12798
All Age	274137	128554	13759	5811	422261	214778	126000	13160	6212	360150	488915	254554	26919	12023	782411

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

* Values for cells with fewer than 10 patients are suppressed.

Table B.10
December 31 Point Prevalence Rates Per Million Population
Of Reported ESRD Therapy
Specific Rates By Sex, By Race, By Age, And Rates Adjusted For Age, Race, And Sex

1991-1993

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	20	21	*	*	*	*	*	*	14	14	*	17	19	*	14
5-9	42	51	26	39	23	21	19	*	32	35	23	20	42	22	32
10-14	66	78	43	75	48	46	57	80	57	62	50	78	67	48	58
15-19	112	202	114	210	100	156	120	168	106	178	117	188	124	108	116
20-24	214	571	225	315	188	398	195	329	201	483	209	322	260	216	237
25-29	368	988	375	424	310	691	299	466	338	837	336	446	447	359	402
30-34	530	1456	515	917	414	973	413	742	471	1209	462	828	649	487	566
35-39	675	2437	768	1108	471	1341	589	781	570	1875	677	939	903	587	740
40-44	827	3718	955	1680	545	1849	737	1022	683	2760	841	1344	1202	720	953
45-49	963	4952	1178	2858	650	2756	978	2003	801	3820	1074	2417	1487	937	1202
50-54	1131	6072	1739	4375	802	4029	1312	3659	961	5020	1516	4002	1801	1249	1516
55-59	1336	7414	2124	5609	1009	5756	1638	5153	1168	6561	1871	5367	2166	1665	1908
60-64	1522	7964	2596	6027	1230	7195	1965	7000	1374	7571	2271	6516	2413	2060	2231
65-69	1889	7988	3389	5951	1412	8572	2862	8162	1646	8279	3112	7071	2746	2425	2584
70-74	2111	8031	3747	5150	1426	8646	3439	7552	1759	8336	3555	6360	2938	2459	2695
75-79	2172	6990	3899	5114	1216	7040	3722	4894	1682	7012	3790	4991	2863	2071	2461
80-84	2019	6109	4339	4240	934	5321	3320	4599	1461	5695	3800	4413	2631	1601	2106
85 plus	1251	3505	2693	2275	407	2598	1359	869	817	3035	1995	1537	1591	719	1146
All Age	689	2148	756	1262	526	1885	679	1322	606	2010	717	1292	872	711	790
Age Adj	710	2918	1057	1893	493	2261	859	1864	591	2582	948	1883	952	682	804

1994-1996

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	23	29	10	*	12	14	*	*	18	22	10	19	23	13	18
5-9	44	53	14	49	25	24	24	48	34	38	19	48	44	25	34
10-14	75	109	61	89	53	60	53	51	64	84	57	70	79	54	66
15-19	125	252	124	202	106	177	128	237	115	213	126	221	141	117	129
20-24	228	674	257	408	201	508	275	373	214	589	266	391	287	244	265
25-29	401	1317	429	583	325	914	293	587	362	1111	359	584	519	400	458
30-34	597	1806	600	863	467	1263	473	898	531	1529	535	882	753	572	659
35-39	758	2676	814	1490	541	1661	727	1151	647	2156	769	1315	1008	694	846
40-44	942	4158	1141	2288	624	2283	911	1503	779	3196	1022	1883	1366	850	1100
45-49	1139	6039	1443	3912	773	3318	1217	2664	951	4638	1325	3262	1788	1124	1445
50-54	1403	7668	2095	5605	978	5006	1590	4411	1185	6302	1832	4985	2251	1536	1882
55-59	1669	9266	2819	7283	1237	6859	2076	6927	1447	8029	2433	7085	2714	2023	2357
60-64	2003	10317	3495	8396	1535	9075	2541	9128	1765	9680	3000	8765	3160	2588	2866
65-69	2328	9827	4334	9115	1792	10373	3588	10974	2055	10103	3949	10055	3404	3018	3209
70-74	2668	10396	5376	6848	1799	11409	4374	10298	2224	10910	4857	8593	3776	3176	3473
75-79	2787	8973	6134	6631	1605	9337	5140	7818	2180	9150	5608	7208	3716	2758	3229
80-84	2676	8118	5919	4317	1254	7011	4921	5127	1947	7552	5377	4719	3489	2144	2803
85 plus	1677	4571	3687	2674	585	3590	2268	1976	1117	4061	2935	2325	2118	1035	1565
All Age	849	2711	989	1718	643	2401	890	1810	744	2548	938	1764	1089	890	987
Age Adj	864	3612	1379	2505	596	2841	1102	2499	716	3218	1226	2513	1166	838	987

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995 U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.11
Standard Errors For Adjusted December 31 Point Prevalence Rates Per Million Population
Of Reported ESRD Therapy
By Sex, By Race, By Age
Adjusted For Age, Race, And Sex

1991-1993

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	0.9	2.1	*	*	0.6	1.3	*	*	0.5	1.2	1.4	5.1	0.8	0.5	0.4
5-9	1.3	3.4	5.1	10.8	1.0	2.2	4.5	*	0.8	2.0	3.4	5.5	1.2	0.9	0.7
10-14	1.7	4.2	6.5	15.0	1.5	3.3	7.6	15.7	1.1	2.7	5.0	10.9	1.5	1.3	1.0
15-19	2.2	7.0	10.8	26.9	2.2	6.2	11.3	24.6	1.6	4.7	7.8	18.1	2.1	2.0	1.4
20-24	3.0	12.0	13.8	32.7	2.9	9.8	13.2	34.9	2.0	7.7	9.5	23.9	2.9	2.7	2.0
25-29	3.8	16.0	18.1	38.9	3.5	12.8	15.9	41.7	2.6	10.2	12.0	28.5	3.8	3.4	2.5
30-34	4.3	19.2	20.8	57.4	3.8	14.7	18.1	51.2	2.9	12.0	13.7	38.4	4.4	3.8	2.9
35-39	5.0	25.8	26.4	66.8	4.2	17.9	22.2	54.8	3.2	15.5	17.2	42.9	5.3	4.2	3.4
40-44	5.8	35.0	31.7	89.1	4.7	22.9	26.0	67.7	3.7	20.7	20.4	55.6	6.7	5.0	4.1
45-49	6.9	47.7	40.5	132.0	5.6	32.6	34.8	107.5	4.4	28.6	26.6	84.6	8.5	6.4	5.2
50-54	8.4	59.3	56.6	187.7	7.0	43.7	47.3	165.1	5.4	36.5	36.7	124.5	10.5	8.3	6.6
55-59	10.0	72.3	71.6	240.2	8.4	56.5	58.6	220.1	6.5	45.6	46.0	162.4	12.7	10.3	8.1
60-64	10.8	79.1	88.7	278.3	9.2	65.4	67.4	281.3	7.1	51.1	55.4	197.7	14.0	11.8	9.1
65-69	12.5	84.2	112.2	310.2	9.8	74.7	89.0	332.1	7.9	56.1	71.1	227.3	15.6	13.1	10.1
70-74	14.5	98.8	135.5	340.3	10.4	84.1	115.6	361.6	8.8	64.6	88.1	248.2	18.2	14.6	11.6
75-79	17.6	112.6	174.9	421.8	10.7	87.0	151.7	342.6	10.2	70.7	115.0	270.0	21.6	15.4	13.1
80-84	22.3	139.9	241.4	506.8	11.2	93.8	196.7	413.0	12.3	83.4	154.6	325.5	27.3	16.9	15.8
85 plus	22.2	125.6	239.9	430.1	7.8	69.5	144.0	189.7	11.5	70.8	137.7	229.5	25.9	12.1	14.0
Age Adj	1.5	9.6	11.8	31.6	1.1	7.3	9.6	29.1	0.9	5.9	7.5	21.4	1.6	1.2	1.0

1994-1996

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	0.9	2.5	2.9	*	0.7	1.8	2.8	*	0.6	1.5	2.0	5.6	0.8	0.6	0.5
5-9	1.3	3.3	3.6	11.9	1.0	2.3	4.7	12.0	0.8	2.0	3.0	8.4	1.2	0.9	0.7
10-14	1.8	4.9	7.2	15.8	1.5	3.7	6.9	12.1	1.1	3.0	5.0	9.9	1.6	1.4	1.0
15-19	2.3	7.6	10.8	25.3	2.2	6.4	11.2	27.8	1.6	4.9	7.8	18.9	2.2	2.0	1.5
20-24	3.2	13.1	14.7	37.6	3.1	11.3	15.4	37.0	2.2	8.6	10.7	26.4	3.2	3.0	2.2
25-29	4.1	18.7	18.6	44.8	3.7	14.9	14.8	46.8	2.8	11.9	11.8	32.4	4.2	3.7	2.8
30-34	4.7	21.3	21.7	55.3	4.2	16.7	18.6	56.8	3.1	13.5	14.2	39.7	4.8	4.1	3.1
35-39	5.1	26.0	25.7	74.7	4.4	19.2	23.4	64.9	3.4	16.0	17.3	49.3	5.5	4.5	3.5
40-44	6.0	34.9	32.3	99.4	4.9	24.1	27.2	78.4	3.8	21.0	21.0	62.8	6.8	5.2	4.2
45-49	7.0	47.7	40.1	144.5	5.7	32.4	34.3	116.1	4.5	28.6	26.3	92.0	8.6	6.5	5.3
50-54	8.9	63.9	56.7	201.7	7.3	46.5	47.0	171.9	5.7	39.2	36.6	131.9	11.2	8.7	7.0
55-59	10.8	78.2	75.1	263.6	9.1	59.4	61.1	244.6	7.0	48.8	48.1	179.2	13.8	11.0	8.7
60-64	12.7	89.8	95.5	319.8	10.6	73.1	72.7	312.3	8.2	57.6	59.6	223.3	16.0	13.2	10.3
65-69	13.9	91.0	119.6	375.2	11.2	80.8	92.1	377.0	8.9	60.7	75.0	265.8	17.1	14.5	11.2
70-74	16.0	110.6	149.5	368.7	11.6	95.3	117.0	405.4	9.8	72.7	94.4	274.1	20.2	16.3	12.9
75-79	19.2	122.6	202.3	455.4	12.1	98.5	158.8	414.3	11.2	78.2	127.8	306.3	23.6	17.3	14.5
80-84	24.4	157.9	257.8	462.8	12.6	105.2	208.8	407.9	13.5	94.1	164.4	307.2	30.1	18.8	17.5
85 plus	24.3	136.3	244.2	412.6	8.9	77.4	160.7	247.0	12.7	77.3	144.1	240.2	28.1	13.7	15.3
Age Adj	1.6	10.4	12.6	34.6	1.2	8.0	10.0	32.5	1.0	6.4	7.9	23.7	1.8	1.4	1.1

Includes residents of 50 states and District of Columbia only.
 Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.
 Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.
 The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995 U.S. resident population.
 * Values for cells with fewer than 10 patients are suppressed.

Table B.12
December 31 Point Prevalence Counts
Of Reported ESRD Therapy
By Age, By Sex, By Race By Primary Disease Causing ESRD

1993-1996

Diabetes

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0- 4	13	*	*	*	20	16	*	*	*	25	29	*	*	*	45
5- 9	*	0	0	0	*	*	*	*	0	*	*	*	*	0	12
10-14	*	0	0	0	*	*	*	0	0	*	*	*	0	*	
15-19	16	11	*	0	30	21	13	*	0	36	37	24	*	66	
20-24	200	102	*	*	307	244	187	*	10	449	444	289	*	756	
25-29	1650	486	25	10	2171	1775	702	27	32	2536	3425	1188	52	4707	
30-34	5799	1084	92	61	7036	4776	1147	94	84	6101	10575	2231	186	145 13137	
35-39	9076	1584	181	130	10971	6308	1588	153	133	8182	15384	3172	334	263 19153	
40-44	10448	2656	259	260	13623	6966	2229	160	193	9548	17414	4885	419	453 23171	
45-49	11175	4032	376	489	16072	7388	3895	296	375	11954	18563	7927	672	864 28026	
50-54	10473	5017	580	577	16647	7432	5899	345	551	14227	17905	10916	925	1128 30874	
55-59	10421	6146	637	643	17847	9030	7986	553	733	18302	19451	14132	1190	1376 36149	
60-64	11172	6238	734	594	18738	11444	9695	673	854	22666	22616	15933	1407	1448 41404	
65-69	11935	5396	727	468	18526	13969	10608	922	819	26318	25904	16004	1649	1287 44844	
70-74	9736	3763	621	227	14347	12218	8406	861	597	22082	21954	12169	1482	824 36429	
75-79	5491	1962	354	110	7917	6726	4554	516	278	12074	12217	6516	870	388 19991	
80-84	2112	723	166	46	3047	2769	1769	213	105	4856	4881	2492	379	151 7903	
85 plus	562	224	67	*	858	801	513	74	30	1418	1363	737	141	35 2276	
All Age	100284	39427	4824	3627	148162	91888	59202	4899	4796	160785	192172	98629	9723	8423 308947	

Hypertension

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0- 4	11	13	0	*	25	*	*	0	*	18	20	21	0	*	43
5- 9	17	*	0	0	22	22	*	0	0	23	39	*	0	0	45
10-14	24	*	0	*	34	33	11	0	*	48	57	18	0	*	82
15-19	66	109	*	*	184	108	63	*	*	180	174	172	*	11	364
20-24	387	828	46	11	1272	325	332	19	23	699	712	1160	65	34	1971
25-29	999	1917	89	28	3033	584	822	40	24	1470	1583	2739	129	52	4503
30-34	1797	3250	148	48	5243	986	1622	117	14	2739	2783	4872	265	62	7982
35-39	2355	5739	240	71	8405	1279	2704	170	46	4199	3634	8443	410	117	12604
40-44	3081	8379	288	101	11849	1594	3781	237	64	5676	4675	12160	525	165	17525
45-49	3793	9392	284	157	13626	2121	4597	275	63	7056	5914	13989	559	220	20682
50-54	4270	8587	321	115	13293	2630	4861	298	81	7870	6900	13448	619	196	21163
55-59	4926	7750	364	88	13128	3054	5541	274	83	8952	7980	13291	638	171	22080
60-64	6546	7146	349	113	14154	4133	6426	312	80	10951	10679	13572	661	193	25105
65-69	9834	6505	411	108	16858	6348	7339	441	94	14222	16182	13844	852	202	31080
70-74	12137	5195	503	106	17941	7979	7191	426	108	15704	20116	12386	929	214	33645
75-79	11315	3403	412	51	15181	7795	5167	418	86	13466	19110	8570	830	137	28647
80-84	7286	1879	290	29	9484	5481	3053	271	59	8864	12767	4932	561	88	18348
85 plus	3128	826	134	22	4110	2773	1622	110	36	4541	5901	2448	244	58	8651
All Age	71972	70930	3880	1060	147842	47254	55141	3414	869	106678	119226	126071	7294	1929	254520

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31, 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

* Values for cells with fewer than 10 patients are suppressed.

Table B.12 (Continued)
 December 31 Point Prevalence Counts
 Of Reported ESRD Therapy
 By Age, By Sex, By Race By Primary Disease Causing ESRD

1993-1996

Glomeruloneph.

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0- 4	66	*	*	0	75	73	*	*	*	86	139	15	*	*	161
5- 9	250	56	*	11	322	214	45	13	*	277	464	101	18	16	599
10- 14	523	164	27	*	721	482	121	45	*	657	1005	285	72	16	1378
15- 19	1035	634	67	30	1766	1010	418	60	54	1542	2045	1052	127	84	3308
20- 24	2344	1501	203	57	4105	1938	1066	199	51	3254	4282	2567	402	108	7359
25- 29	4263	2263	362	86	6974	3194	1509	234	70	5007	7457	3772	596	156	11981
30- 34	6596	2654	493	101	9844	4181	1981	324	96	6582	10777	4635	817	197	16426
35- 39	8187	3407	584	166	12344	4705	2182	563	123	7573	12892	5589	1147	289	19917
40- 44	8746	3922	710	165	13543	4976	2273	592	92	7933	13722	6195	1302	257	21476
45- 49	8473	3427	614	144	12658	4867	2048	540	109	7564	13340	5475	1154	253	20222
50- 54	7162	2243	512	140	10057	4091	1489	381	117	6078	11253	3732	893	257	16135
55- 59	6252	1716	430	127	8525	3546	1317	313	71	5247	9798	3033	743	198	13772
60- 64	5969	1369	278	72	7688	3457	1189	222	57	4925	9426	2558	500	129	12613
65- 69	5947	1050	251	70	7318	3730	1029	239	49	5047	9677	2079	490	119	12365
70- 74	5357	777	283	39	6456	3439	872	186	37	4534	8796	1649	469	76	10990
75- 79	3721	409	154	45	4329	2550	550	162	27	3289	6271	959	316	72	7618
80- 84	2038	191	83	17	2329	1441	244	75	14	1774	3479	435	158	31	4103
85 plus	733	66	37	*	839	602	164	19	*	787	1335	230	56	*	1626
All Age	77662	25856	5095	1280	109893	48496	18505	4170	985	72156	126158	44361	9265	2265	182049

Cystic Kidney

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0- 4	61	*	0	*	66	53	*	*	*	64	114	*	*	*	130
5- 9	102	24	*	*	131	74	10	*	*	89	176	34	*	*	220
10- 14	125	10	*	*	143	107	24	10	0	141	232	34	11	*	284
15- 19	140	15	*	*	164	153	26	15	0	194	293	41	21	*	358
20- 24	211	21	11	*	246	229	24	*	0	260	440	45	18	*	506
25- 29	273	28	12	*	316	253	20	*	*	284	526	48	18	*	600
30- 34	381	67	*	*	459	399	77	12	10	498	780	144	15	18	957
35- 39	913	115	19	11	1058	666	142	12	11	831	1579	257	31	22	1889
40- 44	1915	219	57	24	2215	1120	282	50	14	1466	3035	501	107	38	3681
45- 49	3229	383	89	29	3730	2367	397	63	18	2845	5596	780	152	47	6575
50- 54	3694	437	98	41	4270	3041	544	61	29	3675	6735	981	159	70	7945
55- 59	3311	393	95	11	3810	3137	415	72	38	3662	6448	808	167	49	7472
60- 64	2728	333	64	22	3147	2963	439	60	20	3482	5691	772	124	42	6629
65- 69	2146	256	53	*	2464	2659	270	62	15	3006	4805	526	115	24	5470
70- 74	1482	143	47	*	1677	1798	211	37	*	2050	3280	354	84	*	3727
75- 79	639	89	28	*	762	866	111	23	*	1008	1505	200	51	14	1770
80- 84	322	33	*	0	360	321	28	*	0	358	643	61	14	0	718
85 plus	104	20	*	0	126	71	28	*	0	101	175	48	*	0	227
All Age	21776	2590	592	186	25144	20277	3051	510	176	24014	42053	5641	1102	362	49158

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31, 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

* Values for cells with fewer than 10 patients are suppressed.

Table B.12 (Continued)
December 31 Point Prevalence Counts
Of Reported ESRD Therapy
By Age, By Sex, By Race By Primary Disease Causing ESRD

1993-1996

Other Urologic

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0- 4	95	33	*	0	132	14	0	0	0	14	109	33	*	0	146
5- 9	139	38	*	0	182	24	*	0	0	27	163	41	*	0	209
10- 14	250	59	13	*	330	99	*	*	*	112	349	67	15	11	442
15- 19	379	100	14	0	493	213	18	*	0	233	592	118	16	0	726
20- 24	483	89	19	*	599	308	30	*	*	350	791	119	24	15	949
25- 29	703	111	14	15	843	373	50	14	10	447	1076	161	28	25	1290
30- 34	636	123	29	10	798	446	33	10	12	501	1082	156	39	22	1299
35- 39	611	110	15	10	746	536	58	20	10	624	1147	168	35	20	1370
40- 44	645	106	16	*	772	426	83	18	*	528	1071	189	34	*	1300
45- 49	499	100	24	*	624	458	73	19	*	554	957	173	43	*	1178
50- 54	426	80	13	*	526	409	87	30	*	529	835	167	43	10	1055
55- 59	448	101	27	*	585	406	76	28	0	510	854	177	55	*	1095
60- 64	568	130	28	11	737	418	95	19	*	534	986	225	47	13	1271
65- 69	688	194	26	*	915	473	103	24	*	606	1161	297	50	13	1521
70- 74	999	173	24	*	1203	465	102	31	*	601	1464	275	55	10	1804
75- 79	939	125	32	10	1106	419	62	16	*	502	1358	187	48	15	1608
80- 84	660	120	26	*	811	192	33	13	0	238	852	153	39	*	1049
85 plus	268	61	*	*	343	69	18	*	0	90	337	79	*	*	433
All Age	9436	1853	335	121	11745	5748	932	254	66	7000	15184	2785	589	187	18745

Other Cause

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0- 4	400	86	*	*	496	153	41	*	*	199	553	127	10	*	695
5- 9	679	171	*	*	866	274	73	15	*	368	953	244	24	13	1234
10- 14	1079	272	47	11	1409	600	106	17	*	730	1679	378	64	18	2139
15- 19	1550	339	68	33	1990	1057	315	60	30	1462	2607	654	128	63	3452
20- 24	2147	503	87	46	2783	1780	720	122	26	2648	3927	1223	209	72	5431
25- 29	2955	897	115	45	4012	2558	1246	143	38	3985	5513	2143	258	83	7997
30- 34	3800	1285	101	52	5238	3594	1879	183	63	5719	7394	3164	284	115	10957
35- 39	3799	1622	103	78	5602	3825	2181	227	49	6282	7624	3803	330	127	11884
40- 44	3549	1694	135	48	5426	3560	1868	228	62	5718	7109	3562	363	110	11144
45- 49	3045	1328	97	47	4517	3476	1424	236	55	5191	6521	2752	333	102	9708
50- 54	2628	921	68	45	3662	3075	1107	207	39	4428	5703	2028	275	84	8090
55- 59	2462	790	92	57	3401	2804	861	116	33	3814	5266	1651	208	90	7215
60- 64	2658	707	82	31	3478	2864	892	122	35	3913	5522	1599	204	66	7391
65- 69	3168	618	84	35	3905	3309	775	120	44	4248	6477	1393	204	79	8153
70- 74	3132	588	71	20	3811	2939	606	103	35	3683	6071	1194	174	55	7494
75- 79	2584	375	64	19	3042	2149	385	71	20	2625	4733	760	135	39	5667
80- 84	1569	213	28	*	1819	1178	233	31	10	1452	2747	446	59	19	3271
85 plus	645	112	21	10	788	494	132	*	*	637	1139	244	30	12	1425
All Age	41849	12521	1278	597	56245	39689	14844	2014	555	57102	81538	27365	3292	1152	113347

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31, 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

* Values for cells with fewer than 10 patients are suppressed.

Table B.12 (Continued)
December 31 Point Prevalence Counts
Of Reported ESRD Therapy
By Age, By Sex, By Race By Primary Disease Causing ESRD

1993-1996

Unknown Cause

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0- 4	51	10	0	0	61	19	*	0	0	20	70	11	0	0	81
5- 9	106	17	*	0	126	89	*	*	*	96	195	21	*	*	222
10- 14	196	57	*	*	256	162	32	*	*	200	358	89	*	*	456
15- 19	349	129	12	12	502	267	80	20	*	373	616	209	32	18	875
20- 24	730	254	26	22	1032	584	198	36	16	834	1314	452	62	38	1866
25- 29	1195	474	67	16	1752	825	271	48	16	1160	2020	745	115	32	2912
30- 34	1576	548	111	45	2280	1319	358	81	33	1791	2895	906	192	78	4071
35- 39	1870	866	143	28	2907	1330	440	54	16	1840	3200	1306	197	44	4747
40- 44	1938	906	102	37	2983	1364	539	120	21	2044	3302	1445	222	58	5027
45- 49	1657	978	111	34	2780	1242	528	123	18	1911	2899	1506	234	52	4691
50- 54	1504	633	112	34	2283	1159	486	102	27	1774	2663	1119	214	61	4057
55- 59	1380	614	97	21	2112	1095	557	69	33	1754	2475	1171	166	54	3866
60- 64	1542	581	99	25	2247	1176	653	97	26	1952	2718	1234	196	51	4199
65- 69	1707	603	91	41	2442	1521	657	96	26	2300	3228	1260	187	67	4742
70- 74	1925	442	65	18	2450	1370	554	107	31	2062	3295	996	172	49	4512
75- 79	1655	283	68	21	2027	1181	379	74	10	1644	2836	662	142	31	3671
80- 84	1000	151	40	*	1199	847	220	49	12	1128	1847	371	89	20	2327
85 plus	459	70	15	*	548	426	163	14	*	608	885	233	29	*	1156
All Age	20840	7616	1163	368	29987	15976	6120	1096	299	23491	36816	13736	2259	667	53478

Missing Cause

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0- 4	34	*	*	0	44	28	10	0	0	38	62	18	*	0	82
5- 9	51	15	*	0	67	32	*	0	0	36	83	19	*	0	103
10- 14	69	30	0	*	101	72	17	0	0	89	141	47	0	*	190
15- 19	134	54	0	*	189	99	52	*	0	156	233	106	*	*	345
20- 24	220	99	*	0	326	156	55	*	0	216	376	154	12	0	542
25- 29	373	122	*	*	503	301	106	*	*	415	674	228	*	11	918
30- 34	546	176	13	*	742	582	128	10	*	727	1128	304	23	14	1469
35- 39	904	287	14	*	1209	784	159	13	*	963	1688	446	27	11	2172
40- 44	1115	312	32	12	1471	774	226	14	*	1015	1889	538	46	13	2486
45- 49	1068	385	11	10	1474	729	200	*	*	940	1797	585	19	13	2414
50- 54	831	350	*	*	1192	626	200	13	0	839	1457	550	21	*	2031
55- 59	752	321	*	14	1094	545	322	12	12	891	1297	643	19	26	1985
60- 64	592	385	11	*	994	560	382	15	10	967	1152	767	26	16	1961
65- 69	682	360	15	0	1057	657	486	14	17	1174	1339	846	29	17	2231
70- 74	466	221	13	*	705	444	270	10	*	726	910	491	23	*	1431
75- 79	321	113	*	0	440	334	195	*	*	542	655	308	14	*	982
80- 84	176	55	0	0	231	175	92	12	*	282	351	147	12	*	513
85 plus	81	26	*	0	109	94	34	*	0	132	175	60	*	0	241
All Age	8415	3319	146	68	11948	6992	2938	144	74	10148	15407	6257	290	142	22096

Includes residents of 50 states and District of Columbia only.
 Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.
 Prevalent cases for December 31, 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.
 Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.
 * Values for cells with fewer than 10 patients are suppressed.

Table B.13
December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy By Primary Disease Causing ESRD
Specific Rates By Sex, By Race, By Age And Rates Adjusted For Age, Race, And Sex
1993-1996

Diabetes

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
5-9	*	0	0	0	*	*	*	0	*	*	*	0	*	*	*
10-14	*	0	0	0	*	*	0	0	*	*	0	0	*	*	*
15-19	*	19	*	0	*	23	*	0	*	21	*	0	*	*	*
20-24	67	196	*	*	87	350	*	274	77	275	*	190	81	120	101
25-29	526	972	153	261	581	1287	154	900	554	1134	154	588	566	657	613
30-34	1610	2048	548	1625	1348	1917	522	2254	1477	1982	536	1949	1627	1399	1511
35-39	2438	3035	1125	3694	1719	2688	879	3685	2070	2852	997	3686	2475	1826	2144
40-44	3077	5972	1820	8561	2055	4346	994	6006	2550	5123	1391	7217	3436	2334	2872
45-49	3762	11818	3254	19997	2455	9590	2232	14545	3080	10614	2709	17077	4877	3428	4135
50-54	4574	20305	6894	31954	3134	19431	3718	28175	3824	19794	5237	29925	6851	5407	6114
55-59	5603	30806	9845	46576	4573	31289	7652	48165	5064	30954	8648	47184	9255	8405	8823
60-64	6723	36645	14733	54834	6259	42926	10686	69137	6495	39826	12588	62035	11200	11585	11407
65-69	7473	34427	18384	54670	7377	50413	16749	80166	7431	42521	17476	67519	11660	13767	12764
70-74	7109	33352	19781	34411	6925	50418	20891	72280	7013	42018	20230	53529	11095	13465	12335
75-79	5523	25081	18237	26339	4688	35816	19730	46565	5073	30429	18720	36394	8576	9473	9055
80-84	3597	16736	14392	17643	2674	21080	14774	26049	3106	18930	14331	21898	5726	5615	5679
85 plus	1517	6941	8490	*	839	6539	6629	7270	1162	6676	7305	4797	2435	1801	2111
All Age	2339	6280	2647	8106	2070	8516	2534	10560	2202	7455	2589	9342	2881	2993	2938
Age Adj	2346	8944	4004	12389	1910	10388	3433	15287	2118	9769	3707	14055	3068	2806	2941

Hypertension

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	*	21	0	*	*	*	0	0	*	17	0	*	*	*	*
5-9	*	*	0	0	*	*	0	0	*	*	0	0	*	*	*
10-14	*	*	0	*	11	19	0	*	*	15	0	*	*	12	10
15-19	22	190	*	*	38	113	*	*	30	151	*	132	44	48	46
20-24	130	1593	291	283	116	622	123	631	123	1098	205	463	322	184	250
25-29	318	3836	547	731	191	1507	229	675	253	2648	384	700	774	362	560
30-34	498	6141	881	1279	278	2710	650	375	386	4390	764	817	1231	599	902
35-39	632	10996	1492	2017	348	4577	977	1274	487	7709	1228	1631	1981	911	1423
40-44	907	18841	2023	3325	470	7372	1472	1991	682	12966	1740	2622	3226	1386	2266
45-49	1277	27530	2458	6420	704	11319	2074	2443	983	19191	2245	4358	4659	2103	3325
50-54	1865	34753	3815	6368	1109	16012	3211	4141	1476	25133	3487	5186	6108	3085	4531
55-59	2648	38846	5626	6374	1546	21709	3791	5453	2083	30058	4659	5879	7342	4199	5707
60-64	3939	41979	7005	10431	2260	28452	4954	6476	3083	35061	5919	8402	8902	5695	7242
65-69	6157	41503	10393	12616	3352	34877	8011	9200	4725	38098	9164	10846	10819	7545	9140
70-74	8862	46044	16022	16068	4522	43131	10336	13075	6644	44538	13049	14498	13865	9668	11724
75-79	11381	43503	21226	12211	5433	40637	15983	14405	8329	41983	18488	13194	15761	10321	12988
80-84	12412	43497	25144	11123	5293	36382	18796	14637	8759	39837	21682	12822	16748	9764	13180
85 plus	8444	25598	16981	10920	2905	20675	9855	8724	5596	22988	13290	9859	10903	5424	8105
All Age	1678	11299	2129	2369	1064	7932	1766	1913	1366	9530	1942	2139	2875	1986	2421
Age Adj	1792	15522	3408	3714	918	9644	2438	2765	1290	12471	2853	3222	3238	1799	2429

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31, 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.13 (Continued)
December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy By Primary Disease Causing ESRD
Specific Rates By Sex, By Race, By Age And Rates Adjusted For Age, Race, And Sex
1993-1996

Glomeruloneph.

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	20	*	*	0	24	*	*	*	22	12	*	*	19	22	21
5-9	80	91	*	240	72	75	92	*	76	83	63	174	81	73	77
10-14	170	280	179	*	165	213	310	*	167	245	245	172	184	176	180
15-19	345	1105	484	724	360	751	449	1343	352	923	466	1042	448	421	434
20-24	789	2888	1286	1471	693	1999	1292	1400	740	2436	1289	1434	1078	886	979
25-29	1359	4529	2225	2246	1046	2767	1340	1969	1199	3631	1770	2092	1798	1282	1531
30-34	1831	5015	2937	2691	1180	3310	1802	2576	1500	4145	2354	2636	2281	1484	1872
35-39	2199	6528	3630	4717	1282	3693	3238	3408	1730	5075	3423	4038	2817	1673	2229
40-44	2575	8819	4989	5433	1468	4432	3677	2863	2008	6567	4300	4107	3471	1930	2678
45-49	2852	10045	5314	5888	1617	5042	4073	4227	2216	7448	4655	5019	3861	2153	2981
50-54	3128	9078	6086	7753	1725	4904	4106	5982	2407	6926	5063	6845	4017	2244	3106
55-59	3361	8601	6646	9199	1796	5160	4331	4665	2558	6831	5441	6875	4184	2333	3235
60-64	3592	8042	5580	6646	1890	5264	3525	4614	2724	6619	4511	5585	4252	2398	3303
65-69	3723	6699	6347	8177	1969	4890	4341	4796	2828	5771	5306	6448	4231	2448	3320
70-74	3911	6886	9014	5912	1949	5230	4513	4479	2908	6036	6693	5168	4485	2477	3459
75-79	3742	5228	7933	10775	1777	4325	6194	4522	2733	4758	6971	7510	4129	2278	3185
80-84	3471	4421	7196	6520	1391	2907	5202	3473	2404	3645	6104	5024	3742	1735	2718
85 plus	1978	2045	4688	*	630	2090	1702	*	1283	2060	3094	*	2065	849	1446
All Age	1811	4118	2796	2860	1092	2662	2157	2168	1446	3353	2467	2512	2137	1343	1731
Age Adj	1820	4815	3323	3737	1050	2899	2338	2557	1409	3832	2793	3103	2223	1308	1735

Cystic Kidney

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	19	*	0	*	17	*	*	*	18	*	*	*	16	17	17
5-9	32	39	*	*	25	16	*	*	28	27	*	*	33	23	28
10-14	40	17	*	*	36	42	68	0	38	29	38	*	37	38	37
15-19	46	26	*	*	54	46	112	0	50	36	77	*	44	55	49
20-24	71	40	69	*	81	45	*	0	76	42	57	*	67	75	71
25-29	87	56	73	*	82	36	*	*	84	46	52	*	82	75	79
30-34	105	126	*	*	112	128	66	268	109	127	42	241	106	114	110
35-39	245	220	118	312	181	240	69	304	212	230	92	308	237	185	211
40-44	563	492	400	790	330	549	310	435	444	519	356	608	550	357	452
45-49	1087	1122	770	1185	786	977	475	698	932	1045	613	940	1077	798	935
50-54	1613	1768	1164	2270	1282	1791	657	1482	1442	1777	909	1859	1619	1324	1469
55-59	1780	1969	1468	796	1588	1625	996	2496	1681	1792	1221	1659	1782	1578	1677
60-64	1641	1956	1284	2030	1620	1943	952	1619	1631	1949	1110	1817	1671	1637	1654
65-69	1343	1633	1340	*	1404	1283	1126	1468	1375	1454	1232	1265	1378	1379	1378
70-74	1082	1267	1497	*	1019	1265	897	*	1049	1264	1198	*	1116	1041	1078
75-79	642	1137	1442	*	603	872	879	*	620	1002	1138	1406	738	651	693
80-84	548	763	*	0	310	333	*	0	427	543	497	0	567	319	440
85 plus	280	619	*	0	74	356	*	0	175	483	*	0	318	113	213
All Age	507	412	324	415	456	438	263	387	482	426	293	401	489	447	467
Age Adj	506	560	427	550	429	513	310	496	465	533	364	523	507	433	468

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.13 (Continued)
December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy By Primary Disease Causing ESRD
Specific Rates By Sex, By Race, By Age And Rates Adjusted For Age, Race, And Sex
1993-1996

Other Urologic

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	30	53	*	0	*	0	0	0	17	26	*	0	32	*	17
5-9	44	62	*	0	*	*	0	0	26	33	*	0	46	*	26
10-14	81	100	86	*	33	*	*	*	57	56	49	115	84	30	57
15-19	126	174	101	0	76	32	*	0	100	101	57	0	130	67	98
20-24	162	171	120	*	110	56	*	*	136	112	75	199	162	101	131
25-29	224	222	86	391	122	91	80	281	172	155	84	336	220	118	168
30-34	176	232	172	266	125	55	55	322	151	141	111	294	184	116	149
35-39	164	210	93	284	146	98	115	277	154	153	104	278	168	139	153
40-44	189	238	112	*	125	161	111	*	156	198	110	*	192	128	159
45-49	168	293	207	*	152	179	143	*	158	232	173	*	182	154	168
50-54	186	323	154	*	172	286	323	*	178	303	239	265	203	191	197
55-59	240	506	417	*	205	297	387	0	222	398	397	*	283	221	251
60-64	341	763	562	1015	228	420	301	*	284	588	422	580	408	255	329
65-69	430	1237	657	*	249	489	436	*	338	854	538	705	543	289	413
70-74	729	1533	764	*	263	611	752	*	491	1062	763	700	834	326	574
75-79	944	1597	1648	2394	292	487	611	*	609	1033	1139	1599	1063	333	689
80-84	1124	2777	2254	*	185	393	901	0	641	1559	1554	*	1373	235	789
85 plus	723	1890	*	*	72	229	*	0	388	1037	*	*	893	96	485
All Age	220	295	183	270	129	134	131	145	174	210	156	207	228	130	178
Age Adj	228	410	264	416	123	156	163	169	169	266	206	269	246	126	178

Other Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	126	140	*	*	50	68	*	*	87	104	29	*	124	52	87
5-9	218	279	*	*	92	122	106	*	154	199	84	143	219	97	157
10-14	350	464	312	232	206	186	117	*	276	322	213	190	362	199	279
15-19	516	591	491	796	377	566	449	746	445	577	468	772	526	406	465
20-24	723	967	551	1187	637	1350	792	714	680	1165	674	949	752	734	744
25-29	942	1795	706	1175	838	2284	819	1069	889	2046	763	1120	1043	1022	1033
30-34	1055	2428	601	1385	1014	3140	1018	1690	1035	2792	813	1543	1216	1289	1254
35-39	1020	3107	640	2216	1042	3691	1305	1357	1030	3399	979	1767	1278	1386	1335
40-44	1045	3809	948	1580	1050	3642	1416	1929	1046	3700	1186	1744	1389	1394	1391
45-49	1025	3892	839	1922	1155	3506	1780	2133	1087	3654	1315	1996	1377	1474	1426
50-54	1147	3727	808	2492	1296	3646	2230	1994	1220	3678	1520	2232	1467	1629	1550
55-59	1323	3959	1421	4128	1420	3373	1605	2168	1370	3650	1514	3112	1681	1674	1676
60-64	1599	4153	1645	2861	1566	3949	1937	2833	1584	4047	1786	2840	1934	1891	1912
65-69	1983	3942	2124	4088	1747	3683	2180	4306	1864	3810	2143	4190	2253	2030	2139
70-74	2286	5211	2261	3031	1665	3634	2499	4237	1969	4404	2388	3627	2659	1966	2304
75-79	2599	4793	3297	4549	1497	3027	2714	3350	2029	3882	3002	3904	2907	1747	2313
80-84	2672	4930	2427	*	1137	2776	2150	2480	1880	3828	2246	2973	2943	1387	2147
85 plus	1741	3470	2661	4963	517	1682	*	*	1110	2548	1690	2623	2008	672	1325
All Age	976	1994	701	1334	894	2135	1041	1222	934	2068	876	1277	1093	1063	1078
Age Adj	990	2414	866	1716	859	2300	1125	1484	914	2338	991	1583	1143	1034	1078

(Continued)

Includes residents of 50 states and District of Columbia only.
 Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.
 Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.
 Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.
 Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.
 The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.
 * Values for cells with fewer than 10 patients are suppressed.

Table B.13 (Continued)
December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy By Primary Disease Causing ESRD
Specific Rates By Sex, By Race, By Age And Rates Adjusted For Age, Race, And Sex
1993-1996

Unknown Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	16	16	0	0	*	*	0	0	11	*	0	0	15	*	10
5-9	34	27	*	0	30	*	*	*	32	17	*	*	32	26	29
10-14	63	97	*	*	55	56	*	*	59	76	*	*	65	54	60
15-19	116	225	86	289	95	143	149	*	105	182	120	219	130	103	116
20-24	245	488	164	567	209	371	233	439	226	428	200	501	276	232	253
25-29	380	948	411	418	270	496	275	450	324	718	342	432	454	300	375
30-34	437	1035	661	1199	372	598	450	885	404	812	554	1038	527	408	465
35-39	502	1659	889	795	362	744	310	443	430	1191	591	613	664	409	532
40-44	570	2037	716	1218	402	1050	745	653	484	1532	730	925	766	498	628
45-49	557	2866	960	1390	412	1300	927	698	482	2059	947	1030	869	543	700
50-54	656	2561	1331	1882	488	1600	1099	1380	570	2067	1200	1622	930	658	789
55-59	742	3077	1499	1521	554	2182	954	2168	645	2622	1218	1851	1070	787	924
60-64	928	3413	1987	2307	643	2891	1540	2104	782	3146	1752	2207	1291	971	1127
65-69	1068	3847	2301	4789	803	3122	1744	2544	933	3479	2012	3650	1496	1145	1316
70-74	1405	3917	2070	2728	776	3322	2596	3753	1084	3611	2342	3240	1757	1188	1467
75-79	1664	3617	3503	5028	823	2980	2829	1675	1233	3290	3097	3337	2001	1173	1579
80-84	1703	3495	3468	*	818	2621	3398	2977	1249	3047	3423	3047	2002	1156	1570
85 plus	1239	2169	1900	*	446	2077	1254	*	830	2119	1545	*	1382	683	1026
All Age	486	1213	638	822	360	880	566	658	421	1038	601	739	583	437	508
Age Adj	498	1557	836	1177	338	1021	687	859	409	1279	756	1005	622	417	509

Missing Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	10	*	*	0	*	16	0	0	10	15	*	0	11	*	10
5-9	16	24	*	0	10	*	0	0	13	15	*	0	16	*	13
10-14	22	51	0	*	24	29	0	0	23	40	0	*	25	24	24
15-19	44	94	0	*	35	93	*	0	39	93	*	*	48	42	45
20-24	74	190	*	0	55	103	*	0	64	146	38	0	87	60	73
25-29	118	244	*	*	98	194	*	*	108	218	*	152	131	108	119
30-34	151	332	77	*	164	213	55	*	158	272	66	187	172	166	169
35-39	242	549	87	*	213	269	74	*	227	406	80	153	274	215	244
40-44	328	701	224	395	228	440	86	*	277	569	153	210	372	248	308
45-49	359	1128	95	408	242	492	*	*	299	804	74	267	447	266	354
50-54	362	1416	*	*	264	658	140	0	312	1032	114	*	484	307	393
55-59	404	1608	*	1014	276	1261	166	788	339	1441	140	911	552	403	475
60-64	356	2261	220	*	306	1691	238	809	330	1971	224	685	592	482	535
65-69	427	2296	379	0	346	2309	254	1664	385	2315	317	857	659	602	630
70-74	340	1958	414	*	251	1619	242	*	295	1792	333	*	552	425	487
75-79	322	1444	*	0	232	1533	*	*	280	1510	320	*	469	408	438
80-84	299	1273	0	0	169	1096	832	*	237	1189	453	*	416	319	366
85 plus	218	805	*	0	98	433	*	0	161	623	*	0	299	153	224
All Age	196	528	80	151	157	422	74	162	176	472	77	157	232	188	210
Age Adj	197	700	101	194	151	498	97	228	172	595	101	217	244	182	211

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.14
Standard Errors For Adjusted December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy By Primary Disease Causing ESRD
By Sex, By Race, By Age Adjusted For Age, Race, And Sex
1993-1996

Diabetes

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	1.1	*	*	*	1.3	*	*	*	0.8	*	*	*	1.0	1.2	0.8
5-9	*	0.0	0.0	0.0	*	*	*	0.0	*	*	*	0.0	*	*	0.4
10-14	*	0.0	0.0	0.0	*	*	0.0	0.0	*	*	0.0	0.0	*	*	*
15-19	1.3	5.7	*	0.0	1.6	6.4	*	0.0	1.0	4.3	*	0.0	1.3	1.6	1.0
20-24	4.7	19.4	*	*	5.5	25.6	*	86.8	3.6	16.2	*	51.0	4.6	5.7	3.7
25-29	12.9	44.1	30.7	82.6	13.8	48.5	29.7	159.1	9.4	32.9	21.4	90.9	12.1	13.0	8.9
30-34	21.1	62.2	57.1	208.1	19.5	56.6	53.9	245.9	14.3	41.9	39.3	161.9	19.4	17.9	13.1
35-39	25.5	76.2	83.6	324.0	21.6	67.4	71.1	319.5	16.7	50.6	54.6	227.3	23.6	20.2	15.5
40-44	30.1	115.8	113.0	530.9	24.6	92.0	78.5	432.3	19.3	73.4	68.1	339.3	29.5	23.9	18.8
45-49	35.5	186.1	167.8	904.2	28.5	153.6	129.7	751.1	22.6	119.8	104.9	581.6	38.8	31.4	24.8
50-54	44.6	286.6	286.2	1330.2	36.3	252.9	200.1	1200.3	28.5	190.1	172.7	891.8	53.8	45.5	35.1
55-59	54.8	392.9	390.1	1836.8	48.1	350.1	325.4	1779.0	36.3	261.8	251.2	1273.0	70.3	62.4	46.8
60-64	63.6	463.9	543.8	2249.9	58.5	435.9	411.9	2365.8	43.2	317.7	337.4	1632.1	83.4	77.5	56.8
65-69	68.4	468.6	681.8	2527.1	62.4	489.4	551.6	2801.2	46.2	338.6	435.2	1886.2	88.1	86.3	61.7
70-74	72.0	543.7	793.8	2283.9	62.6	549.9	711.9	2958.2	47.5	386.3	529.8	1871.7	97.2	93.8	67.5
75-79	74.5	566.2	969.3	2511.3	57.1	530.7	868.6	2792.8	46.5	385.9	642.0	1870.7	102.4	90.6	68.2
80-84	78.2	622.4	1117.0	2601.3	50.8	501.2	1012.2	2542.1	45.9	397.2	741.2	1819.0	111.2	86.8	70.0
85 plus	64.0	463.8	1037.2	*	29.6	288.7	770.7	1327.3	34.5	268.3	626.4	843.2	87.0	52.4	50.0
Age Adj	7.4	46.1	60.8	213.5	6.3	42.9	50.8	224.9	4.8	31.4	39.3	157.4	8.0	7.0	5.2

Hypertension

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	1.0	5.8	0.0	*	*	*	0.0	*	0.7	3.8	0.0	*	1.1	1.0	0.7
5-9	1.3	*	0.0	0.0	1.5	*	0.0	0.0	1.0	*	0.0	0.0	1.1	1.3	0.8
10-14	1.5	*	0.0	*	1.9	5.8	0.0	*	1.2	3.7	0.0	*	1.4	1.8	1.1
15-19	2.7	18.2	*	*	3.7	14.2	*	*	2.3	11.5	*	39.9	3.2	3.6	2.4
20-24	6.6	55.3	42.9	85.6	6.4	34.1	28.3	131.7	4.6	32.2	25.5	79.5	9.0	7.0	5.6
25-29	10.0	87.6	57.9	138.2	7.9	52.5	36.2	137.8	6.3	50.6	33.8	97.2	14.0	9.5	8.3
30-34	11.7	107.7	72.4	184.6	8.8	67.3	60.1	100.4	7.3	62.9	46.9	103.8	17.0	11.4	10.1
35-39	13.0	145.1	96.3	239.4	9.7	88.0	74.9	187.9	8.0	83.9	60.7	150.8	21.6	14.0	12.6
40-44	16.3	205.8	119.2	330.9	11.7	119.8	95.6	248.9	9.9	117.8	76.1	204.2	29.7	18.4	17.1
45-49	20.7	284.0	145.8	512.3	15.3	166.9	125.0	307.8	12.8	163.0	95.3	294.2	40.3	25.1	23.2
50-54	28.5	375.0	212.9	593.8	21.6	229.6	186.0	460.2	17.7	217.4	140.5	370.7	53.5	34.9	31.4
55-59	37.7	441.2	294.8	679.5	27.9	291.6	229.0	598.6	23.3	262.0	184.9	449.9	64.9	44.5	38.7
60-64	48.6	496.5	374.9	981.3	35.1	354.9	280.4	724.1	29.8	303.0	231.4	605.6	76.1	54.7	46.3
65-69	62.0	514.5	512.6	1214.0	42.0	407.1	381.5	949.0	37.2	326.3	317.5	765.0	85.4	64.1	52.9
70-74	80.4	638.8	714.4	1560.7	50.6	508.6	500.7	1258.2	47.0	406.2	431.6	995.5	108.5	79.4	66.6
75-79	106.9	745.7	1045.7	1709.9	61.5	565.3	781.7	1553.3	60.9	464.8	648.4	1142.3	135.2	93.0	81.2
80-84	145.4	1003.4	1476.5	2065.4	71.5	658.4	1141.8	1905.6	79.8	594.6	922.1	1393.7	183.3	111.1	105.6
85 plus	150.9	890.6	1466.9	2328.2	55.1	513.3	939.6	1454.0	78.8	506.7	865.9	1385.1	177.2	86.8	96.9
Age Adj	6.7	60.3	59.1	121.7	4.2	41.3	44.0	96.4	3.7	35.6	35.6	76.5	8.4	5.5	4.8

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.14 (Continued)
Standard Errors For Adjusted December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy By Primary Disease Causing ESRD
By Sex, By Race, By Age Adjusted For Age, Race, And Sex
1993-1996

Glomeruloneph.

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	2.5	*	*	0.0	2.8	*	*	*	1.9	3.2	*	*	2.2	2.4	1.6
5-9	5.0	12.2	*	72.4	4.9	11.2	25.5	*	3.5	8.3	14.9	43.6	4.5	4.4	3.1
10-14	7.4	21.8	34.5	*	7.5	19.3	46.2	*	5.2	14.5	28.9	43.1	6.8	6.9	4.8
15-19	10.7	43.9	59.1	132.2	11.3	36.7	57.9	182.8	7.8	28.5	41.4	113.9	10.7	10.8	7.6
20-24	16.3	74.5	90.2	194.8	15.7	61.2	91.6	196.1	11.3	48.1	64.3	138.2	16.8	15.6	11.4
25-29	20.8	95.2	116.9	242.2	18.5	71.2	87.6	235.4	13.9	59.1	72.5	167.9	21.5	18.1	14.0
30-34	22.5	97.3	132.3	267.8	18.2	74.3	100.1	262.9	14.4	60.9	82.3	187.9	23.0	18.3	14.6
35-39	24.3	111.8	150.2	366.1	18.6	79.0	136.4	307.2	15.2	67.9	101.1	237.6	25.3	19.2	15.8
40-44	27.5	140.8	187.2	422.9	20.8	92.9	151.1	298.5	17.1	83.6	119.4	256.3	29.9	21.6	18.3
45-49	30.9	171.5	214.4	490.7	23.1	111.4	175.2	404.9	19.2	101.1	137.6	315.9	34.6	24.8	21.1
50-54	36.9	191.6	268.9	655.2	26.9	127.1	210.3	553.1	22.7	113.7	169.9	427.4	40.5	28.8	24.6
55-59	42.5	207.6	320.5	816.3	30.1	142.1	244.8	553.6	25.8	124.6	200.1	489.0	45.8	32.3	27.8
60-64	46.4	217.3	334.6	783.3	32.1	152.6	236.5	611.2	28.0	131.7	202.9	492.4	49.2	34.3	29.7
65-69	48.2	206.7	400.6	977.3	32.2	152.4	280.8	685.1	28.8	127.5	242.4	592.5	50.6	34.9	30.4
70-74	53.4	247.0	535.8	946.6	33.2	177.1	330.9	736.4	31.1	150.8	311.2	595.7	58.0	37.9	34.3
75-79	61.3	258.5	639.3	1606.2	35.1	184.4	486.6	870.3	34.9	157.4	396.4	895.4	65.9	41.8	38.6
80-84	76.9	319.9	789.9	1581.4	36.6	186.1	600.6	928.2	41.9	182.9	488.8	920.6	81.6	44.7	45.9
85 plus	73.0	251.7	770.8	*	25.7	163.2	390.5	*	37.8	148.2	419.4	*	73.7	32.8	39.7
Age Adj	6.5	30.8	49.7	111.3	4.7	21.5	37.6	83.9	3.9	18.5	30.4	68.0	6.7	4.8	4.0

Cystic Kidney

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	2.4	*	0.0	*	2.4	*	*	*	1.7	*	*	*	2.0	2.1	1.4
5-9	3.2	8.0	*	*	2.9	5.3	*	*	2.1	4.7	*	*	2.9	2.5	1.9
10-14	3.6	5.4	*	*	3.5	8.6	21.7	0.0	2.5	5.1	11.7	*	3.1	3.2	2.2
15-19	3.9	6.7	*	*	4.4	9.1	28.9	0.0	2.9	5.7	16.8	*	3.4	3.9	2.6
20-24	4.8	8.8	21.0	*	5.4	9.1	*	0.0	3.6	6.3	13.4	*	4.2	4.6	3.1
25-29	5.2	10.5	21.2	*	5.2	8.2	*	*	3.7	6.6	12.4	*	4.6	4.5	3.2
30-34	5.4	15.4	*	*	5.6	14.6	19.2	84.8	3.9	10.6	11.0	57.0	4.9	5.1	3.5
35-39	8.1	20.5	27.1	94.2	7.0	20.1	19.9	91.8	5.3	14.3	16.6	65.7	7.3	6.4	4.8
40-44	12.8	33.2	53.0	161.3	9.8	32.7	43.9	116.4	8.0	23.2	34.5	98.8	11.7	9.3	7.4
45-49	19.1	57.3	81.6	220.2	16.1	49.0	59.8	164.5	12.4	37.6	49.9	137.3	17.7	15.0	11.5
50-54	26.5	84.6	117.6	354.6	23.2	76.8	84.1	275.3	17.5	56.9	72.2	222.5	24.9	21.9	16.5
55-59	30.9	99.3	150.6	240.2	28.3	79.8	117.4	405.0	20.9	63.3	94.7	237.2	29.1	26.1	19.5
60-64	31.4	107.1	160.5	432.9	29.7	92.7	122.9	362.0	21.6	70.6	100.2	280.7	30.1	27.8	20.4
65-69	29.0	102.0	184.1	*	27.2	78.0	143.0	379.0	19.8	63.9	116.2	258.9	28.2	25.3	18.9
70-74	28.1	105.9	218.3	*	24.0	87.1	147.5	*	18.4	68.2	131.7	*	28.1	23.4	18.2
75-79	25.4	120.6	272.6	*	20.5	82.8	183.3	*	16.2	72.6	161.0	381.6	28.2	21.3	17.5
80-84	30.5	132.9	*	0.0	17.3	63.0	*	0.0	17.4	72.4	134.1	0.0	31.1	17.7	17.7
85 plus	27.5	138.5	*	0.0	8.8	67.4	*	0.0	14.1	75.7	*	0.0	29.3	12.3	15.5
Age Adj	3.4	11.2	18.4	42.3	3.0	9.3	14.1	38.1	2.2	7.1	11.4	28.3	3.2	2.8	2.1

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.14 (Continued)
Standard Errors For Adjusted December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy By Primary Disease Causing ESRD
By Sex, By Race, By Age Adjusted For Age, Race, And Sex
1993-1996

Other Urologic

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	3.0	9.3	*	0.0	1.2	0.0	0.0	0.0	1.6	4.6	*	0.0	2.8	1.0	1.4
5-9	3.7	10.0	*	0.0	1.6	*	0.0	0.0	2.0	5.1	*	0.0	3.4	1.4	1.8
10-14	5.1	13.1	23.9	*	3.4	*	*	*	3.0	6.9	12.8	34.9	4.6	2.9	2.7
15-19	6.4	17.4	27.0	0.0	5.2	7.6	*	0.0	4.1	9.3	14.3	0.0	5.8	4.4	3.6
20-24	7.4	18.1	27.6	*	6.2	10.2	*	*	4.8	10.3	15.4	51.5	6.6	5.4	4.2
25-29	8.4	21.0	22.9	101.1	6.3	12.9	21.4	88.9	5.2	12.2	15.9	67.4	7.5	5.6	4.6
30-34	7.0	20.9	32.0	84.2	5.9	9.6	17.5	92.9	4.6	11.3	17.9	62.8	6.5	5.2	4.1
35-39	6.6	20.0	24.0	89.8	6.3	12.8	25.7	87.6	4.5	11.8	17.6	62.3	6.1	5.5	4.1
40-44	7.4	23.1	28.1	*	6.0	17.7	26.3	*	4.7	14.4	19.0	*	6.9	5.5	4.4
45-49	7.5	29.3	42.4	*	7.1	21.0	32.8	*	5.1	17.7	26.6	*	7.3	6.5	4.9
50-54	9.0	36.1	42.8	*	8.5	30.7	59.0	*	6.1	23.5	36.5	84.0	8.9	8.3	6.1
55-59	11.3	50.3	80.3	*	10.2	34.1	73.2	0.0	7.6	30.0	53.7	*	11.8	9.8	7.6
60-64	14.3	66.9	106.2	306.1	11.1	43.1	69.2	*	9.0	39.4	61.8	161.0	15.3	11.0	9.3
65-69	16.4	88.8	128.9	*	11.4	48.2	88.9	*	9.9	49.9	77.0	196.0	18.4	11.9	10.8
70-74	23.0	116.5	156.0	*	12.2	60.5	135.0	*	12.8	64.8	103.8	222.2	25.0	13.7	14.0
75-79	30.8	142.9	291.4	757.1	14.2	61.9	152.9	*	16.6	76.9	165.6	418.0	33.6	15.6	18.2
80-84	43.7	253.5	442.1	*	13.3	68.4	250.0	0.0	22.3	128.8	250.4	*	51.2	16.7	26.2
85 plus	44.1	242.0	*	*	8.7	54.0	*	0.0	21.9	121.2	*	*	50.1	11.0	24.9
Age Adj	2.3	10.2	15.8	42.4	1.6	5.1	10.7	21.8	1.3	5.2	9.0	21.0	2.2	1.5	1.3

Other Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	6.3	15.1	*	*	4.1	10.7	*	*	3.7	9.2	9.4	*	5.6	3.7	3.3
5-9	8.3	21.3	*	*	5.6	14.3	27.4	*	5.0	12.7	17.2	39.9	7.5	5.1	4.5
10-14	10.6	28.1	45.5	70.2	8.4	18.1	28.4	*	6.7	16.5	26.6	44.8	9.6	7.4	6.0
15-19	13.1	32.1	59.5	138.6	11.6	31.8	57.9	136.3	8.7	22.5	41.4	97.4	11.8	10.7	7.9
20-24	15.6	43.1	59.1	175.0	15.1	50.3	71.7	140.0	10.8	33.3	46.7	111.9	14.3	14.3	10.1
25-29	17.3	59.9	65.9	175.2	16.5	64.7	68.5	173.4	11.9	44.2	47.6	123.2	16.4	16.2	11.5
30-34	17.1	67.7	59.8	192.1	16.9	72.4	75.2	213.0	12.0	49.6	48.2	144.0	16.8	17.0	11.9
35-39	16.5	77.1	63.0	250.9	16.8	79.0	86.6	193.9	11.8	55.1	53.9	156.9	17.1	17.5	12.2
40-44	17.5	92.5	81.6	228.1	17.6	84.2	93.8	245.0	12.4	62.1	62.3	166.4	18.9	18.4	13.2
45-49	18.5	106.8	85.2	280.3	19.5	92.9	115.8	287.6	13.4	70.0	72.3	197.9	20.7	20.5	14.5
50-54	22.3	122.8	98.0	371.4	23.3	109.5	155.0	319.3	16.1	81.9	91.9	243.8	24.5	24.5	17.3
55-59	26.6	140.8	148.2	546.8	26.8	114.9	149.0	377.4	18.8	90.3	105.2	328.3	29.2	27.2	19.9
60-64	31.0	156.1	181.7	513.9	29.2	132.2	175.3	478.9	21.3	101.9	125.7	350.0	33.3	30.4	22.5
65-69	35.2	158.6	231.7	691.1	30.3	132.3	199.0	649.2	23.2	102.9	151.7	472.5	36.8	31.5	24.1
70-74	40.8	214.9	268.4	677.9	30.7	147.6	246.2	716.2	25.4	129.3	182.4	491.0	44.8	33.3	27.7
75-79	51.1	247.5	412.1	1043.7	32.3	154.3	322.2	749.0	29.8	144.1	261.2	632.7	55.2	35.6	32.5
80-84	67.4	337.8	458.7	*	33.1	181.9	386.1	784.5	36.9	189.5	294.7	697.9	72.7	38.8	40.5
85 plus	68.5	327.9	580.7	1569.7	23.2	146.4	*	*	35.4	176.5	312.1	778.3	74.2	28.5	38.9
Age Adj	4.8	22.5	26.4	76.4	4.3	19.0	26.0	65.2	3.2	14.4	18.3	49.1	4.8	4.3	3.2

(Continued)

Includes residents of 50 states and District of Columbia only.
 Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.
 Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.
 Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.
 Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.
 The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.
 * Values for cells with fewer than 10 patients are suppressed.

Table B.14 (Continued)
Standard Errors For Adjusted December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy By Primary Disease Causing ESRD
By Sex, By Race, By Age Adjusted For Age, Race, And Sex
1993-1996

Unknown Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	2.2	5.1	0.0	0.0	1.4	*	0.0	0.0	1.3	2.6	0.0	0.0	1.9	1.2	1.1
5-9	3.3	6.7	*	0.0	3.1	*	*	*	2.3	3.7	*	*	2.9	2.7	1.9
10-14	4.5	12.9	*	*	4.3	9.9	*	*	3.1	8.1	*	*	4.1	3.8	2.8
15-19	6.2	19.8	25.0	83.6	5.8	16.0	33.4	*	4.2	12.6	21.3	51.8	5.8	5.4	3.9
20-24	9.1	30.6	32.3	121.0	8.6	26.3	38.9	109.8	6.2	20.1	25.4	81.5	8.6	8.0	5.9
25-29	11.0	43.5	50.3	104.5	9.4	30.1	39.6	112.5	7.2	26.3	31.9	76.6	10.8	8.8	6.9
30-34	11.0	44.2	62.7	178.7	10.2	31.6	50.0	154.1	7.5	27.0	40.0	117.6	11.0	9.6	7.3
35-39	11.6	56.3	74.3	150.3	9.9	35.5	42.2	110.8	7.6	33.0	42.1	92.4	12.3	9.5	7.7
40-44	12.9	67.6	70.9	200.2	10.8	45.2	68.0	142.6	8.4	40.3	49.1	121.5	14.0	11.0	8.8
45-49	13.7	91.6	91.1	238.4	11.7	56.5	83.6	164.5	8.9	53.3	62.2	143.0	16.6	12.4	10.3
50-54	16.9	101.8	125.7	322.9	14.3	72.6	108.8	265.7	11.0	62.0	82.3	207.9	19.7	15.6	12.5
55-59	19.9	124.2	152.2	331.9	16.7	92.4	114.9	377.4	12.9	77.0	94.8	252.1	23.6	18.8	15.0
60-64	23.6	141.5	199.7	461.5	18.7	113.1	156.3	412.8	15.0	90.2	125.8	309.5	27.7	22.1	17.6
65-69	25.8	156.6	241.2	747.9	20.5	121.8	177.9	499.1	16.4	98.7	148.8	446.9	31.1	24.2	19.5
70-74	32.0	186.3	256.8	643.1	20.9	141.1	250.9	674.1	18.9	116.1	180.1	464.7	37.0	27.1	22.7
75-79	40.9	215.0	424.8	1097.2	23.9	153.1	328.9	529.6	23.4	131.0	262.6	606.2	46.9	30.4	27.6
80-84	53.8	284.4	548.3	*	28.1	176.7	485.5	859.4	29.9	165.8	365.6	697.7	61.3	37.4	35.4
85 plus	57.8	259.2	490.8	*	21.6	162.7	335.2	*	30.2	151.5	293.6	*	61.2	29.8	33.5
Age Adj	3.4	18.5	26.5	66.6	2.6	13.1	21.8	51.4	2.1	11.1	16.9	40.9	3.6	2.7	2.2

Missing Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-4	1.8	*	*	0.0	1.7	5.3	0.0	0.0	1.2	3.5	*	0.0	1.6	1.6	1.1
5-9	2.2	6.3	*	0.0	1.9	*	0.0	0.0	1.4	3.5	*	0.0	2.0	1.6	1.3
10-14	2.7	9.3	0.0	*	2.9	7.2	0.0	0.0	1.9	5.8	0.0	*	2.5	2.5	1.8
15-19	3.8	12.8	0.0	*	3.5	12.9	*	0.0	2.6	9.0	*	*	3.5	3.4	2.4
20-24	4.9	19.1	*	0.0	4.4	13.9	*	0.0	3.3	11.7	11.0	0.0	4.8	4.1	3.1
25-29	6.1	22.1	*	*	5.6	18.8	*	*	4.1	14.4	*	45.9	5.8	5.3	3.9
30-34	6.4	25.0	21.4	*	6.8	18.9	17.5	*	4.7	15.6	13.7	50.0	6.3	6.1	4.4
35-39	8.0	32.4	23.2	*	7.6	21.3	20.7	*	5.5	19.2	15.4	46.3	7.9	6.9	5.2
40-44	9.8	39.7	39.7	114.0	8.2	29.3	23.2	*	6.3	24.6	22.7	58.4	9.7	7.7	6.2
45-49	11.0	57.5	28.7	129.3	8.9	34.8	*	*	7.0	33.4	17.0	74.2	11.7	8.7	7.2
50-54	12.5	75.7	*	*	10.5	46.5	38.8	0.0	8.1	44.1	25.1	*	14.2	10.6	8.8
55-59	14.7	89.8	*	271.0	11.8	70.3	47.9	227.6	9.4	57.1	32.3	178.7	16.9	13.5	10.7
60-64	14.6	115.2	66.5	*	12.9	86.5	61.4	256.0	9.7	71.7	44.0	171.6	19.1	15.6	12.2
65-69	16.3	121.0	97.9	0.0	13.5	104.7	67.9	403.5	10.5	80.2	59.6	208.0	20.7	17.8	13.6
70-74	15.7	131.7	114.8	*	11.9	98.5	76.7	*	9.8	82.1	69.8	*	21.8	16.2	13.4
75-79	18.0	135.8	*	0.0	12.7	109.8	*	*	11.1	88.2	86.6	*	23.6	18.3	14.8
80-84	22.6	171.6	0.0	0.0	12.7	114.3	240.2	*	13.1	102.8	131.2	*	29.0	20.6	17.6
85 plus	24.2	158.0	*	0.0	10.1	74.3	*	0.0	13.3	87.2	*	0.0	29.8	14.7	16.3
Age Adj	2.1	12.6	9.0	24.5	1.8	9.2	8.7	27.3	1.3	7.6	6.5	19.0	2.2	1.8	1.4

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.15
 December 31 Point Prevalence Counts
 of Reported ESRD Therapy
 By State
 After Dropping Territories and Unknown States

State	Year									
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
Alabama	1,740	2,010	3,213	3,477	3,799	4,169	4,492	4,897	5,349	5,861
Alaska	108	128	150	165	195	229	248	416	673	560
Arizona	1,711	1,876	2,142	2,394	2,684	3,036	3,301	3,645	4,069	4,351
Arkansas	1,095	1,226	1,310	1,451	1,627	1,760	1,943	2,212	2,487	2,655
California	13,909	15,071	16,859	18,693	20,657	22,316	23,763	26,190	28,379	30,190
Colorado	1,192	1,249	1,439	1,597	1,760	1,984	2,152	2,370	2,513	2,695
Connecticut	1,696	1,775	1,947	2,137	2,363	2,563	2,717	2,915	3,161	3,382
Delaware	380	436	466	526	585	673	720	765	849	920
District of Columbia	799	811	916	1,005	1,111	1,218	1,336	1,353	1,425	1,524
Florida	6,627	7,362	8,204	9,211	10,241	11,357	12,288	13,274	14,551	15,851
Georgia	3,728	4,159	4,699	5,225	5,895	6,607	7,232	8,079	8,922	9,653
Hawaii	667	745	827	889	978	1,054	1,182	1,332	1,428	1,489
Idaho	335	363	414	481	519	549	606	673	722	780
Illinois	6,279	6,705	7,263	8,051	8,935	9,785	10,677	11,623	12,610	13,395
Indiana	2,610	2,901	3,194	3,510	3,814	4,235	4,611	4,872	5,367	5,786
Iowa	1,224	1,311	1,456	1,612	1,737	1,942	2,075	2,232	2,324	2,462
Kansas	1,004	1,089	1,230	1,402	1,538	1,666	1,750	1,919	2,058	2,174
Kentucky	1,600	1,771	1,937	2,125	2,383	2,670	2,889	2,952	3,321	3,525
Louisiana	2,638	2,954	3,274	3,610	3,981	4,387	4,752	5,183	5,700	6,112
Maine	355	478	518	574	608	667	729	812	906	963
Maryland	2,516	2,812	3,165	3,613	4,065	4,489	4,886	5,266	5,857	6,560
Massachusetts	2,741	3,005	3,258	3,527	3,852	4,241	4,608	4,933	5,314	5,584
Michigan	4,463	4,909	5,567	6,184	6,756	7,535	8,246	9,082	9,878	10,779
Minnesota	1,943	2,094	2,296	2,559	2,781	3,012	3,222	3,507	3,803	4,064
Mississippi	1,638	1,837	2,041	2,239	2,469	2,729	3,008	3,376	3,671	3,966
Missouri	2,533	2,784	3,156	3,502	3,841	4,169	4,559	4,923	5,391	5,788
Montana	308	321	382	425	468	504	541	587	661	684
Nebraska	627	684	779	862	939	1,078	1,144	1,262	1,390	1,437
Nevada	473	517	578	631	725	809	882	1,012	1,133	1,260
New Hampshire	369	409	479	522	569	598	629	683	734	757
New Jersey	4,485	4,756	5,185	5,751	6,377	6,948	7,379	8,078	8,673	9,214
New Mexico	676	802	890	998	1,136	1,250	1,335	1,468	1,668	1,822
New York	10,071	10,661	11,604	12,575	13,790	15,062	16,231	17,543	18,780	19,847
North Carolina	3,636	4,002	4,470	5,050	5,608	6,309	7,005	7,797	8,528	9,221
North Dakota	248	263	328	368	406	458	500	542	550	560
Ohio	5,269	5,870	6,544	7,198	7,812	8,541	9,183	9,858	10,906	11,782
Oklahoma	1,207	1,392	1,580	1,773	1,930	2,148	2,373	2,626	2,909	3,091
Oregon	1,126	1,252	1,413	1,562	1,756	1,862	2,003	2,196	2,337	2,498
Pennsylvania	6,672	7,262	7,982	8,829	9,595	10,370	10,956	11,919	13,073	13,795
Rhode Island	472	521	592	634	693	736	795	875	926	980
South Carolina	2,220	2,475	2,782	3,112	3,413	3,755	4,071	4,540	5,012	5,407
South Dakota	320	351	372	404	435	455	507	555	638	697
Tennessee	2,493	2,721	3,163	3,456	3,847	4,252	4,530	5,089	5,586	5,985
Texas	8,436	9,406	10,553	11,851	13,244	14,801	16,190	17,905	19,421	21,085
Utah	591	680	740	776	857	913	1,044	1,140	1,251	1,291
Vermont	196	220	236	249	288	304	318	344	398	424
Virginia	3,289	3,678	4,033	4,418	4,956	5,500	5,991	6,353	7,005	7,722
Washington	1,887	2,074	2,330	2,566	2,811	2,997	3,258	3,609	3,922	4,194
West Virginia	822	918	1,000	1,070	1,180	1,267	1,375	1,466	1,591	1,707
Wisconsin	2,184	2,482	2,799	3,032	3,377	3,755	4,024	4,405	4,759	5,073
Wyoming	129	162	180	189	205	204	224	245	274	294
	123,737	135,740	151,935	168,060	185,591	203,918	220,480	240,898	262,853	281,896

Includes residents of 50 states and District of Columbia only.
 Patients alive on ESRD therapy and not lost to followup on December 31, 1995. Includes Medicare patients only.
 Rates per million based on the December 31, 1995 U.S. resident population by state for five-year age groups, sex, and White/non-White race groups.

Table B.16
 December 31 Point Prevalence Rates Per Million Population
 Of Reported ESRD Therapy
 By State
 Adjusted By Age, Race and Sex

State	Year									
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
Alabama	459.13	528.80	833.81	887.77	954.10	1028.87	1090.81	1173.54	1265.11	1367.31
Alaska	231.48	259.14	309.35	322.94	367.69	415.85	439.23	716.11	1138.82	919.18
Arizona	526.01	560.66	624.48	680.23	744.81	814.19	851.29	888.70	941.64	969.13
Arkansas	478.50	535.16	568.19	623.44	691.65	735.64	800.58	898.55	997.53	1052.61
California	512.31	541.40	592.14	644.84	698.85	740.66	777.85	845.60	901.88	942.42
Colorado	396.93	412.01	466.31	501.28	537.80	582.35	609.03	648.77	668.89	698.14
Connecticut	564.58	579.11	629.90	683.16	750.11	806.70	848.78	904.77	973.41	1032.36
Delaware	659.16	729.26	767.46	843.30	918.29	1031.24	1069.25	1111.49	1196.38	1262.45
District of Columbia	1349.46	1380.90	1570.43	1755.74	1945.87	2151.66	2380.63	2454.92	2622.58	2835.06
Florida	574.09	621.15	673.41	736.23	797.93	863.64	912.45	959.85	1026.83	1092.58
Georgia	639.24	700.95	776.56	839.76	921.22	1000.61	1062.25	1151.93	1237.27	1299.98
Hawaii	699.77	759.00	815.11	852.72	897.94	944.17	1038.60	1153.85	1220.68	1255.50
Idaho	353.33	377.01	421.00	474.26	493.36	505.71	544.43	586.78	612.98	649.56
Illinois	577.69	610.62	655.04	718.77	788.05	853.27	920.88	994.51	1070.65	1128.04
Indiana	501.75	549.90	600.08	649.45	693.34	758.25	815.92	852.00	926.84	986.98
Iowa	471.78	500.60	549.86	600.29	637.05	706.21	745.38	794.81	820.65	862.00
Kansas	431.33	463.75	517.47	581.45	630.33	673.75	700.19	759.38	805.74	843.81
Kentucky	459.78	503.92	548.75	595.42	657.02	724.79	772.90	778.22	863.55	904.51
Louisiana	672.74	753.03	831.18	906.99	982.26	1062.59	1134.59	1220.46	1324.78	1402.85
Maine	314.29	411.08	442.53	486.36	511.31	556.30	602.88	665.70	735.05	773.07
Maryland	602.66	656.20	721.64	806.77	888.55	960.22	1021.26	1077.11	1173.52	1289.32
Massachusetts	490.25	534.09	574.59	619.25	670.10	731.52	784.81	830.12	882.76	914.96
Michigan	513.14	557.67	626.71	685.61	741.92	817.90	885.04	965.36	1038.50	1120.18
Minnesota	485.18	515.57	555.97	609.28	650.67	690.62	724.85	775.16	826.75	868.50
Mississippi	682.21	757.18	834.25	906.57	979.11	1067.03	1155.14	1275.79	1365.99	1454.84
Missouri	520.51	565.50	635.83	698.17	756.03	812.24	877.04	936.09	1013.46	1076.16
Montana	406.67	417.80	488.97	541.86	579.76	614.29	646.43	685.85	759.20	773.86
Nebraska	420.41	457.53	514.93	563.04	605.09	684.81	719.60	781.75	849.65	866.43
Nevada	504.38	513.86	540.57	554.99	588.77	623.45	642.26	691.80	730.48	769.23
New Hampshire	364.51	395.36	458.47	493.31	530.76	550.15	570.92	607.41	639.25	647.23
New Jersey	618.28	649.49	702.76	772.93	845.92	911.36	955.56	1032.90	1096.03	1150.72
New Mexico	498.24	580.01	629.25	686.92	754.96	804.59	836.25	894.94	991.82	1056.12
New York	598.10	627.11	676.98	726.66	791.31	857.23	915.90	981.88	1042.48	1091.58
North Carolina	592.30	639.91	701.59	777.16	846.65	934.47	1014.50	1104.23	1181.09	1248.93
North Dakota	405.33	426.94	547.20	609.22	674.31	740.64	809.34	866.07	861.98	868.82
Ohio	518.49	570.57	632.13	686.71	735.68	793.22	843.99	897.89	984.38	1052.70
Oklahoma	404.36	464.68	524.04	581.36	624.23	682.20	743.52	812.47	889.18	932.73
Oregon	426.74	466.91	513.37	555.41	607.05	628.78	658.99	707.87	738.72	773.09
Pennsylvania	586.37	634.38	694.72	760.80	819.52	878.23	922.11	998.37	1089.48	1144.43
Rhode Island	493.14	544.11	612.63	651.63	713.80	759.70	817.06	895.93	943.46	990.41
South Carolina	707.55	775.02	855.00	935.73	1005.00	1083.92	1154.54	1267.00	1375.02	1455.60
South Dakota	477.35	520.05	548.41	587.80	631.26	652.10	714.51	774.47	881.23	949.78
Tennessee	545.70	589.12	678.12	726.51	793.18	860.64	898.18	989.07	1064.06	1117.41
Texas	546.11	601.05	660.75	725.69	787.45	854.53	909.17	977.43	1031.97	1092.96
Utah	367.94	418.94	448.40	457.05	491.54	509.86	563.94	597.89	636.26	638.61
Vermont	387.71	422.66	456.52	464.09	527.13	545.73	563.72	602.09	684.88	717.92
Virginia	591.35	649.64	698.19	750.23	821.25	888.13	945.29	981.68	1062.62	1151.58
Washington	433.39	460.71	503.47	539.76	572.46	593.04	628.17	677.61	719.32	752.21
West Virginia	471.72	525.26	575.23	612.61	667.00	708.27	765.10	811.09	876.85	934.83
Wisconsin	489.53	547.07	607.89	647.76	709.11	774.20	815.58	878.27	933.65	979.60
Wyoming	286.94	370.05	420.79	431.90	461.30	454.04	488.55	524.46	575.36	609.32

Includes residents of 50 states and District of Columbia only.
 Patients alive on ESRD therapy and not lost to followup on December 31, 1995. Includes Medicare patients only.
 Rates per million based on the December 31, 1995 U.S. resident population by state for five-year age groups, sex, and White/non-White race groups.

Table B.17
Standard Errors For Adjusted December 31 Point Prevalence Rates
Per Million Population Of Reported ESRD Therapy
By State
Adjusted By Age, Race and Sex

State	Year									
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
Alabama	11.18	11.95	14.86	15.18	15.56	15.98	16.28	16.75	17.26	17.81
Alaska	23.25	23.88	26.23	25.96	26.90	27.87	28.13	35.25	43.73	38.69
Arizona	12.90	13.10	13.62	14.01	14.45	14.82	14.84	14.72	14.74	14.67
Arkansas	14.68	15.48	15.86	16.50	17.24	17.58	18.18	19.09	19.97	20.39
California	4.44	4.49	4.62	4.76	4.89	4.98	5.05	5.23	5.35	5.42
Colorado	11.78	11.89	12.50	12.72	12.94	13.15	13.17	13.34	13.34	13.44
Connecticut	14.06	14.02	14.49	14.94	15.53	15.99	16.31	16.76	17.29	17.72
Delaware	34.43	35.45	35.98	37.14	38.22	39.89	39.89	40.15	40.97	41.50
District of Columbia	49.02	49.53	52.77	56.15	58.81	61.86	65.19	66.65	69.27	72.35
Florida	7.17	7.34	7.52	7.75	7.93	8.13	8.24	8.33	8.50	8.66
Georgia	10.69	11.05	11.48	11.73	12.07	12.34	12.50	12.80	13.07	13.19
Hawaii	28.27	28.91	29.38	29.54	29.18	29.33	30.31	31.63	32.27	32.48
Idaho	19.66	20.20	21.05	21.88	21.79	21.67	22.17	22.63	22.80	23.24
Illinois	7.40	7.54	7.76	8.07	8.37	8.65	8.92	9.22	9.52	9.73
Indiana	9.96	10.31	10.71	11.03	11.27	11.68	12.03	12.20	12.63	12.95
Iowa	13.77	14.05	14.59	15.10	15.38	16.08	16.39	16.83	17.01	17.35
Kansas	13.87	14.26	14.92	15.66	16.17	16.57	16.77	17.34	17.74	18.07
Kentucky	11.66	12.10	12.58	13.01	13.53	14.06	14.39	14.32	14.97	15.21
Louisiana	13.30	14.02	14.66	15.20	15.64	16.08	16.47	16.94	17.51	17.90
Maine	17.02	19.11	19.68	20.53	20.91	21.63	22.38	23.38	24.41	24.89
Maryland	12.23	12.55	12.98	13.54	14.02	14.37	14.62	14.83	15.30	15.88
Massachusetts	9.60	9.93	10.22	10.54	10.88	11.28	11.58	11.82	12.10	12.23
Michigan	7.81	8.07	8.49	8.79	9.08	9.45	9.76	10.13	10.43	10.77
Minnesota	11.27	11.49	11.79	12.19	12.44	12.64	12.80	13.10	13.40	13.61
Mississippi	17.19	17.94	18.71	19.36	19.83	20.50	21.09	21.94	22.49	23.04
Missouri	10.47	10.82	11.41	11.87	12.24	12.60	12.99	13.33	13.78	14.12
Montana	23.70	23.78	25.46	26.78	27.14	27.57	27.90	28.34	29.50	29.55
Nebraska	17.16	17.79	18.71	19.39	19.90	20.95	21.33	22.02	22.77	22.82
Nevada	23.81	23.08	22.92	22.49	22.08	22.04	21.69	21.76	21.69	21.65
New Hampshire	19.35	19.87	21.22	21.80	22.41	22.59	22.82	23.26	23.59	23.50
New Jersey	9.44	9.59	9.90	10.32	10.67	10.98	11.14	11.49	11.75	11.97
New Mexico	19.47	20.75	21.32	21.92	22.51	22.82	22.90	23.34	24.24	24.68
New York	6.07	6.16	6.35	6.53	6.77	7.01	7.20	7.41	7.60	7.74
North Carolina	9.96	10.22	10.58	11.00	11.35	11.79	12.12	12.49	12.76	12.97
North Dakota	26.46	26.79	30.61	32.16	34.20	34.75	36.50	37.42	36.72	36.65
Ohio	7.26	7.54	7.90	8.16	8.37	8.61	8.82	9.04	9.41	9.68
Oklahoma	11.79	12.58	13.29	13.90	14.27	14.75	15.27	15.85	16.47	16.75
Oregon	13.03	13.46	13.87	14.23	14.61	14.64	14.76	15.12	15.27	15.45
Pennsylvania	7.33	7.57	7.88	8.18	8.42	8.66	8.82	9.14	9.52	9.73
Rhode Island	23.33	24.37	25.64	26.26	27.37	28.17	29.06	30.30	30.97	31.59
South Carolina	15.25	15.77	16.37	16.90	17.28	17.73	18.10	18.78	19.37	19.72
South Dakota	27.20	28.24	28.82	29.65	30.56	30.74	31.79	32.88	34.83	35.88
Tennessee	11.12	11.45	12.19	12.46	12.86	13.24	13.36	13.86	14.21	14.41
Texas	6.08	6.31	6.52	6.73	6.89	7.05	7.15	7.30	7.40	7.51
Utah	15.39	16.28	16.66	16.55	16.90	16.94	17.49	17.71	17.98	17.76
Vermont	28.37	29.02	30.27	29.82	31.41	31.51	31.77	32.51	34.30	34.80
Virginia	10.50	10.87	11.12	11.38	11.73	12.01	12.22	12.31	12.67	13.07
Washington	10.22	10.31	10.59	10.78	10.88	10.88	11.03	11.29	11.48	11.60
West Virginia	16.80	17.61	18.43	18.95	19.57	19.98	20.68	21.19	21.97	22.60
Wisconsin	10.69	11.15	11.63	11.87	12.28	12.68	12.88	13.23	13.52	13.73
Wyoming	25.95	29.80	32.20	31.96	32.60	32.03	32.80	33.58	34.76	35.49

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31, 1995. Includes Medicare patients only.

Rates per million based on the December 31, 1995 U.S. resident population by state for five-year age groups, sex, and White/non-White race groups.

Table B.18
December 31 Point Prevalence Counts
of Reported ESRD Therapy
By Network
Before Dropping Territories and Unknown Networks

Network	Year									
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
(CT) Net. of New England	5,829	6,408	7,030	7,643	8,373	9,109	9,796	10,562	11,439	12,090
(NY) Net. of N.Y.	10,071	10,661	11,604	12,575	13,790	15,062	16,231	17,543	18,780	19,847
(NJ) Trans-Atlantic R. C.	5,999	6,401	7,056	7,828	8,626	9,445	10,040	11,004	11,775	12,561
(PA) ESRD Net. Org. #4	7,052	7,698	8,448	9,355	10,180	11,043	11,676	12,684	13,922	14,715
(VA) Mid Atlantic R. C.	7,426	8,219	9,114	10,106	11,312	12,474	13,588	14,438	15,878	17,513
(NC) Southeastern Kidney Council	9,584	10,636	11,951	13,387	14,916	16,671	18,308	20,416	22,462	24,281
(FL) ESRD Net. of Florida	6,627	7,362	8,204	9,211	10,241	11,357	12,288	13,274	14,551	15,851
(MS) Network 8	5,871	6,568	8,417	9,172	10,115	11,150	12,030	13,362	14,606	15,812
(IN) Tri-state R. N.	9,479	10,542	11,675	12,833	14,009	15,446	16,683	17,682	19,594	21,093
(IL) Renal Net. of Illinois	6,279	6,705	7,263	8,051	8,935	9,785	10,677	11,623	12,610	13,395
(MN) Renal Net. of upper midwest	9,158	10,099	11,362	12,547	13,755	15,215	16,499	18,091	19,628	21,173
(MD) ESRD net. #12	5,388	5,868	6,621	7,378	8,055	8,855	9,528	10,336	11,163	11,861
(OK) ESRD net. #13	4,940	5,572	6,164	6,834	7,538	8,295	9,068	10,021	11,096	11,858
(TX) Net. of Texas	8,436	9,406	10,553	11,851	13,244	14,801	16,190	17,905	19,421	21,085
(CO) Inter-mountain ESRD net.	4,772	5,286	5,969	6,585	7,367	8,196	8,938	9,880	10,908	11,713
(WA) Northwest Renal Net.	3,764	4,138	4,689	5,199	5,749	6,141	6,656	7,481	8,315	8,716
(N-CA) Trans-pacific ESRD Net.	5,954	6,573	7,363	8,193	9,092	9,844	10,694	11,807	12,617	13,477
(S-CA) Southern California Net.	8,669	9,301	10,397	11,483	12,654	13,664	14,400	15,880	17,391	18,438
Unknown Network	85	153	313	380	515	729	1,111	2,497	2,890	2,036
	125,383	137,596	154,193	170,611	188,466	207,282	224,401	246,486	269,046	287,515

Table B.19
December 31 Point Prevalence Counts
of Reported ESRD Therapy
By Network
After Dropping Territories and Unknown Networks

Network	Year									
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
(CT) Net. of New England	5,829	6,408	7,030	7,643	8,373	9,109	9,796	10,562	11,439	12,090
(NY) Net. of N.Y.	10,071	10,661	11,604	12,575	13,790	15,062	16,231	17,543	18,780	19,847
(NJ) Trans-Atlantic R. C.	4,485	4,756	5,185	5,751	6,377	6,948	7,379	8,078	8,673	9,214
(PA) ESRD Net. Org. #4	7,052	7,698	8,448	9,355	10,180	11,043	11,676	12,684	13,922	14,715
(VA) Mid Atlantic R. C.	7,426	8,219	9,114	10,106	11,312	12,474	13,588	14,438	15,878	17,513
(NC) Southeastern Kidney Council	9,584	10,636	11,951	13,387	14,916	16,671	18,308	20,416	22,462	24,281
(FL) ESRD Net. of Florida	6,627	7,362	8,204	9,211	10,241	11,357	12,288	13,274	14,551	15,851
(MS) Network 8	5,871	6,568	8,417	9,172	10,115	11,150	12,030	13,362	14,606	15,812
(IN) Tri-state R. N.	9,479	10,542	11,675	12,833	14,009	15,446	16,683	17,682	19,594	21,093
(IL) Renal Net. of Illinois	6,279	6,705	7,263	8,051	8,935	9,785	10,677	11,623	12,610	13,395
(MN) Renal Net. of upper midwest	9,158	10,099	11,362	12,547	13,755	15,215	16,499	18,091	19,628	21,173
(MD) ESRD net. #12	5,388	5,868	6,621	7,378	8,055	8,855	9,528	10,336	11,163	11,861
(OK) ESRD net. #13	4,940	5,572	6,164	6,834	7,538	8,295	9,068	10,021	11,096	11,858
(TX) Net. of Texas	8,436	9,406	10,553	11,851	13,244	14,801	16,190	17,905	19,421	21,085
(CO) Inter-mountain ESRD net.	4,772	5,286	5,969	6,585	7,367	8,196	8,938	9,880	10,908	11,713
(WA) Northwest Renal Net.	3,764	4,138	4,689	5,199	5,749	6,141	6,656	7,481	8,315	8,716
(N-CA) Trans-pacific ESRD Net.	5,907	6,515	7,289	8,099	8,981	9,706	10,545	11,642	12,416	13,241
(S-CA) Southern California Net.	8,669	9,301	10,397	11,483	12,654	13,664	14,400	15,880	17,391	18,438
	123,737	135,740	151,935	168,060	185,591	203,918	220,480	240,898	262,853	281,896

Includes residents of 50 states and District of Columbia only.
Patients alive on ESRD therapy and not lost to followup on December 31, 1995. Includes Medicare patients only.

Table B.20
December 31 Point Prevalence Rates Per Million Population
Of Reported ESRD Therapy
By Network
Adjusted By Age, Race and Sex

Network	Year									
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
(CT) Net. of New England	478.09	518.11	563.74	607.90	660.07	712.43	757.99	808.79	865.93	903.97
(NY) Net. of N. Y.	598.10	627.11	676.98	726.66	791.31	857.23	915.90	981.88	1042.48	1091.58
(NJ) Trans-Atlantic R. C.	618.28	649.49	702.76	772.93	845.92	911.36	955.56	1032.90	1096.03	1150.72
(PA) ESRD Net. Org. #4	590.12	639.20	698.75	765.55	825.15	886.86	930.59	1004.76	1095.60	1151.16
(VA) Mid Atlantic R. C.	611.06	664.47	725.48	791.95	869.81	940.93	1005.92	1051.18	1138.48	1237.05
(NC) Southeastern Kidney Council	633.81	690.95	762.20	834.22	908.35	991.01	1062.06	1156.32	1242.69	1310.84
(FL) ESRD Net. of Florida	574.09	621.15	673.41	736.23	797.93	863.64	912.45	959.85	1026.83	1092.58
(MS) Network 8	544.81	604.37	766.33	821.95	889.83	964.30	1021.58	1116.20	1200.28	1278.39
(IN) Tri-state R. N.	502.30	552.00	607.29	659.17	708.86	770.54	822.94	862.89	945.85	1006.75
(IL) Renal Net. of Illinois	577.69	610.62	655.04	718.77	788.05	853.27	920.88	994.51	1070.65	1128.04
(MN) Renal Net. of upper midwest	495.97	540.33	600.86	653.26	706.99	770.53	823.79	891.22	954.04	1015.06
(MD) ESRD net. #12	477.63	515.13	575.35	633.27	682.60	742.42	789.45	846.70	904.51	951.20
(OK) ESRD net. #13	536.84	604.87	665.89	730.91	793.52	857.58	924.58	1008.24	1102.28	1163.34
(TX) Net. of Texas	546.11	601.05	660.75	725.69	787.45	854.53	909.17	977.43	1031.97	1092.96
(CO) Inter-mountain ESRD net.	454.74	492.05	542.16	579.51	628.07	673.56	707.01	748.61	794.03	823.87
(WA) Northwest Renal Net.	411.04	440.90	487.34	526.99	564.57	587.15	620.00	679.94	739.19	757.87
(N-CA) Trans-pacific ESRD Net.	562.92	605.47	660.76	718.91	749.71	793.68	848.21	921.48	965.26	1009.65
(S-CA) Southern California Net.	492.72	516.16	563.84	612.13	677.82	718.63	747.95	814.63	879.52	917.04

Table B.21
Standard Errors For Adjusted December 31 Point Prevalence Rates
Per Million Population Of Reported ESRD Therapy
By Network
Adjusted By Age, Race and Sex

Network	Year									
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
(CT) Net. of New England	6.40	6.59	6.82	7.02	7.26	7.49	7.67	7.87	8.09	8.21
(NY) Net. of N. Y.	6.07	6.16	6.35	6.53	6.77	7.01	7.20	7.41	7.60	7.74
(NJ) Trans-Atlantic R. C.	9.44	9.59	9.90	10.32	10.67	10.98	11.14	11.49	11.75	11.97
(PA) ESRD Net. Org. #4	7.17	7.40	7.70	8.00	8.23	8.47	8.62	8.92	9.27	9.47
(VA) Mid Atlantic R. C.	7.20	7.42	7.67	7.93	8.21	8.44	8.63	8.74	9.02	9.33
(NC) Southeastern Kidney Council	6.58	6.78	7.04	7.26	7.47	7.69	7.85	8.08	8.27	8.39
(FL) ESRD Net. of Florida	7.17	7.34	7.52	7.75	7.93	8.13	8.24	8.33	8.50	8.66
(MS) Network 8	7.23	7.56	8.44	8.66	8.90	9.16	9.32	9.65	9.91	10.14
(IN) Tri-state R. N.	5.23	5.44	5.67	5.86	6.02	6.21	6.38	6.49	6.75	6.92
(IL) Renal Net. of Illinois	7.40	7.54	7.76	8.07	8.37	8.65	8.92	9.22	9.52	9.73
(MN) Renal Net. of upper midwest	5.27	5.45	5.70	5.88	6.06	6.27	6.42	6.62	6.80	6.97
(MD) ESRD net. #12	6.61	6.81	7.14	7.43	7.64	7.91	8.10	8.33	8.55	8.72
(OK) ESRD net. #13	7.74	8.19	8.55	8.90	9.18	9.43	9.71	10.06	10.45	10.66
(TX) Net. of Texas	6.08	6.31	6.52	6.73	6.89	7.05	7.15	7.30	7.40	7.51
(CO) Inter-mountain ESRD net.	6.70	6.87	7.10	7.21	7.36	7.47	7.49	7.53	7.60	7.60
(WA) Northwest Renal Net.	6.86	6.98	7.22	7.40	7.50	7.53	7.62	7.87	8.10	8.11
(N-CA) Trans-pacific ESRD Net.	7.53	7.68	7.89	8.12	7.96	8.09	8.27	8.54	8.65	8.76
(S-CA) Southern California Net.	5.37	5.42	5.58	5.75	6.06	6.17	6.24	6.46	6.66	6.74

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31, 1995. Includes Medicare patients only.

Table B.22
December 31 Point Prevalence Counts
Of Reported ESRD Therapy
By Age, By Sex, By Race
1991-1993

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	5347	1472	186	103	7108	3775	938	192	81	4986	9122	2410	378	184	12094
20-44	66926	31993	3050	1097	103066	48686	20997	2600	855	73138	115612	52990	5650	1952	176204
45-64	74291	41867	3525	2026	121709	58112	38113	3185	2005	101415	132403	79980	6710	4031	223124
65-74	43760	15588	1676	597	61621	39071	23708	1917	1040	65736	82831	39296	3593	1637	127357
75 plus	26545	6537	946	245	34273	22345	11157	976	349	34827	48890	17694	1922	594	69100
All Age	216869	97457	9383	4068	327777	171989	94913	8870	4330	280102	388858	192370	18253	8398	607879

1994-1996

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	6196	1963	233	121	8513	4294	1184	228	111	5817	10490	3147	461	232	14330
20-44	76042	39418	3845	1457	120762	54948	27778	3444	1191	87361	130990	67196	7289	2648	208123
45-64	98750	57575	5402	2957	164684	74915	50705	4774	2840	133234	173665	108280	10176	5797	297918
65-74	55362	20481	2605	935	79383	49154	30774	2913	1492	84333	104516	51255	5518	2427	163716
75 plus	37787	9117	1674	341	48919	31467	15559	1801	578	49405	69254	24676	3475	919	98324
All Age	274137	128554	13759	5811	422261	214778	126000	13160	6212	360150	488915	254554	26919	12023	782411

Includes residents of 50 states and District of Columbia only.
 Patients alive on ESRD therapy and not lost to followup on December 31, 1995. Includes Medicare patients only.

Table B.23
December 31 Point Prevalence Rates Per Million Population
Of Reported ESRD Therapy
Specific Rates By Sex, By Race, By Age And Rates Adjusted For Age, Race, And Sex
1991-1993

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	59	85	44	80	44	55	48	65	52	72	48	76	63	47	55
20-44	527	1734	551	836	391	1025	445	655	453	1433	505	776	693	474	580
45-64	1203	6357	1759	4374	894	4656	1385	3993	1076	5743	1683	4576	1967	1478	1714
65-74	1990	8006	3543	5616	1419	8605	3102	7894	1703	8308	3334	6716	2842	2442	2640
75 plus	1955	6023	3804	4256	911	5387	3118	3761	1320	5247	3195	3647	2362	1464	1904
All Age	689	2148	756	1262	526	1885	679	1322	606	2010	717	1292	872	711	790
Age Adj	710	2918	1057	1893	493	2261	859	1864	591	2582	948	1883	952	682	804

1994-1996

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	66	109	50	91	48	67	51	85	58	89	53	89	72	52	62
20-44	603	2082	640	1073	446	1328	537	891	507	1716	590	1011	786	552	666
45-64	1480	7873	2224	5776	1075	5577	1712	5108	1337	7162	2147	6024	2478	1818	2138
65-74	2486	10065	4795	8123	1795	10830	3927	10671	2139	10506	4403	9324	3590	3097	3341
75 plus	2542	7807	5567	5027	1214	7097	4456	5316	1748	6921	4640	4751	3107	1979	2532
All Age	849	2711	989	1718	643	2401	890	1810	744	2548	938	1764	1089	890	987
Age Adj	864	3612	1379	2505	596	2841	1102	2499	716	3218	1226	2513	1166	838	987

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995 U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.24
Standard Errors For Adjusted December 31 Point Prevalence Rates Per Million Population
Of Reported ESRD Therapy
By Sex, By Race, By Age
Adjusted For Age, Race, And Sex
1991-1993

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	0.8	2.2	3.2	7.9	0.7	1.8	3.4	7.2	0.5	1.4	2.5	5.6	0.7	0.6	0.5
20-44	2.0	9.6	9.9	25.2	1.7	7.0	8.7	22.4	1.3	6.2	6.7	17.6	2.1	1.7	1.3
45-64	4.4	31.0	29.6	97.1	3.7	23.8	24.5	89.1	2.9	20.7	21.2	74.2	5.8	4.7	3.7
65-74	9.5	64.1	86.5	229.8	7.1	55.8	70.8	244.8	5.9	42.8	56.6	168.3	12.0	9.8	7.7
75 plus	11.9	74.5	123.6	271.9	6.0	51.0	99.8	201.3	6.5	43.4	78.9	160.4	14.4	8.6	8.3
Age Adj	1.5	9.6	11.8	31.6	1.1	7.3	9.6	29.1	0.9	5.9	7.5	21.4	1.6	1.2	1.0

1994-1996

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	0.8	2.4	3.2	8.2	0.7	1.9	3.4	8.1	0.5	1.6	2.4	5.9	0.7	0.6	0.5
20-44	2.1	10.4	10.3	28.1	1.9	7.9	9.1	25.8	1.4	6.6	6.9	19.7	2.2	1.8	1.4
45-64	4.7	32.8	30.2	106.2	3.9	24.7	24.7	95.8	3.2	22.4	22.2	82.1	6.3	5.1	4.0
65-74	10.5	70.3	93.9	265.6	8.0	61.7	72.7	276.2	6.6	47.3	60.3	190.9	13.2	10.9	8.5
75 plus	13.0	81.7	136.0	272.2	6.8	56.8	105.0	221.1	7.2	48.2	84.4	165.3	15.8	9.6	9.1
Age Adj	1.6	10.4	12.6	34.6	1.2	8.0	10.0	32.5	1.0	6.4	7.9	23.7	1.8	1.4	1.1

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995 U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.25
December 31 Point Prevalence Counts
Of Reported ESRD Therapy
By Age, By Sex, By Race, By Primary Disease Causing ESRD
1991-1993

Diabetes

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	15	*	*	*	25	17	*	0	*	26	32	13	*	*	51
20-44	18038	3439	332	280	22089	13453	3252	262	240	17207	31491	6691	594	520	39296
45-64	22798	11404	1168	1221	36591	19343	15041	953	1375	36712	42141	26445	2121	2596	73303
65-74	11301	4718	631	317	16967	14230	10319	870	749	26168	25531	15037	1501	1066	43135
75 plus	3681	1385	230	86	5382	4950	3286	290	180	8706	8631	4671	520	266	14088
All Age	55833	20951	2364	1906	81054	51993	31906	2375	2545	88819	107826	52857	4739	4451	169873

Hypertension

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	88	103	*	*	202	128	51	*	*	190	216	154	*	16	392
20-44	5484	12692	501	128	18805	3089	5573	352	86	9100	8573	18265	853	214	27905
45-64	11930	19290	678	269	32167	7581	13069	586	167	21403	19511	32359	1264	436	53570
65-74	14201	7129	494	121	21945	9385	9147	441	110	19083	23586	16276	935	231	41028
75 plus	12333	3465	408	68	16274	9127	5847	393	95	15462	21460	9312	801	163	31736
All Age	44036	42679	2083	595	89393	29310	33687	1776	465	65238	73346	76366	3859	1060	154631

Glomeruloneph.

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	1298	511	57	28	1894	1222	404	80	43	1749	2520	915	137	71	3643
20-44	20714	8973	1412	376	31475	13118	5452	1089	251	19910	33832	14425	2501	627	51385
45-64	17381	4792	1002	284	23459	9808	3499	798	203	14308	27189	8291	1800	487	37767
65-74	7348	1103	266	72	8789	4726	1211	249	45	6231	12074	2314	515	117	15020
75 plus	3704	369	122	22	4217	2858	599	116	23	3596	6562	968	238	45	7813
All Age	50445	15748	2859	782	69834	31732	11165	2332	565	45794	82177	26913	5191	1347	115628

Cystic Kidney

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	310	31	*	*	353	264	27	15	*	309	574	58	19	11	662
20-44	2604	287	86	29	3006	1792	338	47	26	2203	4396	625	133	55	5209
45-64	8086	928	177	67	9258	7487	1085	171	62	8805	15573	2013	348	129	18063
65-74	2159	252	60	*	2479	2858	284	65	13	3220	5017	536	125	21	5699
75 plus	627	87	12	*	729	724	80	*	*	813	1351	167	18	*	1542
All Age	13786	1585	339	115	15825	13125	1814	304	107	15350	26911	3399	643	222	31175

(Continued)

Includes residents of 50 states and District of Columbia only.
 Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.
 Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.
 * Values for cells with fewer than 10 patients are suppressed.

Table B.25 (Continued)
December 31 Point Prevalence Counts
Of Reported ESRD Therapy
By Age, By Sex, By Race, By Primary Disease Causing ESRD
1991-1993

Other Urologic

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	565	128	27	*	728	211	14	*	*	229	776	142	29	10	957
20-44	1843	328	47	26	2244	1118	142	37	26	1323	2961	470	84	52	3567
45-64	1031	260	44	13	1348	899	200	34	*	1140	1930	460	78	20	2488
65-74	1113	254	36	*	1412	558	126	26	*	719	1671	380	62	18	2131
75 plus	1133	228	35	11	1407	388	69	23	0	480	1521	297	58	11	1887
All Age	5685	1198	189	67	7139	3174	551	122	44	3891	8859	1749	311	111	11030

Other Cause

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	2412	509	78	41	3040	1439	338	68	19	1864	3851	847	146	60	4904
20-44	10706	3462	344	142	14654	10286	4575	574	142	15577	20992	8037	918	284	30231
45-64	6307	2035	196	73	8611	7553	2415	395	85	10448	13860	4450	591	158	19059
65-74	3843	787	79	27	4736	4038	879	134	48	5099	7881	1666	213	75	9835
75 plus	2524	438	67	26	3055	2115	440	69	25	2649	4639	878	136	51	5704
All Age	25792	7231	764	309	34096	25431	8647	1240	319	35637	51223	15878	2004	628	69733

Unknown Cause

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	513	139	15	*	674	363	67	22	*	458	876	206	37	13	1132
20-44	4919	2009	289	99	7316	3754	1160	216	63	5193	8673	3169	505	162	12509
45-64	4024	1798	246	77	6145	3133	1493	219	71	4916	7157	3291	465	148	11061
65-74	2602	729	86	36	3453	2077	898	108	47	3130	4679	1627	194	83	6583
75 plus	1982	364	62	29	2437	1597	503	63	17	2180	3579	867	125	46	4617
All Age	14040	5039	698	248	20025	10924	4121	628	204	15877	24964	9160	1326	452	35902

Missing Cause

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	146	46	0	0	192	131	29	*	0	161	277	75	*	0	353
20-44	2618	803	39	17	3477	2076	505	23	21	2625	4694	1308	62	38	6102
45-64	2734	1360	14	22	4130	2308	1311	29	35	3683	5042	2671	43	57	7813
65-74	1193	616	24	*	1840	1199	844	24	19	2086	2392	1460	48	26	3926
75 plus	561	201	10	0	772	586	333	16	*	941	1147	534	26	*	1713
All Age	7252	3026	87	46	10411	6300	3022	93	81	9496	13552	6048	180	127	19907

(Continued)

Includes residents of 50 states and District of Columbia only.
Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.
Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.
* Values for cells with fewer than 10 patients are suppressed.

Table B.25 (Continued)
December 31 Point Prevalence Counts
Of Reported ESRD Therapy
By Age, By Sex, By Race, By Primary Disease Causing ESRD
1994-1996

Diabetes

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	29	12	*	*	47	34	20	*	*	59	63	32	*	*	106
20-44	20816	4673	428	363	26280	15345	4658	346	361	20710	36161	9331	774	724	46990
45-64	34637	17121	1888	1841	55487	28160	21836	1511	1999	53506	62797	38957	3399	3840	108993
65-74	17378	7342	1082	568	26370	20806	15125	1425	1128	38484	38184	22467	2507	1696	64854
75 plus	6685	2378	497	130	9690	8428	5548	681	335	14992	15113	7926	1178	465	24682
All Age	79545	31526	3898	2905	117874	72773	47187	3967	3824	127751	152318	78713	7865	6729	245625

Hypertension

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	91	101	0	*	201	132	60	*	*	203	223	161	*	15	404
20-44	6651	15536	621	214	23022	3685	7272	451	142	11550	10336	22808	1072	356	34572
45-64	15255	25727	1071	377	42430	9216	16648	943	246	27053	24471	42375	2014	623	69483
65-74	16752	9071	714	170	26707	10991	11221	692	159	23063	27743	20292	1406	329	49770
75 plus	17088	4817	675	82	22662	12661	7688	638	147	21134	29749	12505	1313	229	43796
All Age	55837	55252	3081	852	115022	36685	42889	2729	700	83003	92522	98141	5810	1552	198025

Glomeruloneph.

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	1449	676	82	38	2245	1351	449	93	53	1946	2800	1125	175	91	4191
20-44	22981	10603	1828	447	35859	14486	7050	1527	343	23406	37467	17653	3355	790	59265
45-64	21656	6983	1452	374	30465	12415	4745	1155	284	18599	34071	11728	2607	658	49064
65-74	8689	1425	431	83	10628	5529	1468	333	70	7400	14218	2893	764	153	18028
75 plus	5127	534	227	51	5939	3575	742	215	34	4566	8702	1276	442	85	10505
All Age	59902	20221	4020	993	85136	37356	14454	3323	784	55917	97258	34675	7343	1777	141053

Cystic Kidney

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	326	41	*	11	386	301	52	28	*	384	627	93	36	14	770
20-44	2805	351	70	40	3266	2036	427	71	31	2565	4841	778	141	71	5831
45-64	10063	1215	281	81	11640	8854	1395	194	82	10525	18917	2610	475	163	22165
65-74	2852	304	75	10	3241	3426	377	74	16	3893	6278	681	149	26	7134
75 plus	834	108	30	*	976	1010	139	30	*	1185	1844	247	60	10	2161
All Age	16880	2019	464	146	19509	15627	2390	397	138	18552	32507	4409	861	284	38061

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

* Values for cells with fewer than 10 patients are suppressed.

Table B.25 (Continued)
 December 31 Point Prevalence Counts
 Of Reported ESRD Therapy
 By Age, By Sex, By Race, By Primary Disease Causing ESRD
1994-1996

Other Urologic

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	660	181	25	*	872	277	24	*	*	307	937	205	28	*	1179
20-44	2404	416	75	38	2933	1648	203	54	31	1936	4052	619	129	69	4869
45-64	1542	334	76	21	1973	1356	256	82	*	1701	2898	590	158	28	3674
65-74	1328	284	38	11	1661	738	157	44	*	945	2066	441	82	17	2606
75 plus	1489	233	51	19	1792	537	91	22	*	655	2026	324	73	24	2447
All Age	7423	1448	265	95	9231	4556	731	205	52	5544	11979	2179	470	147	14775

Other Cause

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	2871	698	101	40	3710	1601	414	74	38	2127	4472	1112	175	78	5837
20-44	12489	4764	421	219	17893	11709	6260	696	190	18855	24198	11024	1117	409	36748
45-64	8513	2987	268	151	11919	9563	3392	543	131	13629	18076	6379	811	282	25548
65-74	4948	916	121	46	6031	4843	1066	172	62	6143	9791	1982	293	108	12174
75 plus	3857	541	91	31	4520	3048	591	85	25	3749	6905	1132	176	56	8269
All Age	32678	9906	1002	487	44073	30764	11723	1570	446	44503	63442	21629	2572	933	88576

Unknown Cause

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	528	169	11	11	719	407	93	17	*	524	935	262	28	18	1243
20-44	5551	2332	346	116	8345	4105	1392	265	78	5840	9656	3724	611	194	14185
45-64	4697	2163	333	88	7281	3581	1708	308	78	5675	8278	3871	641	166	12956
65-74	2732	792	122	45	3691	2187	908	161	40	3296	4919	1700	283	85	6987
75 plus	2421	393	100	24	2938	1883	589	116	22	2610	4304	982	216	46	5548
All Age	15929	5849	912	284	22974	12163	4690	867	225	17945	28092	10539	1779	509	40919

Missing Cause

Age At ESRD	Males					Females					Both Sexes				
	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All	White	Black	Asian	NatAm	All
0-19	242	85	*	*	333	191	72	*	0	267	433	157	*	*	600
20-44	2345	743	56	20	3164	1934	516	34	15	2499	4279	1259	90	35	5663
45-64	2387	1045	33	24	3489	1770	725	38	13	2546	4157	1770	71	37	6035
65-74	683	347	22	*	1054	634	452	12	11	1109	1317	799	34	13	2163
75 plus	286	113	*	0	402	325	171	14	*	514	611	284	17	*	916
All Age	5943	2333	117	49	8442	4854	1936	102	43	6935	10797	4269	219	92	15377

Includes residents of 50 states and District of Columbia only.
 Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.
 Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.
 * Values for cells with fewer than 10 patients are suppressed.

Table B.26
December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy
By Primary Disease Causing ESRD
Specific Rates By Sex, By Race, By Age
And Rates Adjusted For Age, Race, And Sex
1991-1993

Diabetes

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	*	*	*	*	*	*	0	*	*	*	*	*	*	*	*
20-44	1421	1864	599	2134	1081	1588	448	1841	1222	1829	538	2154	1457	1113	1282
45-64	3691	17316	5828	26364	2977	18377	4146	27384	3441	19280	5726	30105	5983	5528	5754
65-74	5139	24234	13342	29821	5169	37456	14080	56858	5134	30780	13586	43037	7992	9964	9022
75 plus	2711	12762	9249	14942	2018	15866	9264	19399	2027	12429	7928	14687	3632	3689	3668
All Age	1802	6644	2896	9220	1484	7785	2506	11454	1638	7292	2696	10487	2331	2150	2246
Age Adj	1802	6644	2896	9220	1484	7785	2506	11454	1638	7292	2696	10487	2331	2150	2246

Hypertension

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	*	59	*	*	14	30	*	*	12	47	*	65	17	17	17
20-44	432	6880	905	975	248	2722	602	659	335	5074	769	866	1332	589	944
45-64	1931	29290	3383	5808	1167	15968	2549	3325	1634	23362	3201	4913	5701	3270	4436
65-74	6458	36618	10445	11383	3409	33202	7137	8350	4961	35104	8937	10018	10560	7407	8949
75 plus	9083	31929	16407	11815	3722	28232	12555	10238	6058	28236	14037	10900	11650	6825	9189
All Age	1515	13184	2742	3124	782	8251	1966	2135	1094	10634	2298	2588	2746	1533	2065
Age Adj	1515	13184	2742	3124	782	8251	1966	2135	1094	10634	2298	2588	2746	1533	2065

Glomeruloneph.

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	143	295	137	218	143	239	201	345	147	279	178	296	168	165	166
20-44	1631	4864	2551	2866	1054	2663	1863	1925	1325	3841	2233	2452	2097	1291	1682
45-64	2814	7276	5000	6132	1509	4275	3472	4042	2167	5671	4200	5048	3488	1959	2704
65-74	3341	5665	5624	6773	1716	4395	4029	3416	2513	4989	4830	5008	3745	2150	2931
75 plus	2728	3400	4906	3822	1165	2892	3705	2478	1758	2874	3918	2752	2614	1384	1987
All Age	1625	4108	2733	3154	939	2452	1980	2055	1261	3263	2335	2577	1959	1147	1528
Age Adj	1625	4108	2733	3154	939	2452	1980	2055	1261	3263	2335	2577	1959	1147	1528

(Continued)

Includes residents of 50 states and District of Columbia only.
 Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.
 Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.
 Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.
 Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.
 The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.
 * Values for cells with fewer than 10 patients are suppressed.

Table B.26 (Continued)
December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy
By Primary Disease Causing ESRD
Specific Rates By Sex, By Race, By Age
And Rates Adjusted For Age, Race, And Sex
1991-1993

Cystic Kidney

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	34	17	*	*	30	16	37	*	33	17	24	42	31	29	30
20-44	205	155	155	221	144	165	80	199	175	172	123	229	202	145	173
45-64	1309	1409	883	1446	1152	1325	744	1234	1268	1412	878	1354	1344	1204	1273
65-74	981	1294	1268	*	1038	1030	1051	986	998	1132	1163	837	1011	1028	1019
75 plus	461	801	482	*	295	386	*	*	338	530	255	*	449	272	358
All Age	446	488	363	482	382	430	277	425	413	455	317	454	446	384	414
Age Adj	446	488	363	482	382	430	277	425	413	455	317	454	446	384	414

Other Urologic

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	62	73	65	*	24	*	*	*	44	41	35	39	65	22	43
20-44	145	177	84	198	89	69	63	199	117	122	74	191	148	87	117
45-64	166	394	219	280	138	244	147	*	157	344	191	247	210	156	182
65-74	506	1304	761	*	202	457	420	*	357	889	631	727	635	248	436
75 plus	834	2100	1407	1911	158	333	734	0	470	1164	924	919	989	184	576
All Age	189	379	227	312	92	129	126	155	134	238	171	218	207	96	144
Age Adj	189	379	227	312	92	129	126	155	134	238	171	218	207	96	144

Other Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	267	294	188	319	168	200	171	152	221	253	187	249	273	177	224
20-44	843	1876	621	1082	826	2235	982	1089	829	2088	810	1087	971	1006	990
45-64	1021	3090	978	1576	1162	2950	1718	1692	1113	3040	1392	1744	1311	1430	1371
65-74	1747	4042	1670	2540	1466	3190	2168	3643	1607	3626	1947	3121	2057	1724	1886
75 plus	1858	4036	2694	4517	862	2124	2204	2694	1252	2921	2151	3342	2047	1003	1512
All Age	831	1982	766	1261	751	1872	1050	1234	784	1908	906	1241	952	889	913
Age Adj	831	1982	766	1261	751	1872	1050	1234	784	1908	906	1241	952	889	913

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.26 (Continued)
December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy
By Primary Disease Causing ESRD
Specific Rates By Sex, By Race, By Age
And Rates Adjusted For Age, Race, And Sex
1991-1993

Unknown Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	56	80	36	*	42	39	55	*	50	61	48	54	60	44	52
20-44	387	1089	522	754	301	566	369	483	341	849	449	631	488	338	410
45-64	651	2730	1227	1662	482	1824	952	1414	580	2356	1128	1709	973	700	832
65-74	1183	3744	1818	3386	754	3259	1747	3567	974	3475	1795	3352	1554	1133	1339
75 plus	1459	3354	2493	5038	651	2428	2012	1832	999	2756	2286	3278	1699	893	1287
All Age	461	1467	741	1177	314	966	593	843	380	1205	659	988	579	388	474
Age Adj	461	1467	741	1177	314	966	593	843	380	1205	659	988	579	388	474

Missing Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	16	26	0	0	15	17	*	0	16	22	*	0	17	15	16
20-44	206	435	70	129	166	246	39	161	184	355	56	148	232	170	200
45-64	442	2065	69	475	355	1601	126	697	405	1966	116	636	658	531	592
65-74	542	3164	507	*	435	3063	388	1442	484	3082	451	1057	866	766	815
75 plus	413	1852	402	0	238	1607	511	*	299	1563	454	*	542	390	464
All Age	235	928	103	203	184	727	98	338	207	823	100	277	298	232	263
Age Adj	235	928	103	203	184	727	98	338	207	823	100	277	298	232	263

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.26 (Continued)
December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy
By Primary Disease Causing ESRD
Specific Rates By Sex, By Race, By Age
And Rates Adjusted For Age, Race, And Sex
1994-1996

Diabetes

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	*	*	*	*	*	11	*	*	*	*	*	*	*	*	*
20-44	1651	2468	712	2673	1246	2227	539	2702	1368	2382	631	2852	1673	1299	1482
45-64	5194	23411	7773	35966	4042	24019	5421	35959	4889	26612	7711	40962	8513	7588	8044
65-74	7803	36082	19920	49349	7600	53231	19210	80678	7692	44809	19726	64345	12133	14409	13326
75 plus	4498	20364	16529	19165	3252	25306	16849	30811	3372	20124	14876	22261	6041	6085	6074
All Age	2468	9462	4249	13104	2007	10962	3635	16087	2226	10319	3928	14821	3233	2953	3097
Age Adj	2468	9462	4249	13104	2007	10962	3635	16087	2226	10319	3928	14821	3233	2953	3097

Hypertension

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	*	56	0	*	15	34	*	*	12	46	*	58	16	18	17
20-44	527	8206	1033	1576	299	3477	703	1063	397	5904	872	1369	1539	712	1108
45-64	2287	35180	4409	7365	1322	18312	3383	4425	1964	28080	4326	6212	6961	3863	5350
65-74	7522	44579	13145	14769	4015	39491	9329	11372	5792	42438	11427	13220	12612	8832	10678
75 plus	11498	41251	22450	12089	4885	35068	15785	13520	7842	36285	18448	12514	15000	8840	11855
All Age	1842	15957	3533	3909	946	9910	2531	2925	1327	12815	2961	3403	3328	1852	2498
Age Adj	1842	15957	3533	3909	946	9910	2531	2925	1327	12815	2961	3403	3328	1852	2498

Glomeruloneph.

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	155	376	177	285	153	257	209	410	157	323	203	358	188	174	181
20-44	1823	5600	3042	3292	1176	3370	2381	2567	1458	4491	2719	2979	2329	1488	1896
45-64	3247	9548	5978	7306	1782	5219	4144	5108	2542	7243	5056	6305	4211	2347	3254
65-74	3901	7003	7934	7211	2019	5166	4489	5006	2944	6086	6266	6013	4481	2535	3487
75 plus	3449	4572	7549	7518	1379	3384	5319	3127	2226	3638	5854	4563	3472	1677	2557
All Age	1861	4977	3446	3816	1074	2991	2436	2696	1440	3957	2901	3213	2281	1342	1779
Age Adj	1861	4977	3446	3816	1074	2991	2436	2696	1440	3957	2901	3213	2281	1342	1779

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.26 (Continued)
December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy
By Primary Disease Causing ESRD
Specific Rates By Sex, By Race, By Age
And Rates Adjusted For Age, Race, And Sex
1994-1996

Cystic Kidney

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	35	22	*	82	34	29	63	*	34	26	41	50	33	34	34
20-44	222	185	116	294	165	204	110	232	187	199	117	275	210	165	187
45-64	1509	1661	1157	1582	1270	1534	696	1475	1452	1688	985	1629	1579	1358	1466
65-74	1280	1494	1380	868	1251	1326	997	1144	1258	1400	1176	973	1298	1244	1270
75 plus	561	924	997	*	389	634	742	*	422	708	700	434	554	387	468
All Age	519	575	438	562	438	530	314	514	476	549	371	539	520	443	480
Age Adj	519	575	438	562	438	530	314	514	476	549	371	539	520	443	480

Other Urologic

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	70	100	53	*	31	13	*	*	51	57	31	*	74	28	51
20-44	190	219	124	279	133	97	84	232	161	157	103	251	193	127	159
45-64	231	456	312	410	194	281	294	*	222	398	341	312	284	216	249
65-74	596	1395	699	955	269	552	593	*	435	980	652	695	716	319	513
75 plus	1001	1995	1696	2801	207	415	544	*	574	1244	1079	1610	1161	231	684
All Age	238	423	274	435	130	161	168	177	177	275	213	282	256	133	186
Age Adj	238	423	274	435	130	161	168	177	177	275	213	282	256	133	186

Other Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	308	388	218	301	182	237	166	294	246	315	201	302	317	192	253
20-44	991	2516	700	1612	951	2993	1085	1422	957	2759	898	1527	1173	1200	1188
45-64	1276	4084	1103	2950	1372	3731	1948	2356	1365	3915	1583	2751	1685	1727	1706
65-74	2221	4501	2227	3996	1769	3751	2318	4434	1996	4177	2278	4172	2548	2063	2299
75 plus	2595	4632	3026	4570	1176	2695	2103	2299	1771	3510	2375	3358	2750	1332	2025
All Age	1026	2513	890	1860	884	2402	1141	1568	944	2439	1009	1693	1188	1068	1117
Age Adj	1026	2513	890	1860	884	2402	1141	1568	944	2439	1009	1693	1188	1068	1117

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.26 (Continued)
December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy
By Primary Disease Causing ESRD
Specific Rates By Sex, By Race, By Age
And Rates Adjusted For Age, Race, And Sex
1994-1996

Unknown Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex &
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	56	94	23	82	46	53	38	*	52	74	33	69	61	47	54
20-44	440	1231	575	854	333	665	413	583	378	951	493	724	544	374	456
45-64	704	2957	1371	1719	514	1878	1105	1403	629	2494	1323	1658	1056	747	897
65-74	1226	3892	2246	3909	798	3195	2170	2860	1014	3559	2230	3351	1635	1173	1399
75 plus	1629	3365	3325	3538	726	2686	2870	2023	1126	2893	2824	2597	1832	1032	1424
All Age	504	1577	857	1186	341	1033	713	848	414	1296	782	1006	631	422	516
Age Adj	504	1577	857	1186	341	1033	713	848	414	1296	782	1006	631	422	516

Missing Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex &
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	26	47	*	*	21	41	*	0	23	44	*	*	28	23	25
20-44	186	392	93	147	157	246	53	112	165	321	73	132	204	159	181
45-64	357	1428	135	468	254	797	136	233	306	1192	149	415	497	332	412
65-74	306	1705	405	*	231	1590	161	786	265	1615	275	472	479	398	437
75 plus	192	967	*	0	125	780	346	*	149	811	247	*	267	207	236
All Age	182	633	101	178	140	426	83	171	160	525	93	178	225	166	194
Age Adj	182	633	101	178	140	426	83	171	160	525	93	178	225	166	194

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.27
Standard Errors For Adjusted December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy
By Primary Disease Causing ESRD
By Sex, By Race, By Age
Adjusted For Age, Race, And Sex
1991-1993

Diabetes

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	0.4	*	*	*	0.4	*	0.0	*	0.3	1.1	*	*	0.4	0.4	0.3
20-44	10.5	31.7	32.9	127.5	9.3	27.8	27.7	118.8	6.9	22.5	22.1	95.0	9.8	8.5	6.4
45-64	24.4	162.1	170.5	754.5	21.4	149.8	134.3	738.5	16.9	120.5	128.0	606.6	32.4	29.3	21.8
65-74	48.3	352.8	531.1	1674.9	43.3	368.7	477.3	2077.5	32.3	256.0	357.0	1335.0	64.5	63.8	45.4
75 plus	44.6	342.9	609.8	1611.3	28.6	276.7	544.0	1445.9	23.6	197.9	373.3	950.0	56.3	43.5	35.3
Age Adj	7.6	46.9	62.8	220.1	6.5	43.7	53.6	231.2	4.9	32.0	41.1	161.6	8.2	7.2	5.4

Hypertension

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	1.0	5.8	*	*	1.3	4.2	*	*	0.8	3.7	*	16.4	1.2	1.3	0.8
20-44	5.8	61.0	40.4	86.2	4.4	36.4	32.1	71.1	3.6	37.8	26.4	59.6	9.7	6.2	5.6
45-64	17.6	210.8	129.9	354.1	13.4	139.6	105.3	257.3	11.8	132.4	93.1	243.9	32.7	22.6	19.6
65-74	54.1	433.6	469.9	1034.8	35.1	347.1	339.8	796.1	32.5	281.0	297.7	669.4	74.7	55.2	46.0
75 plus	81.7	542.4	812.2	1432.8	38.9	369.2	633.3	1050.4	45.6	321.9	537.1	920.4	103.6	60.3	59.0
Age Adj	7.3	65.9	65.5	138.2	4.6	45.2	49.8	102.1	4.0	39.0	39.8	83.3	9.2	6.0	5.2

Glomeruloneph.

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	3.9	13.0	18.2	41.2	4.0	11.9	22.5	52.7	2.9	9.2	15.2	35.2	3.8	3.9	2.7
20-44	11.3	51.3	67.8	147.8	9.2	36.0	56.4	121.5	7.2	32.1	44.8	98.5	11.8	9.1	7.4
45-64	21.3	105.1	157.9	363.8	15.2	72.2	122.9	283.7	13.3	63.6	102.7	236.6	23.4	16.6	14.2
65-74	38.9	170.5	344.8	798.2	24.9	126.3	255.3	509.2	23.0	105.9	216.7	470.7	41.6	28.1	24.9
75 plus	44.8	177.0	444.1	814.9	21.8	118.1	344.0	516.8	23.8	101.3	276.4	427.7	45.3	25.8	25.7
Age Adj	7.2	33.8	54.7	119.9	5.3	23.5	43.0	89.2	4.4	20.3	34.3	73.3	7.4	5.3	4.5

(Continued)

Includes residents of 50 states and District of Columbia only.
 Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.
 Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.
 Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.
 Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.
 The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.
 * Values for cells with fewer than 10 patients are suppressed.

Table B.27 (Continued)
Standard Errors For Adjusted December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy
By Primary Disease Causing ESRD
By Sex, By Race, By Age
Adjusted For Age, Race, And Sex
1991-1993

Cystic Kidney

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	1.9	3.2	*	*	1.9	3.0	9.7	*	1.3	2.2	5.5	12.9	1.7	1.6	1.2
20-44	4.0	9.1	16.7	41.0	3.4	8.9	11.7	39.1	2.6	6.9	10.7	31.1	3.6	3.1	2.4
45-64	14.5	46.2	66.3	176.7	13.3	40.2	56.8	156.8	10.2	32.0	48.6	122.9	14.3	13.0	9.6
65-74	21.1	81.5	163.7	*	19.4	61.1	130.4	273.7	14.1	49.9	106.1	184.1	21.0	18.5	13.9
75 plus	18.4	85.9	139.3	*	10.9	43.1	*	*	10.0	45.2	63.1	*	18.4	10.1	10.3
Age Adj	3.8	12.5	20.6	46.6	3.3	10.1	16.2	42.0	2.5	7.9	12.9	31.3	3.5	3.1	2.3

Other Urologic

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	2.6	6.5	12.5	*	1.7	2.2	*	*	1.5	3.4	6.5	12.6	2.4	1.5	1.4
20-44	3.3	9.8	12.3	38.8	2.6	5.8	10.4	39.1	2.1	5.6	8.1	26.5	3.1	2.4	1.9
45-64	5.1	24.4	33.1	77.8	4.6	17.2	25.3	*	3.6	16.4	22.3	57.1	5.9	4.7	3.7
65-74	15.1	81.8	126.8	*	8.5	40.7	82.5	*	8.8	46.6	81.4	173.6	17.6	9.6	9.8
75 plus	24.7	139.1	237.9	576.2	8.0	40.1	153.2	0.0	13.3	73.4	129.1	301.6	29.8	9.6	15.2
Age Adj	2.5	11.7	18.2	44.0	1.6	5.5	12.3	24.5	1.4	5.8	10.5	22.2	2.5	1.5	1.3

Other Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	5.4	13.0	21.2	49.8	4.4	10.9	20.7	35.0	3.5	8.7	15.5	32.3	4.9	4.1	3.2
20-44	8.1	31.8	33.5	90.8	8.1	33.0	41.0	91.4	5.7	23.4	26.8	64.8	8.0	8.0	5.7
45-64	12.8	68.4	69.8	184.4	13.3	60.0	86.4	183.6	9.5	46.5	59.5	143.3	14.5	14.2	10.1
65-74	28.1	144.0	187.9	488.8	23.0	107.6	187.3	525.9	18.2	90.9	136.0	365.2	31.2	24.8	19.8
75 plus	37.0	192.8	329.1	885.9	18.7	101.2	265.3	538.8	20.2	109.0	201.6	503.6	42.1	21.4	23.2
Age Adj	5.2	24.4	30.7	80.7	4.7	20.3	31.2	72.2	3.4	15.5	21.6	53.1	5.2	4.7	3.4

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.27 (Continued)
Standard Errors For Adjusted December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy
By Primary Disease Causing ESRD
By Sex, By Race, By Age
Adjusted For Age, Race, And Sex
1991-1993

Unknown Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex &
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	2.5	6.8	9.3	*	2.2	4.8	11.8	*	1.7	4.3	8.0	15.2	2.3	2.0	1.5
20-44	5.5	24.2	30.7	75.8	4.9	16.6	25.1	60.8	3.6	15.1	20.0	49.9	5.7	4.7	3.6
45-64	10.2	64.3	78.2	189.4	8.6	47.2	64.3	167.8	6.9	41.9	54.3	145.3	12.8	10.1	8.1
65-74	23.1	138.6	196.0	564.4	16.5	108.7	168.1	520.4	14.3	87.9	130.9	371.8	27.5	21.0	17.2
75 plus	32.7	175.8	316.6	935.6	16.2	108.2	253.5	444.3	18.4	103.7	220.0	516.0	39.3	21.2	22.0
Age Adj	3.9	21.5	30.7	82.4	3.0	15.2	25.2	61.3	2.4	12.8	19.5	49.2	4.1	3.1	2.5

Missing Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex &
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	1.3	3.9	0.0	0.0	1.3	3.1	*	0.0	0.9	2.6	*	0.0	1.2	1.2	0.8
20-44	4.0	15.3	11.2	31.4	3.6	10.9	8.2	35.1	2.6	9.9	7.1	24.2	3.9	3.3	2.5
45-64	8.4	55.9	18.6	101.2	7.3	44.2	23.4	117.8	5.7	38.7	17.9	86.9	10.6	8.9	6.8
65-74	15.7	127.4	103.5	*	12.5	105.4	79.2	330.8	9.9	82.4	66.1	212.4	21.1	17.2	13.5
75 plus	17.4	130.6	127.1	0.0	9.8	88.1	127.7	*	9.7	74.3	97.7	*	22.1	13.8	12.8
Age Adj	2.7	17.3	12.2	31.4	2.3	13.3	10.7	38.5	1.7	10.7	8.0	25.5	2.9	2.4	1.8

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.27 (Continued)
Standard Errors For Adjusted December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy
By Primary Disease Causing ESRD
By Sex, By Race, By Age
Adjusted For Age, Race, And Sex
1994-1996

Diabetes

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	0.5	1.9	*	*	0.6	2.5	*	*	0.4	1.6	*	*	0.5	0.6	0.4
20-44	11.4	36.1	34.4	140.3	10.0	32.6	29.0	142.2	7.2	24.7	22.7	106.2	10.3	9.0	6.8
45-64	27.9	178.9	178.9	838.2	24.0	162.5	139.4	804.2	19.9	138.4	137.0	684.1	37.8	33.6	25.2
65-74	59.1	421.1	605.5	2070.6	52.6	432.8	508.9	2402.1	39.5	304.9	400.7	1575.1	78.0	75.5	54.3
75 plus	55.0	417.6	741.4	1680.9	35.4	339.7	645.6	1683.3	29.4	245.1	465.1	1073.3	69.5	54.1	43.7
Age Adj	8.7	54.6	71.8	252.2	7.4	50.7	59.7	265.0	5.7	37.2	46.3	185.6	9.4	8.2	6.2

Hypertension

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	1.0	5.5	0.0	*	1.3	4.4	*	*	0.8	3.6	*	15.0	1.1	1.2	0.8
20-44	6.4	65.8	41.4	107.7	4.9	40.7	33.1	89.2	3.9	39.2	26.6	72.8	10.1	6.6	5.9
45-64	18.5	219.3	134.7	379.3	13.7	141.9	110.1	282.1	12.7	140.8	100.5	259.8	35.1	24.0	20.9
65-74	58.1	468.0	491.9	1132.8	38.2	372.8	354.6	901.8	34.9	304.2	309.9	736.0	80.5	59.6	49.6
75 plus	87.9	594.3	864.1	1335.0	43.4	399.9	624.9	1115.1	49.6	355.3	544.9	876.3	112.3	65.8	64.1
Age Adj	7.8	70.3	68.5	142.7	4.9	48.1	50.9	113.6	4.3	41.5	41.3	90.0	9.8	6.4	5.6

Glomeruloneph.

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	4.0	14.4	19.5	46.3	4.1	12.1	21.7	56.3	2.9	9.6	15.4	37.6	4.0	3.9	2.8
20-44	12.0	54.3	71.1	155.7	9.7	40.1	60.9	138.6	7.5	33.9	47.0	106.3	12.3	9.7	7.8
45-64	22.0	114.2	156.8	377.8	15.9	75.7	121.9	303.1	14.1	69.4	103.8	255.7	25.1	17.6	15.2
65-74	41.8	185.5	382.2	791.5	27.1	134.8	246.0	598.4	24.8	115.6	230.8	490.6	45.0	30.2	26.8
75 plus	48.1	197.8	501.1	1052.8	23.0	124.2	362.7	536.2	25.9	111.1	299.1	519.0	50.3	27.1	28.2
Age Adj	7.6	36.0	58.0	128.8	5.5	25.1	43.9	99.0	4.6	21.6	35.5	79.3	7.8	5.6	4.7

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

*Values for cells with fewer than 10 patients are suppressed.

Table B.27 (Continued)
Standard Errors For Adjusted December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy
By Primary Disease Causing ESRD
By Sex, By Race, By Age
Adjusted For Age, Race, And Sex
1994-1996

Cystic Kidney

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	1.9	3.5	*	24.9	1.9	4.1	11.9	*	1.3	2.7	7.0	13.5	1.7	1.7	1.2
20-44	4.2	9.8	13.9	46.5	3.6	9.8	13.1	41.6	2.7	7.1	9.8	32.8	3.6	3.2	2.4
45-64	15.0	47.6	69.0	175.8	13.5	41.0	49.9	162.8	10.7	34.0	47.1	132.2	15.1	13.5	10.1
65-74	23.9	85.6	159.4	274.7	21.3	68.3	115.9	286.0	15.9	54.7	98.2	192.9	23.4	20.2	15.4
75 plus	19.4	88.9	182.1	*	12.2	53.7	135.5	*	10.7	49.9	95.4	139.2	19.8	12.0	11.4
Age Adj	4.0	13.1	21.3	48.7	3.5	10.9	16.2	44.5	2.6	8.3	13.1	32.9	3.7	3.2	2.4

Other Urologic

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	2.7	7.4	10.7	*	1.8	2.8	*	*	1.6	3.9	5.8	*	2.5	1.6	1.4
20-44	3.8	10.7	14.4	45.3	3.2	6.8	11.4	41.6	2.5	6.3	9.1	30.3	3.5	2.9	2.2
45-64	5.8	24.9	35.8	89.5	5.2	17.5	32.4	*	4.2	16.9	28.3	61.1	6.6	5.3	4.2
65-74	16.3	82.8	113.4	288.1	9.9	44.0	89.4	*	9.6	47.7	73.3	170.6	18.2	10.6	10.4
75 plus	25.9	130.7	237.5	642.6	8.9	43.5	116.0	*	13.9	75.2	132.9	351.4	31.0	9.9	15.8
Age Adj	2.7	11.9	18.4	49.7	1.9	6.0	12.3	25.7	1.6	6.0	10.4	24.7	2.7	1.7	1.5

Other Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	5.7	14.7	21.7	47.5	4.5	11.6	19.3	47.7	3.6	9.4	15.2	34.3	5.2	4.2	3.3
20-44	8.8	36.4	34.1	108.9	8.7	37.8	41.1	103.1	6.1	26.3	26.9	75.7	8.8	8.7	6.2
45-64	13.8	74.7	67.4	240.0	14.0	64.0	83.6	205.8	10.3	50.8	58.3	170.9	16.0	15.1	11.0
65-74	31.5	148.7	202.5	589.2	25.4	114.9	176.8	563.1	20.2	96.0	135.4	405.0	33.9	26.9	21.5
75 plus	41.7	199.1	317.2	820.8	21.3	110.8	228.1	459.8	23.3	114.7	193.7	481.9	45.9	23.4	25.4
Age Adj	5.7	26.3	30.6	91.4	5.0	22.3	29.8	76.8	3.7	16.9	21.0	58.2	5.7	5.0	3.7

(Continued)

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

Table B.27 (Continued)
Standard Errors For Adjusted December 31 Point Prevalence Rates Per Ten Million Population
Of Reported ESRD Therapy
By Primary Disease Causing ESRD
By Sex, By Race, By Age
Adjusted For Age, Race, And Sex
1994-1996

Unknown Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	2.4	7.2	7.1	24.9	2.2	5.5	9.2	*	1.7	4.6	6.3	16.5	2.2	2.1	1.5
20-44	5.9	25.5	30.9	79.3	5.2	17.8	25.3	66.1	3.8	15.6	19.9	52.2	5.9	4.9	3.8
45-64	10.2	63.5	75.1	183.2	8.5	45.4	62.9	158.8	7.0	41.4	54.7	133.8	12.9	10.1	8.1
65-74	23.4	138.3	203.3	582.8	17.0	106.0	171.0	452.3	14.5	88.2	134.6	366.2	27.9	21.0	17.3
75 plus	33.1	169.7	332.5	722.2	16.7	110.7	266.4	431.3	18.7	100.8	203.9	400.5	37.8	22.1	21.6
Age Adj	4.0	21.4	30.6	76.1	3.1	15.2	25.4	58.4	2.4	12.8	19.7	46.8	4.1	3.1	2.5

Missing Cause

Age at ESRD	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Sex				Race		Sex & Race
	White	Black	Asian	NatAm	White	Black	Asian	NatAm	White	Black	Asian	NatAm	Male	Female	Race
0-19	1.6	5.1	*	*	1.5	4.8	*	0.0	1.1	3.5	*	*	1.5	1.4	1.0
20-44	3.8	14.3	12.4	32.9	3.5	10.8	9.0	28.9	2.5	9.0	7.7	22.3	3.6	3.1	2.4
45-64	7.3	44.2	23.6	95.7	6.0	29.6	22.1	64.8	4.8	29.2	18.6	70.4	8.8	6.7	5.5
65-74	11.7	91.5	86.3	*	9.1	74.8	46.7	237.2	7.3	58.4	47.9	132.5	15.4	12.2	9.7
75 plus	11.3	91.0	*	0.0	6.9	59.6	92.5	*	6.6	53.0	64.3	*	15.0	10.0	8.9
Age Adj	2.3	13.5	9.9	26.2	2.0	9.7	8.8	27.0	1.5	8.1	6.8	19.3	2.4	2.0	1.5

Includes residents of 50 states and District of Columbia only.

Patients alive on ESRD therapy and not lost to followup on December 31 of each year. Includes Medicare patients only.

Prevalent cases for December 31 of 1993, 1994, 1995, and 1996 are combined to produce larger cell sizes.

Cases where race is Other or Unknown are excluded from this table. See tables B.6 and B.7 and notes at beginning of this Section.

Note that rates are per TEN MILLION population rather than per million because of the small cell sizes.

The population base is the U.S. resident population on December 31 of each year. Standard population for adjustment is the July 1, 1995, U.S. resident population.

* Values for cells with fewer than 10 patients are suppressed.

