


Table 6. Information available on experiments using fire and addressing nonnative invasive species. Includes total number of sources available on each topic for each species summary (in parentheses) and highest quality of information. See text ("Methods") for description of information quality scale.


Species summary	# spp	Fire Experiment	Varying fire severities	Varying burn seasons	Varying burn intervals	Multiple postfire years					
<i>Acer platanoides</i>	1	0	0	0	0	0					
<i>Acroptilon repens</i>	1	(2)2	0	0	0	0					
<i>Ailanthus altissima</i>	1	0	0	0	0	0					
<i>Alliaria petiolata</i>	1	(5)4	(1)4	(3)4	0	(2)4					
<i>Arundo donax</i>	1	0	0	0	0	0					
<i>Bromus tectorum</i>	1	(19)4	(3)4	(2)4	0	(15)4					
<i>Cardaria spp.</i>	3	0	0	0	0	0					
<i>Carduus nutans</i>	1	(1)2	0	0	0	0					
<i>Celastrus orbiculatus</i>	1	0	0	0	0	0					
<i>Centaurea diffusa</i>	1	0	0	0	0	0					
<i>Centaurea maculosa</i>	1	(2)3	0	0	0	(1)3					
<i>Centaurea solstitialis</i>	1	(3)4	0	0	0	0					
<i>Chondrilla juncea</i>	1	0	0	0	0	0					
<i>Cirsium arvense</i>	1	(13)4	(1)4	(2)4	(2)3	(2)4					
<i>Cirsium vulgare</i>	1	(1)3	0	0	0	0					
<i>Convolvulus arvensis</i>	1	0	0	0	0	0					
<i>Cynoglossum officinale</i>	1	0	0	0	0	0					
<i>Cytisus spp.</i>	2	(2)4	0	(2)4	0	0					
<i>Elaeagnus angustifolia</i>	1	0	0	0	0	0					
<i>Elaeagnus umbellata</i>	1	0	0	0	0	0					
<i>Genista monspessulana</i>	1	(4)4	0	0	(1)4	(1)3					
<i>Hypericum perforatum</i>	1	(6)4	(1)4	(1)4	0	(2)4					
<i>Imperata spp.</i>	2	(2)4	0	0	0	(1)3					
<i>Lepidium latifolium</i>	1	(1)3	0	0	0	0					
<i>Lespedeza cuneata</i>	1	(1)3	0	(1)3	0	0					
<i>Ligustrum spp.</i>	4	0	0	0	0	0					
<i>Linaria spp.</i>	2	(6)4	0	(1)3	0	0					
<i>Lonicera japonica</i>	1	(8)4	0	(2)4	0	(3)4					
<i>Lonicera spp.</i>	6	(2)3	0	0	0	(2)3					
<i>Lygodium spp.</i>	2	0	0	0	0	0					
<i>Lythrum salicaria</i>	1	0	0	0	0	0					
<i>Melaleuca quinquenervia</i>	1	(3)4	0	(1)3	(1)3	(2)3					
<i>Microstegium vimineum</i>	1	(1)4	0	0	0	0					

<i>Potentilla recta</i>	1	(1)4	0	(1)4	0	0					
<i>Pueraria montana var. lobata</i>	1	0	0	0	0	0					
<i>Rosa multiflora</i>	1	(1)4	(1)4	0	0	0					
<i>Schinus terebinthifolius</i>	1	(3)4	0	0	0	(2)4					
<i>Sonchus arvensis</i>	1	(3)4	0	(1)4	0	0					
<i>Sorghum halepense</i>	1	(2)4	0	(1)4	0	(1)4					
<i>Spartium junceum</i>	1	0	0	0	0	0					
<i>Tamarix spp.</i>	4	(8)4	(2)4	(1)3	(2)2	0					
<i>Triadica sebifera</i>	1	(2)3	0	(2)2	0	0					
<i>Ulex europaeus</i>	1	(8)4	(3)4	(2)4	0	(7)4					

**Topics relating to fire experiments: Proportion of spp reviews at each information quality level**



**Of spp reviews with any information, number with 1, 2, or more sources**



<b>Documentation for pie charts:</b>												
<b>Tally-- frequency of each level of highest-quality</b>		<b>Fire Experiment</b>	<b>Varying fire severities</b>	<b>Varying burn seasons</b>	<b>Varying burn intervals</b>	<b>Multiple postfire years</b>						
value of 0		16	36	28	39	30						
value of 1		0	0	0	0	0						
value of 2		2	0	1	1	0						
value of 3		6	0	4	2	5						
value of 4		19	7	10	1	8						
value of "n/a"		0	0	0	0	0						
<b>Total reviews</b>		43	43	43	43	43						
<b>Documentation for bar graphs:</b>												
<b>Tally again-- lumping qualities 1 &amp; 2, 3 &amp; 4</b>		<b>Fire Experiment</b>	<b>Varying fire severities</b>	<b>Varying burn seasons</b>	<b>Varying burn intervals</b>	<b>Multiple postfire years</b>						
no info		16	36	28	39	30						
low-qual		2	0	1	1	0						
high-qual		25	7	14	3	13						
n/a		0	0	0	0	0						
<b>Total reviews</b>		43	43	43	43	43						
# of summaries with any info		27	7	15	4	13						
<b>No. sources</b>		<b>Fire Experiment</b>	<b>Varying fire severities</b>	<b>Varying burn seasons</b>	<b>Varying burn intervals</b>	<b>Multiple postfire years</b>						
1		7	4	8	2	4						
2		7	1	6	2	6						
>2		13	2	1	0	3						