9. REFERENCES

ACGIH. 1988. Documentation of the threshold limit values and biological exposure indices. 5th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

ACGIH. 1988-1989. Threshold limit values and biological exposure indices for 1988-1989. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

*ACGIH. 2006. Styrene. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

*Adgate JL, Church TR, Ryan AD, et al. 2004. Outdoor, indoor, and personal exposure to VOCs in children. Environ Health Perspect 112:1386-1392.

*Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. Dev Med Child Neurol 27(4):532-537.

*Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. Environ Health Perspect Suppl 103(7):103-112.

*Agency for Toxic Substances and Disease Registry. 1989. Decision guide for identifying substancespecific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry, Division of Toxicology. Fed Regist 54(174):37618-37634.

Agency for Toxic Substances and Disease Registry. 1990a. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary, and immune systems. Subcommittee on Biomarkers of Organ Damage and Dysfunction. Atlanta, GA: Agency for Toxic Substances and Disease Registry.

Agency for Toxic Substances and Disease Registry. 1990b. Toxicological profile for manganese and compounds. Atlanta, GA: Agency for Toxic Substances and Disease Registry.

+*Agrawal AK, Srivastava SP, Seth PK. 1982. Effect of styrene on dopamine receptors. Bull Environ Contam Toxicol 39:400-403.

+*Ahlborg G, Bjerkedal T, Egenaes J. 1987. Delivery outcome among women employed in the plastics industry in Sweden and Norway. Am J Ind Med 12:507-517.

*AIHA. 1995. Styrene. Emergency Response Planning Guidelines (ERPG). Fairfax, VA: American Industrial Hygiene Association.

Aitio A. 1993. Letters to the editor and authors' reply Re: "Urinary styrene in the biological monitoring of styrene exposure" by Gobba et al. Scand J Work Environ Health 19:432-435.

+*Alarie Y. 1973. Sensory irritation of the upper airways by airborne chemicals. Toxicol Appl Pharmacol 24:279-297.

*Cited in text

⁺Cited in supplemental document

*Ali SF, Hong JS, Wilson WE, et al. 1983. Effect of acrylamide on neurotransmitter metabolism and neuropeptide levels in several brain regions and upon circulating hormones. Arch Toxicol 52:35-43.

+*Aliberti LM, Severini G. 1987. Urinary enzyme excretion in subjects exposed to styrene. Ann Clin Biochem 24:114.

*Altman PL, Dittmer DS. 1974. Biological handbooks: Biology data book. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.

*Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. J Appl Toxicol 3:272-290.

*Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. Animal test alternatives: Refinement, reduction, replacement. New York, NY: Marcel Dekker, Inc., 9-25.

*Andersen ME, Clewell HJ, Gargas ML, et al. 1987a. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. Toxicol Appl Pharmacol 87(2):185-205.

Andersen ME, Gargas ML, Ramsey JC. 1984. Inhalation pharmacokinetics: Evaluating systemic extraction, total *in vivo* metabolism, and the time course of enzyme induction for inhaled styrene in rats based on arterial blood: Inhaled air concentration ratios. Toxicol Appl Pharmacol 73:176-187.

Andersen ME, MacNaughton MG, Clewell HJ, et al. 1987b. Adjusting exposure limits for long and short exposure periods using a physiological pharmacokinetics model. Am Ind Hyg Assoc J 48:335-343.

Anderson KE. 1986. Styrene exposure during the manufacturing of reinforced fiberglass pipe. Diss Abstr Int 47:979-B.

*Andersson HC, Tranberg EA, Uggla AH, et al. 1980. Chromosomal aberrations and sister-chromatid exchanges in lymphocytes of men occupationally exposed to styrene in a plastic-boat factory. Mutat Res 73:387-401.

*Antilla A, Pukkala E, Riala R, et al. 1998. Cancer incidence among Finnish workers exposed to aromatic hydrocarbons. Int Arch Occup Environ Health 71:187-193.

*Antoine SR, DeLeon IR, O'Dell-Smith RM. 1986. Environmentally significant volatile organic pollutants in human blood. Bull Environ Contam Toxicol 36:364-371.

*Anwar WA, Shamy MY. 1995. Chromosomal aberrations and micronuclei in reinforced plastics workers exposed to styrene. Mutat Res 327:41-47.

*Apostoli P, Brugnone F, Perbellini L, et al. 1983. Occupational styrene exposure: Environmental and biological monitoring. Am J Ind Med 4:741-754.

*Arfini G, Mutti A, Vescovi P, et al. 1987. Impaired dopaminergic modulation of pituitary secretion in workers occupationally exposed to styrene: Further evidence from PRL response to TRH stimulation. J Occup Med 29:826-830.

Aringer L, Lof A, Elinder CG. 1991. The applicability of the measurement of urinary thioethers. A study of humans exposed to styrene during diet standardization. Int Arch Occup Environ Health 63:341-346.

+*Arnedo-Pena A, Bellido-Blasco J, Villamarin-Vazquez JL, et al. 2003. Acute health effects after accidental exposure to styrene from drinking water in Spain. Environ Health 2(6):1-9.

*Artuso M, Angotzi G, Bonassi S, et al. 1995. Cytogenetic biomonitoring of styrene-exposed plastic boat builders. Arch Environ Contam Toxicol 29:270-274.

Artuso M, DeFerrari M, Bonatti S, et al. 1992. Cytogenetic biomonitoring of workers exposed to styrene. Mutat Res 271(2):199.

Ashby J, Richardson CR. 1985. Tabulation and assessment of 113 human surveillance cytogenetic studies conducted between 1965 and 1984. Mutat Res 154:111-113.

*Ashley DL, Bonin MA, Cardinali FL, et al. 1992. Determining volatile organic compounds in human blood from a large sample population by using purge and trap gas chromatography/mass spectrometry. Anal Chem 64:1021-1029.

Ashley DL, Bonin MA, Cardinali FL, et al. 1994. Blood concentrations of volatile organic compounds in a nonoccupationally exposed U.S. population and in groups with suspected exposure. Clin Chem 40(7):1401-1404.

Ashley DL, Bonin MA, Cardinali FL, et al. 1996. Measurement of volatile organic compounds in human blood. Environ Health Perspect 104:871-877.

*Assmuth T, Kalevi K. 1992. Concentrations and toxicological significance of trace organic compounds in municipal solid waste landfill gas. Chemosphere 24(9):1207-1216.

*ASTM. 1988a. D 3686-84. Standard practice for sampling atmospheres to collect organic compound vapors. (Activated charcoal tube adsorption method). In: Storer RA, Cornillot JL, Richardson D, et al., eds. 1988 Annual book of ASTM standards. Vol. 11.03. Section 11: Water and environmental technology. Philadelphia, PA: American Society for Testing and Materials, 234-240.

*ASTM. 1988b. D3687-84. Standard practice for analysis of organic compound vapors collected by the activated charcoal tube absorption method. In: Storer RA, Cornillot JL, Richardson D, et al., eds. 1988 Annual book of ASTM standards. Vol. 11.03. Section 11. Water and environmental technology. Philadelphia, PA: American Society for Testing and Materials, 241-246.

Atkinson R. 1994. Gas-phase tropospheric chemistry of organic compounds. J Phys Chem Ref Data 1:231.

*Atkinson R, Arey J. 2003. Atmospheric degradation of volatile organic compounds. Chem Rev 103:4605-4638.

*Atkinson R, Aschmann SM, Fitz DR, et al. 1982. Rate constants for the gas-phase reactions of O_3 with selected organics at 296K. Int J Chem Kinet 14:13-18.

+Axelson O, Gustavson J. 1978. Some hygienic and clinical observations on styrene exposure. Scand J Work Environ Health 4:215-219.

Badings HT, De Jong C, Dooper RP. 1985. Automatic system for rapid analysis of volatile compounds by purge-and-cold trapping/capillary gas chromatography. J High Resolut Chromatogr Commun 8:755-763.

Baehr AL, Stackelberg PE, Baker RJ. 1999. Evaluation of the atmosphere as a source of volatile organic compounds in shallow groundwater. Water Resour Res 35:127-136.

+*Ban M, Langonne I, Huguet N, et al. 2006. Inhaled chemicals may enhance allergic airway inflammation in ovalbumin-sensitised mice. Toxicology 226:161-171.

*Banerjee S, Yalkowsky SH, Valvani SC. 1980. Water solubility and octanol/water partition coefficients of organics. Limitations of the solubility-partition coefficient correlation. Environ Sci Technol 14:1227-1229.

Barale R. 1991. The genetic toxicology of styrene and styrene oxide. Mutat Res 257:107-126.

*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. Regul Toxicol Pharmacol 8(4):471-486.

*Bartolucci GB, De Rosa E, Gori GP, et al. 1986. Biomonitoring of occupational exposure to styrene. Appl Ind Hyg 1:125-131.

*Baselt RC. 1988a. Styrene. In: Biological monitoring methods for industrial chemicals. 2nd ed. Littleton, MA: PSG Publishing, Inc., 265-267.

*Baselt RC. 1988b. Ethylbenzene. In: Biological monitoring methods for industrial chemicals. 2nd ed. Littleton, MA: PSG Publishing, Inc., 146-148.

*Basirov AA. 1975. [Biochemical indexes of the gastric juice in the early diagnosis of stomach illness under the effect of toxic substances (1,3-butadiene and styrene).] Azerb Med Zh 52:60-66. (Russian)

+*Behari M, Choudhary C, Roy S, et al. 1986. Styrene-induced peripheral neuropathy: A case report. Eur Neurol 25:424-427.

+*Beliles RP, Butala JH, Stack CR, et al. 1985. Chronic toxicity and three-generation reproduction study of styrene monomer in the drinking water of rats. Fundam Appl Toxicol 5:855-868.

*Belvedere G, Tursi F. 1981. Styrene oxidation to styrene oxide in human blood erythrocytes and lymphocytes. Res Commun Chem Pathol Pharmacol 33:273-282.

+*Benignus VA, Geller AM, Boyes WK, et al. 2005. Human neurobehavioral effects of long-term exposure to styrene: A meta-analysis. Environ Health Perspect 113:532-538.

Bergamaschi E, Mutti A, Cavazzini S, et al. 1995a. Peripheral markers of neurochemical effects among styrene-exposed workers. Neurotoxicology 16(3):545.

*Bergamaschi E, Mutti A, Cavazzini S, et al. 1996. Peripheral markers of neurochemical effects among styrene-exposed workers. Neurotoxicology 17(3-4):753-759.

+Bergamaschi E, Smargiassi A, Mutti A, et al. 1995b. Immunological changes among workers occupationally exposed to styrene. Int Arch Occup Environ Health 67:165-171.

+*Bergamaschi E, Smargiassi A, Mutti A, et al. 1997. Peripheral markers of catecholaminergic dysfunction and symptoms of neurotoxicity among styrene-exposed workers. Int Arch Occup Environ Health 69:209-214.

*Berger GS, ed. 1994. Epidemiology of endometriosis. In: Endometriosis: Modern surgical management of endometriosis. New York, NY: Springer-Verlag, 3-7.

Bernardini S, Hirvonen A, Jarventaus H, et al. 2002. Influence of GSTM1 and GSTT1 genotypes on sister chromatid exchange induction by styrene in cultured human lymphocytes. Carcinogenesis 23(5):893-897.

*Berode M, Droz PO, Guillemin M. 1985. Human exposure to styrene: VI. Percutaneous absorption in human volunteers. Int Arch Occup Environ Health 55:331-336.

*BFR. 2006. High daily intakes of cinnamon: Health risks cannot be ruled out. Bundesinstitut fur Risikobewertung. BfR Health Assessment No. 044/2006.

http://www.bfr.bund.de/cm/245/high_daily_intakes_of_cinnamon_health_risk_cannot_be_ruled_out.pdf. August 17, 2007.

*Bigbee WL, Grant SG, Langlois RG, et al. 1996. Glycophorin a somatic cell mutation frequencies in Finnish reinforced plastics workers exposed to styrene. Cancer Epidemiol Biomarkers Prev 5:801-810.

*Bignozzi CA, Maldotti A, Chiorboli C, et al. 1981. Kinetics and mechanisms of reactions between aromatic olefins and hydroxyl radicals. Int J Chem Kinet 13:1235-1242.

*Biró A, Pallinger E, Major J, et al. 2002. Lymphocyte phenotype analysis and chromosome aberration frequency of workers occupationally exposed to styrene, benzene, polycyclic aromatic hydrocarbons or mixed solvents. Immunol Lett 81:133-140.

Boffetta P, Sali D, Kolstad H, et al. 1998. Mortality of short-term workers in two international cohorts. J Occup Environ Med 40(12):1120-1126.

Bolt HM. 1993. Interspecies differences in metabolism and kinetics of 1,3-butadiene, isobutene and styrene. IARC Sci Publ (127):37-44.

Bommaraju TV, Luke B, O'Brien TF, et al. 2004. Chlorine. In: Kirk-Othmer encyclopedia of chemical technology. Vol. 6. John Wiley & Sons, Inc.

http://www.mrw.interscience.wiley.com/emrw/9780471238966/kirk/article/chlocurl.a01/current/pdf. March 29, 2007.

*Bond GG, Bodner KM, Olsen GW, et al. 1992. Mortality among workers engaged in the development or manufacture of styrene-based products-an update. Scand J Work Environ Health 18:145-154.

*Bond JA. 1989. Review of toxicology of styrene. CRC Crit Rev Toxicol 19:227-249.

Bonde JP. 1999. Occupational risk to male reproduction. Int Arch Occup Environ Health 72:133-134.

Boogaard PJ, de Kloe KP, Sumner SCJ, et al. 2000a. Disposition of [ring-U-¹⁴C]styrene in rats and mice exposed by recirculating nose-only inhalation. Toxicol Sci 58:161-172.

Boogaard PJ, de Kloe KP, Wong BA, et al. 2000b. Quantification of DNA adducts formed in liver, lungs, and isolated lung cells of rats and mice exposed to 14C-styrene by nose-only inhalation. Toxicol Sci 57:203-216.

Bouhamra WS, BuHamra SS, Thomson MS. 1997. Determination of volatile organic compounds in indoor and ambient air of residences in Kuwait. Environ Int 23(1):197-204.

*Bouwer EJ, McCarty PL. 1984. Modeling of trace organics biotransformation in the subsurface. Ground Water 22:433-440.

Brandorff NP, Flyvhokm M-A, Beck ID, et al. 1995. National survey on the use of chemicals in the working environment: Estimated exposure events. Occup Environ Med 52:454-463.

Brantley AS, Townsend TG. 1999. Leaching of pollutants from reclaimed asphalt pavement. Environ Eng Sci 16(2):105-116.

*Braun-Lüllemann A, Majcherczyk A, Huttermann A. 1997. Degradation of styrene by white-rot fungus. Appl Microbiol Biotechnol 47:150-155.

Brenner DD, Jeffrey AM, Latriano L, et al. 1991. Biomarkers in styrene-exposed boatbuilders. Mutat Res 261(3):225-236.

*Bridie AL, Wolff CJ, Winter M. 1979. BOD and COD of some petrochemicals. Water Res 13:627-630.

Brinkmann E, Kaul G, Zeller H-J. 2000. Neuropsychiatric symptoms at low-level exposure to styrene [Abstract]. Neurotoxicology 21(5):897-898.

Brodkin CA, Moon J-D, Camp J, et al. 2001. Serum hepatic biochemical activity in two populations of workers exposed to styrene. Occup Environ Med 58:95-102.

Brondeau MT, Hesbert A, Beausoleil C, et al. 1999. To what extent are biomonitoring data available in chemical risk assessment? Hum Exp Toxicol 18:322-326.

*Bronstein AC, Currance PL. 1988. Emergency care for hazardous materials exposure. St. Louis, MO: The C.V. Mosby Company, 221-222.

Brosseau J, Heitz M. 1994. Trace gas compound emissions from municipal landfill sanitary sites. Atmos Environ 28:285-293.

*Brown KW, Donnelly KC. 1988. An estimation of the risk associated with the organic constituents of hazardous and municipal waste landfill leachates. Haz Waste Haz Mater 5:1-30.

Brown NA. 1991. Reproductive and developmental toxicity of styrene. Reprod Toxicol 5:3-29.

Brown NA, Lamb JC, Brown SM, et al. 2000. A review of the developmental and reproductive toxicity of styrene. Regul Toxicol Pharmacol 32:228-247.

Brown SK, Sim MR, Abramson MJ, et al. 1994. Concentrations of volatile organic compounds in indoor air-A review. Indoor Air 4:123-134.

Brown-Woodman PDC, Webster WS, Picker K, et al. 1994. *In vitro* assessment of individual and interactive effects of aromatic hydrocarbons on embryonic development of the rat. Reprod Toxicol 8:121-135.

*Brugnone F, Perbellini L, Wang GZ, et al. 1993. Blood styrene concentrations in a "normal" population and in exposed workers 16 hours after the end of the workshift. Int Arch Occup Environ Health 65:125-130.

*Bunce NJ, Dryfhout HG. 1992. Diurnal and seasonal modeling of the tropospheric half-lives of polycyclic aromatic hydrocarbons. Can J Chem 70:1966-1970.

*Burback BL, Perry JJ. 1993. Biodegradation and biotransformation of groundwater pollutant mixtures by *Mycobacterium vaccae*. Appl Environ Microbiol 59(4):1025-1029.

Burns CJ, Cruzan G, Tsai SP. 2006. Styrene and breast cancer incidence in Texas: A comment on an ecological association. Breast Cancer Res Treat 97:339-340.

Buschini A, De Palma G, Poli P, et al. 2003. Genetic polymorphism of drug-metabolizing enzymes and styrene-induced DNA damage. Environ Mol Mutagen 41:243-252.

+*Bushnell PJ. 1994. Styrene impairs serial spatial reversal learning in rats. J Am Coll Toxicol 13(4):279-300.

Bushnell PJ, Levin ED. 1993. Effects of dopaminergic drugs on working and reference memory in rats. Pharmacol Biochem Behav 45:765-776.

+*Calabrese G, Martini A, Sessa G, et al. 1996. Otoneurological study in workers exposed to styrene in the fiberglass industry. Int Arch Occup Environ Health 68(4):219-223.

+*Campagna D, Gobba F, Mergler D, et al. 1996. Color vision loss among styrene-exposed workers neurotoxicological threshold assessment. Neurotoxicology 17(2):367-373.

+*Campagna D, Mergler D, Huel G, et al. 1995. Visual dysfunction among styrene-exposed workers. Scand J Work Environ Health 21:382-390.

Campbell ME, Benson BA, Muir MA. 1995. Urban air quality and human health: A Toronto perspective. Can J Public Health 86(5):351-357.

+*Campo P, Lataye R, Loquet G, et al. 2001. Styrene-induced hearing loss: A membrane insult. Hear Res 154(1-2):170-180.

Campo P, Loquet G, Blachere V, et al. 1999. Toluene and styrene intoxication route in the rat cochlea. Neurotoxicol Teratol 21(4):427-434.

*Canter LW, Sabatini DA. 1994. Contamination of public ground water supplies by Superfund sites. Int J Environ Stud 46:35-57.

*Cantoni L, Salmona M, Facchinetti T, et al. 1978. Hepatic and extrahepatic formation and hydration of styrene oxide *in vitro* in animals of different species and sex. Toxicol Lett 2:179-186.

Cantor KP, Stewart PA, Brinton LA, et al. 1995. Occupational exposures and female breast cancer mortality in the United States. J Occup Environ Med 37(3):336-348.

Cantoreggi S, Lutz WK. 1993. Covalent binding of styrene to DNA in rat and mouse. Carcinogenesis 14(3):355-360.

Carlson GP. 1997a. Comparison of mouse strains for susceptibility to styrene-induced hepatotoxicity and pneumotoxicity. J Toxicol Environ Health 51:177-187.

Carlson GP. 1997b. Effects of inducers and inhibitors on the microsomal metabolism of styrene to styrene oxide in mice. J Toxicol Environ Health 51:477-488.

Carlson GP. 2003. *In vitro* metabolism of styrene to styrene oxide in liver and lung of CYP2E1 knockout mice. J Toxicol Environ Health A 66:861-869.

Carlson GP. 2004a. Comparison of the susceptibility of wild-type and CYP2E1 knockout mice to the hepatotoxic and pneumotoxic effects of styrene and styrene oxide. Toxicol Lett 150:335-339.

Carlson GP. 2004b. Influence of selected inhibitors on the metabolism of the styrene metabolite 4-vinylphenol in wild-type and CYP2E1 knockout mice. J Toxicol Environ Health 67A:905-909.

*Carlson EM, Erskine MG. 1973. Styrene. Chemical economics handbook. Menlo Park, CA: Standford Research Institute.

Carlson GP, Hynes DE, Mantick NA. 1998. Effects of inhibitors of CYP1A and CYP2B on styrene metabolism in mouse liver and lung microsomes. Toxicol Lett 98:131-137.

*Carlson GP, Mantick NA, Powley MW. 2000. Metabolism of styrene by human liver and lung. J Toxicol Environ Health A 59:591-595.

Carlson GP, Perez Rivera AA, Mantick NA. 2001. Metabolism of the styrene metabolite 4-vinylphenol by rat and mouse liver and lung. J Toxicol Environ Health A 63:541-551.

Carlson GP, Turner M, Mantick NA. 2006. Effects of styrene and styrene oxide on glutathione-related antioxidant enzymes. Toxicology 227(3):217-226.

*Carlsson A. 1981. Distribution and elimination of 14-C styrene in rat. Scand J Work Environ Health 7:45-50.

+*Carpenter CP, Shaffer CB, Weil CS, et al. 1944. Studies on the inhalation of 1,3-butadiene; with a comparison of its narcotic effect with benzol, toluol, and styrene, and a note on the elimination of styrene by the human. J Ind Hyg Toxicol 26:69-78.

*Castillo L, Baldwin M, Sassine MP, et al. 2001. Cumulative exposure to styrene and visual functions. Am J Ind Med 39:351-360.

*CEFIC. 2002. Styrene monomer: Environmental, health and safety guidelines. Conseil Européen de L'Industrie Chimique.

http://www.styrenemonomer.org/Styrene%20Monomer%20Environmental%20Health%20Safety%20and %20Distribution%20Guidelines.pdf. May 30, 2007.

Chakrabarti SK. 1999. Styrene and styrene oxide affect the transport of dopamine in purified rat striatal synaptic vesicles. Biochem Biophys Res Commun 255:70-74.

Chakrabarti SK, Duhr M-A, Senecal-Quevillon M, et al. 1993. Dose-dependent genotoxic effects of styrene on human blood lymphocytes and the relationship to its oxidative and metabolic effects. Environ Mol Mutagen 22:85-92.

+Chakrabarti SK, Labelle L, Tuchweber B. 1987. Studies on the subchronic nephrotoxic potential of styrene in Sprague-Dawley rats. Toxicology 44:355-365.

Chamkhia N, Sakly M, Rhouma KB. 2006. Male reproductive impacts of styrene in rat. Toxicol Ind Health 22(8):349-355.

Chao J, Lin CT, Chung TH. 1983. Vapor pressure of coal chemicals. J Phys Chem Ref Data 12:1033, 1054.

+*Checkoway H, Williams TM. 1982. A hematology survey of workers at a styrene-butadiene synthetic rubber manufacturing plant. Am Ind Hyg Assoc J 43:164-169.

+*Checkoway H, Costa LG, Camp J, et al. 1992. Peripheral markers of neurochemical function among workers exposed to styrene. Br J Ind Med 49:560-565.

*Cheng H, Sathiakumar N, Graff J, et al. 2007. 1,3-Butadiene and leukemia among synthetic rubber industry workers: Exposure-response relationships. Chem Biol Interact 166:15-24.

Cherry N, Rodgers B, Venables H, et al. 1981. Acute behavioral effects of styrene exposure: A further analysis. Br J Ind Med 38:346-350.

+*Cherry N, Waldron HA, Wells GG, et al. 1980. An investigation of the acute behavioral effects of styrene on factory workers. Br J Ind Med 37:234-240.

+*Chia SE, Jeyaratnam J, Ong CN, et al. 1994. Impairment of color vision among workers exposed to low concentrations of styrene. Am J Ind Med 26:481-488.

*Chmielewski J, Renke W. 1975. Clinical and experimental studies on the pathogenesis of toxic effects of styrene. II. The effect of styrene on the respiratory system. Bull Inst Marit Trop Med Gdynia 26:299-302.

*Cho SI, Damokosh AI, Ryan LM, et al. 2001. Effects of exposure to organic solvents on menstrual cycle length. J Occup Environ Med 43(6):565-575.

Christakopoulos A, Bergmark E, Zorcec V, et al. 1993. Monitoring occupational exposure to styrene from hemoglobin adducts and metabolites in blood. Scand J Work Environ Health 19:255-263.

Chu KC, Cueto C, Ward JM. 1981. Factors in the evaluation of 200 National Cancer Institute carcinogen bioassays. J Toxicol Environ Health 8:251-280.

*Chua SC, Lee BL, Liau LS, et al. 1993. Determination of mandelic acid and phenylglyoxylic acid in the urine and its use in monitoring of styrene exposure. J Anal Toxicol 17(3):129-132.

Chung JK, Yuan W, Zheng J. 2006. Investigation of bioactivation and toxicity of styrene in CYP2E1 transgenic cells. Toxicology 226(2-3):99-106.

*Clay P. 2004. Styrene monomer does not induce unscheduled DNA synthesis in the mouse liver following inhalation exposure. Mutagenesis 19(6):489-492.

*Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. Toxicol Ind Health 1(4):111-131.

Coccini T, Di Nucci A, Tonini M, et al. 1996. Effects of ethanol administration on cerebral non-protein sulfhydryl content in rats exposed to styrene vapour. Toxicology 106(1-3):115-122.

Coccini T, Fenoglio C, Maestri L, et al. 1998. Effect of subchronic ethanol ingestion on styrene-induced damage to the tracheal and pulmonary epithelium of the rat. J Appl Toxicol 18:349-356.

Coccini T, Fenoglio C, Nano R, et al. 1997. Styrene-induced alterations in the respiratory tract of rats treated by inhalation or intraperitoneally. J Toxicol Environ Health 52:63-77.

Coccini T, Nappi R, Randine G, et al. 2000. The neuroendocrine system as a target for stressors: Interaction of styrene with the oestrus cycle in rat [Abstract]. Eur J Neurosci 12(Suppl 11):477.

Coccini T, Randine G, Li B, et al. 1999. Effect of styrene on monoamine oxidase B activity in rat brain. J Toxicol Environ Health 56:59-68.

*Cocheo V, Bellomo ML, Bombi GG. 1983. Rubber manufacture: Sampling and identification of volatile pollutants. Am Ind Hyg Assoc J 44:521-527.

Coggon D. 1994. Epidemiological studies of styrene-exposed populations. Crit Rev Toxicol 24(S1):S107-S115.

+*Coggon D, Osmond C, Pannett B, et al. 1987. Mortality of workers exposed to styrene in the manufacture of glass-reinforced plastics. Scand J Work Environ Health 13:94-99.

Cohen JT, Carlson G, Charnley G, et al. 2002. A comprehensive evaluation of the potential health risks associated with occupational and environmental exposure to styrene. J Toxicol Environ Health B Crit Rev 5:1-263.

*Coleman WE, Munch JW, Streicher RP, et al. 1984. The identification and measurement of components in gasoline, kerosene, and No. 2 fuel oil that partition into the aqueous phase after mixing. Arch Environ Contam Toxicol 13:171-178.

*Compton-Quintana PJ, Jensen RH, Bigbee WL, et al. 1993. Use of the glycophorin A human mutation assay to study workers exposed to styrene. Environ Health Perspect 99:297-301.

Conner MK, Alarie Y, Dombroske RL. 1979. Sister chromatid exchange in regenerating liver and bone marrow cells of mice exposed to styrene. Toxicol Appl Pharmacol 50:365-367.

*Conner MK, Alarie Y, Dombroske RL. 1980. Sister chromatid exchange in Murine alveolar macrophages, bone marrow, and regenerating liver cells induced by styrene inhalation. Toxicol Appl Pharmacol 55:37-42.

+*Conti B, Maltoni C, Perino G, et al. 1988. Long-term carcinogenicity bioassays on styrene administered by inhalation, ingestion and injection and styrene oxide administered by ingestion in Sprague-Dawley rats, and *para*-methylstyrene administered by ingestion in Sprague-Dawley rats and Swiss mice. Ann NY Acad Sci 534:203-234.

Contos DA, Holdren MW, Smith DL. 1995. Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins. J Air Waste Manage Assoc 45:686-694.

*Correa SM, Torres AR, Arbilla G. 2004. Aromatic volatile organic compounds emissions in a tire recapping unit. Bull Environ Contam Toxicol 72:255-260.

Coyle YM, Hynan LS, Euhus DM, et al. 2005. An ecological study of the association of environmental chemicals on breast cancer incidence in Texas. Breast Cancer Res Treat 92:107-114.

*CRISP. 2007. Styrene: Computer Retrieval of Information on Scientific Projects Database. Bethesda, MD: National Institutes of Health, Division of Research Grants.

+*Crofton KM, Lassiter TL, Rebert CS. 1994. Solvent-induced ototoxicity in rats: An atypical selective mid-frequency hearing deficit. Hear Res 80:25-30.

*Crump D. 1995. Volatile organic compounds in indoor air. Issues Environ Sci Technol 4:109-124.

*Cruzan G, Carlson GP, Johnson KA. 2002. Styrene respiratory tract toxicity and mouse lung tumors are mediated by CYP2F-generated metabolites. Regul Toxicol Pharmacol 35:308-319.

+*Cruzan G, Carlson GP, Turner M, et al. 2005b. Ring-oxidized metabolites of styrene contribute to styrene-induced Clara-cell toxicity in mice. J Toxicol Environ Health 68A:229-237.

+*Cruzan G, Cushman JR, Andrews LS, et al. 1997. Subchronic inhalation studies of styrene in CD rats and CD-1 mice. Fundam Appl Toxicol 35(2):152-165.

+*Cruzan G, Cushman JR, Andrews LS, et al. 1998. Chronic toxicity/oncogenicity study of styrene in CD rats by inhalation exposure for 104 weeks. Toxicol Sci 46:266-281.

+*Cruzan G, Cushman JR, Andrews LS, et al. 2001. Chronic toxicity/oncogenicity study of styrene in CD-1 mice by inhalation exposure for 104 weeks. J Appl Toxicol 21:185-198.

Cruzan G, Faber WD, Johnson KA, et al. 2005c. Two generation reproduction study of styrene by inhalation in Crl-CD rats. Birth Defects Res B Dev Reprod Toxicol 74(3):211-220.

+*Cruzan G, Faber WD, Johnson KA, et al. 2005a. Developmental neurotoxicity study of styrene by inhalation in Crl-CD rats. Birth Defects Res B Dev Reprod Toxicol 74(3):221-232.

*Csanády GA, Kessler W, Hoffmann HD, et al. 2003. A toxicokinetic model for styrene and its metabolite styrene-7,8-oxide in mouse, rat, and human with special emphasis on the lung. Toxicol Lett 138:75-102.

*Csanády GA, Mendrala AL, Noland RJ, et al. 1994. A physiologic pharmacokinetic model for styrene and styrene-7,8-oxide in mouse, rat and man. Arch Toxicol 68:143-157.

+*Dalton P, Cowart B, Dilks D, et al. 2003. Olfactory function in workers exposed to styrene in the reinforced-plastics industry. Am J Ind Med 44(1):1-11.

Danishefsky I, Willhite M. 1954. The metabolism of styrene in the rat. J Biol Chem 211:544-553.

+*Das M, Dixit R, Mushtaq M, et al. 1981. Effect of styrene on hepatic mixed function oxidases, glutathione content and glutathione-S-transferase activity in rats. Drug Chem Toxicol 4:219-227.

+*Das M, Srivastava SP, Seth PK. 1983. Effect of styrene on glutathione content and some xenobiotic metabolizing enzymes of rat kidney. Acta Pharmacol Toxicol (Copenh) 52:47-50.

+*Daston GP, Overmann GJ, Taubeneck MW, et al. 1991. The role of metallothionein induction and altered zinc status in maternally mediated developmental toxicity: Comparison of the effects of urethane and styrene in rats. Toxicol Appl Pharmacol 110:450-463.

+*DeCeaurriz J, Desiles JP, Bonnet P, et al. 1983. Concentration-dependent behavioral changes in mice following short-term inhalation exposure to various industrial solvents. Toxicol Appl Pharmacol 67:383-389.

*DeJong G, van Sittert NJ, Natarajan AT. 1988. Cytogenetic monitoring of industrial populations potentially exposed to genotoxic chemicals and of control populations. Mutat Res 204:451-464.

Delbressine LP, Van Bladeren PJ, Smeets FL, et al. 1981. Stereoselective oxidation of styrene to styrene oxide in rats as measured by mercapturic acid excretion. Xenobiotica 11:589-594.

*Delzell E, Macalluso M, Sathiakumar N, et al. 2001. Leukemia and exposure to 1,3-butadiene, styrene and dimethyldithiocarbamate among workers in the synthetic rubber industry. Chem Biol Interact 135-136:515-534.

*Delzell E, Sathiakumar N, Hovinga M, et al. 1996. A follow-up study of synthetic rubber workers. Toxicology 113:182-189.

*DeMeester C, Duverger-van Bogaert M, Lambotte-Vandepaer M, et al. 1981. Mutagenicity of styrene in the *Salmonella typhimurium* test system. Mutat Res 90:443-450.

DeMeester C, Poncelet F, Roberfroid M, et al. 1977. Mutagenicity of styrene and styrene oxide. Mutat Res 56:147-152.

DePalma G, Manini P, Mozzoni P, et al. 2001. Polymorphism of xenobiotic-metabolizing enzymes and excretion of styrene-specific mercapturic acids. Chem Res Toxicol 14:1393-1400.

*de Raat VK. 1978. Induction of sister chromatid exchanges by styrene and its presumed metabolite styrene oxide in the presence of rat liver homogenate. Chem Biol Interact 20:163-170.

De Rosa E, Cellini M, Sessa G, et al. 1993. Biological monitoring of workers exposed to styrene and acetone. Int Arch Occup Environ Health 65(Suppl 1):S107-S110.

*Dilling WL. 1977. Interphase transfer processes. II. Evaporation rates of chloro methanes, ethanes, ethylenes, propanes, and propylenes from dilute aqueous solutions. Comparisons with theoretical predictions. Environ Sci Technol 11:405-409.

Diodovich C, Bowe G, Gribaldo L. 2004. Response of human cord blood cells to styrene exposure: Evaluation of its effects on apoptosis and gene expression by genomic technology [Abstract]. Toxicol Appl Pharmacol 197(3):276-277.

+*Dixit R, Das M, Mushtaq M, et al. 1982. Depletion of glutathione content and inhibition of glutathione-S-transferase and aryl hydrocarbon hydroxylase activity of rat brain following exposure to styrene. Neurotoxicology 3:142-145.

+*Dogra RKS, Chandra K, Chandra S, et al. 1992. Host resistance assays as predictive models in styrene immunomodulation. Int J Immunopharmacol 14(6):1003-1009.

Dogra RKS, Khanna S, Srivastava SN, et al. 1993. Immunomodulation due to coexposure to styrene and dioctyl phthalate in mice. Immunopharmacol Immunotoxicol 15(4):491-514.

*Dolara P, Caderni G, Lodovici M, et al. 1984. Determination of styrene in the urine of workers manufacturing polystyrene plastics. Ann Occup Hyg 28:195-199.

*Donner M, Sorsa M, Vainio H. 1979. Recessive lethals induced by styrene and styrene oxide in *Drosophila melanogaster*. Mutat Res 67:373-376.

Doskey PV, Yoshiko F, Sultan M. 1999. Source profiles for nonmethane organic compounds in the atmosphere of Cairo, Egypt. J Air Waste Manage Assoc 49:814-822.

*Drummond L, Caldwell J, Wilson HK. 1989. The metabolism of ethylbenzene and styrene to mandelic acid: Stereochemical considerations. Xenobiotica 19:199-207.

*Dumont JP, Adda J. 1978. Occurrence of sesquiterpenes in mountain cheese volatiles. J Agric Food Chem 26:364-367.

Dunbar RC. 1989. Time-resolved unimolecular dissociation of styrene ion. Rats and activation parameters. J Am Chem Soc 111:5572-5576.

*Dunkel VC, Zeiger E, Brusick D, et al. 1985. Reproducibility of microbial mutagenicity assays: II. Testing of carcinogens and noncarcinogens in *Salmonella typhimurium* and *Escherichia coli*. Environ Mut 7(Suppl 5):1-248.

Durkal SK, Biswas P, Shi J, Bernhard MJ. 1998. Characterization of polycyclic aromatic hydrocarbon particulate and gaseous emissions from polystyrene combustion. Environ Sci Technol 32:2301-2307.

*Dutkiewicz T, Tyras H. 1968. Skin absorption of toluene, styrene, and xylene by man. Br J Ind Med 25:243.

ECIS. 2007. Styrene. European chemical Substances Information. http://ecb.jrc.it.esis/. May 30, 2007.

Edling C, Ekberg K. 1985. No acute behavioural effects of exposure to styrene: A safe level of exposure? Br J Ind Med 42:301-304.

+*Edling C, Anundi H, Johanson G, et al. 1993. Increase in neuropsychiatric symptoms after occupational exposure to low levels of styrene (Comment in: Occup Environ Med 51(4):286-287). Br J Ind Med 50(9):843-850.

+*Eguchi T, Kishi R, Harabuchi I, et al. 1995. Impaired colour discrimination among workers exposed to styrene: Relevance of a urinary metabolite. Occup Environ Med 52:534-538.

*Eitzer BD. 1995. Emissions of volatile organic chemicals from municipal solid waste composting facilities. Environ Sci Technol 29:896-902.

*Elia VJ, Anderson LA, MacDonald TJ, et al. 1980. Determination of urinary mandelic and phenylglyoxylic acids in styrene exposed workers and a control population. Am Ind Hyg Assoc J 41:922-926.

*Ellenhorn MJ, Barceloux DG. 1988. Styrene. In: Medical toxicology: Diagnosis and treatment of human poisoning. New York, NY: Elsevier, 956-959.

*Engelhardt G, Gamer A, Vodicka P, et al. 2003. A re-assessment of styrene-induced clastogenicity in mice in a subacute inhalation study. Arch Toxicol 77:56-61.

*Engstrom J, Astrand I, Wigaeus E. 1978b. Exposure to styrene in a polymerization plant: Uptake in the organism and concentration in subcutaneous adipose tissue. Scand J Work Environ Health 4:324-329.

*Engstrom J, Bjurstrom R, Astrand I, et al. 1978a. Uptake, distribution and elimination of styrene in man: Concentration in subcutaneous adipose tissue. Scand J Work Environ Health 4:315-323.

*Engstrom K, Harkonen H, Kalliokoski P, et al. 1976. Urinary mandelic acid concentration after occupational exposure to styrene and its use as a biological exposure test. Scand J Work Environ Health 2:21-26.

*EPA. 1975. Identification of organic compounds in effluents from industrial sources. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA560375002.

*EPA. 1976. Frequency of organic compounds identified in water. Athens, GA: U.S. Environmental Protection Agency, Office of Research and Development. EPA600476062. PB265470.

*EPA. 1978. Environmental monitoring near industrial sites: Brominated chemicals. Part I. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Toxic Substances. PB286484.

*EPA. 1979a. Atmospheric reaction products of organic compounds. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA5601279001. PB301384.

*EPA. 1979b. Identification of organic compounds in industrial effluent discharges. Athens, GA: U.S. Environmental Protection Agency, Office of Research and Development. EPA600479016. PB294794.

*EPA. 1980. Fate of toxic and hazardous materials in the air environment. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. EPA600380084. PB80221948.

*EPA. 1981. Treatability manual. Vol. I. Treatability data. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA600282001A.

*EPA. 1982a. Aquatic fate process data for organic priority pollutants. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA440481014. PB87169090.

EPA. 1982b. Chemical information rules; manufacturers reporting; preliminary assessment information. U.S. Environmental Protection Agency. Fed Regist 47:26992, 27007.

*EPA. 1983. Volatile organic chemicals in the atmosphere: An assessment of available data. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. EPA600383027A.

*EPA. 1984a. Drinking water criteria document for styrene. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA600X84195.

*EPA. 1984b. Health and environmental effects profile for styrene. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA600X84325.

*EPA. 1985a. Drinking water criteria document for styrene. Final draft. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. ECAOCIN409.

*EPA. 1985b. Synthetic organic compound sampling survey of public water supplies. Washington, DC: U.S. Environmental Protection Agency. PB85214427.

*EPA. 1986a. National primary drinking water regulations; synthetic organic chemicals, inorganic chemicals and microorganisms; correction. U.S. Environmental Protection Agency. Fed Regist 51(25):4618.

*EPA. 1986b. Gas chromatography/mass spectrometry for volatile organics, method 8240. In: Test methods for evaluating solid waste. Vol. IA: Laboratory manual, physical/chemical methods. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.

*EPA. 1986c. Method 8020. Aromatic volatile organics. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.

*EPA. 1986d. Broad scan analysis of the FY82 national human adipose tissue survey specimens. Vol. I. Executive summary. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA560586035.

EPA. 1986e. Report on the interim data base for state and local air toxic volatile organic chemical measurements. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA450486012. PB87168779.

EPA. 1987a. Styrene: Health advisory. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water.

EPA. 1987b. National primary drinking water regulations; synthetic organic chemicals, monitoring for unregulated contaminants. Part II. U.S. Environmental Protection Agency. Fed Regist 52:25710.

EPA. 1987c. List (phase 1) of hazardous constituents for ground water monitoring, final rule. U.S. Environmental Protection Agency: Fed Regist 52(131):25942-25952.

*EPA. 1987d. Toxic air pollutant/source crosswalk: A screening tool for locating possible sources emitting toxic air pollutants. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA450487023a. PB88161146.

*EPA. 1987e. The Total Exposure Assessment Methodology (TEAM) study: Summary and analysis. Vol. I. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA600687002a. PB088100060.

*EPA. 1988a. Toxic chemical release reporting: Community right to know. U.S. Environmental Protection Agency. Fed Regist 53:4500-4501.

*EPA. 1988b. Drinking water criteria document for styrene. Final draft. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. ECAOCIN409.

*EPA. 1988c. National ambient volatile organic compounds (VOCs) database update. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA600338010a. PB88195631.

EPA. 1989a. List of hazardous substances and reportable quantities. U.S. Environmental Protection Agency. Fed Regist 54(155):33425-33484.

EPA. 1989b. National primary and secondary drinking water regulations. U.S. Environmental Protection Agency. Fed Regist 54:22064, 22090.

*EPA. 1989c. The toxics-release inventory: A national perspective. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA560489005.

*EPA. 1989d. Interim methods for development of inhalation reference doses. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA600888066F.

*EPA. 1989e. Exposure factors handbook. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA600889043.

*EPA. 1989f. Method 503.1 volatile aromatic and unsaturated organic compounds in water by purge and trap gas chromatography. U.S. Environmental Protection Agency, Office of Research and Development.

*EPA. 1989g. Methods 508, 501.1, 502.2. Methods for the determination of organic compounds in drinking water. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. EPA600488039.

*EPA. 1989h. Method 524.1. Measurement of purgeable organic compounds in water by packed column gas chromatography/mass spectrometry. Methods for the determination of organic compounds in drinking water. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA600488039.

*EPA. 1989i. Method 524.2. Measurement of purgeable organic compounds in water by capillary column gas chromatography/mass spectrometry. In: Methods for the determination of organic compounds in drinking water. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA600488039.

*EPA. 1990. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA600890066A. PB90238890.

*EPA. 1993a. Determination of rates of reaction in the gas-phase in the troposphere. Theory and practice. 5. Rate of indirect photoreaction: Evaluation of the atmospheric oxidation computer program of Syracuse Research Corporation for estimating the second-order rate constant for the reaction of an organic chemical with hydroxyl radicals. Washington, DC: U.S. Environmental Protection Agency. EPA744R93001.

EPA. 1993b. Final report on literature review of atmospheric transformation products of Clean Air Act Title III hazardous air pollutants. Research Triangle Park: U.S. Environmental Protection Agency. EPA600R94088.

*EPA. 1995. Method 502.2. Volatile organic compounds in water by purge and trap capillary column gas chromatography with photoionization and electrolytic conductivity detectors in series. Cincinnati, OH: U.S. Environmental Protection Agency.

*EPA. 1996. Method 8021B: Aromatic and halogenated volatiles by gas chromatography using photoionization and/or electrolytic conductivitiy detectors. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste.

*EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA630R96012.

*EPA. 2001. Method 1625. Semivolatile organic compounds by isotope dilution GCMS. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 136, App. A.

*EPA. 2003. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency, Office of Ground Water and Drinking Water. EPA816F03016. http://www.epa.gov/safewater/mcl.html. March 07, 2006.

*EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency. Office of Environmental Information. EPA260B05001.

*EPA. 2006. Drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water. EPA822R04005. http://epa.gov/waterscience/criteria/drinking/. April 11, 2007.

*EPA. 2007a. Acute exposure guideline levels (AEGLs) Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.

*EPA. 2007b. Designated as hazardous substances in accordance with Section 311(b)(2)(A) of the Clean Water Act. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4. http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm. April 11, 2007.

*EPA. 2007c. Hazardous air pollutants. Clean Air Act. U.S. Environmental Protection Agency. United States Code. 42 USC 7412. http://www.epa.gov/ttn/atw/orig189.html. April 11, 2007.

*EPA. 2007d. Master testing list. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. http://www.epa.gov/opptintr/chemtest/pubs/mtl.htm. May 10, 2007.

*EPA. 2007e. Reportable quantities of hazardous substances designated pursuant to Section 311 of the Clean Water Act. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3. http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm. April 11, 2007.

*EPA. 2007f. Superfund, emergency planning, and community right-to-know programs. Designation, reportable quantities, and notifications. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4. http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm. April 11, 2007.

*EPA. 2007g. Superfund, emergency planning, and community right-to-know programs. Toxic chemical release reporting. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65. http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm. April 11, 2007.

Evans GF, Lumpkin TA, Smith DL, et al. 1992. Measurements of VOCs from the Tams network. J Air Waste Manage Assoc 42:1319-1323.

+*Fallas C, Fallas J, Maslard P, et al. 1992. Subclinical impairment of colour vision among workers exposed to styrene. Br J Ind Med 49(10):679-682.

Fawell JK, Fielding M. 1985. Identification and assessment of hazardous compounds in drinking water. Sci Total Environ 47:317-341.

*FDA. 2006a. Beverages. Bottled water. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 165.110. http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm. April 11, 2007.

*FDA. 2006b. Indirect food additives: Adhesives and components of coatings. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175. http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm. May 10, 2007.

*FDA. 2007a. Everything added to food in the United States (EAFUS). Washington, DC: U.S. Food and Drug Administration. http://vm.cfsan.fda.gov/~dms/eafus.html. April 11, 2007.

*FDA. 2007b. Food additives permitted for direct addition to food for human. Code of Federal Regulations. 21 CFR 172. Washington, DC: U.S. Food and Drug Administration. http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm. May 15, 2007.

*FEDRIP. 2007. Styrene. Federal Research in Progress database. Springfield, VA: National Technical Information Service.

Fechter LD. 1993. Effects of acute styrene and simultaneous noise exposure on auditory function in the guinea pig. Neurotoxicol Teratol 15(3):151-155.

Fellin P, Otson R. 1994. Assessment of the influence of climatic factors on concentration levels of volatile organic compounds (VOC's) in Canadian homes. Atmos Environ 28:3581-3586.

Fernandez-Nieto M, Quirce S, Fraj J, et al. 2006. Airway inflammation in occupational asthma caused by styrene. J Allergy Clin Immunol 117(4):948-950.

Filser JG, Johanson G, Kessler W, et al. 1993. A pharmacokinetic model to describe toxicokinetic interactions between 1,3-butadiene and styrene in rats: Predictions for human exposure. IARC Sci Publ (127):65-78.

Filser JG, Kessler W, Csanady GA. 2002. Estimation of a possible tumorigenic risk of styrene from daily intake via food and ambient air. Toxicol Lett 126:1-18.

Filser JG, Schwegler U, Csanady GA, et al. 1993. Species-specific pharmacokinetics of styrene in rat and mouse. Arch Toxicol 67(8):517-530.

*Fishbein L. 1992. Exposure from occupational versus other sources. Scand J Work Environ Health 18(1):5-16.

*Fisher J, Mahle D, Bankston L, et al. 1997. Lactational transfer of volatile chemicals in breast milk. Am Ind Hyg Assoc J 58(6):425-431.

Fjeldstad PE, Woldbaek T. 1992. A national exposure database. Special Publication of the Royal Chemical Society 108:303-310.

Fjeldstad PE, Thorud S, Wannag A. 1979. Styrene oxide in the manufacture of reinforced polyester plastics. Scand J Work Environ Health 5:162-163.

*Fleming-Jones ME, Smith RE. 2003. Volatile organic compounds in foods: A five-year study. J Agric Food Chem 51(27):8120-8127.

+*Flodin U, Ekberg K, Andersson L. 1989. Neuropsychiatric effects of low exposure to styrene. Br J Ind Med 46:805-808.

*Fomon SJ. 1966. Body composition of the infant: Part 1: The male reference infant. In: Faulkner F, eds. Human development. Philadelphia, PA: WB Saunders, 239-246.

*Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. Am J Clin Nutr 35((Suppl 5)):1169-1175.

Font R, Esperanza M, Garcia AN. 2003. Toxic by-products from the combustion of Kraft lignin. Chemosphere 52:1047-1058.

Foureman GL, Harris C, Guengerich FP, et al. 1989. Stereoselectivity of styrene oxidation in microsomes and in purified cytochrome P-450 enzymes from rat liver. J Pharmacol Exp Ther 248:492-497.

*Frentzel-Beyme R, Thiess AM, Wieland R. 1978. Survey of mortality among employees engaged in manufacture of styrene and polystyrene at the BASF Ludwigshafen works. Scand J Work Environ Health 4:231-239.

FSTRAC. 1988. Summary of state and federal drinking water standards and guidelines. Washington, DC: Federal-State Toxicology and Regulatory Alliance Committee.

*Fu MH, Alexander M. 1992. Biodegradation of styrene in samples of natural environments. Environ Sci Technol 26:1540-1544.

*Fu MH, Alexander M. 1996. Biodegradation of styrene in waterlogged soils and aquifer solids. Soil Sci 161(12):846-851.

*Fu MH, Mayton H, Alexander M. 1994. Desorption and biodegradation of sorbed styrene in soil and aquifer solids. Environ Toxicol Chem 13(5):749-753.

+*Fujita H, Koizumi A, Furusawa T, et al. 1987. Decreased erythrocyte β -aminolevulinate dehydratase activity after styrene exposure. Biochem Pharmacol 36:711-716.

*Fung F, Clark RF. 1999. Styrene-induced peripheral neuropathy. Clin Toxicol 37(1):91-97.

Gagnaire F, Chalansonnet M, Carabin N, et al. 2006. Effects of subchronic exposure to styrene on the extracellular and tissue levels of dopamine, serotonin and their metabolites in rat brain. Arch Toxicol 80(10):703-712.

Gamberale F, Hultengren M. 1974. Exposure to styrene. II. Psychological function. Work Environ Health 11:86-93.

+*Gamberale F, Lisper HO, Olson BA. 1976. The effect of styrene vapour on the reaction time of workers in the plastic boat industry. In: Horvath M, ed. Adverse effects of environmental chemicals and psychomotor drugs. Neurophysiological and behavioral tests. London, England: Elsevier Scientific Pub., 135-148.

Gamer AO, Leibold E, Deckardt K, et al. 2004. The effects of styrene on lung cells in female mice and rats. Food Chem Toxicol 42(10):1655-1667.

*Gargas ML, Burgess RJ, Voisard DE, et al. 1989. Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. Toxicol Appl Pharmacol 98:87-99.

*Gerin M, Siemiatycki J, Desy M, et al. 1998. Associations between several sites of cancer and occupational exposure to benzene, toluene, xylene, and styrene: Results of a case-control study in Montreal. Am J Ind Med 34:144-156.

*Geuskens RBM, van der Klaauw MM, van der Tuin J, et al. 1992. Exposure to styrene and health complaints in the Dutch glass-reinforced plastics industry. Ann Occup Hyg 36:47-57.

*Ghittori S, Imbriani M, Pezzagno G, et al. 1987. The urinary concentration of solvents as a biological indicator of exposure: Proposal for the biological equivalent exposure limit for nine solvents. Am Ind Hyg Assoc J 48:786-790.

Ghittori S, Maestri L, Imbriani M, et al. 1997. Urinary excretion of specific mercapturic acids in workers exposed to styrene. Am J Ind Med 31(5):636-644.

*Gilbert J, Startin JR. 1983. A survey of styrene monomer levels in foods and plastic packaging by coupled mass spectrometry-automatic headspace gas chromatography. J Sci Food Agric 34:647-652.

Girman JR, Hogson AT, Newton AS. 1986. Emissions of volatile organic compounds from adhesives with indoor applications. Environ Int 12:317-321.

*Giwercman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. Environ Health Perspect Suppl 101(2):65-71.

Gobba F. 2000. Color vision: A sensitive indicator of exposure to neurotoxins. Neurotoxicology 21(5):857-862.

Gobba F, Cavalleri A. 1993. Kinetics of urinary excretion and effects on colour vision after exposure to styrene. IARC Sci Publ (127):79-88.

*Gobba F, Cavalleri F, Bontadi D, et al. 1995. Peripheral neuropathy in styrene-exposed workers. Scand J Work Environ Health 21:517-520.

*Gobba F, Galassi C, Ghittori S, et al. 1993. Urinary styrene in the biological monitoring of styrene exposure. Scand J Work Environ Health 19:175-182.

+*Gobba F, Galassi C, Imbriani M, et al. 1991. Acquired dyschromatopsia among styrene-exposed workers (Comment in: J Occup Med 34(5):563-564). J Occup Med 33(7):761-765.

Godderis L, De Boeck M, Haufroid V, et al. 2004. Influence of genetic polymorphisms on biomarkers of exposure and genotoxic effects in styrene-exposed workers. Environ Mol Mutagen 44:293-303.

+*Gong YY, Kishi R, Katakura Y, et al. 2002. Relation between colour vision loss and occupational styrene exposure level. Occup Environ Med 59(12):824-829.

*Goodley PC, Gordon M. 1976. Characterization of industrial organic compounds in water. Trans KY Acad Sci 37(1-2):11-15.

*Gosselin RE, Smith RP, Hodge HC, et al. 1984. Clinical toxicology of commercial products. 5th ed. Baltimore, MD: Williams and Wilkins, II-152.

Gotell P, Axelson O, Lindelof B. 1972. Field studies on human styrene exposure. Work Environ Health 9:76-83.

*Gotz R, Bauer OR, Friesel P, et al. 1998. Organic trace compounds in the water of the River Elbe near Hamburg. Part II. Chemosphere 36:2103-2118.

*Graedel TE. 1978. Aromatic compounds: Benzene and derivatives. In: Chemical compounds in the atmosphere. New York, NY: Academic Press, 105-113.

*Graff JJ, Sathiakumar N, Macaluso M, et al. 2005. Chemical exposures in the synthetic rubber industry and lymphohematopoietic cancer mortality. J Occup Environ Med 47(9):916-932.

*Grbic-Galic D, Churchman-Eisel N, Mrakovic I. 1990. Microbial transformation of styrene by anaerobic consortia. J Appl Bacteriol 69:247-260.

*Green DR, Le Pape D. 1987. Stability of hydrocarbon samples on solid-phase extraction columns. Anal Chem 59:699-703.

+*Green T, Lee R, Toghill A, et al. 2001a. The toxicity of styrene to the nasal epithelium of mice and rats: Studies on the mode of action and relevance to humans. Chem Biol Interact 137:185-202.

Green T, Toghill A, Foster JR. 2001b. The role of cytochromes P-450 in styrene induced pulmonary toxicity and carcinogenicity. Toxicology 169(2):107-117.

*Grosjean D, Fung K. 1984. Hydrocarbons and carbonyls in Los Angeles air. J Air Pollut Control Assoc 34:537-543.

*Grosjean E, Grosjean D, Rasmussen RA. 1998. Ambient concentrations, sources, emission rates, and photochemical reactivity of C2-C10 hydrocarbons in Porto Alegre, Brazil. Environ Sci Technol 32(14):2061-2069.

*Guillemin MP, Bauer D. 1979. Human exposure to styrene. III. Elimination kinetics of urinary mandelic and phenylglyoxylic acids after single experimental exposure. Int Arch Occup Environ Health 44:249-263.

*Guillemin MP, Berode M. 1988. Biological monitoring of styrene: A review. Am Ind Hyg Assoc J 49:497-505.

*Guzelian PS, Henry CJ, Olin SS, eds. 1992. Similarities and differences between children and adults: implications for risk assessment. Washington DC: International Life Sciences and Press Institute Press.

*Haddad LM, Winchester JF. 1990. Clinical management of poisoning and drug overdose. 2nd ed. Philadelphia, PA: W.B. Saunders Company, 1226-1228.

*Hallier E, Goergens HW, Hallier K, et al. 1994. Intervention study on the influence of reduction of occupational exposure to styrene on sister chromatid exchanges in lymphocytes. Int Arch Occup Environ Health 66(3):167-172.

*Hallier E, Goergens HW, Karels H, et al. 1995. A note on individual differences in the urinary excretion of optical enantiomers of styrene metabolites and of styrene-derived mercapturic acids in humans. Arch Toxicol 69(5):300-305.

*Hampton CV, Pierson WR, Harvey TM, et al. 1982. Hydrocarbon gases emitted from vehicles on the road. 1. A qualitative gas chromatography/mass spectrometry survey. Environ Sci Technol 16:287-298.

*Hampton CV, Pierson WR, Schuetzie D, et al. 1983. Hydrocarbon gases emitted from vehicles on the road. 2. Determination of emission rates from diesel and spark-ignition vehicles. Environ Sci Technol 17:699-708.

*Hansch C, Leo A, Hoekman D. 1995. Exploring QSAR. Hydrophobic, electronic, and steric constants. Washington, DC: American Chemical Society, 40.

*Hansteen IL, Jelmert O, Torgrimsen T, et al. 1984. Low human exposure to styrene in relation to chromosome breaks, gaps and sister-chromatid exchanges. Hereditas 100:87-91.

+*Härkönen H, Holmberg PC. 1982. Obstetric histories of women occupationally exposed to styrene. Scand J Work Environ Health 8:74-77.

+*Härkönen H, Lehtniemi A, Aitio A. 1984. Styrene exposure and the liver. Scand J Work Environ Health 10:59-61.

*Härkönen H, Kalliokoski P, Hietala S, et al. 1974. Concentrations of mandelic and phenlyglyoxylic acid in urine as indicators of styrene exposure. Work Environ Health 11:162-169.

*Härkönen H, Lindstrom K, Seppäläinen AM, et al. 1978. Exposure-response relationship between styrene exposure and central nervous functions. Scand J Work Environ Health 4:53-59.

*Harkov R, Gianti SJ, Bozzelli JW, et al. 1985. Monitoring volatile organic compounds at hazardous and sanitary landfills in New Jersey. J Environ Sci Health A20:491-501.

Harkov R, Kebbekus B, Bozzelli JW, et al. 1983. Measurement of selected volatile organic compounds at three locations in New Jersey during the summer season. J Air Pollut Control Assoc 33:1177-1183.

Harkov R, Kebbekus B, Bozzelli JW, et al. 1984. Comparison of selected volatile organic compounds during the summer and winter at urban sites in New Jersey. Sci Total Environ 38:259-274.

Harkov R, Kebbekus B, Bozzelli JW, et al. 1987. Volatile organic compounds at urban sites in New Jersey. In: Lioy P, Daisey J, eds. Toxic air pollutants. Chelsea, MI: Lewis Publishers, Inc., 69-85.

Harley RA, Cass GR. 1994. Modeling the concentrations of gas-phase toxic organic air pollutants: Direct emissions and atmospheric formation. Environ Sci Technol 28:88-98.

Harley RA, Cass GR. 1995. Modeling the atmospheric concentrations of individual volatile organic compounds. Atmos Environ 29(8):905-922.

*Hartmans S. 1995. Microbial degradation of styrene. In: Singh VP, ed. Biotransformations: Microbial degradation of health risk compounds. Amsterdam: Elsevier Science, 227-238.

Hartmans S, Smits JP, VanderWerf MJ, et al. 1989. Metabolism of styrene oxide and 2-phenylethanol in the styrene-degrading xanthobacter strain 124x. Appl Environ Microbiol 55(11):2850-2855.

Harvilchuck JA, Carlson GP. 2006. Comparison of styrene and its metabolites styrene oxide and 4-vinylphenol on cytotoxicity and glutathione depletion in Clara cells of mice and rats. Toxicology 227(1-2):165-172.

*Hassett JJ, Banwart WL, Griffin RA. 1983. Correlation of compound properties with sorption characteristics of nonpolar compounds by soils and sediments: Concepts and limitations. In: Francis CW, Auerbach SI, eds. Environmental and solid wastes: Characterization, treatment, and disposal. Boston, MA: Butterworths, 161-176.

Haufroid V, Jakubowski M, Janasik B, et al. 2002. Interest of genotyping and phenotyping of drugmetabolizing enzymes for the interpretation of biological monitoring of exposure to styrene. Pharmacogenetics 12(9):691-702.

Hayes JP, Lambourn L, Hopkirk JAC, et al. 1991. Occupational asthma due to styrene. Thorax 46(5):396-397.

Hays MD, Geron CD, Linna KJ, et al. 2002. Speciation of gas-phase and fine particle emissions from burning of foliar fuels. Environ Sci Technol 36(11):2281-2295.

*HazDat. 2007. Styrene. HazDat Database: ATSDR's Hazardous Substance Release and Health Effects Database. Atlanta, GA: Agency for Toxic Substances and Disease Registry. http://www.atsdr.cdc.gov/hazdat.html. May 21, 2007.

Heavner DL, Morgan WT, Ogden MW. 1995. Determination of volatile organic compounds and its apportionment in 49 homes. Environ Int 21:3-21.

Heavner DL, Morgan WT, Ogden MW. 1996. Determination of volatile organic compounds and respirable suspended particulate matter in New Jersey and Pennsylvania homes and workplaces. Environ Int 22:159-183.

Hemminki K, Vianio H. 1984. Human exposure to potentially carcinogenic compounds. IARC Sci Publ (59):37-45.

+*Hemminki K, Franssila E, Vainio H. 1980. Spontaneous abortions among female chemical workers in Finland. Int Arch Occup Environ Health 45:123-126.

*Hemminki K, Lindbohm ML, Hemminki T, et al. 1984. Reproductive hazards and plastics industry. In: Jarvisalo J, Pfaffli P, Vainio H, eds. Industrial hazards of plastics and synthetic elastomers. New York, NY: Alan R. Liss, Inc., 79-87.

Henderson LM, Speit G. 2005. Review of the genotoxicity of styrene in humans. Mutat Res 589(3):158-191.

*Heylin M, ed. 1989. Production by the U.S. chemical industry: Growth maintains a strong pace. Chem Eng News 67:38-45.

Hirasawa F, Kawagoe M, Arany S, et al. 2005. Styrene monomer primarily induces CYP2B1 mRNA in rat liver. Xenobiotica 35(12):1089-1099.

*Hodgson AT, Rudd AF, Beal D, et al. 2000. Volatile organic compound concentrations and emission rates in new manufactures and site-built houses. Indoor Air 10:178-192.

Hodgson AT, Wooley JD, Daisey JM. 1993. Emissions of volatile organic compounds from new carpet measured in a large scale environmental chamber. J Air Waste Manage Assoc 43:316-324.

+*Hodgson JT, Jones RD. 1985. Mortality of styrene production, polymerization and processing workers at a site in northwest England. Scand J Work Environ Health 11:347-352.

*Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. J Natl Cancer Inst 84(5):313-320.

Hoffmann K, Krause C, Seifert B, et al. 2000. The German Environmental Survey 1990/92 (GERES II). Sources of personal exposure to volatile organic compounds. J Expo Anal Environ Epidemiol 10:115-125.

Hofmann C, Putz C, Semder B, et al. 2006. Styrene-7,8-oxide burden in ventilated, perfused lungs of mice and rats exposed to vaporous styrene. Toxicol Sci 90(1):39-48.

*Hogstedt B, Akesson B, Axell K, et al. 1983. Increased frequency of lymphocyte micronuclei in workers producing reinforced polyester resin with low exposure to styrene. Scand J Work Environ Health 9:241-246.

*Hogstedt B, Hender K, Mark-Vendel E, et al. 1979. Increased frequency of chromosome aberrations in workers exposed to styrene. Scand J Work Environ Health 5:333-335.

Holmberg PC. 1977. Central nervous defects in two children of mothers exposed to chemicals in the reinforced plastics industry. Scand J Work Environ Health 3:212-214.

Horvath AL. 1982. Halogenated hydrocarbons: Solubility - miscibility with water. New York, NY: Marcel Dekker, Inc., 324-325.

Horvath E, Pongracz K, Rappaport S, et al. 1994. ³²*P*-Post-labeling detection of DNA adducts in mononuclear cells of workers occupationally exposed to styrene. Carcinogenesis 15(7):1309-1315.

+*Hotz P, Guillemin MP, Lob M. 1980. Study of some hepatic effects (induction and toxicity) caused by occupational exposure to styrene in the polyester industry. Scand J Work Environ Health 6:206-215.

Hou CT, Patel R, Laskin AI, et al. 1983. Epoxidation of short-chain alkenes by resting-cell suspensions of propane-grown bacteria. Appl Environ Microbiol 46:171-177.

*HSDB. 2007. Styrene. Hazardous Substances Data Bank. National Library of Medicine. http://toxnet.nlm.nih.gov. August 30, 2007.

Hsieh CC, Tsai JH. 2003. VOC concentration characteristics in Southern Taiwan. Chemosphere 50:545-556.

+*Husain R, Srivastava SP, Mushtaq M, et al. 1980. Effect of styrene on levels of serotonin, noradrenaline, dopamine and activity of acetyl cholinesterase and monoamine oxidase in rat brain. Toxicol Lett 7:47-50.

+*Husain R, Srivastava SP, Seth PK. 1985. Some behavioral effects of early styrene intoxication in experimental animals. Arch Toxicol 57:53-55.

*Hynes DE, DeNicola DB, Carlson GP. 1999. Metabolism of styrene by mouse and rat isolated lung cells. Toxicol Sci 51:195-201.

*IARC. 1979. Styrene, polystyrene and styrene-butadiene copolymers. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Vol. 19. Some monomers, plastics and synthetic elastomers, and acrolein. Geneva, Switzerland: International Agency for Research on Cancer, World Health Organization, 231-274.

IARC. 1985. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Vol.36. Allyl compounds, aldehydes, epoxies and peroxides. Lyon, France: World Health Organization.

IARC. 1987. IARC monographs on the evaluation of carcinogenic risks to humans. Supplement No. 7. Lyon, France: World Health Organization, 72, 345-347.

IARC. 1988. IARC monographs on the evaluation of carcinogenic risk of chemicals to humans. Vol. 42. Silica and some silicates. Lyon, France: World Health Organization.

*IARC. 1994. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Lyon, France: International Agency for Research on Cancer, 233-320.

*IARC. 2002. IARC monographs on the evaluation of carcinogenic risk to humans. Vol. 82. Some traditional herbal medicines, some mycotoxins, naphthalene and styrene. Lyon, France: International Agency for Research on Cancer, 437-550.

*IARC. 2006. Agents Reviewed by the IARC Monographs. Volumes 1–96. Lyon, France: International Agency for Research on Cancer. http://monographs.iarc.fr/ENG/Classification/index.php. April 11, 2007.

*Ikeda M, Hirayama T. 1978. Possible metabolic interaction of styrene with organic solvents. Scand J Work Environ Health 4:41-46.

*Ikeda M, Ohtsuji H, Imamura T. 1972. *In vivo* suppression of benzene and styrene oxidation by coadministered toluene in rats and effects of phenobarbital. Xenobiotica 2:101-106.

Imbriani M, Maestri L, Marraccini P, et al. 2002. Urinary determination of N-acetyl-S-(N-methylcarbamoyl)cysteine and N-methylformamide in workers exposed to N,N-dimethylformamide. Int Arch Occup Environ Health 75:445-452.

+*Iregren A, Johnson AC, Nylen P. 2005. Low-level styrene exposure and color vision in Swedish styrene workers. Environ Toxicol Pharmacol 20(3):506.

IRIS. 1991. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency.

*IRIS. 2007. Styrene. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. http://www.epa.gov/iris/subst/index.html. May 15, 2007.

Ishidate M, Yoshikawa K. 1980. Chromosome aberration tests with Chinese hamster cells *in vitro* with and without metabolic activation - a comparative study on mutagens and carcinogens. Arch Toxicol Suppl 4:41-44.

*Islam MA, Stancheva E. 1999. Volatile organic compounds in the ambient air of Rousse, Bulgaria. Water Air Soil Pollut 115:309-320.

*Jablonicka A, Karelova J, Polakova H, et al. 1988. Analysis of chromosomes in peripheral blood lymphocytes of styrene-exposed workers. Mutat Res 206:167-169.

Jaeger RJ, Conolly RB, Murphy SD. 1974. Toxicity and biochemical changes in rats after inhalation exposure to 1,1-dichloroethylene, bromobenzene, styrene, acrylonitrile, or 2-chlorobutadiene [Abstract]. Toxicol Appl Pharmacol 29:81.

*James DH, Castor WM. 2005. Styrene. In: Ullman's encyclopedia of industrial chemistry. http://www.mrw.interscience.wiley.com/emrw/9783527306732/ueic/article/a25_329/current/pdf. May 30, 2007. Jang JY, Droz PO. 1997. Ethnic differences in biological monitoring of several organic solvents II. A simulation study with a physiologically based pharmacokinetic model. Int Arch Occup Environ Health 70:41-50.

Jang JY, Droz PO, Berode M. 1997. Ethnic differences in biological monitoring of several organic solvents. I. Human exposure experiment. Int Arch Occup Environ Health 69:343-349.

*Jantunen K, Maki-Paakkanen J, Norppa H. 1986. Induction of chromosome aberrations by styrene and vinylacetate in cultured human lymphocytes: Dependence on erythrocytes. Mutat Res 159:109-116.

*Jarry H, Metten M, Gamer AO, et al. 2002. Effects of 5-day styrene inhalation on serum prolactin and dopamine levels and on hypothalamic and striatal catecholamine concentrations in male rats. Arch Toxicol 76:657-663.

+*Jegaden D, Amann D, Simon JF, et al. 1993. Study of the neurobehavioural toxicity of styrene at low levels of exposure. Int Arch Occup Environ Health 64(7):527-531.

+*Jersey GM, Balmer J, Quast J, et al. 1978. Two-year chronic inhalation toxicity and carcinogenicity study on monomeric styrene in rats - final report. Dow Chemical Company. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS8EHQ-0692-4867.

*Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs. cerebral cortex. Brain Res 190(1):3-16.

Johanson G, Naslund PH. 1988. Spreadsheet programming-a new approach to physiologically based modelling of solvent toxicokinetics. Toxicol Lett 41:115-127.

*Johanson G, Ernstgard L, Gullstrand E, et al. 2000. Styrene oxide in blood, hemoglobin adducts, and urinary metabolites in human volunteers exposed to ${}^{13}C_8$ -styrene vapors. Toxicol Appl Pharmacol 168:36-49.

*Jonsson F, Johanson G. 2002. Physiologically based modeling of the inhalation kinetics of styrene in humans using a Bayesian population approach. Toxicol Appl Pharmacol 179:35-49.

Jung J, Sofer S, Lakhwala F. 1993. A comparison study on biodegradation of selected monomers: Effect of molecular structure. Haz Waste Haz Mater 10(1):3-11.

*Junk GA, Ford CS. 1980. A review of organic emissions from selected combustion processes. Chemosphere 9:187-230.

*Kagi N, Fujii S, Horiba Y, et al. 2007. Indoor air quality for chemical and ultrafine particle contaminants from printers. Build Environ 42(5):1949-1954.

+*Kankaanpää JT, Eovaara E, Hemminki K, et al. 1980. The effect of maternally inhaled styrene on embryonal and foetal development in mice and Chinese hamsters. Acta Pharmacol Toxicol 47:127-129.

*Karakaya AE, Karahalil B, Yilmazer M, et al. 1997. Evaluation of genotoxic potential of styrene in furniture workers using unsaturated polyester resins. Mutat Res 392:261-268.

+*Katakura Y, Kishi R, Ikeda T, et al. 1999. Effects of prenatal exposure to styrene on neurochemical levels in rat brain. Toxicol Lett 105:239-249.

+*Katakura Y, Kishi R, Ikeda T, et al. 2001. Effects of prenatal styrene exposure on postnatal development and brain serotonin and catecholamine levels in rats. Environ Res 85(1):41-47.

+Katoh T, Higashi K, Inoue N. 1989. Subchronic effects of styrene and styrene oxide on lipid peroxidation and the metabolism of glutathione in rat liver and brain. J Toxicol Sci 14:1-9.

Kaufmann W, Mellert W, Van Ravenzwaay B, et al. 2005. Effects of styrene and its metabolites on different lung compartments of the mouse-cell proliferation and histomorphology. Regul Toxicol Pharmacol 42:24-36.

Kawai T, Mizunuma K, Yasugi T, et al. 1995. Effects of methanol on styrene metabolism among workers occupationally exposed at low concentrations. Arch Environ Contam Toxicol 28:543-546.

Kawata K, Tanabe A, Saito S, et al. 1997. Screening of volatile organic compounds in river sediment. Bull Environ Contam Toxicol 58:893-900.

*Keenan C, Harriman E. 1993. Styrene use in Massachusetts. Lowell, MA: University of Massachusetts. Toxic Use Reduction Institute.

Kelly TJ, Mukund R, Spicer CW, et al. 1994. Concentrations and transformations of hazardous air pollutants. Environ Sci Technol 28:378A-387A.

*Kenaga EE. 1980. Predicted bioconcentration factors and soil sorption coefficients of pesticides and other chemicals. Ecotoxicol Environ Safety 4:26-38.

*Kenaga EE, Goring CAI. 1980. Relationship between water solubility, soil sorption, octanol-water partitioning, and concentration of chemicals in biota. ASTM Spec Tech Publ 707:78-115.

*Kessler W, Jiang X, Filser JG. 1990. Direct determination of styrene-7,8-oxide in blood by gas chromatography with flame ionization detector. J Chromatog 534:67-75.

Khanna VK, Husain R, Hanig JP, et al. 1991. Increased neurobehavioral toxicity of styrene in proteinmalnourished rats. Neurobehav Toxicol Teratol 13:153-159.

+*Khanna VK, Husain R, Seth PK. 1994. Effect of protein malnutrition on the neurobehavioural toxicity of styrene in young rats. J Appl Toxicol 14(5):351-356.

*Kim H, Wang RS, Elovaara E, et al. 1997. Cytochrome P450 isozymes responsible for the metabolism of toluene and styrene in human liver microsomes. Xenobiotica 27(7):657-665.

Kim YM, Harrad S, Harrison RM. 2001. Concentrations and sources of VOCs in urban domestic and public microenvironments. Environ Sci Technol 35:997-1004.

Kim YM, Harrad S, Harrison RM. 2002. Levels and sources of personal inhalation exposure to volatile organic compounds. Environ Sci Technol 36:5405-5410.

King JW. 1989. Fundamentals and applications of supercritical fluid extraction in chromatographic science. J Chromatogr Sci 27:355-364.

*King L, Sherbin G. 1986. Point sources of toxic organics to the upper St. Clair River. Water Poll Res J Canada 21:433-446.

*Kinlin TE, Muralidhara R, Pittet AO, et al. 1972. Volatile components of roasted filberts. J Agric Food Chem 20:1021-1028.

*Kinney PL, Chillrud SN, Ramstrom S, et al. 2002. Exposures to multiple air toxics in New York City. Environ Health Perspect 110(Suppl 4):539-546.

*Kirk-Othmer. 2001. Styrene. In: Kirk-Othmer encyclopedia of chemical technology. John Wiley & Sons, Inc.

http://www.mrw.interscience.wiley.com/emrw/9780471238966/kirk/article/styrchen.a01/current/pdf. May 30, 2007.

+Kishi R, Chen BQ, Katakura Y, et al. 1995. Effect of prenatal exposure to styrene on the neurobehavioral development, activity, motor coordination, and learning behavior of rats. Neurobehav Toxicol Teratol 17(2):121-130.

+*Kishi R, Eguchi T, Yuasa J, et al. 2001. Effects of low-level occupational exposure to styrene on color vision: Dose relation with a urinary metabolite. Environ Res 85(1):25-30.

Kishi R, Harabuchi I, Katakura Y, et al. 1993. Neurobehavioral effects of chronic occupational exposure to organic solvents among Japanese industrial painters. Environ Res 62:303-313.

+Kishi R, Katakura Y, Ikeda T, et al. 1992. Neurochemical effects in rats following gestational exposure to styrene. Toxicol Lett 63:141-146.

Kishi R, Sata F, Katakura Y, et al. 2005. Effects of pregnancy, age and sex in the metabolism of styrene in rat liver in relation to the regulation of cytochrome P450 enzymes. J Occup Health 47:49-55.

Kishi R, Tozaki S, Gong YY. 2000a. Impairment of neurobehavioral function and color vision loss among workers exposed to low concentration of styrene: A review of literatures. Ind Health 38(2):120-126.

Kishi R, Tozaki S, Katakura Y, et al. 2000b. Contrast vision dysfunction among styrene-exposed workers [Abstract]. Neurotoxicology 21(5):890.

Kivisto H, Pekari K, Aitio A. 1993. Analysis and stability of phenylglyoxylic and mandelic acids in the urine of styrene-exposed people. Int Arch Occup Environ Health 64:399-403.

Kleindienst TE, Shepson PB, Edney EO. 1986. Wood smoke: Measurement of the mutagenic activities of its gas- and particulate-phase photooxidation products. Environ Sci Technol 20:493-501.

*Kleopfer RD, Fairless BJ. 1972. Characterization of organic components in a municipal water supply. Environ Sci Technol 6:1036-1037.

*Kligerman AD, Allen JW, Bryant MF, et al. 1992. Cytogenetic studies of mice exposed to styrene by inhalation. Mutat Res 280:35-43.

Kligerman AD, Allen JW, Erexson GL, et al. 1993. Cytogenetic studies of rodents exposed to styrene by inhalation. IARC Sci Publ (127):217-224.

*Kneip TJ, Crable JV. 1988a. Styrene in expired air. In: Methods for biological monitoring. Washington, DC: American Public Health Association, 457-462.

*Kneip TJ, Crable JV. 1988b. Mandelic acid in urine. In: Methods for biological monitoring. Washington, DC: American Public Health Association, 387-391.

*Kneip TJ, Crable JV. 1988c. Phenylglyoxylic acid in urine. In: Methods for biological monitoring. Washington, DC: American Public Health Association, 393-399.

Knudsen LE, Sorsa M. 1993. Human biological monitoring of occupational genotoxic exposures. Pharmacol Toxicol 72(1):86-92.

*Kogevinas M, Ferro G, Andersen A, et al. 1994. Cancer mortality in a historical cohort study of workers exposed to styrene. Scand J Work Environ Health 50:251-261.

*Kogevinas M, Ferro G, Saracci R, et al. 1993. Cancer mortality in an international cohort of workers exposed to styrene. IARC Sci Publ (127):289-300.

+*Kohn AN. 1978. Ocular toxicity of styrene. Am J Ophthalmol 85:569-570.

Kohn J, Minotti S, Durham H. 1995. Assessment of the neurotoxicity of styrene, styrene oxide, and styrene glycol in primary cultures of motor and sensory neurons. Toxicol Lett 75:29-37.

*Kolstad HA, Bisanti L, Roeleveld N, et al. 1999c. Time to pregnancy for men occupationally exposed to styrene in several European reinforced plastics companies. Scand J Work Environ Health 25:66-69.

*Kolstad HA, Bisanti L, Roeleveld N, et al. 2000. Time to pregnancy among male workers of the reinforced plastics industry in Denmark, Italy and the Netherlands. Scand J Work Environ Health 26(4):353-358.

*Kolstad HA, Bonde JP, Spano M, et al. 1999a. Change in semen quality and sperm chromatin structure following occupational styrene exposure. Int Arch Occup Environ Health 72:135-141.

*Kolstad HA, Bonde JPE, Spano M, et al. 1999b. Sperm chromatin structure and semen quality following occupational styrene exposure. Scand J Work Environ Health 25:70-73.

*Kolstad HA, Juel K, Olsen J, et al. 1995. Exposure to styrene and chronic health effects: Mortality and incidence of solid cancers in the Danish reinforced plastics industry. Occup Environ Med 52:320-327.

*Kolstad HA, Lynge E, Olsen J. 1993. Cancer incidence in the Danish reinforced plastics industry. IARC Sci Publ (127):301-308.

*Kolstad HA, Lynge E, Olsen J, et al. 1994. Incidence of lymphohematopoietic malignancies among styrene-exposed workers of the reinforced plastics industry. Scand J Work Environ Health 20:272-278.

Kolstad HA, Pedersen B, Olsen J, et al. 1996. Clonal chromosome aberrations in myeloid leukemia. Scand J Work Environ Health 22(1):58-61.

*Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. Biochemistry 29(18):4430-4433.

*Konasewich D, Traversy W, Zar H. 1978. Status report on organic and heavy metal contaminants in the Lakes Erie, Michigan, Huron and Superior basins. Great Lakes Water Quality Board.

*Kool HJ, van Kreijl CF, Zoeteman BC. 1982. Toxicology assessment of organic compounds in drinking water. Crit Rev Environ Control 12:307-357.

Kopczynski SL, Lonneman WA, Sutterfield FD, et al. 1972. Photochemistry of atmospheric samples in Los Angeles. Environ Sci Technol 6:342-347.

Korn M, Gfrorer W, Filser JG, et al. 1994a. Styrene-7,8-oxide in blood of workers exposed to styrene (Erratum in: Arch Toxicol 69(1):72). Arch Toxicol 68(8):524-527.

Korn M, Gfrorer W, Filser JG, et al. 1994b. Erratum: Styrene-7,8-oxide in blood of workers exposed to styrene (Erratum to: Arch Toxicol 68:524-527). Arch Toxicol 69(1):72.

*Korn M, Wodarz R, Drysch K, et al. 1987. Stereometabolism of styrene in man. Urinary excretion of chiral styrene metabolites. Arch Toxicol 60:86-88.

*Korn M, Wodarz R, Schoknecht W, et al. 1984. Styrene metabolism in man: Gas chromatographic separation of mandelic acid enantiomers in the urine of exposed persons. Arch Toxicol 55:59-63.

Koskinen M, Vodicka P, Hemminki K. 2001. Identification of 1-adenine DNA adducts in workers occupationally exposed to styrene. J Occup Environ Med 43(8):694-700.

*Krill RM, Sonzogni WC. 1986. Chemical monitoring of Wisconsin's groundwater. J Am Water Works Assoc 78:70-75.

*Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, eds. Principles and methods of toxicology. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.

*Krishnan K, Anderson ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, eds. Toxicology of chemical mixtures. New York, NY: Academic Press, 399-437.

Kubo T, Urano K, Utsumi H. 2002. Mutagenicity characteristics of 255 environmental chemicals. J Health Sci 48(6):545-554.

+*Kulig BM. 1988. The neurobehavioral effects of chronic styrene exposure in the rat. Neurotoxicol Teratol 10:511-517.

Kurppa K, Holmberg PC, Hernberg S, et al. 1983. Screening for occupational exposures and congenital malformations: Preliminary results from a nationwide case-referent study. Scand J Work Environ Health 9:89-93.

Laffon B, Lema M, Mendez J. 2001. Simultaneous high-performance liquid chromatographic determination of urinary mandelic and phenylglyoxylic acids as indirect evaluation of styrene exposure. J Chromatogr B Biomed Sci Appl 753(2):385-393.

*Laffon B, Pasaro E, Mendez J. 2002. Evaluation of genotoxic effects in a group of workers exposed to low levels of styrene. Toxicology 171(2-3):175-186.

Laffon B, Perez-Cadahia B, Pasaro E, et al. 2003. Individual sensitivity to DNA damage induced by styrene *in vitro*: Influence of cytochrome P450, epoxide hydrolase and glutathione *S*-transferase genotypes. Toxicology 186(1-2):131-141.

*Laib RJ, Tucholski M, Filser JG, et al. 1992. Pharmacokinetic interaction between 1,3-butadiene and styrene in Sprague-Dawley rats. Arch Toxicol 66(5):310-314.

Landrigan PJ. 1993. Critical assessment of epidemiological studies on the carcinogenicity of 1,3butadiene and styrene. IARC Sci Publ (127):375-388.

*Langvardt PW, Nolan RJ. 1991. Determination of styrene 7,8-oxide in whole rat blood by gas chromatography-mass spectrometry. J Chromatog 567:93-103.

LaRegina J, Bozzelli JW. 1986. Volatile organic compounds at hazardous waste sites and a sanitary landfill in New Jersey: An up-to-date review of the present situation. Environ Prog 5:18-27.

+*Lataye R, Campo P, Barthelemy C, et al. 2001. Cochlear pathology induced by styrene. Neurotoxicol Teratol 23(1):71-79.

+*Lataye R, Campo P, Loquet G. 2000. Combined effects of noise and styrene exposure on hearing function in the rat. Hear Res 139:86-96.

+*Lataye R, Campo P, Pouyatos B, et al. 2003. Solvent ototoxicity in the rat and guinea pig. Neurotoxicol Teratol 25(1):39-50.

Latriano L, Wazneh L, Dong Z, et al. 1991. Exposure to styrene: Comparison of DNA and haemoglobin adducts as biomarkers. In: Garner RC, Farmer PB, Steel GT, et al., eds. Human carcinogen exposure. Oxford: IRL Press at Oxford University Press, 305-314.

Lauwerys RR. 1986. Occupational toxicology. In: Klaassen CD, Amdur MO, Doull J, eds. Casarett and Doull's toxicology. The basic science of poisons. New York, NY: Macmillan Publishing Company, 902-916.

Lawton BW, Hoffmann J, Triebig G. 2006. The ototoxicity of styrene: A review of occupational investigations. Int Arch Occup Environ Health 79:93-102.

*Leavens TL, Bond JA. 1996. Pharmacokinetic model describing the disposition of butadiene and styrene in mice. Toxicology 113(1-3):310-313.

*Leavens TL, Farris GM, James RA, et al. 1997. Genotoxicity and cytotoxicity in male B6C3F1 mice following exposure to mixtures of 1,3-butadiene and styrene. Environ Mol Mutagen 29:335-345.

Leavens TL, Moss OR, Turner MJ, et al. 1996. Metabolic interactions of 1,3-butadiene and styrene in male B6C3F1 mice. Toxicol Appl Pharmacol 141(2):628-636.

Lee SH, Norppa H. 1995. Effects of indomethacin and arachidonic acid on sister chromatid exchange induction by styrene and styrene-7,8-oxide. Mutat Res 348(4):175-181.

Lee YK, Kim MC, Whang KJ. 1989. Simultaneous determination of natural and styrene-butadiene rubber tire tread particles in atmospheric dusts by pyrolysis-gas chromatography. J Anal Appl Pyrolysis 16:49-56.

*Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. Pediatr Clin North Am 44(1):55-77.

Lees PS, Stefaniak A, Emmett EA, et al. 2003. Exposure assessment for study of olfactory function in workers exposed to styrene in the reinforced-plastics industry. Am J Ind Med 44(1):12-23.

Legraverend C, Elovaara E, Zitting A, et al. 1984. DNA binding of $[^{14}C]$ styrene in isolated rat hepatocytes. Chem Biol Interact 51:91-102.

Lehmann E, Weidlich U, Gmehling J. 1986. Survey on organic solvents in various products and methods for estimating workplace exposures. Prog Clin Biol Res 220:31-41.

*Leibman KC. 1975. Metabolism and toxicity of styrene. Environ Health Perspect 11:115-119.

*Lemasters GK, Carson A, Samuels SJ. 1985. Occupational styrene exposure for twelve product categories in the reinforced-plastics industry. Am Ind Hyg Assoc J 46:434-441.

+*Lemasters GK, Samuels SJ, Morrison JA, et al. 1989. Reproductive outcomes of pregnant workers employed at 36 reinforced plastics companies. II. Lowered birth weight. J Occup Med 31:115-120.

Lenvik K, Osvoll PO, Woldback T. 1999. Occupational exposure to styrene in Norway, 1972-1996. Appl Occup Environ Hyg 14:165-170.

*Leovic KW, Sheldon LS, Whitaker DA, et al. 1996. Measurement of indoor air emissions from dryprocess photocopy machines. J Air Waste Manage Assoc 46:821-829.

*Leovic KW, Whitaker D, Northeim C, et al. 1998. Evaluation of a test method for measuring indoor air emissions from dry-process photocopiers. J Air Waste Manage Assoc 48:915-923.

Lesage S, McBride RA, Cureton PM, et al. 1993. Fate of organic solvents in landfill leachates under simulated field conditions and in anaerobic microcosms. Waste Manage Res 11:215-226.

*Leung HW. 1993. Physiologically-based pharmacokinetic modelling. In: Ballantyne B, Marro T, Turner P, eds. General and applied toxicology. Vol. 1.1 New York, NY: Stockton Press, 153-164.

*Lide CR. 2005. Styrene. In: CRC Handbook of chemistry and physics. 86th ed. Boca Raton, FL: Taylor & Francis, 3-464.

Lijinsky W. 1986. Rat and mouse forestomach tumors induced by chronic oral administration of styrene oxide. J Natl Cancer Inst 77:471-476.

Limasset JC, Simon P, Poirot P, et al. 1999. Estimation of the percutaneous absorption of styrene in an industrial situation. Int Arch Occup Environ Health 72:46-51.

Lindbohm ML. 1993. Effects of styrene on the reproductive health of women: A review. IARC Sci Publ (127):163-169.

Lindbohm ML. 1995. Effects of parental exposure to solvents on pregnancy outcome. J Occup Environ Med 17(8):908-914.

+*Lindbohm ML, Hemminki K, Kyyronen P. 1985. Spontaneous abortions among women employed in the plastics industry. Am J Ind Med 8:579-586.

+*Lindstrom K, Harkonen H, Hernberg S. 1976. Disturbances in psychological functions of workers occupationally exposed to styrene. Scand J Work Environ Health 3:129-139.

Lindstrom K, Harkonen H, Mantere P. 1978. Alcohol consumption and tolerance of workers exposed to styrene in relation to level of exposure and psychological symptoms and signs. Scand J Work Environ Health 4:196-199.

Linhart I, Gut I, Smejkal J, et al. 2000. Biotransformation of styrene in mice. Stereochemical aspects. Chem Res Toxicol 13:36-44.

Linhart I, Smejkal J, Mladkova I. 1998. Stereochemical aspects of styrene biotransformation. Toxicol Lett 94:127-135.

Linhart I, Weidenhoffer Z, Mraz J, et al. 1997. The evidence for conjugated mandelic and phenylglyoxylic acids in the urine of rats dosed with styrene. Toxicol Lett 90:199-205.

Lioy PJ, Daisey JM, Atherholt T, et al. 1983. The New Jersey project on Airborne Toxic Elements and Organic Substances (ATEOS): A summary of the 1981 summer and 1982 winter studies. J Air Pollut Control Assoc 33:649-657.

Little JC, Hodgson AT, Gadgil AJ. 1994. Modeling emissions of volatile organic compounds from new carpets. Atmos Environ 28:227-234.

*Livingston AL. 1978. Forage plant estrogens. J Toxicol Environ Health 4(2-3):301-324.

*Lof A, Johanson G. 1993. Dose-dependent kinetics of inhaled styrene in man. IARC Sci Publ (127):89-99.

*Lof A, Gullstrand E, Byfalt Nordqvist M. 1983. Tissue distribution of styrene, styrene glycol and more polar styrene metabolites in the mouse. Scand J Work Environ Health 9:419-430.

*Lof A, Gullstrand E, Lundgren E, et al. 1984. Occurrence of styrene-7,8-oxide and styrene glycol in mouse after the administration of styrene. Scand J Work Environ Health 10:179-187.

Lof A, Lundgren E, Byfalt Nordqvist M. 1986b. Kinetics of styrene in workers from a plastics industry after controlled exposure: A comparison with subjects not previously exposed. Br J Ind Med 43:537-543.

*Lof A, Lundgren E, Nydahl EM, et al. 1986a. Biological monitoring of styrene metabolites in blood. Scand J W Environ Health 12:70-74.

+*Loquet G, Campo P, Lataye R. 1999. Comparison of toluene-induced and styrene-induced hearing losses. Neurotoxicology 21(6):689-697.

+*Loquet G, Campo P, Lataye R, et al. 2000. Combined effects of exposure to styrene and ethanol on the auditory function in the rat. Hear Res 148(1-2):173-180.

+*Lorimer WV, Lilis R, Fischbein A, et al. 1978. Health status of styrene-polystyrene polymerization workers. Scand J Work Environ Health 4:220-226.

Lorimer WV, Lilis R, Nicholson WJ, et al. 1976. Clinical studies of styrene workers: Initial findings. Environ Health Perspect 17:171-181.

Loughlin JE, Rothman KJ, Dreyer NA. 1999. Lymphatic and haematopoietic cancer mortality in a population attending school adjacent to styrene-butadiene facilities, 1963-1999. J Epidemiol Community Health 53:283-287.

*Lovegren NV, Fisher GS, Legendre MG, et al. 1979. Volatile constituents of dried legumes. J Agric Food Chem 27:851-853.

Luderer U, Collins TF, Daston GP, et al. 2006a. NTP-CERHR Expert Panel Report on the reproductive and developmental toxicity of styrene (Erratum in: Birth Defects Res B Dev Reprod Toxicol 77:250). Birth Defects Res B Dev Reprod Toxicol 77(2):110-193.

Luderer U, Collins TF, Daston GP, et al. 2006b. Corrigendum to NTP-CERHR expert panel report on the reproductive and developmental toxicity of styrene (Erratum to: Birth Defects Res B Dev Reprod Toxicol 77:110-193). Birth Defects Res B Dev Reprod Toxicol 77(3):250.

*Luderer U, Tornero-Velez R, Shay T, et al. 2004. Temporal association between serum prolactin concentration and exposure to styrene. Occup Environ Med 61(4):325-333.

Ma M, Umemura T, Mori Y, et al. 2005. Influence of genetic polymorphisms of styrene-metabolizing enzymes and smoking habits on levels of urinary metabolites after occupational exposure to styrene. Toxicol Lett 160:84-91.

*Macaluso M, Larson R, Delzell E, et al. 1996. Leukemia and cumulative exposure to butadiene, styrene and benzene among workers in the synthetic rubber industry. Toxicology 113:190-202.

*Mackay CJ, Kelman GR. 1986. Choice reaction time in workers exposed to styrene vapour. Human Toxicol 5:85-89.

*Mac Leod H, Jourdain JL, Poulet G, et al. 1984. Kinetic study of reactions of some organic sulfur compounds with OH radicals. Atmos Environ 18:2621-2626.

Madden S, Roper C, Greenough R. 2004. *In vitro* assessment of styrene absorption through human skin [Abstract]. Toxicologist 78(1-5):330-331.

*Maestri L, Ghittori S, Imbriani M. 1997a. Determination of specific mercapturic acids as an index of exposure to environmental benzene, toluene, and styrene. Ind Health 35:489-501.

Maestri L, Imbriani M, Ghittori S, et al. 1997b. Excretion of *N*-acetyl-S-(1-phenyl-2-hydroxyethyl)-cysteine and *N*-acetyl-S-(2-phenyl-2-hydroxyethyl)-cysteine in workers exposed to styrene. Sci Total Environ 199:13-22.

Mahler JF, Price HC, O'Connor RW, et al. 1999. Characterization of hepatocellular resistance and susceptibility to styrene toxicity in B6C3F1 mice. Toxicol Sci 48:123-133.

*Maki-Paakkanen J. 1987. Chromosome aberrations, micronuclei and sister-chromatid exchanges in blood lymphocytes after occupational exposure to low levels of styrene. Mutat Res 189:39-406.

*Maki-Paakkanen J, Walles S, Osterman-Golkar S, et al. 1991. Single-strand breaks, chromosome aberrations, sister-chromatid exchanges, and micronuclei in blood lymphocytes of workers exposed to styrene during the production of reinforced plastics. Environ Mol Mutagen 17(1):27-31.

+*Makitie A, Pirvola U, Pyykko I, et al. 2002. Functional and morphological effects of styrene on the auditory system of the rat. Arch Toxicol 76:40-47.

Makitie A, Pirvola U, Pyykko I, et al. 2003. The ototoxic interaction of styrene and noise. Hear Res 179(1-2):9-20.

Male R, Lillehaug JR, Djurhuus R, et al. 1985. *In vitro* transformation and tumor promotion studies of styrene and styrene oxide. Carcinogenesis 6:1367-1370.

Malorni W, Formisano G, Iosi F. 1988. *In vitro* effects of styrene on cytoskeletal apparatus: An immunocytochemical study. Drug Chem Toxicol 11:419-431.

+*Maltoni C, Ciliberti A, Carretti D. 1982. Experimental contributions in identifying brain potential carcinogens in the petrochemical industry. Ann NY Acad Sci 381:216-249.

*Maltoni C, Failla G, Kassapidis G. 1979. First experimental demonstration of the carcinogenic effects of styrene oxide. Med Lav 5:358-362.

Manini P, Andreoll R, Poll D, et al. 2002. Liquid chromatography/electrospray tandem mass spectrometry characterization of styrene metabolism in man and in rat. Rapid Commun Mass Spectrom 16:2239-2248.

Manini P, Buzio L, Andreoli R, et al. 2003. Assessment of biotransformation of the arene moiety of styrene in volunteers and occupationally exposed workers. Toxicol Appl Pharmacol 189:160-169.

Manini P, De Palma G, Mozzoni P, et al. 2002. GSTM1 polymorphism and styrene metabolism: Insights from an acute accidental exposure. Toxicol Lett 134:201-208.

Marczynski B, Peel M, Bauer X. 2000. New aspects in genotoxic risk assessment of styrene exposure - a working hypothesis. Med Hypotheses 54(4):619-623.

Marczynski B, Rozynek P, Elliehausen H, et al. 1996. DNA-fragmentation changes in white blood cells of workers occupationally exposed to styrene. Naunyn-Schmiedeberg's Arch Pharmakol 353:R136.

Marczynski B, Rozynek P, Elliehausen H, et al. 1997. Detection of 8-hydroxydeoxyguanosine, a marker of oxidative DNA damage, in white blood cells of workers occupationally exposed to styrene. Arch Toxicol 71:496-500.

Marhuenda D, Prieto MJ, Periago JF, et al. 1997. Biological monitoring of styrene exposure and possible interference of acetone co-exposure. Int Arch Occup Environ Health 69:455-460.

Mastrangelo G, Fedeli U, Priolo G, et al. 2005. Lung cancer risk in the vinyl chloride industry. Letter to editor. Cancer Causes Control 16:189-190.

+*Matanoski G, Schwartz L. 1987. Mortality of workers in styrene-butadiene polymer production. J Occup Med 29:675-680.

Matanoski G, Tao XG. 2003. Styrene exposure and ischemic heart disease: A case-cohort study. Am J Epidemiol 158(10):988-995.

*Matanoski G, Elliott E, Tao X, et al. 1997. Lymphohematopoietic cancers and butadiene and styrene exposure in synthetic rubber manufacture. Ann N Y Acad Sci 837:157-169.

*Matanoski G, Francis M, Correa-Villasenor A, et al. 1993. Cancer epidemiology among styrenebutadiene rubber workers. IARC Sci Publ (127):363-374.

*Matanoski G, Santos-Burgoa C, Schwartz L. 1990. Mortality of a cohort of workers in the styrenebutadiene polymer manufacturing industry. Environ Health Perspect 86:107-117.

*Matikainen E, Forsman-Gronholm L, Pfaffli P, et al. 1993a. Nervous system effects of occupational exposure to styrene: A clinical and neurophysiological study. Environ Res 61(1):84-92.

*Matikainen E, Forsman-Gronholm L, Pfaffli P, et al. 1993b. Neurotoxicity in workers exposed to styrene. IARC Sci Publ (127):153-161.

Matsuoka A, Hayashi M, Ishidate M. 1979. Chromosomal aberration tests on 29 chemicals combined with 59 mix *in vitro*. Mutat Res 66:277-290.

Matthiessen P, Thani JE, Law RJ, et al. 1993. Attempts to assess the environmental hazard posed by complex mixtures of organic chemicals in UK estuaries. Mar Pollut Bull 26(2):90-95.

*Mattie DR, Bates GD, Jepson GW, et al. 1994. Determination of skin: Air partition coefficients for volatile chemicals: Experimental method and applications. Fundam Appl Toxicol 22:51-57.

*Mayr U, Butsch A, Schneider S. 1992. Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. Toxicology 74(2-3):135-149.

McConnell EE, Swenberg JA. 1993. Styrene and styrene oxide: Results of studies on carcinogenicity in experimental animals. IARC Sci Publ (127):323-333.

McConnell EE, Swenberg JA. 1994. Review of styrene and styrene oxide long-term animal studies. Crit Rev Toxicol 24(S1):S49-S55.

*McDonald AD, Lavoie J, Côté R. 1988. Spontaneous abortion in women employed in plastics manufacture. Am J Ind Med 14:9-14.

McMichael AJ. 1976. Standardized mortality ratios and the "healthy worker effect": Scratching beneath the surface. J Occup Med 18:165-168.

*McMichael AJ, Spirtas R, Gamble JF, et al. 1976. Mortality among rubber workers: relationship to specific jobs. J Occup Med 18:178-185.

+*Meinhardt TJ, Lemen RA, Crandall MS, et al. 1982. Environmental epidemiologic investigation of the styrene-butadiene rubber industry: Mortality patterns with discussion of the hematopoietic and lymphatic malignancies. Scand J Work Environ Health 8:250-259.

*Mendrala AL, Langvardt PW, Nitschke KD, et al. 1991. *In vitro* metabolism of styrene and styrene oxide in human and animal tissues. Midland, MI: Dow Chemical Company, 1-63.

*Meretoja T, Jarventaus H, Sorsa M, et al. 1978. Chromosome aberrations in lymphocytes of workers exposed to styrene. Scand J Work Environ Health 4:259-264.

*Meretoja T, Vainio H, Sorsa M, et al. 1977. Occupational styrene exposure and chromosomal aberrations. Mutat Res 56:193-197.

Mergler D, Huel G, Belanger S, et al. 1996. Surveillance of early neurotoxic dysfunction. Neurotoxicology 17(3-4):803-812.

Michael LC, Pellizzari ED, Wiseman RW. 1988. Development and evaluation of a procedure for determining volatile organics in water. Environ Sci Technol 22:565-570.

Mierauskiene JR, Lekevicius RK. 1985. Cytogenic studies of workers occupationally exposed to phenol, styrene and formaldehyde. Mutat Res 147:308-309.

*Miermans CJH, van der Velde LE, Frintrop PCM. 2000. Analysis of volatile organic compounds, using the purge and trap injector coupled to a gas chromatograph/ion-trap mass spectrometer: Review of the results in Dutch surface water of the Rhine, Meuse, Northern Delta area and Westerscheldt over the period 1992-1997. Chemosphere 40:39-48.

Migliore L, Naccarati A, Scarpato R. 2001. Effect of occupational exposure to styrene in somatic and germ cells of male workers. Mutat Res 483(Suppl 1):S174.

Migliore L, Naccarati A, Zanello A, et al. 2002. Assessment of sperm DNA integrity in workers exposed to styrene. Hum Reprod 17(11):2912-2918.

Miller CA, Srivastava RK, Ryan JV. 1994. Emissions of organic hazardous air pollutants from the combustion of pulverized coal in a small-scale combustor. Environ Sci Technol 28:1150-1158.

Misumi J, Nagano M, Zhao W, et al. 2000. Neurophysiological changes in rats subchronically treated with styrene or its metabolites. J Occup Health 42:328-335.

Mizunuma K, Yasugi T, Kawai T, et al. 1993. Exposure-excretion relationship of styrene and acetone in factory workers: A comparison of a lipophilic solvent and a hydrophilic solvent. Arch Environ Contam Toxicol 25(1):129-133.

Mizutani T, Irie Y, Nakanishi K. 1994. Styrene-induced hepatotoxicity in mice depleted of glutathione. Res Commun Mol Pathol Pharmacol 86(3):361-374.

Moen BE, Hollund BE. 2000. Exposure to organic solvents among car painters in Bergen, Norway. Ann Occup Hyg 44(3):185-189.

Mohamed MF, Kang D, Aneja VP. 2002. Volatile organic compounds in some urban locations in United States. Chemosphere 47:863-882.

+*Möller C, Ödkvist L, Larsby B, et al. 1990. Otoneurological findings in workers exposed to styrene. Scand J Work Environ Health 16:189-194.

+*Morata TC, Johnson AC, Nylen P, et al. 2002. Audiometric findings in workers exposed to low levels of styrene and noise. J Occup Environ Med 44(9):806-814.

*Morgan DL, Cooper SW, Carlock DL, et al. 1991. Dermal absorption of neat and aqueous volatile organic chemicals in the Fischer 344 rat. Environ Res 55:51-63.

+*Morgan DL, Mahler JF, Dill JA, et al. 1993a. Styrene inhalation toxicity studies in mice: II. Sex differences in susceptibility of B6C3F1 mice. Fundam Appl Toxicol 21:317-325.

+*Morgan DL, Mahler JF, Dill JA, et al. 1993b. Styrene inhalation toxicity studies in mice: III. Strain differences in susceptibility. Fundam Appl Toxicol 21:326-333.

Morgan DL, Mahler JF, Moorman MP, et al. 1995. Comparison of styrene hepatotoxicity in B6C3F1 and Swiss mice. Fundam Appl Toxicol 27(2):217-222.

+*Morgan DL, Mahler JF, O'Connor RW, et al. 1993c. Styrene inhalation toxicity studies in mice: I. Hepatotoxicity in B6C3F1 mice. Fundam Appl Toxicol 20:325-335.

Morgan DL, Mahler JF, Wilson RE, et al. 1997. Effects of various pretreatments on the hepatotoxicity of inhaled styrene in the B6C3F1 mouse. Xenobiotica 27(4):401-411.

+*Morioka I, Kuroda M, Miyashita K, et al. 1999. Evaluation of organic solvent ototoxicity by the upper limit of hearing. Arch Environ Health 54(5):341-346.

*Morris JB. 2000. Uptake of styrene in the upper respiratory tract of the CD mouse and Sprague-Dawley rat. Toxicol Sci 54:222-228.

*Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. Clin Pharmacokinet 5(6):485-527.

Moscato G, Biscaldi GP, Brunetti G, et al. 1984. Occupational asthma caused by styrene. J Occup Med 26:552.

Moscato G, Biscaldi G, Cottica D, et al. 1987. Occupational asthma due to styrene: Two case reports. J Occup Med 29:957-960.

Mueller M, Klein W. 1993. Fugacity calculations using estimated physico-chemical properties. SAR QSAR Environ Res 1:235-262.

+*Muijser H, Hoogendijk EM, Hooisma J. 1988. The effects of occupational exposure to styrene on high-frequency hearing thresholds. Toxicology 49:331-340.

+*Murata K, Araki S, Yokoyama K. 1991. Assessment of the peripheral, central, and autonomic nervous system function in styrene workers. Am J Ind Med 20:775-784.

Murer AJL, Christensen JM, Midtgaard T, et al. 1994. Determination of the urinary metabolites of styrene: Estimation of the method evaluation function and evaluation of reference values in Danish subjects. Int Arch Occup Environ Health 65:313-318.

+*Murray FJ, John JA, Balmer MF, et al. 1978. Teratologic evaluation of styrene given to rats and rabbits by inhalation or by gavage. Toxicology 11:335-343.

Mutti A, Smargiassi A. 1998. Selective vulnerability of dopaminergic systems to industrial chemicals: Risk assessment of related neuroendocrine changes. Toxicol Ind Health 14(1-2):311-323.

Mutti A, Coccini T, Alinovi R, et al. 1999. Exposure to hydrocarbons and renal disease: An experimental animal model. Ren Fail 21(3&4):369-385.

Mutti A, Falzoi M, Romanelli A, et al. 1984c. Regional alterations of brain catecholamine by styrene exposure in rabbits. Arch Toxicol 55:173-177.

+*Mutti A, Mazzucchi A, Rustichelli P, et al. 1984a. Exposure-effect and exposure-response relationships between occupational exposure to styrene and neuropsychological functions. Am J Ind Med 5:275-286.

Mutti A, Romanelli A, Falzoi M, et al. 1985. Styrene metabolism and striatal dopamine depletion in rabbits. Arch Toxicol Suppl 8:447-450.

+*Mutti A, Vescovi PP, Falsoi M, et al. 1984b. Neuroendocrine effects of styrene on occupationally exposed workers. Scand J Work Environ Health 10:225-228.

Muttray A, Jung D, Konietzko J. 1992. Acquired dyschromatopsia: Some comments concerning the procedure of testing and interpretation [including response from original authors Gallassi et al.]. (Comment on: J Occup Med 33(7):761-765). J Occup Med 34(5):563-564.

*Nakajima T, Elovaara E, Gonzalez FJ, et al. 1993. Characterization of the human cytochrome P450 isozymes responsible for styrene metabolism. IARC Sci Publ (127):101-108.

*Nakajima T, Wang R-S, Elovaara E, et al. 1994. CYP2C11 and CYP2B1 are major cytochrome P450 forms involved in styrene oxidation in liver and lung microsomes from untreated rats, respectively. Biochem Pharmacol 48(4):637-642.

Nano R, Rossi A, Fenoglio C, et al. 2000. Evaluation of a possible styrene-induced damage to the haematopoietic tissues in the rat. Anticancer Res 20(3A):1615-1619.

*NAS/NRC. 1989. Report of the oversight committee. Biologic markers in reproductive toxicology. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press, 15-35.

Nasterlack M, Triebig G. 1994. Increase in neuropsychiatric symptoms after occupational exposure to low levels of styrene (Comment on: Br J Ind Med 50(9):843-850). Occup Environ Med 51(4):286-287.

NATICH. 1989. National Air-Toxics Information Clearinghouse: NATICH data base report on state, local and EPA air toxics activities. July 1989. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA45038929.

NCHS. 1988. National Health and Nutrition Examination Survey III. Appendix C. Examination content. Hyattsville, MD: U.S. Department of Health and Human Services, National Center for Health Statistics.

NCI. 1979a. Bioassay of a solution of β -nitrostyrene and styrene for possible carcinogenicity. Bethesda, MD: National Cancer Institute, Division of Cancer Cause and Prevention. DHEW Publication No. (NIH) 79-1726.

+*NCI. 1979b. Bioassay of styrene for possible carcinogenicity. Bethesda, MD: National Cancer Institute, Division of Cancer Cause and Prevention. Technical Report Series No. 185. NCI-CG-TR-185. NIH 79-1741. PB300977.

Negri S, Maestri L, Andreoli R, et al. 2006. Mercapturic acids of styrene in man: Comparability of the results obtained by LC/MS/MS and by HPLC-fluorimeter, and stability of samples under different storage conditions. Toxicol Lett 162:225-233.

Nestmann ER, Lynch BSW, Ratpan F. 2003. Evaluation of the genotoxic potential of styrene [Abstract]. Environ Mol Mutagen 41(3):195.

Nestmann ER, Lynch BS, Ratpan F. 2005. Perspectives on the genotoxic risk of styrene. J Toxicol Environ Health B Crit Rev 8:95-107.

Newhook R, Caldwell I. 1993. Exposure to styrene in the general Canadian population. IARC Sci Publ (127):27-33.

Nicholson WJ, Tarr D. 1984. Occupational hazards in production and processing of styrene polymersepidemiologic findings. Prog Clin Biol Res 141:263-277.

+*Nicholson WJ, Selikoff IJ, Seidman H. 1978. Mortality experience of styrene-polystyrene polymerization workers: Initial findings. Scand J Work Environ Health 4:247-252.

*Niklasson M, Tham R, Larsby B, et al. 1993. Effects of toluene, styrene, trichloroethylene, and trichloroethane on the vestibulo- and opto-oculo motor system in rats. Neurotoxicol Teratol 15:327-334.

*NIOSH. 1983. Criteria for a recommended standard: Occupational exposure to styrene. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB84148295.

*NIOSH. 1984. Method 1501: Hydrocarbons, aromatic. In: NIOSH manual of analytical methods. Vol. 2. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.

NIOSH. 1985. Pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. 85-114.

NIOSH. 1988. NIOSH recommendations for occupational safety and health standards. National Institute for Occupational Safety and Health. MMWR 37:S-7.

*NIOSH. 1990. Styrene. Estimated numbers of employees potentially exposed to specific agents by 2-digit Standard Industrial Classification (SIC). National Occupational Exposure Survey conducted from 1981-1983. Centers for Disease Control. National Institute for Occupational Safety and Health. http://www.cdc.gov/noes/. August 09, 2007.

*NIOSH. 2005. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. http://www.cdc.gov/niosh/npg/. May 15, 2007.

*NLM. 1989. Chemline. Bethesda, MD: National Library of Medicine. September 5, 1989.

NOHS. 1989. National Occupational Hazard Survey. Cincinnati, OH: National Institute for Occupational Safety and Health. October 18, 1989.

*Nordenson I, Beckman L. 1984. Chromosomal aberrations in lymphocytes of workers exposed to low levels of styrene. Hum Hered 34:178-182.

Nordqvist MB, Lof A, Osteman-Golkar S, et al. 1985. Covalent binding of styrene and styrene-7,8-oxide to plasma proteins, hemoglobin and DNA in the mouse. Chem Biol Interact 55:63-73.

*Normandeau J, Chakrabarti S, Brodeur J. 1984. Influence of simultaneous exposure to acrylonitrile and styrene on the toxicity and metabolism of styrene in rats. Toxicol Appl Pharmacol 75:346-349.

*Norppa H. 1981. Styrene and vinyltoluene induce micronuclei in mouse bone marrow. Toxicol Lett 8:247-251.

Norppa H, Sorsa M. 1993. Genetic toxicity of 1,3-butadiene and styrene. IARC Sci Publ (127):185-193.

Norppa H, Jaerventaus H, Kubiak R, et al. 1991. Chromosome aberrations, sister-chromatid exchanges, and micronuclei in blood lymphocytes of Finnish reinforced plastics workers exposed to styrene. Environ Mol Mutagen 17:56.

*Norppa H, Maki-Paakkanen J, Jantunen K, et al. 1988. Mutagenicity studies on styrene and vinyl acetate. Ann NY Acad Sci 534:671-678.

*Norppa H, Sorsa M, Pfaffli P, et al. 1979. Effects of styrene oxide on chromosome aberrations, sister chromatid exchange and hepatic drug biotransformation in Chinese hamsters *in vivo*. Chem Biol Interact 26:305-315.

*Norppa H, Sorsa M, Pfaffli P, et al. 1980a. Styrene and styrene oxide induce SCEs and are metabolized in human lymphocyte cultures. Carcinogenesis 1:357-361.

*Norppa H, Sorsa M, Vainio H. 1980b. Chromosomal aberrations in bone marrow of Chinese hamsters exposed to styrene and ethanol. Toxicol Lett 5:241-244.

*Norppa H, Vainio H, Sorsa M. 1981. Chromosome aberrations in lymphocytes of workers exposed to styrene. Am J Ind Med 2:299-304.

*Norppa H, Vainio H, Sorsa M. 1983. Metabolic activation of styrene by erythrocytes detected as increased sister-chromatid exchanges in cultured human lymphocytes. Cancer Res 43:3579-3582.

*Norppa H, Vainio H, Sorsa M, et al. 1984. Erythrocyte-dependent metabolic activation of styrene and induction of sister-chromatid exchange in cultured human lymphocytes. Arch Toxicol Suppl 7:286-290.

*Norström A, Lof A, Aringer L, et al. 1992. Determination of N-acetyl-S-(2-phenyl-2-hydroxyethyl) cysteine in human urine after experimental exposure to styrene. Chemosphere 24(11):1553-1561.

*NRC. 1993. Pesticides in the diets of infants and children. Washington, DC: National Research Council. National Academy Press. PB93216091.

*NTP. 2005. Introduction. Report on carcinogens. 11th ed. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. http://ntp.nieh.nih.gov/ntp/roc/eleventh/intro.pdf. May 23, 2007.

*NTP. 2006. NTP-CERHR monograph on the potential human reproductive and developmental effects of styrene. National Toxicology Program. NIH Publication No. 06-4475.

Nunez CM, Ramsey GH, Bahner MA, Clayton CA. 1999. An empirical model to predict styrene emissions from fiber-reinforced plastics fabrication processes. J Air Waste Manage Assoc 49:1168-1178.

Oberheitmann B, Frentzel-Beyme R, Hoffmann W. 2001. An application of the challenge assay in boat builders exposed to low levels of styrene- a feasibility study of a possible biomarker for acquired susceptibility. Int J Hyg Environ Health 204(1):23-29.

+*Ödkvist LM, Edling C, Hellquist H, et al. 1985. Influence of vapours on the nasal mucosa among industry workers. Rhinology 23:121-127.

+*Ödkvist LM, Larsby B, Tham R, et al. 1982. Vestibulo-oculomotor disturbances in humans exposed to styrene. Acta Otolaryngol 94:487-493.

Ogata M, Taguchi T. 1987. Quantitation of urinary metabolites of toluene, xylene, styrene, ethylbenzene, benzene and phenol by automated high performance liquid chromatography. Int Arch Occup Environ Health 59:263-272.

Ogata M, Taguchi T. 1988. Simultaneous determination of urinary creatinine and metabolites of toluene, xylene, styrene, ethylbenzene, benzene and phenol by automated high performance liquid chromatography. Int Arch Occup Environ Health 61:131-140.

*Ogata M, Fujisawa K, Ogino Y, et al. 1984. Partition coefficients as a measure of bioconcentration potential of crude oil compounds in fish and shellfish. Bull Environ Contam Toxicol 33:561-567.

+*Ohashi Y, Nakai Y, Ikeoka H, et al. 1986. Degeneration and regeneration of respiratory mucosa of rats after exposure to styrene. J Appl Toxicol 6:405-412.

*Ohtani H, Ichikawa Y, Iwamoto E, et al. 2001. Effects of styrene monomer and trimer on gonadal sex differentiation of genetic males of the frog *Rana rugosa*. Environ Res 87(3):175-180.

Ohtsuji M, Ikeda J. 1971. Metabolism of styrene in the rat and the stimulatory effect of phenobarbital. Toxicol Appl Pharmacol 18:321-328.

+*Okun AH, Beaumont JJ, Meinhardt TJ, et al. 1985. Mortality patterns among styrene-exposed boatbuilders. Am J Ind Med 8:193-205.

*O'Neil MJ, Smith A, Heckelman PE, et al., eds. 2001. Styrene. In: The Merck index. An encyclopedia of chemicals, drugs, and biologicals. 13th ed. Whitehouse Station, NJ: Merck & Co., Inc., 1578.

Oner F, Mungan D, Numanoglu N, et al. 2004. Occupational asthma in the furniture industry: Is it due to styrene? Respiration 71(4):336-341.

*Ong CN, Shi CY, Chia SE, et al. 1994. Biological monitoring of exposure to low concentrations of styrene. Am J Ind Med 25(5):719-730.

ORS. 1989. Massachusetts drinking water standards and guidelines. Boston, MA: Executive Office of Environmental Affairs, Department of Environmental Quality Engineering, Office of Research and Standards.

OSHA. 1989. Occupational Safety and Health Administration: Part III. Federal Register 54:2952.

*OSHA. 2006a. Air contaminants. Occupational safety and health standards for shipyard employment. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000. http://www.osha.gov/comp-links.html. April 11, 2007.

*OSHA. 2006b. Gases, vapors, fumes, dusts, and mists. Safety and health regulations for construction. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55, Appendix A. http://www.osha.gov/comp-links.html. April 11, 2007.

*OSHA. 2006c. Toxic and Hazardous Substances. Occupational safety and health standards. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000, Table Z-2. http://www.osha.gov/comp-links.html. May 15, 2007.

Osswald P, Baveye P, Block J. 1996. Bacterial influence on partitioning rate during the biodegradation of styrene in a biphasic aqueous-organic system. Biodegradation 7:297-302.

Osterman-Golkar S, Christakopoulos A, Zorcec V, et al. 1995. Dosimetry of styrene 7,8-oxide in styrene- and styrene oxide-exposed mice and rats by quantification of haemoglobin. Chem Biol Interact 95:79-87.

OTA. 1990. Neurotoxicology: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment. OTABA438.

*Otson R. 1987. Purgeable organics in Great Lakes raw and treated water. Int J Environ Anal Chem 31:41-53.

Otson R. 1996. Vapor-phase organic compounds in Canadian residences. In: Wang W, Schnoor J, Doi J, eds. Volatile organic compounds in the environment. American Society for Testing and Materials, 66-76.

Otson R, Chan C. 1987. Sample handling and analysis for 51 volatile organics by an adapted purge and trap GC-MS technique. Int J Environ Anal Chem 30:275-287.

Otson R, Fellin P. 1992. Volatile organics in the indoor environment: Sources and occurrence. In: Nriagu JO, ed. Gaseous pollutants: Characterization and cycling. John Wiley & Sons, Inc., 335-421.

Ott WR, Roberts JW. 1998. Everyday exposure to toxic pollutants. Sci Am 278:86-91.

+*Ott MG, Kolesar RC, Schamweber HC, et al. 1980. A mortality survey of employees engaged in the development or manufacture of styrene-based products. J Occup Med 22:445-460.

Otteneder M, Lutz U, Lutz WK. 2002. DNA adducts of styrene-7,8-oxide in target and non-target organs for tumor induction in rat and mouse after repeated inhalation exposure to styrene. Mutat Res 500(1-2):111-116.

*Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed., eds. Human development. Philadelphia, PA: WB Saunders, 222-238.

Pacifici GM, Guthenberg C, Warholm M, et al. 1988. Conjugation of styrene oxide by the basic and acidic forms of glutathione transferase in the human fetal liver. Dev Pharmacol Ther 11:243-251.

Pacifici GM, Warholm M, Guthenberg C, et al. 1987. Detoxification of styrene oxide by human liver glutathione transferase. Hum Toxicol 6:483-490.

*Pahren HR, Bloodgood DE. 1961. Biological oxidation of several vinyl compounds. J Water Pollut Control Fed 33:233-238.

Pankow JF, Rosen ME. 1988. Determination of volatile compounds in water by purging directly to a capillary column with whole column cryotrapping. Environ Sci Technol 22:398-405.

Paramei GV, Meyer-Baron M, Seeber A. 2004. Impairments of colour vision induced by organic solvents: A meta-analysis study. Neurotoxicology 25(5):803-816.

*Parkki MG. 1978. The role of glutathione in the toxicity of styrene. Scand J Work Environ Health 4(Suppl 2):53-59.

Pauwels W, Severi M, Veulemans H. 1996. Determination of macromolecular adducts as biomarkers for styrene exposure [Abstract]. Mutat Res 360(3):245.

Pauwels W, Vodiceka P, Severi M, et al. 1996. Adduction formation on DNA and haemoglobin in mice intraperitoneally administered with styrene. Carcinogenesis 17(12):2673-2680.

*Peck DP. 1994. Immunoassay for aromatic ring containing compounds. United States Patent no. 5,358,851. Date of patent June 06, 1991. http://patft.uspto.gov/netacgi/nph-Parser?Sect1=PTO2&Sect2=HITOFF&p=1&u=%2Fnetahtml%2FPTO%2Fsearch-bool.html&r=7&f=G&l=50&co1=AND&d=PTXT&s1=5358851&OS=5358851&RS=5358851. May 30, 2007.

Pekari K, Nylander-French L, Pfäffli P, et al. Biological monitoring of exposure to styrene-Assessment of different approaches. J Occup Med Toxicol 2(2):115-126.

*Pellizzari ED, Castillo NP, Willis S, et al. 1979. Identification of organic components in aqueous effluents from energy-related processes. ASTM Spec Tech Publ 686:256-274.

*Pellizzari ED, Hartwell TD, Harris BS, et al. 1982. Purgeable organic compounds in mother's milk. Bull Environ Contam Toxicol 28:322-328.

Perbellini L, Mozzo P, Turri PV, et al. 1988. Biological exposure index of styrene suggested by a physiologico-mathematical model. Int Arch Occup Environ Health 60:187-193.

*Pero RW, Bryngelsson T, Hogstedt B, et al. 1982. Occupational and *in vitro* exposure to styrene assessed by unscheduled DNA synthesis in resting human lymphocytes. Carcinogenesis 3:681-685.

*Pezzagno G, Ghittori S, Imbriani M, et al. 1985. Urinary elimination of styrene in experimental and occupational exposure. Scand J Work Environ Health 11:371-379.

Pfaffli P, Saamanen A. 1993. The occupational scene of styrene. IARC Sci Publ (127):15-26.

*Pfaffli P, Hesso A, Vainio H, et al. 1981. 4-Vinylphenol excretion suggestive of arene oxide formation in workers occupationally exposed to styrene. Toxicol Appl Pharmacol 60:85-90.

Phillips DH, Farmer PB. 1994. Evidence for DNA and protein binding by styrene and styrene oxide. Crit Rev Toxicol 24(Suppl 1):S35-S46.

Piao M, Chu S, Zheng M, et al. 1999. Characterization of the combustion products of polyethylene. Chemosphere 39:1497-1512.

Pierce CH, Tozer TN. 1992. Styrene in adipose tissue of nonoccupationally exposed persons. Environ Res 58:230-235.

Pierce CH, Becker CE, Tozer TN, et al. 1998. Modeling the acute neurotoxicity of styrene. J Occup Environ Med 40(3):230-240.

Pierce CH, Dills RL, Silvey GW, et al. 1996. Partition coefficients between human blood or adipose tissue and air for aromatic solvents. Scand J Work Environ Health 22:112-118.

Pitzer KS, Guttman L, Westrum EF. 1946. The heat capacity, heats of fusion and vaporization, vapor pressure, entropy, vibration frequencies and barrier to internal rotation of styrene. J Am Chem Soc 68:2209-2212.

*Plotnick HB, Weigel WW. 1979. Tissue distribution and excretion of ¹⁴C-styrene in male and female rats. Res Commun Chem Pathol Pharmacol 24:515-524.

*Pohlova H, Rossner P, Sram RJ. 1985. Cytogenetic analysis of human peripheral blood lymphocytes in culture exposed *in vitro* to styrene and styrene oxide. J Hyg Epidem Microbiol Immunol 29:269-274.

Poliakova OV, Lebedev AT, Hanninen O. 2000. Organic pollutants in snow of urban and rural Russia and Finland. Toxicol Environ Chem 75:181-194.

+*Ponomarkov V, Tomatis L. 1978. Effects of long-term oral administration of styrene to mice and rats. Scand J Work Environ Health 4(Suppl 2):127-135.

Ponomarkov V, Cabral JRP, Wahrendorf J, et al. 1984. A carcinogenicity study of styrene-7,8-oxide in rats. Cancer Lett 24:95-101.

+*Pouyatos B, Campo P, Lataye R. 2002. Use of DPOAEs for assessing hearing loss caused by styrene in the rat. Hear Res 165(1-2):156-164.

Pouyatos B, Morel G, Lambert-Xolin AM, et al. 2004. Consequences of noise- or styrene-induced cochlear damages on glutamate decarboxylase levels in the rat inferior colliculus. Hear Res 189(1-2):83-91.

Pratt GC, McCourtney M, Wu CY, et al. 1998. Measurement and source apportionment of human exposures to toxic air pollutants in the Minneapolis-St. Paul metropolitan area. Measurement of toxic and related air pollutants. Sewickley, PA: Air and Waste Management Association, 64-72.

*Pratt GC, Palmer K, Wu CY, et al. 2000. An assessment of air toxics in Minnesota. Environ Health Perspect 108(9):815-825.

Preston RJ, Abernethy DJ. 1993. Studies of the induction of chromosomal aberration and sister chromatid exchange in rats exposed to styrene by inhalation. IARC Sci Publ (127):225-233.

*Prince MM, Stayner LT, Smith RJ, et al. 1997. A re-examination of risk estimates from the NIOSH Occupational Noise and Hearing Survey (OHNS). J Acoust Soc Am 101(2):950-963.

Prito MJ, Marhuenda D, Cardona A. 2002. Analysis of styrene and its metabolites in blood and urine of workers exposed to both styrene and acetone. J Anal Toxicol 26:23-28.

Proctor NH, Hughes JP, Fischman ML. 1988. Chemical hazards of the workplace. 2nd ed. Philadelphia, PA: J.B. Lippincott Company, 448-449.

+*Pryor GT, Rebert CS, Howd RA. 1987. Hearing loss in rats caused by inhalation of mixed xylenes and styrene. J Appl Toxicol 7:55-61.

+*Quast JF, Humiston CG, Kalnins RV, et al. 1979. Results of a toxicity study of monomeric styrene administered to beagle dogs by oral intubation for 19 months. Midland, MI: Toxicology Research Laboratory, 199.

Rabovsky J, Fowles J, Hill MD, et al. 2001. A health risk benchmark for the neurologic effects of styrene: Comparison with NOAEL/LOAEL approach. Risk Anal 21(1):117-126.

*Ramsey JC, Andersen ME. 1984. A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. Toxicol Appl Pharmacol 73:159-175.

*Ramsey JC, Young JD. 1978. Pharmacokinetics of inhaled styrene in rats and humans. Scand J Work Environ Health 4(Suppl 2):84-91.

*Ramsey JC, Young JD, Karbowski RJ, et al. 1980. Pharmacokinetics of inhaled styrene in human volunteers. Toxicol Appl Pharmacol 53:54-63.

*Rappaport SM, Fraser DA. 1977. Air sampling and analysis in a rubber vulcanization area. Am Ind Hyg Assoc J 38:205-210.

Rappaport SM, Yager JW. 1996. Correspondence: Re: Papers published in Mutation Research [including response from original authors Scott and Preston] (Comment on: Mutat Res 318(3):175-203). Mutat Res 340(2-3):183-185.

234

Rappaport SM, Yeowell-O'Connor K. 1999. Protein adducts as dosimeters of human exposure to styrene, styrene-7,8-oxide, and benzene. Toxicol Lett 108:117-126.

Rappaport SM, Dionne L, Woodlee J, et al. 1992. The relationship between exposure to styrene biomarkers of exposure and cytogenetic response. Rev Epidemiol Sante Publique 40(Suppl 1):S80-S81.

Rappaport SM, Symanski E, Yager JW, et al. 1995. The relationship between environmental monitoring and biological markers in exposure assessment. Environ Health Perspect 103:49-53.

Rappaport SM, Yeowell-O'Connell K, Bodell W, et al. 1996. An investigation of multiple biomarkers among workers exposed to styrene and styrene-7,8-oxide. Cancer Res 56:5410-5416.

*Rathbun Re. 2000. Transport, behavior and fate of volatile organic compounds in streams. Crit Rev Environ Sci 30:129-295.

Rebert CS, Hall TA. 1994. The neuroepidemiology of styrene: A critical review of representative literature. Crit Rev Toxicol 24(S1):S57-S106.

Rebert CS, Schwartz RW, Svendsgaard DJ, et al. 1995. Combined effect of paired solvents on the rat's auditory system. Toxicology 105:345-354.

*Regnaud L, Sirois G, Colin P, et al. 1987. Simultaneous ion-pairing liquid chromatographic determination of the major metabolites of styrene and carbamazepine and of unchanged carbamazepine in urine. J Liq Chromatogr 10(11):2369-2382.

Rhouma KB, Chamkhia N, Sakly M. 2005. Toxicity of styrene in rat liver [Abstract]. FASEB J 19(4):A760.

+*Riihimaki V, Pfaffli P. 1978. Percutaneous absorption of solvent vapors in man. Scand J Work Environ Health 4:73-85.

*Roberts PV, McCarty PL, Reinhard M, et al. 1980. Organic contaminant behavior during groundwater recharge. J Water Pollut Control Fed 52(1):161-172.

Roe FJC. 1994. Styrene: Toxicity studies-What do they show? Crit Rev Toxicol 24(S1):S117-S125.

*Romieu I, Ramirez M, Meneses F, et al. 1999. Environmental exposure to volatile organic compounds among workers in Mexico City assessed by personal monitors and blood concentrations. Environ Health Perspect 107:511-515.

Rorije E, Mueller M, Peijnenburg WJGM. 1997. Prediction of environmental degradation rates for high production volume chemicals (HPVC) using quantitative structure-activity relationships. Bilthoven: National Institute of Public Health and the Environment. RIVM report no: 719101030.

+*Rosen I, Haeger-Aronsen B, Rehnstrom S, et al. 1978. Neurophysiological observations after chronic styrene exposure. Scand J Work Environ Health 4(Supp. 2):184-194.

Rosenbaum AS, Axelrod DA, Woodruff TJ, et al. 1999. National estimates of outdoor air toxics concentrations. J Air Waste Manage Assoc 49:1138-1152.

+*Rosengren LE, Haglid KG. 1989. Long term neurotoxicity of styrene. A quantitative study of glial fibrillary acidic protein (GFA) and S-100. Br J Ind Med 46:316-320.

Rothberg M, Heloma A, Svinhufvud J, et al. 1998. Measurement and analysis of nicotine and other VOCs in indoor air as an indicator of passive smoking. Ann Occup Hyg 42(2):129-134.

*Rothweiler H, Wager PA, Schlatter C. 1992. Volatile organic compounds and some very volatile organic compounds in new and recently renovated buildings in Switzerland. Atmos Environ 26(12):2219-2225.

*Roy WR, Griffin RA. 1985. Mobility of organic solvents in water-saturated soil materials. Environ Geol Water Sci 7:241-247.

Roycroft JH, TJ Mast, HA Ragan, et al. 1992. Toxicological effects of inhalation exposure to styrene in rats and mice. Toxicologist 12(1):397.

*Ruder AM, Ward EM, Dong M, et al. 2004. Mortality patterns among workers exposed to styrene in the reinforced plastic boatbuilding industry: An update. Am J Ind Med 45(2):165-176.

*Sabljic A, Gusten H, Hermens J. 1995. QSAR modelling of soil sorption. Improvements and systematics of log K_{oc} vs. log K_{ow} correlations. Chemosphere 31:4489-4514.

Sack TM, Steele DH, Hammerstrom K. 1992. A survey of household products for volatile organic compounds. Atmos Environ 26A(6):1063-1070.

*Sakaguchi J, Akabayashi S. 2003. Field survey of indoor air quality in detached houses in Niigata Prefecture. Indoor Air 13:42-49.

*Sallmén M, Lindbohm M-L, Anttila A, et al. 1998. Time to pregnancy among the wives of men exposed to organic solvents. Occup Environ Med 55:24-30.

+*Salomaa S, Donner M, Norppa H. 1985. Inactivity of styrene in the mouse sperm morphology test. Toxicol Lett 24:151-155.

Salthammer T. 1997. Emission of volatile organic compounds from furniture coatings. Indoor Air 7:189-197.

Samimi B, Falbo L. 1982. Monitoring of workers exposure to low levels of airborne monomers in a polystyrene production plant. Am Ind Hyg Assoc J 43:858-862.

*Sanjivamurthy VA. 1978. Analysis of organics in Cleveland water supply. Water Res 12:31-33.

Santos-Burgoa C, Matanoski GM. 1993. RE: "Lymphohematopoietic cancer in styrene-butadiene polymerization workers" (Comment on: Am J Epidemiol 36:843-854). Am J Epidemiol 138(9):765-768.

*Santos-Burgoa C, Matanoski GM, Zeger S, et al. 1992. Lymphohematopoietic cancer in styrenebutadiene polymerization workers. Am J Epidemiol 136(7):843-854.

*Sarangapani R, Teeguarden JG, Cruzan G, et al. 2002. Physiologically based pharmacokinetic modeling of styrene and styrene oxide respiratory-tract dosimetry in rodents and humans. Inhal Toxicol 14:789-834.

236

Sass-Korstak AM, Corey PN, Robertson JM. 1995. An investigation of the association between exposure to styrene and hearing loss. Ann Epidemiol 5(1):15-24.

*Sathiakumar N, Graff J, Macaluso M, et al. 2005. An updated study of mortality among North American synthetic rubber industry workers. Occup Environ Med 62(12):822-829.

*Sato A, Nakajima T. 1979. Partition coefficients of some aromatic hydrocarbons and ketones in water, blood and oil. Br J Ind Med 36:231-234.

Savela K, Hemminki K. 1986. Reaction products of styrene oxide with deoxynucleasides and DNA *in vitro*. Arch Toxicol Suppl 9:281-285.

*Savolainen H, Pfaffli P. 1978. Accumulation of styrene monomer and neurochemical effects of long-term inhalation exposure in rats. Scand J Work Environ Health 4:78-83.

Savolainen H, Vaino H. 1977. Organ distribution and nervous system binding of styrene and styrene oxide. Toxicology 8:135-141.

Sawyer RF. 1993. Trends in auto emissions and gasoline composition. Environ Health Perspect 101(Suppl 6):5-12.

*Sax NI, Lewis RJ. 1987. Hawley's condensed chemical dictionary. 11th ed. New York: Van Nostrand Reinhold Company, 1101.

*Sbrana I, Lascialfari D, Rossi AM, et al. 1983. Bone marrow cell chromosomal aberrations and styrene biotransformation in mice given styrene on a repeated oral schedule. Chem Biol Interact 45:349-357.

Scapellato ML, Marcuzzo G, Mastrangelo G, et al. 1998. Environmental and biological monitoring of styrene exposure: Urinary excretion of D-glucaric acid compared with exposure indices. J Occup Health 40:313-318.

Scelo G, Constantinescu V, Csiki I, et al. 2004. Occupational exposure to vinyl chloride, acrylonitrile and styrene and lung cancer risk (Europe). Cancer Causes Control 15(5):445-452.

*Schaeffer VH, Bhooshan B, Chen S-B, et al. 1996. Characterization of volatile organic chemical emissions from carpet cushions. J Air Waste Manage Assoc 46:813-820.

Schubert P, Rosenberg E, Grasserbauer M. 1999. Measurement of volatile organic compound (VOC) concentration profiles in the atmosphere of a remote forest region. Int J Environ Anal Chem 75(1-2):127-147.

Scott D. 1993. Butadiene and styrene: Assessment of health hazards. IARC Sci Publ (127):275-286.

Scott D, Preston RJ. 1993. A re-evaluation of the cytogenetic effects of styrene (Comment in: Mutat Res 340(2-3):183-185). Mutat Res 318(3):175-203.

Scott D, Preston RJ. 1994. A critical review of the cytogenetic effects of styrene with an emphasis on human population monitoring: A synopsis. Crit Rev Toxicol 24(S1):S47-S48.

Scow KM, Johnson CR. 1997. Effect of sorption on biodegradation of soil pollutants. Adv Agron 58:1-56.

*Sedivec V, Flek J, Mraz M. 1984. Urinary excretion of mandelic and phenylglyoxylic acids after human exposure to styrene vapour. J Hyg Epid Microbiol Immunol 28:241-255.

+*Seeber A, Blaszkewicz M, Golka K, et al. 2004. Neurobehavioral effects of experimental exposures to low levels of styrene. Toxicol Lett 151:183-192.

Seppäläinen AM. 1978. Neurotoxicity of styrene in occupational and experimental exposure. Scand J Work Environ Health 4(Suppl 2):181-183.

+*Seppäläinen AM, Härkönen H. 1976. Neurophysiological findings among workers occupationally exposed to styrene. Scand J Work Environ Health 3:140-146.

*Setchell BP, Waites GMH. 1975. The blood testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. Handbook of physiology: Endocrinology V. Washington, DC: American Physiological Society, 143-172.

Severi M, Pauwels W, VanHummeien P, et al. 1994. Urinary mandelic acid and hemoglobin adducts in fiberglass-reinforced plastics workers exposed to styrene. Scand J Work Environ Health 20:451-458.

*Sexton K, Adgate JL, Church TR, et al. 2005. Children's exposure to volatile organic compounds as determined by longitudinal measurements in blood. Environ Health Perspect 113(3):342-349.

Sexton K, Adgate JL, Mongin SJ, et al. 2004. Evaluating differences between measured personal exposures to volatile organic compounds and concentrations in outdoor and indoor air. Environ Sci Technol 38:2593-2602.

*Shamy MY, Osman HH, Kandeel KM, et al. 2002. DNA single strand breaks induced by low levels of occupational exposure to styrene: The gap between standards and reality. J Environ Pathol Toxicol Oncol 21(1):57-61.

*Sheldon LS, Hites RA. 1978. Organic compounds in the Delaware River. Environ Sci Tech 12:1188-1194.

Shen TT. 1982. Air quality assessment for land disposal of industrial wastes. Environ Manage 6:297-305.

Shi CY, Chua SC, Lee BL, et al. 1994. Kinetics of styrene urinary metabolites: A study in a low-level occupational exposure setting in Singapore. Int Arch Occup Environ Health 65:319-323.

*Shields HC, Weschler CJ. 1992. Volatile organic compounds measured at a telephone switching center form 5/30/85-12/6/88: A detailed case study. J Air Waste Manage Assoc 42:792-804.

Shimkin MB, Stoner GD. 1975. Lung tumors in mice: Application to carcinogenesis bioassay.

Shiu WY, Ma KC. 2000. Temperature dependence of physical-chemical properties of selected chemicals of environmental interest. I. Mononuclear and polynuclear aromatic hydrocarbons. J Phys Chem Ref Data 29(1):41-130.

+*Shugaev BB. 1969. Concentrations of hydrocarbons in tissues as a measure of toxicity. Arch Environ Health 18:878-882.

*Sielicki M, Focht DD, Martin JP. 1978. Microbial transformations of styrene and [¹⁴C] styrene in soil and enrichment cultures. Appl Environ Microbiol 35:124-128.

Sielken RL, Valdez-Flores C. 2001. Dose-response implications of the University of Alabama study of lymphohematopoietic cancer among workers exposed to 1,3-butadiene and styrene in the synthetic rubber industry. Chem Biol Interact 135-136:637-651.

*Simula AP, Priestly BG. 1992. Species differences in the genotoxicity of cyclophosphamide and styrene in three *in vivo* assays. Mutat Res 271:49-58.

Sinatra MG, Baiardi P, Manzo L. 2000. Effects of styrene on the nervous and immune systems in occupational low dose exposure [Abstract]. Neurotoxicology 21(5):898.

Singh AP, Srivastava SP. 1986. Inhibitory characteristics of styrene and styrene oxide on Na^+ , K^+ activated adenosine triphosphatase. J Environ Pathol Toxicol Oncol 6:29-36.

+*Sinha AK, Jersey GC, Linscombe VA, et al. 1983. Cytogenetic evaluation of bone marrow cells from rats exposed to styrene vapor for one year. Fundam Appl Toxicol 3:95-98.

+*Sjöborg S, Fregert S, Trulsson L. 1984. Contact allergy to styrene and related chemicals. Contact Dermatitis 10:94-96.

+*Śliwińska-Kowalska M, Zamyslowska-Szmytke E, Szymczak W, et al. 2003. Ototoxic effects of occupational exposure to styrene and co-exposure to styrene and noise. J Occup Environ Med 45(1):15-24.

*Sloane TM, Brudzynski RJ. 1979. Competition between reactive sites in the reactions of oxygen atoms and hydroxyl radicals with phenylacetylene and styrene. J Am Chem Soc 101 (March 14):1495-1499.

Smith RM. 1988. Supercritical fluid chromatography. Anal Chem 60(24):1394A.

Snyder RC, Breder OV. 1985. New FDA migration cell used to study migration of styrene from polystyrene into various solvents. J Assoc Off Anal Chem 68:770-775.

*Sollenberg J, Bjurstrom R, Wrangskag K, et al. 1988. Biological exposure limits estimated from relations between occupational styrene exposure during a workweek and excretion of mandelic and phenylglyoxylic acids in urine. Int Arch Occup Environ Health 60:365-370.

Solveig Walles SA, Orsen I. 1983. Single-strand breaks in DNA of various organs of mice induced by styrene and styrene oxide. Cancer Lett 21:9-15.

*Somorovská M, Jahnova E, Tulinska J, et al. 1999. Biomonitoring of occupational exposure to styrene in a plastic lamination plant. Mutat Res 428(1-2):255-269.

Speit G, Henderson L. 2004. Review of the *in vivo* genotoxicity tests performed with styrene. Mutat Res 589(1):67-79.

+*Spencer HC, Irish DD, Adams EM, et al. 1942. The response of laboratory animals to monomeric styrene. J Ind Hyg Toxicol 24:295-301.

*Squillace PJ, Moran MJ, Lapman WW, et al. 1999. Volatile organic compounds in untreated ambient groundwater of the United States, 1985-1995. Environ Sci Technol 33(23):4176-4187.

SRI. 1988a. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 961-962.

SRI. 1988b. Directory of chemical producers: United States of America. Supplement II. Menlo Park, CA: SRI International, 56.

*SRI. 1989. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 968.

*SRI. 2006. Directory of chemical producers. United Status of America. Menlo Park, CA: SRI Consulting, 894.

+*Srivastava S, Das M, Mushtaq M, et al. 1982. Hepatic effects of orally administered styrene in rats. J Appl Toxicol 2:219-222.

+*Srivastava S, Seth PK, Srivastava SP. 1989. Effect of styrene administration on rat testis. Arch Toxicol 63:43-46.

+*Srivastava S, Seth PK, Srivastava SP, et al. 1992a. Biochemical and morphological studies in testes of rat offspring of mothers exposed to styrene during lactation. Pharmacol Toxicol 70:314-316.

+*Srivastava S, Seth PK, Srivastava SP. 1992b. Effect of styrene on testicular enzymes of growing rat. Ind J Exp Biol 30:399-401.

Staudinger J, Roberts PV. 1996. A critical review of Henry's Law constants for environmental applications. Crit Rev Environ Sci 26:205-297.

*Stefaniak AB, Breysse PN, Murray MPM, et al. 2000. An evaluation of employee exposure to volatile organic compounds in three photocopy centers. Environ Res 83:162-173.

+*Štětkářová I, Urban P, Prochazka B, et al. 1993. Somatosensory evoked potentials in workers exposed to toluene and styrene. Br J Ind Med 50(6):520-527.

+*Stewart RD, Dodd HC, Baretta ED, et al. 1968. Human exposure to styrene vapor. Arch Environ Health 16:656-662.

Stoltz DR, Withey RJ. 1977. Mutagenicity testing of styrene and styrene epoxide in *Salmonella typhimurium*. Bull Environ Contam Toxicol 17:739-742.

Stoner GD, Shimkin MB. 1982. Strain A mouse lung tumor bioassay. J Am Coll Toxicol 1:145-169.

Sumner SC, Cattley RC, Asgharian B, et al. 1997. Evaluation of the metabolism and hepatotoxicity of styrene in F344 rats, B6C3F1 mice, and CD-1 mice following single and repeated inhalation exposures. Chem Biol Interact 106(1):47-65.

*Sumner SJ, Fennell TR. 1994. Review of the metabolic fate of styrene. Crit Rev Toxicol 24(Suppl 1):S11-S33.

Sweet CW, Vermette SJ. 1992. Toxic volatile organic compounds in urban air in Illinois. Environ Sci Technol 26:165-173.

*Symanski E, Bergamaschi E, Mutti A. 2001. Inter-and intra-individual sources of variation in levels of urinary styrene metabolites. Int Arch Occup Environ Health 74:336-344.

*Takeoko GR, Flath RA, Guntert M, et al. 1988. Nectarine volatiles: Vacuum steam distillation versus headspace. J Agric Food Chem 36:553-560.

*Tang J, Jin QZ, Shen GH, et al. 1983. Isolation and identification of volatile compounds from fried chicken. J Agric Food Chem 31:1287-1292.

*Tang W, Hemm I, Eisenbrand G. 2000. Estimation of human exposure to styrene and ethylbenzene. Toxicology. Toxicology 144(1-3):39-50.

Teixeira J, Gaspar J, Silva S, et al. 2004a. Haemoglobin adducts as biomarkers of occupational exposure to styrene [Abstract] Toxicol Appl Pharmacol 197(3):190.

Teixeira JP, Gaspar J, Silva S, et al. 2004b. Occupational exposure to styrene: Modulation of cytogenetic damage and levels of urinary metabolites of styrene by polymorphisms in genes CYP2E1, EPHX1, GSTM1, GSTT1 and GSTP1. Toxicology 195(2-3):231-242.

*Teramoto K, Horiguchi S. 1979. Absorption, distribution and elimination of styrene in man and experimental animals. Arh Hig Rada Toksikol 30:431-437.

+*Thiess AM, Friedheim M. 1978. Morbidity among persons employed in styrene production, polymerization and processing plants. Scand J Work Environ Health 4 (Suppl 2):203-214.

*Thiess AM, Schwegler H, Fleig I. 1980. Chromosome investigations in lymphocytes of workers employed in areas in which styrene-containing unsaturated polyester resins are manufactured. Am J Ind Med 1:205-210.

Thomas AO, Chiampo A. 1998. Characterisation of natural attenuation in an industrial site contaminated with phenols and alkylbenzenes. Contaminated soil '98. Proceedings of the sixth international FZK/TNO conference on contaminated soil. London: Thomas Telford Publishing, 181-190.

*Thomas K, Colborn T. 1992. Organochlorine endocrine disruptors in human tissue. In: Colborn T, Clement C, eds. Chemically induced alterations in sexual and functional development: The wildlife/human connection. Princeton, NJ: Princeton Scientific Publishing, 365-394.

*Till D, Schwope AD, Ehntholt DJ, et al. 1987. Indirect food additive migration from polymeric food packaging materials. CRC Crit Rev Toxicol 18:215-243.

Ting D, Smith MT, Doane-Stezer P, et al. 1991. Measurement of styrene-oxide cysteine adducts in hemoglobin by selective catalytic reduction. Adv Exp Med Biol 283:837-841.

*Tomanin R, Ballarin C, Bartolucci GB, et al. 1992. Chromosome aberrations and micronuclei in lymphocytes of workers exposed to low and medium levels of styrene. Int Arch Occup Environ Health 64:209-215.

+*Toppila E, Forsman P, Pyykko I, et al. 2006. Effect of styrene on postural stability among reinforced plastic boat plant workers in Finland. J Occup Environ Med 48(2):175-180.

Tossavainen A, Jaakkola J. 1994. Occupational exposure to chemical agents in Finland. Appl Occup Environ Hyg 9(1):28-31.

*Trenga CA, Kunkel DD, Eaton DL, et al. 1991. Effects of styrene oxide on rat brain glutathione. Neurotoxicity 12:165-178.

*TRI05. 2007. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Office of Environmental Information. U.S. Environmental Protection Agency. Toxics Release Inventory. http://www.epa.gov/triexplorer/. March 08, 2007.

*Triebig G, Lehrl S, Weltle D, et al. 1989. Clinical and neurobehavioral study of the acute and chronic neurotoxicity of styrene. Br J Ind Med 46:799-804.

*Triebig G, Schaller KH, Valentin H. 1985. Investigations on neurotoxicity of chemical substances at the workplace. Int Arch Occup Environ Health 56:239-247.

+*Triebig G, Stark T, Ihrig A, et al. 2001. Intervention study on acquired color vision deficiencies in styrene-exposed workers. J Occup Environ Med 43(5):494-500.

+*Tsai SP, Chen JD. 1996. Neurobehavioural effects of occupational exposure to low-level styrene. Neurotoxicol Teratol 18(4):463-469.

+*Tulinska J, Dusinska M, Jahnova E, et al. 2000. Changes in cellular immunity among workers occupationally exposed to styrene in a plastics lamination plant. Am J Ind Med 38(5):576-583.

Tursi F, Samaia M, Salmona M, et al. 1983. Styrene oxidation to styrene oxide in human erythrocytes is catalyzed by oxyhemoglobin. Experimentia 39:593-594.

*Uchiyama S, Hasegawa S. 2000. Investigation of a long-term sampling period for monitoring volatile organic compounds in ambient air. Environ Sci Technol 34:4656-4661.

*Umemura T, Kurahashi N, Kondo T, et al. 2005. Acute effects of styrene inhalation on the neuroendocrinological system of rats and the different effects in male and female rats. Arch Toxicol 79(11):653-659.

*USGS. 1998. Methods of analysis by the U.S. Geological Survey National Water Quality Laboratory: Determination of 86 volatile organic compounds in water by gas chromatography/mass spectrometry, including detections less than reporting limits. Denver, CO: U.S. Geological Survey, 97-829.

*USGS. 2006. Volatile organic compounds in the nation's ground water and drinking water supply wells. Reston, VA: U.S. Geological Survey.

*USITC. 1987. Synthetic organic chemicals: United States production and sales, 1986. Washington, DC: U.S. International Trade Commission. USITC Publication 2009, 26, 39.

*USITC. 1988. Synthetic organic chemicals: United States production and sales, 1987. Washington, DC: U.S. International Trade Commission. USITC Publication 2118, 3-2, 3-14.

Uziel M, Munro NB, Katz DS, et al. 1992. DNA adduct formation by 12 chemicals with populations potentially suitable for molecular epidemiological studies. Mutat Res 277(1):35-90.

Vaghef H, Hellman B. 1998. Detection of styrene and styrene oxide-induced DNA damage in various organs of mice using the Comet assay. Pharmacol Toxicol 83:69-74.

+*Vainio H, Jarvisalo J, Taskinen E. 1979. Adaptive changes caused by intermittent styrene inhalation on xenobiotic biotransformation. Toxicol Appl Pharmacol 49:7-14.

Vainio H, Norppa H, Belvedere G. 1984. Metabolism and mutagenicity of styrene and styrene oxide. In: Industrial hazards of plastics and synthetic elastomers. New York, NY: Alan R. Liss, Inc., 215-225.

Vainio H, Norppa H, Hemminki K, et al. 1981. Metabolism and genotoxicity of styrene. Adv Exp Med Biol 136(P&A):257-274.

*Vainio H, Paakkonen R, Ronnholm K, et al. 1976. A study on the mutagenic activity of styrene and styrene oxide. Scand J Work Environ Health 3:147-151.

*Valvani SC, Yalkowsky SH, Roseman TJ. 1981. Solubility and partitioning IV: Aqueous solubility and octanol-water partition coefficients of liquid nonelectrolytes. J Pharm Sci 70:502-507.

van Agteren MH, Keuning S, Janssen DB. 1998. Styrene. Handbook on biodegradation and biological treatment of hazardous organic compounds. Dordrecht: Kluwer Academic Publishers, 235-242.

Van Duuren BL, Nelson N, Orris L, et al. 1963. Carcinogenicity of epoxies, lactones, and peroxy compounds. J Natl Cancer Inst 31:41-55.

Van Hummelen P, Severi M, Pauwels W, et al. 1994. Cytogenetic analysis of lymphocytes from fiberglass-reinforced plastics workers occupationally exposed to styrene. Mutat Res 310(1):157-165.

*Varner SL, Breder CV. 1981. Headspace sampling and gas chromatographic determination of styrene migration from food-contact polystyrene cups into beverages and food stimulants. J Assoc Off Anal Chem 64:1122-1130.

+*Verplanke AJW, Herber RFM. 1998. Effects on the kidney of occupational exposure to styrene. Int Arch Occup Environ Health 71:47-52.

*Verschueren K. 1983. Handbook of environmental data on organic chemicals. 2nd ed. New York: Van Nostrand Reinhold Company, 1055-1057.

*Verschueren K. 2001. Handbook of environmental data on organic chemicals. Vol. 2. 4th ed. New York, NY: John Wiley & Sons, Inc., 1899-1902.

Vettori MV, Corradi D, Coccini T, et al. 2000. Styrene-induced changes in amacrine retinal cells: An experimental study in the rat. Neurotoxicology 21(4):607-614.

243

Viaene MK. 2003. Relation between colour vision loss and occupational styrene exposure (Comment on: Occup Environ Med 59:824-829). Occup Environ Med 60(3):222.

+*Viaene MK, Pauwels W, Veulemans H, et al. 2001. Neurobehavioural changes and persistence of complaints in workers exposed to styrene in a polyester boat building plant: Influence of exposure. Occup Environ Med 58(2):103-112.

+*Viaene M, Veulemans H, Masschelein R. 1998. Experience with a vocabulary test for workers previously and still exposed to styrene. Scand J Work Environ Health 24(4):308-311.

+*Viau C, Bernard A, De Russis R, et al. 1987. Evaluation of the nephrotoxic potential of styrene in man and in rat. J Appl Toxicol 7(5):313-316.

*Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. Eur J Biochem 238(2):476-483.

VIEW Database. 1989. Chemicals in ATSDR VIEW database. Atlanta, GA: Agency for Toxic Substances and Disease Registry, Office of External Affairs, Exposure and Disease Branch.

*Vodicka P, Bastlova T, Vodickova L, et al. 1995. Biomarkers of styrene exposure in lamination workers: Levels of {IO}{+6}-guanine DNA adducts, DNA strand breaks and mutant frequencies in the hypoxanthine guanine phosphoribosyltransferase gene in T-lymphocytes. Carcinogenesis 16(7):1473-1481.

Vodicka P, Koskinen M, Arand M, et al. 2002. Spectrum of styrene-induced DNA adducts: The relationship to other biomarkers and prospects in human biomonitoring. Mutat Res 511(3):239-254.

Vodicka P, Koskinen M, Stetina R, et al. 2003. The role of various biomarkers in the evaluation of styrene genotoxicity. Cancer Detect Prev 27:275-284.

*Vodicka P, Koskinen M, Vodickova L, et al. 2001a. DNA adducts, strand breaks and micronuclei in mice exposed to styrene by inhalation. Chem Biol Interact 137:213-227.

Vodicka PE, Linhart I, Novak J, et al. 2006. 7-Alkylguanine adduct levels in urine, lungs and liver of mice exposed to styrene by inhalation. Toxicol Appl Pharmacol 210:1-8.

Vodicka P, Soucek P, Tates AD, et al. 2001b. Association between genetic polymorphisms and biomarkers in styrene-exposed workers. Mutat Res 482(1-2):89-103.

Vodicka P, Stetina R, Koskinen M, et al. 2002. New aspects in biomonitoring of occupational exposure to styrene. Int Arch Occup Environ Health 75(Suppl):S75-S85.

*Vodicka P, Tuimala J, Stetina R, et al. 2004. Cytogenetic markers, DNA single-strand breaks, urinary metabolites, and DNA repair rates in styrene-exposed lamination workers. Environ Health Perspect 112:867-871.

Vodicka P, Tvrdik T, Osterman-Golkar S, et al. 1999. An evaluation of styrene genotoxicity using several biomarkers in a 3-year follow-up study of hand-lamination workers. Mutat Res 445:205-224.

Vodicka P, Vodickova L, Hemminki K. 1993. ³²P-postlabeling of DNA adducts of styrene-exposed lamination workers. Carcinogenesis 14(10):2059-2061.

Vodicka P, Vodickova L, Trejbalovaa K, et al. 1994. Persistence of O6-guanine DNA adducts in styrene-exposed lamination workers determined by 32P-postlabelling. Carcinogenesis 15(9):1949-1953.

+*Vyskocil A, Emminger S, Malir F, et al. 1989. Lack of nephrotoxicity of styrene at current TLV level (50 ppm). Int Arch Occup Environ Health 61:409-411.

*Wallace L, Buckley T, Pellizzari E, Gordon S. 1996. Breath measurements as volatile organic compounds biomarkers. Environ Health Perspect 104:861-869.

Wallace LA. 1986. Personal exposures, indoor and outdoor air concentrations, and exhaled breath concentrations of selected volatile organic compounds measured for 600 residents of New Jersey, North Dakota, North Carolina and California. Toxicol Environ Chem 12:215-236.

*Wallace LA, Pellizzari ED. 1995. Recent advances in measuring exhaled breath and estimating exposure and body burden for volatile organic compounds. Environ Health Perspect 103:95-98.

*Wallace LA, Pellizzari ED, Hartwell TD, et al. 1986a. Total exposure assessment methodology (TEAM) study: Personal exposures, indoor-outdoor relationships, and breath levels of volatile organic compounds in New Jersey. Environ Int 12:369-387.

Wallace LA, Pellizzari ED, Hartwell TD, et al. 1987a. The TEAM study: Personal exposures to toxic substances in air, drinking water, and breath of 400 residents of New Jersey, North Carolina and North Dakota. Environ Res 43:290-307.

*Wallace LA, Pellizzari ED, Leaderer B, et al. 1987b. Emissions of volatile organic compounds from building materials and consumer products. Atmos Environ 21:385-393.

*Wallace LA, Pellizzari ED, Sheldon L, et al. 1986b. The total exposure assessment methodology (TEAM) study: Direct measurement of personal exposures through air and water for 600 residents of several U.S. cities. In: Cohen Y, ed. Pollutants in a multimedia environment. New York, NY: Plenum Publishing Corporation, 289-315.

*Walles SAS, Orsen I. 1983. Single-strand breaks in DNA of various organs of mice induced by styrene and styrene oxide. Cancer Lett 21:9-15.

*Walles SAS, Edling C, Anundi H, et al. 1993. Exposure dependent increase in DNA single strand breaks in leucocytes from workers exposed to low concentrations of styrene. Br J Ind Med 50:570-574.

Wang JL, Chew C, Chen SW, et al. 2000. Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. Environ Sci Technol 34:2243-2248.

Wang Y, Kupper LL, Lof A, et al. 1996. Comparison of average estimated metabolic rates for styrene in previously exposed and unexposed groups with pharmacokinetics modeling. Occup Environ Med 53(9):601-605.

*Warhurst AM, Fewson CA. 1994. Microbial metabolism and biotransformation of styrene. J Appl Bacteriol 77:597-606.

Watabe T, Hiratsuka A, Aizawa T, et al. 1982. Studies on metabolism and toxicity of styrene: IV. 1-vinylbenzene 3,4-oxide, a potent mutagen formed as a possible intermediate in the metabolism *in vivo* of styrene to 4-vinylphenol. Mutat Res 93:45-55.

Watabe T, Ozawa N, Hiratsuka A. 1983. Studies on metabolism and toxicity of styrene - VI. Regioselectivity in glutathione S-conjugation and hydrolysis of racemic, R- and S-phenyloxiranes in rat liver. Biochem Pharmacol 32:777-785.

Watanabe T, Endo A, Kumai M, et al. 1983. Chromosome aberrations and sister chromatid exchanges in styrene-exposed workers with reference to their smoking habits. Environ Mut 5:299-309.

*Watanabe T, Endo A, Sato K, et al. 1981. Mutagenic potential of styrene in man. Ind Health 19:37-45.

*Weast RC, ed. 1985. CRC handbook of chemistry and physics. Boca Raton, FL: CRC Press, Inc., C-498.

Welke B, Ettlinger K, Riederer M. 1998. Sorption of volatile organic chemicals in plant surfaces. Environ Sci Technol 32:1099-1104.

*Welp E, Kogevinas M, Andersen A, et al. 1996c. Exposure to styrene and mortality from nervous system diseases and mental disorders. Am J Epidemiol 144(7):623-633.

Welp E, Partanen T, Kogevinas M, et al. 1996a. Exposure to styrene and mortality from non-malignant respiratory diseases. Occup Environ Med 53(7):499-501.

Welp E, Partanen T, Kogevinas M, et al. 1996b. Exposure to styrene and mortality from nonmalignant diseases of the genitourinary system. Scand J Work Environ Health 22(3):223-226.

*Wenker MAM, Kezic S, Monster AC, et al. 2001. Stereochemical metabolism of styrene in volunteers. Int Arch Occup Environ Health 74:359-365.

Weschler CJ, Hodgson AT, Wooley JD. 1192. Indoor chemistry: Ozone, volatile organic compounds, and carpets. Environ Sci Technol 26:2371-2377.

*West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. J Pediatr 32:10-18.

*WHO. 1983. Environmental health criteria 26: Styrene. Geneva: World Health Organization. http://www.inchem.org/documents/ehc/ehc/ehc26.htm. April 05, 2007.

*WHO. 2000. Air quality guidelines. 2nd ed. Geneva, Switzerland: World Health Organization. http://www.euro.who.int/Document/AIQ/AirQualRepMtg.pdf. March 08, 2006.

*WHO. 2004. Guidelines for drinking-water quality. Vol. 1. Recommendations. 3rd ed. Geneva, Switzerland: World Health Organization. http://www.who.int/water_sanitation_health/dwq/gdwq3/en/. March 08, 2006.

*Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advanced treatise. Volume II: The elements Part A. New York, NY: Academic Press.

246

Wieboldt RC, Adams GE, Later DW. 1988. Sensitivity improvement in infrared detection for supercritical fluid chromatography. Anal Chem 60(1):2422-2427.

Wieczorek H. 1985. Evaluation of low exposure to styrene: II. Dermal absorption of styrene vapours in humans under experimental conditions. Int Arch Occup Environ Health 57:71-75.

Wieczorek H, Piotrowski JK. 1985. Evaluation of low exposure to styrene: I. Absorption of styrene vapours by inhalation under experimental conditions. Int Arch Occup Environ Health 57:57-59.

Wieczorek H, Piotrowski JK. 1988. Kinetic interpretation of the exposure test for styrene. Int Arch Occup Environ Health 61:107-113.

*Wigaeus E, Lof A, Bjurstrom R, et al. 1983. Exposure to styrene: Uptake, distribution, metabolism and elimination in man. Scand J Work Environ Health 9:479-488.

Wilkins K, Larsen K. 1996. Volatile organic compounds from garden waste. Chemosphere 32(10):2049-2055.

Wilson RH. 1944. Health hazards encountered in the manufacture of synthetic rubber. J Am Med Assoc 124:701-703.

*Wilson JT, McNabb JF, Wilson BH, et al. 1983. Biotransformation of selected organic pollutants in ground water. Developments in Industrial Microbiology 24:225-233.

*Windholz, M, ed. 1983. Styrene. The Merck index. 10th ed. Rahway, NJ: Merck and Co., Inc., 1270.

*Wintrobe MM, Thorn GW, Adams RD, et al., eds. 1970. Harrison's principles of internal medicine. Vol. 2. 6th ed. New York, NY: McGraw-Hill, Inc., 1614-1615.

*Withey JR. 1976. Quantitative analysis of styrene monomer in polystyrene and foods including some preliminary studies of the uptake and pharmacodynamics of the monomer in rats. Environ Health Perspect 17:125-133.

*Withey JR, Collins PG. 1977. Pharmacokinetics and distribution of styrene monomer in rats after intravenous administration. J Toxicol Environ Health 3:1011-1020.

*Withey JR, Collins PG. 1978. Styrene monomer in foods: A limited Canadian survey. Bull Environ Contam Toxicol 19:86-94.

*Withey JR, Collins PG. 1979. The distribution and pharmacokinetics of styrene monomer in rats by the pulmonary route. J Environ Pathol Toxicol 2:1329-1342.

*Withey JR, Karpinski K. 1985. Fetal distribution of styrene in rats after vapor phase exposures. Biol Res Pregnancy 6:59-64.

+*Wolf MA, Rowe VK, McCollister DD, et al. 1956. Toxicological studies of certain alkylated benzenes and benzene: Experiments on laboratory animals. AMA Arch Ind Health 14:387-398.

+*Wong O. 1990. A cohort mortality study and a case-control study of workers potentially exposed to styrene in the reinforced plastics and composites industry. Br J Ind Med 47:753-762.

Wong O, Trent LS. 1999. Mortality from nonmalignant diseases of the respiratory, genitourinary and nervous systems among workers exposed to styrene in the reinforced plastics and composites industry. Scand J Work Environ Health 25(4):317-325.

*Wong O, Trent LS, Whorton MD. 1994. An updated cohort mortality study of workers exposed to styrene in the reinforced plastics and composites industry. Occup Environ Med 51:386-396.

Wrangskog K, Sollenberg J, Soderman E. 1996. Application of a single-compartment model for estimation of styrene uptake from measurements of urinary excretion of mandelic and phenylglyoxylic acids after occupational exposure. Int Arch Occup Environ Health 68(5):337-341.

*Yager JW, Paradisin WM, Rappaport SM. 1993. Sister-chromatid exchanges in lymphocytes are increased in relation to longitudinally measured occupational exposure to low concentrations of styrene. Mutat Res 319:155-165.

Yager JW, Paradisin WM, Symanski E, et al. 1990. Sister chromatid exchanges induced in peripheral lymphocytes of workers exposed to low concentrations of styrene. In: Mendelsohn ML, Albertini RJ, eds. Mutation and the environment. Part C: Somatic and heritable mutation, adduction, and epidemiology. New York, NY: Wiley-Liss, 347-356.

+*Yamamoto T, Teramoto K, Horiguchi S. 1997. Effects of styrene on peripheral nerve conduction velocities in rats. J Occup Health 39:319-324.

+*Yano BL, Dittenber DA, Albee RR, et al. 1992. Abnormal auditory brainstem responses and cochlear pathology in rats induced by an exaggerated styrene exposure regimen. Toxicol Pathol 20(1):1-6.

Yeowell-O'Connell K, Jin Z, Rappaport SM. 1996. Determination of albumin and hemoglobin adducts in workers exposed to styrene and styrene oxide. Cancer Epidemiol Biomarkers Prev 5:205-215.

*Yoshikawa K, Isobe M, Watabe T, et al. 1980. Studies on metabolism and toxicity of styrene: III. The effect of metabolic inactivation by rat-liver S9 on the mutagenicity of phenyloxirane toward *Salmonella typhimurium*. Mutat Res 78:219-226.

*Young JD, Ramsey JC, Blau GE, et al. 1979. Pharmacokinetics of inhaled or intraperitoneally administered styrene in rats. In: Toxicology and Occupational Medicine. New York, NY: Elsevier/North-Holland, 297-310.

*Yuasa J, Kishi R, Eguchi T, et al. 1996. Study of urinary mandelic acid concentration and peripheral nerve conduction among styrene workers. Am J Ind Med 30:41-47.

Zabiegala B, Namiesnik J, Przyk E, et al. 1999. Changes in concentration levels of selected VOCs in newly erected and remodeled buildings in Gdansk. Chemosphere 39(12):2035-2046.

+*Zaidi NF, Agrawal AK, Srivastava SP, et al. 1985. Effect of gestational and neonatal styrene exposure on dopamine receptors. Neurobehav Toxicol Teratol 7:23-28.

*Zelano V, Rizzi S, Gastaldi D, et al. 1998. Volatile organic compounds in drinking water. Ann Chim 88:449-460.

Zetterberg G. 1982. Styrene-a widespread mutagen: Conclusions from the results of testing. Proceedings of the 3rd Environmental Mutagens and Carcinogens International Conference, Tokyo, Japan. New York, NY: Alan R. Liss, Inc., 315-322.

Zhang J, Wilson WE, Lioy PJ. 1994. Indoor air chemistry: Formation of organic acids and aldehydes. Environ Sci Technol 28:1975-1982.

Zhang XX, Chakrabarti S, Malick AM, et al. 1993. Effects of different styrene metabolites on cytotoxicity, sister-chromatid exchanges and cell-cycle kinetics in human whole blood lymphocytes *in vitro*. Mutat Res 302:213-218.

Zheng J, Chung J, Yuan W. 2004. Mechanistic investigation on cytotoxicity of styrene. [Abstract] Toxicologist 78(1-5):137.

*Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. Pediatr Res 12(1):29-34.

Zielinska B, Fung KK. 1994. The composition and concentration of hydrocarbons in the range of C_2 to C_{18} emitted from motor vehicles. Sci Total Environ 146/147:281-288.

*Zielinska B, Sagebiel JC, Harshfield G, et al. 1996. Volatile organic compounds up to C_{20} emitted from motor vehicles; measurement methods. Atmos Environ 30:2269-2286.

*Zoeteman BC, Harmsen K, Linders JB, et al. 1980. Persistent organic pollutants in river water and groundwater of the Netherlands. Chemosphere 9:231-241.