## LITERATURE CITED

- Albers, P.H. and R.M. Prouty. 1987. Survival of spotted salamander eggs in temporary woodland ponds of coastal Maryland. Environmental Pollution 46: 45-61.
- Anderson, J.D. and R.V. Giacosie. 1967. *Ambystoma laterale* in New Jersey. Herpetologica 23: 108-111.
- Anderson, J.D., D.D. Hassinger, and G.H. Dalrymple. 1971. Natural mortality of eggs and larvae of *Ambystoma t. tigrinum*. Ecology 52: 1107-1112.
- Bachmann, M.D., R.G. Carlton, J.M. Burkholder, and R.G. Wetzel. 1986. Symbiosis between salamander eggs and green algae: Microelectrode measurements inside eggs demonstrate effect of photosynthesis on oxygen concentration. Canadian Journal of Zoology 64: 1586–1588.
- Bader, R.N. and J.C. Mitchell. 1982. Geographic distribution: *Ambystoma talpoideum*. Herpetological Review 13: 23.
- Barinaga, M. 1990. Where have all the froggies gone? Science 247: 1033-1034.
- Beebee, T.J.C. 1996. Ecology and Conservation of Amphibians. Chapman & Hall, London.
- Belk, D. 1975. Key to the Anostraca (fairy shrimps) of North America. Southwestern Naturalist 20: 91-103.
- Belk, D., G. Mura, and S.C. Weeks. 1998. Untangling confusion between *Eubranchipus vernalis* and *Eubranchipus neglectus* (Branchiopoda: Anostraca). Journal of Crustacean Biology 18: 147-152.
- Berven, K.A. 1988. Factors affecting variation in reproductive traits within a population of wood frogs (*Rana sylvatica*). Copeia 1988: 605-615.
- Berven, K.A. 1990. Factors affecting population fluctuations in larval and adult stages of the wood frog (*Rana sylvatica*). Ecology 71: 1599-1608.
- Berven, K.A. and T.A. Grudzien. 1990. Dispersal in the wood frog (*Rana sylvatica*): Implications for genetic population structure. Evolution 44: 2047-2056.
- Biebighauser, T.R. 2002. A guide to creating vernal ponds. USDA Forest Service. Available from http://www.fs.fed.us/r8/boone/vernal.pdf (accessed July 2004).
- Bishop, S.C. 1941. The Salamanders of New York. New York State Museum Bulletin 324. The University of the State of New York, Albany.
- Blaustein, A.R. and J.M. Kieseker. 2002. Complexity in conservation: lessons from the global decline of amphibian populations. Ecology Letters 5: 597-608.
- Blem, C.R. and L.B. Blem. 1989. Tolerance of acidity in a Virginia population of the spotted salamander, *Ambystoma maculatum* (Amphibia: Ambystomatidae). Brimleyana 15: 37-45.

- Blem, C.R. and L.B. Blem. 1991. Cation concentrations and acidity in breeding ponds of the spotted salamander, *Ambystoma maculatum* (Shaw) (Amphibia: Ambystomatidae), in Virginia. Brimleyana 17: 67-76.
- Bogart, J.P. and M.W. Klemens. 1997. Hybrids and genetic interactions of mole salamanders (*Ambystoma jeffersonianum* and *A. laterale*) (Amphibia: Caudata) in New York and New England. American Museum Novitates 3218. American Museum of Natural History, New York City.
- Bohonak, A.J. and H.H. Whiteman. 1999. Dispersal of the fairy shrimp *Branchinecta coloradensis* (Anostraca): Effects of hydroperiod and salamanders. Limnology and Oceanography 44: 487-493.
- Boone, M.D. and C.M. Bridges. 2003. Effects of pesticides on amphibian populations. Pages 152-167 in R.D. Semlitsch, editor. Amphibian Conservation. Smithsonian Institution Press, Washington, D.C.
- Brodman, R., J. Ogger, M. Kolaczyk, R.A. Pulver, A.J. Long, and T. Bogard. 2003. Mosquito control by pond-breeding salamander larvae. Herpetological Review 34: 116-119.
- Brooks, R.T. 2000. Annual and seasonal variation and the effects of hydroperiod on benthic macroinvertebrates of seasonal forest ("vernal") ponds in central Massachusetts, USA. Wetlands 20: 707-715.
- Brooks, R.T. 2004. Weather-related effects on woodland vernal pool hydrology and hydroperiod. Wetlands 24: 104-114.
- Brooks, R.T. and K.L. Doyle. 2001. Shrew species richness and abundance in relation to vernal pond habitat in southern New England. Northeastern Naturalist 8: 137-148.
- Brooks, R.T. and M. Hayashi. 2002. Depth-area-volume and hydroperiod relationships of ephemeral (vernal) forest pools in southern New England. Wetlands 22: 247-255.
- Buhlmann, K.A. and R.L. Hoffman. 1990. Geographic distribution: *Ambystoma tigrinum tigrinum*. Herpetological Review 21: 36.
- Buhlmann, K.A. and J.C. Mitchell. 2000. Age of adult eastern tiger salamanders (*Ambystoma tigrinum tigrinum*) in a Virginia sinkhole pond complex: Implications for conservation. Journal of the Elisha Mitchell Science Society 116: 239-244.
- Buhlmann, K.A., J.C. Mitchell, and L.R. Smith. 1999. Descriptive ecology of the Shenandoah Valley sinkhole pond system in Virginia. Banisteria 13: 23-51.



- Burne, M.R. 2001. Massachusetts Aerial Photo Survey of Potential Vernal Pools. Natural Heritage & Endangered Species Program, Massachusetts Division of Fisheries & Wildlife, Westborough, Massachusetts.
- Calhoun, A. 2003. Maine citizen's guide to locating and documenting vernal pools. Maine Audubon Society, Falmouth, Maine.
- Calhoun, A.J.K. and P. deMaynadier. 2004. Forestry habitat guidelines for vernal pool wildlife. MCA Technical Paper No. 6, Metropolitan Conservation Alliance. Wildlife Conservation Society, Bronx, New York.
- Calhoun, A.J.K. and M.W. Klemens. 2002. Best development practices: Conserving pool-breeding amphibians in residential and commercial developments in the northeastern United States. MCA Technical Paper No. 5, Metropolitan Conservation Alliance. Wildlife Conservation Society, Bronx, New York.
- Calhoun, A.J.K., T.E. Walls, S.S. Stockwell, and M. McCollough. 2003. Evaluating vernal pools as a basis for conservation strategies: A Maine case study. Wetlands 23: 70-81.
- Carey, C., A.P. Pessier, and A.D. Peace. 2003. Pathogens, infectious disease, and immune defenses. Pages 127-136 in R.D. Semlitsch, editor. Amphibian Conservation. Smithsonian Institution Press, Washington, D.C.
- Church, S.A., J.M. Kraus, J.C. Mitchell, D.R. Church, and D.R. Taylor. 2003. Evidence for multiple Pleistocene refugia in the postglacial expansion of the eastern tiger salamander, *Ambystoma tigrinum tigrinum*. Evolution 57: 372-383.
- Colburn, E.A. 1997. Certified: A citizen's step-by-step guide to protecting vernal pools. MA Audubon Society, Lincoln, Ma.
- Colburn, E.A. 2004. Vernal Pools: Natural History and Conservation. McDonald & Woodward Publishing Company, Blacksburg, Virginia.
- Conant, R. and J.T. Collins. 1998. A Field Guide to Reptiles and Amphibians of Eastern and Central North America. 3rd Edition, expanded. Houghton Mifflin Company, Boston.
- Cook, R.P. 1983. Effects of acid precipitation on embryonic mortality of *Ambystoma* salamanders in the Connecticut Valley of Massachusetts. Biological Conservation 27: 77-88.
- Cooper, J.E. 1955. Notes on the amphibians and reptiles of southern Maryland. The Maryland Naturalist 23: 90-100.

- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats of the United States. U. S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. Available from Northern Prairie Wildlife Research Center Online, Jamestown, ND, http://www.npwrc.usgs.gov/resource/1998/classwet/classwet.htm (accessed January 2005).
- Dahl, T.E. 1990. Wetlands Losses in the United States 1780s to 1980s. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C.
- Dahl, T.E. 2000. Status and Trends of Wetlands in the Conterminous United States 1986 to 1997. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C.
- deMaynadier, P.G. and M.L. Hunter, Jr. 1999. Forest canopy closure and juvenile emigration by poolbreeding amphibians in Maine. Journal of Wildlife Management 63: 441-450.
- DiMauro, D. and M.L. Hunter, Jr. 2002. Reproduction of amphibians in natural and anthropogenic temporary pools in managed forests. Forest Science 48: 397-406.
- Dodd, Jr., C.K. and L.L. Smith. 2003. Habitat destruction and alteration: Historical trends and future prospects for amphibians. Pages 94-112 in R.D. Semlitsch, editor. Amphibian Conservation. Smithsonian Institution Press, Washington, D.C.
- Dodson, S. and D. Frey. 1991. Cladocera and other branchiopods. Pages 723-786 in J.H. Thorp and A.P. Covich, editors. Ecology and Classification of North American Freshwater Invertebrates. Academic Press, San Diego.
- Ernst, C.H. and R.W. Barbour. 1989. Snakes of Eastern North America. George Mason University Press, Fairfax, Virginia.
- Ernst, C.H., R.W. Barbour, and J.E. Lovich. 1994. Turtles of the United States and Canada. Smithsonian Institution Press, Washington, D.C.
- Faccio, S.D. 2003. Postbreeding emigration and habitat use by Jefferson and spotted salamanders in Vermont. Journal of Herpetology 37: 479-489.
- Fahrig, L. 2002. Effect of habitat fragmentation on the extinction threshold: A synthesis. Ecological Applications 12: 346-353.
- Fahrig, L., J.H. Pedlar, S.E. Pope, P.D. Taylor, and J.F. Wegner. 1995. Effect of road traffic on amphibian density. Biological Conservation 73: 177-182.
- Findlay, C.S. and J. Bourdages. 2000. Response time of wetland biodiversity to road construction on adjacent lands. Conservation Biology 14: 86-94.



- Forman, R.T.T. and L.E. Alexander. 1998. Roads and their major ecological effects. Annual Review of Ecology and Systematics 29: 207-231.
- Forman, R.T.T. and R.D. Deblinger. 2000. The ecological road-effect zone of a Massachusetts (U.S.A.) suburban highway. Conservation Biology 14: 36-46.
- Forman, R.T.T., D. Sperling, J.A. Bissonette, A.P. Clevenger, C.D. Cutshall, V.H. Dale, L. Fahrig, R. France, C.R. Goldman, K. Heanue, J.A. Jones, F.J. Swanson, T. Turrentine, and T.C. Winter. 2003. Road Ecology: Science and Solutions. Island Press, Washington, D.C.
- Gascon, C. and D. Planas. 1986. Spring pond water chemistry and the reproduction of the wood frog, *Rana sylvatica*. Canadian Journal of Zoology 64: 543-550.
- Gibbons, J.W. 2003. Terrestrial habitat: A vital component for herpetofauna of isolated wetlands. Wetlands 23: 630-635.
- Gibbons, J.W., V.J. Burke, J.E. Lovich, R.D. Semlitsch, T.D. Tuberville, J.R. Bodie, J.L. Greene, P.H. Niewiarowski, H.H. Whiteman, D.E. Scott, J.H.K. Pechmann, C.R. Harrison, S.H. Bennett, J.D. Krenz, M.S. Mills, K.A. Buhlmann, J.R. Lee, R.A. Seigel, A.D. Tucker, T.M. Mills, T. Lamb, M.E. Dorcas, J.D. Congdon, M.H. Smith, D.H. Nelson, M.B. Dietsch, H.G. Hanlin, J.A. Ott, and D.J. Karapatakis. 1997. Perceptions of species abundance, distribution, and diversity: Lessons from four decades of sampling on a government-managed reserve. Environmental Management 21: 259-268.
- Gibbs, J.P. 1993. Importance of small wetlands for the persistence of local populations of wetlandassociated animals. Wetlands 13: 25-31.
- Gibbs, J.P. 1998. Amphibian movements in response to forest edges, roads, and streambeds in southern New England. Journal of Wildlife Management 62: 584-589.
- Gibbs, J.P. 2000. Wetland loss and biodiversity conservation. Conservation Biology 14: 314-317.
- Gibbs, J.P. and A.R. Breisch. 2001. Climate warming and calling phenology of frogs near Ithaca, New York, 1900-1999. Conservation Biology 15: 1175-1178.
- Gibbs, J.P. and W.G. Shriver. 2005. Can road mortality limit population of pool-breeding amphibians? Wetlands Ecology and Management 13: 281-289.
- Grant, E.H.C. 2005. Correlates of vernal pool occurrence in the Massachusetts, USA landscape. Wetlands 25: 480-487.

- Green, D.E. 2001. Restraint and handling of live amphibians. Amphibian Research and Monitoring Initiative Standard Operating Procedure, No. 100. National Wildlife Health Center. Available from http://www.nwhc.usgs.gov/research/amph\_dc/sop\_restraint.html (accessed February 2005).
- Green, N.B. 1956. The ambystomatid salamanders of West Virginia. Proceedings of the West Virginia Academy of Science 27: 16-18.
- Green, N.B. and P. Brant, Jr. 1966. Salamanders found in West Virginia caves. Proceedings of the West Virginia Academy of Science 38: 42-45.
- Green, N.B. and T.K. Pauley. 1987. Amphibians and Reptiles in West Virginia. University of Pittsburgh Press, Pittsburgh, Pennsylvania.
- Guerry, A.D. and M.L. Hunter, Jr. 2002. Amphibian distributions in a landscape of forests and agriculture: An examination of landscape composition and configuration. Conservation Biology 16: 745-754.
- Hairston, N.G. 1987. Community Ecology and Salamander Guilds. Cambridge University Press, Cambridge.
- Hardy, J.D., Jr. 1969. A summary of recent studies of the salamander, *Ambystoma mabeei*. Solomons, Maryland: Chesapeake Biological Laboratory. Reference 69-20: 3.
- Hardy, J.D., Jr. and J.D. Anderson. 1970. Ambystoma mabeei. Catalogue of American Amphibians and Reptiles: 81.1-81.2.
- Harris, H.S., Jr. 1975. Distributional Survey (Amphibia/ Reptilia): Maryland and the District of Columbia. Bulletin Maryland Herpetological Society 11: 73-167.
- Harris, R.N. 1980. The consequences of within-year timing of breeding in *Ambystoma maculatum*. Copeia 1980: 719–722.
- Hassinger, D.D., J.D. Anderson, and G.H. Dalrymple. 1970. The early life history and ecology of *Ambystoma tigrinum* and *Ambystoma opacum* in New Jersey. American Midland Naturalist 84: 474-495.
- Hayslett, M.S. 2003. Natural history of the mole salamander *Ambystoma talpoideum* in Virginia. M.S. Thesis, Longwood University, Farmville, Virginia.
- Hecnar, S.J. and R.T. M'Closkey. 1997. The effects of predatory fish on amphibian species richness and distribution. Biological Conservation 79: 123-131.
- Herrmann, H.L., K.J. Babbitt, M.J. Baber, and R.G. Congalton. 2005. Effects of landscape characteristics on amphibian distribution in a forest-dominated landscape. Biological Conservation 123: 139-149.

- Hershey, A.E., A.R. Lima, G.J. Niemi, and R.R. Regal. 1998. Effects of *Bacillus thuringiensis israelensis* (BTI) and methoprene on nontarget macroinvertebrates in Minnesota wetlands. Ecological Applications 8: 41-60.
- Hilsenhoff, W. 1991. Diversity classification of insects and Collembola. Pages 593-663 in J.H. Thorp and A.P. Covich, editors. Ecology and Classification of North American Freshwater Invertebrates. Academic Press, San Diego.
- Homan, R.N., B.S. Windmiller, and J.M. Reed. 2004. Critical thresholds associated with habitat loss for two vernal pool-breeding amphibians. Ecological Applications 14: 1547-1553.
- Horne, M.T. and W.A. Dunson. 1995. The interactive effects of low pH, toxic metals, and DOC on a simulated temporary pond community. Environmental Pollution 89: 155-161.
- Hulse, A.C., C.J. McCoy, and E.J. Censky. 2001. Amphibians and Reptiles of Pennsylvania and the Northeast. Cornell University Press, Ithaca, New York.
- Ireland, P.H. 1989. Larval survivorship in two populations of *Ambystoma maculatum*. Journal of Herpetology 23: 209-215.
- Jensen, J.R. 2000. Remote Sensing of the Environment: An Earth Resource Perspective. Prentice Hall, Upper Saddle River, New Jersey.
- Jensen, J.B. and C.D. Camp. 2003. Human exploitation of amphibians: Direct and indirect impacts. Pages 199-213 in R.D. Semlitsch, editor. Amphibian Conservation. Smithsonian Institution Press, Washington, D.C.
- Jones, P.H., B.A. Jeffrey, P.K. Walter, and H. Hutchon. 1992. Environmental impact of road salting. Pages 1-116 in F.M. D'itri, editor. Chemical Deicers and the Environment. Lewis Publishing, Chelsea.
- Jones, B.K., A.C. Neale, M.S. Nash, R.D. Van Remortel, J.D. Wickham, K.H. Ritters, and R.V. O'Neill. 2001. Predicting nutrient and sediment loadings to streams from landscape metrics: a multiple watershed study from the United States Mid-Atlantic region. Landscape Ecology 16: 301-312.
- Jones, A.L. and B.N. Sroka. 1997. Effects of highway deicing chemicals on shallow unconsolidated aquifers in Ohio. Interim Report, 1988-93. U.S. Geological Survey Water Resources Investigations Report 97-4027, Columbus, Ohio.
- Jung, R.E. and C.H. Jagoe. 1995. Effects of low pH and aluminum on body size, swimming performance, and susceptibility to predation of green tree frog (*Hyla cinerea*) tadpoles. Canadian Journal of Zoology 73: 2171-2183.

- Kats, L.B., J.W. Petranka, and A. Sih. 1988. Antipredator defenses and the persistence of amphibian larvae with fishes. Ecology 69: 1865-1870.
- Kenney, L.P. and M.R. Burne. 2001. A Field Guide to the Animals of Vernal Pools. Massachusetts Division of Fisheries & Wildlife and the Vernal Pool Association, Westborough, Massachusetts.
- Kiesecker, J.M. 2003. Invasive species as a global problem: Toward understanding the worldwide decline of amphibians. Pages 113-126 in R.D. Semlitsch, editor. Amphibian Conservation. Smithsonian Institution Press, Washington, D.C.
- Klemens, M.K. 1993. Amphibians and reptiles of Connecticut and adjacent regions. State Geological and Natural History Survey of Connecticut, Bulletin No. 112. Connecticut Department of Environmental Protection, Hartford, Connecticut.
- Krenz, J.D. and D.E. Scott. 1994. Terrestrial courtship affects mating locations in *Ambystoma opacum*. Herpetologica 50: 46-50.
- Laan, R. and B. Verboom. 1990. Effects of pool size and isolation on amphibian communities. Biological Conservation 54: 251-262.
- Leeper, D.A. and B.E. Taylor. 1998. Abundance, biomass and production of aquatic invertebrates in Rainbow Bay, a temporary wetland in South Carolina, USA. Archiv für Hydrobiologie 143: 335-362.
- Lehtinen, R.M., S.M. Galatowitsch and J.R. Tester. 1999. Consequences of habitat loss and fragmentation for wetland amphibian assemblages. Wetlands 19: 1-12.
- Leibowitz, S.G. 2003. Isolated wetlands and their functions: An ecological perspective. Wetlands 23: 517-531.
- Lichko, L.E. and A.J.K. Calhoun. 2003. An evaluation of vernal pool creation projects in New England: Project documentation from 1991-2000. Environmental Management 32: 141-151.
- Lowcock, L.A. and R.W. Murphy. 1990. Seed dispersal via amphibian vectors: passive transport of burmarigold, *Bidens cernua*, achenes by migrating salamanders, genus *Ambystoma*. Canadian Field-Naturalist 104: 298-300.
- Madison, D.M. 1997. The emigration of radio-implanted spotted salamanders, *Ambystoma maculatum*. Journal of Herpetology 31: 542-551.
- Mahoney, D.L., M.A. Mort, and B.E. Taylor. 1990. Species richness of calanoid copepods, cladocerans and other branchiopods in Carolina Bay temporary ponds. American Midland Naturalist 123: 244-258.
- Marsh, D.M. and P.C. Trenham. 2001. Metapopulation dynamics and amphibian conservation. Conservation Biology 15: 40-49.



- Martof, B.S., W.M. Palmer, J.R. Bailey, and J.R. Harrison III. 1980. Amphibians and Reptiles of the Carolinas and Virginia. The University of North Carolina Press, Chapel Hill, North Carolina.
- McAvoy, W. and K. Clancy. 1994. Community Classification and Mapping Criteria for Interdunal Swales and Coastal Plain Pond Wetlands in Delaware. Department of Natural Resources and Recreation, Division of Water Resources, Dover, Delaware.
- McCoy, M.W. and A.H. Savitsky. 2004. Feeding ecology of larval *Ambystoma mabeei* (Urodela: Ambystomatidae). Southeastern Naturalist 3: 409-416.
- Milam, J.C. and S.M. Melvin. 2001. Density, habitat use, movements, and conservation of spotted turtles (*Clemmys guttata*) in Massachusetts. Journal of Herpetology 35: 418-427.
- Mitchell, J.C. 1994. The Reptiles of Virginia. Smithsonian Institution Press, Washington, D.C.
- Mitchell, J.C. and S.B. Hedges. 1980. *Ambystoma mabeei* Bishop (Caudata: Ambystomatidae): An addition to the salamander fauna of Virginia. Brimleyana 3: 119-121.
- Mitchell, J.C. and K.K. Reay. 1999. Atlas of amphibians and reptiles in Virginia. Special Publication No. 1, Wildlife Diversity Division. Virginia Department of Game and Inland Fisheries, Richmond, Virginia.
- Morey, S.R. 1998. Pool duration influences age and body mass at metamorphosis in the western spadefoot toad: Implications for vernal pool conservation. Pages 86-91 in C.W. Witham, E.T. Bauder, D. Belk, W.R. Ferren, Jr., and R. Ornduff, editors. Ecology, Conservation, and Management of Vernal Pool Ecosystems Proceedings from a 1996 Conference. California Native Plant Society, Sacramento.
- National Wetlands Inventory (NWI). 2002. National Wetlands Inventory: A Strategy for the 21st Century. United States Fish and Wildlife Service, Department of Interior. Available from http://www.nwi.fws.gov/Pubs\_Reports/NWI121StatFNL.pdf (accessed October 2004).
- Nolon, J.R. 1998. Can land use law be used to protect vernal pools? Pages 33-38 in B. Fellman, editor. Our Hidden Wetlands: The Proceedings of a Symposium on Vernal Pools in Connecticut 1998. Yale University School and the Connecticut Department of Environmental Protection.
- Nyman, S. 1991. Ecological aspects of syntopic larvae of *Ambystoma maculatum* and the *A. laterale-jeffersonium* complex in two New Jersey ponds. Journal of Herpetology 25: 505-509.

- Pawlak, E.M. 1998. Remote sensing and vernal pools. Pages 20-21 in B. Fellman, editor. Our Hidden Wetlands: The Proceedings of a Symposium on Vernal Pools in Connecticut 1998. Yale University School and the Connecticut Department of Environmental Protection.
- Pearson, P.G. 1955. Population ecology of the spadefoot toad, *Scaphiopus h. holbrooki* (Harlan). Ecological Monographs 25: 233-267.
- Pechmann, J.H.K., R.A. Estes, D.E. Scott, and J.W. Gibbons. 2001. Amphibian colonization and use of ponds created for trial mitigation of wetland loss. Wetlands 21: 93-111.
- Pechmann, J.H.K., D.E. Scott, R.D. Semlitsch, J.P. Caldwell, L.J. Vitt, and J.W. Gibbons. 1991. Declining amphibian populations: The problem of separating human impacts from natural fluctuations. Science 253: 892-895.
- Petranka, J.W. 1998. Salamanders of the United States and Canada. Smithsonian Institution Press, Washington, D.C.
- Petranka, J.W., M.P. Brannon, M.E. Hopey, and C.K. Smith. 1994. Effects of timber harvesting on low elevation populations of southern Appalachian salamanders. Forest Ecology and Management 67: 135-147.
- Phillips, C.A. 1992. Variation in metamorphosis in spotted salamanders *Ambystoma maculatum* from eastern Missouri. American Midland Naturalist 128: 276-280
- Phillips, P.J. and R.J. Shedlock. 1993. Hydrology and chemistry of groundwater and seasonal ponds in the Atlantic Coastal Plain in Delaware, USA. Journal of Hydrology 141: 157-178.
- Pinder, A.W. and S.C. Friet. 1994. Oxygen transport in egg masses of the amphibians *Rana sylvatica* and *Ambystoma maculatum*: Convection, diffusion and oxygen production by algae. Journal of Experimental Biology 197: 17-30.
- Porej, D., M. Micacchion, and T.E. Hetherington. 2004. Core terrestrial habitat for conservation of local populations of salamanders and wood frogs in agricultural landscapes. Biological Conservation 120: 399-409
- Pough, F.H. 1976. Acid precipitation and embryonic mortality of spotted salamanders, *Ambystoma maculatum*. *Science* 192: 68-70.
- Pough, F.H., R.M. Andrews, J.E. Cadle, M.L. Crump, A.H. Savitzky, and K.D. Wells. 2004. Herpetology, 3rd Edition. Pearson Education, Upper Saddle River, New Jersey.

- Preisser, E.L., J.Y. Kefer, J.D. Lawrence, and T.W. Clarke. 2000. Vernal pool conservation in Connecticut: An assessment and recommendations. Environmental Management 26: 503-513.
- Rawinski, T.J. 1997. Vegetation ecology of the Grafton Ponds, York County, Virginia, with notes of waterfowl use. Natural Heritage Technical Report 97-10. Virginia Department of Conservation and Recreation, Division of Natural Heritage, Richmond, Virginia.
- Raymond, L.R. and L.M. Hardy. 1991. Effects of a clearcut on a population of the mole salamander, *Ambystoma talpoideum*, in an adjacent unaltered forest. Journal of Herpetology 25: 509-512.
- Regosin, J.V., B.S. Windmiller, R.N. Homan, and J.M. Reed. 2005. Variation in terrestrial habitat use by four pool-breeding amphibian species. Journal of Wildlife Management, in press.
- Regosin, J.V., B.S. Windmiller, and J.M. Reed. 2003a. Influence of abundance of small-mammal burrows and conspecifics on the density and distribution of spotted salamanders (*Ambystoma maculatum*) in terrestrial habitats. Canadian Journal of Zoology 81: 596-605.
- Regosin, J.V., B.S. Windmiller, and J.M. Reed. 2003b. Terrestrial habitat use and winter densities of the wood frog (*Rana sylvatica*). Journal of Herpetology 37: 390-394.
- Reh, W. and A. Seitz. 1990. The influence of land use on the genetic structure of populations of the common frog *Rana temporia*. Biological Conservation 54: 239-249.
- Richmond, N.D. 1947. Life history of *Scaphiopus holbrookii holbrookii* (Harlan). Part I: Larval development and behavior. Ecology 28: 53-67.
- Roble, S.M. 1998. A zoological inventory of the Grafton Ponds sinkhole complex, York County, Virginia. Natural Heritage Technical Report 98-3. Virginia Department of Conservation and Recreation, Division of Natural Heritage, Richmond, Virginia.
- Roble, S.M. and D.J. Stevenson. 1998. Records of Odonata, fish and birds from the Grafton Ponds sinkhole complex, York County, Virginia. Banisteria 12: 3-17.
- Rothermel, B.B. 2004. Migratory success of juveniles: A potential constraint on connectivity for pondbreeding amphibians. Ecological Applications 14: 1535-1546.
- Rothermel, B.B. and R.D. Semlitsch. 2002. An experimental investigation of landscape resistance of forest versus old-field habitats to emigrating juvenile amphibians. Conservation Biology 16: 1324-1332.

- Rowe, C.L. and W.A. Dunson. 1993. Relationships among abiotic parameters and breeding effort by three amphibians in temporary wetlands of central Pennsylvania. Wetlands 13: 237-246.
- Rowe, C.L., W.J. Sadinski, and W.A. Dunson. 1994. Predation on larval and embryonic amphibians by acid-tolerant caddisfly larvae (*Ptilostomis postica*). Journal of Herpetology 28: 357-364.
- Sadinski, W.J. and W.A. Dunson. 1992. A multilevel study of effects of low pH on amphibians of temporary ponds. Journal of Herpetology 26: 413-422.
- Schueler, T.R. 1994. The importance of imperviousness. Watershed Protection Techniques 1: 100-111.
- Schwartz, V. and D.M. Golden. 2002. Field Guide to Reptiles and Amphibians of New Jersey. New Jersey Division of Fish and Wildlife, Westfield, New Jersey.
- Scott, D.E. 1994. The effect of larval density on adult demographic traits in *Ambystoma opacum*. Ecology 75: 1383-1396.
- Seale, D.B. 1982. Physical factors influencing oviposition by the wood frog, *Rana sylvatica*, in Pennsylvania. Copeia 1982: 627-635.
- Semlitsch, R.D. 1981. Terrestrial activity and summer home range of the mole salamander (*Ambystoma talpoideum*). Canadian Journal of Zoology 59: 315-322.
- Semlitsch, R.D. 1983. Structure and dynamics of two breeding populations of the eastern tiger salamander, *Ambystoma tigrinum*. Copeia 1983: 608-616.
- Semlitsch, R.D. 1985a. Analysis of climatic factors influencing migrations of the salamander *Ambystoma talpoideum*. Copeia 1985: 477-489.
- Semlitsch, R.D. 1985b. Reproductive strategy of a facultatively paedomorphic salamander *Ambystoma talpoideum*. Oecologia 65: 305-313.
- Semlitsch, R.D. 1998. Biological delineation of terrestrial buffer zones for pond-breeding salamanders. Conservation Biology 12: 1113-1119.
- Semlitsch, R.D. 2000. Principles for management of aquatic-breeding amphibians. Journal of Wildlife Management 64: 615-631.
- Semlitsch, R.D. 2003. Conservation of pond-breeding amphibians. Pages 8-23 in R.D. Semlitsch, editor. Amphibian Conservation. Smithsonian Institution Press, Washington, D.C.
- Semlitsch, R.D. and J.R. Bodie. 1998. Are small, isolated wetlands expendable? Conservation Biology 12: 1129-1133.
- Semlitsch, R.D. and J.P. Caldwell. 1982. Effects of density on growth, metamorphosis, and survivorship in tadpoles of *Scaphiopus holbrookii*. Ecology 63: 905-911.



- Semlitsch, R.D., D.E. Scott, and J.H.K. Pechmann. 1988. Time and size at metamorphosis related to adult fitness in *Ambystoma talpoideum*. Ecology 69: 184-192.
- Semlitsch, R.D., D.E. Scott, J.H.K. Pechmann, and J.W. Gibbons. 1996. Structure and dynamics of an amphibian community: Evidence from a 16-year study of a natural pond. Pages 217-248 in M.L. Cody and J.A. Smallwood, editors. Long-term Studies of Vertebrate Communities. Academic Press, San Diego.
- Shoop, C.R. 1960. The breeding habits of the mole salamander, *Ambystoma talpoideum* (Holbrook), in southeastern Louisiana. Tulane Studies in Zoology 8: 65-82.
- Shoop, C.R. 1968. Migratory orientation of *Ambystoma maculatum*: Movements near breeding pools and displacements of migrating individuals. Biological Bulletin 135: 230-238.
- Shoop, C.R. 1974. Yearly variation in larval survival of *Ambystoma maculatum*. Ecology 55: 440-444.
- Simovich, M.A. 1998. Crustacean biodiversity and endemism in California's ephemeral wetlands. Pages 107-118 in C.W. Witham, E.T. Bauder, D. Belk, W.R. Ferren, Jr., and R. Ornduff, editors. Ecology, Conservation, and Management of Vernal Pool Ecosystems – Proceedings from a 1996 Conference. California Native Plant Society, Sacramento.
- Sipple, W.S. 1999. Days Afield: Exploring Wetlands in the Chesapeake Bay Region. Self-published. Gateway Press, Baltimore.
- Skelly, D.K. 1997. Tadpole communities. American Scientist 85: 36-45.
- Smith, D.G. 2001. Pennak's Freshwater Invertebrates of the United States: Porifera to Crustacea, 4th Edition. John Wiley & Sons, New York City.
- Smith, I.M. and D.R. Cook. 1991. Water mites. Pages 723-786 in J.H. Thorp and A.P. Covich, editors. Ecology and Classification of North American Freshwater Invertebrates. Academic Press, San Diego.
- Sonoda, K., J.A. Yeakley, and C.E. Walker. 2001. Nearstream landuse effects on streamwater nutrient distribution in an urbanizing watershed. Journal of the American Water Resources Association 37: 1517-1532
- Stenhouse, S.L. 1985. Migratory orientation and homing in *Ambystoma maculatum* and *Ambystoma opacum*. Copeia 1985: 631-637.
- Stine, C.J., Jr., J.A. Fowler, and R.S. Simmons. 1954. Occurrence of the eastern tiger salamander, *Ambystoma tigrinum tigrinum* (Green) in Maryland, with notes on its life history. Annals of the Carnegie Museum 33: 145-148.

- Stolt, M.H. and M.C. Rabenhorst. 1987. Carolina bays on the eastern shore of Maryland: II. Distribution and origin. Soil Science Society of America Journal 51: 399-405.
- Stone, J.C. 1992. Vernal pools in Massachusetts: Aerial photographic identification, biological and physiographic characteristics, and state certification criteria. M.S. Thesis, University of Massachussetts, Amherst, Massachusetts.
- Storey, K.B. and J.M. Storey. 1986. Freeze tolerance and intolerance as strategies of winter survival in terrestrially-hibernating amphibians. Comparative Biochemistry and Physiology Part A: Physiology 83: 613-617
- Storez, R.A. 1969. Observations on the courtship of *Ambystoma laterale*. Journal of Herpetology 3: 87-95.
- Stout, B.M., III, K.K. Stout, and C.W. Stihler. 1992. Predation by the caddisfly *Banksiola dossuaria* on egg masses of the spotted salamander *Ambystoma maculatum*. American Midland Naturalist 127: 368-372.
- Stuart, S.N., J.S. Chanson, N.A. Cox, B.E. Young, A.S.L. Rodrigues, D.L. Fischman, and R.W. Waller. 2004. Status and trends of amphibian declines and extinctions worldwide. Science 306: 1783-1786.
- Tappan, A. 1997. Identification and Documentation of Vernal Pools in New Hampshire. New Hampshire Fish and Game Department, Nongame and Endangered Wildlife Program, Concord, New Hampshire.
- Templeton, N.S. and H. Laufer. 1983. The effects of a juvenile hormone analog (Altosid ZR-515) on the reproduction and development of *Daphnia magna* (Crustacea: Cladocera). International Journal of Invertebrate Reproduction 6: 99-110.
- Tesauro, J. 2004. New Jersey's Vernal Pools. New Jersey Division of Fish & Wildlife, Endangered and Nongame Species Program. Available from http://www.njfishandwildlife.com/ensp/pdf/vernalpool03.pdf (accessed August 2004).
- Therres, G.D. 1999. Wildlife species of regional conservation concern in the northeastern United States. Northeast Wildlife 54: 93-100.
- Thompson, E.L., J.E. Gates, and G.J. Taylor. 1980. Distribution and breeding habitat selection of the Jefferson salamander, *Ambystoma jeffersonianum*, in Maryland. Journal of Herpetology 14: 113-120.
- Thorp, J.H. and A.P. Covich, editors. 1991. Ecology and Classification of North American Freshwater Invertebrates. Academic Press, San Diego.

- Tiner, R.W., Jr. 1990. Use of high-altitude aerial photography for inventorying forested wetlands in the United States. Forest Ecology and Management 33/34: 593-604.
- Tiner, R.W. 2003a. Estimated extent of geographically isolated wetlands in selected areas of the United States. Wetlands 23: 636-652.
- Tiner, R.W. 2003b. Geographically isolated wetlands of the United States. Wetlands 23: 494-516.
- Tiner, R.W. and D.G. Burke. 1995. Wetlands of Maryland. U.S. Fish and Wildlife Service, National Wetlands Inventory, Hadley, Massachusetts and Maryland Department of Natural Resources, Annapolis, Maryland.
- Turtle, S.L. 2000. Embryonic survivorship of the spotted salamander (*Ambystoma maculatum*) in roadside and woodland vernal pools in southeastern New Hampshire. Journal of Herpetology 34: 60-67.
- Tyndall, R.W. 2001. Vegetation change during a thirteen-year period (1987 1999) in a Carolina bay on the Delmarva Peninsula of Maryland. Castanea 66: 245-252.
- Tyning, T.F. 1990. A Guide to Amphibians and Reptiles. Stokes Nature Guides. Little, Brown and Company, Boston.
- U.S. Environmental Protection Agency (U.S. EPA). 2001. How will climate change affect the mid-Atlantic region? EPA 903-F-00-002. Region 3. Available from http://www.epa.gov/maia/html/globwarm.html (accessed February 2005).
- Van Alstine, N.E., A.C. Chazal, and K.M. McCoy. 2001. A biological survey of the coastal plain depression ponds (sinkholes) of Colonial National Historical Park, Yorktown, Virginia. Natural Heritage Technical Report 01-9. Virginia Department of Conservation and Recreation, Division of Natural Heritage, Richmond, Virginia.
- Walls, S.C. and A.R. Blaustein. 1995. Larval marbled salamanders, *Ambystoma opacum*, eat their kin. Animal Behaviour 50: 537-545.
- Wernick, B.G., K.E. Cook, and H. Schreier. 1998. Land use and streamwater nitrate-N dynamics in an urban-rural fringe watershed. Journal of the American Water Resources Association 34: 639-650.
- Whigham, D.F. and T.E. Jordan. 2003. Isolated wetlands and water quality. Wetlands 23: 541-549.
- White, J.F. and A.W. White. 2002. Amphibians and Reptiles of Delmarva. Tidewater Publishers, Centreville, Maryland.
- Wiggins, G.B., R.J. Mackay, and I.M. Smith. 1980. Evolutionary and ecological strategies of animals in annual temporary pools. Archiv für Hydrobiologie Supplement 58: 97-206.

- Wilbur, H.M. 1977. Propagule size, number, and dispersion pattern in *Ambystoma* and *Asclepias*. American Naturalist 111: 43-68.
- Wilbur, H.M. 1980. Complex life cycles. Annual Review of Ecology and Systematics 11: 67-93.
- Wilbur, H.M. and J.P. Collins. 1973. Ecological aspects of amphibian metamorphosis. Science 182: 1305-1314.
- Williams, D.D. 1987. The Ecology of Temporary Waters. Timber Press, Portland, Oregon.
- Windmiller, B. 1996. The pond, the forest, and the city: Spotted salamander ecology and conservation in a human-dominated landscape. Ph.D. Dissertation, Biology, Tufts University, Medford, MA. Available from http://www.hylaecological.com/publications.html (accessed January 2005).
- Windmiller, B., R.N. Homan, J.V. Regosin, L.A. Willitts, D.L. Wells, and J.M. Reed. 2006. Two case studies of declines in vernal pool-breeding amphibian populations following loss of adjacent upland forest habitat. Herpetological Conservation 3, in press.
- Winfield, T.P., T. Cass, and K.B. MacDonald. 1981. Small mammal utilization of vernal ponds, San Diego County, California. Vernal Ponds and Intermittent Streams. University of California, Institute of Ecology Publication 28: 161-167.
- Winter, T.C. and J.W. LaBaugh. 2003. Hydrologic considerations in defining isolated wetlands. Wetlands 23: 532-540.
- Wood, J.T. and R.H. Wilkinson. 1952. Observations on the egg masses of spotted salamanders, *Ambystoma maculatum* (Shaw), in the Williamsburg area. The Virginia Journal of Science 3: 68-70.
- Woodward, B.D. 1982. Local interpopulational variation in clutch parameters in the spotted salamander (*Ambystoma maculatum*). Copeia 1982: 157-160.
- Wyman, R.L. 1990. What's happening to the amphibians? Conservation Biology 4: 350-352.
- Zankel, M. and A. Olivero. 1999. Mapping and Assessing the Conservation Status of Delmarva Bay Wetlands in Delaware. Final Report, The Nature Conservancy.
- Zedler, P.H. 2003. Vernal pools and the concept of "isolated wetlands." Wetlands 23: 597-607.





Please make all necessary changes on the below label, detach or copy, and return to the address in the upper left-hand corner.

If you do not wish to receive these reports, CHECK HERE : detach, or copy this cover, and return to the address in the upper left-hand corner.

PRESORTED STANDARD
POSTAGE & FEES PAID
EPA
PERMIT No. G-35

United States
Environmental Protection Agency
Office of Research
and Development
Fort Meade, MD 20755-5350

Official Business Penalty for Private Use \$300

EPA/903/B-05/001 June 2005