## REFERENCES CITED NORTHEAST ASIA GEODYNAMICS MAP

- Abramov, A.V., Isakov, V.M., and Korobeinikov, V.P., 1972, Late Riphean-Cambrian orogenic depression of East Tuva, *in* Materials on Stratigraphy and Paleontology of Siberia: Transactions of Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy of Raw Materials, U.S.S.R. Academy of Sciences, Novosibirsk, v. 146, p. 29-37 (in Russian).
- Abramovich, G.Ya., Buldygerov, V.V., Sryvtsev, N.A., and Taskin, A.P., 1989, Magmatic formations of eastern Siberia and the northerneastern part of Mongolia: Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy of Raw Materials, Novosibirsk, 120 p. (in Russian).
- Adachi, M., Kojima, S., Wakita, K., Suzuki, K. and Tanaka, T., 1992, Transactions of central Japan: Hida to Shimanto: 29th International Geological Conference Field Trip Guide No. 1, p. 143-188.
- Aftalion, M., Bibikova, E.V., Bowes, D.R., Hopgood, A.M., and Perchuk, L.L., 1991, Timing of Early Proterozoic collisional and extensional events in a granulite-gneiss-charnockite-granite complex, Lake Baikal, U.S.S.R.: A U-Pb, Rb-Sr, and Sm-Nd isotopic study: Journal of Geology, v. 99, p. 851-862.
- Agafonov, L.V., and Stupakov, S.I., 1983, Petrology and mineralogy of basite, ultrabasite and metamorphic rocks from Kherulen fault zone: Ultramafic Association of Folded Belts, v. 2, Russian Academy of Sciences, Novosibirsk, p. 71-104 (in Russian).
- Aksenov, E.M., Vafin, R.F., and Khaidarov, R.A., 1985, Comparative analysis of formation of trough structures in the western part of the Patom-Aldan Stanovoy shield, *in* Kuznetsov, V.A. ed., Precambrian Trough Structures of the Baikal-Amur region and Their Metallogeny: Nauka, Novosibirsk, p. 96-102.
- Aktanov, V.I., Doronina, N.A., Posokhov, V.F. and others, 1999, On the structure and age of the Gargansky block (Southeastern Sayan), *in* Structural Analysis of Crystalline Complexes: Russian Academy of Sciences, Irkutsk, p. 89-91 (in Russian).
- Al'muhamedov, A.I., Gordienko, I.V., Kuzmin, M.I., Tomurtogoo, O., and Tomurhuu, C., 1996, The Dzhida zone: A fragment of the Paleoasian ocean: Geotectonics, no. 4, p. 25-42.
- Al'mukhamedov, A.I., Medvedev, A.Ya, and Kirda, N.P., 1999, Comparative analysis of geodynamics of Permian-Triassic magmatism of eastern and western Siberia: Geology and Geophysics, v. 40, no. 11, p. 1575-1587 (in Russian).
- Alabin, L.V., 1983, Structural-formational and metallogenic zonation of Kuznetsk Alatau: Nauka, Novosibirsk, 112 p. (in Russian).
- Alexandrov, G.P., 1979, Structural-formational regionalization and evolution history of Tuva and West Sayan junction zone, *in* Materials on Geology of Tuva, v. IV: U.S.S.R. Academy of Sciences, Kyzyl, p. 3-40 (in Russian).
- Alexandrov, G.P., 1981, Stratigraphy of Proterozoic and Early Cambrian sedimentary rocks of the Sangilen, *in* Materials on Geology of Tuva, v. V: U.S.S.R. Academy of Sciences, Kyzyl, p. 39-57 (in Russian).
- Alexandrov, G.V., and Rublev, A.G., 1983, New data on the age and metal-bearing capacity of the Amanan, Amudzhikan, and Nerchugan assemblages of the northeastern Transbaikal, *in* Endogenous Processes and Metallogeny of the BAM zone: Nauka, Novosibirsk, p. 141-146 (in Russian).
- Almukhamedov, A.I., Gordienko, I.V., Kuzmin, M.I., Tomurtogoo, O., and Tomurkhuu D., 1996, Dzhida zone as a fragment of the Paleo-Asian Ocean: Geotectonics, no. 4, p. 25-42 (in Russian)
- Al'mukhamedov, A.I., Medvedev, A.Ya., and Kirda, N.P., 1999, Comparative analysis of geodynamic settings of the Permo-Triassic magmatism in eastern and western Siberia: Geology and Geophysics v. 40, no. 11, p. 1575-1587 (in Russian).
- Altukhov, E.N., 1986, Tectonics and metallogeny of southern Siberia: Nedra, Moscow, 247 p. (in Russian).
- Amantov, V.A., 1966, First finding of Lower Cambrian deposits in Eastern Mongolia, *in* Materials on the Geology of Mongolian People's Republic: Nedra, Moscow, p. 13-20 (in Russian).
- Amel'chenko, G.L., Golozoubov, V.V., Volynets, E.B., and Markevitch, V.S., 2001, Stratigraphy of the Alchansky Cretaceous epicontinental basin (western Sikhote-Alin): Pacific Ocean Geology, v. 20, 1, p. 57-71 (in Russian with English abstract).
- Amory, J.Y., 1996, Permian sedimentation and tectonics of southern Mongolia: Masters thesis, Stanford University, 183 p.
- And, P.V., Zyabrev, S.V., Filippov, A.N., and Malinovsky, A.I., 1997, East Flank of the Kiselevka-Manoma terrane: An island arc fragment in an accretionary prism: Geology of Pacific Ocean, v.13, p. 295-338.

- Andreev, G.V., Posokhov, V.F., and Shalygin, D.A., 1991, Age of the Synnyrsky massif: Journal of Geochemistry, no. 5, p. 715-718 (in Russian).
- Andreeva, Yu.V., and Bairova, E.D., 1996, Evolution of the Mesozoic magmatism and ore-metasomatic processes in southeastern Transbaikal (Russia): Geology of Ore Deposits, v. 38, no. 2, p. 115-130 (in Russian).
- Antipin, V.S., 1992, Geochemical evolution of calc-alkaline and subalkaline magmatism: Nauka, Novosibirsk, 210 p. (in Russian).
- Aramaki, S., Oshima, O., Uto, K. and Kawanabe, Y., 1992, Izu-Oshima and Hakone Volcanoes: 29th International Geological Congress Field Trip Guide no. 4, p. 111-148.
- Arkhipov, Yu.V. 1984, Ophiolites, ultramafic-gabbro intrusions, and associated formations of the Verkhoyansk-Kolyma foldbelt, *in* Knizhnoe, Izd., ed., Geology and Natural Resources of the Verkhoyansk-Kolyma Fold System: Yakutian Publishing House, Yakutsk, p. 110-131 (in Russian).
- Armstrong, R.L., Parrish, R.R., Van der Heyden, P., Scott, K., and Runkle, D., 1991, Early Proterozoic basement exposures in the southern Canadian Cordillera: Core gneiss of Frenchman Cap, unit 1 of the Grand Forks Gneiss, and the Vaseaux Formation: Canadian Journal of Earth Sciences, v. 28, p. 1,169-1,201.
- Avchenko, O.V., 1977, Petrology of Okhotsk metamorphic complex: Nauka, Moscow, 95 p. (in Russian).
- Avetisov, G.P., 1983, Seismological data on the deep structure of the New Siberian Islands and adjacent areas: International Geology Review, no. 25, p. 651-660.
- Avrov, D.P., 1980, ed., Geological map of U.S.S.R., sheets M-44, M-45: U.S.S.R. Ministry of Geology, Leningrad, scale 1:1,000,000, 145 p. (in Russian).
- Badarch, G., 1990, Tectonics of Gobi Altai Hercynides: Problems of Mongolia, v. 11, p. 26-34 (in Russian).
- Badarch, G., 1990, Tectonics of Southern Mongolian foldbelts: Ph.D. thesis, Mongolian Academy of Sciences, Ulaanbaatar, 239 p. (in Russian).
- Badarch, G., 1999, Onch Hayrhan metamorphic core complex: Mongolian Geoscientist, no. 2, p. 16-25 (in Mongolian).
- Badarch, G., and Byamba, J., 1999, Geology of the Tsel metamorphic terrane, *in* Problems of Geodynamics and Metallogeny of Mongolia: Institute of Geology and Mineral Resources, Mongolian Academy of Sciences, Ulaanbaatar, v. 13, p. 9-13 (in Mongolian).
- Badarch, G., and Jahn, B., 2000, Continental growth in the Phanerozoic: Evidence from Central Asia: International Geological Congress Excursion Guidebook and Abstracts P-420, Geosciences, Rennes, p. 190.
- Badarch, G., Makhbadar, Ts., Orolmaa, D., Khosbayar, P., Tomurtogoo, O., compilers, 1999, Geologic map of Mongolia: Mineral resources Authority of Mongolia, 13 sheets, scale 1:1,000,000 (in Mongolian and English).
- Badarch, G., and Orolmaa, D, 1998, Overview of the geology and tectonic evolution of southern Mongolia: Mongolian Geoscientist, no. 10, p. 10-16.
- Badarch, G., and Orolmaa, D., 1996, Tectonic accretion in the East Junggar area: 30th International Geological Congress Guidebook with Abstracts, v.1, p. 292.
- Bai, Jin, Huang, Xueguang, Dai, Fengyan, and Wu, Changhua, 1996, The Precambrian crustal evolution of China: Geological Publishing House, Beijing, p.50-53 (in Chinese).
- Bai, Jin, Huang, Xueguang, Wang, Huichu, Guo, Jinjing, Yan, Yaoyang, Xiu, Qunye, Dai, Fengyan, Xu, Wenyan and Wang, Guanfu, 1996, The Precambrian crustal evolution of China (Third Edition): Geological Publishing House, Beijing, 1-259 (in Chinese).
- Bakharev, A.G., 1976, Stratigraphy and composition of the Ul'ya basin, *in* Volcanic and Intrusive Formations in Priokhot'e: Nauka, Novosibirsk, p. 50-53 (in Russian).
- Bakharev, A.G., 1999, Magmatism of the Nezhdaninka ore-magmatic cluster: Russian Domestic Geology, no. 4, p. 5-8 (in Russian).
- Bakharev, A.G., Gamyanin, G.N., Goryachev, N.A., and Polovinkin, V.L., 1988, Magmatic ore formations of the Ulakhan-Tas Range: U.S.S.R. Academy of Sciences, Yakutsk, 198 p. (in Russian).
- Bakharev, A.G., Zaitsev, A.I., Nenashev, N.I., and Izbekov, P.E., 1997, Structure and magmatism of the Upper Indigirka ring structure: Russian Domestic Geology, no. 9, p. 15-19 (in Russia).
- Baranova, Z.E., 1980, Late Jurassic deposits of the Moma-Zyryanka basin, northeastern U.S.S.R.: Soviet Geology, no. 6, p. 70-78 (in Russian).
- Barry, T.L, and Kent, B.R., 1998, Cenozoic volcanism in Mongolia and the origin of Central and East Asian basalts: Geodynamics, in: Flower, M., Chung, S.L., Lo, C.H., lee, T.Y., ed., Mantle dynamics and plate interactions in East Asia: American Geophysical Union Geodynamic Series Monograph 27. p. 347-364.
- Basu, A.R., Poreda, R.J., Renne, P.R. and others, 1995, High <sup>3</sup>He plume origin and temporal-spatial evolution of Siberian flood basalts: Science, v. 269, p. 822-825.

- Baykova, V.S, and Amelin, Yu.V., 1994, Sm-Nd age of the Gashunnur dike complex: Mongolia: Russian Academy of Sciences Transactions, v. 334, no. 2, p. 343-345 (in Russian).
- Bazhanov, V.A., Basic geological and metallogenic features of the Khanka Massif, *in* Metallogeny of the Major Tin Ore Districts of the Russian Far East: U.S.S.R. Academy of Sciences, Far East Branch, Vladivostok, p. 114-134 (in Russian)
- Bekhtold, A.F., and Semenov, D.F., 1990, Metabasites and ultramafic rocks of the Susunai Ridge (Sakhalin Island): Pacific Ocean Geology, no. 1, p. 121-125 (in Russian).
- Belichenko V.G., 1977, Caledonides of the Baikal mountainous area: Nauka, Novosibirsk, 133 p. (in Russian).
- Belichenko, V.G., 1969, Lower Paleozoic units of western Transbaikal Mountains, Nauka, 207 p. (in Russian).
- Belichenko, V.G., Butov, Yu.F., and Dobretsov, N.L, 1988, Geology and metamorphism of eastern Sayan, Nauka, Novosibirsk, 192 p. (in Russian).
- Belichenko, V.G., Geletiy, N.K., and Letnikova, E.F., 1996, Carbonate sediments of Vendian and Cambrian island arc units of the Dzhida zone (eastern Siberia): Russian Academy of Sciences Transactions, v. 348, no. 1, p. 78-80 (in Russian).
- Belichenko, V.G., Khrenov, P.M., and Chernov, Yu., 1961, Late molasse of the early Caledonian geosyncline, internal part of the Baikal mountain area: Russian Academy of Sciences Transactions, v. 138, no. 6, p. 1405-1408 (in Russian).
- Belichenko, V.G., Komarov, Yu.V., Musin, Yu.B., and others, 1962, Geologic-petrographic essay on the southern margin of Vitim lowland (northwestern Transbaikal): Nauka, Russian Academy of Sciences, Moscow, 156 p. (in Russian).
- Belichenko, V.G., Letnikova, E.F., AND Geletiy, N.K., 1999, Geochemical features of carbonate sediments of the cover of the Tuva-Mongolian microcontinent: Russian Academy of Sciences Transactions, v. 364, no. 1, p. 80-83 (in Russian).
- Belichenko, V.G., Shmotov, A.P., Sez'ko, A.I., Eskin, A.S., Vasiliyev, E.P., Reznitskiy, L.Z., Boos, R.G., and Matison, O.R., 1988, Precambrian and Paleozoic evolution of Earth crust (Sayan-Baikal Mountain region): Nauka, Novosibirsk, 161 p. (in Russian).
- Belichenko, V.G., Sklyarov, E.V., Dobretsov, N.L., and Tumortogoo, O., 1994, Geodynamic map of Paleoasian ocean, eastern segment: Geology and Geophysics, v. 35, no. 7-8, p. 23-31.
- Belousov, A.F., and Sennikov, V.M., 1960, Cambrian of Northeast Altai: Transactions of Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy of Raw Materials, U.S.S.R. Academy of Sciences, Novosibirsk, v. 13, Novosibirsk, p. 123-135 (in Russian).
- Belyaeva, G.V., 1988, Cambrian of the eastern U.S.S.R.: Stratigraphy: Nauka, Moscow, 136 p. (in Russian).
- Belyatsky, V.G., Krymsky, P.S., Rub, M.G., Pavlov, V.A., and Rub, A.K., 1999, Age and genetic relationships of rare metal ore-bearing granites of Voznesenka ore field, Primorye: Rb-Sr and Sm-Nd isotopic data, *in* Mineral Deposits: Processes to Processing: A.A. Bolkema/Rotterdam, Brookfield, v. 1, p. 313-316.
- Bersenev, I.I., ed., 1969, Geology of the U.S.S.R.: Nedra, Moscow, v. 23, 695 p. (in Russian).
- Beryozkin, V.I. and Kitsul, V.I., 1979, Two differentiation trends in metavolcanic rocks in granulite and amphibolite complexes in the central Aldan shield, *in* Problems of Petrogenesis and Ore Formation, Correlation of Endogenic Processes: Abstracts of Third Regional East Siberian Petrographic Meeting, Institute of the Earth's Crust, Siberian Branch, Russian Academy of Sciences, Irkutsk, p. 40 (in Russian).
- Beryozkin, V.I., 1977, Metamorphism of the Lower Proterozoic of the Aldan shield: Nauka, Novosibirsk 119 p. (in Russian).
- Beryozkin, V.I. and Kitsul, V.I., 1979, Two differentiation trends in metavolcanic rocks in granulite and amphibolite complexes in the central Aldan shield, *in* Problems of Petrogenesis and Ore Formation, Correlation of Endogenic Processes: Abstracts of Third Regional East Siberian Petrographic Meeting, Institute of the Earth's Crust, Siberian Branch, Russian Academy of Sciences, Irkutsk, p. 40 (in Russian).
- Beryozkin, V.I., and Smelov, A.P., 1985, Specific features of metamorphism of the Upper Archean and Lower Proterozoic supracrustal formations of the Aldan shield, *in* Petrology, Ore Content, and Correlation of Magmatic and Metamorphic Formations, Fluid Regime of Endogenic Processes: Abstracts of Fourth Regional East Siberian Petrographic Meeting, Institute of the Earth's Crust, Siberian Branch, Russian Academy of Sciences, Irkutsk, p. 87-89 (in Russian).
- Beryozkin, V.I., Bogomolova, L.M., Smelov, A.P., and Timofeev, V.F., 1983, Metamorphism of the Precambrian in the eastern part of the Olekma fold zone, *in* Metamorphism of the Precambrian in the Zone of the Baikal-Amur Railroad: Nauka, Leningrad, p. 34-48 (in Russian).

- Berzin, N.A, Coleman, R.G, Dobretsov, N.L, Zonenshain, L.P, Xiao, Xuchang, and Chang, E. Z., 1994, Geodynamic map the western part of the Paleoasian ocean: Geology and Geophysics, v. 35, no. 7-8, p. 5-22.
- Berzin, N.A., 1979, Melange-olistostrome association of the Khemchik-Sistigkhem zone of Tuva, *in* Main Tectonic Complexes of Siberia: Institute of Geology and Geophysics, Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, p. 104-129 (in Russian).
- Berzin, N.A., 1987, Geodynamic setting of the Cambrian olistostrome formation from the Khemchik-Sistigkhem zone (Tuva): Geology and Geophysics, no. 1, p. 3-12 (in Russian).
- Berzin, N.A., 1995, Tectonics of southern Siberia and horizontal movements of continental crust: Ph.D. Dissertation, United Institute of Geology, Geophysics, and Mineralogy, Siberian Branch, Russian Academy of Sciences, Novosibirsk, 51 p. (in Russian).
- Berzin, N.A., 1998, Middle Paleozoic magmatic complexes of the southwestern margin of the Siberian continent: Structural Position and Geodynamic Environments [abs], *in* Continental Growth in the Phanerozoic: Evidence from East-Central Asia: Program with Abstracts for 30<sup>th</sup> International Geological Congress P-420, Urumqi, China, p. 5.
- Berzin, N.A., and Dobretsov, N.L., 1994, Geodynamic evolution of Southern Siberia in Late Precambrian and Early Paleozoic time: Proceedings 29th International Geological Congress, part B, Tokyo, p.53-70.
- Berzin, N.A., and Semikhvatov, M.A., 1965, Lithologically variable Upper Precambrian deposits of the northern limb of the East Sayan anticlinorium: Geology and Geophysics, no. 1, p. 132-141 (in Russian).
- Berzin, N.A., Coleman, R.G., Dobretsov, N.L., Zonenshain, L.P., Xiao, Xuchang, and Chang, E.Z., 1994, Geodynamic map of the eastern part of Paleo-Asian ocean: Geology and Geophysics, v.35, no. 7-8, p. 5-22.
- Berzin, N.A., 1967, Major fault zone of the East Sayan: Nauka, Moscow, 147 p. (in Russian).
- Bezzubtsev V.V., 1981, Late Precambrian structure complexes of Taimyr and their features, *in* Tectonics of Baikal (Riphean) Megacomplex of Siberia: Institute of Geology and Geophysics, U.S.S.R. Academy of Sciences, Siberian Branch, Novosibirsk, p. 48-55 (in Russian).
- Bezzubtsev, V.V., Zalyaleev, R.Sh., and Sakovich, A.B., 1986, Geological map of Gorny Taimyr, scale 1:500,000 and explanatory note: Krasnoyarsk Mapping Expedition, Krasnoyarsk, 177 p. (in Russian).Bibikova, E.V., Baikova, B.C., Gorohovskii, B.M., and others, 1990, Early Proterozoic boundary in the Precambrian of the Baydrag Block of Central Mongolia: Izvestia, Geology Series, U.S.S.R. Academy of Sciences, no. 7, p. 47-62 (in Russian).
- Bibikova, E.V., Drugova, G.M., and Dook, V.L., 1986, Geochronology of the Vitim-Aldan shield, *in* Methods of Isotope Geology and Geochronologic Scale: Nauka, Moscow, p. 135-159 (in Russian).
- Bibikova, E.V., Gavrikova, S.N., Fedoruk, V.Ya. and others, 1993, Early Proterozoic age of granulite rocks of the southern Stanovik Range according to U-Pb zircon dating: Geochemistry, no. 1, p. 1428-1438 (in Russian).
- Bibikova, E.V., Gracheva, T.V., Makarov, V.A., and Nozhkin, A.D., 1993, Age boundaries in geological evolution of the Early Precambrian of the Yenisey Ridge: Stratigraphy and Geological Correlation, v. 1, no. 1, p. 35-40 (in Russian).
- Bibikova, E.V., Gracheva, T.V., Makarov, V.A., and Vorobjev, V.S., 1979, Geochronological borders for the southern part of East Transbaikal according to U-Pb dating: Geochemistry, no. 2, p. 204-215 (in Russian)
- Bibikova, E.V., Karpenko, S.F., Sumin, L.V., and others, 1990, U-Pb, Sm-Nd, Pb-Pb and K-Ar ages of metamorphic and magmatic rocks of Priolkhonie, *in* Geology and Geochronology of Precambrian of Siberian Platform and Frame: Nauka, Leningrad, p. 170-183 (in Russian).
- Bibikova, Ye.V, Kirnozova, T.I, Kozakov, I.K, Kotov, A.B, Neymark, L.A, Gorkhovskiy, B.M, and Shuleshko, I.K, 1992, U-Pb ages for polymetamorphic complexes on the southern flank of the Mongolian and Gobi Altai: Geotectonics, v. 26, no. 2, p. 166-172.
- Bibikova, E.V., Korikovsky, S.P., and Fedorovsky, V.S., 1981, Age of granites of the Primorsky assemblage (western Pribaikalia) from U-Pb zircon dating: Russian Academy of Sciences Transactions, v. 257, no. 2, p. 462-466 (in Russian).
- Bibikova, E.V., Sushin, L.V., Kirnozova, L.I., and Gracheva, T.V., 1981, Consistency of geological events within Sharizhalgay block according to U-Pb zircon dating: Geochemistry, no. 11, p. 1652-1654 (in Russian).
- Bidzhiev, R.A. and Minaeva, Yu.I., 1961, On sourcelands during the formation of the Lower Jurassic continental deposits in Central Yakutia (Amgar. basin): U.S.S.R. Academy of Sciences Transactions, v. 136, no. 2, p. 412-415 (in Russian).
- Blodgett, R.B., 1992, Taxonomy and paleobiogeographic affinities of an early Middle Devonian (Eifelian) gastropod fauna from the Livengood quadrangle, east-central Alaska: Palaeontographica, pt. A, v. 221, p. 125-168.

- Blodgett, R.B., Rohr, D.M., Harris, A.G., and Rong, J.Y., 1988, A major unconformity between Upper Ordovician and Lower Devonian strata in the Nanook Limestone, Shublik Mountains, northeastern Brooks Range, *in* Galloway, J.P., and Hamilton, T.D., eds., Geologic studies in Alaska by the U.S. Geological Survey during 1987: U.S. Geological Survey Circular 1016, p. 18-23.
- Blyuman, B.L., and Petrov, S.G., 1973, New geological data on the orogenic frame around the Belokurikha granitic massif: Geology and Geophysics, no. 11, p. 99-102 (in Russian).
- Bogdanov, N.A., Khain, V.E., Rosen, O.M., Shipilov, E.V., Vernikovskiy, V.A., Drachev, S.S., Kostyuchenko, S.L., Kuzmichev, A.B., and Sekretov, S.B., 1998, Explanatory notes to the tectonic map of the Kara and Laptev Seas and northern Siberia, scale 1:2,500,000 million: Russian Academy of Sciences, Institute of Lithosphere of Marginal and Interior Seas, Moscow, 127 p. (in Russian).
- Bogdanov, Yu.V., and Apol'sky O.P., 1988, Geodynamic model of Olekma-Vitim copper province. Geology of Ore Deposits, no. 3, p. 66-74 (in Russian).
- Bogomolova, L.M., Timofeev, V.F. Beryozkin, V.I., and Smelov, A.P., 1985, Tectonics of the trough complex of the Olekma river, *in* Kuznetsov, V.A. ed., Precambrian Trough Structures of the Baikal-Amur Region and Their Metallogeny: Nauka, Novosibirsk, p. 96-102 (in Russian).
- Bolonev V., Doronina N., Kushev, and others, eds., 1983, Types and facies of metamorphism of the northern Baikal mountainous area: Nauka, Moscow, 152 p. (in Russian).
- Bondareva, D.M., 1978, New finds of *Archaeocyata* in the Martyukhin and Loshchenkov suites of Kuznetsk Alatau, *in* New Stratigraphic and Paleontologic Data of the Late Precambrian of Altai-Sayan Folded Area: U.S.S.R. Academy of Sciences Siberian Branch, Institute of Geochemistry and Geophysics, Novosibirsk, p. 94-106 (in Russian).
- Boos, G.G., 1991, Paleozoic of the Tunka Bald Mountains of Eastern Sayan: Nauka, Novosibirsk, 143 p. (in Russian).
- Bozhko, N.A., Parfenova O.V., Kirmasov A.B., and Klochko A.A., 1999, Structural and metamorphic evolution and paleotectonic nature of the Early Cambrian complexes of the eastern part of the Baikal-Muya region: Vestnik, Moscow University, series 4 (Geology), no. 2, p. 9-18 (in Russian).
- Bragin, N.U. 1991, Radiolarians and lower Mesozoic deposits of the eastern U.S.S.R.: Nauka, Moscow, 125 p. (in Russian).
- Brandt, S.B., Bukharov, A.A., Raklinsky, E.I., and Perminov, A.V., 1978, Absolute age of magmatic complexes of the Baikal and Primorsky Ranges (Western Pribaikalia): Soviet Geology, no. 5, p. 142-148 (in Russian).
- Brintsev, V.V., 1994, Precambrian granitoids of the Northwestern Prisayan'e, Novosibirsk: Publishing House, Siberian Branch, Russian Academy Sciences, Novosibirsk, 184 p. (in Russian).
- Brown, R.L., Journeay, J.M., Lane, L.S., Murphy, D.C., and Rees, C.J., 1986, Obduction, backfolding, and piggyback thrusting in the metamorphic hinterland of the Canadian Cordillera: Journal of Structural Geology, v. 8, p.225-268.
- Brudnitskaya, E.P., 1990, New data on stratigraphy of Triassic deposits of the Lansk subzone of the Uda structural-formational zone [abs.], *in* Precambrian and Phanerozoic Stratigraphy of the Transbaikal Region and the Southern Far East: Abstracts of the 14th Far East Regional Interdepartment Stratigraphic Meeting, Khabarovsk, p. 141-142 (in Russian).
- Buchan, A.C, Cunningham, W.D, Windley, B.F, Tomurhuu, D, and Dorjnamjaa, D, 2000, Bayanhongor ophiolite zone, central Mongolia[abs.]: Terra Abstracts EUG 10, Strasbourg, v. 11, p. 108.
- Budnikov, S.V, Kovalenko, V.I, Kotov, A.B, Salnikova, E.B, and Kovach, V.P, 2000, Ages and sources of the Hangay batholith, central Mongolia:, *in* Badarch, G and Jahn, B., eds, Continental Growth in the Phanerozoic: Evidence from Central Asia: International Geological Congress Abstracts and Excursion Guidebook P-420, Geosciences, Rennes, p. 11.
- Bukharov, A.A., 1987, Proto-activated zones of ancient platforms: Nauka, Novosibirsk, 200 p. (in Russian).
- Bukharov, A.A., Khalilov, V.A., Strakhova, T.M., and others, 1992, Geology of Baikal-Patom highland according to new U-Pb zircon dating: Geology and Geophysics no. 12, p. 29-40 (in Russian).
- Bukharov, A.A., Khalilov, V.A., Strakhova, T.M., Chernikov, V.V. Geology of the Baikal-Patom highland from new according to U-Pb zircon dating, 1992: Geology and Geophysics no. 12, p. 29-39 (in Russian).
- Bukharov, N.S., 1979, Stratigraphy of Lower Cambrian deposits in eastern Tuva, *in* Materials on Geology of Tuva, U.S.S.R.: Tuva Geological Prospecting Expedition, Tuva Publishing House, Kyzyl, v. IV, p. 39-52 (in Russian).

- Bukharov, N.S., 1981a, Stratigraphy of the Vendian and Early Cambrian deposits of Tapsa, Cherbi and Ondum Rivers, central Tuva, *in* Materials on Geology of Tuva U.S.S.R.: Tuva Geological Prospecting Expedition, Tuva Publishing House, Kyzyl, v. V, p. 58-63 (in Russian).
- Bukharov, N.S., 1981b. Compositional and chemical peculiarities of the Vendian Early Cambrian volcanic rocks in salairid structures of Tuva and their perspectives for copper-polymetalic mineralization, *in* Materials on Geology of Tuva, U.S.S.R Tuva Geological Prospecting Expedition, Tuva Publishing House, Kyzyl, v. V, p. 64-77 (in Russian).
- Bukharov, N.S., and Zaykov, V.V., 1979, Volcanogenic complexes of eastern Tuva and their metallogenic peculiarities: Geology and Geophysics, no. 11, p. 67-75 (in Russian).
- Buldygerov, V.V., Dolnik, T.A., Kravchinskiy, A.Ya., and others, 1988, Volcanogenic formations of the Olokit trough: Geology and Geophysics, no. 3, p. 8-17 (in Russian).
- Bulgakova, M.D., 1986, Lithology of Ordovician deposits in northeastern U.S.S.R.: Nauka, Moscow, 177 p. (in Russian).
- Bulgakova, M.D., Lazebnic, K.A., and Sukneva L.S., 1969, New data on basal conglomerates of the Verkhoyansk complex: Izvestiya, U.S.S.R. Academy of Sciences, no. 9, p. 61-72 (in Russian).
- Bulgatov, A.N., 1983, Tectonics of Baikalides: Nauka, Novosibirsk, 193 p. (in Russian).
- Bulgatov, A.N., 1988, Geological and geophysical model of the upper crustal part of Transbaikal: Geology and Geophysics no. 9, p. 62-68 (in Russian)
- Bulgatov, A.N., 1995, Riphean sedimentary-volcanogenic complexes of the Middle Vitim area, Transbaikal: Geodynamic and facial conditions of their formation: Geology and Geophysics, v. 36, no. 7, p. 34-41 (in Russian).
- Bulgatov, A.N., and Zaitsev, P.F., 1998, Siliceous shale and basalt association of the Barguzin range, western edge of the Baikal-Muya ophiolite belt: Geology and Geophysics, v. 39, no. 5, p. 688-691 (in Russian)
- Bulgatov, A.N., Buldygerov, V.V., Belkov, V.V., and others, 1990, First findings of basalts in the basement of the Vendian-Lower Paleozoic in the north of Transbaikal: Geology and Geophysics, no. 10, p. 40-46 (in Russian).
- Bulgatov, A.N., Klimuk, V.S., 1998, Structural features of the Dzhida zone, Buryat Caledonides: Geotectonics, no. 1, p. 45-55.
- Bureau of Geology and Mineral Resources of Hebei Province, 1989, Regional geology of Hebei Province, Beijing Municipality and Tianjing Municipality: Beijing: Geological Publishing House, p. 1-640 (in Chinese).
- Bureau of Geology and Mineral Resources of Heilongjiang Province, 1993, Regional geology of Heilongjiang Province: Geological Publishing House, Beijing, 537 p. (in Chinese).
- Bureau of Geology and Mineral Resources of Jilin Province, 1989, Regional Geology of Jilin Province: Geological Publishing House, Beijing, 606 p(in Chinese).
- Bureau of Geology and Mineral Resources of Shanxi Province, 1989, Regional geology of Shanxi Province: Beijing: Geological Publishing House, p. 1-678 (in Chinese).
- Bushmin, S.A., Drugova, G.M., and Kharitonov, A.L., 1983, Metamorphism of the Olekma fold zone, eastern Siberia, *in* Precambrian Metamorphism in the Area of the Baikal-Amur Railway: Nauka, Leningrad, p. 8-33 (in Russian).
- Buslov, M.M., 1992, Tectonic nappes of Gorny Altai: Nauka, Novosibirsk, 96 p. (in Russian).
- Buslov, M.M., 1998, Terrane tectonics and geodynamics of mosaic-block type fold zones for the example of Altai-Sayan and East Kazakhstan: Ph.D. thesis summary, Institute of Geology, Siberian Branch, Russian Academy of Sciences, Novosibirsk, 44 p. (in Russian).
- Buslov, M.M., and Sintubin, M., 1995, Structural evolution of the Lake Teletskoe zone, Altai-Sayan folded area: Geology and Geophysics, v. 36, no. 10, p. 81-87.
- Buslov, M.M., Berzin, N.A., Dobretsov, N.L., and Simonov, V.A., 1993, Geology and tectonics of Gorny Altai, Guidebook: United Institute of Geology, Geophysics and Mineralogy, Siberian Branch, Russian Academy of Sciences, Novosibirsk, 122 p. (in Russian).
- Buslov, M.M., and Watanabe, T., 1996, Intrasubduction collision and its role in the evolution of an accretionary wedge: The Kurai Zone of Gorny Altai (Central Asia): Geology and Geophysics, v. 37, no. 1, p. 74-84.
- Buslov, M.M., Fujivara, I., Safonova, I.Yu., Okada, Sh., and Semakov, N.N., 2000, The junction zone of the Gorny Altai and Rudny Altai terranes: structure and evolution: Geology and Geophysics, v.41, no. 3, p. 383-397 (in Russian).
- Buslov, M.M., Safonova, I.Yu., and Bobrov, V.A., 1999, Exotic terranes of Late Cambrian-Early Ordovivian oceanic crust in the northwestern Gorny Altai (Zasurin Suite): Structural position and geochemistry: Report of Russian Academy of Sciences, v. 368, no. 5, p. 650-654 (in Russian).

- Buslov, M.M., Sennikov, N.V., Iwata, K., Zybin, V.A., Obut, O.T., Gusev, N.I., and Shokal'skii, S.P., 1998, New data on structure and age of olistostrome and silty sandstone formations of the Gorny Altai group in the southeastern Anui-Chuya zone, Gorny Altai: Geology and Geophysics, v. 39, no. 6, p. 801-809.
- Butov, Yu. P., Dalmatov, B.A., and Vorontsova, G.A., 1979, Stratigraphy of the Upper Precambrian and Cambrian of eastern Sayan: Soviet Geology, no. 6, p. 44-56 (in Russian).
- Butov, Yu.L., 1996, Paleozoic sedimentary rocks of the Sayan-Baikal mountainous area: Buriat Scientific Center, Russian Academy of Sciences, Ulan-Ude, 151 p. (in Russian).
- Buyakite, M.I, Kuzmychev, A.B, and Sokolov, D.D, 1989, A Rb-Sr 718 Ma age of Sarhoy series in eastern Sayan: Transactions, U.S.S.R. Academy of Sciences, v. 309, no. 1, p. 150-154 (in Russian).
- Byamba, G., 1996, Tectonics of old structures and phosphates of Mongolia: Admon Publishing Company, Ulaanbaatar, 181 p. (in Russian).
- Byamba, J, Lkhundev, Sh, and Tundev, S, 1990, New data on age of Upper Proterozoic deposits in Middle Gobi: U.S.S.R. Academy of Sciences Transactions, v. 312, no. 2, p. 428-431 (in Russian).
- Byamba, J., and Dejidmaa, G., 1999, Geodynamics of Mongolian Altai: Mongolian Geoscientist, no. 3, p. 2-25.
- Bychkov, Yu.M., and Kiseleva, L.S., 1990, Local subidvisions of the Triassic in the upper Kolyma, Yana, and Tauy Rivers: U.S.S.R. Academy of Sciences, Magadan, 55 p. (in Russian).
- Campbell, I.H., Czamanske, G.K., Fedorenko, V.A., Hill, R.I., and Stepanov, V., 1992, Synchronism of the Siberian traps and the Permian-Triassic boundary: Science, v. 258, p. 1760-1763.
- Cao, Congzhou, Tian, Changlie, and Yang, Fanglin, 1987, Discovery of the sheeted dike swarms and their geological significance in Solonshan-Hegenshan ophiolite zone, Inner Mongolia and position of suture between Sino-Korean and Siberian plates, *in* Contributions to the Project on Plate Tectonics of Northern China: Geological Publishing House, Beijing, no. 20, p. 125-134 (in Chinese).
- Cao, Congzhou, and Yang, Fanglin, 1986, The ophiolite in Hegenshan district, Inner Mongolia and position of suture between Sino-Korean and Siberian plates, *in* Contributions to the Project on Plate Tectonics of Northern China: Geological Publishing House, Beijing, no.1, p. 64-84 (in Chinese).
- Cao, Congzhou, Tian, Changlie, and Yang, Fanglin, 1987, Discovery of sheeted dike dwarms and their geological significance in Solonshan-Hegenshan ophiolite zone, Inner Mongolia and position of suture line between Sino-Korean and Siberian plates, *in* Contributions to the Project Plate on Tectonics of Northern China: Geological Publishing House, Beijing, no. 20, p.125-134 (in Chinese).
- Cao, Guoquan, 1990, Preliminary discussion on Jiaonan Terrane: Geology of Shandong, no.2, p.1-9 (in Chinese).
- Cao, Guoquan, Wang, Zhiben, and Zhang, Chengji, 1990, Jiaonan terrane in Shandong province and tectonic significance of the Wulian-Rongcheng fracture: Geology in Shandong, no.1, p.1-14 (in Chinese).
- Cao, Xi, Dang, Zhenxin, Zhang, Xingzhou, Jiang, Jisheng, and Wang, Hongde, 1992, Jiamusi composite terrane: Jilin Science and Technology Publishing House, Changchun, 230 p. (in Chinese)
- Carroll, A.R, Graham, S.A, Hendrix, M.S, Ying, D, and Zhou, D, 1995, Late Paleozoic tectonic amalgamation of northwestern China: Sedimentary record of the northern Tarim, northwestern Turpan, and southern Junggar basins: Geological Society of America Bulletin, v. 107, no. 5, p. 571-594.
- Chang, K.H., 1975, Cretaceous stratigraphy of south-east Korea: Geological Society of Korea Journal, v. 11, p. 1-23.
- Chang, K.H., 1987, Cretaceous strata, *in* Lee, D.S., ed., Geology of Korea: Kyohaak-sa Publication Co., Seoul, p. 175-194.
- Chekhov, A.D., 1976, Tectonics of the In'yali-Debin synclinorium in fold systems of Russian Far East: U.S.S.R. Far East Publishing Company, U.S.S.R. Academy of Sciences, Vladivostok, p. 3-64 (in Russian).
- Chen, Qi, 1992, Evolution of Bainaimiao-Wenduermiao regional structure and paleo-plate tectonics in the northern margins of North China: Journal of Changchun University of Earth Sciences, v. 22, p.118-128 (in Chinese).
- Chenge, Yuqi, 1992, An introduction to China regional geology: Geological Publishing House, Beijing, 1-517 (in Chinese).
- Cherkasov, R.F., 1978, The Aldanian Archean on the stratotype territory (Tympton River valley), *in* Stratigraphy and Sedimentary Geology of the Precambrian in the Far East: Far East Publishing House, U.S.S.R. Academy of Sciences, Vladivostok, p. 19-49 (in Russian).
- Cherkasov, R.F., 1979, The Archean of the Aldan shield: Nauka, Moscow, 161 p. (in Russian).
- Chikov, B.M., 1978, Median massifs and problems of tectonic zoning of orogenic belts: Nauka, Novosibirsk, 249 p. (in Russian).

- Chuchko, V.N., Sarbaa, Ya.V., and Shul'ga, V.K., 1969, Stratigraphy of Cambrian deposits of the Systyg-Khem-Chashpy watershed, *in* Materials on Geology of Tuva: U.S.S.R Tuva Geological Prospecting Expedition, Tuva Publishing House, Kyzyl, v. 1, p. 10-22 (in Russian).
- Churkin M., 1973, Western boundary of the North American continental plate in Asia: Geological Society of America, v. 83, no. 4, p. 1027-1036.
- Churkin, Michael, Jr., Carter, Claire, and Trexler, J.H., Jr., 1980, Collision-deformed Paleozoic continental margin of Alaska: Foundation for microplate accretion: Geological Society of America Bulletin, v. 91, p. 648-654.
- Compilation Group of Oil Geology of Daqing Oil Field, 1993, The Oil Geology of China: Oil Industrial Press, Beijing, v. 1, 785 p., (in Chinese).
- Complilation Group of Prospecting and Discovery of Oil and Gas in China, 1992, Prospecting and discovery of oil and gas: China Geological Publishing House, Beijing, 427 p., in Chinese.
- Dagis, A.S., Arkhipov, Yu.U., and Bychkov, Yu.M., 1979, Stratigraphy of the Triassic system in northeastern Asia: Nauka, Moscow, 243 p. (in Russian).
- Dalyrimple, G.B., Czamanske, G.K., Fedorenko, V.A. and others, 1995, A reconnaissance <sup>40</sup>Ar-<sup>39</sup>Ar geochronologic study of ore-bearing and related rocks, Siberian, Russia. Geochimica Cosmochim Acta, v. 59, p. 2071-2083.
- Danilov, V.G., and Stavsky, A.P., 1984, Stratigraphy and lithology of the Uyandina-Yasachnaya volcanic belt: Bulletin of Moscow Society of Nature Researchers, Geologic Division, v. 59, no. 1, p. 44-45 (in Russian).
- Datsenko, V.M., 1984, Granitoid magmatism of the southwestern framing of the Siberian Platform: Nauka, Novosibirsk, 120 p. (in Russian).
- Davydov, Yu.V., 1986, Lower Proterozoic copper deposits of the Uguy Basin (southern Yakutia) and its correlation with the Udokan complex: Lithology and Mineral Resources, no. 3, p. 44-58 (in Russian).
- Demin, A.N., and Demin, P.A., 1993, Geodynamic evolution and main structures of Western Mongolia: International Geological Congress Project 283: Geodynamic Evolution of Paleo-Asian Ocean, Report 4, Novosibirsk, p. 45-45.
- Dergunov, A.B., 1967, Structures of the Gorny Altai and West Sayan junction zone: Nauka, Moscow, 215 p. (in Russian).
- Dergunov, A.B., 1989, The Caledonides of the Central Asia, Nauka, Moscow, v. 437, p. 192 (in Russian).
- Dergunov, A.B., and Kheraskov, N.N, 1982, Constructive and destructive processes in the earth's crust formation in Altay-Sayan area and western Mongolia: Geotectonics, no. 6, p. 97-111.
- Dergunov, A.B., and Luvsandanzan, B, 1970, Stratigraphy of deposits in superimposed basins in western Mongolia: Geological Institute Transactions, Mongolian Academy of Sciences, Mongolian People's Republic, v.1, p. 4-24 (in Russian).
- Dergunov, A.B., Luvsandanzan, B., and Pavlenko, V.S., 1980, Geology of western Mongolia: Nauka, Moscow, p. 195 (in Russian).
- Dergunov, A.B., Luvsandanzan, B., and Pavlenko, V.S., 1980, Geology of western Mongolia: Nauka, Moscow, 195 p. (in Russian).
- Dergunov, A.B., Ryazantsev, A.V., Lunaeva, O.I., and Rikhter, A.V., 1997, Structure and geological history of the Bayan-Khongor zone, Central Mongolia: Geotectonics, v. 31, no. 2, p. 132-140.
- Devyatkin, E.V, 1970, Mesozoic and Cenozoic geology of western Mongolia: Joint Soviet-Mongolian Scientific Research Geological Expedition Transactions, v. 1, p. 190 (in Russian).
- Devyatkin, E.V., Martinson, G.G., Shuwalov, V.F., and Khosbayar, P., 1975, Stratigraphy of Mesozoic deposits of western Mongolia: Joint Soviet-Mongolian Scientific Research Geological Expedition Transactions, v. 13, p. 25-49 (in Russian).
- Didenko, A.V., 1992, Magnetism of southern Mongolian middle Paleozoic ophiolites: Physics of the Earth and Planetary Interior, v. 74, p. 263-277.
- Distanova, A.I., 1975, Early Proterozoic granitoid complex of the Dzhida region, *in* Early Paleozoic Granitoid Formations of Western Transbaikal and Kuzntesky Alatau: Nauka, Novosibirsk Publication H., p. 49-121 (in Russian).
- Distanova, A.N., 1987, Substantial systematization of early Paleozoic granitic batholiths of South Siberia, *in* Systematization of Magmatic Formations: Nauka, Novosibirsk, p. 39-96 (in Russian).
- Dobretsov, N.L, and Kirkdyashkin, A.G., 1994, Blueschist belts of northern Asia and models of subduction and accretionary wedges: Proceedings 29<sup>th</sup> of International Geological Congress, Part, B, p. 99-114.
- Dobretsov, N.L., 1978, Glaucophane schist and eclogite-glaucophane schist units of the U.S.S.R.: Nauka, Novosibirsk, 430 p. (in Russian).

- Dobretsov, N.L., and Ignatovich, V.I., eds, 1989, Geology and ores of eastern Sayan: Nauka, Novosibirsk, 127 p. (in Russian).
- Dobretsov, N.L., Berzin N.A., and Buslov, M.M., and Ermakov, Yu.D., 1995, General problems of the Altai region: Evolution and relationship between basement structure and evolution of neotectonic features: Geology and Geophysics, v. 35, no. 10, p. 5-19.
- Dobretsov, N.L., Buslov, M.M., and Simonov, V.A., 1991, Associated ophiolites, glaucophane schists and eclogites of Gorny Altai: Russian Academy of Sciences Transactions, v.318, no. 2, p. 413-418 (in Russian).
- Dobretsov, N.L., Gabov, N.F., Dobretsova, L.V., and Kozyreva, N.V., 1989, Eclogite-like rocks (drusites) and eclogites in Precambrian blocks of Pribaikalia, *in* Eclogites and Glaucophane Schists in Folded Areas: Nauka, Novosibirsk, p. 7-35 (in Russian).
- Dobretsov, N.L., Konnikov, E.G., Medvedev, V.N., Sklyarov, E.V., 1985, Ophiolites and olistostromes of eastern Sayan, *in* Riphean and Lower Paleozoic Ophiolites of Northern Eurasia: Nauka, Novosibirsk, p. 181-193 (in Russian)
- Dobretsov, N.L., Simonov, V.A., Buslov, M.M., and Kurentsov, S.A., 1992, Oceanic and island-arc ophiolites in southeastern Gorny Altai: Geology and Geophysics, v. 33, no. 12, p. 1-11.
- Dolganev, V.P., 1963, On the problem of the Upper Triassic magmatism of eastern Transbaikal, *in* Geology and Useful Minerals of Transbaikal: Proceedings of University Moscow, v. 39, no. 2, p. 103-141 (in Russian).
- Dolgov, B.Y., Natapov, L.M., and Stavsky, A.P., 1983, Ophiolites of the Tas-Khayakhtakh Range: U.S.S.R. Academy of Sciences Transactions, v. 268, no. 3, p. 666-668 (in Russian).
- Dolnik, T.A., Faizulina, Z.K., Stanevich, A.M., and others 1990, Catalogue of organic remains of the Late Precambrian, southeastern Siberia, Part 1: Institute of Geology, Geophysics, and Mineral Resources, Siberian Branch, Russian Academy of Sciences, Novosibirsk, 135 p. (in Russian).
- Dong, S., Shen, Q, Sun, D., and Lu, L., 1986, Metamorphic map of China: Geological Publishing House, Beijing, People's Republic of China, scale 1:4,000,000, explanatory text, 30 p.
- Dong, Shenbao, 1986, Metamorphism in China and relation to crustal evolution: Geological Memoirs, Series 3, no. 4, Geological Publishing House, Beijing, 233 p. (in Chinese).
- Dong, Shengbao, 1990, General characteristics and distribution of glaucophane-schist belts of China: Acta Geological Sinica, v. 3, p. 101-114.
- Dook, V.L., Kitsul, V.I., Petrov, A.F., and others, 1986, Precambrian of southern Yakutia: Nauka, Moscow, 280 p. (in Russian).
- Dook, V.L., Kitsul, V.I., Petrov, A.F., and others, 1986, Early Precambrian of South Yakutia: Nauka, Moscow, 280 p. (in Russian).
- Dorofeev, V.K., Blagoveshchenskiy, M.G., Smirnov, A.N., and Ushakov, V.I., 1999, The New Siberian Islands: Geology and mineralogy: VNII Okeanologia, St. Petersburg: 130 p. (in Russian).
- Doronina, N.A., and Sklyarov, E.V., 1995, Relationship between eclogite and granulite metamorphism in the South-Muya block: Russian Academy of Sciences Transactions, v. 340, no. 6, p. 793-796 (in Russian).
- Dover, J.H., 1990, Geology of east-central Alaska: U.S. Geological Survey Open-File Report 90-289, 96 p.
- Dovgal, V.N., and Shirokikh, V.A., 1980, Evolution of high alkali magmatism of Kuznetsk Alatau: Institute of Geology and Geophysics, Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, 216 p. (in Russian).
- Drachev, S.S., 2000, Tectonics of the Laptev Sea rift system: Geotektonika. v. 6, p. 43-58 (in Russian).
- Drachev, S.S., and Savostin, L.A., 1993, Ophiolites of the Bol'shoi Lyakhov island (New Siberian Islands): Geotektonika, no. 6, p. 33-51 (in Russian).
- Drachev, S.S., Savostin, L.A., Groshev, V.G., and Bruni, I.E., 1998, Structure and geology of the continental shelf of the Laptev Sea, eastern Russian Arctic: Tectonophysics, v. 298, p. 357-393.
- Dril, S.I., and Kuzmin, M.I., 1998, Geochemistry of rocks of the Bereinsky paleoisland arc in central sector of the Mongol-Okhotsk foldbelt: Russian Academy of Sciences Transactions, v. 360, no. 2, p. 241-245 (in Russian).
- Dril, S.I., Sklyarov, E.V., Sorokin, A.A., and Postnikov, A.A., 1994, Mafic-ultramafic complexes of the central part of the Mongol-Okhotsk belt: Hokkaido University Abstracts, Sapporo, Japan, p. 9-11 (in Russian).
- Drugova, G.M., Bushmin, S.A., Sochava, A.V., and others, 1983, Trough complexes of the western Vitim-Aldan shield, *in* Precambrian trough structures of the Baikal-Amur region and their metallogeny: All-Union Meeting Abstracts, Russian Academy of Sciences, Novosibirsk, p.48-50 (in Russian).
- Drugova, G.M., Pukhtel, I.S., Shustova, L.E., and Berezhnaya, N.G., 1988, The Olondo greenstone belt (Aldan shield): Izvestia, U.S.S.R. Academy of Sciences, Geology Series, no. 8, p.40-45 (in Russian).
- Duk, G.G., 1982, High-pressure greenschist belts (Gorny Altai): Nauka, Leningrad, 184 p. (in Russian).

- Durante, M.V, 1976, Carboniferous and Permian stratigraphy of Mongolia on the basis of paleobotanical data: Nauka, Moscow, v. 19, p. 279 (in Russian).
- Dyachkov, B.A., 1972, Intrusive magmatism and metallogeny of Eastern Kalba: Nedra, Moscow, 211 p. (in Russian).
- Eenjin, D.A., 1983, South Mongolian Hercynian eugeosynclinal zone (Dzolen and Mandal-Ovo ridges) in the early Devonian: Geotectonics, no. 4, p. 87-98.
- Efremov, S.V., Kozlov, V.D., Dril, S.I., and Sandimirova, G.P., 1998, Geochemical features, genesis and age of Paleozoic granitoids of Eastern Transbaikal (Verkhne-Undinsky batholith), *in* Metallogeny, Oil and Gas Capacity and Geodynamics of the Nort Asian Craton and surrounding orogenic belts: Materials of Second Metallogeny Conference, Russian Academy of Sciences, Irkutsk, p. 245-246 (in Russian).
- Ekhanin, G.M., 1961, Stratigraphy of Sinian-Cambrian deposits of the Saraly river, *in* Materials on Geology and Mineral Deposits of Krasnoyarsk region: Krasnoyarsk Geological Survey, Krasnoyarsk, Krasnoyarsk, v. 2, p. 51-66 (in Russian).
- Enkhbat, Ts., 1999, Some features of geological structure in southwestern Khuvsugul, *in* Problems of Geodynamics and Metallogeny of Mongolia: Institute of Geology and Mineral Resources, Mongolian Academy of Sciences, Ulaanbaatar, v. 13, p. 46-52 (in Mongolian).
- Enkhtuvshin, Kh, 1995, Petrological study on the late Mesozoic and Cenozoic volcanic rocks of the Mongolian plateau: Master of Science thesis, Shimane University, Japan, 119 p.
- Eremeev, V.P., and Sibilev, A.K., 1969, The Idzhimsky ultramafic pluton, western Sayan: U.S.S.R. Academy of Sciences, Geological Series, v. 8, p. 14-24 (in Russian).
- Eremeev, V.P., and Sibilev, A.K., 1974, The Sayan-Tuva ultramafic belt and associated metallogeny, *in* Actual Questions of Modern Petrology: Nauka, Moscow, p. 340-343 (in Russian).
- Ermolov, V.P., Polyanskii, N.V., Dobretsov, N.L., Klenina, L.N., Khomyakov, V.D., Kuzebnyi, V.S., Revyakin, P.S., and Bortsov, V.D., 1981, Ophiolites of the Chara zone and Itmurundy-Kazyk zone: Nauka, Alma-Ata, p.103-178 (in Russian).
- Evolution of the earth's crust in Precambrian and Paleozoic. Sayan-Baikal mountainous area, 1988, *in* Letnikov, F.A., ed.: Nauka, Novosibirsk, Siberian Branch, Publication H., 160 p. (in Russian).
- Fed'kin, V.V., Kitsul, V.I., and Beryozkin, V.I., 1996, Composition of minerals and P-T conditions of the formation of biotite-garnet gneisses of the Batomga block: Petrologia, v. 4, no. 12, p. 208-224 (in Russian).
- Fedorchuk, A.V., and Filatova, N.I., 1966, Geological structure of northeastern Korea and southern Primorye: Nauka, Moscow, p. 504 (in Russian).
- Fedorchuk, A.V., and Filatova, N.I., 1993, Cenozoic magmatism of North Korea and geodynamic environment of formation: Petrology, v. 1, no. 6, p. 645-656 (in Russian).
- Fedorova, M.E., 1977, Geological position and petrology of granitoids in Khangai upland, central Mongolia: Nauka, Moscow, p. 148 (in Russian).
- Fedorovskii, V.S., Khain, E.V., Vladimirov, A.G., Kargopolov, S.A., Gibsher, A.S., and Izokh, A.E., 1995, Tectonics, metamorphism and magmatism of collisional zones of central Asian Caledonides: Geotectonics, v. 29, no. 3, p. 193-211.
- Fedorovskiy, V.S., 1972, Stratigraphy of the Lower Proterozoic of the Kodar and Udokan Range: Nauka, Moscow, 130 p. (in Russian).
- Fedorovsky, V.S., 1995, New geological concept for the Olkhon region, *in* Earth's Crust and Mantle: Nauka, Irkutsk, p. 106-107 (in Russian).
- Fedorovsky, V.S., 1997, Domal tectonic genesis in the collision system of Caledonides of western Pribaikalia. Geotekonika, no. 6, p. 56-71 (in Russian).
- Fefelov, N.N., Sharov, V.N., and Yablonovsky, B.V., 2000, Pb-Pb isochron age of metamorphosed carbonate sedimentary rocks of the Imnyakh suite, Bodaibo basin: Geology and Geophysics, v. 41, no. 1, p. 86-89 (in Russian).
- Filatova, N.I., 1995, Development of the northern Korean volcanic belt, *in* Proceedings of 15th International Symposium of Kyungpook National University, p. 75-91.
- Filatova, N.T., 1988, Circum-oceanic volcanic belts: Nedra, Moscow, 264 p. (in Russian).
- Filippov, A.N., 1988, Mesozoic volcanogenic-sedimentary formations of the Bikinsk zone, Sikhote-Alin: Ph.D. thesis summary, U.S.S.R. Academy of Sciences, Khabarovsk, 35 p. (in Russian).
- Florensov, N.A., 1960, Mesozoic and Cenozoic depresions of Pribaikalia: Russian Academy of Sciences, Moscow-Leningrad, Publication H., 258 p. (in Russian).

- Fujita, K., Cook, D. B., Hasegawa, H., Forsyth, D., and Wetmiller, R., 1990, Seismicity and focal mechanisms of the Arctic region and the North American plate boundary in Asia, *in* Grantz, A., Johnson, L., and Sweeney, J. F., eds., The Arctic Ocean Region: Geological Society of America, Geology of North America, v. L., p. 79-100.
- Gaiduk, V.V., 1988, Middle Paleozoic Vilyui rift system: Yakutian Scientific Center, U.S.S.R. Academy of Sciences, 127 p. (in Russian).
- Gaiduk, V.V., and Prokopiev, A.V., 1999, Methods of investigation of fold-and-thrust belts: Nauka, Novosibirsk, 160 p. (in Russian).
- Gaiduk, V.V., Grinenko, O.V., and Syundyukov, I.Sh., 1993, Age of folding of the Moma-Zyryanka basin: Pacific Ocean Geology, no. 3, p. 99-108 (in Russian).
- Gaiduk, V.V., Grinenko, O.V., Imaev, V.S., and Syundyukov, I.Sh., 1990, Late Cenozoic folding of the Ilin-Tas anticlinorium (Verkhoyansk-Kolyma fold system): U.S.S.R. Academy of Sciences Transactions, v. 312, no. 2, p. 431-434 (in Russian).
- Galimova T.F., and Bormotkina, L.A., 1983, Stratigraphy of Precambrian of Birusa uplift, *in* Problems of Stratigraphy of the Early Precambrian in middle Siberian: Nauka, Leningrad, p. 125-134 (in Russian).
- Galimova, T.F., and Bormotkina, L.A., 1983, Stratigraphy of Precambrian units in the Birusa uplift, *in* Problems of Stratigraphy of the Early Precambrian in middle Siberian: Nauka, Leningrad, p. 125-134 (in Russian).
- Gamaleya, Yu.N., and Zabrodin, V.E., 1967, Oldest rocks of the sedimentary cover on the southeastern Siberian platform: Geology and Geophysics, no. 4, p. 12-19 (in Russian).
- Gavrikova, S.N., Nikolaev, M.S., Sokolov, S.Yu., and Smolyar, M.I., 1992, Features of the Mesozoic magmatism in the southern Aldan shield, Mogocha province; All-Russian Mineralogical Society Transactions, no. 1, p. 3-21 (in Russian).
- Gavrilova, S.P., Luchitskay, A.I., Phrikh-Khar, D.I., Orolmaa, D. and Badamgarav, J, 1991, Volcanic-plutonic associations of central Mongolia, Transactions, Nauka, Moscow, v. 50, p. 232 (in Russian).
- Gavrilova. S. P, 1975, Granitoid formations of Western Mongolia, *in* Granitoid and alkaline formations in the structures of western and northern Mongolia: Transactions, Nauka, Moscow, v.14, p. 50-143 (in Russian).
- Ged'ko, M.I., 1988, Uyandin-Yasachnin Late Jurassic island arc (northeastern U.S.S.R.): Geotectonics, no. 3, p. 88-100 (in Russian).
- Geological map of Korea; 1995, Korean Institute of Geology and Mineral Resources, scale 1:1,000,000.
- Geological Survey of Japan, 1992, Geologic Map of Japan: Asakura Publishing Co. Ltd., Geologic Atlas of Japan, scale 1:1,000,000.
- Geological Survey of Japan, Editorial Committee for the Occurrence of Cenozoic Volcanic Rocks in Japan, 2000, Distribution and occurrence of Cenozoic volcanic rocks in Japan: Digital Geoscience map G-4, Geological Survey of Japan.
- Geology and mineral resources of Mongolia, 1999, Atlas of mineral resources of the ESCAP region, v. 14: United Nationa, New York, 192 p.
- Geology and ore-bearing capacity of Eastern Sayan, 1989: Nauka, Novosibirsk, 125 p. (in Russian).
- Geology and tectonics of Gorny Altai, 1993: United Institute of Geology, Geophysics, and Mineralogy, Siberian Branch, Russian Academy of Sciences, Novosibirsk, 122 p. (in Russian).
- Geology of Mongolian People's Republic, v. 1, Stratigraphy, 1973: Nedra, Moscow, 583 p. (in Russian).
- Geology of Mongolian People's Republic, v. 2, Magmatism, Metamorphism, and Tectonics, 1973: Nedra, Moscow, 751 p. (in Russian).
- Geology of Mongolian People's Republic, v. 3, Mineral Deposits, 1973: Nedra, Moscow, 700 p. (in Russian).
- Geology of Korea, 1987, 1988, Lee, Dai-Sung, ed.: Kyohak-Sa Publishing Company, Seoul, South Korea, 541 p., scale 1:2,000,000.
- Geology of Korea, 1993, Foreign Languages Books Publishing House, Pyongyang, 620 p.
- Geology of the U.S.S.R., 1966, v. 29, part 1, Tuva, U.S.S.R.: Nedra, Moscow, 459 p. (in Russian).
- Geology of the U.S.S.R., 1970, Sakhalin Island: Nedra, Moscow, v. 33, 430 p. (in Russian).
- Gerasimov, N.S., Khetchikov, L.N., Govorov, I.N., Gvozdev, V.N. 1994, Rb-Sr isochones of the Dal'ni complex granitoids, Central Sikhote-Alin, and their petrogenetic interpretations. Russian Academy of Sciences Transactions, v.334, no. 4, p. 473-475 (in Russian).
- Gerel, O, 1995, Mineral resources of the western part of the Mongol-Okhotsk Foldbelt: Resource Geology Special Issue, no.18, p. 151-157.
- Gibsher, A.S., and Postnikov, A.A., 1982, Development of the Beret uplift and its conjugate depressions during the Late Precambrian in the northwestern part of the Eastern Sayan region: Soviet Geology and Geophysics, v. 23, no. 6, p.35-39.

- Gibsher, A.S., and Terleev, A.A., 1989, Regional stratigraphy of the Late Precambrian-Early Paleozoic of the Sangilen, *in* Structural-Material Complexes of Southeastern Tuva: Institute of Geochemistry and Geophysics, Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, p. 3-26 (in Russian).
- Gibsher, A.S., and Terleev, A.A., 1992, Stratigraphy of the Upper Precambrian and Lower Cambrian in Southeastern Tuva and Northern Mongolia: Geology and Geophysics, v. 33, no. 11, p. 19-25.
- Gibsher, A.S., Esin, S.V., Izokh, A.E., Kireev, A.P., and Petrova, T.V., 1997, Cambrian diopside-bearing basalts of the Cheposh zone in Gorny Altai: A model for fractionation of hybrid magmas in intermediate magmatic chambers: Geology and Geophysics, v. 38, no. 11, p. 1789-1801.
- Gibsher, A.S., Kazanskiy, A.Yu., Izokh, A.E., Meteolkin, D.V., and Kargopolov, S.A., 2000, The role of tranform strike-slip faults in tectonics of Central Asia [abs] *in* General Tectonics, Tectonics of Russia: Geos, Moscow, p. 115-119 (in Russian).
- Gintsinger, A.B., ed., 1979, The Upper Precambrian of Altai-Sayan folded area: Transactions of Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy of Raw Materials, U.S.S.R. Academy of Sciences, Novosibirsk, v. 268, 144 p. (in Russian).
- Gintsinger, A.B., Vinkman, M.K., Astashkin, V.A., Taranenko, B.A., Kraevskiy, B.G., and Pospelov, A.G., 1969, The Precambrian and Lower Paleozoic sections of the western part of Altai-Sayan folded area: U.S.S.R. Academy of Sciences, Krasnoyarsk, 217 p. (in Russian).
- Gladkochub, D.P., 1996, Riphean-Lower Paleozoic volcanism of southeastern part of Sayan Mountains. Summary of Ph.D. Thesis, Irkuktsk Technical University, Irkutsk, 22 p. (in Russian).
- Glukhovskiy, M.Z., Moralev, V.M., and Sukhanov, M.K., 1993, Tectonic setting of the early Proterozoic anothosites and granitoids of the Aldan shield and zonality of thermotectogenetic processes: Geotektonika, no. 3, p. 69-81 (in Russian).
- Godzevich, B.L., 1986, Stratigraphy of the Archean in the southern Aldan-Stanovoy shield, *in* Problems of Stratigraphy in Middle Siberia: Nauka, Moscow, p. 127-136 (in Russian).
- Golozubov, V.V., and Khanchuk, A.I., 1996, Taukha and Zhuravlevka terranes of the South Sikhote-Alin: Fragments of the Early Cretaceous Margin of Asia: Geology of Pacific Ocean, v. 12, p. 203-220.
- Golozubov, V.V., Markevich, V.S., and Bugdaeva, E.V., 1999, Early Cretaceous changes of vegetation and Environment in East Asia: PALEO, v. 153, p. 139-146.
- Goncharenko, A.I., Kuznetsov, P.P., Simonov, V.A., and Chernyshov, A.I., 1982, Ophiolitic association of Kuznetsk Alatau (on the example of the Srednetersinsky massif): Nauka, Novosibirsk, 104 p. (in Russian).
- Gonevchuk, V.G., 1999, Tin-bearing systems of the Far East, magmatism and oregenesis. Summary of Ph.D. Dissertation, Russian Academy of Sciences, Vladivostok, 46 p. (in Russian).
- Gonevchuk, V.G., Gonevchuk, G.A., and Kokorin, A.M., 1999, Tin-bearing pegmatites of the Bureya pluton: Geology of the Pacific Ocean, v.14, no. 2, p. 126-133 (in Russian).
- Gonevchuk, V.G., Gonevchuk, G.A., and Kokorin, A.M., 1996, Tin-bearing pegmatites of the Bureya massif: Geology of the Pacific Ocean, v. 12, p. 365-376.
- Gordienko, I.V., 1984, Magmatism and geodynamics of Paleozoic of the northern Central-Asian foldbelt: Geology and Geophysics no. 4, p. 19-31 (in Russian)
- Gordienko, I.V., 1985, Features of geological development of Pribaikalia and Transbaikal in the Mid and Late Paleozoic, *in* Tectonics of Siberia, v. 7: Nauka, Novosibirsk, p. 94-101 (in Russian)
- Gordienko, I.V., 1987, Paleozoic magmatism and geodynamics of Central-Asian foldbelt: Nauka, Moscow, p. 238.
- Gordienko, I.V., 1996, Evolution of Paleozoic magmatism and endogenous mineralization of the folded framing of the southern Siberian platform and geodynamic settings of its formation: Pacific Geology, v. 15, no. 4, p. 3-15 (in Russian).
- Gorokhov, I.M., Dook, V.L., Kitsul, V.I., and others, 1981, Rb-Sr systems of polymetamorphic complexes of the central Aldan crystalline massif: Izvestiya, U.S.S.R. Academy of Sciences, Geology Series, no. 8, p. 5-16 (in Russian).
- Gorokhov, I.M., Timofeev, V.F., Bizunok, M.B., and others, 1989, Rb-Sr systems in metasedimentary rocks of the Khani basin (Olekma granite-greenstone region), *in* Isotope Geochronology of the Precambrian: Nauka, Leningrad, p.32-37 (in Russian).
- Goroshko, M.V., 1983, Structural restrictions and history of development and tectonic zonation of the middle Khanka Massif: Pacific Ocean Geology, no. 1, p. 20-29 (in Russian).
- Grabkin, O.V., 1982, Evolution of endogenic processes in the Chara ring depression (western Aldan shield), *in* Correlation of Endogenic Processes of the Siberian Platform and Its Environs: Nauka, Novosibirsk, p. 32-37 (in Russian).

- Graham, S.A., Hendrix, M.S., Barsbold, R., Badamgarav, D., Sjostrom, D., Kirschner, W., and McIntosh, J.S, 1997, Stratigraphic occurrences, paleoenvironment, and description of the oldest known dinosaur (Late Jurassic) from Mongolia: Palaios, v. 12, p. 292-297.
- Graizer, M.I., and Borovskaya, I.S., 1964, Stratigraphy and lithology of Early Carboniferous sediments of the Rybinsk and Kemchug basins, *in* New data on Geology of South of Krasnoyarsk Region: U.S.S.R. Academy of Sciences, Krasnoyarsk, p. 153-165 (in Russian).
- Grantz, Arthur, Moore, T.E., and Roeske, S.M., 1991, Gulf of Alaska to Arctic Ocean: Geological Society of America Continental/Ocean Transect A-3, 72 p., 3 sheets, scale 1:500,000.
- Grigor'yev, N.V., ed., 1988, Geological map of USSR, sheets N-44, N-45, Leningrad, U.S.S.R. Ministry of Geology, scale: 1:1,000,000, 134 p. (in Russian).
- Grinberg, G.A., Bakharev, A.G., Gamyanin, G.N., Nukhtinskiy, G.G., and Nedosekin, Yu. D., 1970, Granitoids of the South Verkhoyansk region: Nauka, Moscow, 214 p. (in Russian).
- Grinenko, O,V., Zharikova, L.P., Fradkina, A.F., and others, 1989, The Paleogene and Neogene of the U.S.S.R. Northeast: Yakutian Scientific Center, Siberian Branch, U.S.S.R. Academy of Sciences, Yakutsk, 184 p. (in Russian).
- Grinenko, O.V., Sergeenko, A.I., and Belolyubskiy, I.N., 1998, The Paleogene and Neogene of the northeast U.S.S.R., Part II, Regional stratigraphic scheme of Paleogene and Neogene deposits of eastern Yakutia with explanatory notes: Yakutian Scientific Center, Siberian Branch, U.S.S.R. Academy of Sciences, Yakutsk, v. 38, (in Russian).
- Grosvald, M.G., and Spector, V.B., 1993, Glacial relief of Tiksi (western coast of Buor Khaya Bay, north Yakutia): Geomorfologia, no 1, p. 72-81 (in Russian).
- Guan, Shichong, Yuan, Jie, Jiang, Shengbang, Xu, Minguang, Yuan, Fengdian, and Chen, Xiadong, 1991, Mesozoic and Cenozoic terrestrial sedimentary basins in China and their petroleum perspectives: Scientific Publishing House, Beijing, 302 p. (in Chinese with English abstract).
- Gubin, Y.M, and Sinitza, S.M, 1993, Triassic terrestrial tetrapods of Mongolia and the geological structure of the Sain-Sar-Bulak locality, Triassic non-marine: New Mexico Museum of Natural History and Science Bulletin, no. 3, p. 169-170.
- Gunibidenko, H., 1979, The tectonics of the Japan Sea: Marine Geology, v. 32, p. 71-87.
- Guo, Shengzhe, Shu, Yangzheng, Chi, Yongyi, and Huang, Benhong, 1992, Paleozoic Biostratigraphy and lithofacies paleogeography of eastern Jilin and Heilongjiang Provinces, China, in Nan, Renshan, ed., Paleozoic Biostratigraphy and Lithofacies-Paleogeography of the Geosyncline of Northeast Inner Mongolia-China: Geological Publishing House, Beijing, p. 71-146 (in Chinese).
- Gusev, G.S., 1979, Fold structures and faults of the Verkhoyansk-Kolyma Meozoic system: Nauka, Moscow, 207 p. (in Russian).
- Gusev, G.S., and Peskov, A.I., 1993, New data on the Riphean ophiolites of the near-Shilka segment of the Mongol-Okhotsk suture: Russian Academy of Sciences Transactions, v. 333, no. 2, p. 220-223 (in Russian)
- Gusev, G.S., Peskov, A.I., 1996, Geochemistry and conditions of formation of ophiolites of eastern Transbaikal. Geochemistry, no. 8, p. 723-737 (in Russian).
- Gusev, G.S., Petrov, A.F., Fradkin, G.S., and others, 1985, Structure and evolution of Yakutia earth crust: Nauka, Novosibirsk, 247 p. (in Russian).
- Gusev, N.I., 1991, The geodynamic reconstructions of Precambrian and Cambrian volcanism in the southeastern part of Gorny Altai, *in* Paleogeodynamics and formation of productive zones of South Siberia: United Institute of Geology, Geophysics, and Mineralogy, Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, p.32-54 (in Russian).
- Gutak, Ya.,M., 1997. Stratigraphy and evolution history of Altai in the Devonian and Early Carboniferous: Summary of Ph.D. thesis, Novokuznetsk, 39 p. (in Russian).
- Han, Baofu., 1992, The Middle Devonian bimodal association of volcanic rocks in the northern area of east Junggar, Xinjiang: Acta Geologica Sinica, v. 5, no. 2, p.141-153(in Chinese)
- Han, Baofu, 1993, Properties and tectonic environments of Late Devonian volcanic rocks in Akenawa hills, Xinjiang: Acta Petrologica Mineralogica, v. 12, no. 3, p. 193-204
- Hanamura, Y. and Ogawa, Y., 1993, Layer parallel faults, duplexes, imbricate thrust, and vein structures of the Miura Group: Keys to understanding the Izu fore-arc sediment accretion to the Honshu fore arc: The Island Arc, v. 3, 126-141.
- Hayasaka, Y., 1990, Maizuru terrane, *in* K. Ichikawa, and others, eds., Pre-Cretaceous Terranes of Japan: Osaka City University, Osaka, Japan, p. 81-96.

- He, Gaopin, Lu, Liangzhao, Ye, Huiwen, Jin, Shiqin, and Ye, Tingshong, 1991, The Early Precambrian metamorphic evolution of Eastern Hebei Province and Southeastern of Inner Mongolia, Jilin University Publishing House, Changchun, p. 1-218 (in Chinese).
- He, Guoqi, and Han, Baofu, 1991, Paleozoic tectonic evolution of Altay orogenic belt in China: International Geological Congress P 283, Geodynamic Evolution and Main Sutures of Paleoasian Ocean, Report no. 2, Beijing, p. 31-33.
- He, Tongxing, Lin, Qiang, Fang, Zhanren, Liu, Shiwen, Zhao, Guochun, and Liu, Chunhua, 1992, The genesis of Archean granite in eastern Hebei, northern China: Jilin Scientific and Technological Publishing House, Changchun, p. 1-171 (in Chinese).
- Hendrix, M.S, Graham, S.A, Amory, J.Y, and Badarch, G, 1996, Noyon syncline, southern Mongolia: Early Mesozoic sedimentary record of the tectonic amalgamation of Central Asia: Geological Society of America Bulletin, v. 108, no. 10, p. 1256-1274.
- Hsu, K.J., Qingcheng, W., Liang, L. and Jie, H., 1991, Geologic evolution of the Neimonides: A working hypothesis, Eclogae Geolgicae Helvetiae, v. 84, no. 1, p. 1-31.
- Hu, Xiao, and Niu, Shuying, 1986, A study of Early Paleozoic subducted zone in Ontersum district, Inner Mongolia and position of suture line between Sino-Korean and Siberian plates, *in* Contributions to the Project on Plate Tectonics of Northern China: Geological Publishing House, Beijing, no. 1, p.87-99.
- Hwang, S. K., and Kim, S. W., 1994, Petrology of Cretaceous volcanic rocks in the Milyang-Yangsan area, Korea: Petrotectonic setting: Geological Society of Korea, Journal v. 30, p. 229-241 (in Korean).
- Igo, H., 1990, Paleozoic strata in the Hida "Gaien" Belt, *in* Ichikawa, K., and others, eds., Pre-Cretaceous Terranes of Japan: Osaka City University, Osaka, Japan. p. 41-48.
- Il'in A.V., 1982, Geological development of South Siberia and Mongolia in Late Precambrian-Cambrian: Nauka, Moscow, 114 p. (in Russian).
- Ilyin, A.B, 1973, Khuvsugul phosphorite-bearing basin: Nauka, Moscow, 167 p. (in Russian).
- Ilyin, A.V, 1982, Geological evolution of Southern Siberia and Northern Mongolia in late Precambrian and Cambrian: Nauka, Moscow, 114 p. (in Russian).
- Ilyin, A.V., and Kudryavtsev, G.A., 1960, The Precambrian of Tuva: Soviet Geology, no. 9, p. 130-133 (in Russian).
- Indolev, L.N., 1965, Magmatism and associated mineralization in the northern part of the South Verkhoyansk synclinorium, *in* Geology of Tin and Complex Metal Deposits of Yakutia: Nauka, Moscow, p. 5-85 (in Russian).
- Indolev, L.N., 1979, Dikes of ore districts of eastern Yakutia: Nauka, Moscow, 194 p. (in Russian).
- Inger, S., Scott, R.A., and Golionko, V.G., 1999, Tectonic evolution of the Taimyr Peninsula, northern Russia: Implications for Arctic continental assembly: Journal of the Geological Society, London, v. 156, p. 1069-1072.
- Ingle, J.C., Jr, and Karig, D.E., and shipboard scientific party, 1975, Site 296, Initial Reports, Deep-Sea Drilling Project (DSDP), v. 31, p. 191-274.
- Inoue, E., and Honza, E., 1983, Marine geological map around Japanese islands: Geological Survey of Japan Marine Geology Map Series 23, scale 1:1,000,000.
- Ionov, D.A, Prikhod'ko, V.S., and O'Reilly, S.Y., 1995, Peridotite xenoliths in alkali basalts from the Sikhote-Alin, Southeast Siberia, Russia: Trace-element signatures of mantle beneath a convergent continental margin: Chemical Geology, v. 120, p. 275-294.
- Isakov, V.M., and Korobeinikov, V.P., 1969, The Precambrian and Cambrian sections of the Borus graben-synclinorium in west Sayan: Transactions of Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy of Raw Materials, U.S.S.R. Academy of Sciences, Novosibirsk, v. 84, Novosibirsk, p. 39-44 (in Russian).
- Isakov, V.M., and Korobeinikov, V.P., 1970, New stratigraphic data for the sequences of the Idzhir and Kurtushiba ridges: Transactions of Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy of Raw Materials, U.S.S.R. Academy of Sciences, Novosibirsk, v. 123, p. 63-81 (in Russian).
- Ishina, T.A., 1961. Stratigraphy, lithology, and facies of Jurassic coal-bearing sediments in South Yakutia, *in* The South Yakut coal-bearing area: Transactions of U.S.S.R. Academy of Sciences, Moscow-Leningrad, Issue XI, p. 43-121 (in Russian).
- Ivanov, A.I., Livshits, V.I., Perevalov, O.V., and others, 1995, Precambrian of the Patom highland. Nedra, Moscow, Publication H., 353 p. (in Russian)
- Ivanov, A.I., and Ryazanov, G.V., 1992, Structural-kinematic analysis of the Patom trough: Nauka, Novosibirsk Publication H., 88 p. (in Russian)

- Ivanov, V.G., Yarmolyuk, V.V., and Smirnov, V.N., 1995, New data on the age of volcanism in the western Transbaikal Late Mesozoic-Cenozoic volcanic area: Russian Academy of Sciences Transactions, v. 345, no. 5, p. 648-652.
- Iwata, K., Sennikov, N.V., Buslov, M.M., Obut, O.T., Shokal'skiy, S.P., Kuznetsov, S.A., and Ermikov, V.D., 1997, Late Cambrian-Early Ordovician age of the basalt-siliceous-terrigenous Zasur'ya Formation, Northwestern Gorny Altai: Geology and Geophysics, v. 38, no. 9, p. 1463-1479.
- Iwata, K., Watanabe, T., Akiyama, M., Dobretsov, N.L., and Belyaev, S.Yu., 1994, Paleozoic microfossils of the Chara Belt in Eastern Kazakhstan: Geology and Geophysics, v. 35, no. 7-8, p. 125-130.
- Izokh, A.E., 1999, Layered ultrabasic-basic associations as indicators of geodynamic regime: Summary of Ph.D. thesis, Institute of Geology, Siberian Branch, Russian Academy of Sciences, Novosibirsk, 35 p. (in Russian).
- Izokh, A.E., Polyakov, G.V., Gibsher, A.S., and others, 1999, High-aluminous laminated gabbroids of Central Asian foldbelt: Geochemical features, Sm-Nd isotope age and geodynamic conditions of formation: Geology and Geophysics, v. 39, no. 11, p. 1565-1577 (in Russian).
- Izokh, A.E., Vladimirov, A.G., and Stupakov, S.I., 1988, Magmatism of the Agardag suture zone (Southeastern Tuva), *in* Geological-Petrological Investigations of Southeastern Tuva: Institute of Geochemistry and Geophysics, Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, p. 19-74 (in Russian).
- Izokh, E.P., Russ, V.V., and Kunaev, I.V., 1967, The North Sikhote-Alin intrusive complexes, their origin and ore content: Nauka, Moscow, 383 p. (in Russian).
- Jahn B.M., Gruau G., Dernard-Griffiths I. and others, 1990, The Aldan Shield, Siberia: Geochemical characterisation, ages, petrogenesis and comparison with the Sino-Korean Craton: Third International Archean Symposium, Perth, Extended Abstracts, p. 179-182,
- Jiang, Guoyuan, and Quanheng, H., 1988, The Mesozoic volcanical rocks in Genhe and Hailar basins of Daxing'anling: Bulletin of the Shenyang Institute of Geology and Mineral Resources, Chinese Academy of Geological Sciences, Beijing, v. 17, p. 23-10 (in Chinese).
- Jiang, Jisheng, 1996, Formation and evolution of Khondalite series in China: A case study from the Mashan Group: Jilin Science and Technology Publishing House, Changchun, 156 p. (in Chinese).
- Jin, Wei, Li, Shuxun, and Liu, Xishan, 1991, Petrological characteristics and metamorphic dynamic on the high grade metamorphic gocks in the early Precambrian in Daqing Mountains, Inner Mongolia: Acta Petrological Sinica, v. 4, p. 27-35(in Chinese).
- Jin, M.S., 1995, Geochronology and cooling history of the Mesozoic granite plutons in the central part of the Ogcheon fold belt, South Korea: Journal of Petrology Society of Korea, v. 4, no. 2, p. 153-167.
- Jones, D.L., Silberling, N.J., Coney, P.J., and Plafker, George, 1986, Collision tectonics in the Cordillera of western North America: Examples from Alaska, *in* Coward, M.P., and Ries, A.C., eds., Collision Tectonics: Geological Society Special Publication 19, p. 367-387.
- Kaban'kov, V.Ya., and Sobolevskaya, R.F., 1981, Late Precambrian-Early Paleozoic stage of geological development of Taimyr–Northland folded area, *in* Tectonics of Baikal (Riphean) megacomplex of Siberia: Institute of Geology and Geophysics, Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, p. 55-62 (in Russian).
- Kaban'kov, V.Ya., Sobolevskaya, R.F., Lazarenko, N.P., and others, 1978, On the problem of stratification of the Late Precambrian-Early Paleozoic deposits of the Central Taimyr: Precambrian and Cambrian of the Taimyr Peninsula: Scientific Research Institute of Arctic Geology, Leningrad, Transactions. p. 5-21 (in Russian).
- Kang, P.Ch., Shin, S.Ch., and Jin, M.S. 1995, Isotope age map of plutonic rocks in Korea. Korean Institute of Geology and Mineral Resources, scale 1:1 000 000.
- Kanmera, K., Sano, H., and Isozaki, Y., 1990, Akiyoshi terrane, *in* Ichikawa, K., and others eds., Pre-Cretaceous Terranes of Japan, Osaka City University, Osaka, Japan, p. 49-62.
- Kargopolov, S.A., Malikova, O.Yu., Vladimirov, A.G., and Bibikova, E.V., 1995, The metamorphic complex around the Belokurikha granitic massif: Novokuznetsk, p.228-230 (in Russian).
- Karsakov, L.P., 1983, Metamorphic complexes of Priamuriye, *in* Neelov, A.N., ed., Metamorphism of the Precambrian along the Baikal-Amur Railway: Nauka, Leningrad, p. 66-97 (in Russian).
- Karsakov, L.P., Makhinin, A.V., Mikhalevsky, A.N., and Ostapchuk, V.I., 1987. The Baladeksky point, magmatic complexes and structural position (west Priokhotie): Pacific Ocean Geology, no. 1, p. 92-110 (in Russian).
- Kastyrkina, V.M., 1983, Metamorphism of the central Djugdjur-Stanovoy fold region, *in* Neelov, A.N., ed., Metamorphism of the Precambrian along the Baikal-Amur Railway: Nauka, Leningrad, p. 140-163 (in Russian).

- Katjukha, Yu.P., and Rogachev, A.M., 1989, On the age of the Mangatgolsky, Dabanzhalginsky Suites and Okinsky Series of East Sayan: Geology and Geophysics, no. 5, p. 68-78 (in Russian)
- Kato, M., Katsui, Y., Kitagawa, Y., and Matsui, M., eds., 1990, Regional geology of Japan, part 1, Hokkaido: Kyoritsu Shuppan, 333 p. (in Japanese with English abstract).
- Kawasaki, S., 1926, Geology and mineral resources of Korea: Geology and Mineral Resources of the Japan Empire, pt. 2, p. 109-110 (in Japanese).
- Kazakov, I.K., Kotov, A.B., Salnikova, E.B., Bibikova, E.V., Kovach, V.P., Kirnozov, T.I., Berezhnaya, N.G., and Lykhin, D.A., 1999, The age of metamorphism of crystalline complexes of Tuva-Mongolian massif: U-Pb geochronological study of granitoids: Petrology, v. 7, no. 2, p.174-190 (in Russian).
- Kazakov, I.N., 1967, Late Proterozoic of West Sayan: Geology and Geophysics, no. 1, p. 131-135 (in Russian).
- Kazimirovsky, M.E., 1994, Lateral-and-time features of the magmatic evolution of the Nercha-Ingoda rifting zone (Transbaikal): Geology and Geophysics, no. 3, p. 40-49 (in Russian).
- Kazimirovsky, M.E., Dril, S.I., and Sandimirova, G.P., 2000, Comparative geochemistry and the age of Paleozoic granitoids of the western Stanovik zone of Transbaikal: Geology and Geophysics, no. 7, p. 990-1002 (in Russian).
- Kemkin, I. V., Kametaka, M., and Kojima, S., 1999, Radiolarian biostratigraphy for transitional facies of chert-clastic sequence of the Taukha terrane in the Koreyskaya River area, Southern Sikhote-Alin, Russia: Journal of Earth and Planetary Sciences, Nagova University, v. 46, p. 29-47.
- Kemkin, I.V., and Kemkina, R.A., 1998, Jurassic-Early Cretaceous biostratigraphy of cher-terrigenous deposits of Dalnegorsk ore district (South Sikhote-Alin): Pacific Ocean Geology, v. 17. no. 1, p. 59-76 (in Russian).
- Kemkin, I.V., and Kemkina, R.A., 1999, Radiolarian biostratigraphy of the Jurassic-Early Cretaceous chert-clastic sequence in the Taukha terrane (South Sikhote-Alin, Russia): Geodiversitas, v. 21, no. 4, p. 675-685.
- Kemkin, I.V., and Kemkina, R.A., 2000, Taukha terrane of Southern Sikhote-Alin: Geology and evolution: Geotectonics, v. 34, p. 407-414 (in Russian).
- Kemkin, I.V., and Khanchuk, A.I., 1993a. Jurassic accretionary complex of Sikhote-Alin: Pacific Ocean Geology, no. 5, p. 31-42 (in Russian).
- Kemkin, I.V., and Khanchuk, A.I., 1993b, First data about Early Cretaceous accretionary complex in Chernaya River area (South Sikhote-Alin): Pacific Ocean Geology, no. 1, p. 140-143 (in Russian).
- Kemkin, I.V., and Philippov, A.N., 2000, Structure and genesis of lower structural unit of the Samarka Mesozoic accretionary prism (Sikhote-Alin). Geodiversitas, v. 23, p. 323-339 (in Russian).
- Kepezhinskas, P.K., Kepezhinskas, K.B., and Pukhtel, I.S., 1991, Lower Paleozoic oceanic crust in Mongolian Caledonides: Sm-Nd isotope and trace element data: Geophysical Research Letters, v. 18, no. 7, p.1301-1304.
- Kepezhinskas, V.V, and Luchitsky, I.V, 1974, Continental volcanic associations of Central Mongolia: Nauka, Moscow, 72 p.
- Khain E.V., Bibikova E.V., Dektyarjov K.E., and others, 1999, Paleo-Asian ocean in the Neo-Proterozoic and Early Paleozoic: new isotope-geochronological data: Geological Development of Proterozoic Pericratonal and Paleo-Oceanic Structures of Northern Eurasia, p. 175-181 (in Russian).
- Khain V.E., Volobuev M.I., and Khain E.V., 1993, Riphean ophiolite belt of the western periphery of Siberian craton: Geology, Moscow Vestnik University, no. 4, p.22-28 (in Russian).
- Khain, E.V., and Fedotova, A.A. 1995, Olistostrome assemblages bound with formation of the Bokson cover (Sarkhoy River basin, Eastern Sayan): Russian Academy of Sciences Transactions, v. 341, no. 3, p. 390-394 (in Russian).
- Khain, E.V., Neimark, L.A., and Amelin, Yu.V., 1999, Caledonian stage of remobilization of the Precambrian basement, Gargansky block, Eastern Sayan (isotope-geochronological data): Russian Academy of Sciences Transactions, v. 342, no. 6, p. 776-780 (in Russian).
- Khain, V.E., Gusev, G.S., Khain, E.V., Vernikovsky, V.A., and Volobuyev, M.I., 1997, Circum-Siberian Neoproterozoic ophiolite belt: Ofioliti, v. 22, no. 2, p. 195-200.
- Khain, V.E., Volobuev, M.I., and Khain, E.V., 1993, Riphean ophiolite belt of the western periphery of Siberian craton: Geology, Moscow Vestnik University, no. 4, p. 22-28 (in Russian).
- Khanchuk, A.I. and Panchenko, I.V., 1991, Garnet gabbro from ophiolite of the Southern Sikhote-Alin: U.S.S.R. Academy of Sciences Transactions, v. 321, no. 4, p. 800-803 (in Russian).
- Khanchuk, A.I. 2000, Paleogeodynamic analysis of ore deposit formation in the Russian Far East, *in* Ore Deposits of Continental Margins. Dalnauka, Vladivostok, p. 5-34 (in Russian).
- Khanchuk, A.I., 1993, Geologic setting and evolution of the northwest Pacific continental framework: Summary of Ph.D. dissertation, Geological Institute, Russian Academy of Sciences, Moscow, 31 p. (in Russian).

- Khanchuk, A.I., and Ivanov, V.V., 1999, Mesozoic-Cenozoic geodynamic environments and ore mineralization of the Russian Far East: Geology and Geophysics, v. 40, no. 11, p.1635-1645 (in Russian).
- Khanchuk, A.I., Panchenko, I.V., and Kemkin, I.V., 1988, Paleozoic and Mesozoic geodynamic evolution of the Sikhote-Alin area and Sakhalin Island: U.S.S.R. Academy of Sciences, Vladivostok, 56 p. (in Russian).
- Khanchuk, A.I., Ratkin, V. V., Ryazantseva, M.D., Golozubov, V.V., and Gonokhova, N.G., 1996, Geology and mineral deposits of Primorsky Krai (Territory): Dalnauka, Vladivostok, 61 p. (in Russian).
- Khapilin A.F., 1982, Stratigraphy of Devonian deposits from North Land: Geology of North Land Archipelago, Sevmorgeo, Leningrad, p. 103-119 (in Russian).
- Kheraskov, N.N., 1979, Formations and initial stages of geosynclinal evolution of West Sayan: Nauka, Moscow, 120 p. (in Russian).
- Kheraskova T.N., 1999, New data on the structure of the Yenisei Ridge: Geotectonika, no. 1, p.15-27 (in Russian).
- Kheraskova, T.A, Iljinskaya, M.N., Luvsandanzan, B., and Dashdavaa, Z., 1987, Vendian-Early Paleozoic formations of Caledonides in northern Mongolia: Early geosynclinal formations and structures: U.S.S.R. Academy of Sciences Transactions, v. 417, p. 67-100 (in Russian)
- Kheraskova, T.N., and Gavrilova, E.V., 1996, Upper Riphean-Cambrian carbonates of the Batenevskii Range (Kuznetsk Ala Tau): Implications for past tectonic and sedimentation environment: Geotectonics, no. 3, p.54-66 (in Russian).
- Khetchikov, L.N., Pakhomova, V.A., Gvozdev, V.I., and Zhuravlev, D.Z., 1998, Isotopic age of granitoids and ores of the Lermontovka skarn-scheelite deposit, Central Sikhote-Alin (Russia): Geology of Ore Deposits, v. 40, no. 1, p.74-80 (in Russian).
- Khil'tova, V.Ya., Vrevskiy, A.B, Lobach-Zhuchenko, S.B., and others, 1988, Precambrian geology of the U.S.S.R.: Nauka, Leningrad, 455 p. (in Russian).
- Khomentovskiy, V.V., 1957. Tectonics of East Sayan: Proceedings of U.S.S.R. Academy of Sciences, Geological Series, no. 7, p. 3-26 (in Russian).
- Khomentovskiy, V.V., 1960, Structural-lithological formations of southwest Siberia and related mineral deposits, *in* Regularities of Mineral Deposit Distribution, v.3: U.S.S.R. Academy of Sciences, Moscow, p. 7-87 (in Russian).
- Khomentovskiy, V.V., and Gibsher, A.S., 1980, The Early Caledonian molasse in the northwestern part of East Sayan: United Institute of Geology, Geophysics, and Mineralogy, Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, p.88-108 (in Russian).
- Khomentovskiy, V.V., Gibsher, A.S., Pak, K.L., and Postnikov, A.A., 1980, Structure of the upper portion of the Kuvai Group of the Mana basin: Soviet Geology and Geophysics, v.22, no. 8, p. 92-96.
- Khomentovskiy, V.V., Semikhatov, M.A., and Repina, L.N., 1960, Stratigraphy of Precambrian and lower Paleozoic deposits of the western part of East Sayan, *in* Regional Stratigraphy of U.S.S.R., v.4: U.S.S.R. Academy of Sciences, Moscow, p.5-170 (in Russian).
- Khomentovskiy, V.V., Shenfil', V.Yu., Gibsher, A.S., Yakshin, M.S., Butakov, E.P., Pyatiletov, V.G., and Turova, L.E., 1978, Geological structure of the Mana basin and its position in the Sayan-Altai Baikalides: Nauka, Novosibirsk, 224 p. (in Russian).
- Khomentovsky V.V., Shenphil' V.Yu., Yakshin M.S., and Butakov E.A., 1972, Key sections of the upper Precambrian and Lower Cambrian deposits of the Siberian platform: Nauka, Moscow, 356 p. (in Russian).
- Khomentovsky, V.V, and Gibshir, A.S, 1996, The Neoproterozoic-Lower Cambrian in northern Govi-Altay, western Mongolia: Regional setting, lithostratigraphy and biostratigraphy: Geological Magazine, v. 133, no. 4, p. 371-390.
- Khosbayar, P, 1973, New data on Upper Jurassic and Lower Cretaceous sediments of western Mongolia: U.S.S.R., Academy of Sciences Transactions, Earth Sciences Series, v. 208, p. 115-116 (in Russian).
- Kim, K.H., and Lee, J.S., 1993, Petrochemical studies of the Cretaceous volcanic rocks from the Yeongsang sedimentary basin: Geological Society of Korea Journal, v. 29, p. 84-96 (in Korean).
- Kim, S.W., 1982, Petrology and structural geology of the Late Cretaceous volcanic rocks in the northeastern part of Yucheon basin: Korean Institute of Mining Geology Journal, v. 14. p. 35-40 (in Korean and English)
- Kiminami, K. and Kontani, Y., 1983, Mesozoic arc-trench systems in Hokkaido, *in* Hashimoto, M. and Uyeda, S., eds., Accretion Tectonics in the Circum-Pacific Regions: TERAPUB, Tokyo, p. 107-122.
- Kimura, T., 1980, Present status of the Mesozoic land floras of Japan: Professor S. Kanno Memorial Volume, Tsukuba University, p. 379-413.
- Kirillova, G.L. and Turbin M.T., 1979, Formations and tectonics of the Dzhagdinsk zone of the Mongol-Okhotsk fold belt: Nauka, Moscow, 256 p., (in Russian).

- Kirillova, G.L., 1997. Correlation of Cretaceous and global events in the Russian Far East: Geology of Pacific Ocean, v. 16, no. 6, p. 3-20 (in Russian).
- Kirillova, G.L., 2000, Cretaceous sedimentary basins of active continental margin of Southeastern Russia: Paleogeography, tectonics, oil and gas potential: 31<sup>st</sup> International Geological Congress, Rio de Janeiro, Brazil, August 6-17, Abstracts volume, CD-ROM (in English).
- Kislov, E.V., Konnikov, E.G., Posokhov, V.F., and others 1989, Isotope evidence of crustal contamination in Iok-Dovyren massif: Geology and Geophysics, no. 9, p. 140-144 (in Russian).
- Klitin, K.A., 1960, Tectonics of the central part of the Tuva basin: U.S.S.R. Academy of Sciences, Moscow, 124 p. (in Russian).
- Konnikov A.Z., and Travin L.V., 1986, Stratigraphy of Lower Proterozoic of Urik-Iy graben (Prisayan'e): Problems of stratigraphy of the early Precambrian in Middle Siberian: Nauka, Moscow, p. 21-29 (in Russian).
- Konnikov, E.G., Gibsher, A.S., Izokh, A.E., Sklyarov, E.V., and Khain, E.V., 1994, Late Proterozoic evolution of the northern segment of the Paleo-Asian continent: New radiological, geological and geochemical data: Geology and Geophysics, v. 35, no. 7-8, p. 151-168 (in Russian).
- Konnikov, E.G., Kislov, E.V., and Orsoev, D.A., 1994, The Iok-Dovyren laminated pluton related mineralization (Northern Pribaikalia): Geology of Ore Deposits, v. 36, no. 6, p. 345-353 (in Russian).
- Konovalova, O.G., and Prusevich, N.A., 1977, Dunite-harzburgite massifs of Kuznetsk Alatau and Salair: Nauka, Novosibirsk, 168 p. (in Russian).
- Koptev, I.I., 1983, The Lower and Middle Cambrian sections of the Koshkulak Mount (the eastern slope of Kuznetsk Alatau), *in* Biostratigraphy and Fauna of the Lower-Middle Cambrian Boundary Deposits: Nauka, Novosibirsk, p. 82-90 (in Russian).
- Kopteva, V.V, Kuzmin, M.I, and Tomurtogoo, O, 1984, Structure of the upper part of an ophiolite sequence of the Bayankhongor zone of Mongolia: Geotectonics, no. 6, p. 39-54 (in Russian).
- Korikovsky, S.P., and Fedorovsky, V.S., 1980, Early Precambrian of the Patom Highland: Nauka, Moscow, 300 p. (in Russian).
- Kornev, T.Ya., Datsenko, V.M., and Bozin, A.V., 1974, Riphean magmatism and sulfur-polymetallic mineralization of the Yenisey Ridge: Nedra, Moscow, 131 p. (in Russian).
- Kornev T.Ya., Yekhanin A.G., and Romanov A.P., 1998, The Rybinsk standard of the Poputninsk komatiite-basalt complex: Institute of Geology, Geophysics, and Mineralogy, Siberian Branch, Russian Academy of Sciences, Novosibirsk, 132 p. (in Russian).
- Korobeinikov, V.P., and Isakov, V.M., 1965, Tectonics and stratigraphy of Precambrian and Cambrian metamorphic complexes of West Sayan, *in* Materials on Geology, Geophysics and Mineral Deposits of Siberia: Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy of Raw Materials Transactions, Novosibirsk, v. 34, p. 3-14 (in Russian).
- Korobeinikov, V.P., and Isakov, V.M., 1981, Structure of the juncture of the Kaa-Khem and East Tuva zones and formation of the ancient fault trough: Soviet Geology and Geophysics, v. 22, no. 11, p. 13-22 (in Russian).
- Korobeinikov, V.P., Isakov, V.M., Abramov, A.V., Kraevskiy, B.G., Svetlitskiy, N.I., Bognibova, R.T., Schennikov, A.D., and Stepanova, M.V., 1979, Upper Precambrian stratigraphy of East Tuva, *in* The Upper Precambrian of Altai-Sayan Folded Area: Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy of Raw Materials Transactions, Novosibirsk, v. 268, p. 120-129 (in Russian).
- Korol'kov, V.G., Rudnik, V.A., and Sobotovich, E.V, 1974, On Late Archean age of the most ancient rocks of mid-Okhotsk massif: U.S.S.R. Academy of Sciences Transactions, v. 219, no. 6, p. 1441-1444 (in Russian).
- Korsakov, A.K., 2000, Tectonic conditions of the formation of greenstone belts and their metallogenic specialization: Summary of Doctoral Thesis, Moscow University, 35 p. (in Russian).
- Kos'ko, M.K., 1977, Structural-facial zonation of the Ordovician-Middle Devonian carbonate complex of the Anzhu Islands, *in* Pagrebitsky, Y.E., and Kos'ko, M.K., eds., Folded Basement of Shelf Sedimentary Basins: U.S.S.R. Academy of Sciences, Leningrad, p. 55-85 (in Russian)
- Kos'ko, M.K., Lopatin, B.G., and Ganelin, V.G., 1990, Major geological features of the islands of the East Siberian and Chukchi Seas and the northern coast of Chukotka. Margin Geology, v. 93, p. 349-367.
- Kosygin, Yu.A., Basharin, A.K., Berzin, N.A., Votakh, O.A., Krasil'nikov, B.N., and Parfenov, L.M., 1964, Precambrian tectonics of Siberia: Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, 74 p. (in Russian).
- Kotlyar, G.V., and Popeko, L.I., 1974, Carboniferous sediments of Transbaikal, *in* Paleozoic of the Russian Far East. Khabarovsk: Far East Scientific Center, U.S.S.R. Academy of Sciences, p. 157-162 (in Russian).

- Kotlyar, I.N., Zhulanova, I.L., Rusakova, T.B., and Gagieva, A.M., 2000, A differentiation scheme of the Mesozoic magmatic complexes of the Kolyma-Okhotsk region and some characteristic features of their evolution, *in* Abstracts for Conference on Magmatism and Metamorphism of Northeast Asia:. Northeast Integrated Scientific Research Center, Russian Far East, Russian Academy of Sciences, Magadan, p. 48-52 (in Russian).
- Kotlyar,B, Drown,T, Tungalag, F, and Gantstetseg,O, 1998, Two types of mineralization in the north Khentei gold region: Mongolian Geoscientist, no. 11, p. 10-13.
- Kotov, A.B., Kozakov, I.K., Bibikova, E.V., Sal'nikova, E.B., Kirnozova, T.I., and Kovach, V.P., 1995, Duration of regional metamorphic episodes in areas of polycyclic endogenic processes: A U-Pb geochronological study: Journal of Petrology, v. 3, no. 6, p. 621-630.
- Kotov, A.B., Salnikova, E.B., Reznitskiy, L.Z. and others, 1997, On the age of metamorphism of the Sljudianka crystalline complex (Southern Pribaikalia): Results of U-Pb geochronological analysis of granitoids. Journal of Petrology, v. 5, no. 4, p. 380-393 (in Russian)
- Kovach, V.P., Kotov, A.B., Sal'nikova, E.B., and others, 1995b. Age limits of the formation of highly-metamorphosed supracrustal complexes of the Aldan shield: First Sm-Nd isotope data, *in* Abstracts for Russian Foundation of Fundamental Research in Siberian region (earth's crust and mantle): Institute of the Earth's Crust, Siberian Branch, Russian Academy of Sciences, Irkutsk, v. 2, p. 56-57 (in Russian).
- Kovach, V.P., Velikoslavinskiy, S.D., Kotov, A.B., and Sal'nikova, E.B., 1995a, Sm-Nd isotope systematics of acid metavolcanites of the Fedorov group in the Aldan shield (mid-Timpton River). Russian Academy of Sciences Transactions, v. 335, p. 357-361 (in Russian).
- Koval P.V., Yakimov V.M., Neigebauer V.A. and Goreglyad, A., 1982, Regional petrochemistry of Mesozoic intrusions of Mongolia: Nauka, Moscow, v. 34, p. 287 (in Russian).
- Koval, P.V and Smirnov, V.N, 1983, Mesozoic granite-gneiss associations of Mongolian People's Republic: U.S.S.R. Academy of Sciences Transactions, v. 270, no. 1, p. 183-187 (in Russian).
- Koval, P.V, and Gerel, O., 1986, Volcanic associations of areas of porphyritic copper mineralization of Mongol-Okhotsk zone: Geochemistry of Volcanic Rocks of Different Geodynamic Situations, U.S.S.R. Academy of Sciences, Novosibirsk, p. 69-93 (in Russian)
- Kovalenko, V.I, Yarmolyuk, V.V, and Bogatikov, O.A, 1995, Magmatism, geodynamics and metallogeny of Central Asia: MIKO Commerical Herald Publishers, Moscow, 274 p.
- Kovalenko, V.I., Kostitsyn, Yu.A., Yarmolyuk, V.V., and others, 1999, Magma chambers and isotope (Sr, Nd) evolution of rare-metal Li-F granitoids: Petrology, v. 7, no. 4, p. 401-429 (in Russian).
- Kozakov, I.K, Kotov, A.B, Kovach, V.P, and Salnikova, E.V, 1997, Crust forming processes in geological evolution of the Baidrag block in Central Mongolia: A Sm-Nd isotope data: Petrology, v. 5, no. 3, p. 227-235.
- Kozakov. I. C., 1986, Precambrian infrastructure complex of Paleozoic Mongolia: Nauka, Leningrad, p. 196 (in Russian).
- Kozlov, M.S., 1995, Middle Paleozoic tectonics and volcanism of southwestern Altai: Geology and Geophysics, v.36, no. 12, p. 15-21.
- Kozlov, M.S., and Dubatolov, V.N., 1994, Middle Paleozoic stratigraphy of southwestern Altai: Geology and Geophysics, v.35, no. 12, p. 14-29.
- Kozlov, V.D., 1972, Geology and geochemistry of Paleozoic granitoids of the Undino-Gazimur region (eastern Trans\_baikal), *in* Geochemistry of Rare Elements in Magmatic Complexes of Eastern Siberia: Nauka, Moscow, p. 48-96 (in Russian).
- Kozlov, V.D., and Svadkovskaya, L.N., 1977, Petrochemistry, geochemistry and ore-bearing capacity of granitoids of Central Transbaikal: Nauka, Novosibirsk, 243 p. (in Russian)
- Kozlovsky, E.A., ed., 1988, Geology of the BAM Zone, geological structure: Nedra, Leningrad, 443 p. (in Russian).
  Kozubova L.A., Mirkina S.L., Rublev A.G., and Chukhinin A.P., 1980, Radiological age and features of the Chivyrkuy pluton (Baikal mountainous area): U.S.S.R. Academy of Sciences Transactions, v. 251, no. 4, p. 948-951 (in Russian).
- Krasny, L.I., ed., 1966, Geological description of the Khabarovsk Territory and Amur Region: Geology of the U.S.S.R., v. 19: Nedra, Moscow, 736 p. (in Russian).
- Krasny, L.I., ed., 1973, Magmatism: geology of Northeastern Asia: Nedra, Leningrad, v. 3, 395 p. (in Russian).
- Krasnyi, L.I., Peng, Yunbiao, Wang, Ying, Volskii, A.S., Polevanov, V.P., and Xu, Yangqiang, eds., 1996, Geological Map of Amur Region and adjacent areas: Dalnauka, Vladivostok, scale 1:2,500,000.
- Kravtsev, A.V, Izokh, and A.E, Tsukernik, A.B., 1989, Intrusive magmatism of Lake zone (Mongolian People's Republic): Stuctural-formation complexes in southeast Tuva: Nauka, Novosibirsk, p. 26-44 (in Russian).

- Kremenetskiy I.G., 1982, The first discovery of the Ordovician fauna in the Baikal mountainous area: Russian Academy of Sciences Transactions, v. 265, no. 26, p. 407-408 (in Russian).
- Kruk, N.N., Titov, A.V., Ponomareva, A.P., Shokal'skii, S.P., Vladimirov, A.G., and Rudnev, S.N., 1998, Internal structure and petrology of the Aya syenite-granosyenite-granite series (Gorny Altai): Geology and Geophysics, v.39, no. 8, p. 1075-1087.
- Krylov, A.Y., Vishnevskiy, A.N., Silin, Y.I., and others, 1963, Absolute age of rocks of the Anabar crystalline shield: Geochemistry, no. 12, p. 1140-1144 (in Russian).
- Kudryavtsev, V.A. and Nuzhnov, S.V., 1981, Upper Archean structures of the Aldan shield: Geology and Geophysics, no. 6, p. 28-37 (in Russian).
- Kul'kov, N.P., Severgina, L.G., 1989, Ordovician and Lower Silurian stratigraphy and brachiopods of Gorny Altai: Nauka, Moskow, 221 p. (in Russian).
- Kungurtsev, L.V., 1991, Paleogeodynamic complexes and ore content of the Kuznetsk-Gorny Altai segment of the Kuznetsk-Altai-North Sayan island arc, *in* Paleogeodynamics and Formation of Productive Zones of South Siberia: United Institute of Geology, Geophysics, and Mineralogy, Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, p. 82-105 (in Russian).
- Kurimoto, Ch, Ichinnorov, N, Koike, T, Tungalag, F., and Bayarmandal, L, 1997, The discovery of Late Devonian (Famenian) conodonts in the Bayanhongor area: Geological Survey of Japan Bulletin, v. 48, no. 9, p. 487-491.
- Kuzebny, V.S., 1975, Magmatic formations of Southwestern Altai and their metallogeny: Nauka, Alma-Ata, 342 p. (in Russian).
- Kuzmichev, A.B., Tectonics of the Isakovka synclinorium of the Yenisei Ridge: Summary of Ph.D. Thesis, Moscow University, 1987, 19 p. (in Russian).
- Kuzmichev, A.B., 1999, Two stages of the Baikal orogenesis in the Late Riphean history of the forlded framing of the Siberian Craton (exemplfied by the Tuva-Mongolian massif): Russian Academy of Sciences, Moscow, p. 26-27 (in Russian).
- Kuzmichev, A.V., and Zhuravlev, D.Z., 1996, The Upper Riphean assemblage of back-arc basins, *in* Geodynamics and Evolution of the Earth: Institute of Geology, Geophysics, and Mineralogy, Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, p. 83 (in Russian).
- Kuzmin, M.I., 1985, Geochemistry of magmatic rocks of the Phanerozoic mobile belts: Nauka, Novosibirsk, 200 p. (in Russian).
- Kuznetsov, Y.A., 1988, Precambrian petrology of the South Yenisey Ridge: Nauka, Novosibirsk, 218 p. (in Russian).
- Kuznetsov, P.P, 1983, Structure of Bayanleg ultramafic belt in Southern Mongolia: Geology and Geophysics, no. 9, p. 23-30 (in Russian).
- Lamb, M.A., and Badarch, G., 1997. Paleozoic sedimentary basins and volcanic arc systems of southern Mongolia: New stratigraphic and sedimentologic constraints: International Geology Review, v. 39, p. 542-576.
- Lamb, M.A., and Badarch, G., 2001, Paleozoic and Mesozoic tectonic evolution of central Asia; from continental assembly to intracontinental deformation, in Hendrix, M.Ss., and Davis, G.A., eds., Paleozoic and Mesozoic Tectonic Evolution of Central Asia; from Continental Assembly to Intracontinental Deformation: Geological Society of America Memoir 194, p. 117-149.
- Lamb, M.A, and Cox, D, 1998, New Ar-Ar age data for porphyry copper deposits and host rocks of Mongolia: Economic Geology, v. 93, p. 524-526.
- Lane, L.S., Layer, P.W., Cecile, M.P., and Kos'ko, M.K., 1998, Ar-Ar ages from the Ochotsk-Chukotsk magmatic arc, Northeast Russia: Abstracts of III International Conference on Arctic margins, Germany, Hannover, p. 106-107.
- Lastochkin, A.N., 1977, Traces of postglacial transgression recorded in slopes abbrasion-accumulation surfaces on the northern Eurasia shelf: Okeanologia, v. 17, no. 4, p. 85-87 (in Russian).
- Lastochkin, N., and Fedorov, B.G., 1978, Relief and recent history of the northern Eurasia shelf: Geomorfologia, no. 3, p. 19-27 (in Russian).
- Layer, P.W., Newberry, R., Fujita, K., Parfenov, L.M., Trunilina, V.A., and Bakharev, A.G., 2001, Tectonic setting of the plutonic belts of Yakutia, Northeast Russia, based on <sup>40</sup>Ar/<sup>39</sup>Ar and trace element geochemistry: Geology, v. 29, p. 167-170.
- Layer, P.W., Parfenov, L.M., Surnin, A.A., and Timofeev, V.F., 1993, First <sup>40</sup>Ar/<sup>39</sup>Ar age determinations of magmatic and metamorphic rocks of the Verkhoyansk-Kolyma Mesozoides: U.S.S.R. Academy of Sciences Transactions, v. 329, no. 5, p. 621-624 (in Russian).

- Lazarenko N.P., 1982, The correlation of the Cambrian deposits from the North Land Archipelago with the Cambrian deposits of adjacent territories: Geology of North Land Archipelago, Sevmorgeo, Leningrad, p. 169-176 (in Russian).
- Lebedev, E.L., Gur'yanov, V.A., Rasskazov, Yu, P., and Chepygin, V.E., 1989, Geologic development and volcanism of the southern part of the Okhotsk-Chukotka volcanic belt: Pacific Ocean Geology, no. 8, p. 50-55 (in Russian).
- Lebedev, V.I., Khalilov, V.A., Kargopolov, S.A., Vladimirov, A.G., and Gibsher, A.S., 1991, The U-Pb age of high-temperature metamorphism of the Sangilen (southeastern Tuva): U.S.S.R. Academy of Sciences Report, v. 320, no. 3, p. 682-686 (in Russian).
- Lebedev, V.I., Vladimirov, A.G., Khalilov, V.A., Gibsher, A.S., Kargopolov, S.A., Ponomareva, A.P., Izokh, A.E., Stupakov, S.I., and Rudnev, S.N., 1993, U-Pb dating and subdivision of Precambrian-early Paleozoic metamorphic and magmatic complexes of West Sangilen (southeastern Tuva): Geology and Geophysics, v.34, no. 7, p. 35-41 (in Russian).
- Lee, D.W., 1999, Strike-slip fault tectonics and basin formation during the Cretaceous in the Korean Peninsula: Island Arc, v. 8, p. 218-231 (in Korean).
- Lee, D.S., 1987, Neoproterozoic to Late Paleozoic igneous rocks, *in* Lee, D.S., ed., Geology of Korea: Kyohak-sa Publication Company, Seoul, p. 289-311.
- Lee, D.S., and Chang, K.H., 1987, Geology of Korea: Geological Society of Korea, p. 180-181, 186-187.
- Lee, Dai Sung, 1987, Geology of Korea: Kyohak-Sa Publishing Company, Seoul, scale 1:2,000,000, 576 p.
- Lee, D.S., and Na, K.C., 1987, Geology of Korea: Geological Society of Korea, p. 46-47.
- Lee, D.S., Ryu, K.J., and Kim, G.H., 1983, Geotectonic interpretation of Choogaryong rift valley, Korea: Geological Society of Korea Journal, v. 19, p. 19-38 (in Korean).
- Lee, D.W., 1999, Strike-slip fault tectonics and basin formation during the Cretaceous in the Korean Peninsula: The Island Arc, v. 8, p. 218-231.
- Lee, S.M., 1972, Granites and mineralization in Gyeongsang basin. Memoirs in Celebration of 60<sup>th</sup> Birthday of Professor C.M. Son: Seoul National University, p.195-219. (in Korean).
- Lee, Y.J., Ueda, Y., 1976, K-Ar dating on granitic rocks from Eonyang and the northwestern part of Ulsan quadrangle, Kyeongsangnam-do, Korea: Korean Institute Mining Geology Journal, v. 9, p.127-134.
- Lennikov, A.M., 1968, Petrology of the Dzugdzur anorthosite massif: Nauka, Moscow, 160 p. (in Russian).
- Leont'ev, A.N., Litvinovskiy, B.A., Gavrilova, S.P., and Zakharov, A.A., 1981, Paleozoic granitoid magmatism of Central-Asian fold belt: Nauka, Novosibirsk, 318 p. (in Russian).
- Levashov, G.B., 1991, Geochemistry of paragenic magmatites of active continental margin zones (Sikhote-Alin): Dalnauka, Vladivostok, 380 p. (in Russian).
- Levchenkov, O.A., Morozova, I.M., Drugova, G.M., and others, 1987, U-Pb dating of the oldest formations of the Aldan shield, *in* Levskiy, L.K., ed., Isotope Dating of Metamorphic and Metasomatic Processes: Nauka, Moscow, p. 116-138 (in Russian).
- Li, Jinyi, 1987, Essential characteristics of early Paleozoic ophiolite to the north of Xar Morom River, Eastern Inner Mongolia and their plate tectonics, Inner Mongolia, and position of suture line between Sino-Korean and Siberian plates, *in* Contributions to the Project on Plate Tectonics of Northern China: Geological Publishing House, Beijing, no.2, p.136-150 (in Chinese).
- Li Shuxun, Liu Xishan, and Zhang, Luqiao, 1987, Geological characteristics of granite-greenstone belt in the area of Seerteng Mountains, Inner Mongolia, Journal of Changchun University of Earth Science (Specialty in Metamorphism), p. 81-102 (in Chinese).
- Li, Wenguo, ed., 1996. Stratigraphy (Lithostratigraphic) of Nei Mongol Autonomous Region, Wuhan: China University of Geoscience Press, p. 245-309 (in Chinese).
- Li, Wenguo, 1996, Rocks and stratum in Inner Mongolia, China: University of Geosciences Press, no.2, p.136-150 (in Chinese).
- Li, Zhitong, and Zhao, Chunjin, 1989, Late Triassic magmatic activities in relation to plate tectonics of the eastern part of Jilin and Heilongjiang Provinces, Northeast China: Journal of Chinese Academy of Geological Sciences, v. 18, p. 21-32 (in Chinese).
- Lin, Jingqian, Tan, Dongjuan, Chi, Xiaoguo, Bi, Lijun, Xie, Caifu, and Xu, Wenliang, 1992, Mesozoic granites in Jiao-Liao peninsula: Beijing: Science Press, p. 1-191 (in Chinese)
- Lindsay, J.F, Brasier, M.D, Dorjnamjaa, D, Goldring, R, Kruse, P.D, and Wood, R.A, 1996, Facies and sequence controls on the appearance of the Cambrian biota in southwestern Mongolia: Implications for the Precambrian-Cambrian boundary: Geological Magazine, v. 133, no. 4, p. 417-428.

- Liou, J.G., Zhang, R.Y., Wang, X., Eide, E.A., Ernst, W.G., and Maruyama, S., 1996, Metamorphism and tectonics of high-pressure and ultra-high-pressure belts in the Dabie-Sulu region, China, in Yin, An, and Harrison, Mark, eds., The Tectonic Evolution of Asia: Cambridge University Press, New York, p. 300-344.
- Lishnevsky, E.N., and Zemlyanov, V.N., 1972, Deep structure of the Upper Zeya and Uda troughs from geological and geophysical data: Geology and Geophysics, v. 2, p.141-146 (in Russian).
- Litvinovsky, B.A., Gordienko, I.V., Zanvilevich, A.N., 1990, Late Paleozoic granitoids and volcanics of Transbaikalia and Mongolia, *in* Problems of Magmatism and Metamorphism of East Asia: Nauka, Novosibirsk, p. 116-126 (in Russian).
- Litvinovsky, B.A., and Zanvilevich, A.N., 1976, Paleozoic granitoid magmatism of Western Transbaikalia: Nauka, Novosibirsk, 134 p. (in Russian).
- Litvinovsky, B.A., Posokhov, V.F., and Zanvilevich, A.N., 1999, New Rb-Sr data on the age of the late Paleozoic granitoids of Western Transbaikal: Geology and Geophysics, v. 40, no. 5, p. 694-702 (in Russian).
- Litvinovsky, B.A., Zanvilevich, A.N., Alakshin, A.M., 1992, and others Angara-Vitim batholith as the largest granitoid pluton: Nauka, Novosibirsk, 141 p. (in Russian)
- Liu, D.Y., Nutman, A.P., Compston, W., Wu, J.S., and Shen, Q.H., 1992, Remnants of >3800Ma crust in the Chinese part of the Sino-Korean Craton: Geology, v.20, p. 339-342.
- Liu, Delai, Chen, Fajing, Guan, Defan, Tang, Jianren, and Liu, Chuirong, 1996, The formation, evolution and lithospheric dynamics of Songliao Basin: Scientia Geologica Sinica, v. 31, no. 4, p. 397-406 (in Chinese).
- Liu, Jiaqi, 1999, Volcanoes of China: Science Press, Beijing, p. 1-126 (in Chinese).
- Liu, Li, Wang, Xiaolin, Liu, Zhaojun, Liu, Wanzhu, Xue, Fang, and Zhao, Manping, 1994, Tectonic-sedimentary evolution of Mesozoic and Cenozoic rift basins along Manzhouli-Suifenhe Geoscience Transect, *in* Research Group, Lithospheric Structures and Evolution along Manzhouli-Suifenhe Geoscience Transect of China: Seismic Publishing House, Beijing, p.1-10.
- Liu, Zhaojun, Wang, Dongpo, Liu, Li, Liu, Wanzhu, Wang, Pujun, Du, Xiaodi, and Yang, Guang, 1992, Sedimentary characteristics of the Cretaceous Songliao basin: Acta Geologica Sinica, v. 66, no. 4, p. 327-338 (in Chinese).
- Liu, Zhaojun, Wang, Xiaolin, Liu, Wanzhu, Xue, Fang, and Zhao, Manping, 1994, Formational mechanism of Songliao and Hailar Mesozoic basins along Manzhouli-Suifenhe Geoscience Transect, *in* M-SGT Research Group, Lithospheric Structures And Evolution along Manzhouli-Suifenhe Geoscience Transect of China: Seismic Publishing House, Beijing, p. 14-24.
- Logachev, N.A., 1967. Volcanogenic and sedimentary formations of the Baikal rift zone, *in* Baikal Rift. Nauka, Moscow, p. 72-101 (in Russian).
- Loney, R.A., and Himmelberg, G.R., 1988, Ultramafic rocks of the Livengood terrane, *in* Galloway, J.P., and Hamilton, T.D., eds., Geologic Studies in Alaska by the United States Geological Survey during 1987: U.S. Geological Survey Circular 1016, p. 62-70.
- Lu, Jiansheng, Wang, Enlin, Xu, Zhongyuan, Sun, Jiapeng, Ma, Shuishan, and Mai, Yanqing, 1996, Early Precambrian geology and gold deposits in North Liaoning Province-South Jilin Province: People's Press of Jilin, Changchun, p. 1-22 (in Chinese).
- Lu, Liangzhao, and Dong, Yongsheng, 1998, The evolutional style of Early Proterozoic metamorphism in Jiao-Liao massif and its tectonic environment, *in* International Symposium of Earth Sciences in Beijing University: Seismic Publishing House, Beijing, p. 558-567 (in Chinese).
- Lu, Liangzhao, Xu, Xuechun, and Liu, Fulai, 1996, The Early Precambrian khondalite series in northern China: Chnagchun Publishing House, Changchun, p. 1-276 (in Chinese).
- Lu, Liangzhao, Xu, Xuechun, and Dong, Yongsheng, 1998, Three main styles of Early Precambrian metamorphic evolution in northern Sino-Korea Craton and their geodynamics: Geological Journal of China, v. 4, no. 1, p. 1-10 (in Chinese)
- Luan, Huimin, Zhang, Hairi, and Chen, Leguo, 1991, Discovery of Caledonian granite in Yichun-Yanshou area of Heilongjian Province and discussion on genesis of the rocks and tectono-diagenetic model, *In* Li, Zhitong, ed., Contributions on Granitoids and Their Minerogenesis in Northern China: Geological Publishing House, Beijing, p. 76-82 (in Chinese).
- Luchitskiy, I.V., 1960, Volcanism and tectonics of the Devonian depressions of the Minusa intermountain basin: U.S.S.R., Academy of Sciences, Moscow, 276 p. (in Russian).
- Luchitskiy, I.V., ed., 1970 Cambrian tectonics and volcanism of Tuva: Nauka, Moscow, 158 p. (in Russian).
- Lutz, B.G., and Oxman, V.S., 1990, Deeply eroded fault zones of the Anabar massif: Nauka, Moscow, 260 p. (in Russian).

- Lutz, B.G., 1980, Geochemistry of oceanic and continental magmatism: Nedra, Moscow, 247 p. (in Russian).
- Lyubalinskaya, Z.P., 1978, New places of skeletal fauna finds in the Bellyk Belogor'e of East Sayan, *in* New Data in Stratigraphy and Paleontology of the Late Precambrian of Altai-Sayan Folded Area: Tuva: Institute of Geochemistry and Geophysics, Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, p. 76-86 (in Russian).
- Makar'ev, A.A., Lazarenko, N.P., and Rogozov Yu.G., 1981, New data on Cambrian deposits from North Land Archipelago: Lithology and Paleogeography of the Barets and Kara Seas: Scientific Research Institute of Arctic Geology, Leningrad, Transactions, p. 97-109 (in Russian).
- Makarychev, G.I, 1988, Precambrian continental crust in western Mongolia and the process of its destruction: Geotectonics, no. 6, p. 63-75.
- Makhin, G.V., 1959, The Precambrian of Far East of Tuva: Nedra, Moscow, p. 3-14 (in Russian).
- Makhlaev, L.V., and Zabiyaka, I.D., 1976, On nature and age of granitoids from Taraka massif: Materials on Magmatism and Metallogeny of Krasnoyarsk Region, U.S.S.R. Academy of Sciences, Krasnoyarsk, p. 99-105 (in Russian).
- Makhlaev, L.V., 1978, Taimyr folded region: Folded regions and recent platforms of East Europe and Asia: Nauka, Novosibirsk, p. 147-168 (in Russian).
- Makhlaev, L.V., Korobova N.I., 1972, Precambrian granitoid genetic series of Taimyr: U.S.S.R. Academy of Sciences, Krasnoyarsk, 130 p. (in Russian).
- Makhlaev, L.V., 1988, Tectonic nature of Mamont-Shrenk block (Central Taimyr): Izvestia, U.S.S.R. Academy of Sciences, Geology Series, no. 4, p. 77-87 (in Russian).
- Makhlaev, L.V., and Zabiyaka, I.D., 1976, On nature and age of granitoids from Taraka massif: Materials on Magmatism and Metallogeny of Krasnoyarsk Region, U.S.S.R. Academy of Sciences, Krasnoyarsk Krasnoyarsk, p. 99-105 (in Russian).
- Makrygina, V.A., Sandimirova, G.P., Nikolaev, V.M., and others, 1993, New data on the age of migmatites and granite gneisses of the Chuya Series: Geology and Geophysics, no. 9, p. 31-36 (in Russian).
- Maksimov, E.P., 1975, Experience in formation analysis of Mesozoic magmatic formations of the Aldan shield: Izvestia, U.S.S.R. Academy of Sciences, Geology Series, no 4, p. 16-31 (in Russian).
- Malich, N.S., Masaitis, V.S., and Surkov, V.S., eds., 1987, Geological structure of U.S.S.R. and mineral deposit distribution, v. 4, Siberian Platform: Nedra, Leningrad, 448 p. (in Russian).
- Manuilova, M.M., Vasjkovskiy, D.P., and Gurulev, S.A., 1964, Precambrian geology of Northern Pribaikalia: Nauka, Moscow-Leningrad, 226 p. (in Russian).
- Manuilova, M.M., and Zarubin, V.V., 1981, Precambrian volcanogenic rocks of Precambrian of northern Pribaikalia: Nauka, Leiningrad, 88 p. (in Russian).
- Markov, F.G., ed., 1970, Geology of the U.S.S.R., v. XVIII. Western Part of Yakuytia, Part 1, Geological Description, Book 1: Nedra, Moscow, 536 p. (in Russian).
- Markovsky, V.A., and Smirnova, M.A., 1982, Silurian deposits from the North Land Archipelago: Geology of North Land Archipelago: Sevmorgeo, Leningrad, p. 39-60 (in Russian).
- Makrygina, V.A., Petrova, Z.I., Koneva, A.A., 1992, Geochemistry of the major crystalline schists of Priolkhonie and Olkhon Island (Western Pribaikalia): Geochemistry, no. 6, p. 771-786 (in Russian).
- Martynov, Yu.A., 1983, Petrology of Eocene-Miocene volcanites of the contrast formation in lower TransBaikal: U.S.S.R. Academy of Sciences, Vladivostok, 140 p. (in Russian).
- Martynov, Yu.A., 1999, Geochemistry of basalts of active continental margins and old island arcs illustrated by the North West Pacific: Dalnauka, Vladivostok, p. 215 (in Russian).
- Martynov, Yu.A., 1990, High aluminiferous basaltic volcanism of the East Sikhote-Alin: Petrology and geodynamics: Petrology, v. 7, 1, p. 58-78 (in Russian).
- Martynyuk, M.V., Ryamov, S.A., and Kondratieva, V.A., 1990, Explanatory notes for the scheme of correlation of magmatic complexes of Khabarovsk and Amursk Regions: U.S.S.R. Ministry of Geology, Khabarovsk, 215 p (in Russian).
- Martynyuk, M.V., Vaskin, A.F., Volsky, A.S., and others, 1983, Geologic map of the Khabarovsk Territory and the Amur Region: U.S.S.R. Ministry of Geology, Khabarovsk, scale 1:500,000 (in Russian).
- Maruyama, S., Liou, J.G., and Terabayashi, M., 1996, Blueshists and eclogites of the world and their exhumation: International Geology Review, v. 38, p. 486-594.
- Masaitis, V.L., Mashak, M.S., Raikhlin, A.I., Selivanovskaya, T.V., and Shafranovsky, G.I., 1998, Diamond-bearing impactites of the Popigay astroblem: All-Russia Geological Research Institute, Saint-Petersburg, 179 p. (in Russian).

- Masaitis, V.L., Mikhailov, M.V., and Selivanovskaya, T.V., 1975, The Popigay meteorite crater: Nauka, Moscow, 124 p. (in Russian).
- Matveyevskaya, A.L., 1969, Variscian depressions of the Ob-Zaisan geosynclinal system and adjacent areas: Nauka, Moscow, 275 p. (in Russian).
- McGroder, M.F., 1991, Reconciliation of two-sided thrusting, burial meatamorphism, and diachronous uplift in the Cascades of Washington and British Columbia: Geological Society of America Bulletin, v. 103, no. 2, p. 189-209.
- Melyakhovetskiy, A.A., and Sklyarov, E.V., 1985, Ophiolites and olistostromes of West Sayan and Tuva, *in* Riphean-Lower Paleozoic Ophiolites of North Eurasia: Nauka, Novosibirsk, p.58-71 (in Russian).
- Merzlyakov, V.M., 1971, Stratigraphy and tectonics of the Omulevka uplift (Northeast U.S.S.R.): Nauka, Moscow, 152 p. (in Russian).
- Mezhelovskiy, N.V., 1962, New data for the Lower Cambrian in East Sayan, *in* Materials on Geology and Mineral Deposits of the Krasnoyarsk Region, v. 3: U.S.S.R. Academy of Sciences, Krasnoyarsk, p. 35-39 (in Russian).
- Mikhailov, D.A., and Levchenkov, O.L., 1971, On age relations between processes of Fe-Ca-Mg metasomatosis and regional matamorphism in the Precambrian of the Aldan shield, *in* Metamorphic Belts of the U.S.S.R.: Nauka, Leningrad, p. 92-103 (in Russian).
- Minkin, L.M., 1960, Regularity in the distribution and the age of Mesozoic intrusions of Aldan, *in* Materials on Geology and Mineral Deposits of Yakutia, v. 2: Yakutian Publishing House, Yakutsk, p. 3-22 (in Russian).
- Mironyuk, E.P., Lyubimov, V.K., and Magnushevskiy, E.L., 1971, Geology of the western Aldan shield: Nedra, Moscow, 237 p. (in Russian).
- Mironyuk, E.P., Pushkarev, Yu.D., Timashkov, A.N., and Kostoyanov, A.I., 1996, Isotope age of ancient plagiogranites (Aldan shield): Transactions, Russian Academy of Sciences, Moscow, v. 349, no. 6, p. 800-803 (in Russian).
- Mishin, L.F., 1994, Subvolcanic intrusions of acid composition: Nauka, Moscow, 206 p. (in Russian).
- Mitrofanov, F.P., Bibikova, E.V., Gracheva, T.V., Kozakov, I.K., Sumin, L.V., and Shuleshko, I.K., 1985. Archean isotope age of tonalite (grey) gneiss in Caledonian structure of Central Mongolia: U.S.S.R. Academy of Sciences Transactions, v. 284, no. 3, p. 671-674 (in Russian).
- Mitrofanov, F.P, Kozakov, I.K, and Palei, I.P, 1981, Precambrian of Western Mongolia and Southern Tuva: Nauka, Leningrad, 156 p. (in Russian).
- Mitrofanov, F.P., ed., 1987. Evolution of the Early Precambrian lithosphere of the Aldan-Olekma Stanovoy region: Nauka, Leningrad, 309 p. (in Russian).
- Miyashiro, A. and Banno, S., 1958, Nature of glaucophanic metamorphism: American Journal of Science, v. 256, p. 97-110.
- Molchanova, T.V., 1981. Mesozoic granitoids of the northwestern Pacific belt (tectonic seting and origin): Nedra, Moscow, 151 p. (in Russian).
- Monger, J.W.H., Clowes, R.M., Price, R.A., Simony, P.S., Riddihough, R.P., and Woodsworth, G.J., 1985, Continent-Ocean transect B2, Juan de Fuca Plate to Alberta Plains, *in* Speed, R.C., coordinator, Geological Society of America, Centennial Continent-Ocean Transect, scale 1: 500,000, 2 sheets, 21 p.
- Mori, K., Okami, K., and Ehiro, M., 1992, Paleozoic and Mesozoic Sequence in the Kitakami Mountains: 29th International Geological Congress Field Trip Guide no. 1, p. 81-114.
- Morita, S., Aoike, K., Tokuyama, H., and Taira, A., 2000, Northern margin of Izu-Ogasawara island arc-complex tectonic region, volcanic and seismic activities: Earth, v. 22, p. 813-821 (in Japanese).
- Moskovchenko, N.I. and Kastyrkina, V.M., 1989, The Larba block, *in* The Oldest Rocks of the Aldan-Stanovoy Shield, East Siberia: International Geological Congress Guidebook P. 280, Leningrad-Maintz, p. 82-85 (in Russian).
- Mossakovskiy, A.A., 1963, Precambrian-Paleozioc tectonic evolution of the Minusa depressions and their mountainous frame: Nedra, Moscow, 216 p. (in Russian).
- Mossakovsky, A.A, and Tomurtogoo, O, 1976, Upper Paleozoic of Mongolia: Nauka, Moscow, 125 p. (in Russian). Mossakovsky, A.A, 1975, Orogenic structures and volcanism of Eurasia and their role in the processof the earth's continental crust production: Nauka, Moscow, 318 p. (in Russian).
- Munkhtsengel, B and Iizumi, Sh, 1999, Petrology and geochemistry of the Lugiin gol nepheline syenite complex in the Gobi-Tienshan foldbelt, south Mongolia: A post collisional potassic magmatism: Mongolian Geoscientist, no. 14, p. 12-13.
- Munkhtsengel, B., and Iizumi, Sh, 1999, Rb-Sr geochronology and Sr-Nd isotope systematics of the Mushgai hudag syenite and Bayan Khoshuu monzonite in south Mongolia: Mongolian Geoscientist, no. 14, p. 14-15.

- Murzaev, S.P., 1969, Phlogopite, *in* Structure of the Earth's Crust in Yakutia and Regularity in Distribution of Mineral Deposits: Nauka, Moscow, p. 319-324 (in Russian).
- Musatov, D.I., and Nemirovskaya, V.N., 1961, The comparison of Cambrian stratigraphy of the western branches of East Sayan, *in* Materials on Geology and Mineral Deposits of the Krasnoyarsk Region, v. 1: U.S.S.R. Academy of Sciences, Krasnoyarsk, p. 15-46 (in Russian).
- Nakanishi, M., 1993, Topographic expression of five fracture zones in the Northwestern Pacific Ocean: American Geophysical Union Monograph 77, p. 121-136.
- Natal'in, B.A., 1991, Mesozoic accretionary and collisional tectonics of the southern Far East: Pacific Ocean Geology, no. 5, p. 3-23 (in Russian).
- Natal'in, B.A., 1993, History and mode of Mesozoic accretion in southeastern Russia: The Island Arc, v. 2, p. 32-48.
- Natal'in, B.A., and Alexeenko, S.N., 1989, Tectonics of the Sredneamursk basin basement: Far East Branch, U.S.S.R. Academy of Sciences, Vladivostok, 57 p. (in Russian).
- Natal'in, B.A., and Alexeenko, S.N., 1989, Structure of Lower Cretaceous deposits in the basement of the Middle Amur basin: Pacific Ocean Geology, no. 1, p. 37-46 (in Russian).
- Natal'in, B.A., For, M., and others, 1994, The Metamorphic Anyui Dome (the Sikhote-Alin) and its role in Mesozoic geodynamic evolution of East Asia: Geology of Pacific Ocean, v. 6, p.3-24 (in Russian).
- Natal'in, B.A., and Popeko, L.I., 1991, The Paleozoic of the Galamsk segment of the Mongol-Okhotsk fold belt: Pacific Ocean Geology, no. 2, p. 81-89 (in Russian).
- Natal'in, B.A., Popeko, L.I., and Chobotov, S.A., 1985, Tectonics of the West Dzhagdinsk zone of the Mongol-Okhotsk fold belt: Pacific Ocean Geology, no. 2, p. 49-64 (in Russian).
- Natal'in, B.A., and Zyabrev, S.V., 1989, Structure of Mesozoic rocks of the Amur River Valley, Field Trip Guide Book: Far Eastern Branch, U.S.S.R. Academy of Sciences, Khabarovsk, 48 p. (in Russian).
- Natapov, L.M., ed., 1984, Geologic map of the U.S.S.R: U.S.S.R. Ministry of Geology, Leningrad, scale 1:1,000,000, 128 p. (in Russian).
- Natapov, L.M., and Surmilova, E.P., eds., 1986, Geological map of the U.S.S.R.: U.S.S.R. Ministry of Geology, Leningrad, scale 1:1,000,000, 120 p. (in Russian).
- Nazarenko, L.F., and Bazhanov, V.A., 1986, Geology of the Primorsk Territory, v. 1-3: Far East Branch, U.S.S.R. Academy of Sciences, Vladivostok, 115 p. (in Russian).
- Nazarenko, L.F., AND Bazhanov, V.A., 1980, Geology of Primorye. Part II. Intrusive formations: Far East Branch, U.S.S.R. Academy of Sciences, Vladivostok, 28 p. (in Russian).
- Nedashkovsky, P.G., 1980, Petrochemical types and ore content of granitoids in the Far East: Nauka, Moscow, 204 p. (in Russian).
- Neelov, A.N., Glebovitskiy, V.A., Baikova, V.S., and others, 1971, Evolution of metamorphic belts in the southeast of East Siberia, *in* Metamorphic Belts of the U.S.S.R.: Nauka, Leningrad, p. 117-144 (in Russian).
- Neelov, A.N., and Milkevich, R.I., 1979, Petrochemistry of metamorphic complexes of the southern East Siberia.: Nauka, Leningrad, 302 p. (in Russian).
- Neelov, A.N., and Podkovyrov, V.N., 1983, Structural and metamorphic evolution of the Baikal-Patom folded system, *in* Metamorphism of Precambrian in the BAM region: Nauka, Leningrad, p. 181-198 (in Russian).
- Neimark, L.A., Larin, A.M., and Yakovleva, S.Z., 1992, U-Pb age of magmatic rocks of the Ulkan graben, southeastern Aldan shield: U.S.S.R. Academy of Sciences, Transactions v. 323, no. 2, p. 1152-1156 (in Russian).
- Neimark, L.A., Ovchinnikova, G.V., Gorokhovsky, B.M., and others, 1990, On the age and genesis of gold ore deposits of the Baikal mountainous area, *in* Isotope Dating of Endogenous Ore Deposits, Abstracts: U.S.S.R. Academy of Sciences, Kiev, p. 230-232 (in Russian).
- Neimark, L.A., Rytsk, E., Levchenko, O., and others, 1990, On the Early Proterozoic-Upper Riphean age of rocks of the Olokit complex (northern Pribaikalia) from data of zircon geochronology, *in* Geology and Geochronology of Precambrian of the Siberian Platform and Framework: Nauka, Leinigrad, p. 206-222 (in Russian).
- Neimark, L.A., Rytsk, E.Yu., and Rizvanova, N.G., 1993, Hercynian age and Precambrian crustal protolith of Barguzin granitoids of the Angara-Vitim batholith: U-Pb and Sm-Nd isotope evidence: Russian Academy of Sciences Transactions, v. 331, no. 6, p. 726-729 (in Russian).
- Neimark, L.A., Sokolov, Yu.M., Drubetskaya, E.R., Yakovleva, S.Z., and others, 1990, The age of regional metamorphism and muscovite pegmatite formation in the Mama-Bodaibo trough, *in* Isotope Dating of Endogenous Ore Deposits, Abstracts: U.S.S.R. Academy of Sciences, Kiev, p. 130-132 (in Russian)
- Nekhoroshev, V.P., 1958, Geology of Altai, Nedra, Moscow, 262 p. (in Russian).

- Nekrasov B.P., and Berendeev N.S., 1991, Geodynamic setting of the formation of the Upper Proterozoic volcanics in the Igarka region: Paleovolcanism of the Altay-Sayan folded area and Siberian platform: Nauka, Novosibirsk, p. 62-66 (in Russian).
- Nekrasov, B.P., and Berendeev, N.S., 1991, Geodynamic setting of the formation of the Upper Proterozoic volcanics in the Igarka region, *in* Paleovolcanism of the Altay-Sayan Folded Area and Siberian Platform: Nauka, Novosibirsk, p.62-66 (in Russian).
- Nenashev, N.I., and Zaitsev, I.I., 1980, Geochronology and problem of genesis of granitoids of East Yakutia: Nauka, Novosibirsk, 238 p. (in Russian).
- Neustroev, A., Parfenov, L.M., and Rodionov, V.P., 1993, Paleomagnetic data and the nature of the Tas-Khayakhtakh terrane in the Verkhoyansk-Kolyma region: Geology and Geophysics, v. 8, p. 25-37 (in Russian).
- Nevolina, S.I., and Sokarev, A.N., 1986, Paleomagnetic directions and pole positions: Data for the U.S.S.R., Issue 6, as quoted in Lock, J., and McElhinny, M.W., 1991, The global paleomagnetic data base: Kluwer Academic Publishers, Dordrecht, Germany, 491 p.
- Niida, K., and Kito, N., 1986, Cretaceous arc-trench systems in Hokkaido: Geology and Tectonics of Hokkaido, Monograph of the Association for the Geological Collaboration in Japan, No. 31: Association for the Geological Collaboration in Japan, Tokyo, p. 379-402.
- Nikul'chenko, V.G., Pan, F.Ya., and Chernyshov, N.M., 1962, The main tectonic features of the western part of East Sayan, *in* Materials on Geology and Mineral Deposits of the Krasnoyarsk Region, v. 3: U.S.S.R. Academy of Sciences, Krasnoyarsk, p. 141-146 (in Russian).
- Nishimura, Y., 1990, Sangun metamorphic rocks: Terrane problem, *in* Ichikawa, K., and others, eds., Pre-Cretaceous Terranes of Japan: Osaka City University, Osaka, Japan, p. 63-79.
- Nokleberg, W.J.,Parfenov, L.M., and Monger, J.W.H., and Baranov, B.V.,Byalobzhesky, S.G.,Bundtzen,T.K.,Feeney, T.D.,Fujita, Kazuya, Gordey, S.P.,Grantz,Arthur, Khanchuk, A.I., Natalin, B.A.,Natapov, L.M.,Norton,I.O.,Patton, W.W.,Jr.,Plafker, George, Scholl, D.W.,Sokolov,S.D.,Sosunov, G.M.,Stone, D.B.,Tabor, R.W.,Tsukanov, N.V.,Vallier, T.L.and Wakita, Koji, 1994, Circum-North Pacific tectonostratigraphic terrane map: U.S.Geological Survey Open-File Report 94-714, scale 1:10,000,000.
- Nozhkin, A.D., 1997, Petrogeochemical typification of the Precambrian complexes in southern Siberia: Doctoral dissertation, Russian Academy of Sciences, Novosibirsk, 98 p. 9in Russian).
- Nozhkin, A.D., 1999, Early Proterozoic margin-continental complexes of the Angara fold belt and their metallogeny: Geology and Geophysics, v. 40, no. 11, p.1524-1544.
- Nozhkin, A.D., Bibikova, E,V., Turkina, O.M., and Ponomarchuk, V.A., 2003, U-Pb, Ar-Ar, and Sm-Nd isotope-geohronological study of porphyritic subalkalic granites of the Taraka pluton (Yenisey Range): Geology and Geophysics, v. 44, p. 879-889 (in Russian).
- Nozhkin, A.D., Malyshev, V.I., Sumin, L.V., Ostapenko, E.I., and Gerya, T.V., 1989, Geochronological investigation of metamorphic complexes of the southwestern Siberian Platform: Soviet Geology and Geophysics, v.30, no. 1, p. 23-29.
- Nozhkin, A.D, Turkina, O.M., Bibikova, E.V., Terleev, A.A., Khomentovsky, V.V., 1999, Riphean granite-gneiss domes of the Yenisey Ridge: Geological structure and U-Pb isotopic Age: Geology and Geophysics, v. 40, no. 9, p.1305-1313.
- Nozhkin, A.D., Turkina, O.M., and Bobrov, V.A., 1991, The geochemical types and genesis of Proterozoic granitoids according to data on fractionation of lanthanides, uranium, and thorium, *in* Geochemical Associations of Trace and Radioactive Elements in Ore and Igneous Complexes: Nauka, Novosibirsk, p. 3-21 (in Russian).
- Nozhkin, A.D., Turkina, O.M., Bobrov, V.A., and Kireev, A.D., 1996, Amphibolite-gneissic complexes of greenstone belts of the Kan block: Geochemistry, reconstruction of protoliths, and formation conditions (East Sayan): Geology and Geophysics, v.37, no. 12, p. 24-35.
- Nutman, A.P., Chernyshev, I.V., Baadsgaard, H., and Smelov, A.P., 1992, The Aldan Shield of Siberia U.S.S.R.: Age of Archean components and evidence for widespread reworking in the middle Proterozoic: Precambrian Research, v. 54, no. 4, p.195-209.
- Obolenskiy, A.A., Berzin, N.A., Distanov, E.G., and Sotnikov, V.I., 1999, Metallogeny of the Central-Asian orogenic belt: Geology and Geophysics, v.40, no. 11, p. 1588-1604.
- O'Brien, J.A., 1987. Jurassic biostratigraphy and evolution of the Methow Trough, southwestern British Columbia: unpublished M.Sc thesis, University of Arizona, Tucson, 150 p.

- O'Brien, J.A., Gehrels, G.E., and Monger, J.W.H., 1992, U-Pb geochronology of plutonic clasts from conglomerates in the Ladner and Jackass Mountain groups and the Peninsula formation, southwestern British Columbia, *in* Current Research, Part A: Geological Survey of Canada, Paper 91-1A, p. 209-214.
- Ogawa, Y. and Taniguchi, H., 1988, Geology and Tectonics of the Miura-Boso Peniinsulas and adjacent area: Modern Geology, v. 12, 147-168.
- Oil and Gas Content of the Far Southeast and the Adjacent Territories (comparative analysis), 1998: Institute of Complex Analysis of Regional Problems, Far East Branch, Russian Academy of Sciences, Far East Institute of Raw Mineral Materials of the Far Eastern Committee for Geology and Mineral Resources, and Ministry of Natural Resources of Russian Federation, Khabarovsk, 282 p. (in Russian).
- Okamura, Y., 2000, Inversion tectonics along the eastern margin of the Japan Sea: Journal of the Japanese Association for Petroleum Technology, v. 65, p. 40-47 (in Japanese with English abstract).
- Okuneva, T.M., 1973, Stratigraphy of Jurassic marine sediments of East Transbaikal and its paleontological explanations, *in* Stratigraphy and Fauna of the Mesozoic of the Eastern U.S.S.R.: All-Soviet Union Geological Research Institute, Proceedings, v. 219, p. 3-118 (in Russian).
- Okuneva, T.M., and Konditerov, V.N., 1964, Stratigraphy of marine Upper Triassic sediments of East Transbaikal: All-Soviet Union Geological Research Institute Proceedings, v. 107, p. 62-74 (in Russian)
- Oleinik, Yu.N., 1983, Tectonic zonation of the Primorski Territory: Pacific Ocean Geology, no. 1, p. 11-19 (in Russian).
- Oleinikov, B.V., 1979, Geochemistry and ore genesis of platformal basites: Nauka, Novosibirsk, 263 p. (in Russian).
- Oleinikov, B.V., 1984, Geochemical typification of platformal basite, *in* Geochemistry and Mineralogy of Basites and Ultrabasites of the Siberian Platform: Yakutian Scientific Center, U.S.S.R. Academy of Sciences, Yakutsk, p. 4-21 (in Russian).
- Oleinikov, B.V., and Savvinov, V.T., 1980, Petrology and geochemistry of Phanerozoic basites of the Olenek and Bilir-Udzha uplifts, *in* Kimberlite and Basic Magmatism in the Olenek Uplift Area: Yakutian Scientific Center, U.S.S.R. Academy of Sciences, Yakutsk, p. 120-144 (in Russian).
- Oleinikov, B.V., and Tomshin, M.D., 1976, Deep differentiation of magma of platformal basites: U.S.S.R. Academy of Sciences Transactions, v. 231, no. 1, p. 177-180 (in Russian).
- Oleinikov, B.V., and Tomshin, M.D., 1991, Compositional evolution of basite magmatism of the Siberian platform through time, *in* Traps of Siberia and Decean Similarites and Differences: Nauka, Novosibirsk, p. 39-63 (in Russian).
- Orolmaa, D., 1986, Late Paleozoic volcanism in eastern part Orhon-Selenge basin: PhD thesis, Moscow University, 198 p (in Russian).
- Orolmaa, D., and Badarch, G., 1995, Devonian basalt volcanism of Eastern Junggar foldbelt: Problems of Geology and Paleontology of Mongolia, Transactions, v. 12, p. 50-53.
- Osokin, P.V., and others, 1989, Geology and Geophysics, no. 5, p. 50-59 (in Russian)
- Owen, L.A, Windley, B.F, Cunningham, W.D, Badamgarav, J. and Dorjnamjaa, D., 1997, Quaternary alluvial fans in the Gobi of southern Mongolia: evidence for neotectonics and climate change: Journal of Quaternary Science, p. 293-309.
- Oxman, V.S., 1989, Zones of diaphthoresis in the Anabar massif: Geology and Geophysics, no. 4, p. 21-29 (in Russian).
- Oxman, V.S., Parfenov, L.M., Prokopiev, A.V., Timofeev, V.F., Tretyakov, F.F., Nedosekin, Y.D., Layer, P.W., Fujita, K., 1995, The Chersky Range ophiolite belt, northeast Russia: Journal of Geology, v. 103., p. 539-557.
- Paech, H.J., Prokopiev, A.V., Gosen, W.V., Grinenko, O.V., Smetannikova, L.I., and Belolyubskiy, I.N., 1998, New results on the Moma rift and related structures in Yakutia, Russian Federation, *in* International Conference on Arctic Margins, ICAM III, Hannover, Germany, p. 138-139.
- Palei, I.P., and Juravleva, Z.A., 1978, New data on structure of the Kherlen suture zone (Mongolian People's Republic): Bulletin of Moscow Society of Nature Researchers, Geologic Division, no. 3, p. 38-41 (in Russian).
- Parfenov, L.M., 1967. The main features of Precambrian structure of East Sayan: Nauka, Moscow, 144 p. (in Russian).
- Parfenov, L.M., 1984, Continental margins and island arcs of Mesozoides of northeastern Asia: Nauka, Novosibirsk, 192 p. (in Russian).
- Parfenov, L.M., 1985, The segmentation and fold dislocations of the Verkhoyansk foldbelt: Geology and Geophysic, no. 7, p. 12-24 (in Russian).

- Parfenov, L.M. 1987, Thrusts and related melanges in the Kharaulakh Mountains: U.S.S.R. Academy of Sciences Transactions, v. 296, no. 3, p. 685-689 (in Russian).
- Parfenov, L.M., 1991, Tectonics of the Verkhoynsk-Kolyma Mesozoides in the context of plate-tectonics. Tectonophysics, v. 139, p. 319-342.
- Parfenov, L.M., 1994, Accretionary history of northeast Asia: 1992 Proceedings International Conference on Arctic Margins. Anchorage, Alaska, p. 183-188.
- Parfenov, L.M., Bulgatov, A.N., and Gordienko, I.V, 1995, Terranes and accretionary history of the Transbaikal orogenic belts: International Geology Review, v. 37, p. 736-751.
- Parfenov, L.M., Bulgatov, A.N., and Gordienko, I.V., 1996, Terranes and formation of orogenic belts of Transbaikal. Pacific Geology, v. 15, no. 4, p. 3-15 (in Russian)
- Parfenov, L.M., Nokleberg, W.J., Monger, J.W.H., Norton, I.O., Stone, D.B., Fujita, K., Khanchuk, A.I., and Scholl, D.W., 1999, Northern Pacific orogens: A collage of terranes and history of its formation: Geology and Geophysics v. 40, no. 11, p. 1563-1574 (in Russian).
- Parfenov, L.M., Oxman, V.S., Prokopiev, A.V., Rozhin, S.S., Timofeev, V.F., and Tret'yakov, F.F., 1989, Detailed structural studies in the Verkhoyansk region, their significance for large-scale geological mapping, in Tectonic Investigations in Connection with Medium and Large-Scale Geological Mapping: Nauka, Moscow, p. 109-127 (in Russian).
- Parfenov, L.M, Popeko, L.I., and Tomurtogoo, O., 1999, The problems of tectonics of the Mongol-Okhotsk orogenic belt: Pacific Ocean Geology, v. 18, no. 5, p. 24-43.
- Parfenov, L.M., and Prokopiev, A.V., 1993, Frontal thrust structures of the Verkhoyansk foldbelt: Geology and Geophysic, v. 34, no. 7, p. 23-34 (in Russian).
- Parfenov, L.M., Rozhin, S.S., and Tret'yakov, F.F., 1988, On the nature of the Adycha-Taryn fault zone (East Verkhoyanye): Geotectonics, no. 4, p. 90-102 (in Russian).
- Parfenov, L.M., and Trushchelev, A.M., 1983, Late Triassic folding and olistostromes in the south-western limb of the In'yali-Debin synclinorium: Tectonic setting and nature (Verkhoyano-Chukotka region): Geology and Geophysics, no. 3, p. 7-20 (in Russian).
- Parkinson, D., 1991, Age and isotopic character of Early Proterozoic basement gneisses in the southern Monashee Complex, southeastern British Columbia: Canadian Journal of Earth Sciences, v. 28, p. 1159-1168.
- Pavlenko, A.S., Filippov L.V., and Orlova, L.P, 1974, Granitiod formation of Central Asia fold belts and their petrology, geochemistry and metallogeny: Nauka, Moscow, p. 221 (in Russian).
- Pavlov, V.E., 1993, Paleomagnetic directions and paleomagnetic pole positions: Data for the Former U.S.S.R., Issue 8, Russian Geophysical Committee: World Data Center-B (Moscow) Catalog, as quoted in Lock, J., and McElhinny, M.W., 1991, The global paleomagnetic data base: Kluwer Academic Publishers, Dordrecht, Germany, 491 p.
- Pavlov, Yu.A. and Parfenov, L.M., 1973, Deep structure of the East Sayan and South Aldan margins of the Siberian platform: Nauka, Novosibirsk, 111 p. (in Russian).
- Pavlova, E.E, Manankov, I.N, Morozova, I.P, Solovjeva, M.N, Suetenko, O.D, and Bogoslaovskaya, 1991, Permian invertebrates of southern Mongolia: Nauka, Moscow, v. 40, 173 p. (in Russian).
- Pavlovskiy, E.V., Eskin, A.S., 1964, The features of composition and structures of the Archean of Pribaikalia: Nauka, Moscow, 128 p. (in Russian).
- Pease, V., Gee, D.G., Vernikovsky, V., Vernikovskaya, A., Kireev, S., 2001, The Mamont-Shrenk terrane: A Mesoproterozoic complex in the Neoproterozoic accretionary belt of central Taimyr, Northern Siberia: Terra Nova, v. 13, no. 4, p. 270-280.
- Pechersky, D.M., 1970, Paleomagnetic studies of Mesozoic deposits of the northeast of the U.S.S.R.: Izvestia, Earth Physics, no. 6, p. 69-83 (in Russian).
- Perchuk, L.L., and Ryabchikov, I.D., 1976, Phase relations in mineral systems: Nedra, Moscow, 288 p. (in Russian).
- Perfiliev, A.S, and Kheraskov, N.N, 1980, Diabase complexes and the origin of layering of earth's crust: Tectonic layering of the lithosphere: Nauka, Moscow, p. 64-104 (in Russian).
- Petrov, A.F., 1976, Precambrian orogenic complexes of the western Aldan shield: Nauka, Novosibirsk, 119 p. (in Russian).
- Petrov, A.F.,1990, On the stratigraphy of the Lower Precambrian rocks of the Olekma and Batomga blocks in the Aldan shield, *in* Stratigraphy of the Lower Precambrian in the Far East: U.S.S.R. Academy of Sciences, Vladivostok, p. 65-69 (in Russian).
- Petrova, Z.I., and Levitsky, V.I., 1984, Petrology and geochemistry of granulite complexes of Pribaikal'e: Nauka, Novosibirsk, 201 p. (in Russian).

- Petrova, Z.I., and Smirnova, E.V., 1982, REE in processes of ultrametamorphism and phlogopite-formation (in the light of the Aldan phlogopite-bearing province), *in* Geochemistry of REE in Endogenic Processes: Nauka, Novosibirsk, p. 1-128 (in Russian).
- Petrova, Z.I., Pozharitskaya, L.K., Roizenman, V.M., and others, 1975, Metamorphic complex of the Aldan phlogopite deposits: Nauka, Novosibirsk, 150 p. (in Russian).
- Pinus, G.V., Firsov, L.V., Lesnov, F.P., and Agafonov, L.V., 1982, New absolute age data on ophiolite association of Mongolia *in* Mineralogy and Petrochemistry of Siberian Intrusive Complexes: Nauka, Novosibirsk. p. 16-22 (in Russian).
- Pinus, G.V., Agafonov, L.V., and Kuznetsov, P.P., 1981, Petrology of ultrabasite in the Bayanlig belt: Problems of genetic petrology: Nauka, Novosibirsk, p. 180-195 (in Russian).
- Pinus, G.V., Agafonov, L.V., Kuznetsov, P.P., and Leonov, F.P., 1981, Bayanlig ultrabasite belt, southern Mongolia: Problems of genetic petrology: Nauka, Novosibirsk, p. 81-95 (in Russian).
- Plotnikov, A.V., 1998, Metamorphic complexes of the Tomsk horst (Gornaya Shoriya) and their geodynamic interpretation: Summary of Ph.D. thesis: Institute of Geology, Siberian Branch, Russian Academy of Sciences, Novosibirsk, 22 p. (in Russian).
- Pokrovsky, B.G., and Zhidkov, A.Ya., 1993, The sources of substance of ultraptassic alkaline rocks of the Synnyrsky and South-Sakunsky massif of Transbaikal from isotope data: Journal of Petrology, v.1, no. 2, p. 195-204 (in Russian).
- Polkanov, A.A., and Obruchev, S.V., eds., 1964, Precambrian of East Sayan: Nauka, Moscow-Leningrad, 328 p. (in Russian).
- Popeko, L.I., 1996, Biogeostratigraphy of the Lower Permian moss in the southern Russian Far East: Pacific Geology, v. 15, no. 4, p. 16-29 (in Russian).
- Popeko, L.I., Natal'in, B.A., Belyaeva, G.V., Kotlyar, G.V., and Shishkina, G.R., 1993, Paleobiogeographic zones of Paleozoic and geodynamics of the Russian southeast: Pacific Ocean Geology, no. 5, p. 19-30 (in Russian).
- Popeko, V.A., Voinova, I.P., Semenov, D.F., Neverov, Yu.L., Sukhov, V.I., Zuenko, V.V., 1980, Magmatic formations of active continental margins: Nauka, Moscow, 188 p. (in Russian).
- Popov, L.N., and Kuznetsov, Yu.V., 1987, Age of magmatic compolexes of the Sarychev Range: Soviet Geology, no.2, p. 91-96 (in Russian).
- Popov, N.V., Smelov, A.B., Dobretsov, N.N., and others, 1990, The Olondo greenstone belt, Yakutian Scientific Center, Siberian Branch, U.S.S.R. Academy of Sciences, Yakutsk, 172 p. (in Russian).
- Popov, P.K. 1986, Petrology of Paleogene-Neogene complexes of the East Sikhote-Alin: U.S.S.R. Academy of Sciences, Vladivostokk, 153 p. (in Russian).
- Popov, V.K., and Grebennikov, A.V., 2001, New data on the age of offusives of the Bogopol'skaya Suite, Primorve: Geology of the Pacific Ocean, no. 2, 186 p.
- Postel'nikov, E.S., 1980, Geosyncline development of the Yenisey Ridge in the Late Precambrian: U.S.S.R. Academy of Sciences, Moscow, 70 p. (in Russian).
- Postel'nikov, E.S., 1989, Orogenic sedimentary basins of the Baikalian Yenisey Zone: Geology and Exploration Transactions, Special Educational Institute, no. 6, p. 20-34 (in Russian).
- Pouclet, A., Lee, J.S., Vidal, P., Cousens, B., and Bellon, H., 1995, Cretaceous to Cenozoic volcanism in South Korea and in the Sea of Japan: Magmatic constraints on the opening of the back-arc basin, *in* Smellie, J.L., ed., Volcanism Associated with Extension at Consuming Plate Margins: Geological Society of America Special Paper, v. 81, p. 169-191.
- Pozharitskaya, L.K., Petrova, Z.I., Volkova, N.V., and Brandt, S.B., 1973, Age relations between the rocks of the Fedorov group of phlogopite deposits (Aldan shield), *in* Geological-Radiological Interpretation of Divergent Ages: Nauka, Moscow, p. 186-192 (in Russian).
- Precambrian complexes of the southwestern framing of the Siberian Platform, 1980, *in* Geochronology of the Eastern Siberia and Far East: Nauka, Moscow, p. 14-31 (in Russian).
- Precambrian crystalline complexes of the Yenisey Ridge, 1986: Nauka, Novosibirsk, 120 p. (in Russian).
- Precambrian of East Sayan, 1964: Nauka, Moscow-Leningrad, 328 p. (in Russian).
- Predtechenskiy, A.A., 1967, The main stages of geological evolution of the western part of East Sayan in the Precambrian and Cambrian: Nauka, Novosibirsk, 154 p. (in Russian).
- Predtechensky, N.N., Naumark, L.A., Larin A., and others, 1990, Polychronous rare-metal mineralization of the Davan-Abchad shear zone (northern Pribaikalia), in Isotope Dating of Endogenous Ore Formations, Abstracts: U.S.S.R. Academy of Sciences, Kiev, p. 135-137 (in Russian)

- Prokopiev, A.V., 1989, Kinematics of Mesozoic folding in the western part of the south Verkhoyan'ye: Yakutsk Science Center, U.S.S.R. Academy of Sciences, 128 p. (in Russian).
- Prokopiev, A.V., 1998, The Verkhoyansk-Chersky orogen: Pacific Ocean Geology, v. 17, no. 5, p. 3-10 (in Russian).
- Proskurnin V.F., 1991, Magmatic formations of Taimyr-North Land folded system, ore content and geodynamic features, *in* Ore Content of Magmatic Formations of Siberia: Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy Publishing Company, Novosibirsk, p. 33-39 (in Russian).
- Proskurnin V.F., 1995, New volcano-plutonic assemblage of North Land and features of its metal contents: Taimyr bowels, v.1, Norilsk: All-Russia Geological Research Institute, Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy Publishing Company, St. Petersburg, p. 93-100 (in Russian).
- Putintsev, V.K., ed., 1992, Geological map of the U.S.S.R. Far East with explanations: All-Russia Geological Research Institute, St. Petersburg, scale 1:1,500,000, 100 p. (in Russian).
- Qiu, Zhongjian, and Gong, Zaisheng, eds., 1999, Petroleum exploration in China, v. 4: Petroleum Industry Press and Geological Publishing House, Beijing, p. 911-963 (in Chinese).
- Rare-metal granitoids of Mongolia, 1971: Nauka, Moscow, p. 221 (in Russian).
- Rasskazov, S.V., 1993, Magmatism of the Baikal rift system: Nauka, Novosibirsk, 285 p. (in Russian).
- Ravich M.G., and Chaika, L.A., 1959, Small intrusion of Byrranga Range (Taimyr Peninsula): Scientific Research Institute of Arctic Geology Transactions, Leningad, 148 p. (in Russian).
- Ravich, M.G., and Chaika, L.A., 1962, Metamorphic and magmatic formations of the Taimyr Precambrian: Petrography of Eastern Siberia, v.1: U.S.S.R. Academy of Sciences, Moscow, p. 590-719 (in Russian).
- Ravich, M.G., 1954, The Precambrian Taimyr: Scientific Research Institute of Arctic Geology Transactions, Leningrad, 76, 312 p. (in Russian).
- Ray, G.E. 1986, The Hozameen fault system and related Coquihalla serpentinite belt of southwestern British Columbia: Canadian Journal of Earth Sciences, v. 23, p. 1022-1041.
- Raznitsin Yu.N., 1982, Ophiolite allochthons and adjacent deep-water basins in the Western Pacific: Nauka, Moscow, 108 p. (in Russian).
- Regional correlation schemes of the magmatic and metamorphic complexes of Altai-Sayan folded area, 1999: Institute of Geology, Geophysics, and Mineralogy, Siberian Academy of Sciences, Russian Academy of Sciences, Novosibirsk, 261 p. (in Russian).
- Remane, Jurgen, 1998, Explanatory note to global stratigraphic chart, *in* Circular of International Subcommission on Stratigraphic Classification (ISSC) of IUGS Commission on Stratigraphy, Appendix B: International Union of Geological Sciences (IUGS) Commission on Stratigraphy, v. 93, 11 p.
- Ren Jishun, 1990, Evoluiton of the continental lithospheric texture and mineralization in the east of China and adjacent areas: Scientific Publishing House, Beijing, 170 p (in Chinese).
- Ren, Jishun, Chen, Tingyu, and Liu, Zhigang, 1984, Several questions on the classifications of the tectonic units in the eastern China: Geological Review, v. 30, no. 4, p. 382-384 (in Chinese).
- Renne P.R., and Basu, A.R., 1991, Rapid eruption of the Siberian traps flood basalts at the Permo-Triassic boundary: Science, v. 253, p. 176-179.
- Repina, L.N., and Romanenko, E.V., 1978, The Lower Cambrian trilobites and stratigraphy of Altai: Nauka, Moscow, 304 p. (in Russian).
- Repina, L.N., and Suvorova, N.P., eds., 1983, Biostratigraphy and fauna of the Lower and Middle Cambrian boundary deposits of Siberia: Nauka, Novosibirsk, 132 p. (in Russian).
- Repina, L.N., Khomentovskiy, V.V., Zhuravleva, I.T., and Rozanov, A.Yu., 1964, Lower Cambrian biostratigraphy of Sayan-Altai folded area: Nauka, Moscow, 364 p. (in Russian).
- Resolutions of the All-Union stratigraphic workshop on the Precambrian, Paleozoic, and Quaternary systems in Central Siberia, Part 1, Upper Proterozoic and Lower Paleozoic, 1979: U.S.S.R. Academy of Sciences, Novosibirsk, 103 p. (in Russian).
- Rik, L.P., 1961, The Ognit intrusive complex, *in* Materials on Geology and Mineral Deposits of the Irkutsk region, v. 1: U.S.S.R. Academy of Sciences, Irkutsk, p. 82-91 (in Russian).
- Rikhter, A.V., 1986, The structure and tectonic evolution of Sakhalin Island in Mesozoic time: Nauka, Moscow, 90 p. (in Russian).
- Rogozov Yu.G., 1982, The main features of tectonic structure of the Bolshevik Island (North Land Archipelago): Geology of North Land Archipelago, Scientific Research Institute of Arctic Geology Transactions, Leningrad, p. 140-149 (in Russian).

- Romashkin, A.I., 1975, Magmatism and granitization processes in metamorphic rocks of the Amur suite (Bureya pluton), *in* Magmatism and Tectonics of the Far East: U.S.S.R. Academy of Sciences, Vladivostok, p.198-204 (in Russian).
- Roschektaev, P.A., Belichenko, V.G., Vorontsova, T.A., and Boos, R.G., 1984, New data on the age of the Sagansairsky suite (East. Sayan): Geology and Geophysics, no. 1, 134 p. (in Russian).
- Roschektaev, P.A., Kattjukha, Yu.P., and Rogachev, A.M., 1983, Basic features of stratigraphy of the southeastern part of East Sayan, in Stratigraphy of Late Precambrian and Early Paleozoic of Middle Siberia: United Institute of Geology, Geophysics, and Mineralogy, Siberian Branch Russian Academy of Sciences, Novosibirsk, p. 19-43 (in Russian).
- Rosen, O.M., Condie, K.C., Natapov, L.M., and Nozhkin, A.D., 1994, Archean and Early Proterozoic evolution of the Siberian Craton: A preliminary assessment, *in* Condie, K.C., ed., Archean Crustal Evolution: Elsevier, Amsterdam, p. 411-459.
- Rosen, O.M., Zhuravlev, D.Z., Sukhanov, M.K., Bibikova, E.V., and Zlobin, V.L., 1999, Terranes and collisional zones of the northeastern Siberian Craton: A regional example of accretion of the Paleoproterozoic supercontinent, *in* Geology and Tectonics of Platforms and Orogenic Regions in Northeast Asia: Yakutian Scientific Research Center Publishing Company, Siberian Branch, Russian Academy of Sciences, Yakutsk, p. 199-202 (in Russian).
- Ross, G.M., 1991, Precambrian basement in the Canadian Cordillera: An introduction: Canadian Journal of Earth Sciences, v. 28, p. 1133-1139.
- Rotarash, I.A., Samygin, S.G., Gredyushko, E.A., Keilman, G.A., Mileev, V.S., and Perfilyev, A.S., 1982, Devonian active continental margin in southeastern Altai: Geotectonics, no. 1, p. 44-59 (in Russian).
- Rozhdestvensky V.S., 1983, Lithostratigraphy of Mesozoic and Paleozoic deposits of the East Sakhalin Mountains: Pacific Ocean Geology, no. 5, p. 48-57 (in Russian).
- Rozman, Kh. S, 1986, Main zoogeographical characteristics of the Ordovician and the Silurian of Mongolia according to brachiopods, *in* Problems of Paleobiogeography of Asia, v. 29: Nauka, Moscow, p.55-69 (in Russian).
- Rub, M.G., and Rub, A.K., 1994, Petrology of rare metal granitoids of the Voznesenka ore district, Primorye: Petrology, v. 2, no. 1, p. 43-67 (in Russian).
- Rub, M.G., Pavlov, V.A., Gladkov, N.G., and Yashukhin, O.I., 1982, Tin- and tungsten-bearing granitoids of some U.S.S.R. regions: Nauka, Moscow, 259 p. (in Russian).
- Rublev, A.G., Chukhonin, A.D., Neimark, A.A., and Zaitsev, V.S., 1981, The age of the Kodar massif, *in* Geology and Mineralogy of the Precambrian in the Zone of the Baikal-Amur Railway: All-Soviet Union Geological Research Institute Transactions, v. 278, p. 54-60 (in Russian).
- Rudenko, V.S., and Panasenko, E.S. 1990, New findings of Late Permian radiolaria in Primorye, *in* Zakharov, Y.D., Belyaeva, G.V., and Nikitina, A.P., eds., New Data on Paleozoic and Mesozoic Biostratigraphy of the South Far East: Far Eastern Branch, U.S.S.R. Academy of Sciences, Vladivostok: p. 117-124 (in Russian).
- Rudenko, V.S., and Panasenko, E.S., 1990, Permian radiolaria of the Pantovy Creek member of the Primorye region, *in* Zakharov, Y.D., Belyaeva, G.V., and Nikitina, A.P., eds., New Data on the Paleozoic and Mesozoic Biostratigraphy of the Southern Russian Far East: U.S.S.R. Academy of Sciences, Vladivostok, p. 181-193 (in Russian).
- Rudenko, V.S., Prokopiev, A.V., Oxman, V.S., Kemkin, I.V., and Bragin, N.Yu., 1998, The first finding of Late Paleozoic radiolarians in the Eastern Yakutia: Stratigraphy and Geological Correlation, v. 6, no. 1, p. 88-95.
- Rudich, K.N., 1959, Magmatism of the Sarychev Range: State Technical Publishing Company, Moscow, 184 p. (in Russian).
- Rudnik, V.A., ed., 1989, Ancient rocks of the Aldan-Stanovoy shield, *in* International Geologic Expedition, International Geological Correlation Project, Guidebook no. 280, Ancient rocks of the Earth: U.S.S.R. Academy of Sciences, Leningrad, 260 p. (in Russian).
- Rumyantsev, M.Yu., Turkina, O.M., and Nozhkin, A.D., 1998, Geochemistry of the Shumikha gneiss-amphibolite complex of the Kan block (northwestern East Sayan): Geology and Geophysics, v.39, no. 8, p. 1105-1117.
- Rutshtein, I.G., 1973, Deformation and metamorphism of the Upper Triassic of the Ingoda-Shilka trough (eastern Transbaikal), *in* Metamorphic Assemblages of the Eastern U.S.S.R.: Far East Geological Institute, U.S.S.R. Academy of Sciences, Vladivostok, p. 122-135 (in Russian).
- Rutshtein, I.G., 1997, Aginsko-Borschovochny diaptorite-schistose belt, eastern Transbaikal: Russian Academy of Sciences Transactions, v. 353, p. 87-89 (in Russian).

- Rutshtein, I.G., and Chaban, N.N., eds., 1997, Geological structure of Chita Region, *in* Explanatory Notes for Geological Map, scale 1:500,000: Committee on Geology and Mineral Wealth Exploration of Chita Region (Chitageolcom), Chita, 239 p. (in Russian).
- Ruzhentsev, S.V., 1985, Geology of Gobi Tienshan and aspects of the south Mongolian ocean: Transactions, Special Educational Institute, Geology and Exploration, no. 6, p. 12-19 (in Russian).
- Ryazentsev, S.V., 1994, Ophiolites of the Bayankhongor zone in the structure of Paleozoids of Mongolia: Russian Academy of Sciences Transactions, v. 336, 5, p. 651-654 (in Russian).
- Ruzhentsev, S.V, and Badarch, G, 1988, The Elgen Ula antiform, southern Gobi, Mongolia: U.S.S.R. Academy of Sciences, Transactions v. 302, no. 4, p. 929-933 (in Russian).
- Ruzhentsev, S.V., Badarch, G., and Voznesenskaya, T.A, 1985, Tectonics of Trans-Altai Zone of Mongolia: Geotectonics, v. 19, no. 4, p. 276-284 (in Russian).
- Ruzhentsev, S.V, Badarch, G, Voznesenskaya, T.A, and Sharkova, T.T, 1987. Formation and structures of Variscides in southern Mongolia: Early geosynclinal formations and structure: Nauka, Moscow, v. 417, p. 101-137 (in Russian).
- Ruzhentsev, S.V., and Burashnikov, V.V, 1995, Tectonics of Salairides in the Western Mongolia: Geotectonics, no. 5, p. 25-40.
- Ruzhentsev, S.V., and Mossakovskiy, A.A., 1996, Geodynamics and tectonic evolution of the Central Asian Paleozoic structures as the result of the interaction between the Pacific and Indo-Atlantic segments of the earth: Geotectonics, v. 29, no. 4, p. 211-311.
- Ruzhentsev, S.V., Pospelov, I.I., and Badarch, G., 1989, Tectonics of the Mongolian Indosinides: Geotectonics, v. 23, pp, 476-487 (in Russian).
- Ruzhentsev, S.V., Pospelov, I.I., and Badarch, G., 1992, Ophiolite sutures of the Inner Mongolia: Russian Academy of Sciences Transactions, v. 302, no. 5, p. 953-95 (in Russian).
- Ruzhentsev, S.V., Pospeleov, I.I and Badarch, G., 1992, Tectonics of the Baruunkhurai basin, Mongolia: Geotectonics, no. 1, p. 94-110.
- Ruzhentsev, S.V, Rozman, Kh.S, and Minjin, Ch, 1991, When did the South Mongolian Paleo-ocean develop?: U.S.S.R. Academy of Sciences Transactions, v. 319, no. 2, p. 451-455 (in Russian).
- Ryazansteva, M.D., Gerasimiv, N.S., and Govorov, I.N., 1994, Rb-Sr isochrons and petrogenesis of magmatic rocks of the Voznesenka ore district: Geology of the Pacific Ocean, v. 4, p.60-73 (in Russian).
- Rytsk, E.Yu., Amelin, Yu.V., Krymsky, R.Yu., and others, 1999, The Baikal-Muya belt: Age, stages of formation, and evolution of crustal formation (U-Pb, Sm-Nd isotope evidence), *in* Tectonics, Geodynamics and Magmatic Processes: Geos, Moscow, v. II, p. 93-95 (in Russian).
- Rytsk, E.Yu., Neimark, L.A., Amelin, Yu.V., 1998, Age and geodynamic settings of formation of Paleozoic granitoids of the northern Baikal mountainous area: Geotectonics, no. 5, p. 46-60 (in Russian).
- Rytsk, E.Yu., and Shalaev, V.S., 1998, Plateau basalts of the Baikal-Patom foldbelt: geological position and petrochemical features: Russian Academy of Sciences Transactions, v. 359, no. 1, p. 83-89 (in Russian).
- Sal'nikova, E.B., 1993, Tectonomagmatic evolution of the northern side of the joint zone of the Olekma granite-greenstone and Aldan granulite-gneiss regions of the Aldan shield: Summary of Candidate of Science, Institute of Geology and Geophysics, Russian Academy of Sciences, St.-Petersburg, 16 p. (in Russian).
- Sborshchikov, I.M., and Natapov, L.M., 1969, Deformations related to gypsum-anghydrite suite in western Verkhoyan'e: U.S.S.R. Academy of Sciences Transactions, v. 186, no. 5, p. 1150-1153 (in Russian).
- Scammell, R.J., and Brown, R.L., 1990, Cover gneisses of the Monashee Terrane: A record of synsedimentary rifting in the North American Cordillera: Canadian Journal of Earth Sciences, v. 27, p. 712-726.
- Scherba, G.N., Lopatnikov, V.V., Serikov, V.P., Dyachkov, B.A., and Schuk, G.M., 1971, Morphology and structure of the Kalba-Narym pluton: Proceedings of U.S.S.R. Academy of Sciences, Geological Series, no. 3, p. 57-65 (in Russian).
- Sennikov, N.V., Puzyrev, A.A., and Russkikh, V.G., 1979, The Ordovician and Late Silurian of the Ust'-Chagyrki village area (Gorny Altai), *in* Problems of Stratigraphy and Tectonics: Institute of Geochemistry and Geophysics, Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, p. 30-45 (in Russian).
- Sennikov, V.M., 1977, Structural evolution of the southern part of Altai-Sayan folded area in the Ordovician: Transactions of Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy of Raw Materials, U.S.S.R. Academy of Sciences, Novosibirsk, v. 201, 135 p. (in Russian).
- Sez'ko, A.I., 1982, Correlation of metamorphic and tectonic processes in the Precambrian of East Sayan, *in* Correlation of Endogenic Processes of the Siberian Platform and Framework: Nauka, Novosibirsk, p. 60-73 (in Russian).

- Sez'ko A.I., 1988, Main stages of continental crust forming in Prisayan', *in* Evolution of the Earth's Crust in Precambrian and Paleozoic: Nauka, Novosibirsk, p. 7-41 (in Russian).
- Shafeev, A.A., 1970, Precambrian of the South-Western Pribaikalia and Khamar-Daban: Nauka, Moscow, 177 p. (in Russian).
- Shao, Ji'an, and Tang, Kedong, 1995, Terranes in northeast China and evolution of northeast continental margin: Seismic Publishing House, Beijing, 126 p., (in Chinese).
- Shao, Ji'an, Tang, Kedong, Wang, Chengyuan, Zhang, Qijia, and Zhang, Ruiping, 1991, The tectonic features and evolutions of Nadanhada terrane: China Science, Series B, p. 744-751 (in Chinese).
- Shao, Ji-an, and Tang, Kedong, 1995, Terranes in northeast China and evolution of northeast continental margin: Seismic Publishing House, Beijing, 126 p. (in Chinese).
- Shao Ji'an, Wang, Chenyuan, and Tang, Kedong, 1992, A new approach to the tectonics in the Ussuri (Wusuli) region: Geological Review, v. 38, no. 1, p. 33-39 (in Chinese).
- Shiki, T., Mizuno, A., and Kobayashi, K., 1985, Data listing of the bottom materials dredged and cored from the Northern Philippine Sea, *in* Shiki, T., ed., Geology of the Northern Philippine Sea: Tokai University Press, Tokyo, p. 23-41.
- Sharov, V.N., Fefelov, N.N., Yablonovsky, B.V., and others, 1992, Dating of the Early Proterozoic stratified formations of the Patom Highland by Pb-Pb method: Russian Academy of Sciences Transactions, v. 324, no. 5, p. 1081-1084 (in Russian).
- Sharov, V.N., Fefelov, N.N., Zarudneva, N.V., and others, 1991, Pb-Pb dating of crystalline schists of the Mama Basin (Baikal-Patom highland): Russian Academy of Sciences Transactions, v. 319, no. 1, p. 209-212 (in Russian).
- Shatsky, V.S., Yagoutsk, Z., Ryboshlykov, Yu.V., and others, 1996, Eclogites of the North-Muya block: Evidence of Vendian collision in the Baikal-Muya ophiolite belt: Russian Academy of Sciences Transactions, v. 350, no. 5, p. 677-680 (in Russian).
- Shcheka, S.A., Oktyabrsky, R.A., Vrzhosek, A.A., and Starkov, G.N., 1973, Basic characteristics of the evolution of basite-hyperbasite magmatism in Primorye, *in* Magmatic Rocks: U.S.S.R. Academy of Sciences, Vladivostok, p. 9-61 (in Russian).
- Shelkovnikov, A.D., 1962, Comagmatic origin of several intrusive and volcanic complexes of the northwestern part of East Sayan, *in* Materials on Geology and Mineral Deposits of the Krasnoyarsk Region, v. 3: U.S.S.R. Academy of Sciences, Krasnoyarsk, p. 65-96 (in Russian).
- Shen, Baofeng, Luo, Hui, Li, Shuangbao, Li, Junjian, Peng, Xiaoliang, Hu, Xiadie, Mao Debao and Liang, Ruoxin, 1994, Geology and metallization of Archean greenstone belts in North China Platform: Geological Publishing House, Beijing, 1-202 (in Chinese).
- Shergina, Yu.P., Murina, G.A., Kozubova, L.A., and others, 1979, The age and some genetic features of the rocks of Kunaley complex in western Transbaikal from Rb-Sr method data: Russian Academy of Sciences Transactions, v. 246, no. 5, p. 1199-1202 (in Russian).
- Shevelev, E.K., 1987. Age of the volcanogenic siliceous and terrigenous deposits of the basement of the Middle Amur basin: Pacific Ocean Geology, no. 3, p. 13-16 (in Russian).
- Shevelev, E.K., and Kuzmin, S.P., 1990, New data on the stratigraphy in the Badzhal zone, *in* New data on Paleozoic and Mesozoic Biostratigraphy of the Southern Far East: U.S.S.R. Academy of Sciences, Vladivostok, p. 72-80 (in Russian).
- Shibata, K., and Nozawa, T., 1986, Late Precambrian ages for granitic rocks intruding the Hida Metamorphic Rocks: Geological Survey of Japan Bulletin, v. 37, p. 43-51.
- Shishkin, B.B., Savitsky, V.E., and Shabanov, Yu.Ya., 1967, On stratigraphy of Precambrian deposits of Igarka region: Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy of Raw Materials Transactions, Novosibirsk, v. 57, p.133-149 (in Russian).
- Shishkin, V.A., 1980, Metamorphosed hyperbasites and gabbro of the Uyandina horst, *in* Magmatism and Metallogenesis of Northeast Asia: Northeast Integrated Scientific Research Institute, U.S.S.R. Academy of Sciences, Far East Branch, Magadan, p. 127-128 (in Russian).
- Shkodzinskiy, V.S., Nedosekin, Y.D., and Surnin, A.A., 1992, Petrology of late Mesozoic magmatic rocks of eastern Yakutia: Nauka, Novosibirsk, 237 p. (in Russian).
- Shneider, E.A., and Zubkus, B.P., 1962, The Lower and Middle Devonian stratigraphy of the north Minusa and Sydin-Erbin depressions, *in* Materials on Geology and Mineral Deposits of the Krasnoyarsk Region, v. 3: U.S.S.R. Academy of Sciences, Krasnoyarsk, p. 41-56 (in Russian).

- Shokalskiy, S.P., Vladimirov, A.G., and Izokh, A.E., 1996. Correlation of Middle Paleozoic magmatic events and geodynamic problems of Gorny Altai: Russian Academy of Sciences Transactions v. 349, no. 6, p. 808-810 (in Russian).
- Shokalskiy, S.P., Zybin, V.A., Sergeev, V.P., Gusev, N.I., Murzin, O.V., Gutak, Ya.M., Babin, G.A., Krivchikov, V.A., and Noscov, Yu.S., 1997, The correlation scheme of magmatic and metamorphic complexes of Altai: Russian Academy of Sciences, Novosibirsk, 40 p. (in Russian).
- Shpount, B.R., Shapovalova, I.G., Shamshina, E.A., Lazebnik, K.A., Savinov, V.T., Permyakov, E.D., Kelle, E.Ya., and Yankovskiy, E.V., 1979, The Proterozoic of the northeastern margin of the Siberian platform: Nauka, Novosibirsk, 215 p. (in Russian).
- Shuldiner, V.I., and Lysak, A.M., 1973, Stratigraphy of metamorphic sequences of the Shilka downstream, *in* Metamorphic Assemblages of the U.S.S.R. Far East: U.S.S.R. Academy of Sciences, Vladivostok, p. 106-118 (in Russian).
- Shuldiner, V.I., Stetsjuk, M.I., and Sinitsa, S.M., 1977. Upper Precambrian and Cambrian of the Borschovochny ridge, *in* Proterzoic Complexs of the Eastern Part of Transbaikal: U.S.S.R. Academy of Sciences, Vladivostok, p. 52-75 (in Russian).
- Simanenko, V.P., 1986, Late Mesozoic volcanic arcs of the East Sikhote Alin and Sakhalin Island: Pacific Ocean Geology, no. 1, p. 7-13 (in Russian).
- Simanenko, V.P., Govorov, I.N., Khetchikov, L.N., Gonevchuk, V.G., and Gerasimov, N.S., 1997, Cretaceous granitoids of the Central Sikhote-Alin: Intrusive complexes and suites, their geodynamic position and origin: Pacific Ocean Geology, v. 16, no. 5, p.70-78 (in Russian).
- Simanovich, I.M., and Andriyanov, N.G., 1994, Initial metamorphism of the rocks of the Verkhoyansk complex (South Verkhoyansk region): Lithology and Mineral Resources, no.3, p. 103-115 (in Russian).
- Simonov, V.A., and Kuznetsov, P.P., 1991, Boninites in the Vendian-Cambrian ophiolites of Gorny Altai: Academy of Sciences Transactions, v. 316, no. 2, p. 448-451 (in Russian).
- Simonov, V.A., Buslov, M.M., Kungurtsev, L.V., and Kazanskiy, A.Yu., 1994, Boninite-bearing paleospreading complexes in the North Sayan ophiolite belt: Academy of Sciences Transactions, v. 339, no. 5, p. 650-653 (in Russian).
- Simonov, V.A., Dobretsov, N.L., and Buslov, M.M., 1994, Boninite series in structures of the Paleoasian Ocean: Geology and Geophysics, v. 35, no. 7-8, p. 157-171.
- Simonov, V.A., Stupakov, S.I., Loskutov, Yu.,I., and Kovyazin, S.V., 1999, Paleogeodynamic environment of the ophiolite formation in Kuznetsk Alatau: Geology and Geophysics, v.40, no. 12, p. 1759-1771 (in Russian).
- Sinitsa, S.M., 1975, Gneiss domes of the Nercha range in eastern Transbaikal: Nauka, Novosibirsk, 128 p. (in Russian).
- Sinitsa, S.M., and Khanchuk, A.I., 1991, Primary gneiss facies in gabbroids (southern Primorye as an illustration): U.S.S.R. Academy of Sciences Transactions, v. 317, p. 1446 (in Russian).
- Sinitsyn, V.M, 1956, The Transaltay Gobi: U.S.S.R. Academy of Sciences, Leningrad, 168 p. (in Russian).
- Sklyarov, E.V., Gladkochub, D.P., Mazukabzov, A.M., Men'shagin, Yu.A., 1998, Metamorphism of ancient ophiolites from Sharizhalgay uplift: Geology and Geophysics, v.39, no. 12, p. 1733-1749.
- Sklyarov, E.V, Postnikov, A.A, and Posokhov, V.F, 1996, Structural setting, metamorphism, and petrology of the Hugeyn group (northern Mongolia): Geology and Geophysics, v. 37, no. 6, p. 69-78.
- Sklyarov, E.V., and Dobretsov, N.L, 1987, Metamorphism of ancient ophiolites of the Eastern Sayan: Geology and Geophysics, no. 2, p. 3-14 (in Russian).
- Sklyarov, E.V., Gladkochub, D.P., Mazukabzov, A.M., and Men'shagin, Yu.A., 1998, Metamorphism of ancient ophiolites from Sharizhalgay uplift. Geology and Geophysics, v.39, no. 12, p. 1733-1749.
- Sklyarov, E.V., Mazukabzov, A.M., Melnikov, A.I., 1997, Metamorphic core samples of the Cordillerian type: United Institute of Geology, Geophysics, and Mineralogy Proceedings, Russian Academy of Sciences, Novosibirsk, 169 p. (in Russian).
- Smagin, A.N., Nozhkin, A.D., Khomichev, V.L., Aleksandrovskiy, Yu.S., Turkina, O.M., Kornev, T.Ya., Kosorukov, A.P., Datsenko, V.M., Semeonov, M.I., and Lisitsin, V.I., 1997, The correlation scheme of magmatic and metamorphic complexes of East Sayan: Transactions of Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy, Russian Academy of Sciences, Novosibirsk, 25 p. (in Russian).
- Smelov, A.P., and Beryozkin, V.I., 1997, Main periods of culmination metamorphism in the Aldan shield: Russian Geology, no. 8, p. 37-40 (in Russian).

- Smelov, A.P., 1989, Metamorphic evolution of the Olekma granite-greenstone region: Nauka, Novosibirsk, 128 p. (in Russian).
- Smelov, A.P., 1996, Metamorphism of the Archean and Proterozoic of the Aldan-Stanovoy shield: Summary Doctoral Thesis, Institute of Geology and Geophysics, Siberian Branch, Russian Academy of Sciences, Novosibirsk, 24 p. (in Russian).
- Smelov, A.P., and Beryozkin, V.I., 1993,-Retrograded eclogites in the Olekma granite-greenstone region, Aldan Shield, Siberia: Precambrian Research, v. 62, no. 4., p. 419-430.
- Smelov, A.P., Beryozkin, V.I., and Bogomolova, L.M., 1988, Metamorphism at different stages of the emplacement of the Olekma granite-greenstone region, *in* Geology and Metamorphism of the Archean Greenstone Belts: Petrozavodsk Publishing Company, Karel'skogo Branch, U.S.S.R. Academy of Sciences, p. 165-179 (in Russian).
- Sobolev, V.S., and Dobretsov, N.L., eds., 1977, Petrology and metamorphism of ancient ophiolites (with examples of Polar Ural and Western Sayan): Nauka, Novosibirsk, 221 p. (in Russian).
- Sochava, A.V., 1986, Petrochemistry of the Upper Archean and Proterozoic in the western Vitim-Aldan shield: Nauka, Leningrad, 144 p. (in Russian).
- Solov'eva, M.F., Sobolevskaya, R.F., and Krasikov, E.M., 1978, New data on the Lower Carboniferous deposits along the Lenivaya River (Central Taimyr), *in* Precambrian and Cambrian of Taimyr Peninsula: Scientific Research Institute of Arctic Geology Publishing Company, Leningrad, p. 45-53 (in Russian).
- Song, S., Lee, H. K., and Yun, H., 1997, Petrogenesis of Tertiary volcanic rocks from the southeastern part of Korea, *in* Lee, Y.I. and Kim, J.H., eds., Tectonic Evolution of Eastern Asian Continent: Geological Society of Korea 50th Anniversary International Symposium, p. 219-224 (in Korean).
- Sorokin, A.P., 1972, Geologic structure of pre-Mesozoic folded basement in the northwestern part of the Zeya-Bureya basin, *in* Geology of the Far East: U.S.S.R. Academy of Sciences, Khabarovsk, p. 51-156 (in Russian).
- Sotnikov, V.I., Fedoseev, G.S., Kungurtsev, L.V., Borisenko, A.S., Obolenskiy, A.A., Vasil'ev, I.P., and Gimon, V.O., 1999, Geodynamics, magmatism and metallogeny of the Kolyvan'-Tom' fold zone: Institute of Geology, Geophysics, and Mineralogy, Siberian Branch, Russian Academy of Sciences, Novosibirsk, 227 p.
- Sotnikov, V.I., Ponomarchuk, V.A., Trazin, A.V., and others, 1998, The age sequence of magmatism in the Shakhtaminsky molybdenum ore field, East Transbaikal (Ar-Ar,K-Ar, Rb-Sr): Russian Academy of Sciences Transactions, v. 359, no. 2, p. 242-244 (in Russian)
- Spector, V.B., Andrusenko, A.M., Dudko, E.A. and Kareva, N.F., 1981, Continuation of the South Anyui suture into the Primorsk lowland: U.S.S.R. Academy of Sciences, Transactions, v. 260, no. 6, p. 1447-1450 (in Russian).
- Sryvtsev, N.A., Khalilov, V.A., Buldygerov, V.V., and Perelyae, V.I., 1992, Geochronology of granitoids of the Baikal-Muya belt: Geology and Geophysics, no. 9, p. 72-78 (in Russian).
- Sryvtsev, N.A., Sandimirova, G.P., Kutyavin, E.P., and others, 1980, On the age of biotite-pyroxene granitoids of the Tatarnikovsky complex. Geochronology of East Siberia and Far East. M: Nauka, p. 101-110 (in Russian)
- Stanevich, A.M., and Faizulina, Z.Kh., 1992, Micro fossils in stratigraphy of the Late Precambrian, Baikal-Patom mountainous area: Nedra. Moscow, 158 p. (in Russian).
- Stanevich, A.M., and Perelyaev, V.I., 1997, On the stratigraphy of the Late Cambrian of Middle Vitim mountainous country (Deljun-Uran range): Geology and Geophysics, v. 38, no. 10, p. 1642-1652 (in Russian).
- Stavsky, A.P., Ged'ko, M.I., and Danilov, V.G., 1994, Uyandina-Yasachnaya island arc, *in* Geologic Mapping of Volcano-Plutonic Belts: Nedra, Moscow, p. 265-297 (in Russian).
- Stepanov, L.A., 1974, Radiogenic ages of polymetamorphic rocks of the Anabar shield, *in* Early Precambrian Rocks of the Central Arctic and Related Mineral Deposits: Nauka, Leningrad, p. 77-84 (in Russian).
- Stepanov, L.A., 1974, Radiogenic ages of polymetamorphic rocks of the Anabar shield, *in* Early Precambrian rocks of the central Arctic and related mineral deposits: Nauka, Leningrad, p. 77-84 (in Russian).
- Stetsjuk, M.I., 1977, Upper Precambrian and Cambrian of Argun-Gazimur interfluve, *in* Proterozoic Assemblages of the Eastern Part of Transbaikal: Far East Geological Institute, U.S.S.R. Academy of Sciences, Vladivostok, p. 76-83, (in Russian).
- Stogniy, V.V., Smelov, A.P., and Stogniy, G.A., 1996, Deep structure of the Aldan shield: Geology and Geophysics, v. 37, no. 10, p. 148-161 (in Russian).
- Stupak, F.M., 1987, Cenozoic volcanism of the Udokan range: Nauka, Novosibirsk, 169 p. (in Russian).
- Suetenko, O.D., and Lkhasuren, B., 1973, Upper Proterozoic deposits of southeastern Mongolia: U.S.S.R. Academy of Sciences Transactions, v. 210, no. 5, p. 1171-1173 (in Russian).

- Suetenko, O.D, 1967, Lower Silurian deposits of southeastern Mongolia: Soviet Geology, no.4, p. 80-87 (in Russian).
- Suetenko, O.D, 1973, Structure of Hercynian geosynclinal basin of southeastern Mongolia: Geotectonics, no. 3, p. 167-182 (in Russian).
- Suetenko, O.D, Chal'yan, M.A., and Sharkova, T.T, 1984, On the stratigraphy of Devonian sedimentary-volcanic deposits of Eastern Mongolia: Transactions, Special Educational Institute, Geology and Exporation, no. 9, p. 30-36 (in Russian).
- Suetenko, O.D., Golovchenko, V.E., Dobrov, G.M., and Tsukernik, A.B, 1988, Paleozoic structure of the Transaltai Gobi: U.S.S.R. Academy of Sciences Transactions, v. 4, p. 64-76 (in Russian).
- Sugorakova, A.M., 1987. New stratigraphic data for Upper Precambrian deposits of East Tuva (Bilinsk Upland), *in* Complex Geological Study of the Sangilen (Southeastern Tuva): Institute of Geology and Geophysics, Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, p. 88-96 (in Russian).
- Sukhanov, M.K., Tyazhelev, A.G., and Zhuravlev, D.Z., 1990, On the composition, ore content, and genesis of the Geran massif: U.S.S.R. Academy of Sciences Transactions, Geology Series, no. 8, p. 21-34 (in Russian).
- Sun, Jiapeng, Zhang, Xingzhou, and Yang, Baojun, 1997, The formation of Mesozoic and Cenozoic basins and geodynamics in eastern China: World Geology, v. 16, no. 3, p. 1-6 (in Chinese).
- Sun, Jiapeng, Ye, Mao, Dong, Yongsheng, and Sun, Weizhi, 2000, Terrane tectonics in the northeast part of northeast China: Journal of Geoscientific Research in Northeast Asia, v. 3, no. 1, p.48-53.
- Sun, Yongchuan, Li, Zhong, Li, Huisheng, and Liu, Yaozong, 1996, Diagenesis of oil-gas-bearing fault basins in eastern China: Scientific Publishing House, Beijing, p. 26-42 (in Chinese).
- Surkov, V.S., and Korobeinikov, V.P., eds., 1997, Tectonic map of Siberia, *in* Precambrian and Phanerozoic Structural-Formation Complexes: Institute of Geology, Geophysics, and Mineralogy, Siberian Branch, Russian Academy of Sciences, Novosibirsk, 110 p. (in Russian).
- Surkov, V.S., ed., 1986, Megacomplexes and deep-seated structure of the earth crust of West Siberian platform: Nedra, Moscow, 149 p. (in Russian).
- Surkov, V.S., ed., 1988, Megacomplexes and deep structure of Altai-Sayan region: Nedra, Moscow, 195 p. (in Russian).
- Surkov, V.S., Korobeinikov, V.P., and Kraevsky, B.G., 1998, Geostatic tectonic maps for Early Precambrian and Paleozoic, late Mesozoic, Cenozoic, and Neogene of Siberia: Institute of Geology, Geophysics, and Mineralogy, Siberian Branch, Russian Academy of Sciences, Novosibirsk, scale: 1:2,500,000, explanatory notes, 94 p.
- Surkov, V.S.; and Zhero, O.G., 1981, Basement and evolution of platform cover of West Siberian platform: Nedra, Moscow, 143 p. (in Russian).
- Suwa, K., 1990, Hida-Oki Terrane, *in* Ichikawa, K., and others, .eds., Pre-Cretaceous Terranes of Japan: Osaka City University, Osaka, Japan, p. 13-24.
- Suyehiro, K., Takahashi, N., Ariie, Y., and others, 1996, Continental crust, underplating, and low-Q upper mantle beneath oceanic island arc: Science, v. 271, p. 390-392.
- Suzuki, T., Hada, S., and Yoshikura, S., 1979, Tectonic environment of the outer side of Southwest Japan: Chikyu, v. 1, p. 57-62.
- Syundyukov, Sh.A., Karimova, S.S., Pakhomov, A.N., Frolov, V.I., and Stepanov, V.D., 1979, Stratigraphy, paleogeography, and lithology of the South Yakutian basin and coal prospecting: All-Soviet Union Geological Research Institute Proceedings, New Series, v. 3, Leningrad, p. 17-22 (in Russian).
- Taira, A., 1981, The Shimanto Belt of southwest Japan and arc-trench sedimentary tectonics. Recent Progress of Natural Science, Japan, v. 6, p. 147-162.
- Taira, A., Katto, J., Tashiro, M., Okamura, M., and Kodama, K., 1988, The Shimanto Belt in Shikoku, Japan Evolution of Cretaceous to Miocene accretionary prism: Modern Geology, v. 12, p. 5-46.
- Taira, A., Saito, S., Aoike, K., Morita, S., Tokuyama, H., Suyehiro, K., Takahashi, N., Shinohara, M., Kiyokawa, S., Naka, J., and Klaus, A., 1998, Nature and growth rate of the Northern Izu-Bonin (Ogasawara) arc crust and their implications for continental crust formation: Island Arc, v. 7, p. 395-407.
- Takahashi Yu., Oyungerel S., Naito K., and Delgertsogt B., 1998, The granitoid series in Bayankhongor area, central Mongolia: Geological Survey of Japan Bulletin, v. 49, no. 1, p.25-32.
- Takahashi, Y., and Delgertsogt, B., 1997, New K-Ar age for the Baydrag complex: Mongolian Geoscientist, no. 3, p. 35.
- Takahashi, Yu., Arakava, Yo., Naito K., Oyungerel S., and Amakava Kh., 1999, New data for absolute age of Shar us gol granite, Central Mongolia: Mongolian geoscientist, no. 3, p. 26-30.

- Tamaki, K., Suyehiro, K., Allan, J., Ingle, J., and Pisciotto, K.A., 1992, Tectonic synthesis and implications of Japan Sea ODP drilling: Proceeding of the Ocean Drilling Program, Scientific Results, v. 127-128, pt. 2, p. 1333-1348.
- Tang, K., 1990, Tectonic development of Paleozoic foldbelts at the north margin of the Sino-Korean craton: Tectonics, v. 9, no. 2, p. 249-260.
- Tang, Kedong, Wang, Ying, He, Guoqi, and Shao, Ji'an, 1995, Continental-margin structure of northeast China and adjacent areas: Acta Geologica Sinica, v. 69, no. 1, p. 16-30 (in Chinese).
- Tarabukin, V.P., Prokopiev, A.V., Oxman, V.S., and Karyakin Yu.V., 1997, First data about Famennian sediments in the northeastern Chersky Range: Russian Geology, no. 8, p. 9-12 (in Russian).
- Tarnovskiy, S.L., 1979, Late Precambrian stratigraphy of the western part of East Sayan, *in* The Upper Precambrian of Altai-Sayan Folded Area: Transactions of Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy of Raw Materials, U.S.S.R. Academy of Sciences, Novosibirsk, v. 268, p. 52-81 (in Russian).
- Tatsumoto, M., Basu, A.R., Wankang, H., Junwen, W., and Guanghong, X., 1992, Pb, Nd, and Sr isotopes of ultramafic xenoliths in volcanic rocks of Eastern China: enriched component EMI and subcontinental lithosphere: Earth and Planetary Science Letters, v. 113, p. 107-128.
- Tauson, L.V., Antipin, V.S., Zakharov, M.N., and Zubkov, V.S., 1984, Geochemistry of the Mesozoic latites of Transbaikal: Nauka, Novosibirsk, 205 p. (in Russian).
- Tazawa, Junichi, 2000, The Paleozoic of the Hida Gaien, South Kitakami, and Kurosegawa Belts: Correlation and tectonic history: Geological Society of Japan Memoir 56, p. 39-52.
- Tectonics of Mongolian People's Republic, 1974: Nauka, Moscow, 284 p. (in Russian).
- Teleshev, A.E., 1981, Relationships between the granitoids of the Bren' pluton and the Devonian volcanic complex of East Tuva, *in* Magmatic Complexes of Folded Regions of Southern Siberia: Nauka, Novosibirsk, p. 63-101 (in Russian).
- Teraoka, Y., Suzuki, M., Tungalag, F., Ichinnorov, No. and Sakamaki, Y., 1996, Tectonic framework of the Bayankhongor area, western Mongolia: Geological Survey of Japan Bulletin, v. 47, p. 447-455.
- Terekhov, M.I., and Dylevsky, E.F., 1988, Geology of the Arga-Tas Range. Magadan Transactions of Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy of Raw Materials, U.S.S.R. Academy of Sciences, Novosibirsk, 49 p. (in Russian).
- Terleev, A.A., 1991, Vendian-Cambrian stratigraphy of Katun' anticlinorium (Gorny Altai), *in* The Late Precambrian and Early Paleozoic of Siberia: Institute of Geochemistry and Geophysics, Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, p. 82-106 (in Russian).
- Terleev, A.A., Gibsher, A.S., and Belyaev, S.Yu., 1988, Relationships between the metaterrigenous (Teskhem-Mugur) complex with overlaying deposits in the South Sangilen, *in* Geological-Petrological Investigations of Southeastern Tuva: Institute of Geochemistry and Geophysics, Siberian Branch, U.S.S.R. Academy of Sciences, Novosibirsk, p. 5-19 (in Russian).
- Tian, Zaiyi, and Zhang, Qingchun, 1997. Lithofacies palaeogeography of combination gas-bearing basins and combination gas in China: Geological Publishing House, Beijing, p.1-260 (in Chinese).
- Tikhonov, V.I., and Yarmolyuk, V.V., 1982, The Gobi-Altai-a southern marginal structure Mongolian Caledonides (features and structure and development): Geotectonics, no.4, p. 25-35 (in Russian).
- Titov, A.V., Kruk, N.N., Pospelova, L.N., Palesski, S.V., and Zhuravlev, D.Z., 1997, Crystallization conditions and origin of magmas of the Rybalka gabbro-diorite-tonalite intrusion (Gorny Altai): Geology and Geophysics, v.38, no. 12, p. 1950-1962.
- Tokarev, V.N., Dergachev, V.B., Nechaev, V.V., Shezhko, B.A., Fedoseev, G.S., Shokal'skiy, S.P., and Yaroslavtseva, E.M., 1996, The correlation scheme of magmatic and metamorphic complexes of Salair and Tom'-Kolyvan' zone: Transactions of Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy, U.S.S.R. Academy of Sciences, Novosibirsk, 25 p. (in Russian).
- Tomurhuu D., 1999, Geodynamics of formation preorogenic magmatic complexes of Jida zone, Mongolia: Doctoral thesis, Mongolian Technical University, Ulaanbaatar, 100 p.
- Tomurtogoo, O., 1984, Features of structure and history of serpenitite melange in Barun-Sayhan mountain range: Development of Mongolian geosyncline: Mongolian Academy of SciencesTransactions, Ulaanbaatar, p. 81-102 (in Russian).
- Tomurtogoo, O., 1989, Ophiolites and formation of folded belts in Mongolia: Doctoral thesis, Geological Institute, U.S.S.R. Academy of Sciences, Moscow, p. 423 (in Russian).

- Tomurtogoo, O., 1990, Tectonics and formation history of the territory of Mongolia: Newsletter of Mongolian Academy of Sciences, Ulaanbaatar, no.3, p. 22-29 (in Russian).
- Tomurtogoo, O., 1996, Tectonics and development history of the Orkhon Basin (north-central Mongolia): Geotectonics, no. 3, p. 61-74.
- Tomurtogoo, O, 1997. A new tectonic scheme of the Paleozoides in Mongolia: Proceeding of the 30th International Geological Congress, v. 7, p. 75-82 (in Russian).
- Tomurtogoo, O., ed., 1999, Geologic map of Mongolia: Mineral Resources Authority of Mongolia, Ulaanbaatar, scale 1:1,000,000.
- Tomurtogoo, O., Arvisbaatar, N., Gao, Sh., and Devis, P., 1994, Transect of Baikal-Mongolia: Geology and Geophysics, v. 38, no. 7-8, p. 94-111.
- Tomurtogoo, O., and Badarch, G., 1986, Structure and tectonic history of early Mesozoic Transaltay system basins of southern Mongolia, *in* Problems of Geology of Mongolia: Institute of Geology and Mineral Resources Transactions, Mongolian Academy of Sciences, v. no. 6, p. 82-110 (in Russian).
- Tomurtogoo, O, Badarch, G., Orolmaa, D., and Byamba, J., 2000, Lithotectonic terranes and crustal evolution in Mongolia: International Geological Congress P-420, Continental Growth in the Phanerozoic: Evidence from Central Asia: Abstracts and Excursion Guidebook, Rennes, Geosciences, p. 71-76.
- Tomurtogoo, O., and Gerel, O., 1999, Geotraverse through a terrane collage in Southern Khangay *in* Excursion Guidebook: Institute of Geology and Mineral Resources, Mongolian Academy of Sciences, Ulaanbaatar, Ulaanbaatar, 91 p.
- Travin, A.V., Ponomarchuk, V.A., Ponomareva, A.P., Theunissen, K., Boven, A., Vladimirov, A.G., Khalilov, V.A., Kruk, N.N., Vladimirov, V.G., Melnikov, A.I., and Plotnikov, A.V., 1998, Implication of stepwise and UV laser ablation 40 Ar-39Ar and U-Pb data on the timing of ductile movement in the Irtysh shear zone and Kalbinsky granite magmatism (East Kazakhstan): Mineral Magazine, v. 62a, part III, p. 1535-1536.
- Traynor, J.J., and Sladen, C., 1995, Tectonic and stratigraphic evolution of the Mongolian People's Republic and its influence on hydrocarbon geology and potential: Marine and Petroleum Geology, no. 12, p. 35-52.
- Trunilina, V.A., Roev, S.P., and Orlov, Yu.S., 1985. Granitoids and related to them cassiterite-sulfide deposits: Nauka, Novosibirsk, 205 p. (in Russian).
- Trunilina, V.A., Roev, S.P., Orlov, Yu.S., and Oxman, V.S., 1999, Magmatism of various deodynamic environments (zone of junction of the Verkhoyansk margin of the Siberian continent and the Kolyma-Omolon mucrocontinent): Yakutian Scientific Center, Siberian Branch, Russian Academy of Sciences, Yakutsk: 168 p. (in Russian).
- Trunilina, V.A., 1970, Granitoids of the Kular uplift (northeastern Yakutia): Summary of Candidate of Science thesis, Yakutsk Publishing Company, Yakutsk, 22 p. (in Russian).
- Trunilina, V.A., Orlov, Yu.S., Roev, S.P., Khabibulina, T.S., and Ivanov, P.O., 1996, Geology and magmatic rock ore prospecting of Polousny Range: Yakutian Scientific Center, Yakutsk, 132 p. (in Russian).
- Tsukernik, A.B., Sharkova, T.T., and Kravtsev, A.B., 1986, Geologic structure of eastern part of Mongolian Altai mountain range: Transactions, Special Educational Institute, Geology and Exploration, no. 12, p. 10-21 (in Russian).
- Tsygankov, A.A., Vrubkevskaya, T.T., Konnikov, E.G., 1998, Geochemistry and petrogenesis of granitoids of the Muya intrusive complex (eastern Siberia): Geology and Geophysics, v. 39, no. 3, p. 361-374.
- Tsypukov, M.Yu., Nozhkin, A.D., Bobrov, V.A., and Shipitsyn, Yu.G., 1993, Komatiite basalt association of the Kansk Greenstone Belt (eastern Sayan): Geology and Geophysics, v.34, no. 8, p. 82-91.
- Tugarinov, A.I., Stupnikova, N.I., and Zykov, S.I., 1965, On geochronology of the southern Siberian platform: U.S.S.R. Academy of Sciences Transactions, Geology Series, no. 1, p. 15-23 (in Russian).
- Tugarinov, A.I., Varlamov, V.A., Karpenko, S.F., and Ruchkin, G.V., 1976, Isotope composition of lead of galenites in Kholodnensky tungsten-polymetallic deposit and host rocks: Geochemistry, no. 2, p. 202-210 (in Russian).
- Turbin, M.T., Anoikin, V.I., and Makhinin, A.V., 1974, Stratigraphy of Devonian and Carboniferous within Shevli River Basin, *in* Paleozoic of Far East: U.S.S.R. Academy of Sciences, Khabarovsk, 146 p. (in Russian).
- Uflyand, A.K., Natapov, L.M., Lopatin, V.M., and and Chernov, D.V., 1991, Taimyr tectonic nature: Geotectonika, v. 6, p. 76-93 (in Russian).
- Varnavsky, V.G., Sedykh, A.K., and Rybalko, V.I., 1988, Paleogene and Neogene of Primorye and TransBaikal: U.S.S.R. Academy of Sciences, Vladivostok, p.183 (in Russian).
- Vartanova, N.S., Zavialova, I.V., and Scherbakova, Z.V., 1976, Mesozoic alkaline granitoids of western Transbaikalia area: Nauka, Novosibirsk, 170 p. (in Russian).

- Vasiliev, E.P., Vishnyakov, V.N., and Reznitskiy, L.Z., 1981, Unconformity in the Early Cambrian, southern Pribaikalia: Geology and Geophysics, no. 10, p. 131-137 (in Russian).
- Vasiliev, I.L., 1977, Geology of the Eravna ore field: Nauka, Novosibirsk Publication H., 125 p. (in Russian)
- Vel'dyaksov, F.F., and Umitbaev, R.B., 1976, Main features of the tectonics and metallogenesis of the Okhotsk median massif and surroundings, *in* Skladchatye System: Dal'nego Vostoka, Vladivostok, p. 93-117 (in Russian).
- Velikoslavinskiy, S.D., 1976, Regularity of the Early Archean basic volcanism in the central Aldan shield: Transactions of All-Soviet Union Mineralogical Society, v. 105, p. 48-58 (in Russian).
- Venkatesan T.R., Kumar A., Gopolan K., and Al'mukhamedov A.I., 1997, <sup>40</sup>Ar-<sup>39</sup>Ar age of Siberian basaltic volcanism: Chemical Geology, v. 138, p. 303-310.
- Vernikovsky, V.A., 1997, Neoproterozoic and Late Paleozoic Taimyr orogenic and ophiolitic Belts, North Asia: A review and models for their formation: Proceedings 30<sup>th</sup> International Geological Congress, v. 7, p. 121-138.
- Vernikovsky, V.A., 1995, Riphean and Paleozoic metamorphic complexes of the Taimyr fold belt: Conditions of formation: Petrology, v. 3, no 1, p.55-72.
- Vernikovsky, V.A., 1996, Geodynamic evolution of Taimyr folded area. Novosibirsk: United Institute of Geology, Geophysics, and Mineralogy, 203 p. (in Russian).
- Vernikovsky, V.A., 1996, Geodynamic evolution of the Taimyr folded area: Geology of the Pacific Ocean, v. 12, p. 691-704.
- Vernikovsky, V.A., Kotov, A.B., Ponomarchuk, V.A., Sal'nikova, E.B., Kovach, V.P., and Travin, A.V., 1997, Late Riphean-Vendian history in Taimyr: Sm-Nd, Rb-Sr, K-Ar age of garnet amphibolites of the Stanovoy ophiolite belt: Russian Academy of Sciences Transactions, v. 352, no. 2, p. 218-221 (in Russian).
- Vernikovsky, V.A., Kovach V.P., Kotov A.B., Vernikovskaya A.E., Sal'nikova E.B., 1999, Granitoids sources and formation stages of the continental crust (Taimyr folded area): Geochemistry, no 6, p. 1-11 (in Russian).
- Vernikovsky, V.A., Neimark L.A., Ponomarchuk V.A., and others, 1995, New data on combined (U-Pb, Sm-Nd, Rb-Sr and K-Ar) dating of collision granites and metamorphites of Kara microcontinent (North Taimyr): Russian Academy of Sciences Transactions, v. 344, no 3, p. 359-363 (in Russian).
- Vernikovsky, V.A., Neimark, L.A., Ponomarchuk, V.A., and others, 1995, Geochemistry and age of collision granitoids and metamorphites of the Kara microcontinent (Northern Taimyr): Geology and Geophysics, v. 36, p. 46-60.
- Vernikovsky, V.A., Sal'nikova, E.B., Kotov, A.V., and others, 1998, Precambrian granites of the Faddey terrane (North Taimyr): New geochemical and geochronologic (U-Pb, Sm-Nd) data: Russian Academy of Sciences Transactions, v. 363, no 5, p. 653-657 (in Russian).
- Vernikovsky, V.A., Sal'nikova, E.B., Kotov, A.B., and others, 1998, Age of postcollision granitoids, North Taimyr: U-Pb, Sm-Nd, Rb-Sr and Ar-Ar data: Russian Academy of Sciences Transactions, v. 363, no 3, p. 375-378 (in Russian).
- Vernikovsky, V.A., Vernikovskaya A.E., Chernykh, A.I., and Mel'gunov, M.S., 1996, Petrology and geochemistry of Taimyr Riphean ophiolites: Geology and Geophysics, v.36, no 1, p. 104-120.
- Vernikovsky, V.A., Vernikovskaya, A.E., Lyapunov, S.M., and others, 1994, Petrology, geochemistry, and tectonic settings of plagiogranites of the Cheliuskin ophiolite belt: Internatinal Geology Review, v. 36, p. 961-974.
- Vernikovsky, V.A., Vernikovskaya A.E., Nozhkin A.D., and Ponomarchuk ,V.A., 1993, Geochemistry and age of Isakovka belt ophiolites (Yenisey Ridge): Report no. 4 of the International Geological Congress Project 283, Abstracts, Novosibirsk, p. 138.
- Vernikovsky, V.A., Vernikovskaya, A.E., Nozhkin, A.D., and Ponomarchuk, V.A., 1994, Riphean ophiolites of Isakovka belt: Geology and Geophysics, no. 7-8, p. 146-156.
- Vernikovsky, V.A., Vernikovskaya, A.E., Sal'nikova, E.B., and others, 1999, New U-Pb data on the formation of the Predivinsk paleo-island-complex (Yenisey Range): Geology and Geophysics, v.40, no. 2, p.256-261.
- Vernikovskaya, A.E., Vernikovsky, V.A., Sal'nikova, E.B., Datsenko, V.M., Kotov, A.B., Kovach, V.P., Travin, A.V., and Yakovleva, S.Z., 2002, Yeruda and Cherimba granitoids (Yenisey Ridge) as indicators of Neoproterozoic collisions: Geology and Geophysics, v. 43, p. 245-259 (in Russian).
- Verzkhovskaya, V.A., and Krichevets, V.I., 1987, Geologic map of the U.S.S.R.: U.S.S.R. Ministry of Geology, Leningrad, scale, 1:1,000,000 (in Russian).
- Vinogradov, V.A., Gaponenko, G.I., Rusakov, I.M., and Shimaraev, V.N., 1974, Tectonics of the eastern Arctic shelves of the U.S.S.R.: Nedra, Leningrad, 144 p. (in Russian).

- Vinogradov, V.I., Leiets, A.M., Buyakaite, M.I., and others, 1983, Rb-Sr system in the rocks of the Olekma-Kalarsky massif and its recent framing: Russian Academy of Sciences Transactions, v. 27, no. 2, p. 445-448 (in Russian)
- Vinogradov, V.I., Pichugin, L.P., Bykhover, V.N., and others, 1996, Isotppe evidence and the time of epigenetic transformations of the Early Cambrian sediments of the Urinsky uplift: Lithology and Useful Minerals, no. 1, p. 68-78 (in Russian)
- Vishnevskiy, A.N., and Krasil'nikov, A.A., 1963, Precambrian intrusions of the Olenek uplift: Scientific Research Institute of Arctic Geology, Scientific Transactions, Regional Geology, v. 1, p. 64-79 (in Russian).
- Vishnevskiy, A.N., 1978, Metamorphic complexes of the Anabar crystalline shield: Nedra, Leningrad: 214 p. (in Russian).
- Vladimirov, A.G., Gibsher, A.S., Izokh, A.E., and Rudnev, S.N., 1999, Early Paleozoic batholiths of Central Asia: scale, source and geodynamic conditions: Russian Academy of Sciences Transactions, v. 369, no. 6, p. 795-798 (in Russian).
- Vladimirov, A.G., Ponomareva, A.P., Kargopolov, S.A., Babin, G.A., Plotnikov, A.V., Gibsher, A.S., Izokh, A.E., Shokalskiy, S.P., Bibikova, E.V., Zhuravleva, D.Z., Ponomarchuk, V.A., Khalilov, V.A., and Travin, A.V., 1999, Neoproterozoic age of the oldest formations of the Tomsk horst (Gornaya Shoriya) by U-Pb, Sm-Nd, Rb-Sr and Ar-Ar isotope dating: Stratigraphy and Geologic Correlation, v. 7, no. 5, p. 28-42 (in Russian).
- Vladimirov, A.G., Ponomareva, A.P., Shokalskiy, S.P., Khalilov, V.A., Kostitsyn, Yu.A., Ponomarchuk, V.A., Rudnev, S.N., Vystavnoi, S.A., Kruk, N.N., and Titov, A.V., 1997, Late Paleozoic-Early Mesozoic granitoid magmatism in Altai: Geology and Geophysics, v. 38, no. 4, p. 755-770.
- Vladimirov, A.G., Shokalskiy, S.P., and Ponomareva, A.P., 1996, On rift-strike-slip regime of origin of late Paleozoic-early Mesozoic granitoids of Altai: Russian Academy of Sciences Transactions, v. 350, no. 1, p. 83-86 (in Russian).
- Vladykin, N.V, Kovalenko, V.I, and Dorfman, M.D, 1981, Mineralogical and geochemical features of Khan Bogd alkaline granites: Nauka, Moscow, p.135 (in Russian).
- Vol'nov, D.A., 1975. History of geologic development of the Novosibirsk Islands, *in* Vol'nov, D.A., Ivanov, V.L., Geology and Mineral Deposits of New Siberian Islands and Wrangel Island: Nauka, Leningrad, p. 61-71 (in Russian).
- Vol'nov, D.A., Voitsekhovsky, V.N., Ivanov, O.A., Sorokov, D.S., and Yashin, D.S., 1970, New Sibirian Islands, in Tkachenko, B.V., and Egiazarov, B.K., eds., Geology of U.S.S.R., v. 26, Islands of the Soviet Arctic: Nedra, Moscow, p. 324-374 (in Russian).
- Yarmolyuk, V.V., and Kovalenko, V.I., 1995. Late Mesozoic-Cenozoic intreplate magmatism of Central and East Asia: Geology and Geophysics, v. 36, no. 8, p. 132-141 (in Russian).
- Volkov, V.V., 1966, Main features of the geological evolution of Gorny Altai: Nauka, Novosibirsk, 161 p. (in Russian).
- Volkov, V.V., 1986, Lower Paleozoic volcanism in Central Asia: Nauka, Novosibirsk, 194 p. (in Russian).
- Volobuev, M.I., 1993, Riphean ophiolite complex of the Yenisey Ridge: Geotectonics, no. 6, p.82-87 (in Russian).
- Volobuev, M.I., Zykov, S.I., and Stupnikova, N.I., 1980, Pb-isotopic geochronology of the Precambrian complexes of the southwestern framing of the Siberian platform, *in* Geochronology of the Eastern Siberia and Far East: Nauka, Moscow, p.14-31 (in Russian).
- Volobuev, M.I., Zykov, S.I., and Stupnikiva, N.I., 1980, Geochronology of Precambrian granitoids of East Sayan and West Transbaikal, *in* Geochronology of East Siberia and Far East: Nauka, Moscow, p. 66-79 (in Russian).
- Volochkovich, K.L., and Leontev, A.N., 1964, The Talitsk-Mongolia-Altai metallogenic zone: Nauka, Moscow, 184 p. (in Russia).
- Volochkovich, K.L., Leontev, A.N, 1990, Problems of Mongolian Altai geology in the light of new data: Evolution of geological processes and metallogenesis of Mongolia: Nauka, Moscow, v. 49, p. 122-139 (in Russian).
- Volokhin, Y.G., Burii, G.I., Rudenko, V.S., and Filippov, A.N. 1990, Triassic chert formation of the South Sikhote-Alin: U.S.S.R. Academy of Sciences Transactions, Geology Series, no. 4, p. 45-57 (in Russian).
- Volsky, A.S., 1983, Geologic structure and history of the Upper Primorye: Summary of Doctoral. Thesis: All-Soviet Union Geological Research Institute, Ministry of Geology, Leningrad, 25 p. (in Russian).
- von Huene, R., Arther, M.A., 1982, Sedimentation across the Japan Trench off norther Honshu Island, *in* Leggett, J.K., ed., Trench-Forearc Geology: Sedimentation and Tectonics on Modern and Ancient Active Plate Margin: Geological Society of London, Blackwell, p. 27-48.
- Votakh, O.A., 1968, Precambrian tectonics of the western margin of the Siberian platform: Nauka, Moscow, 138 p. (in Russian).

- Voznesenskaya, T.A, Dergunov, A.B., and Dashdavaa, Z., 1992, New data on the lithology and stratigraphy of lower Paleozoic deposits of Khangai, Mongolian People's Republic: Transactions, Russian Academy of Sciences, Moscow, Geology Series, no. 3, p. 34-39 (in Russian).
- Voznesenskaya, T.A., Ruzhentsev, S.V., and Badarch, G., 1986, The middle Paleozoic basaltoids of Transaltai zone of Mongolia: U.S.S.R. Academy of Sciences Transactions, Geology Series, no. 9, p. 37-52 (in Russian).
- Voznesenskaya, T.A., 1995. Sedimentation evolution of the Caledonian basin of Khangay (Mongolia): Lithology and Useful Minerals, no. 5, p. 537-547 (in Russian).
- Voznesenskaya, T.A and Badarch, G., 1991, Sedimentation and volcanism of the Jinst Variscides subzone of southern Mongolia: Lithology and Mineral Resources, no. 2, p. 37-52 (in Russian).
- Wakita, K., 1988, Origin of chaotically mixed rock bodies in the Early Jurassic to Early Cretaceous sedimentary complex of the Mino terrane: Geological Survey of Japan Bulletin, v., 39, p. 675-757.
- Wakita, K., Okamura, Y., and Awata, Y., 1992, Tectonic Map of Japan: Geological Survey of Japan, ed., Geological Atlas of Japan, 2nd ed.: Asakura Publishing Company, Ltd., Tokyo, scale 1:3,000,000.
- Wang, Nailiang, Yang, Jingchun, Xia, Zhengkai, Mo, Duowen, Li, Youli, and Pan, Mao, 1996, The Cenozoic sedimentation and morphostructure of graben system, Shanxi province: Beijing: Science Press, p. 1-72, 120-155 (in Chinese).
- Wang, Quan, Liu, Xueya, and Li, Jinyi, 1991, Plate tectonics between Cathayasia and Angaland in China: Beijing University Publishing house, p. 118-119, (in Chinese).
- Wang, Shanshu, ed., 1990, Oil and gas bearing areas on the continental shelf and its neighbouring regions, *in* Petroleum Geology of China: Beijing: Petroleum Industry Press, v. 16, p. 48-115, 289-366 (in Chinese).
- Weber, F.R., Smith, T.E., Hall, M.H., and Forbes, R.B., 1985, Geologic guide to the Fairbanks-Livengood area, east-central Alaska: Alaska Geological Society, Anchorage, Alaska, 45 p.
- Weber, F.R., Wheeler, K.L., Rinehart, C.D., Chapman, R.M., and Blodgett, R.B., 1992, Geologic map of the Livengood quadrangle, Alaska: U.S. Geological Survey Open-File Report 92-562, scale 1:250,000, 20 p.
- Whalen, J.B., Currie, K.L., and Chappell, B.W., 1987, A-type granites: geochemical characteristics, discrimination and petrogenesis: Contributions to Mineralogy and Petroloby, v. 95, p. 407-419.
- White, R.S., and McKenzie, D., 1995. Mantle plumes and flood basalts: Journal of Geopohysical Research, v. 100, p. 17,543-17,585.
- Wilde, S.A., Dorsett-Bain H.L., and Lennon, R.G., 1999, Geological setting and controls on the development of graphite, sillimanite and phosphate mineralization within the Jiamusi Massif: An exotic fragment of Gondwanaland located in north-eastern China?: Gondwana Research, v. 2, no. 1, p. 21-46.
- Wilde, S.A., Dorsett-Bain, H.L., and Liu, J., 1997, The identification of a late Pan-African granulite facies event in northeastern China: SHRIMP U-Pb zircon dating of the Mahsan Group at Liu Mao, Heilongjiang Province, China: Proceedings of the 30th International Geological Congress, Beijing, v.17, VSP International Science Publishers, Amsterdam, p.59-74.
- Windley, B.F., Kröner, A., Khain, Ye.V., Gibsher, A.S., Salnikova, E., and Kozakov, I., 2000, Late Neoproterozoic ophiolite formation and accretion tectonics in western Mongolia, *in* Badarch, G., and Jahn, B., eds., Continental Growth in the Phanerozoic: Evidence from Central Asia: International Geological Congress P-420, Abstracts and Excursion Guidebook Rennes, Geosciences, p. 84-85.
- Windley, B.F, Guo, J., Li, J., and Zhang, C., 1994, Subdivisions and tectonic evolution of Chinese Altai: Geology and Geophysics, v. 35, no. 7-8, p. 116-117.
- Winterer, E.L., Natland, J., Waasbergen, R.J., Duncan, R.A., McNutt, M.K., Wolfe, C.J., Silva, I.P., Sager, W.W., and Sliter, W.V., 1993, Cretaceous guyots in the Northwest Pacific: An overview of their geology and geohysics: American Geophysical Union Monograph 77, p. 307-334.
- Won, C.K., Lee, M.W., and Lee, J.M., 1991, A study of the Cretaceous volcanic activity of the Bupseongpo area: Geological Society of Korea Journal, v.27, p. 416-433 (in Korean).
- Won, C.K., 1987. Triassic to Paleogene igneous rocks, *in* Lee, D.S., ed., Geology of Korea:Kyohak-sa Publication Company, Seoul, p. 313-326.
- Wu, Changhua, Gao, Yadong, Mei, Hualin, and Zhong, Changting, 1994, Structural features and unconformity arguments between the khondalite suite and the granulite complex in Huangtuyao Area, Nei Mongol and North China, *in* Qian Xianglin, and others, eds., The Geological Evolution of the Granulite Belt in the North Part of the North China Craton: Seismological Press, Beijing, p.144-156 (in Chinese).
- Wu, Fuyuan, 1998, Geochemical constraints on high-ultrahigh pressure metamorphism in Dabie-Sulu area, central China, *in* Wu, Fuyuan, and Cao, Lin, eds., Crystal Evolution in Northeast Asia, The Fifth Sino-Korean Joint Symposium, August 3-9, 1998: Changchun University of Science and Technology, Changchun, China, p. 9-10.

- Wu, Jiashan, Geng, Yuansheng, Shen, Qihan, Liu, Dunyi, Li, Zilong, and Zhao, Dunming, 1991, The Early Precambrian Geological Events of North China Pratform: Geological Publishing House, Beijing, p.1-115 (in Chinese).
- Wu, Jiashan, Geng, Yuansheng, Shen, Qihan, Wan, Yusheng, Liu, Dunyi, and Shong, Biao, 1998, Archean geology characteristics and tectonic evolution of China-Korea paleo-continent: Geological Publishing House, Beijing, p. 1-212 (in Chinese).
- Wu Jiashan, Geng Yuansheng, Shen Qihan, Wan Yusheng, Liu Dunyi and Shong Biao, 1998, Archean geology characteristics and tectonic evolution of China-Korea paleo-continent, Geological Publishing House, Beijing, 1-212 (in Chinese).
- Xu, Gongyu, Peng, Yujing, and Fang, Wencang, 1991, Two kinds of granites and their forming tectonic setting in Jilin Province, *in* Li Zhitong, ed., Contributions on Granitoids and Their Minerogenesis in Northern China: Geological Publishing House, Beijing, p. 59-65 (in Chinese).
- Xu, Junyuan, 1993, Mesozoic tectonic evolution of Yisu fault zone: Oil and Gas Geology, v. 14, no. 2, p. 137-144 (in Chinese).
- Xu, Wenliang, and Sun, Deyou, 1994, The tectonic environment of the foramtion of the Late Hercynian-Early Indosinian and the Late Indosinian granitoids in Manzhouli-Suifenhe transect, *in* Lithospheric Structures and Evolution along Manzhouli-Suifenhe Geoscience Transect of China: Seismic Publishing House, Beijing, p.123-131, (in Chinese).
- Xu, Wenliang, Sun, Deyou, and Zhou, Yan, 1994, The division of palaeozoic tectonic units in Manzhouli-Suifenhe Transect indicated from igneous rocks, *in* Lithospheric Structures and Evolution along Manzhouli-Suifenhe Geoscience Transect of China: Seismic Publishing House, Beijing, p.105-112.
- Yamanari, F., 1924, Geological Atlas of Korea, No. 1, Milyang and Yuchon Sheets: Geological Survey of Korea, (in Japanese), scale 1:50,000.
- Yamazaki, T., and Yuasa, M., 1998, Possible Miocene rifting of the Izu-Ogasawara (Bonin) arc deduced from magnetic anomalies: Island Arc, v. 7, p. 374-382.
- Yang, Zhongfang, Xu, Jingkui, Zhao, Lunshan, Shen, Yongli, and Wu, Yuebin, 1998, The evolution of regional crust and the geochemistry on gold mineralization in Shandong: Geological Publishing House, Beijing, p. 54-86 (in Chinese).
- Yanov, E.N., 1955, Stratigraphy of Devonian sedimentary rocks of the Rybinsk basin: U.S.S.R. Academy of Science Report, v. 104, no. 5, p. 767-770 (in Russian).
- Yanshin, A.L., ed., 1989, Map of Geological Formations of Mongolian People's Republic: Main board of Geodesy and Cartography, (GUGK), U.S.S.R. Academy of Sciences And Mongolian Academy of Sciences, scale 1:1.500.000.
- Yanshin, A.L.; and Borukaev, Ch.B., eds., 1988, Tectonics and evolution of the earth crust of Siberia: Nauka, Novosibirsk, 176 p. (in Russian).
- Yao, Fengliang, Liu, Liandeng, Kong, Qingchun, and Gong, Runtan, 1990. Gold lodes in the northwestern part of the Jiaodong peninsula, Changchun: Jilin Science and Technology Press, p. 1-68 (in Chinese).
- Yao, Y., Ye, K., Liu, J., Cong, B., and Wang, Q., 2000, A transitional eclogite- to high pressure granulite-facies overprint on coesite-eclogite at Taohang in the Sulu ultrahigh-pressure terrane, East China: Lithos, v. 52, p. 109-120.
- Yapaskurt, O.V., 1992, Lithogenesis and mineral deposits of miogeosynclines: Nedra, Moscow, 224 p. (in Russian). Yarmoljuk, V.V., and Kovalenko, V.I., 1991, Rifting magmatism of active continental margins and its ore-bearing capacity: Nauka, Moscow, 263 p. (in Russian).
- Yarmolyuk, V.V., 1978, Upper Paleozoic volcanic association and structural-petrological features of their formation: Nauka, Moscow, v. 23, 134 p. (in Russian).
- Yarmolyuk, V.V., 1983, Carboniferous volcanism: Continental volcanism of the Mongolia: Nauka, Moscow, v. 36, p. 67-85 (in Russian).
- Yarmolyuk, V.V., 1983, Late Paleozoic volcanism of continental rifting structures of Central Asia: Nauka, Moscow, 198 p. (in Russian).
- Yarmolyuk, V.V., Budnikov, S.V., Kovalenko, V.V., Antipin, V.S., and others, 1997, Geochronology and geodynamic position of the Angara-Vitim batholith: Petrology, v. 5, no. 5, p. 451-466 (in Russian).
- Yarmolyuk, V.V., and Kovalenko, B.I, 1983, Permian basalt-alkalic rhyolite association of northern Mongolia: U.S.S.R. Academy of Sciences Transactions, v. 236, no. 3, p. 679-682 (in Russian).

- Yarmolyuk, V.V., Kovalenko, B.I., Oldone, M., Del-Moro, A., and Tsareva, G.M., 1990, Petrology and geochemistry of basalt-trachyrhyolite-comendite association of northern Mongolia: Transactions, U.S.S.R. Academy of Sciences, Geology Series, no. 12, p. 3-20 (in Russian).
- Yarmolyuk, V.V., and Tikhonov, V.I., 1982, Late Paleozoic magmatism and fault tectonics of the Transaltai Gobi (Mongolian People's Republic): Geotectonics, no. 2, p. 46-57.
- Yaroshevich, V.M., 1962, Sinian and Cambrian stratigraphy of the Batenev and Azyr-Tal ridges and the Belyi Iyus river basin: Nauka, Novosibirsk, 186 p. (in Russian).
- Yaroshevich, V.M., Kornev, T.Ya., and Kungurtsev, L.V., 1995, The Kuvai standard of the Kuvai basaltoid complex (East Sayan): Transactions of Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy, Russian Academy of Sciences, Novosibirsk,148 p. (in Russian).
- Yashina, R.M, 1975. Syenite-nepheline-syenite formation: Granitoid and alkaline formations in the structures of western and northern Mongolia: Nauka, Moscow, v. 14, p. 233-257
- Yashina, R.M., 1957. Alkali rocks of Southeastern Tuva: U.S.S.R. Academy of Sciences Proceedings, Geological Series, v. 5, p. 17-36 (in Russian).
- Yazmir, M.M., Dalmatov, B.A., and Yazmir, I.K., 1975, Atlas of fauna and flora of the Paleozoic and Mesozoic of the Buryat Republic: Nedra, Moscow, 181 p. (in Russian).
- Ye, Huiwen, Zhang, Xingzhou, and Zhou, Yuwen, 1994, The texture and evolution of Manzhouli-Suifenhe lithosphere study based on features of blueschist and ophiolites, *in* Geological Research on the Texture of Lithosphere and Its Evolution in Manzhouli-Suifenhe, Geoscience Transect Region: Seismic Publishing House, Beijing, p.73-83 (in Chinese).
- Ye, Mao, Zhang, Shihong, and Wu, Fuyuan, 1996, Paleozoic terrane tectonics of the Northeast China: Journal of Changchun University of Earth Sciences, v. 26, no. 4, p. 46-51 (in Chinese).
- Yin, Hongfu, 1992, Paleobiogeography of Triassic in eastern Asia Journal of China University of Earth Sciences, v. 17, p. 123-136 (in Chinese).
- Yolkin, E.A., Sennikov, N.V., Buslov, M.M., Yazikov, A.Yu., Gratsianova, R.T., and Bakharev, N.K., 1994, Paleogeographic reconstruction of the Western Altai-Sayan area in the Ordovician, Silurian, and Devonian and their geodynamic interpretation: Geology and Geophysics, v. 35, no. 7-8, p. 100-124.
- Yoshikura, S., Hada, S., and Isozaki, Y., 1990, Kurosegawa terrane, *in* Ichikawa, K., and others, eds., Pre-Cretaceous Terranes of Japan: Osaka City University, Osaka, Japan, p. 185-201.
- Yun, S.H., 1998, Strontium isotope composition and petrochemistry of the Cretaceous Chaeyaksan Volcanics, northern Yucheon volcanic field, South Korea: Geological Society of Korea Journal, v. 34, p. 161-171 (in Korean).
- Yurkova, R.M., 1991, Mineral alterations of ophiolitic and hosting volcano-sedimentary units of the northwestern Pacific margin: Nauka, Moscow, 164 p. (in Russian).
- Zabiyaka, A.I., Zabiyaka, I.D., Vernikovsky, V.A., and others, 1986, Geological structure and tectonic evolution of northeastern Taimyr: Nauka, Novosibirsk, 144 p. (in Russian).
- Zablotskiy, E.M., 1978, Magmatic formations of the Mesozoic activation epoch of the Stanovoy region, *in* Peculiarities of Geologic Structure and Mineral Deposits of the Territory near the Baikal-Amur Railroad: Nauka, Leningrad, p. 5-20 (in Russian).
- Zablotsky, E.M., Kalachova, E.D., Okuneva, T.M., Sei, I.I., and Tikhomirova, L.B., 1991, New data on stratigraphy of Triassic and Jurassic deposits of the Gorinsk synclinorium [abs.], *in* Precambrian and Phanerzoic Stratigraphy of the Transbaikal Region and the Southern Far East: Abstracts of the 14th Far East Regional Interdepartment Stratigraphic Meeting: U.S.S.R. Academy of Sciences, Khabarovsk, p. 148-151 (in Russian).
- Zablotsky, K.A., Nozhkin A.D., and Sopronchuk, V.R., 1987, Early-Precambrian rocks of the Ukseev complex: Nauka, Moscow, p.5-14 (in Russian).
- Zagruzina, I.A., 1977, Geochronology of Mesozoic granitoids in the northeastern U.S.S.R.: Nauka, Moscow, 279 p. (in Russian).
- Zagruzina, I.A., Golubchina, M.N., Iskanderova, A.D., and others, 1984, Basic results of geochronological and isotope studies in the BAM zone and adjacent regions, *in* Isotope Age of Rocks and Their Geological Interpretation: All-Soviet Union Geological Research Institute, Leningrad, p. 84-95 (in Russian).
- Zaikov, V.V., 1976, Proterozoic and Cambrian ore-bearing volcanics of Tuva: Nauka, Novosibirsk, 126 p. (in Russian).
- Zaikova, E.V., The Upper Proterozoic of the Kharal structural-formational zone (Tuva), *in* New Stratigraphic and Paleontologic Data of the Late Precambrian of Altai-Sayan Folded Area and Tuva: Institute of Geochemistry and Geophysics, Siberian Branch, U.S.S.R. Academy of Sciences, p. 37-48 (in Russian).

- Zaitsev, N.S., Mossakovsky, A.A., Perfilev, A.C, Tomurtogoo, O., and Lkhasuren, B, 1969, On timing of closure of Hangay basin in Central Mongolian Variscides: Geotectonics, no. 6, p. 89-94 (in Russian).
- Zakharov, Yu.I., Chukhonin, V.F., and Proskurnin V.F., 1993, New isotopic-geochronological data for the granitoids of Shrenk-Mamont uplift, Taimyr: U.S.S.R. Academy of Sciences, Transactions v. 332, no 1, p. 58-61 (in Russian).
- Zaltsman, V.D., Kokodzeev, I.K., Edintsev, E.S., Khomichev, V.L., Mitinskaya, T.S., and Babkin, A.N., 1996, The correlation scheme of magmatic and metamorphic complexes of West Sayan: Transactions of Siberian Scientific Research Branch, Institute of Geology, Geophysics, and Mineralogy, Russian Academy of Sciences, Novosibirsk, 17 p. (in Russian).
- Zamaraev, S.M., ed., 1975, Old crustal structure of East Siberia: Nauka, Novosibirsk, 186 p. (in Russian).
- Zhabin, V.V., 1971, On the age and genesis of bauxites of the Bokson deposit, *in* Problem of Bauxites in Siberia: Institute of Geology Proceedings, Novosibirsk, v. 121, p. 120-126 (in Russian).
- Zhai, M.G., Bain, A.G., and Zhai, T.P., 2000, The amalgamation of the supercontinent of North China Craton at the end of Neoarchean and its break-up during late Paleoproterozoic and Mesoproterozoic: Science in China, Ser.D, 2000, v. 43, p. 219.
- Zhang, Dequan, 1993, The two series of grantoids of different tectonic environments in the southern part of Daxin'anling Mountains: Acta Petrologica et Mineralogica, v. 12, no. 1, p. 1-12.
- Zhang, Hairi, Luan, Huimin, and Chen, Leguo, 1991, Establishment of Indo-China granites and their tectonic significance in Heilongjiang province: Helongjiang Geology, v. 2, no. 1, p. 8-17 (in Chinese).
- Zhang, Ligang, 1996, Block geology of eastern Asia: Lithosphere-Isotope Geochemistry and Dynamics of Upper Mantle, Basement and Granite: Scientific Publishing House, Beijing, 112 p., (in Chinese).
- Zhang, Qinglong, and Mizutani, Shinjino, 1996, The role of stratigraphic correlation study in the terrane analysis: Journal of Stratigraphy, v. 20, no. 1, p. 70-75 (in Chinese).
- Zhang, Qinglong, Mizutani, Shinjino, Xiaodaozi, and Shao, Ji'an, 1989, Initial study on Nadanhada terrane in Heilongjiang Province: Geological Review, v. 35, no. 1, p. 67-71 (in Chinese).
- Zhang, Xingzhou, and Sklyarov, E.V.,1992, Tectonic significance of buleschist belts in northeastern China and adjacent areas *in* Yan, Hongquan, and Xu, Xuechun, eds., Geological Institute Bulletin, Changchun University of Earth Sciences, p.99-106 (in Chinese).
- Zhang, Xingzhou, 1992, Heilongjiang melange: Evidence of Caledonian suture zone of the Jiamusi Massif: Journal of Changchun University of Earth Science, p.94-101 (in Chinese).
- Zhang, Yixia, and Liu, Liandeng, eds., 1994, Precambrian ore deposits and tectonics in China: Seismic Publishing House, Beijing, p. 1-213 (in Chinese).
- Zhang, Zengqi, and Liu, Mingwei, eds., 1996, Stratigraphy (lithostratigraphy) of Shandong Province, Wuhan: China University of Geoscience Press, 327 p. (in Chinese).
- Zhao, Chunjin, Peng, Yujing, Dang, Zengxin, and Zhang, Yunping, 1996, Tectonic framework and crust-evolution of eastern Jilin and Heilongjiang provinces: Liaoning University Press, Shenyang. 172 p. (in Chinese).
- Zhelinskiy, V.M., 1980. Mesozoic coal formation of South Yakutia: Nauka, Novosibirsk, 120 p. (in Russian).
- Zhizhina, M.S., 1959, Age of Paleozoic deposits on the Kotel'nyi Island: U.S.S.R. Academy of Sciences Transactions, Geologic Series, no. 4, p.90-91 (in Russian).
- Zmievsky, Yu.P., Petukhov, A.D., and Kir'yanova, V.V., 1990, New data on the structure and age of the Dzhelon suite, *in* Stratigraphy of the Precambrian and Phanerozoic in TransbaikaL and the southern Far East: U.S.S.R. Academy of Sciences Transactions, Khabarovsk, p. 179-180 (in Russian).
- Zonenshain, L.P., 1963, Tectonics of West Sayan: Nedra, Moscow, 112 p. (in Russian).
- Zonenshain, L.P, 1972, The geosynclinal theory and its application to the Central Asia's orogenic belt: Nedra, Moscow, 240 p. (in Russian).
- Zonenshain, L.P, and Kuzmin, M.I, 1978, Khan-Taishir ophiolite complex in western Mongolia and problems of ophiolites: Geotectonics, no. 1, p. 19-42 (in Russian).
- Zonenshain, L.P, Kuzmin, M.I, and Natapov, L.M, 1990, Tectonics of lithosphere plate in territory of U.S.S.R, Book 1: Nedra, Moscow, 328 p. (in Russian).
- Zonenshain, L.P, Kuzmin, M.I, and Moralev, B.M, 1976, Global tectonics, magmatism and metallogeny: Nedra, Moscow, 231 p. (in Russian).
- Zonenshain, L.P., Kuzmin, M.I., and Natapov, L.M., 1990, Lithosphere plate tectonics of the U.S.S.R. territory. Book II: Nedra, Moscow, 334 p. (in Russian).
- Zonenshain, L.P., Kuzmin, M.I., and Natapov, L.M., 1990, Geology of the U.S.S.R.: A plate tectonic synthesis: American Geophysical Union Geodynamic Monograph., v. 21, 242 p.

- Zonenshain, L.P, Suetenko, O.D, Jamyandamba, L, and Eenjin, G, 1975, Structure of the axial part of south Mongolian eugeosyncline in the Dzolen Mountain Range: Geotectonics, no. 4, p. 28-44.
- Zorin, Yu.A., Belichenko, V.G., Rutshetin, I.G., and others, 1998b, Geodynamics of the wetern part of the Mongol-Okhotsk foldbelt and tectonic position of ore occurrences of gold in Transbaikal: Geology and Geophysics, v. 39, no. 11, p. 1578-1586 (in Russian)
- Zorin, Yu.A, 1999, Geodynamics of the western part of the Mongolia-Okhotsk collisional belt, Transbaikal regionin Russia and Mongolia: Tectonophysics, v. 306, p. 33-56.
- Zorin, Yu.A., Belichenko, V.G., Turutanov, E.Kh., and others, 1998a, Terranes of east Mongolia and central Transbaikal and develoment of the Mongol-Okhotsk foldbelt: Geology and Geophysics, v. 39, no. 1, p. 11-25 (in Russian)
- Zorin, Yu.A, Belichenko, V.G, Turutanov, E.K, Kozhevnikov, V.M, Sklyarov, E.V, Khosbayar, P, Tomurtogoo, O., Khosbayar, P., Arvisbaatar, N., and Byambaa, Ch, 1998, Terranes in east Mongolia and central Transbaikalia and evolution of the Okhotsk-Mongolian fold belt: Geology and Geophysics, v. 39, no. 1, p. 11-25.
- Zorin, Yu.A, Belichenko, V.G, Turutanov, E.K, Mordvinova, V.V, Kozhevnikov, V.M, Khosbayar, P., Tomurtogoo, O., Arvisbaatar, N., Gao, Sh, and Davis, P., 1994, Baikal- Mongolia transect: Geology and Geophysics, v. 35, no. 7-8, p. 78-92.
- Zorin, Yu.A, Sklyarov, E.V, Mazukabzov, A.M, and Belichenko, V.G, 1997, Metamorphic core complexes and Early Cretaceous rifting in the Transbaikal region: Geology and Geophysics, v. 38, no. 10, p. 1574-1584.
- Zou, X., and Armstrong, R.L. 1982, Cenozoic volcanic rocks of eastern China-circular and geographic trends in chemistry and stroncium isotopic composition: Earth and Planetary Science Letters, v. 58, p. 301-329.
- Zu, Xia, 1986, Discussion on the structures of oil and gas-bearing basins: Oil Industrial Press, Beijing. p. 1-98 (in Chinese),
- Zuo, G., and Li, M., 1996, Formation and evolution of the early Paleozoic lithosphere in the Beishan area: Lanzhou, Gansu Science and Technology Press, Langzhoung, p. 120 (in Chinese).
- Zuo, G, Zhang, S.L., He, G.Q., and Zhang, Y., 1991, Plate tectonic characterictics during the early Paleozic in Beishan near the Sino-Mongolian border region, China: Tectonophysics, v. 188, p. 385-392 (in Chinese).
- Zyabrev, S.V., 1984, Upper Mesozoic turbidites of the southern West Sakhalin trough: Pacific Ocean Geology, no. 5, p. 22-33 (in Russian).
- Zyabrev, S.V., 1994, Early Cretaceous chert of the Kiselevsk-Manomisk terrane, the youngest oceanic deposits in the continental structure of the Russian Far East: Geology of the Pacific Ocean, no. 6, p. 74-82 (in Russian).
- Zyabrev, S.V., and Matsuoka, A., 1999, Late Jurassic (Tithonian) radiolarians from a classic unit of the Khabarovsk Complex (Russian Far East): Significance for subduction accretion timing and terrane correlation: The Island Arc, v. 8, p. 30-37.