

Aspen Bibliography
Preliminary Report
Submitted by Aspen Delineation Project, October 2003

Reference List

1. Abad, S.; Santos, V., and Parajo, J. C. Formic acid-peroxyformic acid pulping of aspen wood: an optimization study. *Holzforschung*. 2000; 54(5):544-552.
2. Abe, H.; Gray Mitsumune, M.; Mellerowicz, E., and Sundberg, B. A liquid phase in situ RT-PCR method for gene expression analysis in woody stem tissues of hybrid aspen. The Fifth Pacific Regional Wood Anatomy Conference. Abstracts From the Meeting of the IAWA Pacific Regional Group and IUFRO S 5.01 (Wood Quality), Yogyakarta, Indonesia, 9-14 September 2002. *IAWA-Journal*. 2002, 23: 4, 459.
3. Abell, D. H. and Gilbert, F. F. Nutrient content of fertilized deer browse in Maine. *Journal-of-Wildlife-Management*. 1974; 38(3):517-524.
4. Abou Zaid, M. M.; Helson, B. V.; Nozzolillo, C., and Arnason, J. T. Ethyl m-digallate from red maple, *Acer rubrum* L., as the major resistance factor to forest tent caterpillar, *Malacosoma disstria* Hbn. *Journal-of-Chemical-Ecology*. 2001; 27(12):2517-2527.
5. Abraham, L.; Breuil, C.; Bradshaw, D. E.; Morris, P. I., and Byrne, T. Proteinases as potential targets for new generation anti-sapstain chemicals. *Forest-Products-Journal*. 1997; 47(9):57-62.
6. Abramovitch, R. A. and Koleoso, O. A. Some steam-volatile components of the [benzene] extractives from *Populus tremuloides* heartwood. 1966, *Canad. J. Chem.* 1966 44 (23), (2913-5). [4 Refs.].
7. Abramovitch, R. A. and Micetich, R. G. Extractives from *Populus tremuloides* heart-wood: the structure and synthesis of tremulone. 1962, *Canad. J. Chem.* 40 (10), 1962 (2017-22). 18 Refs.
8. ---. Extractives from *Populus tremuloides* heartwood: the triterpene alcohols. 1963, *Canad. J. Chem.* 41 (9), 1963 (2362-7). 25 Refs.
9. Abramovitch, R. A.; Micetich, R. G., and Smith, S. J. Extractives from *Populus tremuloides* (Aspen Poplar) heartwood. 1963, *Tappi*. 46 (1), 1963 (37-40). 14 Refs.
10. Abrams, M. D. Comparative water relations of three successional hardwood species in central Wisconsin. *Tree-Physiology*. 1988; 4(3):263-273.
11. Abrams, M. D. and Scott, M. L. Disturbance-mediated accelerated succession in two Michigan forest types. *Forest-Science*. 1989; 35(1):42-49.
12. Adamovich, L. L. Engineering characteristics of Canadian trees. Centre of gravity and green weight of components of four species in interior British Columbia. Information-Report,-Forest-Management-Institute,-Canada. 1975; (No.FMR-X-74):v + 29 + 52 pp.
13. Adams, P. W. and Boyle, J. R. Cation release from Michigan Spodosols leached with aspen leaf extracts. *Soil-Science-Society-of-America-Journal*. 1979; 43(3):593-596.
14. ---. Effects of fire on soil nutrients in clearcut and whole-tree harvest sites in Central Michigan. *Soil-*

Science-Society-of-America-Journal. 1980; 44(4):847-850.

15. ---. Soil fertility changes following clearcut and whole-tree harvesting and burning in central Michigan. *Soil-Science-Society-of-America-Journal*. 1982; 46(3):638-640.
16. Adams, R. D. Aspen symposium '89: proceedings. Duluth, Minnesota, July 25-27, 1989. General-Technical-Report -North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1990; (No. NC-140):vi + 348 pp.
17. Adams, R. D. and Lund, A. E. Composite wood crossarms. Kelso, W. C.; Jr. (President)(Seventy-sixth annual meeting):held at Opryland Hotel, Nashville, Tennessee, April 27, 28, 29 and 30, 1980. Proceedings,-American-Wood-Preservers'-Association. 1980, 76: 50-55.
18. Adams, W. S. Screening trials of chemicals suitable for conifer site preparation and release in Michigan's upper peninsula. Proceedings North Central Weed Control Conference, 1981. 1981, Vol.36, 77-80.
19. Addison, J. A. Safety testing of tebufenozide, a new molt-inducing insecticide, for effects on nontarget forest soil invertebrates. *Ecotoxicology-and-Environmental-Safety*. 1996; 33(1):55-61.
20. Addison, J. A. and Barber, K. N. Soil- and litter-dwelling invertebrates: effects of forest harvesting and implications for sustainability and biodiversity. Frontline,-Technical-Note -Great-Lakes-Forestry-Centre,-Canadian-Forest-Service. 1997; (No. 93):4 pp.
21. Addison, P. A.; Malhotra, S. S., and Khan, A. A. Effect of sulfur dioxide on woody boreal forest species grown on native soils and tailings. *Journal-of-Environmental-Quality*. 1984; 13(3):333-336.
22. Afanasiev, M. Effect of indolebutyric acid on rooting of greenwood cuttings of some deciduous forest trees. 1939, *Jnl. For.* 37 1939 (37-41).
23. Agrawal, S. C. and Patil, B. D. Problem of Fir (*Abies pindrow*, *A. spectabilis*) and Spruce (*Picea morinda*) regeneration. 1956, *Indian For.* 1956 82 (7), (382-6 + 3 Photos). 15 Refs.
24. Agrell, J.; McDonald, E. P., and Lindroth, R. L. Effects of CO₂ and light on tree phytochemistry and insect performance. *Oikos*. 2000; 88(2):259-272.
25. Ahern, F. J.; Leckie, D. J., and Drieman, J. A. Seasonal changes in relative C-band backscatter of northern forest cover types. *IEEE-Transactions-on-Geoscience-and-Remote-Sensing*. 1993; 31(3):668-680.
26. Ahlgren, C. E. Buried seed in the forest floor of the Boundary Waters Canoe Area. *Minnesota-Forestry-Research-Notes*. 1979; (No. 271):4 pp.
27. ---. Phenological observations of nineteen native tree species in northeastern Minnesota. 1957, *Ecology* 1957 38 (4), (622-8). 3 Refs.
28. ---. Regeneration of Red Pine and White Pine following wildfire and logging in northeastern Minnesota. *Journal-of-Forestry*. 1976; 74(3):135-140.
29. ---. Seventeen-year changes in climatic elements following prescribed burning. *Forest-Science*. 1981; 27(1):33-39.
30. ---. Some effects of fire on forest reproduction in northeastern Minnesota. 1959, *J. For.* 1959 57 (3), (194-200). 16 Refs.
31. ---. Some effects of prescribed burning on Jack Pine reproduction in northeastern Minnesota. 1970,

Miscellaneous Report, University of Minnesota Agricultural Experiment Station, St. Paul No. 94 (Forestry Series 5). 1970 Pp. 14. [46 Refs.].

32. Ahlgren, C. E. and Ahlgren, I. F. Some effects of different forest litters on seed germination and growth. *Canadian-Journal-of-Forest-Research*. 1981; 11(3):710-714.
33. Ahlgren, P. A.; Wood, J. R., and Goring, D. A. I. The fibre saturation point of various morphological subdivisions of Douglas Fir and Aspen wood. *Wood-Science-and-Technology*. 1972; 6(2):81-84.
34. Ahmed, A. K. and Johnson, K. A. Turner Review No. 3. Horticultural development of Australian native edible plants. *Australian-Journal-of-Botany*. 2000; 48(4):417-426.
35. Ahuja, M. R. A commercially feasible micropropagation method for aspen. *Silvae-Genetica*. 1984; 33(4-5):174-176.
36. ---. Isolation and culture of mega and normal protoplasts in aspen. *Silvae-Genetica*. 1983; 32(5-6):225-227.
37. ---. Somatic cell differentiation and rapid clonal propagation of aspen. *Silvae-Genetica*. 1983; 32(3-4):131-135.
38. ---. Storage of forest tree germplasm in liquid nitrogen (-196°C). *Silvae-Genetica*. 1986; 35(5-6):249-251.
39. Ahuja, M. R. and Ahuja, M. R. Differential growth response of aspen clones stored at sub-zero temperatures. *Somatic Cell Genetics of Woody Plants*. Proc. IUFRO Working Party S2.04-07; (held in Grosshansdorf):W. Germany, 10-13 Aug. 1987. 1988, 173-180.
40. Ahuja, M. R.; Fladung, M.; Ahuja, M. R. (ed.); Boerjan, W. (ed.), and Neale, D. B. Stability and expression of chimeric genes in *Populus*. *Somatic Cell Genetics and Molecular Genetics of Trees*. 1996, 89-96; 32 Ref.
41. Ahuja, M. R.; Krusche, D.; Melchior, G. H., and Ahuja, M. R. Determination of plantlet regeneration capacity of selected aspen clones in vitro. *Somatic Cell Genetics of Woody Plants*. Proc. IUFRO Working Party S2.04-07; (held in Grosshansdorf):W. Germany, 10-13 Aug. 1987. 1988, 127-135.
42. Aitken, K. E. H.; Wiebe, K. L., and Martin, K. Nest-site reuse patterns for a cavity-nesting bird community in interior British Columbia. *Auk*. 2002, 119: 2, 391-402.
43. Akande, J. A. Failure in wood related to decay weight losses. *Forest-Products-Journal*. 1990; 40(7-8):47-53.
44. Akande, J. A. and Kyanka, G. H. Evaluation of tensile fracture in aspen using fractographic and theoretical methods. *Wood-and-Fiber-Science*. 1990; 22(3):283-297.
45. Akande, J. A.; Kyanka, G. H., and Hanna, R. B. Development of longitudinal split failure in white-rotted aspen (*Populus tremuloides* Michx.). *Wood-and-Fiber-Science*. 1990; 22(4):429-440.
46. Akhtar, M. Biomechanical pulping of aspen wood chips with three strains of *Ceriporiopsis subvermispora*. *Holzforschung*. 1994; 48(3):199-202.
47. Akhtar, M.; Blanchette, R. A., and Burnes, T. A. Using Simons stain to predict energy savings during biomechanical pulping. *Wood-and-Fiber-Science*. 1995; 27(3):258-264.
48. Akkapeddi, A. S.; Noormets, A.; Deo, B. K.; Karnosky, D. F., and Podila, G. K. Gene structure and expression of the aspen cytosolic copper/zinc-superoxide dismutase (PtSodCcl). *Plant-Science-Limerick*. 1999; 143(2):151-162.

49. Akkapeddi, A. S.; Shin, D. I.; Stanek, M. T.; Karnosky, D. F., and Podila, G. K. cDNA and derived amino acid sequence of the chloroplastic copper/zinc-superoxide dismutase from aspen (*Populus tremuloides*). *Plant-Physiology*. 1994; 106(3):1231-1232.
50. Al Kinany, A. Effect of auxins on root formulation in the vegetative propagation of *Populus alba*, *Populus tremula*, *Picea abies* and *Juniperus communis*. *Pakistan-Journal-of-Forestry*. 1980; 30(2):84-97.
51. Al Rabbat, M. F. and Heaney, D. P. The effects of anhydrous ammonia treatment of wheat straw and steam cooking of aspen wood on their feeding value and on ruminal microbial activity. 1. Feeding value assessments using sheep. *Canadian-Journal-of-Animal-Science*. 1978; 58(3):443-451.
52. ---. The effects of anhydrous ammonia treatment of wheat straw and steam cooking of aspen wood on their feeding value and on ruminal microbial activity. 2. Fermentable energy and microbial growth derived from ammonia nitrogen in the ovine rumen. *Canadian-Journal-of-Animal-Science*. 1978; 58(3):453-463.
53. Al Saadi, H. A. and Wiebe, H. H. The influence of maturity, season and part of plant on matric bound water. *Plant-and-Soil*. 1975; 43(2):371-376.
54. Alban, D. H. Effects of nutrient accumulation by aspen, spruce, and pine on soil properties. *Soil-Science-Society-of-America-Journal*. 1982; 46(4):853-861.
55. ---. Seasonal changes in nutrient concentration and content of aspen suckers in Minnesota. *Forest-Science*. 1985; 31(3):785-794.
56. ---. Soil variation and sampling intensity under Red Pine and Aspen in Minnesota. *USDA-Forest-Service-Research-Paper,-North-Central-Forest-Experiment-Station*. 1974; (No. NC-106):10 pp.
57. ---. Volume comparison of pine, spruce, and aspen growing side by side. *Research-Note,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1985; (No. NC-327):6pp.
58. Alban, D. H. and Berry, E. C. Effects of earthworm invasion on morphology, carbon, and nitrogen of a forest soil. *Applied-Soil-Ecology*. 1994, 1: 243-249; 21 Ref.
59. Alban, D. H.; Host, G. E.; Elioff, J. D., and Shadis, D. Soil and vegetation response to soil compaction and forest floor removal after aspen harvesting. *Research-Paper -North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1994; (No. NC-315):8 pp.
60. Alban, D. H. and Pastor, J. Decomposition of aspen, spruce, and pine boles on two sites in Minnesota. *Canadian-Journal-of-Forest-Research*. 1993; 23(9):1744-1749.
61. Alban, D. H. and Perala, D. A. Carbon storage in Lake States aspen ecosystems. *Canadian-Journal-of-Forest-Research*. 1992; 22(8):1107-1110.
62. Alban, D. H.; Perala, D. A., and Adams, R. D. Ecosystem carbon following aspen harvesting in the upper Great Lakes. *Aspen Symposium '89: Proceedings*. Duluth; (Minnesota):July 25-27, 1989. *General-Technical-Report -North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1990, No. NC-140, 123-131.
63. Alban, D. H.; Perala, D. A.; Jurgensen, M. F.; Ostry, M. E., and Probst, J. R. Aspen ecosystem properties in the Upper Great Lakes. *Research-Paper -North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1991; (No. NC-300):i + 47 pp.
64. Alban, D. H.; Perala, D. A., and Schlaegel, B. E. Biomass and nutrient distribution in aspen, pine, and spruce stands on the same soil type in Minnesota. *Canadian-Journal-of-Forest-Research*. 1978;

8(3):290-299.

65. Alder, G. M. and Harper, K. T. Age profiles in Aspen forests of Utah and northern Arizona. 1969, Abstr. in Proc. Utah Acad. Sci. 1969 46 (2), (166).
66. Alekseev, V. A. Evaluating the degree of infection of Aspen by *Phellinus tremulae* in relation to the content of exchangeable Ca and Mg in the soil. 1971, Lesn. Zh. 1971 14 (3), (7-9). [Ru, 12 Ref.].
67. ---. Mosses on Aspen stems-indicators of wood quality. 1971, Lesn. Khoz. 1971 (2), (78). [Ru].
68. Alemdag, I. S. Aboveground-mass equations for six hardwood species from natural stands of the research forest at Petawawa. Information-Report,-Petawawa-National-Forestry-Institute,-Canada. 1981; (No. PI-X-6):iv + 9 pp.
69. ---. Biomass of the merchantable and unmerchantable portions of the stem. Information-Report,-Petawawa-National-Forestry-Institute,-Canada. 1982; (No. PI-X-20):v + 20 pp.
70. ---. Estimating oven-dry mass of trembling aspen and white birch using measurements from aerial photographs. Canadian-Journal-of-Forest-Research. 1986; 16(1):163-165.
71. Alemdag, I. S. and Honer, T. G. Is decay volume strongly related to number of knots and log volume in Poplar? Bi-Monthly-Research-Notes. 1972; 28(2-3):18.
72. Alemdag, I. S. and Horton, K. W. Single-tree equations for estimating biomass of trembling aspen, large tooth aspen and white birch in Ontario. Forestry-Chronicle. 1981; 57(4):169-173.
73. Alexander, M. E. Fire behaviour in aspen slash fuels as related to the Canadian Fire Weather Index. Canadian-Journal-of-Forest-Research. 1982; 12(4):1028-1029.
74. Alexander, M. E. and Maffey, M. E. Predicting fire behavior in Canada's aspen forests. Fire-Management-Notes. 1993; 53-54(1):10-13.
75. Alexander, M. E.; Sando, R. W.; MacIver, D. C. (ed.); Auld, H. (ed.), and Whitewood, R. Fire behavior and effects in aspen-northern hardwood stands. Proceedings of the 10th Conference on Fire and Forest Meteorology. 1989, 263-274; 40 Ref.
76. Alexander, R. R. Major habitat types, community types, and plant communities in the Rocky Mountains. General-Technical-Report,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1985; (No. RM-123):105pp.
77. ---. Silviculture of central and southern Rocky Mountain forests : a summary of the status of our knowledge by timber types. USDA-Forest-Service-Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station. 1974; (No. RM-120):36 pp.
78. Alexopoulos, J. Accelerated aging and outdoor weathering of aspen waferboard. Forest-Products-Journal. 1992; 42(2):15-22.
79. Alfaro, R. I.; Taylor, S.; Brown, R. G., and Clowater, J. S. Susceptibility of northern British Columbia forests to spruce budworm defoliation. Forest-Ecology-and-Management. 2001; 145(3):181-190.
80. Allan, R. S.; Skeet, C. W., and Forgacs, O. L. Refiner groundwood from deciduous species. 1968, Pulp Paper Mag. Can. 1968 69 (18, Sept. 20),(74-80). [8 Refs.].
81. Allard, D. L. and Troxell, H. E. Unsteady-state thermal heat transfer properties of solid wood walls. Forest-Products-Journal. 1980; 30(9):33-38.

82. Allen, L. H. Pitch control during the production of aspen kraft pulp. *Pulp-and-Paper-Canada*. 1988; 89(10):87-91.
83. Allen, L. H.; Sithole, B. B.; MacLeod, J. M.; Lapointe, C. L., and McPhee, F. J. The importance of seasoning and barking in the kraft pulping of aspen. *JPPS,-Journal-of-Pulp-and-Paper-Science*. 1991; 17(3):85-91.
84. Allen, R. B. and Peet, R. K. Gradient analysis of forests of the Sangre de Cristo Range, Colorado. *Canadian-Journal-of-Botany*. 1990; 68(1):193-201.
85. Aller, A. R. The composition of the Lake McDonald Forest, Glacier National Park. 1960, *Ecology* 1960 41 (1), (29-33). 14 Refs.
86. Allison, J. H. Periodic annual growth of the upland types on the Cloquet Forest. 1958, *Minn. For. Note* 1958 68 Pp.2.
87. Alm, A. A. and Whorton, J. M. Liquid hexazinone application over red pine seedlings. *Northern-Journal-of-Applied-Forestry*. 1988; 5(1):61-64.
88. Altman, A.; Pelah, D.; Yarnitzky, O.; Tzfira, T.; Ya' ari, A.; Wang, W. X.; Shoseyov, O.; Vainstein, A.; Huttermann, A.; Wang, S.; Ahuja, M. R. (ed.); Boerjan, W. (ed.), and Neale, D. B. Towards water stress-tolerant poplar and pine trees: molecular biology, transformation and regeneration. *Somatic Cell Genetics and Molecular Genetics of Trees*. 1996, 47-56; 32 Ref.
89. Altman, A.; Tzfira, T.; Wang, W.; Vinocur, B.; Hazan, G.; Vainstein, A.; Cassells, A. C. (ed.); Doyle, B. M. (ed.), and Curry, R. F. Clonal stability, seasonal periodicity and transgenes: the lesson from long-term micropropagation of transgenic and non-transformed *Populus tremula* L. plants. *International Symposium on Methods and Markers for Quality Assurance in Micropropagation, Cork, Irish Republic, 24-27 August, 1999*. 2000; (No. 530):429-436.
90. Amacher, M. C.; Bartos, D. L.; Christopherson, T.; Johnson, A. D.; Kutterer, D. E.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Nitrogen mineralization in aspen/conifer soils after a natural fire. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):415-426.
91. ---. Nitrogen mineralization in aspen/conifer soils after a natural fire. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):415-426.
92. Amaral, J. A. and Knowles, R. Inhibition of methane consumption in forest soils by monoterpenes. *Journal-of-Chemical-Ecology*. 1998; 24(4):723.
93. Amaral, J. A.; Ren, T., and Knowles, R. Atmospheric methane consumption by forest soils and extracted bacteria at different pH values. *Applied-and-Environmental-Microbiology*. 1998; 64(7):2397-2402.
94. Ambus, P. and Robertson, G. P. Fluxes of CH₄ and N₂O in aspen stands grown under ambient and twice-ambient CO₂. *Plant-and-Soil*. 1999; 209(1):1-8.
95. Amidon, G. B. Planning for sustained yield operations. 1953, *J. For.* 1953 51 (10), (720-5).
96. ---. Status of forestry in the pulpwood industry in the Lake States. 1951, *Paper Tr. J.* 1951 132 (2), (32, 34, 36).

97. Amiro, B. D. Paired-tower measurements of carbon and energy fluxes following disturbance in the boreal forest. *Global-Change-Biology*. 2001; 7(3):253-268.
98. Amiro, B. D. and Dugle, J. R. Temporal changes in boreal forest tree canopy cover along a gradient of gamma radiation. *Canadian-Journal-of-Botany*. 1985; 63(1):15-20.
99. Amiro, B. D.; Ewing, L. L., and Johnston, F. L. Turbulence measurements within boreal forest canopies. 19th Conference on Agricultural and Forest Meteorology and Ninth Conference on Biometeorology and Aerobiology, March 7-10, 1989, Charleston, South Carolina. 1989, 85-88; 4 Ref.
100. Amiro, B. D.; Sheppard, S. C.; Johnston, F. L.; Evenden, W. G., and Harris, D. R. Burning radionuclide question: what happens to iodine, cesium and chlorine in biomass fires? *Science-of-the-Total-Environment*. 1996; 187(2):93-103.
101. Amiro, B. D. and Wuschke, E. E. Evapotranspiration from a boreal forest drainage basin using an energy balance/eddy correlation technique. *Boundary-Layer-Meteorology*. 1987; 38(1-2):125-139.
102. Andejak, G. E. and Barnes, B. V. A seedling population of Aspens in southeastern Michigan. 1969, *Michigan Botanist, Ann Arbor* 1969 8 (4), (189-202). [35 Refs.].
103. Anderson, D. L. and French, D. W. Germination of ascospores of *Hypoxylon mammatum* in living Aspen. *Canadian-Journal-of-Botany*. 1972; 50(9):1973-1974.
104. ---. Isolation of *Hypoxylon mammatum* from Aspen stem sections. *Canadian-Journal-of-Botany*. 1972; 50(9):1971-1972.
105. Anderson, E. and Strand, L. Data from two comparative breeding experiments with Aspen. 1951, *Svensk Papp Tidn.* 1951 54 (3), (81-92). 3 Refs. (Medd. Foren. Vaxtforadl. Skogstrad No. 54.).
106. Anderson, E. A. and Hrubesky, C. E. Utilization of farm woodlot woods for roofing felt. 1949, Rep. U.S. for. Prod. Lab., Madison 1949 No. R1739, Pp. 10 + 5 Gphs., 9 Tbls.
107. Anderson, G. W. Aerially applied anti-biotics fail to control *Hypoxylon* canker on Aspen. 1971, *Plant Dis. Repr.* 1971 55 (7), (650).
108. ---. Development of *Hypoxylon mammatum* cankers on artificially shaded Aspen stems. *Forest-Science*. 1972; 18(4):316-318.
109. ---. *Hypoxylon* infection not greatly influenced by sex of Aspen trees. 1958, Tech. Note Lake St. For. Exp. Sta. 1958 535 Pp.1.
110. Anderson, G. W. and Anderson, R. L. Relationship between density of Quaking Aspen and incidence of *Hypoxylon* canker. 1968, *For. Sci.* 1968 14 (1), (107-12). [4 Refs.].
111. Anderson, G. W.; Hinds, T. E., and Knutson, D. M. Decay and discoloration of aspen. *Forest-Insect-and-Disease-Leaflet,-Forest-Service,-US-Department-of-Agriculture*. 1977; (No. 149):4 pp.
112. Anderson, G. W. and Martin, M. P. Factors related to the incidence of *Hypoxylon* cankers in aspen and survival of cankered trees. *Forest-Science*. 1981; 27(3):461-476.
113. Anderson, G. W. and Schipper, A. L. Jr. Variation among isolates of *Hypoxylon mammatum*. *European-Journal-of-Forest-Pathology*. 1975; 5(4):216-224.
114. Anderson, H. A.; Alexander, M. E.; Scotter, G. W.; Quintilio, D.; Tande, G. F.; Methven, I. R.; Schweger,

C.; Miller, M.; Chrosiewicz, Z.; Carroll, S.; Markham, B. J.; Richardson, C. J.; Vance, D. L.; Edgcombe, A. H.; Skrenek, J. M.; Kourtz, P. H.; Muraro, S. J.; Gray, H.; McQueen, J.; Eastman, D., and Dube, D. E. Fire ecology in resource management - workshop proceedings, December 6-7, 1977. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1978; (No. NOR-X-210):3 + 111 PP.

115. Anderson, H. G. and Bailey, A. W. Effects of annual burning on grassland in the aspen parkland of east-central Alberta. *Canadian-Journal-of-Botany*. 1980; 58(8):985-996.
116. ---. Effects of annual burning on grassland in the aspen [*Populus tremuloides*] parkland of east-central Alberta. *Canadian-Journal-of-Botany*. 1980; 58(8):985-996.
117. Anderson, H. W. and Zsuffa, L. Farming hybrid poplar for food and fibre: an exploratory study of the seasonal above-ground biomass. *Forest-Research-Report,-Ministry-of-Natural-Resources,-Ontario*. 1977; (No. 103):ii + 8 pp.
118. Anderson, J. H. A palynological study of late Holocene vegetation and climate in the Healy Lake area of Alaska. *Arctic*. 1975; 28(1):62-69.
119. Anderson, N. A. and Anderson, R. L. Leaf and shoot blight of aspen caused by *Venturia macularis* in northern Minnesota. *Plant-Disease*. 1980; 64(6):558-559.
120. Anderson, N. A.; Ostry, M. E., and Anderson, G. W. Hypoxylon canker of aspen associated with *Saperda inornata* galls. *Research-Note,-North-Central-Forest-Experiment-Station,-Forest-Service,-United-States-Department-of-Agriculture*. 1976; (NC-214):3 pp.
121. ---. Infection of aspen by *Hypoxylon mammatum* through galls formed by *Saperda inornata*. 133]. *Proceedings-of-the-American-Phytopathological-Society*. 1977, Publ. 1978, 4: 110-111.
122. ---. Insect wounds as infection sites for *Hypoxylon mammatum* on trembling aspen. *Phytopathology*. 1979; 69(5):476-479.
123. ---. Insect wounds as infection sites for *Hypoxylon mammatum* on trembling aspen. *Phytopathology*. 1979; 69(5):476-479.
124. Anderson, R. F. Internal medication of plants for the control of insects. 1955, *J. Econ. Ent.* 1955 48 (2), (187-90). 10 Refs.
125. ---. The relation between host condition and attacks by the bronzed Birch borer. 1944, *J. Econ. Ent.* 37 1944 (588-96).
126. Anderson, R. L. Factors influencing the incidence of Hypoxylon canker of Aspen. 1952, *Abstr. in Phytopathology* 1952 42 (9), (463).
127. ---. Hypoxylon canker of Aspen in the Lake States. 1953, *Tech. Note St. For. Exp. Sta.* 1953 No. 400, Pp. 1.
128. ---. Hypoxylon [*H. pruinaum*] canker of Aspen. 1955, *For. Pest Leafl. U.S. Dep. Agric.* 1955 No. 6 Pp.3. 5 Refs.
129. Anderson, R. L. and Anderson, G. W. Hypoxylon canker of Aspen. 1969, *For. Pest. Leafl. U.S. For. Serv.* No. 6 (Rev.) 1969. Pp. 6. [4 Refs.].
130. Anderson, R. L. and Schipper, A. L. Jr. A system for predicting the amount of *Phellinus (Fomes) ignarius* rot in trembling aspen stands. *USDA-Forest-Service-Research-Note,-North-Central-Forest-*

Experiment-Station. 1978; (No. NC-232):4 pp.

131. Andersson, B. and Evans, C. M. Harvesting overmature aspen stands in Central Alberta. Special-Report - Forest-Engineering-Research-Institute-of-Canada. 1996; (No. SR-112):42 pp.
132. Andersson Gunneras, S.; Hellgren, J. M.; Bjorklund, S.; Regan, S.; Moritz, T., and Sundberg, B. Asymmetric expression of a poplar ACC oxidase controls ethylene production during gravitational induction of tension wood. *Plant-Journal*. 2003; 34(3):339-349.
133. Andrews, S. R. and Eslyn, W. E. Sootybark canker of Aspen in New Mexico. 1960, *Plant Dis. Repr.* 44 (5), 1960 (373). 2 Refs.
134. Andrews, T. L. Resmethrin residues in foliage after aerial application. *Pesticides-Monitoring-Journal*. 1974; 8(1):50-52.
135. Angeles Bueno, M.; Gomez, A.; Manzanera, J. A.; Jain, S. M. (ed.), and Ishii, K. Propagation and DNA markers characterization of *Populus tremula* L. and *Populus alba* L. *Micropropagation-of-Woody-Trees-and-Fruits*. 2003, 37-74; Many Ref.
136. Angeles, G. Hyperhydric tissue formation in flooded *Populus tremuloides* seedlings. *IAWA-Bulletin*. 1990; 11(1):85-96.
137. Antal, M. and Micko, M. Aspen and decayed aspen: wood quality differences. *Holzforschung-Und-Holzverwertung*. 1992; 44(3):68-70.
138. Antal, M. and Micko, M. M. Aspen wood quality parameters. Determination of chemical and physical properties. *Holzforschung-Und-Holzverwertung*. 1990; 42(2):28, 33, 34.
139. ---. Wood quality differences between aspen and balsam poplar. Balsam poplar as potential raw material for waferboard and oriented strandboard production. *Holzforschung-Und-Holzverwertung*. 1991; 43(4):87-89.
140. Anthony, R. G.; Wood, G. W.; Sopper, W. E. (ed.), and Kerr, S. N. 18. Effects of municipal wastewater irrigation on wildlife and wildlife habitat. *Utilization-of-Municipal-Sewage-Effluent-and-Sludge-on-Forest-and-Disturbed-Land*. 1979, 213-223; 8 Ref.
141. Apfelbaum, S. I. and Haney, A. Changes in bird populations during succession following fire in the northern Great Lakes wilderness. *General-Technical-Report,-Intermountain-Research-Station,-USDA-Forest-Service*. 1986; No. INT-212, 10-16; In *Proceedings - National wilderness research conference(current research. Fort Collins):CO, July 23-26, 1985 (compiled by Lucas, R.C.)*.
142. Appel, H. M. and Maines, L. W. The influence of host plant on gut conditions of gypsy moth (*Lymantria dispar*) caterpillars. *Journal-of-Insect-Physiology*. 1995; 41(3):241-246.
143. Appel, H. M. and Schultz, J. C. Oak tannins reduce effectiveness of thuricide (*Bacillus thuringiensis*) in the gypsy moth (Lepidoptera: *Lymantriidae*). *Journal-of-Economic-Entomology*. 1994; 87(6):1736-1742.
144. Arain, M. A.; Black, T. A.; Barr, A. G.; Jarvis, P. G.; Massheder, J. M.; Versegny, D. L.; Nestic, Z.; Apps, M. J. (ed.); Karjalainen, T. (ed.); Stocks, B. J. (ed.), and Shaw, C. Effects of seasonal and interannual climate variability on net ecosystem productivity of boreal deciduous and conifer forests. *The Role of Boreal Forests and Forestry in the Global Carbon Budget. Papers from an international conference; Edmonton, Alberta, Canada, 8-12 May 2000. Canadian-Journal-of-Forest-Research*. 2002, 32(5):878-891.

145. Araki, D. Evaluation of the Rottne harvester and the Rottne forwarder. Field-Note:-Skidding-Forwarding - Forest-Engineering-Research-Institute-of-Canada. 1990, No. 11, 2 Pp.
146. ---. John Deere JD643 rubber-tired carrier with rotosaw felling head: observations. Field-Note:-Felling - Forest-Engineering-Research-Institute-of-Canada. 1992, No. 15, 2 Pp.
147. ---. Recovery of pulp quality chips from burned stems. Special-Report -Forest-Engineering-Research-Institute-of-Canada-FERIC. 1999, No. SR-130, 21 Pp.
148. ---. Sorting aspen chips with a Simco/Ramic chip sorter. Technical-Note -Forest-Engineering-Research-Institute-of-Canada. 1994; (No. TN-213):8 pp.
149. Araki, D. and Lee, C. L. Brightening of thermomechanical pulp produced from sound and stained aspen logs. Technical-Note -Forest-Engineering-Research-Institute-of-Canada. 1991, No. TN-177, 6 Pp.
150. Archer, D. H. Labor requirements for yarding and hauling pulpwood. 1948, Sta. Pap. Ntheast. For. Exp. Sta. 1948. No. 13, Pp. 5.
151. Archibold, O. W.; Acton, C., and Ripley, E. A. Effect of site preparation on soil properties and vegetation cover, and the growth and survival of white spruce (*Picea glauca*) seedlings, in Saskatchewan. Forest-Ecology-and-Management. 2000; 131(1-3):127-141.
152. Archibold, O. W.; Brooks, D., and Delanoy, L. An investigation of the invasive shrub European Buckthorn, *Rhamnus cathartica* L., near Saskatoon, Saskatchewan. Canadian-Field-Naturalist. 1997; 111(4):617-621.
153. Archibold, O. W.; Nelson, L. J.; Ripley, E. A., and Delanoy, L. Fire temperatures in plant communities of the northern mixed prairie. Canadian-Field-Naturalist. 1998; 112(2):234-240.
154. Archibold, O. W.; Ripley, E. A., and Bretell, D. L. Comparison of the microclimates of a small aspen grove and adjacent prairie in Saskatchewan. American-Midland-Naturalist. 1996; 136(2):248-261.
155. Ardron, G.; Bell, F. W.; Day, R. J., and Beaudoin, N. Porcupine Mountain herbicide trial. 1994?, Iv + 22 Pp.; 5 Pp. of Ref.
156. Arend, J. L. Bark loosening effects with 2,4-D, 2,4,5-T and ammate. 1952, Pulp Paper Mag. Can. 1952 53 (7) (1; 59...164).
157. ---. Scrub Aspen control with basal sprays. 1952, Tech. Note Lake St. For. Exp. Sta. 1952. No. 401, Pp. 1.
158. Arend, J. L. and Coulter, L. L. Frill girdle tests with 2,4,5-T in Lower Michigan. 1952, Tech. Note Lake St. For. Exp. Sta. 1952 No. 385 Pp. 1.
159. Arend, J. L.; Smith, R. N., and Ralston, R. A. Tests of a portable wood chipper. 1954, Sta. Pap. Lake St. For. Exp. Sta. 1954. No. 30 Pp. 37. 8 Refs.
160. Arend, J. L. and Stephenson, J. R. Some costs and effects of chemical release of Pine in nothern Michigan. 1952, Tech. Note Lake St. For. Exp. Sta. 1952 No. 367 Pp. 1.
161. Argyropoulos, D. S. Quantitative phosphorus-31 NMR analysis of lignins, a new tool for the lignin chemist. Journal-of-Wood-Chemistry-and-Technology. 1993; 13(3):45-63.
162. ---. Quantitative phosphorus-31 NMR analysis of six soluble lignins. Journal-of-Wood-Chemistry-and-Technology. 1993; 13(3):65-82.

163. Armstrong, D. M. Ecological distribution of small mammals in the Upper Williams Fork Basin, Grand County, Colorado. *Southwestern-Naturalist*. 1977; 22(3):289-304.
164. Armstrong, I.; Swant, G.; Timmermann, H. R.; Lankester, M. (ed.); Racey, G. (ed.), and Timmermann, T. Developing a woodland caribou habitat mosaic on the Ogoki-Nakina North forests of northwestern Ontario. *Proceedings of the Seventh North American Caribou Conference, Thunder Bay, Ontario, Canada, 19-21 August, 1996*. 1998; (Special Issue No. 10):235-240.
165. Arnold, R. H. and Russell, R. C. *Cucurbitaria staphula* on *Populus* and its association with *Macrophoma tumefaciens*. 1960, *Mycologia* 52 (3), 1960 (499-512). 20 Refs.
166. Arola, R. A. Comparisons of wet and oven-dry analyses of compression debarking tests on wood chips. *USDA-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station*. 1974; (No. NC-178):4 pp.
167. ---. Compression debarked chips from a whole-tree chipper. *USDA-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station*. 1973; (No. NC-147):4 pp.
168. ---. Crosscut shearing of roundwood bolts. *USDA-Forest-Service-Research-Paper,-North-Central-Forest-Experiment-Station*. 1971; (No. NC-68):20 pp.
169. Arola, R. A. and Erickson, J. R. Compression debarking of wood chips. *USDA-Forest-Service-Research-Paper,-North-Central-Forest-Experiment-Station*. 1973; (No. NC-85):11 pp.
170. Arsdel, E. P. van. Some forest overstory effects on microclimate and related White Pine blister rust spread. 1962, *Tech. Note Lake St. For. Exp. Sta. No. 627*, 1962. Pp. 2.
171. Arsenault, R. D. Fire-retardant particle board from treated flakes. 1964, *For. Prod. J.* 14 (1), 1964 (33-9). 10 Refs.
172. Arteel, G. E. and Lindroth, R. L. Effects of aspen phenolic glycosides on gypsy moth (Lepidoptera: Lymantriidae) susceptibility to *Bacillus thuringiensis*. *Great-Lakes-Entomologist*. 1992; 25(4):239-244.
173. Arthaud, G. J. and Rose, D. W. A methodology for estimating production possibility frontiers for wildlife habitat and timber value at the landscape level. *Canadian-Journal-of-Forest-Research*. 1996; 26(12):2191-2200.
174. Arthur, R. L. and Bailey, A. W. Cattle preferences for plant communities and forages in the aspen parkland. *Agriculture-and-Forestry-Bulletin*. 1983; (Special Issue):66-70.
175. Asherin, L. A.; Mata, S. A.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Basic tree-ring sample preparation techniques for aging aspen. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):347-351.
176. ---. Basic tree-ring sample preparation techniques for aging aspen. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):347-351.
177. Aspeborg, H.; Blomqvist, K.; Denman, S.; Hertzberg, M.; Ohlsson, A.; Berglund, T.; Sandberg, G.; Lundeberg, J.; Sterky, F.; Teeri, T. T.; Nilsson, P., and Vasil, I. K. Functional genomics of wood formation in hybrid aspen. *Plant Biotechnology 2002 and Beyond. Proceedings of the 10th IAPTC&B Congress; (Orlando):Florida, USA, June 23-28, 2002. Plant-biotechnology-2002-and-beyond.-Proceedings-of-the-10th-IAPTC-and-B-Congress,-Orlando,-Florida,-USA,-23-28-June,-*

2002. 2003, 453-454.

178. Assarsson, A. and Akerlund, G. Studies on wood resin, especially the change in chemical composition during seasoning of the wood. Part 4. The composition of the petroleum ether soluble nonvolatile extractives from fresh Spruce, Pine, Birch and Aspen wood. 1966, Svensk PappTidn. 1966 69 (16), (517-25). [17 Refs.].
179. ---. Studies on wood resin, especially the changes during seasoning of the wood. Part 5. Changes in composition of nonvolatile extractives during water seasoning of unbarked Spruce, Pine, Birch and Aspen logs. 1967, Svensk PappTidn. 1967 70 (6), (205-12). [21 Refs.].
180. Asselin, H.; Fortin, M. J., and Bergeron, Y. Spatial distribution of late-successional coniferous species regeneration following disturbance in southwestern Quebec boreal forest. *Forest-Ecology-and-Management*. 2001; 140(1):29-37.
181. Asunmaa, S. Electron microscope studies on sections of Aspen sulfite pulp fibres. 1955, Svensk PappTidn. 1955 58 (2), (33-4 + 13 Photos). 5 Refs.
182. Attack, D. and May, W. D. Mechanical pulping studies with a model steel wheel. 1962, *Pulp Paper Mag. Can.* 63 (1), 1962 (T10-T20). 12 Refs.
183. Atkins, E. S. Susceptibility of certain trees of Eastern Ontario to basal bark sprays. 1956, *Tech. Note For. Br. Can.* 1956 No. 38, Pp. 5. 1 Ref.
184. ---. The use of chemicals to release White Pine reproduction. 1956, *Tech. Note For. Br. Can.* 1956 No. 37, Pp. 8. 7 Refs.
185. Atwell, E. A. Decay and discolourations in Poplar pulpwood. 1956, *F.P.L. Tech. Note For. Prod. Lab. Can.* 1956 No. 1, Pp. 24. 10 Refs.
186. Au, K. C.; Gertjeansen, R. O., and Lartzt, K. Use of response surface methodology to maximize paper birch utilization in a three-layer, two-species oriented strandboard. *Wood-and-Fiber-Science*. 1992; 24(4):432-441.
187. Auerbach, M. Relative impact of interactions within and between trophic levels during an insect outbreak. *Ecology*. 1991; 72(5):1599-1608.
188. Auerbach, M. and Alberts, J. D. Occurrence and performance of the aspen blotch miner, *Phyllonorycter salicifoliella*, on three host-tree species. *Oecologia*. 1992; 89(1):1-9.
189. Augustin, S.; Courtin, C., and Delplanque, A. Poplar clones effect on development, mortality, and fecundity of *Chrysomela* (= *Melasoma*) *populi* L. and *Chrysomela tremulae* F. (Col., Chrysomelidae). *Journal-of-Applied-Entomology*. 1993; 116(1):39-49.
190. Averill, B. and Vandre, W. (Moderators). Proceedings of the second Alaska integrated pest management conference. January 21-22, 1982, Matanuska-Susitna Community College. 1982, i + 112 Pp.; Many Ref.
191. Avramidis, S. and Smith, L. A. The effect of resin content and face-to-core ratio on some properties of oriented strand board. *Holzforschung*. 1989; 43(2):131-133.
192. Ayer, W. A. and Cruz, E. R. The tremulanes, a new group of sesquiterpenes from the aspen rotting fungus *Phellinus tremulae*. *Journal-of-Organic-Chemistry*. 1993; 58(26):7529-7534.
193. Ayer, W. A.; Cruz, E. R.; Kawahara, N.; Muir, D. J., and Ptaszynska, K. Chemistry associated with black

galls on aspen. The metabolites of *Lecythophora hoffmannii*. Proceedings, XIII Fall Workshop "The Importance of Natural Products in Pharmacy and Agriculture", November 26 to December 1, 1995, Merida, Yucatan, Mexico. 1996; 24(3-4):183-190.

194. Ayer, W. A. and Khan, A. Q. Zythiostromic acids, diterpenoids from an antifungal *Zythiostroma* species associated with aspen. *Phytochemistry*. 1996; 42(6):1647-1652.
195. Ayer, W. A.; Miao, S., and Miao, S. C. Trehalose esters from the aspen fungus *Hypozygma lignicola*. *Journal-of-Natural-Products*. 1993; 56(12):2046-2052.
196. Ayer, W. A. and Trifonov, L. S. Anthraquinones and a 10-hydroxyanthrone from *Phialophora alba*. *Journal-of-Natural-Products*. 1994; 57(2):317-319.
197. Ayers, A. C.; Cheeke, P. R., and Patton, N. M. Evaluation of hybrid poplar leaves as a feedstuff for rabbits. *Journal-of-Applied-Rabbit-Research*. 1992; 15(B):1033-1042.
198. Ayres, M. P. and Scriber, J. M. Local adaptation to regional climates in *Papilio canadensis* (Lepidoptera: Papilionidae). *Ecological-Monographs*. 1994; 64(4):465-482.
199. Baca, S.; Canfield, M. L., and Moore, L. W. Variability in ice nucleation strains of *Pseudomonas syringae* isolated from diseased woody plants in Pacific Northwest nurseries. *Plant-Disease*. 1987; 71(5):412-415.
200. Bach, C. E. Long-term effects of insect herbivory and sand accretion on plant succession on sand dunes. *Ecology*. 2001, 82: 5, 1401-1416.
201. Bach, L.; Wang, E. I. C., and Micko, M. M. Wood quality of Alberta aspen: mechanical strengths of clear, stained, and decayed wood. *Agriculture-and-Forestry-Bulletin,-University-of-Alberta*. 1983; 6(3):7-9.
202. Bacon, M. and Mead, C. E. Bacteria in the wood of living aspen, pine and alder. *Northwest-Science*. 1971, 45: 4, 270-275.
203. ---. Bacteria in the wood of living Aspen, Pine, and Alder. 1971, *Northw. Sci.* 1971 45 (4), (270-5). [15 Ref.].
204. Badhwar, G. D.; MacDonald, R. B.; Hall, F. G., and Carnes, J. G. Special characterization of biophysical characteristics in a boreal forest: relationship between thematic mapper band reflectance and leaf area index for aspen. Proceedings, IGAARS '84 Symposium, Strasbourg. 1984, 111-115; 13 Ref.
205. Baertsche, S. R. The potential utilization of short rotation biomass produced trees as a feed source for ruminants. *Dissertation-Abstracts-International,-B*. 1981, 41: 12, 4318.
206. Bagga, D. K. Physiology of *Hypoxyylon pruinaum* and its pathogenesis on Quaking Aspen. 1968, Abstr. of Thesis, in *Disser. Abstr.* 1968 29B (6), (1897).
207. Bagga, D. K. and Smalley, E. B. The development of *Hypoxyylon* canker of *Populus tremuloides*: role of ascospores, conidia, and toxins. *Phytopathology*. 1974; 64(5):654-658.
208. ---. The development of *Hypoxyylon* canker of *Populus tremuloides*: role of interacting environmental factors. Bagga, D. K.; Smalley, E. B. (The development of *Hypoxyylon* canker of *Populus tremuloides*: role of ascospores):conidia, and toxins. *Phytopathology*. 1974, 64: 5, 658-662.
209. ---. Factors affecting canker development on *Populus tremuloides* inoculated with *Hypoxyylon pruinaum*. *Canad. J. Bot.* 1969 47 (6), (907-14 + 1 Photo). [25 Refs.].

210. ---. Variation of *Hypoxylon pruina* in cultural morphology and virulence. Bagga, D. K.; Smalley, E. B. (The development of *Hypoxylon* canker of *Populus tremuloides*: role of ascospores): conidia, and toxins. *Phytopathology*. 1974, 64: 5, 663-667.
211. ---. Water stress in relation to initiation and development of *Hypoxylon* canker of Aspen. 1967, Abstr. in *Phytopathology* 1967 57 (8), (802).
212. Bagga, D. K.; Smalley, E. B., and Berbee, J. G. Conidial stage of *Hypoxylon pruina*: factors influencing pillar production and conidial germination. *Phytopathology*. 1974; 64(3):411-413.
213. ---. Conidial stage of *Hypoxylon pruina* : factors influencing pillar production and conidial germination. *Phytopathology*. 1974; 64(3):411-413.
214. Bahar, N. Demographic analysis of undergrowth vegetation under *Populus tremuloides* Michx., forests in North America. *Indian-Forester*. 2001; 127(2):199-206.
215. ---. Demographic analysis of undergrowth vegetation under *Populus tremuloides* Michx., forests in North America. *Indian-Forester*. 2001; 127(2):199-206.
216. Baig, M. N. Natural revegetation of coal mine spoils in the Rocky Mountains of Alberta and its significance for species selection in land restoration. *Mountain-Research-and-Development*. 1992; 12(3):285-300.
217. Bailey, A. The chemistry of butanol lignin. 1940, Paper Tr. J. 111 (9) 1940 (86-9). [University of Washington, Seattle.].
218. ---. The lignin-alcohol condensation - the reaction of lignin with amino-and nitro-butanol. 1948, Paper Ind. 1948 29 (11), (1606-7, 1611). 8 Refs.
219. ---. Solubility and extraction studies of lignin. 1948, Paper Industry and Paper World, Mount Morris, Ill. 1948 30 (8), (1196-9). [University of Washington.].
220. Bailey, A. W. Rangeland resources on Alberta's east slope. *Agriculture-Bulletin*. 1975; (No.26):3-6.
221. ---. Woodland to grassland: fire and grazing versus mechanical clearing in the Canadian aspen parkland. *Rangelands: a Resource Under Siege. Proceedings of the 2nd International Rangeland Congress, Adelaide, Australia, 13-18 May 1984*. 1986, 592-593.
222. Bailey, A. W. and Anderson, H. G. Brush control on sandy rangelands in central Alberta. *Journal-of-Range-Management*. 1979; 32(1):29-32.
223. Bailey, A. W. and Anderson, M. L. Fire temperatures in grass, shrub and aspen forest communities of central Alberta. *Journal-of-Range-Management*. 1980; recd. 1983, 33(1):37-40.
224. Bailey, A. W. and Arthur, R. L. Cattle use of aspen suckers encroaching into native fescue rangeland. *Agriculture-and-Forestry-Bulletin,-University-of-Alberta*. 1985, June, Special Issue, 83-84. 1985.
225. Bailey, A. W. and Gupta, R. K. Grass-woody plant relationships. *Canadian-Journal-of-Plant-Science*. 1973; 53(3):671-676.
226. Bailey, A. W.; Irving, B. D., and Fitzgerald, R. D. Regeneration of woody species following burning and grazing in Aspen Parkland. *Journal-of-Range-Management*. 1990; 43(3):212-215.
227. Bailey, A. W.; Irving, B. D., and Willms, W. D. Effect of 2,4-D and fire on mortality of aspen. *Agriculture-and-Forestry-Bulletin,-University-of-Alberta*. 1985, June, Special Issue, 81-82. 1985.

228. Bailey, A. W. and Wroe, R. A. Aspen invasion in a portion of the Alberta parklands. *Journal-of-Range-Management*. 1974; 27(4):263-266.
229. Bailey, G. R. Aspen: framing lumber yields high, but drying a problem. *Canadian-Forest-Industries*. 1973; 93(12):43...49.
230. ---. Lumber grade recovery from straight Aspen logs. *Forest-Products-Journal*. 1973; 23(4):47-54.
231. Bailey, G. R. and Dobie, J. Alberta poplars - tree and log quality. Information-Report,-Western-Forest-Products-Laboratory,-Canada. 1977; (No. VP-X-155):i + 8 pp.
232. Bailey, J. K. and Whitham, T. G. Interactions among elk, aspen, galling sawflies and insectivorous birds. *Oikos*. 2003; 101(1):127-134.
233. ---. Interactions among fire, aspen, and elk affect insect diversity: reversal of a community response. *Ecology*. 2002, 83: 6, 1701-1712.
234. Baileys, J. K.; Marks, B. M.; Ross, A. S.; Crawford, D. M.; Krzysik, A. M.; Muehl, J. H., and Youngquist, J. A. Providing moisture and fungal protection to wood-based composites. *Forest-Products-Journal*. 2003; 53(1):76-81.
235. Bains, B.; Antal, M.; Cyr, N.; Wang, E., and Micko, M. Modification of aspen woodmeal with quaternary ammonium functional groups - 1. Isolation of substituted hemicelluloses. *Journal-of-the-Indian-Academy-of-Wood-Science*. 1984; 15(1):12-18.
236. Bains, B. S.; Wang, E. I. C.; Cyr, N.; Spilda, I., and Micko, M. M. Effect of heart rot on the chemical properties of aspen. *Journal-of-the-Indian-Academy-of-Wood-Science*. 1984; recd. 1987, 15(2):51-59.
237. Baker, A. J.; Millett, M. A., and Satter, L. D. Wood and wood-based residues in animal feeds. *American-Chemical-Society-Symposium-Series-Cellulose-Technol.-Res*. 1974; (publ. 1975):No. 10, 75-105.
238. Baker, A. J.; Mohaupt, A. A., and Spino, D. F. Evaluating wood pulp as feedstuff for ruminants and substrate for *Aspergillus fumigatus*. *Journal-of-Animal-Science*. 1973, 37: 1, 179-182.
239. Baker, D. L.; Andelt, W. F.; Burnham, K. P., and Shepperd, W. D. Effectiveness of Hot Sauce R and Deer Away R repellents for deterring elk browsing of aspen sprouts. *Journal-of-Wildlife-Management*. 1999; 63(4):1327-1336.
240. Baker, M. B. Jr. Spring runoff as affected by soil permeability on two forested watersheds. *Dissertation-Abstracts-International,-B*. 1972; 32(11):6503.
241. Baker, W. L. Landscape ecology and nature reserve design in the Boundary Waters Canoe Area, Minnesota. *Ecology*. 1989; 70(1):23-35.
242. ---. Size-class structure of contiguous riparian woodlands along a Rocky Mountain river. *Physical-Geography*. 1988; 9(1):1-14.
243. ---. Structure, disturbance, and change in the bristlecone pine forests of Colorado, USA. *Arctic-and-Alpine-Research*. 1992; 24(1):17-26.
244. Baker, W. L.; Flaherty, P. H.; Lindemann, J. D.; Veblen, T. T.; Eisenhart, K. S., and Kulakowski, D. W. Effect of vegetation on the impact of a severe blowdown in the southern Rocky Mountains, USA. *Forest-Ecology-and-Management*. 2002; 168(1-3):63-75.

245. Baker, W. L. and Veblen, T. T. Spruce beetles and fires in the nineteenth-century subalpine forests of western Colorado, USA. *Arctic-and-Alpine-Research*. 1990; 22(1):65-80.
246. Baker, W. L. and Weisberg, P. J. Using GIS to model tree population parameters in the Rocky Mountain National Park forest-tundra ecotone. *Journal-of-Biogeography*. 1997; 24(4):513-526.
247. Baldocchi, D. D.; Fuentes, J. D.; Bowling, D. R.; Turnipseed, A. A.; Monson, R. K.; Fuentes, J. D. (ed.); Baldocchi, D. D. (ed.), and Lamb, B. Scaling isoprene fluxes from leaves to canopies: test cases over a boreal aspen and a mixed species temperate forest. Hydrocarbon Special Issue. Papers from a workshop on biogenic hydrocarbons; August 1997. *Journal-of-Applied-Meteorology*. 1999, 38(7):885-898.
248. Baldwin, H. I. Chemical peeling of hardwoods. 1951, Fox For. Notes N.H. For. Dep. 1951 No. 47 Pp. 1.
249. Ball, W. J. An appraisal of natural regeneration on scarified Jack Pine cutovers, Saskatchewan. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1975; (NOR-X-136):20 pp.
250. Ball, W. J. and Walker, N. R. Natural regeneration of white spruce after partial cutting and strip scarification in mature mixed white spruce-aspen stands, Manitoba. 1995, Vi + 46 Pp.; Many Ref.
251. Balodis, V. V. Investigations on the preservative treatment of small wood from thinnings of broadleaved species. 1971, In *Informator, LatNIILKhP, Riga*. 1971. Pp. 56-64. [Ru, En].
252. Balogh, J. C. and Grigal, D. F. Age-density distributions of tall shrubs in Minnesota. *Forest-Science*. 1987; 33(4):846-857.
253. ---. Tall shrub dynamics in northern Minnesota aspen and conifer forests. *Research-Paper -North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1988; (No. NC-283):15 pp.
254. Bancroft, B. Response of aspen suckering to pre-harvest stem treatments: a literature review. *FRDA-Report-Victoria,-B.C.* 1989; (No. 087):vii + 55 pp.
255. Banik, M. T.; Paul, J. A., and Burdsall, H. H. Jr. Identification of *Armillaria* species from Wisconsin and adjacent areas. *Mycologia*. 1995; 87(5):707-712.
256. Bao, J. i. e.; Gao BuLiang; Wu XiaoQun; Yoshimoto, M.; Nakao, K.; Bao, J.; Gao, B. L., and Wu, X. Q. Simulation of industrial catalytic-distillation process for production of methyl tert-butyl ether by developing user's model on Aspen plus platform. *Chemical-Engineering-Journal*. 2002, 90: 3, 253-266.
257. Baranyay, J. A. Diseases of shelterbelts in Alberta. 1963, Abstr. in *Proceedings, 29th Session of the Canadian Phytopathological Society, Banff 1963 No. 30, 1963 (10)*.
258. ---. Notes on Hypoxylon canker of Aspen in Alberta. 1967, *For. Chron.* 1967 43 (4), (372-80). [10 Refs.].
259. Baranyay, J. A. and Hiratsuka, Y. Identification and distribution of *Ciborinia whetzellii* (Seaver) Seaver in western Canada. 1967, *Canad. J. Bot.* 1967 45 (2), (189-91 + 12 Photos). [3 Refs.].
260. Barbe, M. C.; Kokta, B. V.; Lavallee, H. C., and Taylor, J. Aspen pulping: a comparison of Stake explosion and conventional chemi-mechanical pulping processes. *Pulp-and-Paper-Canada*. 1990; 91(12):142-144, 146-151.
261. Barbehenn, R. V.; Walker, A. C., and Uddin, F. Antioxidants in the midgut fluids of a tannin-tolerant and a tannin-sensitive caterpillar: effects of seasonal changes in tree leaves. *Journal-of-Chemical-Ecology*. 2003; 29(5):1099-1116.

262. Bard, G. F. The mineral nutrient content of the foliage of forest trees on three soil types of varying limestone content. 1946, Proc. Soil Sci. Soc. Amer. 1946 10 (419-22). [Cornell Univ., Ithaca, N.Y.].
263. Bariska, M. Some internal changes in ammonia-treated woody material. 1969, Bull. Int. Ass. Wood Anatomists 1969 (2), (3-8). [10 Refs.].
264. Barker, M. J.; Pijut, P. M.; Ostry, M. E., and Houston, D. R. Micropropagation of juvenile and mature american beech. Plant-Cell,-Tissue-and-Organ-Culture. 1997; 51(3):209-213.
265. Barlow, P. W.; Brain, P., and Powers, S. J. Estimation of directional division frequencies in vascular cambium and in marginal meristematic cells of plants. Cell-Proliferation. 2002, 35: 1, 49-68.
266. Barnes, B. V. The clonal growth habit of American Aspens. 1966, Ecology 1966 47 (3), (439-47). [31 Refs.].
267. ---. Hybrid Aspens in the Lower Peninsula of Michigan. 1961, Rhodora 63 (755), 1961 (311-24). 18 Refs.D.
268. ---. Indications of possible mid-Cenozoic hybridization in the Aspens of the Columbia plateau. 1967, Rhodora 1967 69 (777), (70-81). [20 Refs.D.].
269. ---. Natural variation and clonal development of *Populus tremuloides* and *P. grandidentata* in Northern Lower Michigan. 1959, Abstr. of Thesis, in Dissert. Abstr. 1959 20 (5), (1511-2).
270. ---. Natural variation and delineation of clones of *Populus tremuloides* and *P. grandidentata* in northern Lower Michigan. 1969, Silvae Genet. 1969 18 (4), (130-42). [62 Refs.].
271. ---. Phenotypic variation of Trembling Aspen in western North America. Forest-Science. 1975; 21(3):319-328.
272. Barnes, B. V. and Pregitzer, K. S. Occurrence of hybrids between bigtooth and trembling aspen in Michigan. Canadian-Journal-of-Botany. 1985; 63(10):1888-1890.
273. Barnes, D. A model of the effect of fines content on the strength properties of oriented strand wood composites. Forest-Products-Journal. 2002; 52(5):55-60.
274. Barnes, D. M. and Mallik, A. U. Effects of Beaver, *Castor canadensis*, herbivory on streamside vegetation in a Northern Ontario watershed. Canadian-Field-Naturalist. 2001; 115(1):9-21.
275. Barnes, D. P. and Sinclair, S. A. A review of balsam fir utilization research. Forest-Industries,-USA. 1983; 110(9):24-25.
276. Barnett, D. T. and Stohlgren, T. J. Aspen persistence near the National Elk Refuge and Gros Ventre Valley elk feedgrounds of Wyoming, USA. Landscape-Ecology. 2001; 16(6):569-580.
277. ---. A nested-intensity design for surveying plant diversity. Biodiversity-and-Conservation. 2003; 12(2):255-278.
278. Barnett, D. T.; Stohlgren, T. J.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Persistence of aspen regeneration near the National Elk Refuge and Gros Ventre Valley elk feedgrounds of Wyoming. Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):27-37.
279. ---. Persistence of aspen regeneration near the National Elk Refuge and Gros Ventre Valley elk

feedgrounds of Wyoming. Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):27-37.

280. Barr, A. G.; Kamp, G. van der; Schmidt, R.; Black, T. A., and van der Kamp, G. Monitoring the moisture balance of a boreal aspen forest using a deep groundwater piezometer. *Agricultural-and-Forest-Meteorology*. 2000; 102(1):13-24.
281. Barrett, J. W.; Rajora, O. P.; Yeh, F. C. H.; Dancik, B. P., and Strobeck, C. Mitochondrial DNA variation and genetic relationships of *Populus* species. *Genome*. 1993; 36(1):87-93.
282. Barrick, K. A. and Noble, M. G. The iron and manganese status of seven upper montane tree species in Colorado, USA, following long-term waterlogging. *Journal-of-Ecology-Oxford*. 1993; 81(3):523-531.
283. Barry, W. J. and Sachs, R. M. Vegetative propagation of Quaking Aspen. 1968, *Calif. Agric.* 1968 22 (1), (1-6).
284. Bart, G. J. Host-parasite relationships of the Oak wilt fungus. 1956, Absrt. of Thesis, in *Dissert. Abstr.* 1956 16 (11), (2008-9).
285. ---. Susceptibility of non-Oak species to *Endoconidiophora fagacearum*. 1957, *Abstr. in Phytopathology* 1957 47 (1), (3).
286. Barter, G. W. and Cameron, D. G. Some effects of defoliation by the forest tent caterpillar. 1955, *Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can.* 1955 11 (6), 1955 (1).
287. Bartlet, R. J.; Schaner, A. M., and Jackson, L. L. Aggregation pheromones in *Drosophila borealis* and *Drosophila littoralis*. *Journal-of-Chemical-Ecology*. 1988; 14(4):1319-1327.
288. Bartlett, P. A.; McCaughey, J. H.; Lafleur, P. M., and Versegby, D. L. Modelling evapotranspiration at three boreal forest stands using the CLASS: tests of parameterizations for canopy conductance and soil evaporation. *International-Journal-of-Climatology*. 2003; 23(4):427-451.
289. Barton, G. M. and Wall, R. E. The occurrence of 3-hydroxyflavanones in Aspen branch stubs. 1968, *Bi-m. Res. Notes, Ottawa* 1968 24 (6), (49). [5 Refs.].
290. Bartoo, R. A. and Hutnik, R. J. Board foot volume tables for timber tree species in Pennsylvania. 1962, *Res. Pap. Pa. St. For. Sch. No. 30*, 1962. Pp. 35.
291. Bartos, D. L. and Amacher, M. C. Soil properties associated with aspen to conifer succession. *Rangelands*. 1998; 20(1):25-28.
292. Bartos, D. L.; Brown, J. K., and Booth, G. D. Twelve years biomass response in aspen communities following fire. *Journal-of-Range-Management*. 1994; 47(1):79-83.
293. Bartos, D. L. and Campbell, R. B. Jr. Decline of quaking aspen in the interior west - examples from Utah. *Rangelands*. 1998, 20: 1, 17-24.
294. Bartos, D. L. and DeByle, N. V. Quantity, decomposition, and nutrient dynamics of aspen litterfall in Utah. *Forest-Science*. 1981; 27(2):381-390.
295. Bartos, D. L. and Harniss, R. O. Pine Hollow exclosures: effect of browsing on an aspen community sprayed with 2,4-D. *Research-Note -Intermountain-Research-Station,-USDA-Forest-Service*. 1990; (No. INT-393):9 pp.

296. Bartos, D. L. and Hyder, D. N. Modeling plant succession in aspen ecosystems. Proceedings of the First International Rangeland Congress. Denver; (Colorado):USA, August 14-18, 1978. 1978, 208-211.
297. Bartos, D. L. and Johnston, R. S. Biomass and nutrient content of quaking aspen at two sites in the western United States. *Forest-Science*. 1978; 24(2):273-280.
298. Bartos, D. L. and Mueggler, W. F. Early succession following clearcutting of aspen communities in northern Utah. *Journal-of-Range-Management*. 1982; 35(6):764-768.
299. ---. Early succession in aspen communities following fire in western Wyoming. *Journal-of-Range-Management*. 1981; 34(4):315-318.
300. Bartos, D. L.; Mueggler, W. F.; Boyce, M. S. (ed.), and Hayden Wing, L. D. Influence of fire on vegetation production in the aspen ecosystem of western Wyoming. *North-American-Elk:-Ecology,-Behavior-and-Management*. 1979, 75-78; 5 Ref.
301. Bartos, D. L.; Mueggler, W. F., and Campbell, R. B. Jr. Regeneration of aspen by suckering on burned sites in Western Wyoming. *Research-Paper -Intermountain-Research-Station,-USDA-Forest-Service*. 1991; (No. INT-448):i + 10 pp.
302. Bartos, D. L.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Landscape dynamics of aspen and conifer forests. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):5-14.
303. ---. Landscape dynamics of aspen and conifer forests. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):5-14.
304. Bartos, D. L.; Ward, F. R., and Innis, G. S. Aspen succession in the Intermountain West: a deterministic model. *General-Technical-Report,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1983; (No. INT-153):ii + 60 pp.
305. Bas, F. J.; Ehle, F. R., and Goodrich, R. D. Evaluation of pelleted aspen foliage as a ruminant feedstuff. *Journal-of-Animal-Science*. 1985; 61(5):1030-1036.
306. Basey, J. M. and Jenkins, S. H. Production of chemical defenses in relation to plant growth rate. *Oikos*. 1993; 68(2):323-328.
307. Basey, J. M.; Jenkins, S. H., and Busher, P. E. Optimal central-place foraging by beavers: tree-size selection in relation to defensive chemicals of quaking aspen. *Oecologia*. 1988; 76(2):278-282.
308. Basey, J. M.; Jenkins, S. H., and Miller, G. C. Food selection by beavers in relation to inducible defenses of *Populus tremuloides*. *Oikos*. 1990; 59(1):57-62.
309. Basham, J. T. Decay and stain 10 years later in aspen suckers subjected to scarification at age 3. *Canadian-Journal-of-Forest-Research*. 1988; 18(12):1507-1521.
310. ---. Decay of Trembling Aspen. 1958, Repr. From *Canad. J. Bot.* 1958 36 (491-505 + 2 Plates). 11 Refs.
311. ---. Effects of herbicide treatment on the internal pathological quality of surviving aspen suckers. *Report,-Great-Lakes-Forest-Research-Centre,-Canada*. 1982; (No. 0-X-334):iii + 26 pp.
312. ---. Scarification of 3-year-old aspen suckers: 4- and 6-year effects on, and a preliminary forecast of, the internal pathological quality of the survivors. *Information-Report,-Great-Lakes-Forest-Research-*

Centre,-Canada. 1982; (No. O-X-341):v + 26 pp.

313. ---. Studies in forest pathology. XXI. The effects of decay on the production of Trembling Aspen pulpwood in the Upper Pic region of Ontario. 1960, Publ. Dep. Agric. Can. No. 1060, 1960. Pp. 25. 5 Refs.
314. Basham, J. T. and Morawski, Z. J. R. Cull studies. The defects and associated basidiomycete fungi in the heartwood of living trees in the forests of Ontario. 1964, Publ. Dep. For. Can. No. 1072, 1964. Pp. 67. 16 Refs.
315. Bashkin, M.; Stohlgren, T. J.; Otsuki, Y.; Lee, M.; Evangelista, P., and Belnap, J. Soil characteristics and plant exotic species invasions in the Grand Staircase-Escalante National Monument, Utah, USA. *Applied-Soil-Ecology*. 2003; 22(1):67-77.
316. Basile, J. V. Elk-aspen relationships on a prescribed burn. Research-Note,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1979; (No. INT-271):7 pp.
317. Bassett, I. J.; Holmes, R. M., and MacKay, K. H. Phenology of several plant species at Ottawa, Ontario, and an examination of the influence of air temperatures. 1961, *Canad. J. Pl. Sci.* 41 (3), 1961 (643-52). 9 Refs.
318. Bate, G. C. and Canvin, D. T. The effect of some environmental factors on the growth of young Aspen trees (*Populus tremuloides*) in controlled environments. 1971, *Canad. J. Bot.* 1971 49 (8), (1443-53). [32 Ref.].
319. ---. Simulation of the daily growth of an Aspen population from the measured CO₂-exchange rates of the components. 1972, *Canad. J. Bot.* 1972 50 (1), (205-14). [16 Ref.].
320. Bates, P. C.; Blinn, C. R., and Alm, A. A. Harvesting impacts on quaking aspen regeneration in northern Minnesota. *Canadian-Journal-of-Forest-Research*. 1993; 23(11):2403-2412.
321. Bates, P. C.; Blinn, C. R.; Alm, A. A., and Adams, R. D. A survey of the harvesting histories of some poorly regenerated aspen stands in northern Minnesota. *Aspen Symposium '89: Proceedings. Duluth; (Minnesota):July 25-27, 1989. General-Technical-Report -North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1990, No. NC-140, 221-230.
322. Bates, P. C.; Blinn, C. R.; Alm, A. A., and Perala, D. A. Aspen stand development following harvest in the Lake States region. *Northern-Journal-of-Applied-Forestry*. 1989; 6(4):178-183.
323. Bates, P. C.; Robert, P. C., and Blinn, C. R. Overlaying soil and timber inventories to assess aspen productivity in northern Minnesota. *Soil-Science-Society-of-America-Journal*. 1992; 56(1):295-301.
324. Batzer, H. O. Aspen: symposium proceedings. *General-Technical-Report,-USDA-Forest-Service,-North-Central-Forest-Experiment-Station*. 1972; (No. 1):154 pp.
325. Batzer, H. O.; Benzie, J. W., and Popp, M. P. Spruce budworm damage in aspen/balsam fir stands affected by cutting methods. *Northern-Journal-of-Applied-Forestry*. 1987; 4(2):73-75.
326. Batzer, H. O.; Hodson, A. C., and Schneider, A. E. Preliminary results of an inquiry into effects of defoliation of Aspen trees by the forest tent caterpillar [*Malacosoma disstria*]. 1954, *Minn. For. Note*. 1954. No. 31 Pp. 2.
327. Batzer, H. O.; Martin, M. P.; Mattson, W. J., and Miller, W. E. The forest tent caterpillar in aspen stands: distribution and density estimation of four life stages in four vegetation strata. *Forest-Science*. 1995; 41(1):99-121.

328. Batzer, H. O. and Popp, M. P. Forest succession following a spruce budworm outbreak in Minnesota. *Forestry-Chronicle*. 1985; 61(2):75-80.
329. Bauce, E. and Allen, D. C. Role of *Armillaria calvescens* and *Glycobius speciosus* in a sugar maple decline. *Canadian-Journal-of-Forest-Research*. 1992; 22(4):549-552.
330. Bauhus, J. and Messier, C. Soil exploitation strategies of fine roots in different tree species of the southern boreal forest of eastern Canada. *Canadian-Journal-of-Forest-Research*. 1999; 29(2):260-273.
331. Bauhus, J.; Pare, D., and Cote, L. Effects of tree species, stand age and soil type on soil microbial biomass and its activity in a southern boreal forest. *Soil-Biology-and-Biochemistry*. 1998; 30(8-9):1077-1089.
332. Bay, R. R. Forest type affects snowpack. 1958, *J. Soil Wat. Conserv.* 1958 13 (3), (129-30).
333. ---. Occurrence and depth of frozen soil. 1958, *J. Soil Wat. Conserv.* 1958 13 (5), (232-3). 1 Ref.
334. ---. Soil freezing observations after changes in forest cover. 1960, *Tech. Note Lake St. For. Exp. Sta.* 1960 576 Pp. 2.
335. Baylis, P. E. T. and Pepper, J. M. The isolation of lignin from Aspen wood. 1958, *Abstr. in Chemistry in Canada, Ottawa*. 1958 10 (4), (62).
336. Bayne, E. M. and Hobson, K. A. Comparing the effects of landscape fragmentation by forestry and agriculture on predation of artificial nests. *Conservation-Biology*. 1997; 11(6):1418-1429.
337. ---. Movement patterns of adult male Ovenbirds during the post-fledging period in fragmented and forested boreal landscapes. *Condor*. 2001; 103(2):343-351.
338. ---. Temporal patterns of predation on artificial nests in the southern boreal forest. *Journal-of-Wildlife-Management*. 1997; 61(4):1227-1234.
339. Beall, F. C. Dimensional stabilization of wood with dimethyl sulfone at 25 deg C. *Wood-and-Fiber*. 1972; 4(1):49-53.
340. Beall, F. C.; Meyer, J. A., and Skaar, C. Direct and RF heat curing of wood-plastic composites. 1966, *For. Prod. J.* 1966 16 (9), (99-106). [11 Refs.].
341. Beall, F. C.; Witt, A. E., and Bosco, L. R. Hardness and hardness modulus of wood-polymer composites. *Forest-Products-Journal*. 1973; 23(1):56-60.
342. Beall, F. C.; Young, W. J., and Witt, A. E. Improvement of physical properties of Aspen flakeboard by polymer introduction. *Wood-Science*. 1975; 7(3):213-218.
343. Beals, E. W.; Cottam, G., and Vogl, R. J. Influence of deer on vegetation of the Apostle Islands, Wisconsin. 1960, *J. Wildlife Mgmt.* 24 (1), 1960 (68-80). 18 Refs.
344. Beardsley, W. G. and Wagar, J. A. Vegetation management on a forested recreation site. 1971, *J. For.* 1971 69 (10), (728-31). [2 Ref.].
345. Beaubien, E. G. and Freeland, H. J. Relationships between plant phenology in continental western Canada and Pacific Ocean temperatures. *Proceedings of the 14th International Congress of Biometeorology. Part 2; (volume 2. Ljubljana):Slovenia, 1-8 September 1996. Research-Reports - Biotechnical-Faculty-University-of-Ljubljana,-Agricultural-Issue.* 1997, Supplement 23, 150-160.

346. Beauregard, R.; Beaudoin, M.; Fortin, Y., and Samson, M. Evaluating warp from three sawing processes including saw-dry-rip to produce aspen structural lumber. *Forest-Products-Journal*. 1992; 42(6):61-64.
347. Beck, J. L.; Flinders, J. T.; Nelson, D. R.; Clyde, C. L.; Smith, H. D., and Hardin, P. J. Elk and domestic sheep interactions in a north-central Utah aspen ecosystem. *Research-Paper -Intermountain-Research-Station,-USDA-Forest-Service*. 1996; (No. INT-RP-491):ii + 114 pp.
348. Becker, E. M.; Ball, L. A.; Dumas, M. T.; Pitt, D. G.; Wall, R. E.; Hintz, W. E.; Thompson, D. G. (ed.), and Wagner, R. G. *Chondrostereum purpureum* as a biological control agent in forest vegetation management. III. Infection survey of a national field trial. *Proceedings of the Third International Conference on Forest Vegetation Management, Sault Ste. Marie; Ontario, Canada, August 24-28, 1998. Canadian-Journal-of-Forest-Research*. 1999, 29(7):859-865.
349. Becker, E. M.; Ball, L. A., and Hintz, W. E. PCR-based genetic markers for detection and infection frequency analysis of the biocontrol fungus *Chondrostereum purpureum* on sitka alder and trembling aspen. *Biological-Control*. 1999; 15(1):71-80.
350. Beckman, D. and Radlein, D. Slow release fertilizer production plant from bio-oil technical-economic assessment. *IEA Bioenergy Task 22: Techno-Economic Assessment for Bioenergy Applications 1998-1999*. 2000; (No. 2024):part 2, ii + 21.
351. Beckwith, R. C. Influence of host on larval survival and adult fecundity of *Choristoneura conflictana* (Lepidoptera: Tortricidae). 1970, *Canad. Ent.* 1970 102 (11), (1474-80). [10 Refs.].
352. ---. The large Aspen tortrix [*Choristoneura conflictana*]. *Forest-Pest-Leaflet,-Forest-Service,-US-Department-of-Agriculture*. 1973; (No. 139):5 pp.
353. ---. The large Aspen tortrix, *Choristoneura conflictana* (Wlkr.), in interior Alaska. 1968, *U.S. For. Serv. Res. Note Pacif. Nthwest. For. Range Exp. Sta.* 1968. No. PNW-81, Pp. 10 [4 Refs.].
354. ---. The large aspen tortrix, *Choristoneura conflictana* (Wlkr.), in interior Alaska. *Research-Note,-Pacific-North-West-Forest-and-Range-Experiment-Station,-Forest-Service,-United-States-Department-of-Agriculture*. 1968; (81):10 pp.
355. Bedell, G. H. D. and MacLean, D. W. Nipigon growth and yield survey. 1952, *Silv. Res. Note For. Br. Can.* 1952. No. 101 Pp. 49. 11 Refs.
356. Bedrzhitskii Yu.A and Kagan, M. E. Effect of knots on the strength and deformation of wood of broadleaved species under transverse bending. 1971, *Lesn. Zh.* 1971 14 (1), (161-5). [Ru, 6 Ref.].
357. Behr, E. A. Final results of 15-year post study of treatment with powdered reagents. *Forest-Products-Journal*. 1977; 27(11):20-25.
358. ---. Preservation of fiber insulating board with chlorinated phenols. 1949, *Technical Association Papers, Technical Association of the Pulp and Paper Industry, New York* 1949 31 (388-93). 5 Refs.
359. ---. Preservative treatment of northern post species. I. Use of a thickened-oil-type ground-line preservative. 1962, *For. Prod. J.* 12 (10), 1962 (505-8). 20 Refs.
360. ---. Preservative treatment of posts with dry chemicals. 1964, *For.Prod.J.* 14(11),1964 (511-5). 10 Refs.
361. Beier, P. Use of habitat by mountain beaver in the Sierra Nevada. *Journal-of-Wildlife-Management*. 1989; 53(3):649-654.

362. Beil, C. E. Forest associations of the southern Cariboo Zone, British Columbia. *Syesis*. 1974, 7: 201-234; 35 Ref.
363. Beique, R. and Bouchard, P. Observations on a new Poplar leaf miner, *Phytomyza populicola* (Hal.). 1958, *Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can.* 1958 14 (4), (1).
364. Beland, M.; Bergeron, Y., and Zarnovican, R. Harvest treatment, scarification and competing vegetation affect jack pine establishment on three soil types of the boreal mixed wood of northwestern Quebec. *Forest-Ecology-and-Management*. 2003; 174(1-3):477-493.
365. Belanger, R. R.; Falk, S. P.; Manion, P. D., and Griffin, D. H. Tissue culture and leaf spot bioassays as variables in regression models explaining *Hypoxyylon mammatum* incidence on *Populus tremuloides* clones in the field. *Phytopathology*. 1989; 79(3):318-321.
366. Belanger, R. R.; Manion, P. D., and Griffin, D. H. Amino acid content of water-stressed plantlets of *Populus tremuloides* clones in relation to clonal susceptibility to *Hypoxyylon mammatum* in vitro. *Canadian-Journal-of-Botany*. 1990; 68(1):26-29.
367. ---. *Hypoxyylon mammatum* ascospore infection of *Populus tremuloides* clones: effects of moisture stress in tissue culture. *Phytopathology*. 1989; 79(3):315-317.
368. Bell, F. W. and Newmaster, S. G. The effects of silvicultural disturbances on the diversity of seed-producing plants in the boreal mixedwood forest. *Canadian-Journal-of-Forest-Research*. 2002; 32(7):1180-1191.
369. Bell, F. W.; Ter Mikaelian, M. T., and Wagner, R. G. Relative competitiveness of nine early-successional boreal forest species associated with planted jack pine and black spruce seedlings. *Canadian-Journal-of-Forest-Research*. 2000; 30(5):790-800.
370. Bella, I. E. Competitive influence-zone overlap: a competition model for individual trees. 1969, *Bi-m. Res. Notes, Ottawa* 1969 25 (3), (24-5). [6 Refs.].
371. Bella, I. E. Growth-density relations in young Aspen sucker stands. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1975; (No. NOR-X-124):12 pp.
372. ---. Growth of White Spruce planted in the Turtle Mountains. 1968, *For. Chron.* 1968 44 (3), (45-6). [2 Refs.].
373. ---. Logging practices and subsequent development of aspen stands in east-central Saskatchewan. *Forestry-Chronicle*. 1986; 62(2):81-83.
374. ---. A new competition model for individual trees. 1971, *For. Sci.* 1971 17 (3), (364-72). [13 Ref.].
375. ---. Tree growth response along seismic lines in Alberta. *Forestry-Chronicle*. 1986; 62(1):29-34.
376. Bella, I. E. and DeFranceschi, J. P. The effect of logging practices on the development of new Aspen stands, Hudson Bay, Saskatchewan. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1972; (No. NOR-X-33):20 pp.
377. Bella, I. E. and Franceschi, J. P. de. Biomass productivity of young aspen stands in western Canada. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1980; (No. NOR-X-219):vi + 23 pp.
378. ---. Site index curves for aspen [*Populus tremuloides*] in the prairie Provinces [of Canada]. *Forest-Management-Note,-Northern-Forest-Research-Centre,-Canada*. 1980; (No. 1):2 pp.

379. Bella, I. E. and Gal, J. Growth, development, and yield of mixed-wood stands in Alberta following cutting of white spruce. Information-Report -Northwest-Region,-Canadian-Forest-Service. 1996; (No. NOR-X-346):vi + 20 pp.
380. Bella, I. E. and Hunt, K. Kraft pulping of young Trembling Aspen from Manitoba. Canadian-Journal-of-Forest-Research. 1973; 3(3):359-366.
381. Bella, I. E. and Jarvis, J. M. High total productivity of a young Aspen stand in Manitoba. 1967, Pulp Paper Mag. Can. 1967 68 (10), (WR 432, WR 437). [3 Refs.].
382. Bellamine, J. and Gaspar, T. The relationship between rooting of poplar shoots and ATPase activity of their crude microsomal vesicles. Plant-Growth-Regulation. 1998; 24(1):43-48.
383. Bellamine, J.; Penel, C.; Greppin, H., and Gaspar, T. Confirmation of the role of auxin and calcium in the late phases of adventitious root formation. Plant-Growth-Regulation. 1998; 26(3):191-194.
384. Bello, E. D. The effects of drying temperature and equilibrium moisture content on the shrinkage of Northern Red Oak and Aspen. Philippine-Lumberman. 1975; 21(8):10-18.
385. ---. Effects of temperature and moisture content on tensile strain at fracture in the tangential direction of Northern Red Oak and Aspen. Pterocarpus. 1975, 1: 6-13; 10 Ref.
386. ---. The effects of temperature and moisture content on the elastic and residual deformations in the tangential direction of Northern Red Oak (*Quercus rubra* L.) and Aspen (*Populus tremuloides* Michx.). Bello, E. 1976; 2(1):76-85.
387. ---. Effects of temperature and moisture content on the tangential shrinkage and stress/strain behaviour of wood, and their relation to drying. Dissertation-Abstracts-International,-B. 1973; 33(10):4615.
388. Bello, E. D. and Kubler, H. Shrinkage-strain-control (S-S-C) - a new approach to the process of kiln-drying wood. Wood-Science. 1975; 7(3):191-197.
389. Belyea, R. M. Fraser. D. A. and Rose, A. H. Seasonal growth of some trees in Ontario. 1951, For. Chron. 1951 27 (4), (300-5). 13 Refs.
390. Ben, Y.; Kokta, B. V.; Doucet, J., and Kaliaguine, S. Effect of chemical pretreatment on chemical characteristics of steam explosion pulps of aspen. Journal-of-Wood-Chemistry-and-Technology. 1993; 13(3):349-369.
391. Bender, F.; Heaney, D. P., and Bowden, A. Potential of steamed wood as a feed for ruminants. 1970, For. Prod. J. 1970 20 (4), (36-41). [8 Refs.].
392. Bendtsen, B. A. and Galligan, W. L. Mean and tolerance limit stresses and stress modeling for compression perpendicular to grain in hardwood and softwood species. Research-Paper,-Forest-Products-Laboratory,-USDA-Forest-Service. 1979; (No. FPL 337):14 pp.
393. Bendtsen, B. A. and Rees, L. W. Water-content variation in the standing Aspen tree. 1962, For. Prod. J. 12 (9), 1962 (426-8). 2 Refs.
394. Bendtsen, J. A.; Haskell, J. H., and Galligan, W. L. Characterizing the stress-compression relationship of wood in compression perpendicular to grain. Wood-Science. 1978; 10(3):111-121.
395. Beneddra, T.; Picard, C.; Petit, A., and Nesme, X. Correlation between susceptibility to crown gall and sensitivity to cytokinin in aspen cultivars. Phytopathology. 1996; 86(2):225-231.

396. Benedict, T.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Aspen regeneration in South-Central Colorado, San Isabel National Forest. Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):377-386.
397. ---. Aspen regeneration in South-Central Colorado, San Isabel National Forest. Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):377-386.
398. Bennett, R. G.; Rocchini, L. A.; Eichlin, T. D., and Lindgren, B. S. *Sesia spartani* in British Columbia: a new clearwing moth record for Canada with notes on its response to pheromones (Lepidoptera: Sesiidae). *Pan-Pacific-Entomologist*. 2000, 76: 2, 129-131.
399. Benninghoff, W. S. and Cramer, K. J. Phytosociological analysis of Aspen communities on three site classes for *Populus grandidentata* in western Cheboygan County, Michigan. 1963, *Vegetatio* 11 (5/6), 1963 (253-64 + 1 Tbl.). 18 Refs.
400. Benoit, P. Note on *Dicerca callosa* Casey (Coleoptera: Buprestidae) in Canada. 1965, *Bi-m. Progr. Rep. For. Ent. Path. Br. Dep. For. Can.* 21 (2), 1965 (2).
401. Benson, J. L.; Wallin, W. B., and Shiue, C. J. Volume determination of green wood specimens. 1958, *Minn. For. Note* 1958 73 Pp. 2.
402. Benson, M. K. Improved method for nursery production of Quaking Aspen [*Populus tremuloides*] seedlings. 1962, *Tree Plant. Notes* No. 53, 1962 (11-3). 1 Ref.
403. Benson, M. K. and Dubey, D. Aspen seedling production in a commercial nursery. 1972, *Genet. Physiol. Note Inst. Paper Chem.* No. 12, 1972. Pp. 7. [1 Ref.].
404. Benson, M. K. and Einspahr, D. W. Chemical control of vegetative competition in Aspen plantings. 1964, *Tree Plant. Notes* No. 67, 1964 (15-7). 2 Refs.
405. ---. Early growth of diploid, triploid and triploid hybrid Aspen. 1967, *For. Sci.* 1967 13 (2), (150-5). [12 Refs.].
406. ---. Yields from 18-year-old Aspen via total tree harvesting. Napier, D. 1972; (No. 14):8 pp.
407. Benson, M. K. and Harder, M. L. Storage of Aspen seed. 1972, *Genet. Physiol. Note Inst. Paper Chem.* No. 11, 1972. Pp. 4. [1 Ref.].
408. Benson, M. K. and Peckham, J. R. Preliminary observations on a bark and wood-chip separation procedure for Aspen. 1968, *Genet. Physiol. Note Inst. Paper Chem., Appleton, Wis.* 1968. No. 2 Pp. 7. [8 Refs.] [Cf. *F.A.* 27 No. 5020.].
409. Benson, M. K. and Schwalbach, D. E. Techniques for rooting Aspen root sprouts. 1970, *Tree Plant. Notes* 1970 21 (3), (12-4). [3 Refs.].
410. Bentum, A. L. K.; Cote, W. A. Jr., and et, a. l. Distribution of lignin in normal and tension wood. 1969, *Wood Sci. Technol., N.Y.* 1969 3 (3), (218-31). [29 Refs.].
411. Berger, A. L. and Puettmann, K. J. Overstory composition and stand structure influence herbaceous plant diversity in the mixed aspen forest of northern Minnesota. *American-Midland-Naturalist*. 2000; 143(1):111-125.
412. Berger, R. P. and Baydack, R. K. Effects of aspen succession on sharp-tailed grouse, *Tympanuchus*

phasianellus, in the Interlake region of Manitoba. *Canadian-Field-Naturalist*. 1992; 106(2):185-191.

413. Bergeron, P. W.; Hinman, N. D.; Greenbaum, E. (ed.), and Wyman, C. E. Technical and economic analysis of lignin conversion to methyl aryl ethers. Eleventh Symposium on Biotechnology for Fuels and Chemicals. *Applied-Biochemistry-and-Biotechnology*. 1990, 24-25: 15-29; 7 Ref.
414. Bergeron, Y. Species and stand dynamics in the mixed woods of Quebec's southern boreal forest. *Ecology*. 2000, 81: 6, 1500-1516.
415. Bergeron, Y.; Bouchard, A., and Massicotte, G. Gradient analysis in assessing differences in community pattern of three adjacent sectors within Abitibi, Quebec. *Vegetatio*. 1986; 64(2-3):55-65.
416. Bergeron, Y. and Charron, D. Postfire stand dynamics in a southern boreal forest (Quebec): a dendroecological approach. *Ecoscience*. 1994; 1(2):173-184.
417. Bergeron, Y.; Denneler, B.; Charron, D., and Girardin, M. P. Using dendrochronology to reconstruct disturbance and forest dynamics around Lake Duparquet, northwestern Quebec. *Tree Rings and People. Selected papers; Davos, Switzerland, September 2001. Dendrochronologia*. 2002, 20(1-2):175-189.
418. Bergeron, Y. and Dubuc, M. Succession in the southern part of the Canadian boreal forest. *Vegetatio*. 1989; 79(1):51-63.
419. Bergeron, Y. and Harvey, B. Basing silviculture on natural ecosystem dynamics: an approach applied to the southern boreal mixedwood forest of Quebec. *Forest-Ecology-and-Management*. 1997; 92(1-3):235-242.
420. Bergman, O. and Nilsson, T. Report on outdoor storage of Aspen-wood chips at the Hornefors sulfite mill. 1971, *Transl. Dep. Fish. For. Can. No.OOFF-169*, 1971 Pp. 89. [74 Refs. *Transl. From Rapp. Instn. Virkeslara Skogshogsk. No. R-55*, 1967. [Cf. F.A. 29 No. 1552.] Limited Distribution.].
421. Bergmann, F. Characterization of multiclonal aspen cultivars using isozyme electrophoresis. *Forest-Ecology-and-Management*. 1987; 22(1-2):167-172.
422. Berguson, W. and Buchman, D. Aspen strip-thinning research project: summary report. *Technical-Report - Natural-Resources-Research-Institute,-University-of-Minnesota*. 1991, No. NRRI-TR-91-01, Iii + 8 Pp.
423. Berguson, W. E.; Grigal, D. F., and Bates, P. C. Relative stocking index: a proposed index of site quality. *Canadian-Journal-of-Forest-Research*. 1994; 24(7):1330-1336.
424. Berlyn, R. W. The effect of some variables on the performance of a drum barker. 1965, *Woodl. Res. Index Pulp Pap. Res. Inst. Can. No. 173*, 1965. Pp. 14. 5 Refs.
425. ---. Some variations in the strength of the bond between bark and wood. 1965, *Woodl. Res. Index Pulp Pap. Res. Inst. Can. No. 161*, 1965. Pp. 25. 3 Refs.
426. ---. Trial of a double-drum flail delimeter/debarker processing small-diameter frozen timber: Phase II. Size distribution and composition of process flows, chemical pulping trials. *Special-Report -Forest-Engineering-Research-Institute-of-Canada*. 1990; (No. SR-68):vi + 26 pp.
427. Berndt, H. W. and Gibbons, R. D. Root distribution of some native trees and understory plants growing on three sites within Ponderosa Pine watersheds in Colorado. 1958, *Sta. Pap. Rocky Mt. For. Range Exp. Sta.* 1958 37 (Pp. 14 + 1 Map).

428. Berrang, P.; Karnosky, D. F., and Bennett, J. P. Natural selection for ozone tolerance in *Populus tremuloides*: an evaluation of nationwide trends. *Canadian-Journal-of-Forest-Research*. 1991; 21(7):1091-1097.
429. ---. Natural selection for ozone tolerance in *Populus tremuloides*: field verification. *Canadian-Journal-of-Forest-Research*. 1989; 19(4):519-522.
430. Berrang, P.; Karnosky, D. F.; Mickler, R. A., and Bennett, J. P. Natural selection for ozone tolerance in *Populus tremuloides*. *Canadian-Journal-of-Forest-Research*. 1986; 16(6):1214-1216.
431. Berry, A. B. Metric form-class volume tables. Information-Report,-Petawawa-National-Forestry-Institute,-Canada. 1981; (No. PI-X-10):iii + 24 pp.
432. ---. Response of suppressed conifer seedlings to release from an aspen-pine overstorey. *Forestry-Chronicle*. 1982; 58(2):91-92.
433. Berry, A. B. and Stiell, W. M. Effect of rotation length on productivity of aspen sucker stands. *Forestry-Chronicle*. 1978; 54(5):265-267.
434. Besendorfer, V. and Kolevska Pletikapic, B. In vitro clonal propagation of yellow birch (*Betula lutea* Michx.). *Periodicum-Biologorum*. 1997; 99(1):77-82.
435. Bessie, W. C. and Johnson, E. A. The relative importance of fuels and weather on fire behavior in subalpine forests. *Ecology*. 1995; 76(3):747-762.
436. Betters, D. R. and Rubingh, J. L. Suitability analysis and wildland classification: an approach. *Journal-of-Environmental-Management*. 1978; 7(1):59-72.
437. Betters, D. R. and Woods, R. F. Uneven-aged stand structure and growth of Rocky Mountain aspen. *Journal-of-Forestry*. 1981; 79(10):673-676.
438. Betts, H. S. *American woods*. 1942, U.S. Forest Service, Washington, D.C. 1942-44.
439. Beyerhelm, C. D. and Sando, R. W. Regression estimation of litter and one hour timelag fuel loading in aspen-northern hardwood stands. *Forest-Science*. 1982; 28(1):177-180.
440. Bhalerao, R.; Keskitalo, J.; Sterky, F.; Erlandsson, R.; Bjorkbacka, H.; Birve, S. J.; Karlsson, J.; Gardstrom, P.; Gustafsson, P.; Lundeberg, J., and Jansson, S. Gene expression in autumn leaves. *Plant-Physiology*. 2003; 131(2):430-442.
441. Bhatti, J. S.; Apps, M. J.; Jiang, H.; Hogberg, P. (ed.); Nadelhoffer, K. J. (ed.), and Hobbie, S. E. Influence of nutrients, disturbances and site conditions on carbon stocks along a boreal forest transect in central Canada. *How Nutrient Cycles Constrain Carbon Balances in Boreal Forests and Arctic Tundra, Abisko National Park, USA, 15-18 June 1999*. 2002; 242(1):1-14.
442. Biblis, E. J. Properties of three-layer oriented strandboard from southern hardwoods. *Forest-Products-Journal*. 1985; 35(2):28-32.
443. Bickerstaff, A. The effect of thinning upon the growth and yield of Aspen stands (for ten-year period after treatment). Project P-19. 1946, *Silvic. Res. Note Dom. For. Serv.* 1946. No. 80 Pp. 25 + Tbls. + Charts.
444. Bicknell, S. H. Development of canopy stratification during early succession in northern hardwoods. *Forest-Ecology-and-Management*. 1982; 4(1):41-51.

445. Bier, J. E. The relation of bark moisture to the development of canker diseases caused by native, facultative parasites. IV. Pathogenicity studies of *Cryptodiaporthe salicella* (Fr.) Petrak, and *Fusarium lateritium* Nees., on *Populus trichocarpa* Torrey and Gray P. 'robusta', *P. tremuloides*, and *Salix* sp. 1961, Repr. From *Canad. J. Bot.* 39 (1), 1961 (139-44). 5 Refs.
446. ---. The relation of bark moisture to the development of canker diseases caused by native, facultative parasites. VI. Pathogenicity studies of *Hypoxyylon pruinaum* (Klotzsch) Cke., and *Septoria musiva* on species of *Acer*, *Populus* and *Salix*. 1961, Repr. From *Canad. J. Bot.* 39 (6), 1961 (1555-61 + 13 Photos). 9 Refs.
447. ---. Some inoculum factors in pathogenicity studies of *Hypoxyylon pruinaum* (Klotzsch) Cke. on *Populus tremuloides* Michx. 1965, Repr. From *Canad. J. Bot.* 43 (8), 1965 (877-83 + 12 Photos). 7 Refs.
448. ---. Some problems of inoculum potential in cultural and pathogenicity tests related to disease resistance. 1966, Repr. From *Breeding Pest-Resistant Trees*. Pergamon Press, Oxford. 1966. Pp. 441-8. [5 Refs.].
449. ---. Studies in forest pathology. III. *Hypoxyylon* canker of Poplar. 1940, Tech. Bull. Dep. Agric. Can. No. 27 (Publ. 691) 1940. Pp. 40. R.A.M. 19 (505).
450. Bier, J. E. and Rowat, M. H. Some inoculum and substrate factors in the cultural inhibition of *Hypoxyylon pruinaum* (Klotzsch) Cke. by pyrocatechol. 1963, *Canad. J. Bot.* 41 (11), 1963 (1585-96). 5 Refs.
451. Binot, J. M.; Pothier, D., and Lebel, J. Comparison of relative accuracy and time requirement between the caliper, the diameter tape and an electronic tree measuring fork. *Forestry-Chronicle*. 1995; 71(2):197-200.
452. Bird, R. D. Ecology of the Aspen parkland of Western Canada in relation to land use. 1961, Publ. Dep. Agric. Can. No. 1066, 1961. Pp. x + 155 + 3 Maps. 200 Refs. Price \$3.00.
453. Biring, B. and Hays Byl, W. Ten-year conifer and vegetation responses to glyphosate treatment in the SBSdw3. Extension-Note -British-Columbia-Ministry-of-Forests. 2000; (No. 48):6 pp.
454. Biring, B.; Yearsley, H. K., and Hays Byl, W. Pinchi Lake operational herbicide monitoring: 10-year conifer and vegetation responses in the SBSdw3. Extension-Note -British-Columbia-Ministry-of-Forests. 2000; (No. 46):6 pp.
455. Bisset, I. J. W.; Dadswell, H. E., and Amos, G. L. Changes in fibre-length within one growth ring of certain Angiosperms. 1950, *Nature, Lond.* 1950 165 (4192). (348-9). 9 Refs. [Division of Forest Products, C.S.I.R.O., Melbourne.].
456. Bjorge, R. R. Recent occupation of the Alberta Aspen Parkland ecoregion by moose. 32nd North American Moose Conference and Workshop, 20-24 April 1996, Banff, Alberta. *Alces*. 1996, 32: 141-147; 25 Ref.
457. Bjorkbom, J. C. Stand changes in the first 10 years after seedbed preparation for Paper Birch. USDA-Forest-Service-Research-Paper,-Northeastern-Forest-Experiment-Station. 1972; (No. NE-238):10 pp.
458. Bjorkman, A. Isolation of lignin from finely divided wood with neutral solvents. 1954, *Nature, Lond.* 1954 174 (4440), (1057-8). 3 Refs. [Billeruds AB, Saffle, Sweden.].
459. Bjorkman, E. The occurrence and significance of storage decay in Birch and aspen wood with special reference to experimental preventive measures. 1953, *Skr. K. Skogshogsk.*, Stockh. 1953 No.

12/19, (53-90). 15 Refs.

460. Blachette, R. A.; Farrell, R. L.; Behrendt, C. J.; White McDougall, W.; Held, B. W., and Kreber, B. Application of biological control agents in the forest products industry. Strategies for Improving Protection of Logs and Lumber: Proceedings of a Symposium at the Forest Research Institute, Rotorua, New Zealand, 21-22 November 1997. 1997; (No. 204):81-85.
461. Black, R. L. Poplar decay study. 1951, Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can. 1951 7 (2), (2).
462. ---. *Radulum casearium*, a Poplar decay fungus. 1953, Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can. 1953 9 (4), (3).
463. Black, T. A.; Hartog, G. den; Neumann, H. H.; Blanken, P. D.; Yang, P. C.; Russell, C.; Nestic, Z.; Lee, X.; Chen, S. G.; Staebler, R.; Novak, M. D., and Den Hartog, G. Annual cycles of water vapour and carbon dioxide fluxes in and above a boreal aspen forest. Strategies for Monitoring and Modelling CO₂ and Water Vapour Fluxes Over Terrestrial Ecosystems. Thematic issue with selected papers presented at a workshop held at La Thuile; Valle d'Aosta, Italy, 5-9 March 1995. *Global-Change-Biology*. 1996, 2(3):219-229.
464. Blackerby, A. W. Opportunities for minor wood product industries in Alaska. 1945, U.S. Forest Service, Alaska Region. 1945. Pp. 20.
465. Blais, J. R.; Prentice, R. M.; Sippell, W. L., and Wallace, D. R. Effects of weather on the forest tent caterpillar *Malacosoma disstria* Hbn., in central Canada in the spring of 1953. 1955, Repr. From *Canad. Ent.* 1955 87 (1), (1-8). 5 Refs.
466. Blake, G. M. Clone identification and delineation in the Aspens. 1964, Abstr. of Thesis, in *Dissert. Abstr.* 25 (5), 1964 (2688).
467. Blake, G. M.; Hossfeld, R. L., and Pauley, S. S. More on the determination of sex from the vegetative buds of Aspen. 1967, *For. Sci.* 1967 13 (1), (89). [1 Ref.].
468. Blake, G. M.; Hossfeld, R. L., and Pauley, S. S. A technique for determining sex from vegetative buds of [sexually mature] Quaking Aspen. 1960, *For. Sci.* 6 (4), 1960 (363-4).
469. Blake, I. H. An ecological reconnaissance in the Medicine Bow Mountains. 1945, *Ecol. Monogr.* 1945 15, (207-42). [Department of Zoology, Univ. of Nebraska, Lincoln, Neb.].
470. Blake, T. J. and Atkinson, S. M. The physiological role of abscisic acid in the rooting of poplar and aspen stump sprouts. *Physiologia-Plantarum*. 1986; 67(4):638-643.
471. Blakely, A. D. Monoammonium phosphate: effect on flammability of excelsior and pine needles. Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1983; (No. INT-313):ii + 17 pp.
472. Blanchette, R. A.; Burnes, T. A.; Eerdmans, M. M., and Akhtar, M. Evaluating isolates of *Phanerochaete chrysosporium* and *Ceriporiopsis subvermispora* for use in biological pulping processes. *Holzforschung*. 1992; 46(2):109-115.
473. Blanchette, R. A.; Burnes, T. A.; Leatham, G. F., and Effland, M. J. Selection of white-rot fungi for biopulping. *Biomass*. 1988; 15(2):93-101.
474. Blanchette, R. A.; Obst, J. R., and Timell, T. E. Biodegradation of compression wood and tension wood by white and brown rot fungi. *Holzforschung*. 1994; 48(Suppl):34-42.

475. Blanchette, R. A. and Reid, I. D. Ultrastructural aspects of wood delignification by *Phlebia* (*Merulius*) *tremellosus*. *Applied-and-Environmental-Microbiology*. 1986; 52(2):239-245.
476. Blander, M. The inorganic chemistry of the combustion of aspen wood with added sulfur. *Biomass-and-Bioenergy*. 1997; 12(4):289-293.
477. Blanken, P. D.; Black, T. A.; Neumann, H. H.; Hartog, G. den; Yang, P. C.; Nestic, Z.; Lee, X., and den Hartog, G. The seasonal water and energy exchange above and within a boreal aspen forest. *Journal-of-Hydrology-Amsterdam*. 2001; 245(1-4):118-136.
478. Blanken, P. D.; Black, T. A.; Neumann, H. H.; Hartog, G. den; Yang, P. C.; Nestic, Z.; Staebler, R.; Chen, W.; Novak, M. D., and den Hartog, G. Turbulent flux measurements above and below the overstory of a boreal aspen forest. *Boundary-Layer-Meteorology*. 1998; 89(1):109-140.
479. Blankenhorn, P. R.; Baldwin, R. C.; Merrill, W. Jr., and Ottone, S. P. Calorimetric analysis of fungal degraded wood. *Wood-Science*. 1980; 13(1):26-31.
480. Blankenhorn, P. R.; Labosky, P. Jr.; DiCola, M., and Stover, L. R. Compressive strength of hardwood-cement composites. *Forest-Products-Journal*. 1994; 44(4):59-62.
481. Blankenhorn, P. R.; Labosky, P. Jr.; Stover, L. R., and Nicholls, D. Selected chemical modifications of red oak and hard maple flakes for flakeboard manufacturing. *Wood-and-Fiber-Science*. 1989; 21(2):169-176.
482. Blenis, P. V. and Chow, P. S. Inoculation of *Populus tremuloides* with *Pollaccia americana*. *Canadian-Journal-of-Plant-Pathology*. 2001; 23(2):149-157.
483. Blinn, C. R. The economics of integrating the harvesting and marketing of hardwood timber to achieve increased profitability. 1983, 225pp.
484. Blinn, C. R.; Sinclair, S. A., and Ek, A. R. A method for estimating the multi-product value of hardwood timber stands. *Forest-Products-Journal*. 1983; 33(3):49-54.
485. Block, M. de and De Block, M. Factors influencing the tissue culture and the *Agrobacterium tumefaciens*-mediated transformation of hybrid aspen and poplar clones. *Plant-Physiology*. 1990; 93(3):1110-1116.
486. Bloom, P.; Jahn, E. C., and Wise, L. E. Monoethanolamine extraction of wood for the determination of cellulose. 1942, Paper Tr. J. 115 1942 (10), (33-40). P.R.
487. Bloomfield, C. The deflocculation of kaolinite by aqueous leaf extracts. The role of certain constituents of the extracts. 1956, Trans. 6th Int. Congr. Soil Sci., Paris 1956 1956 Vol. B, (27-32). r Refs.
488. ---. Effects of leaf extracts on soil constituents. 1955, Rep. Rothamst. Exp. Sta. 1954 1955 (59).
489. ---. Leaf leachates as a factor in pedogenesis. 1955, J. Sci. Food Agric. 1955 6 (11), (641-51). 27 Refs. [Rothamsted Experimental Station, Harpenden, Herts.].
490. ---. The movement of sesquioxides and clay in the soil. 1956, Sols Africains Paris 1956 3 (4),(488-506) 29 Refs.
491. ---. The solution-reduction of ferric oxide by aqueous leaf extracts. The role of certain constituents of the extracts. 1956, Trans. 6th Int. Congr. Soil Sc., Paris 1956 1956 Vol. B, (427-32). 3 Refs.
492. ---. A study of podzolization. III. The mobilization of iron and aluminium by Rimu (*Dacrydium*

- cupressinum). IV. The mobilization of iron and aluminium by picked and fallen Larch needles. V. The mobilization of iron and aluminium by Aspen and Ash leaves. 1954, *J. Soil Sci.* 1954 5 (1). (39-56). 14 Refs. [Rothamsted Experimental Station, Harpenden.].
493. ---. A study of podzolization. VI. The immobilization of iron and aluminium. 1955, *J. Soil. Sci.* 1955 6 (2), (284-92). 6 Refs. [Cf. *For. Abstr.* 17 (No. 32).].
494. Blouch, R. I. The response of deer to a forest wildlife management program on the Mid Forest Lodge. 1964, *Abstr. of Thesis, in Dissert. Abstr.* 25 (2), 1964 (727-8).
495. Bobalek, J. F. and Chaturvedi, M. The effects of recycling on the physical properties of handsheets with respect to specific wood species. *Tappi-Journal.* 1989; 72(6):123-125.
496. Bockheim, J. G.; Jepsen, E. A., and Heisey, D. M. Nutrient dynamics in decomposing leaf litter of four tree species on a sandy soil in northwestern Wisconsin. *Canadian-Journal-of-Forest-Research.* 1991; 21(6):803-812.
497. Boehner, A. W. The effect of three species of logging slash on the properties of Aspen planer shavings particleboard. *Dissertation-Abstracts-International,-B.* 1975; 36(4):1526.
498. Boehner, A. W. and Gertjens, R. O. Effect of three species of logging slash on the properties of Aspen planer shavings particleboard. *Forest-Products-Journal.* 1975; 25(12):36-42.
499. Boggio, K. and Gertjens, R. Influence of ACA and CCA waterborne preservatives on the properties of aspen waferboard. *Forest-Products-Journal.* 1982; 32(3):22-26.
500. Bolea, V.; Chira, D., and Heiniger, U. Resistance of chestnut (*Castanea sativa* Mill.) to SO₂ in comparison with other tree species. *Castanea Sativa: Pathology, Genetic Resources, Ecology and Silviculture. Selected papers from the Final Meeting of the COST action G4 "Multidisciplinary Chestnut Research"; Monte Verita, Switzerland, May 2001. Forest-Snow-and-Landscape-Research.* 2001, 76(3):420-424.
501. Bonan, G. B. Importance of leaf area index and forest type when estimating photosynthesis in boreal forests. *Remote-Sensing-of-Environment.* 1993; 43(3):303-314.
502. ---. Physiological control of the carbon balance of boreal forest ecosystems. *Canadian-Journal-of-Forest-Research.* 1993; 23(7):1453-1471.
503. Bonan, G. B.; Shugart, H. H., and Urban, D. L. The sensitivity of some high-latitude boreal forests to climatic parameters. *Climatic-Change.* 1990; 16(1):9-29.
504. Bonar, R. L. Availability of pileated woodpecker cavities and use by other species. *Journal-of-Wildlife-Management.* 2000; 64(1):52-59.
505. Bond, K. G. M.; Nieuwerkerken, E. J. van, and Van Nieuwerkerken, E. J. Discovery of male *Ectoedemia argyropeza* (Zeller) (Lepidoptera: Nepticulidae) in south-west Ireland. *Entomologist's-Gazette.* 1987; 38(3-4):191-195.
506. Bond Lambert, B.; Wang, C., and Gower, S. T. Aboveground and belowground biomass and sapwood area allometric equations for six boreal tree species of northern Manitoba. *Canadian-Journal-of-Forest-Research.* 2002; 32(8):1441-1450.
507. Bond Lambert, B.; Wang, C.; Gower, S. T., and Norman, J. Leaf area dynamics of a boreal black spruce fire chronosequence. *Tree-Physiology.* 2002; 22(14):993-1001.

508. Bonn, G.; Concin, R., and Bobleter, O. Hydrothermolysis -- a new process for the utilization of biomass. *Wood-Science-and-Technology*. 1983; 17(3):195-202.
509. Bonner, L. D. Flakeboard produced from polyethylene glycol treated [Aspen] flakes. 1966, Abstr. of Thesis, in *For. Prod. J.* 1966 16 (12), (48).
510. Bonnor, G. M. and Boudewyn, P. Taper-volume equations for major tree species of the Yukon Territory. *Information-Report -Pacific-and-Yukon-Region,-Forestry-Canada*. 1990; (No. BC-X-323):iv + 18 pp.
511. Boocock, D. G. B.; Kallury RKM, and Tidwell, T. T. Analysis of oil fractions derived from hydrogenation of aspen wood. *Analytical-Chemistry*. 1983; 55(11):1689-1694.
512. Boone, R. S. and Adams, R. D. Sorting aspen bolts and drying aspen fitches for SDR. *Aspen Symposium '89: Proceedings*. Duluth; (Minnesota):July 25-27, 1989. *General-Technical-Report -North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1990, No, NC-140, 295-299.
513. Borden, J. H.; Chong, L. J.; Savoie, A., and Wilson, I. M. Responses to green leaf volatiles in two biogeoclimatic zones by striped ambrosia beetle, *Trypodendron lineatum*. *Journal-of-Chemical-Ecology*. 1997; 23(11):2479-2491.
514. Bork, E. W.; Hudson, R. J., and Bailey, A. W. *Populus* forest characterization in Elk Island National Park relative to herbivory, prescribed fire, and topography. *Canadian-Journal-of-Botany*. 1997; 75(9):1518-1526.
515. ---. Upland plant community classification in Elk Island national park, Alberta, Canada, using disturbance history and physical site factors. *Plant-Ecology*. 1997; 130(2):171-190.
516. Born, J. D. Specific gravity of increment cores from interior Alaska trees. 1966, U.S. For. Serv. Res. Note Nth. For. Exp. Sta. No. NOR-19, 1966. Pp. 4. [6 Refs.].
517. Borovskii, S. A. Effect of operational factors on the tractive characteristics of the feeding elements of a caterpillar-type mover [for feeding trees through a branch-trimming machine]. 1971, *Lesn. Zh.* 1971 14 (1), (27-31). [Ru, 3 Ref.].
518. Borset, O. *Silviculture of Aspen*. 1960, *Scot. For.* 1960 14 (2), (68-80 + 2 Photos).
519. Boss, G. D. *Insects affecting Quaking Aspen in Colorado*. *Dissertation-Abstracts-International,-B*. 1972; 33(6):2426.
520. Bouchard, J.; Allen, L. H.; Lapointe, C., and Pitz, M. Improved deresination during oxygen delignification. *Pulp-and-Paper-Canada*. 2003; 104(3):39-43.
521. Bouchard, J.; Leger, S., and Chornet, E. Quantification of residual polymeric families present in thermo-mechanical and chemically pretreated lignocellulosics via thermal analysis. *Biomass*. 1986; 9(3):161-171.
522. Bouchard, J.; Nguyen, T. S.; Chornet, S., and Overend, R. P. Analytical methodology for biomass pretreatment. Part 2: characterization of the filtrates and cumulative product distribution as a function of treatment severity. *Bioresource-Technology*. 1991; 36(2):121-131.
523. Boucher, J. F.; Wetzel, S., and Munson, A. D. Leaf level response of planted eastern white pine (*Pinus strobus* L.) seven years after intensive silvicultural treatments. *Forest-Ecology-and-Management*. 1998; 107(1-3):291-307.

524. Boudreault, C.; Bergeron, Y.; Gauthier, S., and Drapeau, P. Bryophyte and lichen communities in mature to old-growth stands in eastern boreal forests of Canada. *Canadian-Journal-of-Forest-Research*. 2002; 32(6):1080-1093.
525. Boudreault, C.; Gauthier, S., and Bergeron, Y. Epiphytic lichens and bryophytes on *Populus tremuloides* along a chronosequence in the southwestern boreal forest of Quebec, Canada. *Bryologist*. 2000; 103(4):725-738.
526. Bourdeau, P. F. Photosynthetic and respiratory rates in leaves of male and female Quaking Aspens. 1958, *For. Sci.* 1958 4 (4), (331-334). [7 Refs.].
527. Bourquin, V.; Nishikubo, N.; Abe, H.; Brumer, H.; Denman, S.; Eklund, M.; Christiernin, M.; Teeri, T. T.; Sundberg, B., and Mellerowicz, E. J. Xyloglucan endotransglycosylases have a function during the formation of secondary cell walls of vascular tissues. *Plant-Cell*. 2002; 14(12):3073-3088.
528. Bowes, G. Aspen poplar control with 2,4-D formulations. *Canadian-Journal-of-Plant-Science*. 1983; 63(1):323-325.
529. ---. Control of aspen poplar, balsam poplar and prickly rose by picloram alone and in mixtures with 2,4-D. *Journal-of-Range-Management*. 1976; 29(2):148-150.
530. Bowes, G. G. Advantages of herbicides for brush control on newly seeded rangeland in western Canada. *Proceedings of the First International Rangeland Congress, Denver, Colorado, USA, August 14-18, 1978* [Hyder, D.N. (Editor)]. 1978, 651-653; 3 Ref.
531. ---. Changes in the yield of forage following the use of herbicides to control aspen poplar. *Journal-of-Range-Management*. 1982; 35(2):246-248.
532. ---. Control of aspen and prickly rose in recently developed pastures in Saskatchewan. *Journal-of-Range-Management*. 1975; 28(3):227-229.
533. ---. Control of aspen regrowth in western Canada when there is an understory of established alfalfa. *Journal-of-Range-Management*. 1981; 34(5):412-415.
534. ---. Long-term control of aspen poplar and western snowberry with dicamba and 2,4-D. *Canadian-Journal-of-Plant-Science*. 1991; 71(4):1121-1131.
535. Bowes, G. G. and Zentner, R. P. Effect of vegetation suppression on the establishment of sod-seeded alfalfa in the Aspen Parkland. *Canadian-Journal-of-Plant-Science*. 1992; 72(4):1349-1358.
536. Bowman, A. B. Growth and occurrence of Spruce and Fir on pulpwood lands in Northern Michigan. 1944, *Tech. Bull. Mich. Agric. Exp. Sta.* 1944. No. 188 Pp. 82.
537. Bowyer, J. L. An analysis of selected production alternatives for the utilization of Minnesota Aspen. *Technical-Bulletin,-Agricultural-Experiment-Station,-University-of-Minnesota*. 1974; (No. 299):23 pp.
538. ---. Economic return comparison of several lumber production systems designed for small-log conversion. *Forest-Products-Journal*. 1975; 25(7):39-43.
539. ---. An evaluation of the profit potential of chip, lumber, plywood, and particleboard production from Minnesota Aspen. *Dissertation-Abstracts-International,-B*. 1973; 34(5):1827-1828.
540. ---. Faceglued blockboard from low-grade northern hardwoods. *Wood-and-Fiber*. 1979; 11(3):184-196.

541. Bowyer, J. L. and Stokke, D. The effect of core block length on strength of faceglued blockboard. *Wood-and-Fiber*. 1982; 14(1):60-69.
542. Boxall, P. C. and Macnab, B. Exploring the preferences of wildlife recreationists for features of boreal forest management: a choice experiment approach. *Canadian-Journal-of-Forest-Research*. 2000; 30(12):1931-1941.
543. Boxall, P. C.; Watson, D. O., and Englin, J. Backcountry recreationists' valuation of forest and park management features in wilderness parks of the western Canadian Shield. *Canadian-Journal-of-Forest-Research*. 1996; 26(6):982-990.
544. Boyd, R. J. Influence of nail head size and slat thickness on pull-through resistance of Colorado woods. 1950, Abstr. of Thesis in *J. For.* 1950 48 (9), (396). [Colorado A. & M. College, Fort Collins, Col.].
545. Boyer, M. G. A leaf-spotting disease of hybrid and native Aspen. 1962, Repr. From *Canad. J. Bot.* 40 (9), 1962 (1237-42 + 9 Photos). 3 Refs.
546. ---. Observations on foliage diseases of introduced Poplars. 1960, Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can. 1960 16 (2), (1-2).
547. Boyle, J. R. A system for evaluating potential impacts of whole-tree harvesting on site quality. *Tufts, D.* 1976; 59(7):79-81.
548. Boyle, J. R.; Phillips, J. J., and Ek, A. R. 'Whole tree' harvesting: nutrient budget evaluation. *Journal-of-Forestry*. 1973; 71(12):760-762.
549. Bradley, D. P. and Biltonen, F. E. Factors affecting the productivity of logging crews using chain saws and wheeled skidders in tree-length Aspen. *USDA-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station*. 1973; (No.NC-151):4 pp.
550. Bradley, R. L. and Fyles, J. W. Interactions between tree seedling roots and humus forms in the control of soil C and N cycling. *Biology-and-Fertility-of-Soils*. 1996; 23(1):70-79.
551. Brady, D. E. and Kamke, F. A. Effects of hot-pressing parameters on resin penetration. *Forest-Products-Journal*. 1988; 38(11-12):63-68.
552. Brais, S.; Camire, C.; Bergeron, Y., and Pare, D. Changes in nutrient availability and forest floor characteristics in relation to stand age and forest composition in the southern part of the boreal forest of northwestern Quebec. *Forest-Ecology-and-Management*. 1995; 76(1-3):181-189.
553. Bramble, W. C. Reforestation of strip mined bituminous coal land in Pennsylvania. 1952, *J. For.* 1952 50 (4), (308-14). 5 Refs.
554. Bramble, W. C. and Goddard, M. K. Effect of animal coaction and seedbed condition on regeneration of Pitch Pine in the Barrens of central Pennsylvania. 1942, *Ecology* 23 1942 (330-5). [Pennsylvania State College.].
555. Bramble, W. C.; Worley, D. P., and Chisman, H. H. Control of Scrub Oak (*Quercus ilicifolia*) and associated woody species with foliage and basal sprays. 1952, *Proc. 6th. Ann. Ntheast. Weed Control Conf.* 1952 (303-10). 2 Refs.
556. Brandt, J. P. Forest insect- and disease-caused impacts to timber resources of west-central Canada: 1988-1992. *Information-Report -Northern-Forestry-Centre,-Canadian-Forest-Service*. 1995; (No. NOR-X-341):28 pp.

557. ---. Forest insect and disease conditions in west-central Canada in 1993 and predictions for 1994. Information-Report -Northwest-Region,-Canadian-Forest-Service. 1994; (No. NOR-X-335):viii + 39 pp.
558. ---. Forest insect and diseases conditions in west-central Canada in 1994 and predictions for 1995. Information-Report -Northwest-Region,-Canadian-Forest-Service. 1995; (No. NOR-X-340):49 pp.
559. Brandt, J. P.; Cerezke, H. F.; Mallett, K. I.; Volney, W. J. A., and Weber, J. D. Factors affecting trembling aspen (*Populus tremuloides* Michx.) health in the boreal forest of Alberta, Saskatchewan, and Manitoba, Canada. *Forest-Ecology-and-Management*. 2003; 178(3):287-300.
560. Brandt, J. P.; Knowles, K. R.; Larson, R. M.; Ono, H., and Walter, B. L. Forest insect and disease conditions in west-central Canada in 1995 and predictions for 1996. Information-Report -Northwest-Region,-Canadian-Forest-Service. 1996; (No. NOR-X-347):viii + 53 pp.
561. Bratus', V. M. and Tsilyurik [cyljuryk], A. V. Anatomical factors of resistance in green-bark Aspen to false sponk (*Phellinus tremulae* (Bond.) Bond. et Boriss). 1969, Transl. Dep. Fish. For. Can. No. OOFF-25, 1969. Pp. 9. [14 Refs. Transl. From Ukr. Bot. Z. 1968 25 (4), (65-72). [Cf. F.A. 30 No. 2535.] Limited Distribution.].
562. Braun, C. E.; Delpiccolo, R. J.; Hoffman, R. W., and Remington, T. E. First specimen records for Ruffed Grouse in Colorado. *Western-North-American-Naturalist*. 2003; 63(1):105-107.
563. Bray, J. R. The chlorophyll content of some native and managed plant communities in central Minnesota. 1960, *Canad. J. Bot.* 38 (3), 1960 (313-33). 16 Refs.
564. Bray, J. R. and Dudkiewicz, L. A. The composition, biomass and productivity of two *Populus* forests. 1963, *Bull. Torrey Bot. Cl.* 90 (5), 1963 (298-308). 15 Refs.D.
565. Bray, M. W. and Paul, B. H. Pulping studies on selected hybrid Poplars. 1942, *Paper Tr. J.* 115 1942 (16), (33-8). Abstr. in *Bull. Inst. Paper Chem.* 13 (115-6). P.O.
566. Brayman, A. and Schaedle, M. Stem photosynthesis in current-growth stems of *Populus tremuloides* Michx. Program and Abstracts. *HortScience*. 1979, 14: 3, 398.
567. Brayshaw, T. C. Native Poplars of southern Alberta and their hybrids. 1965, *Publ. Dep. For. Can. No.* 1109, 1965. Pp. 40 + 1 Map. [17 Refs.].
568. Breadon, R. E. Taper tables for commercial tree species of [interior] British Columbia.]. 1957, *For. Surv. Not. B.C. Serv.* 1957. No. 3, Pp. 16 + 1 Gph.
569. Brebner, K. I. and Schneider, M. H. Wood-polymer combinations: bonding of alkoxy silane coupling agents to wood. *Wood-Science-and-Technology*. 1985; 19(1):75-81.
570. Breuil, C.; Wojtczak, G.; Kushner, D. J., and Saddler, J. N. Estimation of fungal growth on lignocellulosic substrates using an enzyme-linked immunosorbent assay. *Biotechnology-Techniques*. 1989; 3(4):247-252.
571. Brewer, S. D.; Beck, R. A., and Roeper, R. A. Observations of the gallery habits of *Trypodendron retusum* (Coleoptera: Scolytidae) infesting aspen in central Michigan. *Great-Lakes-Entomologist*. 1988; 21(1):5-8.
572. Brickell, J. E. Equations and computer sub-routines for estimating site quality of eight Rocky Mountain species. 1970, *U.S. For. Serv. Res. Pap. Intermt. For. Range Exp. Sta. No. INT-75*, 1970 Pp. 22. [11 Refs.].

573. Briggs, G. M.; Jurik, T. W., and Gates, D. M. A comparison of rates of aboveground growth and carbon dioxide assimilation by aspen on sites of high and low quality. *Tree-Physiology*. 1986; 2(1-3):29-34.
574. Briggs, R. D.; Czapowskyj, M. M., and White, E. H. Effects of fertilization on the nutrient distribution of aboveground components of *Abies balsamea* (L.) Mill. *Plant-and-Soil*. 1984; 80(3):433-439.
575. Brink, D. L. The cooking process: XIII. The effect of aqueous solutions of pure sodium hydrosulfide on the constituents of [Aspen] wood. 1954, Abstr. of Thesis, in Dissert. Abstr. 1954. 14 (6), (928-9). [University of Minnesota.].
576. Brink, V. C. and Farstad, L. Forest advance in North and Central British Columbia. 1949, *Canadian Field-Naturalist*, Ottawa 1949 63 (1), (37). 2 Refs. [University of British Columbia.].
577. Brinkman, K. A. and Krajicek, J. E. Natural mortality and cull in Bigtooth Aspen stands in northeastern Iowa. 1952, Sta. Note Cent. St. For. Exp. Sta. 1952 No. 69 Pp. 2.
578. Brinkman, K. A. and Roe, E. I. Quaking Aspen: silvics and management in the Lake States. *Agriculture-Handbook,-US-Department-of-Agriculture*. 1975; (No. 486):v + 52 pp.
579. Brinkmann, E. Orientated structural board: properties, applications and production technology. *Timber-Trades-Journal*. 1979; 309(5357):31-32.
580. Brissette, J. C. and Barnes, B. V. Juvenile height growth of aspen species and hybrids in southeastern Michigan. *Canadian-Journal-of-Forest-Research*. 1984; 14(6):959-961.
581. Brissette, J. C. and Burton, V. B. Comparisons of phenology and growth of Michigan and western North American sources of *Populus tremuloides*. *Canadian-Journal-of-Forest-Research*. 1984; 14(6):789-793.
582. Britten, H. B. Meta-analyses of the association between multilocus heterozygosity and fitness. *Evolution*. 1996; 50(6):2158-2164.
583. Brockway, D. G. and Urie, D. H. Determining sludge fertilization rates for forests from nitrate-N in leachate and groundwater. *Journal-of-Environmental-Quality*. 1983; 12(4):487-492.
584. Broderick, N. A.; Goodman, R. M.; Handelsman, J., and Raffa, K. F. Effect of host diet and insect source on synergy of gypsy moth (Lepidoptera: Lymantriidae) mortality to *Bacillus thuringiensis* subsp. *kurstaki* by zwittermicin A. *Environmental-Entomology*. 2003; 32(2):387-391.
585. Brooks, J. R.; Flanagan, L. B.; Buchmann, N., and Ehleringer, J. R. Carbon isotope composition of boreal plants: functional grouping of life forms. *Oecologia*. 1997; 110(3):301-311.
586. Brooks, J. R.; Flanagan, L. B.; Varney, G. T., and Ehleringer, J. R. Vertical gradients in photosynthetic gas exchange characteristics and refixation of respired CO₂ within boreal forest canopies. *Tree-Physiology*. 1997; 17(1):1-12.
587. Brooks, L. S. and Jones, B. S. Streamline herbicide release of red pine (*Pinus resinosa*). *Proceedings, North Central Weed Control Conference*. 1986, Vol. 41, 107-109.
588. Brouzes, R.; Lasik, J., and Knowles, R. The effect of organic amendment, water content, and oxygen on the incorporation of ¹⁵N₂ by some agricultural and forest soils. 1969, *Canad. J. Microbiol.* 1969 15 (8), (899-905). [23 Refs.].
589. Brown, C. L.; Saeger, G., and Weiner, J. Constitution and pulping of Aspen and Poplar woods. 1957,

Bibliographic Series, Institute of Paper Chemistry, Appleton, Wis. 1957 184 Pp. 120.

590. Brown, C. P. Food of Maine ruffed grouse by seasons and cover types. 1946, *J. Wildlife Mgmt.* 1946. 10 (1). (17-28).
591. Brown, D. The development of woody vegetation in the first 6 years following clear-cutting of a hardwood forest for a utility right-of-way. *Forest-Ecology-and-Management.* 1994; 65(2-3):171-181.
592. Brown, D. H. and Silverborg, S. B. Chemical treatment of Hypoxylon cankers on Aspen. 1968, Abstr. in *Phytopathology* 1968 58 (8), (1045).
593. Brown, D. H. and Silverborg, S. B. Effect of cycloheximide on Hypoxylon cankers on Aspen. 1970, *Plant Dis. Repr.* 1970 54 (6), (462-5). [11 Refs.].
594. Brown, H. E. and Thompson, J. R. Summer water use by Aspen, Spruce and grassland in western Colorado. 1965, *J. For.* 63 (10), 1965 (756-60). 4 Refs.
595. Brown, J. K. Ratios of surface area to volume for common fine fuels. 1970, *For. Sci.* 1970 16 (1), (101-5). [6 Refs.].
596. Brown, J. K.; Booth, G. D.; Simmerman, D. G.; MacIver, D. C. (ed.); Auld, H. (ed.), and Whitewood, R. Seasonal change in live fuel moisture of understory plants in western U.S. aspen. *Proceedings of the 10th Conference on Fire and Forest Meteorology.* 1989, 406-412; 13 Ref.
597. Brown, J. K. and DeByle, N. V. Effects of prescribed fire on biomass and plant succession in western aspen. *Research-Paper -Intermountain-Research-Station,-USDA-Forest-Service.* 1989; (No. INT-412):i + 16 pp.
598. ---. Fire damage, mortality, and suckering in aspen. *Canadian-Journal-of-Forest-Research.* 1987; 17(9):1100-1109.
599. Brown, J. K. and Simmerman, D. G. Appraising fuels and flammability in western aspen: a prescribed fire guide. *General-Technical-Report,-Intermountain-Research-Station,-USDA-Forest-Service.* 1986; (No. INT-205):48 pp.
600. Brown, K. and Higginbotham, K. O. Effects of carbon dioxide enrichment and nitrogen supply on growth of boreal tree seedlings. *Tree-Physiology.* 1986; 2(1-3):223-232.
601. Brown, K. J. and McGovern, J. N. High-yield cold soda pulps and products from several woods. 1953, *Repr. From Paper Industry, Mount Morris, Ill.* 1953 35 (1), (66-9).
602. ---. Production of high-yield pulps from Aspen by mild treatments with sodium hydroxide. 1950, *Tappi* 1950 33 (8), (364-8). 3 Refs.
603. ---. Production of high-yield pulps from Aspen [*Populus tremuloides*] by mild treatments with sodium hydroxide. 1950, *Rep. U.S. For. Prod. Lab., Madison* 1950 No. R1774 Pp. 6 + 6 Gphs, 2 Tbls.
604. Brown, K. R. Carbon dioxide enrichment accelerates the decline in nutrient status and relative growth rate of *Populus tremuloides* seedlings. *Tree-Physiology.* 1991; 8(2):161-173.
605. ---. Catkin growth, seed production, and development of seed germinability in quaking aspen in central Alberta. *Tree-Planters'-Notes.* 1989; 40(2):25-29.
606. ---. Mineral nutrition and fertilization of deciduous broadleaved tree species in British Columbia. *Working-Paper -Ministry-of-Forests-Research-Program,-British-Columbia.* 1999; (No. 42):viii + 52 pp.

607. Brown, R. T. Germination-influencing substances in living and dried plants. 1962, Abstr. in Bull. Ecol. Soc. Amer. 43 (4), 1962 (117-8).
608. Brown, R. W. and McDonough, W. T. Thermocouple psychrometer for in situ leaf water potential determinations. Plant-and-Soil. 1977; 48(1):5-10.
609. Brown, T. S. Jr. and Merrill, W. Germination of *Fomes igniarius* var. *populinus* basidiospores on Aspen pith. 1971, Abstr. in Phytopathology 1971 61 (8), (886-7).
610. Browne, F. L. Painting hardwoods in farm buildings. 1942, Forest Products Laboratory, Madison, Wis. Mimeo No. R1291 1942. Pp. 3.
611. Brownell, H. H.; Yu, E. K. C., and Saddler, J. N. Steam-explosion pretreatment of wood: effect of chip size, acid moisture content and pressure drop. Biotechnology-and-Bioengineering. 1986; 28(6):792-801.
612. Brownell, J. E. and Nakas, J. P. Bioconversion of acid-hydrolyzed poplar hemicellulose to acetic acid by *Clostridium thermoaceticum*. Journal-of-Industrial-Microbiology. 1991; 7(1):1-6.
613. Browning, B. L. and Bublitz, L. O. Extractives of Aspen wood and bark. 1953, Tappi 1953 36 (9), (418-9). 6 Refs.
614. Bruck, R. I. Interacting environmental factors associated with the incidence of hypoxylon canker on trembling aspen. Dissertation-Abstracts-International,-B. 1979, 40: 3, 1008B.
615. Bruck, R. I. and Manion, P. D. Edaphic factors influencing the incidence of hypoxylon canker on trembling aspen. Proceedings-of-the-American-Phytopathological-Society. 1975, Publ. 1976, 2: 95.
616. ---. Interacting environmental factors associated with the incidence of Hypoxylon canker on trembling aspen. Canadian-Journal-of-Forest-Research. 1980; 10(1):17-24.
617. ---. Mammatoxin assay for genetic and environmental predisposition of aspen to cankering by *Hypoxylon mammatum*. Plant-Disease. 1980; 64(3):306-308.
618. ---. Mammatoxin bioassay for genetic and environmental predisposition of aspen to cankering by *Hypoxylon mammatum*. NE-15]. Proceedings-of-the-American-Phytopathological-Society. 1977, Publ. 1978, 4: 184.
619. Brumelis, G. and Carleton, T. J. The vegetation of postlogged black spruce lowlands in central Canada. I. Trees and tall shrubs. Canadian-Journal-of-Forest-Research. 1988; 18(11):1470-1478.
620. Brumm, D. B.; Radcliffe, R. C., and Sturos, J. A. Determining light transmittance characteristics of wood and bark chips. Research-Note,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1983; (No. NC-295):4 pp.
621. Bruun, H. H. and Slungaard, S. Investigation of porous wood as pulp raw material. 3. Fibre dimensions of several N.W. European wood species. 1959, Pap. Ja Puu 1959 41 (2), (31-4). 8 Refs. P.R. [Cf. F.A. 19 No. 3392].
622. Bryant, J. P.; Chapin, J. S. III, and Klein, D. R. Carbon/nutrient balance of boreal plants in relation to vertebrate herbivory. Oikos. 1983; 40(3):357-368.
623. Bryant, J. P.; Clausen, T. P.; Reichardt, P. B.; McCarthy, M. C., and Werner, R. A. Effect of nitrogen fertilization upon the secondary chemistry and nutritional value of quaking aspen (*Populus tremuloides* Michx.) leaves for the large aspen tortrix (*Choristoneura conflictana* (Walker)).

Oecologia. 1987; 73(4):513-517.

624. Bucciarelli, B.; Jung, H. G.; Ostry, M. E.; Anderson, N. A., and Vance, C. P. Wound response characteristics as related to phenylpropanoid enzyme activity and lignin deposition in resistant and susceptible *Populus tremuloides* inoculated with *Entoleuca mammata* (*Hypoxylon mammatum*). *Canadian-Journal-of-Botany*. 1998; 76(7):1282-1289.
625. Bucciarelli, B.; Ostry, M. E.; Fulcher, R. G.; Anderson, N. A., and Vance, C. P. Histochemical and microspectrophotometric analyses of early wound responses of resistant and susceptible *Populus tremuloides* inoculated with *Entoleuca mammata* (*Hypoxylon mammatum*). *Canadian-Journal-of-Botany*. 1999; 77(4):548-555.
626. Buchanan, M. A.; Brauns, F. E., and Leaf, R. L. Jr. Native lignin. II. Native Aspen lignin. 1949, *J. Amer. Chem. Soc.* 1949 71 (4), (1297-9). 8 Refs. [Institute of Paper Chemistry, Appleton, Wis.].
627. Buchanan, M. A.; Lollar, R. M., and Niemeyer, D. D. The tanning properties of lignosulphonates produced by different cooking conditions. 1947, *Paper Tr. J.* 1947 124 (18) (38-44).
628. Buchanan, M. A.; Sinnett, R. V., and Jappe, J. A. The fatty acids of some American pulpwoods. 1959, *Tappi* 1959 42 (7), (578-82). 23 Refs.
629. Buchheim, M. P.; MacLean, A. L., and Lillesand, T. M. Forest cover type mapping and spruce budworm defoliation detection using simulated imagery. *Photogrammetric-Engineering-and-Remote-Sensing*. 1985; 51(8):1115-1122.
630. Buchman, R. G. Survival predictions for major Lake States tree species. *Research-Paper,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1983; (No. NC-233):iii + 7 pp.
631. Buchman, R. G.; Pederson, S. P., and Walters, N. R. A tree survival model with application to species of the Great Lakes region. *Canadian-Journal-of-Forest-Research*. 1983; 13(4):601-608.
632. Buchmann, N.; Kao WenYuan; Ehleringer, J., and Kao, W. Y. Influence of stand structure on carbon-13 of vegetation, soils, and canopy air within deciduous and evergreen forests in Utah, United States. *Oecologia*. 1997; 110(1):109-119.
633. Buchmann, N.; Kao_WenYuan, and Ehleringer, J. R. Carbon dioxide concentrations within forest canopies - variation with time, stand structure, and vegetation type. *Global-Change-Biology*. 1996; 2(5):421-432.
634. Buckhouse, J. C.; Coltharp, G. B., and Barker, P. A. Impact of simulated recreation on soil compaction as modified by site and management techniques. *Proceedings-of-the-Utah-Academy-of-Sciences,-Arts-and-Letters*. 1973; 50(1):17-24.
635. Buckley, C. J.; Phanopoulos, C.; Khaleque, N.; Engelen, A.; Holwill, M. E. J., and Michette, A. G. Examination of the penetration of polymeric methylene di-phenyl-di-isocyanate (pMDI) into wood structure using chemical-state x-ray microscopy. *Holzforschung*. 2002; 56(2):215-222.
636. ---. Examination of the penetration of polymeric methylene di-phenyl-di-isocyanate (pMDI) into wood structure using chemical-state x-ray microscopy. *Holzforschung*. 2002; 56(2):215-222.
637. Buckman, R. E. Development and use of three stand volume equations for Minnesota. 1961, *J. For.* 59 (8), 1961 (573-5). 8 Refs.
638. Buckman, R. E. and Blankenship, L. H. Repeated spring prescribed burning reduces abundance and vigor of Aspen root suckering. 1965, *J. For.* 63 (1), 1965 (23-5).

639. Buckman, R. E. and Lundgren, A. L. Three Pine release experiments in northern Minnesota. 1962, Sta. Pap. Lake St. For. Exp. Sta. No. 97, 1962. Pp. 9. 4 Refs.
640. Budke, A. Experience with the rearing of Aspen and Birch plants. 1952, Pol'Ana 1952 8 (5), (80-1). [Slovak.].
641. Buech, R. R.; Siderits, K.; Radtke, R. E.; Sheldon, H. L., and Elsing, D. Small mammal populations after a wildfire in northeast Minnesota. USDA-Forest-Service-Research-Paper,-North-Central-Forest-Experiment-Station. 1977; (No. NC-151):8 pp.
642. Buell, M. F. and Buell, H. F. Aspen invasion of prairie. 1959, Bull. Torrey Bot. Cl. 86 (4), 1959 (264-5). 2 Refs.
643. Bugos, R. C.; Chiang, V. L. C., and Campbell, W. H. cDNA cloning sequence analysis and seasonal expression of lignin-bispecific caffeic acid/5-hydroxyferulic acid O-methyltransferase of aspen. Plant-Molecular-Biology. 1991; 17(6):1203-1215.
644. ---. Characterization of bispecific caffeic acid/5-hydroxyferulic acid O-methyltransferase from aspen. Phytochemistry. 1992; 31(5):1495-1498.
645. Buhler, M. L. and Anderson, S. H. Ruffed grouse (*Bonasa umbellus*) drumming log and habitat use in Grand Teton National Park, Wyoming. Western-North-American-Naturalist. 2001; 61(2):236-240.
646. Buijtenen, J. P. van. Sampling fiber lengths in Quaking Aspen. 1960, Proc. 5th World For. Congr., Seattle 1960 Vol. 3 (Sect. 6B), [1962] (1367-9). 5 Refs.
647. ---. Note on the presence of sex chromosomes in *Populus tremuloides*. 1959, Bot. Gaz. 121 (1), 1959 (60-1). 8 Refs.D.
648. Buijtenen, J. P. van, Joranson, P. N. and Einspahr, D. W. Diploid versus triploid Aspen as pulpwood sources with reference to growth, chemical, physical and pulping differences. 1958, Tappi 1958 41 (4), (170-5). 6 Refs.
649. ---. Naturally occurring triploid Quaking Aspen [*Populus tremuloides*] in the United States. 1958, Proc. Soc. Amer. For. 1957, 1958 (62-4). 12 Refs.
650. Bulgrin, E. H.; McDonald, K. A., and Vaughan, C. L. Veneer yields from Lake States Quaking Aspen. 1966, U.S. For. Serv. Res. Pap. U.S. For. Prod. Lab., Madison No. FPL59, 1966. Pp. 7. [1 Ref.].
651. Bulley, B. Aspen logging debris management techniques. Technical-Note -Forest-Engineering-Research-Institute-of-Canada-FERIC. 1999; (No. TN-283):12 pp.
652. ---. TTS-Delta Disc Trencher: intermittent and continuous trench operation. Field-Note:-Silviculture - Forest-Engineering-Research-Institute-of-Canada-FERIC. 1999, No. 114, 2 Pp.
653. Bunin, J. E. The vegetation of the west slope of the Park Range, Colorado. Dissertation-Abstracts-International,-B. 1975; 36(5):2044.
654. Buongiorno, J. and Hseu, J. S. Volume and value growth of hardwood trees in Wisconsin. Northern-Journal-of-Applied-Forestry. 1993; 10(2):63-69.
655. Burk, T. E. and Ek, A. R. Application of empirical Bayes/James-Stein procedures to simultaneous estimation problems in forest inventory. Forest-Science. 1982; 28(4):753-771.
656. Burkart, L. F. The cooking process XIV. The action of aqueous solutions of pure sodium hydrosulfide on

Aspen wood [sawdust]. 1964, Abstr. of Thesis, in Dissert. Abstr. 25 (5), 1964 (2688-9).

657. Burke, J. and Percy, J. Survey of pathogens in the large aspen tortrix, *Choristoneura conflictana* (Lepidoptera: Tortricidae), in Ontario and British Columbia with particular reference to granulosus virus. *Canadian-Entomologist*. 1982; 114(5):457-459.
658. Burke, J. M. Micro-organisms infecting the large aspen tortrix, *Choristoneura conflictana* Wlk. (Lepidoptera: Tortricidae). Information-Report,-Forest-Pest-Management-Institute,-Canada. 1983; (recd. 1985):FPM-X-61, i + 14 pp.
659. Burkhart, C. A. and Robinson, J. L. High rat pup mortality attributed to the use of cedar-wood shavings as bedding. *Laboratory-Animals*. 1978, 12: 4, 221-222.
660. Burks, S.; Jacobi, W. R., and McIntyre, G. A. Cytospora canker development on aspen in response to nitrogen fertilization. *Journal-of-Arboriculture*. 1998; 24(1):28-34.
661. Burr, K. E. Greenhouse production of quaking aspen seedlings. General-Technical-Report,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1986; No. RM-125, 31-37; In Proceedings(Intermountain Nurseryman's Association meeting):1985.
662. Burrows, S. N.; Gower, S. T.; Clayton, M. K.; Mackay, D. S.; Ahl, D. E.; Norman, J. M., and Diak, G. Application of geostatistics to characterize leaf area index (LAI) from flux tower to landscape scales using a cyclic sampling design. *Ecosystems*. 2002, 5: 7, 667-679.
663. Burton, A. J.; Hart, J. B., and Urie, D. H. Nitrification in sludge-amended Michigan forest soils. *Journal-of-Environmental-Quality*. 1990; 19(3):609-161.
664. Burton, A. J.; Urie, D. H.; Hart, J. B. Jr.; Cole, D. W. (ed.); Henry, C. L. (ed.), and Nutter, W. L. Nitrogen transformations in four sludge-amended Michigan forest types. *The Forest Alternative for Treatment and Utilization of Municipal and Industrial Wastes*. 1986; (publ. 1987):142-153.
665. Busche, L. R. The Klason lignin determination as applied to Aspenwood with special reference to acid-soluble lignin. 1960, Abstr. of Thesis, in Dissert. Abstr. 21 (1), 1960 (34). 1 Ref.
666. Byazrov, L. G. Epiphytic lichens in Aspen stands of different ages in the Moscow region. 1971, *Byull. Mosk. Obshch. Ispyt. Prir. (Otd. Biol.)* 1971 76 (4), (111-7). [Ru, En, 41 Ref.].
667. Byers, C. H. An ASPEN simulation of fuel production by hydrolysis of wood biomass. *Applied-Biochemistry-and-Biotechnology*. 1988, 18: 143-157; 11 Ref.
668. Cacek, T. L. An ecological interpretation of north central Colorado. *Dissertation-Abstracts-International,-B*. 1975; 35(7):3282-3283.
669. Cai TieBo; Dang QingLai; Cai, T. B., and Dang, Q. L. Effects of soil temperature on parameters of a coupled photosynthesis-stomatal conductance model. *Tree-Physiology*. 2002; 22(12):819-827.
670. Cain, B. F. and Cambie, R. C. Leaf extractives of *Pomaderris elliptica* Labill. 1959, *N. Z. J. Sci.* 2 (2), 1959 (240-3). 7 Refs.
671. Callan, B. E. and Ring, F. M. An annotated host fungus index for *Populus* in British Columbia. *FRDA-Report-Victoria,-B.C.* 1994; (No. 222):iv + 50 pp.
672. Calogeropoulos, C.; Greene, D. F.; Messier, C., and Brais, S. Refining tree recruitment models. *Canadian-Journal-of-Forest-Research*. 2003; 33(1):41-46.

673. Calve, L. R.; Shields, J. A., and Gravel, M. C. Maximizing aspen poplar residue utilization for waferboard production. *Forest-Products-Journal*. 1986; 36(5):39-45.
674. Cameron, R. Wildlife use of cavity clumps in clearcuts. R-and-D-Report -Canada-New-Brunswick-Cooperation-Agreement-on-Forest-Development. 1996; (No. 13):20 pp.
675. Camill, P. and Clark, J. S. Long-term perspectives on lagged ecosystem responses to climate change: permafrost in boreal peatlands and the grassland/woodland boundary. *Ecosystems*. 2000; 3(6):534-544.
676. Campa, H. III. Effects of deer and elk browsing on aspen regeneration and nutritional qualities in Michigan. *Dissertation-Abstracts-International.-B,-Sciences-and-Engineering*. 1990, 50: 12, 5404B.
677. Campa, H. III; Haufler, J. B., and Beyer, D. E. Jr. Effects of simulated ungulate browsing on aspen characteristics and nutritional qualities. *Journal-of-Wildlife-Management*. 1992; 56(1):158-164.
678. Campa, H. III; Woodyard, D. K.; Haufler, J. B.; Cole, D. W. (ed.); Henry, C. L. (ed.), and Nutter, W. L. Deer and elk use of forages treated with municipal sewage sludge. *The Forest Alternative for Treatment and Utilization of Municipal and Industrial Wastes*. 1986; (publ. 1987):188-198.
679. Campbell, C.; Campbell, I. D.; Blyth, C. B., and McAndrews, J. H. Bison extirpation may have caused aspen expansion in western Canada. *Ecography*. 1994; 17(4):360-362.
680. Campbell, J. J.; Finer, L.; Messier, C.; Bergeron, Y. (ed.); Engelmark, O. (ed.); Harvey, B. (ed.); Morin, H. (ed.), and Sirois, L. Fine-root production in small experimental gaps in successional mixed boreal forests. Special Feature. Key issues in disturbance dynamics in boreal forests: based on contributions presented at the IAVS (International Association for Vegetation Science) workshop on disturbance dynamics in boreal forests; held at the University of Quebec in Abiti-Temiscamingue in Rouyn-Noranda, Canada, August 26-30, 1996. *Journal-of-Vegetation-Science*. 1998, 9(4):537-542.
681. Campbell, J. S.; Lieffers, V. J., and Pielou, E. C. Regression equations for estimating single tree biomass of trembling aspen: assessing their applicability to more than one population. *Forest-Ecology-and-Management*. 1985; 11(4):283-295.
682. Campbell, R. B. Jr. Field and laboratory methods for age determination of quaking aspen. *Research-Note,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1981; (No. INT-314):5 pp.
683. Campbell, R. B. Jr.; Bartos, D. L.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Aspen ecosystems: objectives for sustaining biodiversity. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):299-307.
684. ---. Aspen ecosystems: objectives for sustaining biodiversity. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):299-307.
685. Campbell, R. B. Jr. and Murphy, P. M. Asexual vs. sexual propagation of quaking aspen. In *The Challenge of Producing Native Plants for the Intermountain Area*. 1983 Aug 8-1983 Aug 8; (1983. Las Vegas):Nevada. *General-Technical-Report,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1984, No. INT-168, 61-65.
686. Campbell, R. N. Some sao-stain fungi found in Minnesota. 1960, *Plant Dis. Repr.* 44 (8), 1960 (625-8). 21

Refs.

687. Canada. Twenty-first annual report of the Canadian Plant Disease Survey 1941. 1942, Division of Botany and Plant Pathology, Department of Agriculture, Ottawa. 1942. Pp. 102.
688. Candau, J. N.; Abt, V., and Keatley, L. Bioclimatic analysis of declining aspen stands in Northeastern Ontario. Forest-Research-Report -Ontario-Forest-Research-Institute. 2002; (No.154):iii + 16 pp.
689. Candler, R. Significant differences in metal - organic complexes derived from birch and aspen forest soils in interior Alaska. *Science-of-the-Total-Environment*. 1992, 117-118: 121-128; 12 Ref.
690. Candler, R. and Cleve, K. van. A comparison of aqueous extracts from the B horizon of a birch and aspen forest in interior Alaska. *Soil-Science*. 1982; 134(3):176-180.
691. Candy, R. H. Forest growth on the Upper Leevre Valley, P.Q. 1942, *Silvic. Res. Note Dom. For. Serv. No. 71* 1942 Pp. 25.
692. Canfield, M. L.; Baca, S., and Moore, L. W. Isolation of *Pseudomonas syringae* from 40 cultivars of diseased woody plants with tip dieback in Pacific Northwest nurseries. *Plant-Disease*. 1986; 70(7):647-650.
693. Canham, C. D.; Coates, K. D.; Bartemucci, P., and Quaglia, S. Measurement and modeling of spatially explicit variation in light transmission through interior cedar-hemlock forests of British Columbia. *Canadian-Journal-of-Forest-Research*. 1999; 29(11):1775-1783.
694. CAnon, S. K.; Urness, P. J., and DeByle, N. V. Habitat selection, foraging behavior, and dietary nutrition of elk in burned aspen forest. *Journal-of-Range-Management*. 1987; 40(5):433-438.
695. Cantin, M. The machining properties of 16 eastern Canadian woods. 1965, *Publ. Dep. For. Can. No. 1111*, 1965. Pp. 27.
696. Cantor, L. F. and Whitham, T. G. Importance of belowground herbivory: pocket gophers may limit aspen to rock outcrop refugia. *Ecology*. 1989; 70(4):962-970.
697. Carcamo, H. A. and Parkinson, D. Distribution of ground beetle assemblages (Coleoptera, Carabidae) around sour gas processing plants in western Canada. *Pedobiologia*. 1999; 43(2):160-173.
698. ---. Localized acidification near sour gas processing plants: are forest floor macro-invertebrates affected? *Applied-Soil-Ecology*. 2001; 17(3):199-213.
699. Carder, A. C. The use of dalapon to control couch and brome grass around trees and shrubs. 1956, *Res. Rep. West. Sect. Nat. Weed Comm. Can.* 1956 (7).
700. Carey, S. K.; Woo MingKo, and Woo, M. K. Hydrology of two slopes in subarctic Yukon, Canada. *Special Issue*. 1999; 13(16):2549-2562.
701. Carleton, T. J. and MacLellan, P. Woody vegetation response to fire versus clear-cutting logging: a comparative survey in the central Canadian boreal forest. *Ecoscience*. 1994; 1(2):141-152.
702. Carll, C. Flake storage effects on properties of laboratory-made flakeboards. *Research-Note -Forest-Products-Laboratory,-USDA-Forest-Service*. 1998; (No. FPL-RN-267):10 pp.
703. Carll, C. G. Basic mechanical properties of flakeboards from ring-cut flakes of eastern hardwoods. *Forest-Products-Journal*. 1994; 44(9):26-32.

704. ---. Influence of some factors on curvature of disk-cut flakes. *Forest-Products-Journal*. 1989; 39(4):42-46.
705. Carll, C. G. and Feist, W. C. Long-term weathering of finished aspen waferboard. *Forest-Products-Journal*. 1989; 39(10):25-30.
706. ---. Weathering and decay of finished aspen waferboard. *Forest-Products-Journal*. 1987; 37(4):27-30.
707. Carll, C. G. and Link, C. L. Tensile and compressive MOE of flakeboards. *Forest-Products-Journal*. 1988; 38(1):8-14.
708. Carll, C. G. and Wang, P. Data for prediction of mechanical properties of aspen flakeboards. *Research-Note,-Forest-Products-Laboratory*. 1983; (No. 0246):8 pp.
709. Carll, C. G. and Wood, J. E. Effect of chip freezing on quality of ring-cut flakes. *Forest-Products-Journal*. 1984; 34(4):35-36.
710. Carlson, D. W. and Groot, A. Microclimate of clear-cut, forest interior, and small openings in trembling aspen forest. *Agricultural-and-Forest-Meteorology*. 1997; 87(4):313-329.
711. Carlson, F. E.; Phillips, E. K.; Tenhaeff, S. C., and Detlefsen, W. D. A study of formaldehyde and other organic emissions from pressing of laboratory oriented strandboard. *Forest-Products-Journal*. 1995; 45(3):71-77.
712. Carmean, W. H. A comparison of site index curves for northern hardwood species. *Research-Paper,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1979; (No. NC-167):ii + 12 pp.
713. ---. Site index comparisons among northern hardwoods in northern Wisconsin and Upper Michigan. *USDA-Forest-Service-Research-Paper-NC*. 1979; (No. 169):17 pp.
714. ---. Site index curves for northern hardwoods in northern Wisconsin and Upper Michigan. *Research-Paper,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1978; (No. NC-160):16 pp.
715. Carmean, W. H.; Li JanJun, and Li, J. J. Soil-site relations for trembling aspen in Northwest Ontario. *Northern-Journal-of-Applied-Forestry*. 1998; 15(3):146-153.
716. Carmean, W. H.; Sims, R. A. (ed.); Corns, I. G. W. (ed.), and Klinka, K. Forest site-quality estimation using forest ecosystem classification in northwestern Ontario. *Global to Local: Ecological Land Classification. Proceedings of the international conference; Thunder Bay, Ontario, Canada, 14-17 August, 1994. Environmental-Monitoring-and-Assessment*. 1996, 39(1-3):493-508.
717. Carmi, T.; Ziv, M.; Altman, A.; Altman, A. (ed.), and Ziv, M. Bud regeneration growth and proliferation of aspen (*Populus tremula*) roots in liquid cultures. *Proceedings of the Third International ISHS Symposium on in Vitro Culture and Horticultural Breeding, Jerusalem, Israel, 16-21 June, 1996. Acta-Horticulturae*. 1997, No. 447, 669-670.
718. Carmosini, N.; Devito, K. J., and Prepas, E. E. Gross nitrogen transformations in harvested and mature aspen-conifer mixed forest soils from the Boreal Plain. *Soil-Biology-and-Biochemistry*. 2002; 34(12):1949-1951.
719. Carow, J. Cruising pole timber by Bitterlich's angle-count method. 1957, *Pap. Mich. Acad. Sci.* 1957 43 (1958), (151-6). 4 Refs.
720. Carrasco, F. Aqueous thermomechanical pretreatment of aspen in a batch reactor system. *Journal-of-Wood-Chemistry-and-Technology*. 1992; 12(2):213-230.

721. Carrasco, F.; Kokta, B. V.; Ahmed, A., and Garceau, J. J. High-yield pulping of aspen wood: relation between pulp properties and fibre characteristics by multiple linear regression. *Wood-Science-and-Technology*. 1994; 28(6):409-421.
722. Carriere, Y. Host plant exploitation within a population of a generalist herbivore, *Choristoneura rosaceana*. *Entomologia-Experimentalis-Et-Applicata*. 1992; 65(1):1-10.
723. Carriere, Y. and Roitberg, B. D. Trade-offs in responses to host plants within a population of a generalist herbivore, *Choristoneura rosaceana*. *Entomologia-Experimentalis-Et-Applicata*. 1994; 72(2):173-180.
724. Carter, A. *Agonum retractum* (Coleoptera: Carabidae) in an aspen woodland in the Canadian Rockies: population biology and chemical cycling. *Pedobiologia*. 1980, 20: 2, 101-117.
725. Carter, A. and Cragg, J. B. Potassium and calcium cycling by *Eupterotegeus rostratus* (Acari: Cryptostigmata). *Pedobiologia*. 1977; 17(3):169-174.
726. Carter, A. L. and Cragg, J. B. Concentrations and standing crops of calcium, magnesium, potassium and sodium in soil and litter arthropods and their food in an aspen woodland ecosystem in the Rocky Mountains (Canada). *Pedobiologia*. 1976; 16(5):379-388.
727. Carter, J. C. Arborists' problems with tree diseases - the 6 worst in the Midwest. 1955, *Amer. Nurseryman*. 1955 102 (4), (9-10, 60-5).
728. Carter, J. C. and Dodd, F. O. Discovery and distribution of *Fusicoccum* canker of Russian Olive in Illinois. 1969, *Plant Dis. Repr.* 1969 53 (5), (392). [1 Ref.].
729. Cash, E. K. and Waterman, A. M. A new species of *Plagiostoma* associated with a leaf disease of hybrid Aspens. 1957, *Mycologia* 1957 49 (5), (756-60). 6 Refs.
730. Catchpole, E. A.; Catchpole, W. R., and Rothermel, R. C. Fire behavior experiments in mixed fuel complexes. *International-Journal-of-Wildland-Fire*. 1993; 3(1):45-57.
731. Catling, P. M.; Sinclair, A., and Cuddy, D. Vascular plants of a successional alvar burn 100 days after a severe fire and their mechanisms of re-establishment. *Canadian-Field-Naturalist*. 2001, 115: 2, 214-222.
732. Cavender, J. C. Cellular slime molds in tundra and forest soils of Alaska including a new species, *Dictyostelium septentrionalis*. *Canadian-Journal-of-Botany*. 1978; 56(11):1326-1332.
733. Cayford, J. H. Influence of the Aspen overstory on White Spruce growth in Saskatchewan. 1957, *Tech. Note For. Br. Can.* 1957. No. 58, Pp. 12. 12 Refs.
734. Cayford, J. H. and Waldron, R. M. Some effects of leaf and needle litter on greenhouse germination of White Spruce and Jack Pine seed. 1962, *For. Chron.* 38 (2), 1962 (229-31). 1 Ref.
735. Cech, M. Y. The status of high-temperature kiln drying in eastern Canada. *Canadian-Forest-Industries*. 1973; 93(8):63...71.
736. Cerezke, H. F. and Emond, F. J. Forest insect and disease conditions in Alberta, Saskatchewan, Manitoba, and the Northwest Territories in 1987. *Information-Report -Northern-Forestry-Centre,-Forestry-Canada*. 1989; (No. NOR-X-300):vi + 25 pp.
737. Cernusak, L. A.; Marshall, J. D.; Comstock, J. P., and Balster, N. J. Carbon isotope discrimination in photosynthetic bark. *Oecologia*. 2001; 128(1):24-35.

738. Cessna, A. J.; Waddington, J., and Bittman, S. Residues of 2,4-D and picloram in aspen poplar and soil after application with a roller. *Canadian-Journal-of-Plant-Science*. 1989; 69(1):205-212.
739. Chafe, S. C. Cell wall formation and 'protective layer' development in the xylem parenchyma of Trembling Aspen. Chafe, S. C.; Chauret, G. (Cell wall structure in the xylem parenchyma of Trembling Aspen. *Protoplasma*. 1974;80: 4, 335-354.
740. ---. On the lamellate structure of the S2 layer. *Protoplasma*. 1974; 79(1-2):145-158.
741. Chafe, S. C. and Chauret, G. Cell wall structure in the xylem parenchyma of Trembling Aspen. *Protoplasma*. 1974; 80(1-3):129-147.
742. Chaffey, N. and Barlow, P. The cytoskeleton facilitates a three-dimensional symplasmic continuum in the long-lived ray and axial parenchyma cells of angiosperm trees. *Planta*. 2001; 213(5):811-823.
743. ---. Myosin, microtubules, and microfilaments: co-operation between cytoskeletal components during cambial cell division and secondary vascular differentiation in trees. *Planta*. 2002; 214(4):526-536.
744. Chaffey, N.; Barlow, P., and Sundberg, B. Understanding the role of the cytoskeleton in wood formation in angiosperm trees: hybrid aspen (*Populus tremula* x *P. tremuloides*) as the model species. *Tree-Physiology*. 2002; 22(4):239-249.
745. ---. Understanding the role of the cytoskeleton in wood formation in angiosperm trees: hybrid aspen (*Populus tremula* x *P. tremuloides*) as the model species. *Tree-Physiology*. 2002; 22(4):239-249.
746. Chahal, D. S.; Moo Young, M., and Vlach, D. Effect of physical and physicochemical pretreatments of wood for SCP production with *Chaetomium cellulolyticum*. *Biotechnology-and-Bioengineering*. 1981; 23(11):2417-2420.
747. Chakravarty, P. and Hiratsuka, Y. Antagonism of two decay fungi, *Peniophora polygonia* and *Phellinus tremulae* associated with *Populus tremuloides*. *European-Journal-of-Forest-Pathology*. 1992; 22(6-7):354-361.
748. ---. Effect of lecythophorin on the in vitro growth of three aspen pathogens and its role in controlling stain and decay of aspen wood. *Zeitschrift-Fur-Pflanzenkrankheiten-Und-Pflanzenschutz*. 1996; 103(2):164-170.
749. ---. Evaluation of *Lecytophora hoffmannii* as a potential biological control agent against a blue stain fungus on *Populus tremuloides*. *Zeitschrift-Fur-Pflanzenkrankheiten-Und-Pflanzenschutz*. 1994; 101(1):74-79.
750. Chakravarty, P.; Hiratsuka, Y.; Trifonov, L. S., and Ayer, W. A. Antifungal activity of derivatives of tiglic and senecioic acid against three aspen pathogens. *Zeitschrift-Fur-Pflanzenkrankheiten-Und-Pflanzenschutz*. 1997; 104(3):254-259.
751. Chakravarty, P.; Trifonov, L.; Hutchison, L. J.; Hiratsuka, T., and Ayer, W. A. Role of *Sporormiella similis* as a potential bioprotectant of *Populus tremuloides* wood against the blue-stain fungus *Ophiostoma piliferum*. *Canadian-Journal-of-Forest-Research*. 1994; 24(11):2235-2239.
752. Chandler, R. F. The amount and mineral nutrient content of freshly fallen leaf litter in the hardwood forests of central New York. 1941, *J. Amer. Soc. Agron.* 33 1941 (859-71). [Cornell University, Ithaca, N.Y.] L.S.
753. Chang, C. I. and Keith, C. T. Properties of heat-darkened wood. II mechanical properties and gluability.

Report,-Eastern-Forest-Products-Laboratory,-Canada. 1978; (No. OPX214E):19 pp.

754. Chang, K. G.; Fechner, G. H., and Schroeder, H. A. Anthocyanins in autumn leaves of quaking aspen in Colorado. *Forest-Science*. 1989; 35(1):229-236.
755. Chang KunPiao; Boring, L. R., and Chang, K. P. Nitrogen fixation by *Robinia pseudoacacia* L.: field assessment on non-acid mine soils using ¹⁵N methods. *Bulletin-of-National-Pingtung-Polytechnic-Institute*. 1996; 5(3):15-22.
756. Chanzy, H.; Paillet, M.; Peguy, A.; Vuong, R.; Kennedy, J. F. (ed.); Phillips, G. O. (ed.), and Williams, P. A. Dissolution and spinning of exploded wood in amine oxide systems. *Wood and Cellulosics: Industrial Utilisation, Biotechnology, Structure and Properties*. 1987, 573-579; 7 Ref.
757. Chapela, I. H. Fungi in healthy stems and branches of American beech and aspen: a comparative study. *New-Phytologist*. 1989; 113(1):65-75.
758. Chapin, F. S. III; Cleve, K. van, and Tryon, P. R. Relationship of ion absorption to growth rate in taiga trees. *Oecologia*. 1986; 69(2):238-242.
759. Chapin, F. S. III and Tryon, P. R. Habitat and leaf habit as determinants of growth, nutrient absorption, and nutrient use by Alaskan taiga forest species. *Canadian-Journal-of-Forest-Research*. 1983; 13(5):818-826.
760. Chapin, F. S. III; Tryon, P. R., and Cleve, K. van. Influence of phosphorus on growth and biomass distribution of Alaskan taiga tree seedlings. *Canadian-Journal-of-Forest-Research*. 1983; 13(6):1092-1098.
761. Chapin, F. S. III; Walker, L. R.; Cleve, K. van (ed.); Viereck, L. A. (ed.); Marion, G. M. (ed.); Yarie, J. (ed.), and Dyrness, C. T. Direct and indirect effects of calcium sulfate and nitrogen on growth and succession of trees on the Tanana River floodplain, interior Alaska. *Role of Salt-Affected Soils in Primary Succession on the Tanana River Floodplain, Interior Alaska*. *Canadian-Journal-of-Forest-Research*. 1993, 23: 5, 995-1000.
762. Charaux, C. and Rabate, J. The CHCl₃ complex of Aspen leaves. Salicyloylpopuloside and salicylic salicoside. 1942, *J. Pharm. Chim., Paris 2* 1942 [9], (289-303). *Chem. Zbl.* 1942, II (2599-600). *Chem. Abstr.* 38 (2327-8). P.R.
763. Charters, M. T. Progress in thermomechanical pulping. *Tappi*. 1975, 58: 9, 122-124.
764. Chase, A. I. Pulping, biomass and nutrient studies of woody shrubs and shrub sizes of tree species. *Bulletin,-Life-Sciences-and-Agriculture-Experiment-Station,-University-of-Maine,-Orono*. 1978; (No. 749):36 pp.
765. Chase, A. J. Potential of deciduous weed species and softwood thinnings as sources of wood pulp. *Applied-Polymer-Symposium*. 1976; (No. 28):503-515.
766. Chase, A. J.; Hyland, F., and Young, H. E. Puckerbrush pulping studies. 1971, *Technical Bulletin, Life Sciences and Agriculture Experiment Station, University of Maine, Orono* No. 49, 1971. Pp. 64. [13 Ref.].
767. Chase, A. J. and Young, H. E. Corrugating pulps from puckerbrush. *Research-in-the-Life-Sciences*. 1976; 23(10):9 pp.
768. Chatarpaul, L.; Burgess, D. M., and Methven, I. R. Equations for estimating above-ground nutrient content of six eastern Canadian hardwoods. *Information-Report,-Petawawa-National-Forestry-Institute,-*

Canada. 1985; (No. PI-X-55):iv + 19 pp.

769. Cheliak, W. M. Genetic variation in natural populations of *Populus tremuloides*. *Genetics*. 1980, 94: 4, II, S17.
770. Cheliak, W. M. and Pitel, J. A. Electrophoretic identification of clones in trembling aspen. *Canadian-Journal-of-Forest-Research*. 1984; 14(5):740-743.
771. Chen, H. T.; Funaoka, M., and Lai, Y. Z. Attempts to understand the nature of phenolic and etherified components of wood lignin. *Wood-Science-and-Technology*. 1997; 31(6):433-440.
772. Chen, H. Y. H.; Klinka, K., and Kabzems, R. D. Height growth and site index models for trembling aspen (*Populus tremuloides* Michx.) in northern British Columbia. *Forest-Ecology-and-Management*. 1998; 102(2-3):157-165.
773. ---. Site index, site quality, and foliar nutrients of trembling aspen: relationships and predictions. *Canadian-Journal-of-Forest-Research*. 1998; 28(12):1743-1755.
774. Chen, H. Y. H.; Krestov, P. V., and Klinka, K. Trembling aspen site index in relation to environmental measures of site quality at two spatial scales. *Canadian-Journal-of-Forest-Research*. 2002; 32(1):112-119.
775. ---. Trembling aspen site index in relation to environmental measures of site quality at two spatial scales. *Canadian-Journal-of-Forest-Research*. 2002; 32(1):112-119.
776. Chen, J. M.; Blanken, P. D.; Black, T. A.; Guilbeault, M., and Chen, S. Radiation regime and canopy architecture in a boreal aspen forest. *Agricultural-and-Forest-Meteorology*. 1997; 86(1-2):107-125.
777. Chen, J. M.; Leblanc, S. G.; Miller, J. R.; Freemantle, J.; Loechel, S. E.; Walthall, C. L.; Innanen, K. A., and White, H. P. Compact Airborne Spectrographic Imager (CASI) used for mapping biophysical parameters of boreal forests. *Special Section*. 1999; 104(D22):27945-27958.
778. Chen, P. Y. S.; Haygreen, J. G., and Graham, M. A. An evaluation of wood/coal pellets made in a laboratory pelletizer. *Forest-Products-Journal*. 1989; 39(7-8):53-58.
779. Chen, R.; Garceau, J. J., and Kokta, B. V. Optimization of the utilization of hardwood mixed with softwood in kraft pulping. USA, TAPPI: TAPPI Alkaline Pulping-Secondary Fibers Conference, Washington, D.C., Nov. 1910 Jul; (1977. 1977):189-197.
780. Chen, W. J.; Black, T. A.; Yang, P. C.; Barr, A. G.; Neumann, H. H.; Nesic, Z.; Blanken, P. D.; Novak, M. D.; Eley, J.; Ketler, R. J., and Cuenca, R. Effects of climatic variability on the annual carbon sequestration by a boreal aspen forest. *Global-Change-Biology*. 1999; 5(1):41-53.
781. Chen, Y.; Popowitz, B. A.; Gertjeansen, R. O., and Ritter, D. C. Paper birch as a core material for aspen oriented strandboard and waferboard. *Forest-Products-Journal*. 1992; 42(1):21-24.
782. Chen, Y. R. and Schmidt, E. L. Improving aspen kraft pulp by a novel, low-technology fungal pretreatment. *Wood-and-Fiber-Science*. 1995; 27(2):198-204.
783. Chen YiRu; Schmidt, E. L., and Chen, Y. R. The influence of chemical impregnation on the delignification of aspen by *Phanerochaete chrysosporium*. *Material-Und-Organismen*. 1998; 32(1):79-83.
784. Chen YiRu; Schmidt, E. L.; Olsen, K. K., and Chen, Y. R. Effect of compression of green wood chips on conidial germination and colonization of a biopulping fungus, *Phanerochaete chrysosporium*.

Wood-and-Fiber-Science. 1998; 30(1):18-26.

785. Chen, Z. C. and Chen, S. C. Electronmicroscopic evidences of infection of the heart-rot fungus, *Fomes igniarius* var. *populinus* on living Aspen trees. Technical-Bulletin,-Experimental-Forest-of-National-Taiwan-University. 1972; (No. 105):15 pp.
786. Chen ZennZong; Chang ShuHwa; Ho ChengKuen; Chen YiChiann; Tsai JiaBin; Chiang, V. L.; Chen, Z. Z.; Chang, S. H.; Ho, C. K.; Chen, Y. C., and Tsai, J. B. Plant production of transgenic *Eucalyptus camaldulensis* carrying the *Populus tremuloides* cinnamate 4-hydroxylase gene. *Taiwan-Journal-of-Forest-Science*. 2001; 16(4):249-258.
787. ---. Plant production of transgenic *Eucalyptus camaldulensis* carrying the *Populus tremuloides* cinnamate 4-hydroxylase gene. *Taiwan-Journal-of-Forest-Science*. 2001; 16(4):249-258.
788. Cherng Jiann, S.; Brown, R. M., and Rees, L. W. Aspend debarking with 2,4,5-T. 1958, *J. For.* 1958 56 (7), (503-7). 10refs.
789. Cherry, M. Options for allocating afforestation stock in Ontario with anticipated climate change. *Forest-Research-Information-Paper -Ontario-Forest-Research-Institute*. 2001; (No.148):iv + 29 pp.
790. Chester, G. S. and Hopkins, E. J. An unusual potential cause of forest fires. 1964, *Fire Control Notes* 25 (3), 1964 (12, 15).
791. Chevone, B. I.; Russo, F. B., and Krupa, S. V. Temporal and spatial variations in the accumulation in trembling aspen and paper birch of certain elements originating from particulate pollution. USA, American Phytopathological Society: Abstracts. *Phytopathology*. 1979, 69: 9, 1024.
792. Chiang, V. L.; Puumala, R. J.; Takeuchi, H., and Eckert, R. E. Comparison of softwood and hardwood kraft pulping. *Tappi-Journal*. 1988; 71(9):173-176.
793. Chiang, V. L. and Vasil, I. K. Modification of lignin biosynthesis in forest trees. *Plant Biotechnology 2002 and Beyond. Proceedings of the 10th IAPTC&B Congress; (Orlando):Florida, USA, June 23-28, 2002. Plant-biotechnology-2002-and-beyond.-Proceedings-of-the-10th-IAPTC-and-B-Congress,-Orlando,-Florida,-USA,-23-28-June,-2002*. 2003, 445-452.
794. Chidester, G. H.; Laundrie, J. F., and Keller, E. L. Chemimechanical pulps from various softwoods and hardwoods. 1960, *Tappi* 43 (10), 1960 (876-80).
795. Chilcote, C. A.; Witter, J. A.; Montgomery, M. E., and Stoyenoff, J. L. Intra- and inter-clonal variation in gypsy moth larval performance on bigtooth and trembling aspen. *Canadian-Journal-of-Forest-Research*. 1992; 22(11):1676-1683.
796. Ching, K. K. Forest succession on the well-drained soil in the Higgins Lake area of Michigan. 1957, *Abstr. of Thesis, in Dissert. Abstr.* 1957 17 (6), (1175). O.R.S.
797. Chipanina, N. N.; Mirskova Yu, R.; Medvedeva, S. A.; Volchatova, I. V., and Babkin, V. A. IR-spectroscopic investigation of aspen wood biolignins. *Chemistry-of-Natural-Compounds*. 1995; 31(3):392-395.
798. Chong, D. K. X.; Yang, R. C., and Yeh, F. C. Nucleotide divergence between populations of trembling aspen (*Populus tremuloides*) estimated with RAPDs. *Current-Genetics*. 1994; 26(4):374-376.
799. Chong, G. W.; Simonson, S. E.; Stohlgren, T. J.; Kalkhan, M. A.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Biodiversity: aspen stands have the lead, but will nonnative species take over? *Sustaining Aspen in Western Landscapes: Symposium*

Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):261-271.

800. ---. Biodiversity: aspen stands have the lead, but will nonnative species take over? Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):261-271.
801. Chouinard, L. and Parrot, L. The callusing and rooting of air-layers in *Betula papyrifera*, *Populus tremuloides*, *Larix laricina* and *Abies balsamea*. 1958, Contr. Fonds Rech. for. Univ. Laval 1958 No. 2 (Pp. 16). [8 Refs.].
802. Chow, P.; Bao ZhaoZhen; Youngquist, J. A.; Rowell, R. M.; Muehl, J. H.; Krzysik, A. M., and Bao, Z. Z. Properties of hardboards made from acetylated aspen and southern pine. *Wood-and-Fiber-Science*. 1996; 28(2):252-258.
803. Chow, S. Thermo-directional movement of wood and wood composites. *Wood-Science-and-Technology*. 1994; 28(3):189-198.
804. Chow, S. Z. Determining veneer surface inactivation by a reflectance colorimeter. 1971, *For. Prod. J.* 1971 21 (2), (19-24). [3 Refs.].
805. Christensen, C. M.; Anderson, R. L.; Hodson, A. C., and Rudolf, P. O. Enemies of Aspen. 1951, Lake St. Aspen Rep. 1951. No. 22 Pp. 16.
806. Christian, D. P.; Hanowski, J. M.; Reuvers House, M.; Niemi, G. J.; Blake, J. G., and Berguson, W. E. Effects of mechanical strip thinning of aspen on small mammals and breeding birds in northern Minnesota, USA. *Canadian-Journal-of-Forest-Research*. 1996; 26(7):1284-1294.
807. Christie, C. B. Rapid propagation of aspens [*Populus* spp.] and silver poplars [*P. alba*] using tissue culture techniques. *International Plant Propagators' Society: Combined Proceedings, International Plant Propagators' Society*. 1978; (Vol. 28):255-260.
808. Christopherson, N. S. Removing single limbs using a rotary auger cutter. *Research-Note,-North-Central-Forest-Experiment-Station*. 1984; (No. NC-311):5 pp.
809. Chrosciewicz, Z. Forest regeneration on burned, planted, and seeded clear-cuts in central Saskatchewan. *Information-Report -Northern-Forestry-Centre,-Canadian-Forestry-Service*. 1988; (No. NOR-X-293):vi + 16 pp.
810. ---. Jack pine regeneration following postcut burning under seed trees in central Saskatchewan. *Forestry-Chronicle*. 1988; 64(4):315-319.
811. Chua, M. G. S. and Wayman, M. Characterization of autohydrolysis aspen (*Populus tremuloides*) lignins. (1). Composition and molecular weight distribution of extracted autohydrolysis lignin. *Canadian-Journal-of-Chemistry*. 1979; 57(10):1141-1149.
812. Chuine, I. and Beaubien, E. G. Phenology is a major determinant of tree species range. *Ecology-Letters*. 2001; 4(5):500-510.
813. Chum, H. L.; Johnson, D. K.; Black, S.; Baker, J.; Grohmann, K.; Sarkanen, K. V.; Wallace, K., and Schroeder, H. A. Organosolv pretreatment for enzymatic hydrolysis of poplars: I. Enzyme hydrolysis of cellulosic residues. *Biotechnology-and-Bioengineering*. 1988; 31(7):643-649.
814. Chum, H. L.; Johnson, D. K.; Black, S. K.; Overend, R. P.; Greenbaum, E. (ed.), and Wyman, C. E. Pretreatment-catalyst effects and the combined severity parameter. *Eleventh Symposium on*

Biotechnology for Fuels and Chemicals. Applied-Biochemistry-and-Biotechnology. 1990, 24-25: 1-14; 30 Ref.

815. Church, T. W. Jr. Survival and growth of 12-year hybrid Aspen compared to native Wisconsin stock. 1963, U.S. For. Serv. Res. Note Lake St. For. Exp. Sta. No. LS-22, 1963. Pp. 2. 2 Refs.
816. Churchill, G. B. and et, a. I. Long range effect on Aspen of defoliation by the forest tent caterpillar. 1964, Minn. For. Note No. 147, 1964. Pp. 2. 1 Ref. [Cf. F.A. 26 No. 2493.].
817. ---. Long-term effects of defoliation of Aspen by the forest tent caterpillar. 1964, Ecology 45 (3), 1964 (630-3). 5 Refs.
818. Churikova [Curikova], EK. Investigations on the durability of Aspen wood. 1968, Transl. Dep. For. Can. 1968 No. 221 Pp. 4. [Translated by J. Freyman From Lesn. Hoz. 1967 (8),(51-2). [Cf. F.A. 29 No. 1513.] Limited Distribution.].
819. Cieszewski, C. J. and Bella, I. E. Polymorphic height and site index curves for the major tree species in Alberta. Forest-Management-Note -Northwest-Region,-Forestry-Canada. 1991; (No. 51):7 pp.
820. Cieszewski, C. J.; Bella, I. E., and Walker, D. An implementation of new dynamic site index models in a company's timber supply analysis. Forestry-Chronicle. 1999; 75(6):981-983.
821. Civinova, B. and Sladky, Z. Stimulation of the regeneration capacity of tree shoot segment explants in vitro. Biologia-Plantarum. 1990; 32(6):407-413.
822. Clark, C. S.; Weber, J. A.; Lee, E. H., and Hogsett, W. E. Reductions in gas exchange of *Populus tremuloides* caused by leaf aging and ozone exposure. Canadian-Journal-of-Forest-Research. 1996; 26(8):1384-1391.
823. Clark, J. S. Effects of long-term water balances on fire regime, north-western Minnesota. Journal-of-Ecology-Oxford. 1989; 77(4):989-1004.
824. Clark Jd', A.; Nyberg, D. W.; Chapman, F. F., and Maloney, T. M. A new high output waferizer. Proceedings, Fourteenth Washington State University International Symposium on Particleboard, April 2-5, 1980, Pullman, Washington. 1980, 105-122; 11 Pl.; 2 Ref.
825. Clark, R. C. and Richardson, K. Newfoundland region. Canadian-Forestry-Service:-Annual-Report-of-the-Forest-Insect-and-Disease-Survey,-Department-of-the-Environment,-Canadian-Forestry-Service,-1971. 1972, 11-18.
826. Clark, W. Photography by infra-red: its principles and applications. 1946, John Wiley & Sons, Inc., New York. Chapman & Hall, Ltd., London. 1946. 2nd Ed. Pp. Xvii + 472.
827. Clarke, B.; Harkov, R., and Brennan, E. The effect of cadmium on foliar injury of woody and herbaceous plants. USA, American Phytopathological Society: Abstracts. Phytopathology. 1979, 69: 9, 1024.
828. ---. Interaction of cadmium and ozone on a woody and herbaceous species. USA, American Phytopathological Society, Northeastern Division: Abstracts. Phytopathology. 1980, 70: 5, 460.
829. Clarke, B. B. and Brennan, E. Evidence for a cadmium and ozone interaction on *Populus tremuloides*. Journal-of-Arbiculture. 1980; 6(5):130-134.
830. Clary, W. P.; Ffolliott, P. F., and Larson, F. R. Producer-consumer biomass in montane forests on the Arizona Mogollon Plateau. Great-Basin-Naturalist. 1984; 44(4):627-634.

831. Clary, W. P. and Medin, D. E. Differences in vegetation biomass and structure due to cattle grazing in a northern Nevada riparian ecosystem. Research-Paper -Intermountain-Research-Station,-USDA-Forest-Service. 1990; (No. INT-427):i + 9 pp.
832. Clausen, T. P.; Evans, T. P.; Reichardt, P. B., and Bryant, J. P. A simple method for the isolation of salicortin, tremulacin, and tremuloidin from quaking aspen (*Populus tremuloides*). *Journal-of-Natural-Products*. 1989; 52(1):207-209.
833. Clausen, T. P.; Reichardt, P. B.; Bryant, J. P.; Werner, R. A.; Post, K., and Frisby, K. Chemical model for short-term induction in quaking aspen (*Populus tremuloides*) foliage against herbivores. *Journal-of-Chemical-Ecology*. 1989; 15(9):2335-2346.
834. Clausen, T. P.; Reichardt, P. B.; Bryant, J. P.; Werner, R. A.; Tallamy, D. W. (ed.), and Raupp, M. J. Long-term and short-term induction in quaking aspen: related phenomena? *Phytochemical-Induction-by-Herbivores*. 1991, 71-83; 34 Ref.
835. Clausen, V. H. and Kaufert, F. H. Occurrence and probable cause of heartwood degradation in commercial species of *Populus*. 1952, *J. For. Prod. Res. Soc.* 1952 2 (4), (62-7). 14 Refs.
836. Clausen, V. H.; Ress, L. W., and Kaufert, F. H. Developmewnt of collapse in Aspen lumber. 1949, *Proc. U.S. For. Prod. Res. Soc.* 1949 3 (460-8). 7 Refs. [Division of Forestry, University of Minnesota.].
837. Cleland, D. T.; Leefers, L. A.; Dickmann, D. I.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Ecology and management of aspen: a Lake States perspective. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):81-99.
838. ---. Ecology and management of aspen: a Lake States perspective. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):81-99.
839. Clements, J. R. Development of a White Pine underplantation in thinned and unthinned Aspen. 1966, *For. Chron.* 1966 42 (3), (244-50). [6 Refs.].
840. ---. Evaluating summer rainfall through a multilayered Largetooth Aspen community. 1971, *Canad. J. For. Res.* 1971 1 (1), (20-31). [En, Fr, 24 Ref.].
841. ---. Stemflow in a multi-storied Aspen community. *Canadian-Journal-of-Forest-Research*. 1972; 2(2):160-165.
842. ---. Stemflow in a young stand of Aspen suckers. 1970, *Bi-m. Res. Notes* 1970 27 (4), (31-2). [3 Ref.].
843. Clemons, C.; Young, R. A., and Rowell, R. M. Moisture sorption properties of composite boards from esterified aspen fiber. *Wood-and-Fiber-Science*. 1992; 24(3):353-363.
844. Clermont, L. P. Delignification of Aspen wood with aqueous sulfolane solutions. 1970, *Tappi* 1970 53 (12), (2243-5). [8 Refs.].
845. ---. The fatty acids of Aspen Poplar, Basswood, Yellow Birch and White Birch. 1961, *Pulp Paper Mag. Can.* 62 (12), 1961 (T511-T514). 8 Refs.
846. ---. Study of lignin from stone cells of Aspen Poplar inner bark. 1970, *Tappi* 1970 53 (1), (52-7). [17 Refs.].
847. Clermont, L. P. and Bender, F. The chemical composition and pulping characteristics of normal and tension

- wood of Aspen Poplar and White Elm. 1958, Pulp Paper Mag. Can. 1958 59 (7), (139-43). 7 Refs.
848. ---. The effect of swelling agents and catalysts on the acetylation of wood. 1957, For. Prod. J. 1957 7 (5), (167-70). 8 Refs.
849. Clermont, L. P. and Schwartz, H. The chemical composition of Canadian woods. 1951, Pulp Paper Mag. Can. 1951 52 (13), (102-5). 11 Refs.
850. Cleve, K. van. Energy- and weight-loss functions for decomposing foliage in Birch and Aspen forests in interior Alaska. 1971, Ecology 1971 52 (4), (720-3). [12 Ref.].
851. ---. Short-term growth response to fertilization in young Quaking Aspen. Journal-of-Forestry. 1973; 71(12):758-759.
852. Cleve, K. van; Dyrness, C. T.; Viereck, L. A.; Fox, J.; Chapin, F. S. III, and Oechel, W. Taiga ecosystems in interior Alaska. BioScience. 1983; 33(1):39-44.
853. Cleve, K. van and Harrison, A. F. Bioassay of forest floor phosphorus supply for plant growth. Canadian-Journal-of-Forest-Research. 1985; 15(1):156-162.
854. Cleve, K. van; Heal, O. W., and Roberts, D. Bioassay of forest floor nitrogen supply for plant growth. Canadian-Journal-of-Forest-Research. 1986; 16(6):1320-1326.
855. Cleve, K. Van and Moore, T. A. Cumulative effects of nitrogen, phosphorus, and potassium fertilizer additions on soil respiration, pH, and organic matter content. Soil-Science-Society-of-America-Journal. 1978; 42(1):121-124.
856. Cleve, K. van and Noonan, L. L. Litter fall and nutrient cycling in the forest floor of Birch and Aspen stands in interior Alaska. Canadian-Journal-of-Forest-Research. 1975; 5(4):626-639.
857. Cleve, K. van; Oliver, L.; Schlentner, R.; Viereck, L. A., and Dyrness, C. T. Productivity and nutrient cycling in taiga forest ecosystems. Canadian-Journal-of-Forest-Research. 1983; 13(5):747-766.
858. Cleve, K. van and Oliver, L. K. Growth response of postfire quaking aspen (*Populus tremuloides* Michx.) to N, P and K fertilization. Canadian-Journal-of-Forest-Research. 1982; 12(2):160-165.
859. Cleve, K. van, and Noonan, L. L. Physical and chemical properties of the forest floor in Birch and Aspen stands in interior Alaska. 1971, Proc. Soil Sci. Soc. Amer. 1971 35 (2), (356-60). [16 Refs.].
860. Cloutier, A. and Fortin, Y. A model of moisture movement in wood based on water potential and the determination of the effective water conductivity. Wood-Science-and-Technology. 1993; 27(2):95-114.
861. ---. Moisture content-water potential relationship of wood from saturated to dry conditions. Wood-Science-and-Technology. 1991; 25(4):263-280.
862. Cloutier, A.; Tremblay, C., and Fortin, Y. Effect of specimen structural orientation on the moisture content - water potential relationship of wood. Wood-Science-and-Technology. 1995; 29(4):235-242.
863. Coates, K. D. Windthrow damage 2 years after partial cutting at the Date Creek silvicultural systems study in the Interior Cedar-Hemlock forests of northwestern British Columbia. Canadian-Journal-of-Forest-Research. 1997; 27(10):1695-1701.
864. Cochaux, P. A European leaf miner (*Stigmella* [*Nepticula*] *turbidella* H.S.) in Quebec. 1969, Bi-m. Res. Notes, Ottawa 1969 25 (2), (12). [2 Refs.].

865. Coldwell, B. B. and DeLong, W. A. Studies of the composition of deciduous forest tree leaves before and after partial decomposition. 1950, *Sci. Agric.* 1950 30 (11), (456-66). 36 Refs.
866. Cole, K. L. and Taylor, R. S. Past and current trends of change in a dune prairie/oak savanna reconstructed through a multiple-scale history. *Journal-of-Vegetation-Science*. 1995; 6(3):399-410.
867. Coleman, M. D.; Dickson, R. E., and Isebrands, J. G. Growth and physiology of aspen supplied with different fertilizer addition rates. *Physiologia-Plantarum*. 1998; 103(4):513-526.
868. Coleman, M. D.; Dickson, R. E.; Isebrands, J. G., and Karnosky, D. F. Carbon allocation and partitioning in aspen clones varying in sensitivity to tropospheric ozone. *Tree-Physiology*. 1995; 15(9):593-604.
869. ---. Carbon allocation in aspen clones varying in ozone sensitivity. *Agricoltura-Ricerca*. 1993; 15(146):28-29.
870. ---. Photosynthetic productivity of aspen clones varying in ozone sensitivity. *Agricoltura-Ricerca*. 1993; 15(146):18-19.
871. Coleman, M. D.; Dickson, R. E.; Isebrands, J. G.; Karnosky, D. F.; Whitehead, D. (ed.), and Kelliher, F. M. Root growth and physiology of potted and field-grown trembling aspen exposed to tropospheric ozone. Interactive Environmental Effects on Forest Stands. Papers presented at a traveling workshop sponsored by IUFRO; held 5-13 February 1995 in New Zealand. *Tree-Physiology*. 1996, 16(1-2):145-152.
872. Coleman, M. D.; Isebrands, J. G.; Dickson, R. E., and Karnosky, D. F. Photosynthetic productivity of aspen clones varying in sensitivity to trophospheric ozone. *Tree-Physiology*. 1995; 15(9):585-592.
873. Collier, D. E.; Cummins, W. R., and Villar, R. Diurnal patterns of respiration in the leaves of four forest tree species. *Physiologia-Plantarum*. 1992; 84(3):361-366.
874. Collier, D. E. and Thibodeau, B. A. Changes in respiration and chemical content during autumnal senescence of *Populus tremuloides* and *Quercus rubra* leaves. *Tree-Physiology*. 1995; 15(11):759-764.
875. Collins, W. B.; Schwartz, C. C.; Crichton, V. (ed.); Peek, J. M. (ed.), and Rodgers, A. R. Logging in Alaska's boreal forest: creation of grasslands or enhancement of moose habitat. 33rd North American Moose Conference and Workshop and 4th International Moose Symposium, May 17-23, 1997, Fairbanks, Alaska. 1998; 34(2):355-374.
876. Comeau, P. G. Relationships between stand parameters and understorey light in boreal aspen stands. *BC-Journal-of-Ecosystems-and-Management*. 2001; 1(2):103-110.
877. Compton, J. E.; Boone, R. D.; Motzkin, G., and Foster, D. R. Soil carbon and nitrogen in a pine-oak sand plain in central Massachusetts: role of vegetation and land-use history. *Oecologia*. 1998; 116(4):536-542.
878. Condrashoff, S. F. Aerial reconnaissance of beetle-killed Ponderosa Pine, Aspen Grove area. 1957, *Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can.* 1957 13 (1), (4).
879. ---. Bionomics of the Aspen leaf miner, *Phyllocnistis populiella* Cham. (Lepidoptera: Gracillariidae). 1964, *Repr. From Canad. Ent.* 96 (6), 1964 (857-74). 20 Refs.
880. ---. Differences in Aspen phenology and survival of immature stages of *Phyllocnistis populiella* Chamb. 1958, *Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can.* 1958 14 (6), (3-4).

881. Condrashoff, S. F. and Arrand, J. C. Chemical control of the Aspen Leaf miner, *Phyllocnistis populiella* Cham. [Lepidoptera: Gracillariidae]. 1962, Proceedings of the Entomological Society of British Columbia, Vancouver 59, 1962 (3-4). 2 Refs.E.
882. Condron, L. M.; Frossard, E.; Tiessen, H.; Newman, R. H., and Stewart, J. W. B. Chemical nature of organic phosphorus in cultivated and uncultivated soils under different environmental conditions. *Journal-of-Soil-Science*. 1990; 41(1):41-50.
883. Conlin, T.; Harper, G. J., and Comeau, P. G. Evaluation of the effectiveness of *Chondrostereum purpureum* for the control of mechanically brushed trembling aspen (*Populus tremuloides* Michx.) suckers in a 2-year-old conifer plantation: third-year results (MOF EP 1135.05). Extension-Note -British-Columbia-Ministry-of-Forests. 2000; (No. 49):4 pp.
884. Conlin, T. S. S. In-woods chipping: possible evidence for allelochemical interaction of leachate generated from trembling aspen (*Populus tremuloides* Michx.) bark and wood waste. *Forestry-Chronicle*. 2001; 77(2):345-349.
885. Conlin, T. S. S.; Driessche, R. van den, and van den Driessche, R. Response of soil CO₂ and O₂ concentrations to forest soil compaction at the Long-term Soil Productivity sites in central British Columbia. *Canadian-Journal-of-Soil-Science*. 2000; 80(4):625-632.
886. Conner, A. H. Kinetic modeling of hardwood prehydrolysis. Part I. Xylan removal by water prehydrolysis. *Wood-and-Fiber-Science*. 1984; 16(2):268-277.
887. Connor, A. H.; Libkie, K., and Springer, E. L. Kinetic modeling of hardwood prehydrolysis. Part II. Xylan removal by dilute hydrochloric acid prehydrolysis. *Wood-and-Fiber-Science*. 1985; 17(4):540-548.
888. Connors, W. J.; Sarkanen, S., and McCarthy, J. L. Gel chromatography and association complexes of lignin. *Holzforschung*. 1980; 34(3):80-85.
889. Constabel, A. J. and Lieffers, V. J. Seasonal patterns of light transmission through boreal mixedwood canopies. *Canadian-Journal-of-Forest-Research*. 1996; 26(6):1008-1014.
890. Constantz, J. and Murphy, F. Monitoring moisture storage in trees using time domain reflectometry. *Journal-of-Hydrology*. 1990; 119(1-4):31-42.
891. Conway, C. J. and Martin, T. E. Habitat suitability for Williamson's sapsuckers in mixed-conifer forests. *Journal-of-Wildlife-Management*. 1993; 57(2):322-328.
892. Cook, D. B. Conversion of weed hardwoods to conifers on the Northeast. 1955, *J. For.* 1955 53 (9), (650-4). 8 Refs.
893. Cooke, B. J. and Roland, J. The effect of winter temperature on forest tent caterpillar (Lepidoptera: Lasiocampidae) egg survival and population dynamics in northern climates. *Environmental-Entomology*. 2003; 32(2):299-311.
894. Cookson, L. J. 14C-Lignin degradation by three Australian termite species. Isoptera: Mastotermitidae, Rhinotermitidae, Termitidae. *Wood-Science-and-Technology*. 1987; 21(1):11-25.
895. ---. Studies of lignin degradation in mound material of the termite *Nasutitermes exitiosus*. *Australian-Journal-of-Soil-Research*. 1992; 30(2):189-193.
896. Cooley, J. H. Survival and early growth of selected trees on waste water application sites. USDA-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station. 1978; (No.NC-231):4 pp.

897. Cooley, J. H. and Lord, W. B. A study of Aspen-Balsam Fir cutting methods in Northern Wisconsin-five-year results. 1958, *J. For.* 1958 56 (10), (731-6). 11 Refs.
898. Cooper, A. B. and Millspaugh, J. J. The application of discrete choice models to wildlife resource selection studies. *Ecology*. 1999; 80(2):566-575.
899. Cooper, E. L.; Rahman, M. M.; Desmet, G. (ed.); Janssens, A. (ed.), and Melin, J. A study of cycling of ⁹⁰Sr in a natural forest on the Canadian Shield. *Forests and Radioactivity. Papers Presented at the Seminar on Dynamic Behaviour of Radionuclides in Forests, Stockholm, Sweden, 18-22 May, 1992. Science-of-the-Total-Environment*. 1994, 157: 107-113; 7 Ref.
900. Cooper, P. A. Diffusion of copper in wood cell walls following vacuum treatment. *Wood-and-Fiber-Science*. 1998; 30(4):382-395.
901. ---. Pressure-preservative treatment of Poplar lumber. *Forest-Products-Journal*. 1976; 26(7):28-31.
902. ---. Rate of swelling of vacuum-impregnated wood. *Wood-and-Fiber-Science*. 1996; 28(1):28-38.
903. Cooper, P. A. and Churma, R. Estimating diffusion path length in treated wood. *Forest-Products-Journal*. 1990; 40(11-12):61-63.
904. Cooper, P. A. and Roy, D. N. Interaction of wood-protecting anions with the wood cell wall. *Wood-and-Fiber-Science*. 1994; 26(3):323-332.
905. Copony, J. A. and Barnes, B. V. Clonal variation in the incidence of Hypoxylon canker on Trembling Aspen. *Canadian-Journal-of-Botany*. 1974; 52(7):1475-1481.
906. Cornelius, D. R. and Talbot, M. W. Rangeland improvement through seeding and weed control on east slope Sierra Nevada and on Southern Cascade Mountains. 1955, *Agric. Handb. U.S. Dep. Agric.* 1955 No. 88. Pp. 51. 14 Refs.
907. Cornett, M. W.; Puettmann, K. J., and Reich, P. B. Canopy type, forest floor, predation, and competition influence conifer seedling emergence and early survival in two Minnesota conifer-deciduous forests. *Canadian-Journal-of-Forest-Research*. 1998; 28(2):196-205.
908. Cornett, M. W.; Reich, P. B., and Puettmann, K. J. Canopy feedbacks and microtopography regulate conifer seedling distribution in two Minnesota conifer-deciduous forests. *Ecoscience*. 1997; 4(3):353-364.
909. Corns, I. G. W. Forest community types of west-central Alberta in relation to selected environmental factors. *Canadian-Journal-of-Forest-Research*. 1983; 13(5):995-1010.
910. Corns, I. G. W.; Doucet, R.; Smith, S.; Beck, J.; Constantino, L.; Phillips, W., and Messmer, M. Managing for aspen - a shared responsibility: proceedings of a joint technical session of the Forest Ecology, Silviculture and Tree Improvement, Forest Management, and Forest Economics and Policy Working Groups at Prince Albert, Saskatchewan, September 1988. *Forestry-Chronicle*. 1989; 65(1):16-35.
911. Corns, I. G. W.; Maynard, D. G., and Krause, H. Effects of soil compaction and chipped aspen residue on aspen regeneration and soil nutrients. *Sustainable Site Productivity in Canadian Forests Workshop, Sault Ste. Marie; Ontario, February 1997. Canadian-Journal-of-Soil-Science*. 1998, 78(1):85-92.
912. Corns, I. G. W. and Roi, G. H. Ia. A comparison of mature with recently clear-cut and scarified Lodgepole Pine forests in the Lower Foothills of Alberta. *Canadian-Journal-of-Forest-Research*. 1976;

6(1):20-32.

913. Corns, W. G. and Dai, T. S. Effects of added surfactant on toxicity of picloram, 2, 4-D and 2, 4, 5-T to *Populus tremuloides* Michx. and *P. balsamifera* L. saplings. 1967, *Canad. J. Pl. Sci.* 1967 47 (6), (711-2). [5 Refs.].
914. Corns, W. M. Range weed and brush control. 1959, *Res. Rep. West. Sect. Nat. Weed Comm. Can.* 1959 (78). From *Abstr. in Weed Abstr.* 9 (6), 1959 (1000).
915. Cornu, D.; Leple, J. C.; Bonade Bottino, M.; Ross, A.; Augustin, S.; Delplanque, A.; Jouanin, L.; Pilate, G.; Ahuja, M. R. (ed.); Boerjan, W. (ed.), and Neale, D. B. Expression of a proteinase inhibitor and a *Bacillus thuringiensis* delta-endotoxin in transgenic poplars. *Somatic Cell Genetics and Molecular Genetics of Trees.* 1996, 131-136; 10 Ref.
916. Costello, D. F. Important species of the major forage types in Colorado and Wyoming. 1944, *Ecol. Monogr.* 14 1944 (107-34). [*Rocky Mt. Forest and Range Exp. Sta.*].
917. Cote, B. and Fyles, J. W. Leaf litter disappearance of hardwood species of southern Quebec: interaction between litter quality and stand type. *Ecoscience.* 1994; 1(4):322-328.
918. Cote, L.; Brown, S.; Pare, D.; Fyles, J., and Bauhus, J. Dynamics of carbon and nitrogen mineralization in relation to stand type, stand age and soil texture in the boreal mixedwood. *Soil-Biology-and-Biochemistry.* 2000; 32(8-9):1079-1090.
919. Cote, W. A. Jr.; Day, A. C., and Timell, T. E. A contribution to the ultrastructure of tension wood fibers. 1969, *Wood Sci. Technol., N.Y.* 1969 3 (4), (257-71). [31 Refs.].
920. Cote, W. A. Jr. [Editor]. Cellular ultrastructure of woody plants. *Proceedings, Advanced Science Seminar, New York* 1964. 1965, 1965. Pp. Xii + 603. Many Refs. Price \$14. Syracuse University Press, Syracuse.
921. Cottam, W. P. Prevernal leafing of Aspen in Utah Mountains. 1954, *J. Arnold Arbor.* 1954 35 (3), (239-50). 4 Refs.
922. Cotterill, S. E. and Hannon, S. J. No evidence of short-term effects of clear-cutting on artificial nest predation in boreal mixedwood forests. *Canadian-Journal-of-Forest-Research.* 1999; 29(12):1900-1910.
923. Cotton, C. L. and Parker, K. L. Winter habitat and nest trees used by northern flying squirrels in subboreal forests. *Journal-of-Mammalogy.* 2000; 81(4):1071-1086.
924. Cottrell, C. B. Poplar borer, *Saperda calcarata* Say, in interior British Columbia. 1962, *Proceedings of the Entomological Society of British Columbia, Vancouver* 59, 1962 (33-4). 1 Ref.E.
925. Coupland, G.; Weigel, D.; Nilsson, O.; Mandel, M. A., and Yanofsky, M. F. LEAFY blooms in aspen. *Nature-London.* 1995; 377(6549):482-483.
926. Coupland, R. T. and Maini, J. S. Woodland invasion of Western Canadian grasslands. 1959, *Abstr. in Proc. 9th Int. Bot. Congr., Montreal* Vol. 2, 1959 (81).D.
927. Covington, W. W. Altitudinal variation of chlorophyll concentration and reflectance of the bark of *Populus tremuloides*. *Ecology.* 1975; 56(3):715-720.
928. Cox, R. M. The effects of wet deposited acidity and copper on the reproductive biology of *Populus tremuloides*. *Working-Paper,-International-Institute-for-Applied-Systems-Analysis.* 1987; No.

WP-87-57, 141-150; In Forest decline and reproduction(regional and global consequences. Proc. workshop):Krakow, Poland, 23-27 March 1987 [edited by Kairiukstis, L.

929. ---. Sensitivity of forest plant reproduction to long-range transported air pollutants: the effects of wet deposited acidity and copper on reproduction of *Populus tremuloides*. *New-Phytologist*. 1988; 110(1):33-38.
930. ---. The sensitivity of pollen from various coniferous and broad-leaved trees to combinations of acidity and trace metals. *New-Phytologist*. 1988; 109(2):193-201.
931. Cox, R. M.; Hutchinson, T. C. (ed.), and Meema, K. M. The response of plant reproductive processes to acidic rain and other air pollutants. *Effects of Atmospheric Pollutants on Forests, Wetlands and Agricultural Ecosystems*. 1987, 155-170; NATO ASI Series G (Ecological Sciences) 16; 51 Ref.
932. Cox, S. E. and Stushnoff, C. Temperature-related shifts in soluble carbohydrate content during dormancy and cold acclimation in *Populus tremuloides*. *Canadian-Journal-of-Forest-Research*. 2001; 31(4):730-737.
933. Coxson, D. S. and Parkinson, D. Winter respiratory activity in aspen woodland forest floor litter and soils. *Soil-Biology-and-Biochemistry*. 1987; 19(1):49-59.
934. Coyne, P. I. and Cleve, K. Van. Fertilizer induced morphological and chemical responses of a quaking aspen stand in interior Alaska. *Forest-Science*. 1977; 23(1):92-102.
935. Cragg, J. B.; Carter, A.; Leischner, C.; Peterson, E. B., and Sykes, G. N. Litter fall and chemical cycling in an aspen (*Populus tremuloides*) woodland ecosystem in the Canadian Rockies. *Pedobiologia*. 1977; 17(6):428-443.
936. Crampton, L. H. and Barclay, R. M. R. Selection of roosting and foraging habitat by bats in different-aged aspen mixedwood stands. *Seleccion Habitat Para Percha y Forrajeo Por Murcielagos En Zonas Bosques Mixtos De Diferentes Edades*. 1998; 12(6):1347-1358.
937. Crane, P. E.; Blenis, P. V., and Hiratsuka, Y. Black stem galls on aspen and their relationship to decay by *Phellinus tremulae*. *Canadian-Journal-of-Forest-Research*. 1994; 24(11):2240-2243.
938. Crane, P. E.; Chakravarty, P.; Hutchison, L. J., and Hiratsuka, Y. Wood-degrading capabilities of microfungi isolated from *Populus tremuloides*. *Material-Und-Organismen*. 1996; 30(1):33-44.
939. Crane, P. E. and Hiratsuka, Y. Perennial stem galls of aspen caused by the poplar budgall mite, *Aceria parapopuli* (Acariformes:Eriophyidae). *Canadian-Journal-of-Plant-Pathology*. 1994; 16(3):199-201.
940. Crane, P. E.; Hiratsuka, Y., and Blenis, P. V. Black stem galls on aspen: anatomy and histochemistry. *Canadian-Journal-of-Botany*. 1995; 73(3):391-412.
941. Crawford, J. L.; McNulty, S. P.; Sowell, J. B., and Morgan, M. D. Changes in aspen communities over 30 years in Gunnison County, Colorado. *American-Midland-Naturalist*. 1998; 140(2):197-205.
942. Crete, M. and Courtois, R. Limiting factors might obscure population regulation of moose (*Cervidae: Alces alces*) in unproductive boreal forests. *Journal-of-Zoology*. 1997; 242(4):765-781.
943. Cripps, C. and Miller, O. K. Jr. Ectomycorrhizal fungi associated with aspen on three sites in the north-central Rocky Mountains. *Canadian-Journal-of-Botany*. 1993; 71(11):1414-1420.
944. ---. A new *Cortinarius* from a mature aspen stand in Montana. *Mycotaxon*. 1994, 50: 315-321; 8 Ref.

945. Cripps, C. L. The genus *Inocybe* in Montana aspen stands. *Mycologia*. 1997; 89(4):670-688.
946. ---. Mycorrhizal fungi in Montana and Idaho aspen stands. *McIlvainea*. 1995; 12(1):26-33.
947. Cripps, C. L. and Miller, O. K. Jr. Ectomycorrhizae formed in vitro by quaking aspen: including *Inocybe lacera* and *Amanita pantherina*. *Mycorrhiza*. 1995; 5(5):357-370.
948. Cripps, C. L.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Mycorrhizal fungi of aspen forests: natural occurrence and potential applications. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):285-298.
949. ---. Mycorrhizal fungi of aspen forests: natural occurrence and potential applications. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):285-298.
950. Crites, S. and Dale, M. R. T. Diversity and abundance of bryophytes, lichens, and fungi in relation to woody substrate and successional stage in aspen mixedwood boreal forests. *Canadian-Journal-of-Botany*. 1998; 76(4):641-651.
951. Croan, S. C. Conversion of wood waste into value-added products by edible and medicinal *Pleurotus* (Fr.) P. Karst. species (Agaricales s.l., Basidiomycetes). *International-Journal-of-Medicinal-Mushrooms*. 2000; 2(1):73-80.
952. Crocker, T. L.; Hendrick, R. L.; Ruess, R. W.; Pregitzer, K. S.; Burton, A. J.; Allen, M. F.; Shan, J. P., and Morris, L. A. Substituting root numbers for length: improving the use of minirhizotrons to study fine root dynamics. *Applied-Soil-Ecology*. 2003; 23(2):127-135.
953. Croft, A. R. A water cost of runoff control. 1950, *J. Soil Wat. Conserv.* 1950 5 (1), (13-5).
954. Croft, A. R. and Monninger, L. V. Evapotranspiration and other water losses on some Aspen forest types in relation to water available for stream flow. 1953, *Trans. Amer. Geophys. Union*. 1953 34 (4), (563-74). 7 Refs.
955. Cronin, E. H.; Bowns, J. E., and Johnson, A. E. Herbicides, nitrogen and control of tall larkspur under aspen trees. *Journal-of-Range-Management*. 1977; 30(6):420-422.
956. Crossley, D. I. Chemical thinning of young stagnating Lodgepole Pine stands. 1950, *Silv. Leaflet For. Br. Can.* 1950. No. 42 Pp. 2.
957. ---. Mechanical scarification to induce White Spruce regeneration in old cut-over Spruce stands. 1955, *Tech. Note For. Br. Can.* 1955 No. 24. Pp. 13. 5 Refs.
958. Crouch, G. L. Aspen regeneration after commercial clearcutting in southwestern Colorado. *Journal-of-Forestry*. 1983; 81(5):316-319.
959. ---. Aspen regeneration in 6- to 10-year-old clearcuts in southwestern Colorado. *Research-Note -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1986; (No. RM-467):4 pp.
960. ---. Effects of commercial clearcutting of aspen on understory vegetation and wildlife habitat values in southwestern Colorado. *Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1983; (No.RM-246):8pp.
961. ---. Regeneration on aspen clearcuts in northwestern Colorado. *Research-Note,-Rocky-Mountain-Forest-*

and-Range-Experiment-Station,-USDA-Forest-Service. 1981; (No. RM-407):5 pp.

962. Crow, T. R. Biomass and production in three contiguous forests in northern Wisconsin. *Ecology*. 1978; 59(2):265-273.
963. Crow, T. R. and Blank, R. W. Distribution of biomass and production for several northern woody species. Research-Note,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1978; (No. NC-239):3 pp.
964. Crow, T. R.; Buckley, D. S.; Nauertz, E. A., and Zasada, J. C. Effects of management on the composition and structure of northern hardwood forests in upper Michigan. *Forest-Science*. 2002; 48(1):129-145.
965. Crown, P. H. Local potential of remote sensing to weed survey methods and weed control. Minutes of the 31st Annual Meeting of the Canada Weed Committee (Western Section). 1977, 25-29.
966. Crowther, E. G. and Harper, K. T. Vegetational and edaphic characteristics associated with Aspen 'strips' in Big Cottonwood Canyon [southeast of Salt Lake City]. 1965, *Proc. Utah Acad. Sci.* 1965 42 (2), (222-30). [12 Refs.].
967. Csaikl, U. M.; Bastian, H.; Brettschneider, R.; Gauch, S.; Meir, A.; Schauerte, M.; Scholz, F.; Sperisen, C.; Vornam, B., and Ziegenhagen, B. Comparative analysis of different DNA extraction protocols: a fast, universal maxi-preparation of high quality plant DNA for genetic evaluation and phylogenetic studies. *Plant-Molecular-Biology-Reporter*. 1998; 16(1):69-86.
968. Cumming, H. G.; Hyer, B. T.; Lankester, M. (ed.); Racey, G. (ed.), and Timmermann, T. Experimental log hauling through a traditional caribou wintering area. Proceedings of the Seventh North American Caribou Conference, Thunder Bay, Ontario, Canada, 19-21 August, 1996. 1998; (Special Issue No. 10):241-258.
969. Cumming, H. G.; Lautenschlager, R. A.; Kelly, C. P., and Thapa, S. Effects of conifer release with Vision R (glyphosate) herbicide on moose forage quality (digestible protein). *Forest-Research-Report - Ontario-Forest-Research-Institute*. 1996; (No. 139):iii + 8 pp.
970. Cumming, S. G. Forest type and wildfire in the Alberta boreal mixedwood: what do fires burn? *Ecological-Applications*. 2001; 11(1):97-110.
971. ---. Forest type and wildfire in the Alberta boreal mixedwood: what do fires burn? *Ecological-Applications*. 2001; 11(1):97-110.
972. Cumming, S. G.; Burton, P. J.; Prahacs, S., and Garland, M. R. Potential conflicts between timber supply and habitat protection in the boreal mixed wood of Alberta, Canada: a simulation study. *Forest-Ecology-and-Management*. 1994; 68(2-3):281-302.
973. Cumming, S. G.; Schmiegelow, F. K. A., and Burton, P. J. Gap dynamics in boreal aspen stands: is the forest older than we think? *Ecological-Applications*. 2000; 10(3):744-759.
974. ---. Gap dynamics in boreal aspen stands: is the forest older than we think? *Ecological-Applications*. 2000; 10(3):744-759.
975. Cunningham, J. C.; Burke, J. M., and Arif, B. M. An entomopoxvirus found in populations of the large aspen tortrix, *Choristoneura conflictana* (Lepidoptera: Tortricidae) in Ontario. *Canadian-Entomologist*. 1973; 105(5):767-773.
976. Curtin, C. G. Can montane landscapes recover from human disturbance? Long-term evidence from

disturbed subalpine communities. *Biological-Conservation*. 1995; 74(1):49-55.

977. Curtin, G. C. and et, a. I. Utilization of humus-rich forest soil (mull) in geochemical exploration for gold. 1968, Circular, United States Geological Survey 1968. No. 562, Pp. 11. [From Abstr. in *Soils & Fertil.* 1969 32 (1), No. 517].]
978. Curtis, J. D. and Kozicky, E. L. Observations on the eastern porcupine. 1944, *J. Mammal.* 1944 25, (137-46). [Univ. of Maine, Orono, Me.].
979. Curtis, J. D. and Lersten, N. R. Heterophylly in *Populus grandidentata* (Salicaceae) with emphasis on resin glands and extrafloral nectaries. *American-Journal-of-Botany*. 1978; 65(9):1003-1010.
980. Curtis, P. S.; Vogel, C. S.; Wang XianZhong; Pregitzer, K. S.; Zak, D. R.; Lussenhop, J.; Kubiske, M.; Teeri, J. A., and Wang, X. Z. Gas exchange, leaf nitrogen, and growth efficiency of *Populus tremuloides* in a CO₂-enriched atmosphere. *Atmospheric CO₂ and Ecosystem Feedback Between C and N Cycles*. 2000; 10(1):3-17.
981. Cyr, N.; Elofson, R. M.; Ripmeester, J. A., and Mathison, G. W. Study of lignin in forages and wood by ¹³C CP/MAS NMR. 1. Some evidence of polymerization and depolymerization. *Journal-of-Agricultural-and-Food-Chemistry*. 1988; 36(6):1197-1201.
982. Cyr, N. and Laidler, J. K. Comparison of balsam and aspen poplar trees in Alberta. 1987, Publ. 1988, Iv + 11 Pp.; Catalogue No. FO 42-91-35-1988E.
983. Czaplewski, R. L.; Brown, A. S., and Walker, R. C. Profile models for estimating log end diameters in the Rocky Mountain Region. *Research-Paper -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1989; (No. RM-284):ii + 7 pp.
984. Czapowskyj, M. M. and Safford, L. O. Growth response to fertilizer in a young aspen-birch stand. *Research-Note,-Northeastern-Forest-Experiment-Station,-USDA-Forest-Service*. 1979; (No. NE-274):6 pp.
985. ---. Site preparation, fertilization, and 10-year yields of hybrid poplar on a clearcut forest site in eastern Maine, USA. *New-Forests*. 1993; 7(4):331-344.
986. Czapowskyj, M. M.; Safford, L. O., and Briggs, R. D. Foliar nutrient status of young red spruce and balsam fir in a fertilized stand. *Research-Paper,-Northeastern-Forest-Experiment-Station,-USDA-Forest-Service*. 1980; (No. NE-467):ii + 17 pp.
987. D' Eon, S. P. Accuracy and signal reception of a hand-held Global Positioning System (GPS) receiver. *Forestry-Chronicle*. 1995; 71(2):192-196.
988. Dai, W. H.; Cheng, Z. M., and Sargent, W. Plant regeneration and *Agrobacterium*-mediated transformation of two elite aspen hybrid clones from in vitro leaf tissues. *In-Vitro-Cellular-and-Developmental-Biology -Plant*. 2003; 39(1):6-11.
989. Dale, M. R. T.; Francis, S.; Krebs, C. J.; Nams, V. O.; Krebs, C. J. (ed.); Boutin, S. (ed.), and Boonstra, R. *Trees. Ecosystem-Dynamics-of-the-Boreal-Forest:-the-Kluane-Project*. 2001, 116-137; 33 Ref.
990. Dallons, V. Pollution from several wood species in hardboard production. *Forest-Products-Journal*. 1978; 28(1):42-47.
991. Daly, E. G. Development of an Aspen/White Birch/Maple stand. 1951, *Silv. Leafl. For. Br. Can.* 1951 No. 55 Pp. 3.

992. Dance, B. W. A fungus associated with blight and dieback of hybrid Aspen. 1957, Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can. 1957 13 (6), (1-2).
993. ---. Observations on the development of Hypoxylon cankers on Trembling Aspen. 1968, Plant Dis. Repr. 1968 52 (8), (659-61). [4 Refs.].
994. ---. Spore dispersal in *Pollaccia radiosa* (Lib.) Bald. and Cif. 1961, Canad. J. Bot. 39 (6), 1961 (1429-35). 3 Refs.
995. Dance, B. W.; Lynn, D. F., and Jansons, V. Observations on the effects of stem cankers associated with *Pezicula ocellata* (Pers.) Seaver in young Trembling Aspen. 1964, Bi-m. Progr. Rep. For. Ent. Path. Br. Dep. For. Can. 20 (3), 1964 (2-3).
996. Daneault, C.; Kokta, B. V., and Maldas, D. The effect of grafting on the paper properties of wood pulp. *Tappi-Journal*. 1988; 71(10):173-176.
997. ---. The xanthate method of grafting. XII. Effect of operating conditions on the grafting of vinyl monomers onto wood pulp. *Journal-of-Applied-Polymer-Science*. 1989; 38(5):841-848.
998. Daneault, C.; Leduc, C., and Valade, J. L. Peroxide and sodium hydrosulfite bleaching of birch-hardwood and birch-softwood mixtures. *Appita-Journal*. 1993; 46(6):429-434.
999. Dang QingLai; Margolis, H. A.; Coyea, M. R.; Sy, M.; Collatz, G. J.; Dang, Q. L.; Margolis, H. A. (ed.), and Ryan, M. G. Regulation of branch-level gas exchange of boreal trees: roles of shoot water potential and vapor pressure difference. *Biosphere-Atmosphere Interactions in the Boreal Forest*. 1997; 17(8-9):521-535.
1000. Dansereau, P. Biodiversity, ecodiversity, sociodiversity - three aspects of diversity: Part 2. *Global-Biodiversity*. 1997; 7(1):2-8.
1001. Dansereau, P. R. and Bergeron, Y. Fire history in the southern boreal forest of northwestern Quebec. *Canadian-Journal-of-Forest-Research*. 1993; 23(1):25-32.
1002. Darlington, H. C. Vegetation and substrate of Cranberry Glades, West Virginia. 1943, *Bot. Gaz.* 104 1943 (371-93). [Marshall College, Huntington, West Virginia.] O.B.D.
1003. Dash, M. C. and Cragg, J. B. Ecology of Enchytraeidae (Oligochaeta) in Canadian Rocky Mountain soils. *Pedobiologia*. 1972; 12(5):323-335.
1004. Datta, A.; Bettermann, A., and Kirk, T. K. Identification of a specific manganese peroxidase among ligninolytic enzymes secreted by *Phanerochaete chrysosporium* during wood decay. *Applied-and-Environmental-Microbiology*. 1991; 57(5):1453-1460.
1005. Daubenmire, E. Nutrient content of leaf litter of trees in the Northern Rocky Mountains. 1953, *Ecology* 1953 34 (4), (786-93). 16 Refs.
1006. Daubenmire, R. and Prusso, D. C. Studies of the decomposition rates of tree litter. 1963, *Ecology* 44 (3), 1963 (589-92). 14 Refs.
1007. David, A. J.; Zasada, J. C.; Gilmore, D. W., and Landhausser, S. M. Current trends in the management of aspen and mixed aspen forests for sustainable production. *Forestry-Chronicle*. 2001; 77(3):525-532.
1008. David, M. B.; Grigal, D. F.; Ohmann, L. F., and Gertner, G. Z. Sulfur, carbon, and nitrogen relationships in forest soils across the northern Great Lake states as affected by atmospheric deposition and

vegetation. Canadian-Journal-of-Forest-Research. 1988; 18(11):1386-1391.

1009. Davidson, R. W. Additional species of Ophiostomaceae from Colorado. 1958, Mycologia 1958 50 (5), (661-70). 10 Refs.
1010. Davidson, R. W. and Cash, E. K. A Cenangium associated with sooty-bark canker of Aspen. 1956, Phytopathology 1956 46 (1), 1956 (34-6). 6 Refs.
1011. Davidson, R. W. and Hinds, T. E. Hypoxylon canker of Aspen in Colorado. 1956, Plant Dis. Repr. 1956 40 (2), (157-8). 6 Refs.
1012. ---. Unusual fungi associated with decay in some forest trees in Colorado. 1958, Phytopathology 1958 48 (4), (216-8). 4 Refs.
1013. Davidson, R. W.; Hinds, T. E., and Hawksworth, F. G. Decay of Aspen in Colorado. 1959, Sta.Pap.Rocky Mt.For.Range Exp.Sta. 1959 45 Pp.14 10 Refs.
1014. Davis, E. M. Machining and related properties of Aspen [*Populus tremuloides*]. 1947, Lake St. Aspen Rep. 1947. No. 8, Pp. 8.
1015. Davis, J. D. and Evert, R. F. Phloem development in *Populus tremuloides*. 1965, Abstr. in Amer. J. Bot. 52 (6, Part 2), 1965 (627).D.
1016. ---. Seasonal development of the secondary phloem in *Populus tremuloides*. 1968, Bot./ Gaz. 1968 129 (1), (1-8). [8 Refs.].
1017. Dawson Andoh, B. E.; Halloin, J. M.; Cooper, T. G.; Kamdem, D. P., and Potchen, E. J. Magnetic resonance imaging as a potential tool in the study of wood penetration by waterborne preservative systems. Wood-and-Fiber-Science. 2001; 33(1):84-89.
1018. Dawson, T. R. Lignin. 1949, Transactions, Institution of the Rubber Industry, London 1949 24 (5), (227-40). 20 Refs.
1019. Day, M. W. Cacodylic acid as a silvicide. 1965, Quart. Bull. Mich. Agric. Exp. Sta. 47 (3), 1965 (383-6).
1020. ---. The chemical control of certain forest shrubs: a progress report. 1948, Quart. Bull. Mich. Agric. Exp. Sta. 1948 30 (4), (427-36). 4 Refs.
1021. ---. The effectiveness of several chemicals and methods for killing cull trees. 1964, Quart. Bull. Mich. Agric. Exp. Sta. 46 (3), 1964 (407-11).
1022. ---. Forest management for the eastern part of the Upper Peninsula of Michigan. 1944, Circ. Bull. Mich. Agric. Exp. Sta. 1944. No. 190, Pp. 22.
1023. ---. The root system of Aspen. 1944, Amer. Midl. Nat. 32 1944 (502-9).
1024. ---. Spruce-Fir silviculture. 1945, Quart. Bull. Mich. Agric. Exp. Sta. 1945 28, (59-65).
1025. ---. A study of Alder on forest lands in Michigan. 1956, Quart. Bull. Mich. Agric. Exp. Sta. 1956 39 (2), (301-6). 4 Refs.
1026. ---. Thinning Aspen in Upper Michigan. 1958, Quart. Bull. Mich. Agric. Exp. Sta. 1958 41 (2), (311-320).
1027. ---. A trial of several silvicides on Red Maple, Aspen, and White Pine. 1961, Quart. Bull. Mich. Agric. Exp. Sta. 44 (1), 1961 (27-31).

1028. ---. The use of dinitro phenol for the control of Aspen. 1947, *Quart. Bull. Mich. Agric. Exp. Sta.* 1947 30 (2) (241-3).
1029. Day, M. W.; Hamner, C. L., and Panshin, A. J. Preliminary observations on the effect of 2,4-D and 2,4,5-T on Aspen. 1952, *Quart. Bull. Mich. Agric. Exp. Sta.* 1952 34 (3), (266-74). 3 Refs.
1030. Day, M. W. and Strong, F. C. A study of Hypoxylon pruinaum] canker on Aspen [Populus tremuloides]. 1959, *Quart. Bull. Mich. Agric. Exp. Sta.* 1959 41 (4), (870-7).
1031. Day, W. R. Local climate and the growth of trees with special reference to frost. 1939, Repr. From *Quart. J. R. Met. Soc.* 65 1939 (195-209).
1032. Dayanandan, S.; Rajora, O. P., and Bawa, K. S. Isolation and characterization of microsatellites in trembling aspen (Populus tremuloides). *Theoretical-and-Applied-Genetics.* 1998; 96(6-7):950-956.
1033. Dealy, J. E. Habitat characteristics of the Silver Lake mule deer range. *USDA-Forest-Service-Research-Paper,-Pacific-Northwest-Forest-and-Range-Experiment-Station.* 1971; (No. PNW-125):99 pp.
1034. Dean, K. G.; Kodama, Y., and Wendler, G. Comparison of leaf and canopy reflectance of subarctic forests. *Photogrammetric-Engineering-and-Remote-Sensing.* 1986; 52(6):809-811.
1035. Dean, M. A.; Letner, C. A., and Eley, J. H. Effect of autumn foliar senescence on chlorophyll a:b ratio and respiratory enzymes of Populus tremuloides. *Bulletin-of-the-Torrey-Botanical-Club.* 1993; 120(3):269-274.
1036. DeByle, N. V. Detection of functional intraclonal Aspen root connections by tracers and excavation. 1964, *For. Sci.* 10 (4), 1964 (386-96). 9 Refs.
1037. DeByle, N. V. Our western aspen ecosystem. Quest for management. *Western-Wildlands.* 1978; (Winter):6 pp.
1038. DeByle, N. V. Songbird populations and clearcut harvesting of aspen in northern Utah. *Research-Note,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service.* 1981; (No. INT-302):7 pp.
1039. ---. Tracing and evaluating functional root connections among stems within Aspen clones. 1962, *Abstr. of Thesis, in Dissert. Abstr.* 23 (1), 1962 (9-10).
1040. DeByle, N. V.; Bevins, C. D., and Fischer, W. C. Wildfire occurrence in aspen in the interior western United States. *Western-Journal-of-Applied-Forestry.* 1987; 2(3):73-76.
1041. DeByle, N. V.; Lotan, J. E. (ed.), and Brown, J. K. Managing wildlife habitat with fire in the aspen ecosystem. In *Fire's Effects on Wildlife Habitat - Symposium Proceedings.* 1985; (No. INT-186):73-82.
1042. DeByle, N. V.; Packer, P. E.; Williams, B. D.; Shearer, R. C.; Gordon, F. A.; Beardall, L. E.; Sylvester, V. E.; Norum, R. A.; Stark, N.; Steele, R., and McLeod, B. R. Fire use section [effects of prescribed burning]. *Proceedings, Tall Timbers Fire Ecology Conference No. 1914; October 8-10, 1974, Missoula, Montana.(Proceedings):Tall Timbers Fire Ecology Conference No. 14 and Intermountain Fire Research Council Fire and Land Management Symposium, October 8-10, 1974, Missoula, Montana.* 1976, 446-644.
1043. DeByle, N. V.; Urness, P. J., and Blank, D. L. Forage quality in burned and unburned aspen communities. *Research-Paper -Intermountain-Research-Station,-USDA-Forest-Service.* 1989; (No. INT-404):i +

8 pp.

1044. DeByle, N. V. (ed.) and Winokur, R. P. Aspen: ecology and management in the western United States. General-Technical-Report,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1985; (No. RM-119):v + 283pp.
1045. Deering, D. W.; Eck, T. F., and Banerjee, B. Characterization of the reflectance anisotropy of three boreal forest canopies in spring-summer. *Remote-Sensing-of-Environment*. 1999; 67(2):205-229.
1046. DeGraaf, R. M. Nest predation rates in managed and reserved extensive northern hardwood forests. *Forest-Ecology-and-Management*. 1995; 79(3):227-234.
1047. Delgenes, J. P.; Escare, M. C.; Laplace, J. M.; Moletta, R., and Navarro, J. M. Biological production of industrial chemicals, i.e. xylitol and ethanol, from lignocelluloses by controlled mixed culture systems. Special Issue. Selected papers from the Third European Symposium on Industrial Crops and Products; Reims, France, 22-24 April 1996. Part II. 1998, 7(2-3):101-111.
1048. Delgenes, J. P.; Laplace, J. M.; Moletta, R., and Navarro, J. M. Comparative study of separated fermentations and cofermentation processes to produce ethanol from hardwood derived hydrolysates. *Biomass-and-Bioenergy*. 1996; 11(4):353-360.
1049. DelGiudice, G. D.; Mech, L. D.; Seal, U. S.; Rodiek, J. E. (ed.), and Bolen, E. G. Browse diversity and physiological status of white-tailed deer during winter. *Wildlife-and-Habitats-in-Managed-Landscapes*. 1991, 77-93; 53 Ref.
1050. Delisle, G. P. and Woodard, P. M. Constants for calculating fuel loads in Alberta. *Forest-Management-Note -Northern-Forestry-Centre,-Forestry-Canada*. 1988; (No. 45):3 pp.
1051. DeLong, C. A field guide for identification of seral aspen ecosystems of the BWBSc1, Prince George Forest Region. *Land-Management-Handbook -Ministry-of-Forests-and-Lands,-British-Columbia*. 1988; (No. 16):iv + 36 pp.
1052. ---. Planting white spruce under trembling aspen: 7-year results of seedling condition and performance. *Working-Paper -Ministry-of-Forests-Research-Program,-British-Columbia*. 2000; (No. 54):vi + 19 pp.
1053. DeLong, H. B.; Lieffers, V. J., and Blenis, P. V. Microsite effects on first-year establishment and overwinter survival of white spruce in aspen-dominated boreal mixedwoods. *Canadian-Journal-of-Forest-Research*. 1997; 27(9):1452-1457.
1054. DeMoisy, R. G. Tree poisoning facilitates bark removal. 1950, *Circ. Inst. For. Prod. Wash.* 1950. No. 9 Pp. 4.
1055. DeMuro, G.; Jencks, E. M.; Hindal, D. F.; Skousen, J. (ed.); Sencindiver, J. (ed.), and Samuel, D. Survival and growth of bigtooth aspen on acidic surface-mine soils as influenced by *Pisolithus tinctorius* and nitrogen and phosphorus fertilization. *Proceedings of the Mining and Reclamation Conference and Exhibition*. 1990; (No. 2):573-578.
1056. DenHeyer, J. and Seymour, N. Aspen and balsam poplar [*Populus tremuloides*; *P. balsamifera*] seed collection and storage. *Tree-Planters'-Notes*. 1978, 29: 2, 35.
1057. DePerno, C. S.; Jenks, J. A.; Griffin, S. L., and Rice, L. A. Female survival rates in a declining white-tailed deer population. *Wildlife-Society-Bulletin*. 2000; 28(4):1030-1037.
1058. Deperno, C. S.; Jenks, J. A.; Griffin, S. L.; Rice, L. A., and Higgins, K. F. White-tailed deer habitats in the

central Black Hills. *Journal-of-Range-Management*. 2002; 55(3):242-252.

1059. Despain, D. G. Vegetation of the Big Horn Mountains, Wyoming, in relation to substrate and climate. *Ecological-Monographs*. 1973; 43(3):329-355.
1060. Desprez Loustau, M. L. A cut-shoot bioassay for assessment of *Pinus pinaster* susceptibility to *Melampsora pinitorqua*. *European-Journal-of-Forest-Pathology*. 1990; 20(6-7):386-391.
1061. DesRochers, A.; Driessche, R. van den; Thomas, B. R.; den Driessche, R. van, and van den Driessche, R. Nitrogen fertilization of trembling aspen seedlings grown on soils of different pH. *Canadian-Journal-of-Forest-Research*. 2003; 33(4):552-560.
1062. DesRochers, A. and Gagnon, R. Is ring count at ground level a good estimation of black spruce age? *Canadian-Journal-of-Forest-Research*. 1997; 27(8):1263-1267.
1063. Desrochers, A.; Landhausser, S. M., and Lieffers, V. J. Coarse and fine root respiration in aspen (*Populus tremuloides*). *Tree-Physiology*. 2002; 22(10):725-732.
1064. DesRochers, A. and Lieffers, V. J. The coarse-root system of mature *Populus tremuloides* in declining stands in Alberta, Canada. *Journal-of-Vegetation-Science*. 2001; 12(3):355-360.
1065. ---. Root biomass of regenerating aspen (*Populus tremuloides*) stands of different densities in Alberta. *Canadian-Journal-of-Forest-Research*. 2001; 31(6):1012-1018.
1066. Deters, M. E. Silvicultural aspects of woodland management in southeastern Minnesota. 1943, *Tech. Bull. Minn. Agric. Exp. Sta. No. 157* 1943 Pp. 71.
1067. Devlin, D. A.; George, J. L.; Boyce, M. S. (ed.), and Hayden Wing, L. D. Forage utilization by elk and white-tailed deer on two clearcuts in Elk County, Pennsylvania. *North-American-Elk:-Ecology,-Behavior-and-Management*. 1979, 98-104; 9 Ref.
1068. Dickson, R.; Killian, S. P. III; MacLeod, J. M.; Berlyn, R. W.; Gooding, R. W., and Cyr, N. Proceedings of the TAPPI 1983 annual meeting [held March 2-4, 1983 in Atlanta, Georgia]. 1983, 366 Pp.; Many Ref.
1069. Dickson, R. E.; Coleman, M. D.; Pechter, P., and Karnosky, D. Growth and crown architecture of two aspen genotypes exposed to interacting ozone and carbon dioxide. *Environmental-Pollution*. 2001; 115(3):319-334.
1070. Dickson, R. E.; Lewin, K. F.; Isebrands, J. G.; Coleman, M. D.; Heilman, W. E.; Riemenschneider, D. E.; Sober, J.; Host, G. E.; Zak, D. R.; Hendrey, G. R.; Pregitzer, K. S., and Karnosky, D. F. Forest Atmosphere Carbon Transfer and Storage (FACTS-II) the Aspen Free-air CO₂ and O₃ Enrichment (FACE) project: an overview. *General-Technical-Report -North-Central-Research-Station,-USDA-Forest-Service*. 2000; (No.NC-214):iv + 69 pp.
1071. Dieni, J. S. and Anderson, S. H. Effects of recent burning on breeding bird community structure in aspen forests. *Journal-of-Field-Ornithology*. 1999; 70(4):491-503.
1072. Dietz, D. R. and Tigner, J. R. Evaluation of two mammal repellents applied to browse species in the Black Hills. 1968, *J. Wildlife Mgmt*. 1968 32 (1), (109-14). [8 Refs.].
1073. DiLabio, R. N. W.; Rencz, A. N., and Egginton, P. A. Biogeochemical expression of a classic dispersal train of metalliferous till near Hopetown, Ontario. *Canadian-Journal-of-Earth-Sciences*. 1982; 19(12):2297-2305.

1074. Dils, R. E. and Day, M. W. Effect of defoliation [by *Malacosoma disstria*] upon the growth of Aspen. 1950, Quart. Bull. Mich. Agric. Exp. Sta. 1950 33 (2), (111-3). 3 Refs.
1075. Dix, M. E. and Doolittle, R. E. *Acosus centerensis* (Lintner) (Lepidoptera: Cossidae): response to attractant dispenser and trap height, and determination of seasonal flight. *Journal-of-Economic-Entomology*. 1985; 78(4):802-805.
1076. ---. Evaluation of attractant traps used for capturing male cossids. *Journal-of-the-Georgia-Entomological-Society*. 1984; 19(4):439-445.
1077. Domingo, I. L. Physiological responses of an Aspen-Poplar hybrid to temperature and soil moisture treatments. *Dissertation-Abstracts-International,-B*. 1972; 32(10):5560.
1078. Domingo, I. L. and Gordon, J. C. Physiological responses of an aspen-poplar hybrid to air temperature and soil moisture. *Botanical-Gazette*. 1974, 135: 3, 184-192.
1079. Donkor, N. T. and Fryxell, J. M. Impact of beaver foraging on structure of lowland boreal forests of Algonquin Provincial Park, Ontario. *Forest-Ecology-and-Management*. 1999; 118(1-3):83-92.
1080. ---. Lowland boreal forests characterization in Algonquin Provincial Park relative to beaver (*Castor canadensis*) foraging and edaphic factors. *Plant-Ecology*. 2000; 148(1):1-12.
1081. Donkor, N. T.; Gedir, J. V.; Hudson, R. J.; Bork, E. W.; Chanasyk, D. S., and Naeth, M. A. Impacts of grazing systems on soil compaction and pasture production in Alberta. *Canadian-Journal-of-Soil-Science*. 2002; 82(1):1-8.
1082. Doolittle, R. E.; Tagestad, A., and McNight, M. E. Trapping carpenterworms and aspen carpenterworms with sex attractants in North Dakota. *Environmental-Entomology*. 1976; 5(2):267-269.
1083. Dorion, C. E. The Lannen S10 and Rome discs: mounding and discing alternatives for northern Alberta. *Technical-Note -Forest-Engineering-Research-Institute-of-Canada*. 1989; (No. TN-133):7 pp.
1084. Dorland, R. M. and et, a. I. Mechanical pulp from chips. Laboratory refining of softwood and hardwood species. 1962, *Pulp Paper Mag. Can.* 63 (2), 1962 (T43-T52). 19 Refs.
1085. Dorland, R. M.; Leask, R. A., and McKinney, J. W. Neutral sulphite cooking of hardwoods. 1954, *Pulp Paper Mag. Can.* 1954 55 (3), (258-62). 9 Refs.
1086. ---. Pulp production with sodium bisulphite. II. Hardwoods. 1959, *Pulp Paper Mag. Can.* 1959 60 (2), (T37-T49). 6 Refs. [Cf. F.A. 19 No. 4983].
1087. Dormaar, J. F. Prolonged leaching of orthic black Ah material with water and aqueous extracts of *Populus tremuloides* and *P. balsamifera* leaves. 1971, *J. Soil Sci.* 1971 22 (3), (350-8). [24 Ref.].
1088. Dornfeld, D. A.; DeVries, W. R., and Wu, S. M. Orthomorphic rheological model of the grinding of wood. *Journal-of-Engineering-for-Industry*. 1978, 100: 153-158; 10 Ref.
1089. Dornfeld, D. A. and Wu, S. M. Development of an experimental setup for the investigation of grinding of wood and a proposal for a pulsed loading technique. *Journal-of-Engineering-for-Industry*. 1978, 100: 147-152; See Following Abstracts; 11 Ref.
1090. Doucet, C. M.; Adams, I. T., and Fryxell, J. M. Beaver dam and cache composition: are woody species used differently? *Ecoscience*. 1994; 1(3):268-270.
1091. Doucet, C. M. and Fryxell, J. M. The effect of forage quality on forage preference by beavers. *Oikos*. 1993;

67(2):201-208.

1092. Douglas, G. W. Montane zone vegetation of the Alsek River region, southwestern Yukon. *Canadian-Journal-of-Botany*. 1974; 52(12):2505-2532.
1093. Dovciak, M.; Frelich, L. E., and Reich, P. B. Discordance in spatial patterns of white pine (*Pinus strobus*) size-classes in a patchy near-boreal forest. *Journal-of-Ecology-Oxford*. 2001; 89(2):280-291.
1094. Downing, G. L. Some seasonal growth data for Paper Birch, White Spruce and Aspen near Fairbanks, Alaska-1958. 1960, Tech. Note Alaska For. Res. Cent. No. 46, 1960. Pp. 3. 1 Ref.
1095. Drew, L. A. Some synecological characteristics of the prairie-forest transition zone in Minnesota. *Minnesota-Forestry-Research-Notes*. 1974; (No. 250):3 pp.
1096. Droessler, T.; Bowyer, J. L.; Burk, T.; Jamrock, E., and Antilla, R. Rate of weight loss in piled pulpwood. *Station-Bulletin -Minnesota,-Agricultural-Experiment-Station*. 1986; (No. AD-SB-3036):18 pp.
1097. Drouin, J. A.; McLeod, B. B., and Wong, H. R. A round-headed borer in the root collar of Poplars. 1961, Bi-m. Progr. Rep. For. Ent. Path. Br. Dep. For. Can. 17 (2), 1961 (2-3).
1098. Dubeau, H.; Chahal, D. S., and Ishaque, M. Xylanase of *Chaetomium cellulolyticum*: its nature of production and hydrolytic potential. *Biotechnology-Letters*. 1987; 9(4):275-280.
1099. Duchesne, L. C. and Wetzel, S. Effect of clear-cutting, prescribed burning and scarification on litter decomposition in an eastern Ontario jack pine (*Pinus banksiana*) ecosystem. *International-Journal-of-Wildland-Fire*. 1999; 9(3):195-201.
1100. Duffy, P. J. B. A forest land classification for the mixedwood section of Alberta. 1965, Publ. Dep. For. Can. No. 1128, 1965. Pp. 23. 29 Refs.
1101. Dumas, M. T.; Wood, J. E.; Mitchell, E. G., and Boyonoski, N. W. Control of stump sprouting of *Populus tremuloides* and *P. grandidentata* by inoculation with *Chondrostereum purpureum*. *Biological-Control*. 1997; 10(1):37-41.
1102. Duncan, D. P. and Hodson, A. C. Influence of the forest tent caterpillar upon the Aspen forests of Minnesota. 1958, *For. Sci.* 1958 4 (1), (71-83). 14 Refs.
1103. ---. Influence of the forest tent caterpillar (*Malacosoma disstria* Hbn.) upon the Aspen forests of Minnesota. 1956, Office of Iron Range Resources and Rehabilitation, St. Paul, Minn. 1956. Pp. 45. 10 Refs.
1104. Dunford, E. G. and Niederhof, C. H. Influence of Aspen, young Lodgepole Pine, and open grassland types upon factors affecting water yield. 1944, *J. For.* 42 1944 (673-7). [Rocky Mountain Forest and Range Exp. Sta., Fort Collins, Colorado.].
1105. Dunlop Jones, N.; Huang, J. L., and Allen, L. H. An analysis of the acetone extractives of the wood and bark from fresh trembling aspen [*Populus tremuloides*]: implications for deresination and pitch control. *JPPS-Journal-of-Pulp-and-Paper-Science*. 1991; 17(2):60-66.
1106. Dwivedi, U. N.; Campbell, W. H.; Yu, J.; Datla, R. S. S.; Bugos, R. C.; Chiang, V. L., and Podila, G. K. Modification of lignin biosynthesis in transgenic *Nicotiana* through expression of an antisense O-methyltransferase gene from *Populus*. *Plant-Molecular-Biology*. 1994; 26(1):61-71.
1107. Dyer, J. M. and Baird, P. R. Wind disturbance in remnant forest stands along the prairie-forest ecotone, Minnesota, USA. *Plant-Ecology*. 1997; 129(2):121-134.

1108. Dymond, P.; Scheu, S.; Parkinson, D., and Edwards, C. A. Density and distribution of *Dendrobaena octaedra* (Lumbricidae) in Aspen and pine forests in the Canadian Rocky Mountains (Alberta). 5th International Symposium on Earthworm Ecology Held in Columbus, Ohio, USA, 5-9 July 1994. 1997; 29(3-4):265-273.
1109. Dyrness, C. T.; Cleve, K. van; Levison, J. D., and Van Cleve, K. The effect of wildfire on soil chemistry in four forest types in interior Alaska. *Canadian-Journal-of-Forest-Research*. 1989; 19(11):1389-1396.
1110. Dyson, P. Producing pulp quality chips from burned aspen [*Populus tremuloides*]. *Field-Note:-Processing - Forest-Engineering-Research-Institute-of-Canada-FERIC*. 1999, No. 54, 2 Pp.
1111. Dzus, E. H. and Gerrard, J. M. Factors influencing bald eagle densities in northcentral Saskatchewan. *Journal-of-Wildlife-Management*. 1993; 57(4):771-778.
1112. Eager, R. L.; Mathews, J. F.; Pepper, J. M., and Zohdi, H. Studies on products resulting from conversion of aspen poplar to an oil. *Canadian-Journal-of-Chemistry*. 1981; 59(14):2191-2198.
1113. Eager, R. L.; Pepper, J. M.; Roy, J. C., and Mathews, J. F. Chemical studies on oils derived from aspen poplar wood, cellulose, and an isolated aspen poplar lignin. *Canadian-Journal-of-Chemistry*. 1983; 61(9):2010-2015.
1114. Ebberts, B. C. and Barrows, E. M. Individual ants specialize on particular aphid herds (Hymenoptera: Formicidae; Homoptera: Aphididae). *Proceedings-of-the-Entomological-Society-of-Washington*. 1980; 82(3):405-407.
1115. Eberhardt, L. S. Use and selection of sap trees by yellow-bellied sapsuckers. *Auk*. 2000; 117(1):41-51.
1116. Ebinuma, H. and Komamine, A. MAT (Multi-Auto-Transformation) vector system. The oncogenes of *Agrobacterium* as positive markers for regeneration and selection of marker-free transgenic plants. *In-Vitro-Cellular-and-Developmental-Biology -Plant*. 2001; 37(2):103-113.
1117. Ebinuma, H.; Sugita, K.; Matsunaga, E., and Yamakado, M. Selection of marker-free transgenic plants using the isopentenyl transferase gene. *Proceedings-of-the-National-Academy-of-Sciences-of-the-United-States-of-America*. 1997; 94(6):2117-2121.
1118. Ebringerova, A.; Kosikova, B., and Kacurakova, M. Structural changes of hardwood lignin-polysaccharide complex upon steaming. *Drevarsky-Vyskum*. 1993; 38(3):23-30.
1119. Eckberg, T. B. and Cranshaw, W. S. Notes on the biology and control of the poplar twig gall fly, *Hexomyza schineri* (Giraud) (Diptera: Agromyzidae), an emerging pest of aspen in Colorado. *Journal-of-the-Kansas-Entomological-Society*. 1995; 68(2):127-132.
1120. Edgar, C. B. and Burk, T. E. Productivity of aspen forests in northeastern Minnesota, USA, as related to stand composition and canopy structure. *Canadian-Journal-of-Forest-Research*. 2001; 31(6):1019-1029.
1121. Edminster, C. B.; Mowrer, H. T., and Hinds, T. E. Volume tables and point-sampling factors for aspen [*Populus tremuloides*] in Colorado. *Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1982; (No. RM-232):i + 16 pp.
1122. Edminster, C. B.; Mowrer, H. T., and Shepperd, W. D. Site index curves for aspen [*Populus tremuloides*] in the central Rocky Mountains. *Research-Note,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1985; (No. RM-453):4 pp.

1123. Edwardson, C. and Roos, K. Preliminary evaluation of parallel laminated veneer lumber made from preservative treated veneers. Technical-Report -Natural-Resources-Research-Institute,-University-of-Minnesota. 1990, No. NRRI-TR-90-14, 9 Pp.
1124. Efanov, M. V. Transformations of aspen wood and its principal components by O-acylation. Chemistry-of-Natural-Compounds. 2001; publ. 2002, 37(5):482-485.
1125. ---. Transformations of aspen wood and its principal components by O-acylation. Chemistry-of-Natural-Compounds. 2001; publ. 2002, 37(5):482-485.
1126. Efanov, M. V.; Galochkin, A. I.; Shott, P. R., and Dudkin, D. V. Ammoniated products of aspen wood oxidation. Chemistry-of-Natural-Compounds. 2001; publ. 2002, 37(4):391-393.
1127. ---. Ammoniated products of aspen wood oxidation. Chemistry-of-Natural-Compounds. 2001; publ. 2002, 37(4):391-393.
1128. Efanov, M. V. and Klepikov, A. G. Preparation of N-containing lignocarbohydrates. Chemistry-of-Natural-Compounds. 2001; 37(1):80-82.
1129. Efanov, M. V. and Pershina, L. A. Xanthogenation of lignocarbohydrates by carbon disulfide. Chemistry-of-Natural-Compounds. 2002; 38(1):90-94.
1130. Efremov, A. A. and Krotova, I. V. Production of cellulose-containing intermediates from the wood of broad-leaved and coniferous species using its treatment under the conditions of explosive autohydrolysis. Chemistry-of-Natural-Compounds. 1998; publ. 1999, 34(5):643-646.
1131. Efremov, A. A.; Kuznetsov, B. N.; Kuznetsova, S. A.; Krotova, I. V., and Vink, V. A. Composition of the water-soluble products from the thermocatalytic activation of aspen wood. Chemistry-of-Natural-Compounds. 1995; 1996, 31(6):746-752.
1132. Efremov, A. A.; Pervyshina, G. G., and Kuznetsov, B. N. Thermocatalytic transformations of wood and cellulose in the presence of HCl, HBr, and H₂SO₄. Chemistry-of-Natural-Compounds. 1997; 33(1):84-88.
1133. Egeberg, R. Jr. Inherent variations in the response of Aspen [*Populus tremuloides*] to frost damage. 1963, Ecology 44 (1), 1963 (153-6). 13 Refs.
1134. Egger, W. A. Primary succession on volcanic deposits in southern Idaho. 1941, Ecol. Monogr. 11 1941 (277-98). [University of Minnesota.].
1135. Egler, F. E. Herbicide effects in Connecticut vegetation, 1948. 1949, Ecology 1949 30 (2), (248-56).
1136. ---. Herbicide effects in Connecticut vegetation, 1950. 1952, J. For. 1952 50 (3), (198-204).
1137. Ehrlich, J. Recently active leaf diseases of woody plants in Idaho. 1942, Plant Dis. Repr. 26 1942 (18), (391-3). R.A.M. 22, 1943 (503).
1138. Eichlin, T. D. and Taft, W. H. A new Sesia clearwing moth from Michigan (Sesiidae). Journal-of-the-Lepidopterists'-Society. 1988; 42(3):231-235.
1139. Einspahr, D. and Schlafke, D. A method for Aspen and Cottonwood seed extraction. 1957, Tree Plant. Notes 1957 No. 28, (10).
1140. Einspahr, D. W. Abnormal flowering behaviour in Aspen. 1960, Iowa St. Coll. J. Sci. 34 (4), 1960 (623-30). 15 Refs.

1141. ---. Colchicine treatment of newly formed embryos of Quaking Aspen. 1965, For. Sci. 11 (4), 1965 (456-9). 12 Refs.
1142. ---. Estimated genetic gains for Quaking Aspen. 1968, Genet Physiol. Note Inst. Paper Chem., Appleton, Wis. 1968 No. 3 Pp. 6. [8 Refs.].
1143. ---. European White Poplar-Bigtooth Aspen hybrid in Wisconsin. 1962, J. For. 60 (5), 1962 (345). 3 Refs.
1144. ---. The future supply of Aspen and other hardwoods in the Lake States Region [of the USA]. Tappi. 1974; 57(8):93-95.
1145. ---. Growth and nutrient requirements of hybrids between *Populus canescens* and *Populus tremuloides*. 1968, Genet Physiol. Note Inst. Chem., Appleton, Wis. 1968 No. 4 Pp. 17. [5 Refs.].
1146. ---. Growth and nutrient uptake of Aspen hybrids using sand culture techniques. 1971, Silvae Genet. 1971 20 (4), (132-7). [En, 13 Ref.].
1147. ---. Nursery production of Aspen seedlings. 1959, Tree Plant. Notes No. 35, 1959 (22-4). 1 Ref.
1148. ---. Sex ratio in Quaking Aspen and possible sex-related characteristics. 1960, Proc. 5th World For. Congr., Seattle 1960 Vol. 2 (Sect. 2), [1962] (747-50). 4 Refs.
1149. Einspahr, D. W. and Benson, M. K. Geographic variation of Quaking Aspen in Wisconsin and Upper Michigan. 1967, Silvae Genet. 1967 16 (3), (106-12). [22 Refs.].
1150. ---. Management of Aspen on 10- to 20-year rotations. 1968, J. For. 1968 66 (7), (557-60). [15 Refs.].
1151. ---. Production and evaluation of Aspen hybrids. 1964, J. For. 62 (11), 1964 (806-9). 5 Refs.
1152. Einspahr, D. W.; Benson, M. K., and Harder, M. L. Within-tree variation in specific gravity of young Quaking Aspen. Genetics-and-Physiology-Notes,-Institute-of-Paper-Chemistry. 1972; (No. 15):8 pp.
1153. Einspahr, D. W.; Benson, M. K., and Peckham, J. R. Observations on a bark and woodchip separation procedure for Aspen. 1969, For. Prod. J. 1969 19 (7), (33-6). [8 Refs.] [Cf. F.A. 30 No. 6647.].
1154. ---. Variation and heritability of wood and growth characteristics of five-year-old Quaking Aspen. 1967, Genet. Physiol. Note Inst. Paper Chem., Appleton, Wis. 1967 No. 1 Pp. 6. [5 Refs.].
1155. ---. Wood and pulp properties of 5-year-old diploid, triploid, and triploid hybrid Aspen. 1968, Tappi 1968 51 (2), (72-5). [17 Refs.].
1156. Einspahr, D. W. and Buijtenen, J. P. van. The influence of gibberellic acid on growth and fiber length of Quaking Aspen. 1961, For. Sci. 7 (1), 1961 (43-51). 9 Refs.
1157. ---. Natural variation and heritability in triploid Aspen. 1963, Silvae Genet. 12 (2), 1963 (51-8). 12 Refs.
1158. Einspahr, D. W. and Harder, M. Hardwood bark properties important to the manufacture of fiber products. Forest-Products-Journal. 1976; 26(6):28-31.
1159. Einspahr, D. W.; Harder, M. L., and Benson, M. K. Within-tree variation in fiber length of young Quaking Aspen. Genetics-and-Physiology-Notes,-Institute-of-Paper-Chemistry. 1972; (No. 13):8 pp.
1160. Einspahr, D. W. and Joranson, P. N. Late flowering in Aspen and its relation to naturally occurring hybrids. 1960, For. Sci. 6 (3), 1960 (221-4). 8 Refs.

1161. Einspahr, D. W.; Peckham, J. R., and Benson, M. K. Fiber and pulp properties of triploid and triploid hybrid Aspen. 1970, *Tappi* 1970 53 (10), (1853-6). [17 Refs.].
1162. Einspahr, D. W. and Winton, L. L. Genetics of quaking aspen. USDA-Forest-Service-Research-Paper. 1976; (No. WO-25):23 pp.
1163. Einspahr, D. W.; Wyckoff, G., and Wyckoff, G. W. Growth response of hybrid aspen to intensive forest management. *Tappi*. 1978; 61(3):49-52.
1164. Einspahr, D. W. and Wyckoff, G. W. North American aspen: timber supply, utilization, and research. *Northern-Journal-of-Applied-Forestry*. 1990; 7(4):168-171.
1165. Einspahr, D. W.; Wyckoff, G. W.; Harder, M. L., and Guries, R. T. Hypoxylon resistance in aspen and aspen hybrids. *Proceedings, First North Central Tree Improvement Conference, Madison, Wisconsin, August 21-23, 1979*. 1979; (recd. 1983):114-122.
1166. Ek, A. R. and Brodie, J. D. A preliminary analysis of short-rotation Aspen management. *Canadian-Journal-of-Forest-Research*. 1975; 5(2):245-258.
1167. Ek, A. R. and Dawson, D. H. Actual and projected growths and yields of *Populus 'Tristis' 1* under intensive culture. *Canadian-Journal-of-Forest-Research*. 1976; 6(2):132-144.
1168. Ek, A. R.; Randall, B. L.; Hahn, J. T., and Buchman, R. G. STEMS model projection capability with plot and tree data aggregation. *Northern-Journal-of-Applied-Forestry*. 1985; 2(4):121-127.
1169. Ekberg, I. and et, a. I. The meiotic development in male Aspen. 1967, *Studia for. Suec. Skogshogsk.*, Stockh. No. 58, 1967. Pp. 16. [26 Refs.].
1170. Eklundh Ehrenberg, C. and Euler, H. von, and Hevesy, G. Notes on the number of pollen grains identified in the fruit of the Aspen. 1946, *Arkiv Kemi, Mineral. Geol.* 1946 23B (5) Pp. 5. [Institut of Research in Organic Chemistry, Univ. of Stockholm.].
1171. El Rayes, M. A. and Ulaby, F. T. Microwave dielectric spectrum of vegetation - part I: experimental observations. *IEEE-Transactions-on-Geoscience-and-Remote-Sensing*. 1987; GE-25(5):541-549.
1172. Eliasson, L. Adverse effect of shoot growth on root growth in rooted cuttings of Aspen. 1971, *Physiol. Plant.* 1971 25 (2), (268-72). [En, 12 Ref.].
1173. ---. Growth regulators in *Populus tremula*. II. Effect of light on inhibitor content in root suckers. 1971, *Physiol. Plant.* 1971 24 (2), (205-8). [29 Ref.].
1174. ---. The influence of growth substances on the formation of shoots from Aspen roots. 1961, *Physiol. Plant.*, Copenhagen 14 (1), 1961 (150-6). 13 Refs.
1175. ---. Interference of the transpiration stream with the basipetal translocation of leaf-applied chlorophenoxy herbicides in Aspen (*Populus tremula* L.). 1965, *Physiol. Plant.*, Copenhagen 18 (2), 1965 (506-15). 17 Refs.
1176. ---. The response of Aspen roots to 3-amino-1,2,4-triazole. 1962, *Physiol. Plant.*, Copenhagen 15 (2), 1962 (229-38). 29 Refs.
1177. ---. Responses of Aspen roots to auxin-type substances applied to the leaves. 1963, *Physiol. Plant.*, Copenhagen 16 (1), 1963 (201-14). 40 Refs.
1178. ---. Responses of Aspen roots to auxins with particular regard to the effects of chlorinated phenoxyacetic

acids. 1962, *Physiol. Plant.*, Copenhagen 15 (4), 1962 (753-63). 31 Refs.

1179. ---. The toxic effects of chlorinated phenoxyacetic acids on Aspen. 1963, *Physiol. Plant.*, Copenhagen 16 (2), 1963 (255-68). 46 Refs.
1180. Eliasson, L. and Brunel, L. Light effects on root formation in aspen [*Populus tremula* X *P. tremuloides*] and willow [*Salix caprea* X *S. viminalis*] cuttings. *Physiologia-Plantarum*. 1980; 48(2):261-265.
1181. Ellert, B. H. and Bettany, J. R. Calculation of organic matter and nutrients stored in soils under contrasting management regimes. *Canadian-Journal-of-Soil-Science*. 1995; 75(4):529-538.
1182. Elliott, K. R. and Wong, H. R. An important predator of the Aspen leaf beetle, *Chrysomela crotchii* Brown, in Manitoba and Saskatchewan. 1966, *Bi-m. Res. Notes Dep. For. Can.* 1966 22 (5), (3-4).
1183. Ellis, S. Correlation of waferboard internal bond and wood failure as measured by image analysis. *Wood-and-Fiber-Science*. 1995; 27(1):79-83.
1184. ---. Effect of resin particle size on waferboard adhesive efficiency. *Wood-and-Fiber-Science*. 1993; 25(3):214-219.
1185. Ellis, S. and Paszner, L. Activated self-bonding of wood and agricultural residues. *Holzforschung*. 1994; 48(Suppl):82-90.
1186. Ellis, S. and Steiner, P. The behaviour of five wood species in compression. *IAWA-Journal*. 2002; 23(2):201-211.
1187. ---. The behaviour of five wood species in compression. *IAWA-Journal*. 2002; 23(2):201-211.
1188. ---. Some effects of the chemical and physical characteristics of powdered phenol-formaldehyde resins on their adhesive performance. *Forest-Products-Journal*. 1992; 42(1):8-14.
1189. Ellison, L. A natural seedling of Western Aspen. 1943, *J. For.* 41 1943 (767-8). [Intermountain Forest and Range Exp. Sta.].
1190. Ellison, L. and Houston, W. R. Production of herbaceous vegetation in openings and under canopies of western Aspen [*Populus tremuloides*]. 1958, *Ecology* 1958 39 (2), (337-45). [19 Refs.].
1191. Embry, R. S. and Gottfried, G. J. Basal area growth of Arizona mixed conifer species. 1971, *US For. Serv. Res. Note Rocky Mt. For. Range Exp. Sta. No. RM-198*, 1971. Pp. 3. [2 Ref.].
1192. ---. Frequency of stem features affecting [timber] quality in Arizona mixed conifers. 1971, *US For. Serv. Res. Pap. Rocky Mt. For. Range Exp. Sta. No. RM-70*, 1971. Pp. 19. [2 Ref.].
1193. ---. Height-diameter equations for Arizona mixed conifers. 1971, *US For. Serv. Res. Note Rocky Mt. For. Range Exp. Sta. No. RM-191*, 1971. Pp. 2. [1 Ref.].
1194. Encinas, O. and Daniel, G. Degradation of the gelatinous-layer in aspen and rubber wood by the blue stain fungus *Lasiodiplodia theobromae*. Document -International-Research-Group-on-Wood-Preservation. 1996; (No. IRG-WP-96-10168):9 pp.
1195. ---. Degradation of the gelatinous layer in aspen and rubberwood by the blue stain fungus *Lasiodiplodia theobromae*. *IAWA-Journal*. 1997; 18(2):107-115.
1196. Enebak, S. A.; Bucciarelli, B.; Ostry, M. E., and Li, B. Histological analyses of the host response of two aspen genotypes to wounding and inoculation with *Hypoxylon mammatum*. *European-Journal-of-*

Forest-Pathology. 1997; 27(6):337-345.

1197. Enebak, S. A.; Li, B., and Ostry, M. E. Seedling response of two trembling aspen (*Populus tremuloides*) families to infection by *Hypoxylon mammatum*. *European-Journal-of-Forest-Pathology*. 1996; 26(5):245-252.
1198. Enebak, S. A.; Ostry, M. E., and Anderson, N. A. Inoculation methods for selecting *Populus tremuloides* resistant to *Hypoxylon* canker. *Canadian-Journal-of-Forest-Research*. 1999; 29(8):1192-1196.
1199. Engle, L. G. Cutting Aspen overstory improves growth of young hardwoods. 1949, Tech. Notes Lake St. For. Exp. Sta. 1949 No. 314, P. 1.
1200. ---. Releasing White Pine from Oak and Aspen. 1951, Tech. Note Lake St. For. Exp. Sta. 1951. No. 346 Pp. 2.
1201. English, S.; Greenaway, W., and Whatley, F. R. Bud exudate composition of *Populus tremuloides*. *Canadian-Journal-of-Botany*. 1991; 69(10):2291-2295.
1202. Enzmann, J. W.; Goodrich, R. D., and Meiske, J. C. Chemical composition and nutritive value of Poplar bark. 1969, *Journal of Animal Science*, Fort Collins. 1969 29 (4), (653-60). [From Abstr. in Herb. Abstr. 1970 40 (2), (No. 954).].
1203. Ericksen, J. A.; Gustin, M. S.; Schorran, D. E.; Johnson, D. W.; Lindberg, S. E., and Coleman, J. S. Accumulation of atmospheric mercury in forest foliage. *Atmospheric-Environment*. 2003; 37(12):1613-1622.
1204. Erickson, J. R. Bark-chip segregation: key to whole-tree utilization. 1971, *For. Prod. J.* 1971 21 (9), (110-3). [6 Ref.].
1205. ---. Bark separation during chipping with a parallel knife chipper. 1968, U.S. For. Serv. Res. Note Nth. Cent. For. Exp. Sta. 1968. No. NC-54, Pp. 3. [6 Refs.] [Cf. F.A. 23 No. 4323; 26 No. 5837.].
1206. ---. Crosscut shearing of wood. 1967, *Proc. 14th Congr. Int. Union For. Res. Organ., Munich 1967 Pt. VIII, Sect. 32, 1967 (324-37)*. [9 Refs.].
1207. ---. The moisture content and specific gravity of the bark and wood of northern pulpwood species. *USDA-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station*. 1972; (No. NC-141):3 pp.
1208. ---. The status of methods for debarking wood chips. *Tappi*. 1972; 55(8):1216-1220.
1209. ---. Steaming chips facilitates bark removal. *USDA-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station*. 1976; (No. NC-216):4 pp.
1210. Erickson, R. and Demaree, L. The drying of predrilled Aspen lumber. *Forest-Products-Journal*. 1972, 22: 11, 48-50.
1211. Eriksson, M. E.; Israelsson, M.; Olsson, O., and Moritz, T. Increased gibberellin biosynthesis in transgenic trees promotes growth, biomass production and xylem fiber length. *Nature-Biotechnology*. 2000; 18(7):784-788.
1212. Eriksson, M. E. and Moritz, T. Daylength and spatial expression of a gibberellin 20-oxidase isolated from hybrid aspen (*Populus tremula* L. x *P. tremuloides* Michx.). *Planta*. 2002; 214(6):920-930.
1213. Ermel, F. F.; Follet Gueve, M. L.; Cibert, C.; Vian, B.; Morvan, C.; Catesson, A. M., and Goldberg, R.

Differential localization of arabinan and galactan side chains of rhamnogalacturonan 1 in cambial derivatives. *Planta*. 2000; 210(5):732-740.

1214. Erskine, A. J. and McLaren, W. D. Sapsucker nest holes and their use by other species. *Canadian-Field-Naturalist*. 1972; 86(4):357-361.
1215. Erskine, W. C. and Galganski, R. T. Effects of outdoor storage in chip form on northern Aspen pulped by the sulphite process. 1967, *Tappi* 1967 50 (10), (477-82). [10 Refs.].
1216. Erwin, E. A.; Turner, M. G.; Lindroth, R. L., and Romme, W. H. Secondary plant compounds in seedling and mature aspen (*Populus tremuloides*) in Yellowstone National Park, Wyoming. *American-Midland-Naturalist*. 2001; 145(2):299-308.
1217. Esenther, G. R. Nutritive supplement method to evaluate resistance of natural or preservative-treated wood to subterranean termites. *Journal-of-Economic-Entomology*. 1977; 70(3):341-346.
1218. Esenther, G. R. and Kirk, T. K. Catabolism of aspen sapwood in *Reticulitermes flavipes* (Isoptera: Rhinotermitidae). *Annals-of-the-Entomological-Society-of-America*. 1974; 67(6):989-991.
1219. Esu, I. E. and Grigal, D. F. Productivity of quaking aspen (*Populus tremuloides* Michx.) as related to soil mapping units in northern Minnesota. *Soil-Science-Society-of-America-Journal*. 1979; 43(6):1189-1192.
1220. Etheridge, D. E. Factors affecting branch infection in Aspen. 1961, Repr. From *Canad. J. Bot.* 39, 1961 (799-816 + 4 Photos). 8 Refs.
1221. ---. A non-destructive method of estimating moisture in wood. 1959, *Canad. J. Bot.* 1959 37 (3), (491-2).
1222. Etheridge, D. E. and Carmichael, E. Observations on *Coryne sarcoides* (Jacq.) Tul. 1957, Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can. 1957 13 (4), (4).
1223. Etheridge, D. E. and Laut, J. Fungi associated with living and dead branches of pole-sized Aspen. 1958, Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can. 1958 14 (4), (2-3).
1224. Eubanks, J. O. Effect of light intensity and osmotic stress on the water relations of *Populus tremuloides*. 1971, *For. Sci.* 1971 17 (1), (79-82). [16 Ref.].
1225. ---. The effect of light intensity and osmotic water stress on the water potential of *Populus tremuloides*. 1970, Abstr. of Thesis, in *Dissert. Abstr. Int.* 1970 30B (11), (4864-5). [Order No. 70-7937. Price: M. \$3.00; X. \$4.460. Pp. 86.].
1226. Evans, D. A. (ed.); Sharp, W. R. (ed.), and Ammirato, P. V. Handbook of plant cell culture. Volume 4. Techniques and applications. 1986, Xii + 698pp.; Pl., Fig., Also Published by Collier Macmillan Publishers, London, UK; Many Ref.
1227. Evers, D.; Schmit, C.; Mailliet, Y., and Hausman, J. F. Growth characteristics and biochemical changes of poplar shoots in vitro under sodium chloride stress. *Journal-of-Plant-Physiology*. 1997; 151(6):748-753.
1228. Evert, F. A national system of equations for estimating oven-dry mass of trembling aspen *Populus tremuloides* Michx. Information-Report,-Petawawa-National-Forestry-Institute,-Canada. 1983; (No. PI-X-24):iii + 23 pp.
1229. ---. Systems of equations for estimating oven-dry mass of 18 Canadian tree species. Information-Report,-Petawawa-National-Forestry-Institute,-Canada. 1985; (No. PI-X-59):vii + 50 pp.

1230. Evert, R. F. and Kozlowski, T. T. Effect of isolation of bark on cambial activity and development of xylem and phloem in Trembling Aspen. 1967, Amer. J. Bot. 1967 54 (8), (1045-55). [26 Refs.D.].
1231. Every, A. D. and Wiens, D. Triploidy in Utah Aspen. Madrono. 1971; 21(3):138-147.
1232. Ewan, H. G. The Poplar borer in relation to Aspen stocking. 1960, Tech. Note Lake St. For. Exp. Sta. 1960 No. 580. Pp. 2. 1 Ref.
1233. Ewart, J. M. Development of a wood hardness tester for detecting decay in aspen. Special-Report -Forest-Engineering-Research-Institute-of-Canada. 1995; (No. SR-104):7 pp.
1234. Ewers, B. E.; Mackay, D. S.; Gower, S. T.; Ahl, D. E.; Burrows, S. N., and Samanta, S. S. Tree species effects on stand transpiration in northern Wisconsin. Water-Resources-Research. 2002; 38(7):8-1-8-11.
1235. Ewers, J. Some negative effects of chemical treatment of pulpwood trees. 1951, Pa. For. Wat. 1951 3 (6), (126-7).
1236. Ezzat, S. Leaves of Date Palm tree (*Phoenix dactylifera*) as a technically feasible source of raw material for paper production. Cellulose-Chemistry-and-Technology. 1974; 8(6):627-634.
1237. Faber, H. B. Jr. The methanol-extractable aromatic materials in the inner bark of *Populus tremuloides*. 1960, Tappi 1960 43 (5), (406-13). 40 Refs.
1238. Fahey, D. J. and et, a. l. Milk cartons from certain Lake States softwoods and hardwoods. 1960, Rep. U.S. For. Prod. Lab., Madison No. 2187, 1960. Pp. 13 + 6 Tbls.
1239. Faix, O.; Lange, W., and Beinhoff, O. Molecular weights and molecular weight distributions of milled wood lignins of some wood and Bambusoideae species. Holzforschung. 1980; 34(5):174-176.
1240. Falk, S. P.; Griffin, D. H., and Manion, P. D. Hypoxylon canker incidence and mortality in naturally occurring aspen clones. Plant-Disease. 1989; 73(5):394-397.
1241. ---. Spatial pattern analysis and sampling of hypoxylon canker in naturally occurring clones of *Populus tremuloides*. Plant-Disease. 1989; 73(1):31-33.
1242. Fall, P. L. Fire history and composition of the subalpine forest of western Colorado during the Holocene. Journal-of-Biogeography. 1997; 24(3):309-325.
1243. ---. Modern pollen spectra and vegetation in the Wind River Range, Wyoming, U.S.A. Arctic-and-Alpine-Research. 1994; 26(4):383-392.
1244. ---. Spatial patterns of atmospheric pollen dispersal in the Colorado Rocky Mountains, USA. Review-of-Palaeobotany-and-Palynology. 1992; 74(3-4):293-313.
1245. Fall, R.; Karl, T.; Hansel, A.; Jordan, A., and Lindinger, W. Volatile organic compounds emitted after leaf wounding: on-line analysis by proton-transfer-reaction mass spectrometry. Journal-of-Geophysical-Research. 1999; 104(D13):15963-15974.
1246. Fall, R. and Monson, R. K. Isoprene emission rate and intercellular isoprene concentration as influenced by stomatal distribution and conductance. Plant-Physiology. 1992; 100(2):987-992.
1247. Farmer, R. E. Depth and diameter of the parent roots of Aspen root suckers. 1962, Mich. For. No. 23, 1962. Pp. 4. 4 Refs.

1248. Farmer, R. E.; Morris, D. M.; Weaver, K. B., and Garlick, K. Competition effects in juvenile jack pine and aspen as influenced by density and species ratios. *Journal-of-Applied-Ecology*. 1988; 25(3):1023-1032.
1249. Farmer, R. E. Jr. Aspen root sucker formation and apical dominance. 1962, *For. Sci.* 8 (4), 1962 (403-10). 23 Refs.
1250. ---. Effect of light intensity on growth of *Populus tremuloides* cuttings under two temperature regimes. 1963, *Ecology* 44 (2), 1963 (409-11). 7 Refs.
1251. ---. Genetic improvement of hardwood fiber production in the North-Central Region. Joint Proceedings of the Tenth Lake States Forest Tree Improvement Conference and the Seventh Central States Forest Tree Improvement Conference, September 22-24, 1971. General-Technical-Report,-USDA-Forest-Service. 1973, 9-15; 61 Ref.
1252. ---. Some physiological aspects of root sucker initiation and early growth in *Populus tremuloides* and *P. grandidentata*. 1962, *Abstr. of Thesis, in Dissert. Abstr.* 23 (1), 1962 (10).
1253. ---. Vegetative propagation of Aspen by greenwood cuttings. 1963, *J. For.* 61 (5), 1963 (385-6). 8 Refs.
1254. Farrar, J. L.; Gray, D. W., and Avery, D. Jackpine reproduction. 1954, *Pulp Paper Mag. Can.* 1954 55 (12), (136...146). 16 Refs.
1255. Favreau, J. A comparison of fiber loss during full-tree and cut-to-length harvesting. Technical-Report - Forest-Engineering-Research-Institute-of-Canada. 1997; (No. TR-118):12 pp.
1256. Fechner, G. H. Development of the pistillate flower of *Populus tremuloides* following controlled pollination. *Canadian-Journal-of-Botany*. 1972; 50(12):2503-2509.
1257. ---. Development of unpollinated ovules of quaking aspen. Proceedings, 23rd Northeastern Forest Tree Improvement Conference, 1975. 1976, 150-157; 2 Pl.; 7 Ref.
1258. ---. Development of unpollinated ovules of quaking aspen. Twenty-Third Northwestern Forest Tree Improvement Conference. 1974, 150-157; 7 Ref.
1259. Fechner, G. H. and Barrows, J. S. Aspen stands as wildfire fuel breaks. *Eisenhower-Consortium-Bulletin*. 1976; (No. 4):29 pp.
1260. Fechner, G. H.; Burr, K. E., and Myers, J. F. Effects of storage, temperature, and moisture stress on seed germination and early seedling development of trembling aspen. *Canadian-Journal-of-Forest-Research*. 1981; 11(3):718-722.
1261. Federer, C. A. Leaf resistance and xylem potential differ among broadleaved species. *Forest-Science*. 1977; 23(4):411-419.
1262. Fedkenheuer, A. W. Past and present forest communities of St. Croix State Park, Minnesota and their use in determining ecomanagement direction. *Dissertation-Abstracts-International,-B*. 1975; 36(6):2541.
1263. Feihl, A. O. Veneer and plywood from Aspen Poplar. 1958, *Repr. From Canadian Woodworker, Toronto* 1958 (Jan.), Pp. [3].
1264. Feihl, O. and Godin, V. Veneer and plywood from Aspen Poplar. 1966, *Publ. Dep. For. Can. No. 1157*, 1966. Pp. 6. [4 Refs.].
1265. Feist, W. C. Weathering characteristics of finished wood-based panel products. *Journal-of-Coatings-*

Technology. 1982; 54(686):43-50.

1266. Feist, W. C.; Hajny, G. J., and Springer, E. L. Effect of storing green wood chips at elevated temperatures. Hulme, M. A.; Shields; J. K.(Treatments to reduce chip deterioration during storage. Tappi. 1973):56: 8, 91-95.
1267. Feist, W. C.; Rowell, R. M., and Ellis, W. D. Moisture sorption and accelerated weathering of acetylated and methacrylated aspen. Wood-and-Fiber-Science. 1991, 23: 1, 128-136.
1268. Feist, W. C.; Rowell, R. M., and Youngquist, J. A. Weathering and finish performance of acetylated aspen fiberboard. Wood-and-Fiber-Science. 1991; 23(2):260-272.
1269. Feist, W. C.; Springer, E. L., and Hajny, G. J. Spontaneous heating in piled wood chips - contribution of bacteria. Tappi. 1973; 56(4):148-151.
1270. Feist, W. C. and Washington. Weathering performance of finished aspen siding. Forest-Products-Journal. 1994; 44(6):15-23.
1271. Feldkirchner, D. C.; Wang, C. K.; Gower, S. T.; Kruger, E. L., and Ferris, J. Effects of nutrient and paper mill biosolids amendments on the growth and nutrient status of hardwood forests. Forest-Ecology-and-Management. 2003; 177(1-3):95-116.
1272. Ferguson, S. H. Predator size and distance to edge: is bigger better? Canadian-Journal-of-Zoology. 2000; 78(5):713-720.
1273. Ferguson, S. H. and Archibald, D. J. The 3/4 power law in forest management: how to grow dead trees. Forest-Ecology-and-Management. 2002; 169(3):283-292.
1274. Ferguson, S. H. and Joly, D. O. Dynamics of springtail and mite populations: the role of density dependence, predation, and weather. Ecological-Entomology. 2002; 27(5):565-573.
1275. Fernandez, M. P.; Breuil, C., and Watson, P. A. Natural clonal variation of wood extractives in *Populus tremuloides*. Canadian-Journal-of-Forest-Research. 2002; 32(7):1192-1199.
1276. Fernandez, M. P.; Watson, P. A., and Breuil, C. Gas chromatography-mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen. Journal-of-Chromatography,-A. 2001; 922(1-2):225-233.
1277. Ffolliott, P. F. and Gottfried, G. J. Mixed conifer and aspen regeneration in small clearcuts within a partially harvested Arizona mixed conifer forest. Research-Paper -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1991; (No. RM-294):9 pp.
1278. Ffolliott, P. F.; Larson, F. R., and Thill, R. E. Some characteristics of Arizona's mixed conifer forest floor. USDA-Forest-Service-Research-Note,-Rocky-Mountain-Forest-and-Range-Experiment-Station. 1977; (No. RM-342):4 pp.
1279. Ffolliott, P. F. and Thorud, D. B. Water yield improvement by vegetation management: focus on Arizona. 1975, Report No. PB-246 055, 800 Pp.; Many Ref.
1280. Fiedler, F. The development of the idea of the nurse crop with special reference to Birch. Arch. Forstw. 11 (2), 1962 (174-90). 54 Refs. [G.g.Russ.e.].
1281. Finch, D. M. and Ruggiero, L. F. Wildlife habitats and biological diversity in the Rocky Mountains and Northern Great Plains. Natural-Areas-Journal. 1993; 13(3):191-203.

1282. Finer, L.; Messier, C.; Grandpre, L. de, and De Grandpre, L. Fine-root dynamics in mixed boreal conifer - broad-leafed forest stands at different successional stages after fire. *Canadian-Journal-of-Forest-Research*. 1997; 27(3):304-314.
1283. Fisher, A. S.; Podniesinski, G. S., and Leopold, D. J. Effects of drainage ditches on vegetation patterns in abandoned agricultural peatlands in central New York. *Wetlands*. 1996; 16(4):397-409.
1284. Fisher, J. T.; Fancher, G. A., and Murphy, P. M. Effects of soil amendments on aspen seedling production. In *The Challenge of Producing Native Plants for the Intermountain Area*. 1983 Aug 8-1983 Aug 8; (1983. Las Vegas):Nevada. General-Technical-Report,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1984, No. INT-168, 66-68.
1285. Fisher, J. T. and Neumann, R. W. Cultivation and weed control for aspen seedling establishment in the southern Rocky Mountains. *Canadian-Journal-of-Forest-Research*. 1987; 17(1):47-50.
1286. Fisher, L. J. An evaluation of processed aspen chips as a source of roughage for lactating cows. *Research-Review,-Research-Station,-Agassiz,-B.C.* 1978, November, 9-10.
1287. ---. An evaluation of steam-treated aspen as a substitute for corn silage in the rations of lactating cows. *Canadian-Journal-of-Animal-Science*. 1980; 60(2):379-384.
1288. Fitzgerald, R. D. and Bailey, A. W. Influence of grazing with cattle on establishment of forage in burned aspen brushland. *Proceedings of the XIV International Grassland Congress, Held at Lexington, Kentucky, U.S.A., June 15-24, 1981* [Smith, J.A.; Hays, V.W. (Editors)]. 1983, 564-566; 9 Ref.
1289. FitzGerald, R. D. and Hoddinott, J. The utilization of carbohydrates in aspen roots following partial or complete top removal. *Canadian-Journal-of-Forest-Research*. 1983; 13(4):685-689.
1290. Fitzgerald, R. D.; Hudson, R. J., and Bailey, A. W. Grazing preferences of cattle in regenerating aspen forest. *Journal-of-Range-Management*. 1986; 39(1):13-18.
1291. Flaccus, E. Revegetation of landslides in the White Mountains of New Hampshire. 1959, *Ecology* 1959 40 (4), (692-703). 17 Refs.
1292. Fladung, M. Gene stability in transgenic aspen (*Populus*). I. Flanking DNA sequences and T-DNA structure. *Molecular-and-General-Genetics*. 1999; 260(6):574-581.
1293. Fladung, M. and Ahuja, M. R. Excision of the maize transposable element Ac in periclinal chimeric leaves of 35S-Ac-rolC transgenic aspen-*Populus*. *Plant-Molecular-Biology*. 1997; 33(6):1097-1103.
1294. Fladung, M.; Ahuja, M. R.; Schmidt, E. R. (ed.), and Hankeln, T. Gene transfer in aspen. *Transgenic-Organisms-and-Biosafety:-Horizontal-Gene-Transfer,-Stability-of-DNA,-and-Expression-of-Transgenes*. 1996, 275-281; 16 Ref.
1295. Fladung, M.; Altman, A. (ed.); Ziv, M. (ed.), and Izhar, S. Prospects for the isolation of genes controlling tree-specific traits by using a transposon tagging approach. *Plant Biotechnology and in Vitro Biology in the 21st Century. Proceedings of the IXth International Congress of the International Association of Plant Tissue Culture and Biotechnology; (Jerusalem):Israel, 14-19 June 1998*. 1999, 139-142.
1296. Fladung, M.; Grossmann, K., and Ahuja, M. R. Alterations in hormonal and developmental characteristics in transgenic *Populus* conditioned by the rolC gene from *Agrobacterium rhizogenes*. *Journal-of-Plant-Physiology*. 1997; 150(4):420-427.
1297. Fladung, M. and Kumar, S. Gene stability in transgenic aspen-*Populus* -- III. T-DNA repeats influence

- transgene expression differentially among different transgenic lines. *Plant-Biology*. 2002; 4(3):329-338.
1298. Fladung, M.; Muhs, H. J., and Ahuja, M. R. Morphological changes in transgenic *Populus* carrying the RolC gene from *Agrobacterium rhizogenes*. *Silvae-Genetica*. 1996; 45(5-6):349-354.
1299. Fladung, M.; Sandeep Kumar; Ahuja, M. R., and Kumar, S. Genetic transformation of *Populus* genotypes with different chimaeric gene constructs: transformation efficiency and molecular analysis. *Transgenic-Research*. 1997; 6(2):111-121.
1300. Fladung, M.; Sandeep Kumar; Ahuja, M. R.; Kumar, S., and Jamieson, A. Transposition of the maize transposable element Ac in transgenic aspen and its usability as a gene tagging system. *Proceedings of the Second International Wood Biotechnology Symposium, Canberra, Australia, 10-12 March, 1997*. 1999, 125-135; 31 Ref.
1301. Flanagan, L. B.; Brooks, J. R.; Varney, G. T., and Ehleringer, J. R. Discrimination against C18O16O during photosynthesis and the oxygen isotope ratio of respired CO₂ in boreal forest ecosystems. *Global-Biogeochemical-Cycles*. 1997; 11(1):83-98.
1302. Fleming, R. L. and Mossa, D. S. Establishment and growth of seeded upland black spruce: 7-12 year response. *NODA-NFP-Technical-Report*. 1995; (No. TR-8):v + 13 pp.
1303. Flerchinger, G. N.; Hanson, C. L.; Wight, J. R., and West, N. E. Simulating spatially varying energy budgets and ET across a watershed. *Rangelands in a Sustainable Biosphere. Proceedings of the Fifth International Rangeland Congress Salt Lake City; (Utah):USA, 23-28 July 1995. Volume 1 contributed presentations*. 1996, 149-150.
1304. Flesch, T. K. and Wilson, J. D. Wind and remnant tree sway in forest cutblocks. I. Measured winds in experimental cutblocks. *Agricultural-and-Forest-Meteorology*. 1999; 93(4):229-242.
1305. ---. Wind and remnant tree sway in forest cutblocks. II. Relating measured tree sway to wind statistics. *Agricultural-and-Forest-Meteorology*. 1999; 93(4):243-258.
1306. Flores, G. and Hubbes, M. The nature and role of phytoalexin produced by aspen (*Populus tremuloides* Michx.). *European-Journal-of-Forest-Pathology*. 1980; 10(2-3):95-103.
1307. ---. Phytoalexin production by aspen (*Populus tremuloides* Michx.) in response to infection by *Hypoxyylon mammatum* (Wahl.) Mill. and *Alternaria* spp. *European-Journal-of-Forest-Pathology*. 1979; 9(5):280-288.
1308. Flores, G. H. A. Studies on elicitation, biological and chemical properties of phytoalexins in *Populus tremuloides* Michx. [Thesis Summary]. *Forestry-Abstracts*. 1982, 43: 10, 611-612.
1309. Folkard, N. F. G. and Smith, J. N. M. Evidence for bottom-up effects in the boreal forest: do passerine birds respond to large-scale experimental fertilization? *Canadian-Journal-of-Zoology*. 1995; 73(12):2231-2237.
1310. Fons, J.; Klinka, K., and Kabzems, R. D. Humus forms of trembling aspen ecosystems in northeastern British Columbia. *Forest-Ecology-and-Management*. 1998; 105(1-3):241-250.
1311. Foote, K. C. Seasonal field rates of photosynthesis and respiration in stems of *Populus tremuloides* Michx. *Dissertation-Abstracts-International,-B*. 1975; 36(4):1566.
1312. Foote, K. C. and Schaedle, M. The contribution of aspen bark photosynthesis to the energy balance of the stem. *Forest-Science*. 1978; 24(4):569-573.

1313. ---. Seasonal and diurnal field rates of photosynthesis and respiration in stems of *Populus tremuloides* Michx. *American-Journal-of-Botany*. 1973; 60(4):24.
1314. Foote, M. J. Classification, description, and dynamics of plant communities after fire in the taiga of interior Alaska. *Research-Paper, -Pacific-Northwest-Forest-and-Range-Experiment-Station, -USDA-Forest-Service*. 1983; (No. PNW-307):iv + 108 pp.
1315. Foote, W. J. and Parsons, S. R. Caustic treatment of Aspen groundwood. 1955, *Pulp Paper Mag. Can.* 1955 56 (12), (124-30). 6 Refs.
1316. Forbes, A. C. The position of Oak in British forest succession. 1943, *Emp. For. J.* 22 1943 (103-11).
1317. Forbes, R. S. and Davidson, A. G. Examination of wind-thrown Poplar trees in New Brunswick. 1962, *Bi-m. Progr. Rep. For. Ent. Path. Br. Dep. For. Can.* 18 (6), 1962 (2).
1318. Forrester, P. D. Sour felling in Alberta: longer-term study. *Technical-Note -Forest-Engineering-Research-Institute-of-Canada*. 1991; (No. TN-164):8 pp.
1319. Forslund, R. R. A geometrical tree volume model based on the location of the centre of gravity of the bole. *Canadian-Journal-of-Forest-Research*. 1982; 12(2):215-221.
1320. ---. The power function as a simple stem profile examination tool. *Canadian-Journal-of-Forest-Research*. 1991; 21(2):193-198.
1321. Fortescue, J. A. C. The use of branches as a basis for the estimation of the copper, zinc, lead and nickel status of a forest stand. *Canadian-Journal-of-Forest-Research*. 1972; 3(1):27-33.
1322. Foster, D. R. Phytosociological description of the forest vegetation of southeastern Labrador. *Canadian-Journal-of-Botany*. 1984; 62(5):899-906.
1323. Foster, R. H. Distribution of the major plant communities in Utah. 1969, *Abstr. of Thesis, in Dissert. Abstr.* 1969 29B (8), (2771-2).
1324. Fowler, G. W. An aspen bark factor equation for Michigan. *Northern-Journal-of-Applied-Forestry*. 1991; 8(1):12-15.
1325. ---. A jack pine bark factor equation for Michigan. *Northern-Journal-of-Applied-Forestry*. 1993; 10(2):86-89.
1326. Fox, D. G.; Murphy, D. J., and Haddow, D. (Technical Coordinators). Air quality, oil shale, and wilderness - a workshop to identify and protect air quality related values of the Flat Tops. *General-Technical-Report, -Rocky-Mountain-Forest-and-Range-Experiment-Station, -USDA-Forest-Service*. 1982; (No. RM-91):V + 32 pp.
1327. Fox, J. D. Forest regeneration of upland areas following logging in interior Alaska. *Agroborealis*. 1980; 12(1):31-34.
1328. Fox, J. F. and Cleve, K. van. Relationships between cellulose decomposition, Jenny's k, forest-floor nitrogen, and soil temperature in Alaskan taiga forests. *Canadian-Journal-of-Forest-Research*. 1983; 13(5):789-794.
1329. Fralish, J. S. Site indices and rates of conversion in northern Wisconsin Quaking Cotton-wood. 1970, *Abstr. of Thesis, in Dissert. Abstr. Int.* 1970 31B (1), (80-1). [Order No. 70-8284. Price: M. \$4.00; X. \$9.90. Pp. 220.].

1330. Fralish, J. S. and Loucks, O. L. Site quality evaluation models for Aspen (*Populus tremuloides* Michx.) in Wisconsin. *Canadian-Journal-of-Forest-Research*. 1975; 5(4):523-528.
1331. Frame, R. C. and Hicks, R. R. Jr. Establishment of woody plants on reclaimed surface mines. *West-Virginia-Forestry-Notes*. 1987; (No. 13):25-28.
1332. France, R.; Culbert, H.; Freeborough, C., and Peters, R. Leaching and early mass loss of boreal leaves and wood in oligotrophic water. *Hydrobiologia*. 1997; 345(2-3):209-214.
1333. France, R. L. Colonization of leaf litter by littoral macroinvertebrates with reference to successional changes in boreal tree composition expected after riparian clear-cutting. *American-Midland-Naturalist*. 1998; 140(2):314-324.
1334. ---. Empirically estimating the lateral transport of riparian leaf litter to lakes. *Freshwater-Biology*. 1995; 34(3):495-499.
1335. Franceschi, J. P. de; Bell, F. W., and De Franceschi, J. P. Labor productivity and costs of motor-manual release of spruce from hardwoods in Manitoba. *Information-Report -Northwest-Region,-Forestry-Canada*. 1990; (No. NOR-X-312):vi + 14 pp.
1336. Franklin, G. S. Model 23 flail Chiparvestor delimeter-debarker-chipper: productivity and chip quality in hardwood. *Technical-Note -Forest-Engineering-Research-Institute-of-Canada*. 1992, No. TN-187, 6 Pp.
1337. Franklin, S. E.; Hall, R. J.; Moskal, L. M.; Maudie, A. J., and Lavigne, M. B. Incorporating texture into classification of forest species composition from airborne multispectral images. *International-Journal-of-Remote-Sensing*. 2000; 21(1):61-79.
1338. Fraser, E. C.; Landhausser, S. M., and Liefvers, V. J. The effects of mechanical site preparation and subsequent wildfire on trembling aspen (*Populus tremuloides* Michx.) regeneration in central Alberta, Canada. *New-Forests*. 2003; 25(1):67-81.
1339. Fraser, E. C.; Liefvers, V. J.; Landhausser, S. M., and Frey, B. R. Soil nutrition and temperature as drivers of root suckering in trembling aspen. *Canadian-Journal-of-Forest-Research*. 2002; 32(9):1685-1691.
1340. Freedman, B.; Duinker, P. N.; Barclay, H.; Morash, R., and Prager, U. Forest biomass and nutrient studies in central Nova Scotia. *Information-Report,-Maritimes-Forest-Research-Centre,-Canada*. 1982; (No. M-X-134):126 pp.
1341. Freedman, B. and Hutchinson, T. C. Effects of smelter pollutants on forest leaf litter decomposition near a nickel-copper smelter at Sudbury, Ontario. *Canadian-Journal-of-Botany*. 1980; 58(15):1722-1736.
1342. Freeman, R. D. and Peterson, F. C. Proximate analysis of the heartwood and sapwood of some American hardwoods. 1941, *Industr. Engng. Chem. (Anal. Ed.)* 13 1941 (803-5). [New York State College of Forestry, Syracuse.] L.S.
1343. Frelich, L. E. and Reich, P. B. Neighborhood effects, disturbance, and succession in forests of the western Great Lakes Region. *Ecoscience*. 1995; 2(2):148-158.
1344. ---. Spatial patterns and succession in a Minnesota southern-boreal forest. *Ecological-Monographs*. 1995; 65(3):325-346.
1345. French, D. W.; Hodges, C. S. Jr., and Froyd, J. D. Pathogenicity and taxonomy of *Hypoxyylon mammatum*. 1969, *Canad. J. Bot.* 1969 47 (2), (223-6 + 11 Figs.). [3 Refs.].

1346. French, D. W. and Oshima, N. Host bark characteristics and infection by *Hypoxyylon pruinaum* (Klot.) Cke. 1959, For. Sci. 1959 5 (3), (255-8). 1 Ref. [Cf. F.A. 13 No. 60].
1347. French, J. R. Screening aspen for resistance to *Hypoxyylon* canker. Dissertation-Abstracts-International,-B. 1977, 37: 9, 4248B-4249B.
1348. French, J. R. and Hart, J. H. Variability of canker length on aspen clones following inoculation with *Hypoxyylon mammatum*. Proceedings-of-the-American-Phytopathological-Society. 1975, 2: 97.
1349. ---. Variation in resistance of trembling aspen to *Hypoxyylon mammatum* identified by inoculating naturally occurring clones. Phytopathology. 1978; 68(3):485-489.
1350. French, J. R. and Manion, P. D. Effects of host tissue on germination and growth of *Hypoxyylon mammatum*. Phytopathology. 1973, 63: 2, 201.
1351. ---. *Hypoxyylon mammatum* ascospore germination and mycelial growth on bark and wood media from young branches of trembling aspen. Canadian-Journal-of-Botany. 1976; 54(13):1438-1442.
1352. ---. Variability of host and pathogen in *Hypoxyylon* canker of Aspen. Canadian-Journal-of-Botany. 1975; 53(23):2740-2744.
1353. Freyman, S. Spectral distribution of light in forests of the Douglas Fir zone of southern British Columbia. 1968, Canad. J. Pl. Sci. 1968 48 (3), (326-8). [4 Refs..].
1354. Friedman, S. K.; Reich, P. B., and Frelich, L. E. Multiple scale composition and spatial distribution patterns of the north-eastern Minnesota presettlement forest. Journal-of-Ecology-Oxford. 2001; 89(4):538-554.
1355. Fritschel, P. R.; Satter, L. D.; Baker, A. J.; McGovern, J. N.; Vatthauer, R. J., and Millett, M. A. Aspen bark and pulp residue for ruminant feedstuffs. Journal-of-Animal-Science. 1976, 42: 6, 1513-1521.
1356. Fritz, C. W. Decay in Poplar pulpwood in storage. 1954, Canad. J. Bot. 1954 32 (6), (799-817 + 2 Plates). 17 Refs.
1357. Frivold, L. H.; Groven, R., and Dietrichson, J. Yield and management of mixed stands of spruce, birch and aspen. Silviculture for Fuelwood. Proceedings from IEA Bioenergy Task XII activity on forest management; (Asker):Norway, 406 September 1995. Norwegian-Journal-of-Agricultural-Sciences. 1996, Suppl. 24, 21-28.
1358. Froelich, R.; Hodson, A. C.; Schneider, A. E., and Duncan, D. P. Influence of Aspen defoliation by tent caterpillar in Minesota on the radial growth of associated Balsam Fir. 1955, Minn. For. Note No. 45, 1955. Pp. 2. 2 Refs.
1359. Froelich, R.; Shiue, C. J.; Duncan, D. P., and Hodson, A. C. The effect of rainfall on the basal area growth of Aspen as related to defoliation by the forest tent caterpillar [*Malacosoma disstria*]. 1956, Minn.For.Note 1956 No. 48 Pp. 2.
1360. Frolking, S.; McDonald, K. C.; Kimball, J. S.; Way, J. B.; Zimmermann, R., and Running, S. W. Using the space-borne NASA scatterometer (NSCAT) to determine the frozen and thawed seasons. Special Section. 1999; 104(D22):27895-27907.
1361. Froning, K. Logging hardwoods to reduce damage to white spruce understory. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1980; (No. NOR-X-229):iii + 19 pp.

1362. Frontz, T. M.; Davis, D. D.; Bunyard, B. A., and Royse, D. J. Identification of *Armillaria* species isolated from bigtooth aspen based on rDNA RFLP analysis. *Canadian-Journal-of-Forest-Research*. 1998; 28(1):141-149.
1363. Froyd, J. D. and French, D. W. Ejection and dissemination of ascospores of *Hypoxylon pruinaum*. 1967, *Canad. J. Bot.* 1967 45 (9), (1507-17). [11 Refs.].
1364. Fryxell, J. M. and Doucet, C. M. Diet choice and the functional response of beavers. *Ecology*. 1993; 74(5):1297-1306.
1365. Fryxell, J. M.; Falls, J. B.; Falls, E. A., and Brooks, R. J. Long-term dynamics of small-mammal populations in Ontario. *Ecology*. 1998; 79(1):213-225.
1366. Fuentes, J. D.; Wang, D.; Gu, L.; Fuentes, J. D. (ed.); Baldocchi, D. D. (ed.), and Lamb, B. Seasonal variations in isoprene emissions from a boreal aspen forest. Hydrocarbon Special Issue. Papers from a workshop on biogenic hydrocarbons; August 1997. *Journal-of-Applied-Meteorology*. 1999, 38(7):855-869.
1367. Fujiwara, S. and Yang, K. C. The relationship between cell length and ring width and circumferential growth rate in five Canadian species. *IAWA-Journal*. 2000; 21(3):335-345.
1368. Fukazawa, K.; Revol, J. F.; Jurasek, L., and Goring, D. A. I. Relationship between ball milling and the susceptibility of wood to digestion by cellulase. *Wood-Science-and-Technology*. 1982; 16(4):279-285.
1369. Fuller, L. G. and Anderson, D. W. Changes in soil properties following forest invasion of Black soils of the Aspen Parkland. *Canadian-Journal-of-Soil-Science*. 1993; 73(4):613-627.
1370. Fuller, L. G.; Cattelino, P. J., and Reed, D. D. Correction equations for dendrometer band measurements of five hardwood species. *Northern-Journal-of-Applied-Forestry*. 1988; 5(2):111-113.
1371. Fuller, L. G.; Wang, D., and Anderson, D. W. Evidence for solum recarbonation following forest invasion of a grassland soil. *Canadian-Journal-of-Soil-Science*. 1999; 79(3):443-448.
1372. Funaoka, M.; Chang, V. L., and Chum, H. L. Structural analysis of acid-catalyzed organosolv lignins by a combination of nucleus exchange reaction and nitrobenzene oxidation. *Bulletin-of-the-Faculty-of-Bioresources,-Mie-University*. 1991; (No. 6):37-46.
1373. Fung, D. P. and Ripley, R. A. The pyrolysis of Aspen and Black Spruce lignins. 1970, *Bi-m. Res. Notes* 1970 26 (2), (12). [2 Refs.].
1374. Fung, M. Y. P. and Hamel, B. A. Aspen seed collection and extraction. *Tree-Planters'-Notes*. 1993; 44(3):98-100.
1375. Funk, A. The anamorph of *Leciographa gallicola*. *Canadian-Journal-of-Botany*. 1985; 63(2):365.
1376. ---. "Buboes canker" of aspen in British Columbia. *Bi-Monthly-Research-Notes*. 1980; 36(6):31-32.
1377. ---. Observations on an aspen leaf spot disease and associated fungus, *Pollaccia borealis*. *Canadian-Journal-of-Plant-Pathology*. 1989; 11(4):353-356.
1378. ---. *Pollaccia borealis* sp. nov. associated with a purple-brown leaf spot of aspen. *Canadian-Journal-of-Botany*. 1989; 67(3):776-778.
1379. ---. *Seimatosporium etheridgei* n.sp., associated with a new disease of aspen bark. *European-Journal-of-*

Forest-Pathology. 1978; 8(1):54-58.

1380. Funk, A. and Zalasky, H. *Rhytidiella baranyayi* n.sp., associated with cork-bark of aspen. *Canadian-Journal-of-Botany*. 1975; 53(8):752-755.
1381. Furniss, M. M.; Johnson, J. B.; Westcott, R. L., and Torgersen, T. R. List of Oregon Scolytidae (Coleoptera) and notes on new records. *Great-Basin-Naturalist*. 1992; 52(4):373-378.
1382. Fyodorov, N. I. and Fedorov, N. I. Aspen heart rot in the forests of Byelorussia. Abstracts of Papers, 2nd International Congress of Plant Pathology, Minneapolis. 1973, 0416.
1383. Gabriellii, I.; Gatenholm, P.; Glasser, W. G.; Jain, R. K., and Kenne, L. Separation, characterization and hydrogel-formation of hemicellulose from aspen wood. *Carbohydrate-Polymers*. 2000; 43(4):367-374.
1384. Gagglund, S. E. High-yield pulps from hardwoods using conventional cooking methods and multistage bleaching. 1951, *Tappi* 1951 34 (12), (545-7).
1385. Gal, J. and Bella, I. E. Evaluation of stem taper functions for estimating log volume assortments. *Forestry-Chronicle*. 1995; 71(6):743-746.
1386. ---. New stem taper functions for 12 Saskatchewan timber species. Information-Report -Northwest-Region,-Canadian-Forest-Service. 1994; (No. NOR-X-338):25 pp.
1387. Gal, J. and Smith, J. H. G. Effects of age, sample characteristics and equation form on three non-linear models for volume yields. *Forestry-Chronicle*. 1985; 61(1):14-18.
1388. Galipeau, C.; Kneeshaw, D., and Bergeron, Y. White spruce and balsam fir colonization of a site in the southeastern boreal forest as observed 68 years after fire. *Canadian-Journal-of-Forest-Research*. 1997; 27(2):139-147.
1389. Gallo, L.; Gregorius, H. R., and Hattemer, H. H. Genetic effects of phenotypic traits in *Populus* inferable from an explorative analysis of response functions (ARF) in a factorial mating design. *Silvae-Genetica*. 1995; 44(5-6):290-298.
1390. Gallo, L. A. and Geburek, T. Genetics of isozyme variants in *Populus tremula*, *P. tremuloides* and their hybrids. *Euphytica*. 1991; 53(3):225-233.
1391. Gallo, L. A.; Stephan, B. R., and Krusche, D. Genetic variation of *Melampsora* leaf rust resistance in progenies of crossings between and within *Populus tremula* and *P. tremuloides* clones. *Silvae-Genetica*. 1985; 34(6):208-214.
1392. Gansner, D. A.; Arner, S. L., and Zarnoch, S. J. Timber value growth rates in Maine. *Northern-Journal-of-Applied-Forestry*. 1990; 7(2):62-64.
1393. Gansner, D. A. and Herrick, O. W. Host preferences of gypsy moth on a new frontier of infestation. Research-Note,-Northeastern-Forest-Experiment-Station,-USDA-Forest-Service. 1985, No. NE-330, 3pp.
1394. Gao, Y. and Breuil, C. Wood extractives as carbon sources for staining fungi in the sapwood of lodgepole pine and trembling aspen. Document -International-Research-Group-on-Wood-Preservation. 1995; (No. IRG-WP-95-10098):7 pp.
1395. Gao, Y.; Chen, T., and Breuil, C. Ergosterol - a measure of fungal growth in wood for staining and pitch control fungi. *Biotechnology-Techniques*. 1993; 7(9):621-626.

1396. Garcia Martinez, J. L. and Gil, J. Light regulation of gibberellin biosynthesis and mode of action. *Journal-of-Plant-Growth-Regulation*. 2001; 20(4):354-368.
1397. ---. Light regulation of gibberellin biosynthesis and mode of action. *Journal-of-Plant-Growth-Regulation*. 2001; 20(4):354-368.
1398. Gardner, H. S. and Einspahr, D. W. Reproducibility of micropulping wood samples. 1964, *Tappi* 47 (7), 1964 (432-4). 6 Refs.
1399. Garelkova, Z. and Ganchev, P. Resistance of aspen (*Populus tremula* L.) regenerants to extreme values of pH under in vitro conditions. *Comptes-Rendus-De-l'Academie-Bulgare-Des-Sciences*. 1992; 45(6):83-85.
1400. Garland, H. Aspen for excelsior. 1949, *Lake St. Aspen Rep.* 1949 No. 16, Pp. 10. 14 Refs.
1401. ---. Aspen for veneer. 1948, *Lake St. Aspen Rep.* 1948. No. 13, Pp. 10. 14 Refs.
1402. Garman, S. L.; O'Connell, A. F. Jr., and Connery, J. H. Habitat use and distribution of the mice *Peromyscus leucopus* and *P. maniculatus* on Mount Desert Island, Maine. *Canadian-Field-Naturalist*. 1994; 108(1):67-71.
1403. Garner, J. H. B. Some notes on the study of bark fungi. 1967, *Canad. J. Bot.* 1967 45 (4), (540-1). [8 Refs.].
1404. Garner, J. H. B. and French, D. W. A preliminary survey of the fungi on and in healthy bark of Trembling Aspen (*Populus tremuloides*). 1965, *Abstr. in Phytopathology* 55 (10), 1965 (1059).
1405. Garrett, L. D. Delayed processing of felled trees to reduce wood moisture content. *Forest-Products-Journal*. 1985; 35(3):55-59.
1406. Garrett, P. W. and Zahner, R. Clonal variation in suckering of Aspen obscures effect of various clearcutting treatments. 1964, *J. For.* 62 (10), 1964 (749-50). 6 Refs.
1407. Gary, H. L. Rime contributes to water balance in high-elevation Aspen forests. *Journal-of-Forestry*. 1972; 70(2):93-97.
1408. ---. Soil temperature under forest and grassland cover types in northern New Mexico. 1968, *U.S. For. Serv. Res. Note Rocky Mt. For. Range Exp. Sta.* 1968 No. RM-118, Pp. 11. [7 Refs.].
1409. Gasaway, W. C.; DuBois, S. D.; Boertje, R. D.; Reed, D. J., and Simpson, D. T. Response of radio-collared moose to a large burn in central Alaska. *Canadian-Journal-of-Zoology*. 1989; 67(2):325-329.
1410. Gates, C. C. and Hudson, R. J. Habitat selection by wapiti in a boreal forest enclosure. *Naturaliste-Canadien*. 1981; 108(2):153-166.
1411. Gatherum, G. E.; Gordon, J. C., and Broerman, B. F. S. Effects of clone and light intensity on photosynthesis, respiration and growth of Aspen-Poplar hybrids. 1967, *Silvae Genet.* 1967 16 (4), (128-32). [19 Refs.].
1412. Gauthier, S.; Lefort, P.; Bergeron, Y., and Drapeau, P. Time since fire map, age-class distribution and forest dynamics in the Lake Abitibi Model Forest. *Information-Report -Laurentian-Forestry-Centre,-Quebec-Region,-Canadian-Forest-Service*. 2002; (No.LAU-X-125):vi + 9 pp.
1413. Gauvin, G. Regeneration study in 1955 burn on the Q.N.S. Paper Company limits [in Quebec]. 1964, *Pulp Paper Mag. Can.* 65 (11), 1964 (WR452-WR453).

1414. Gawel, J. E.; Trick, C. G., and Morel, F. M. M. Phytochelatins are bioindicators of atmospheric metal exposure via direct foliar uptake in trees near Sudbury, Ontario, Canada. *Environmental-Science-and-Technology*. 2001; 35(10):2108-2113.
1415. Geimer, R. L. Steam-injection pressing of isocyanate-bonded aspen flakeboards. Latitudes and limitations. *Research-Paper,-Forest-Products-Laboratory,-USDA-Forest-Service*. 1985; (No. FPL 456):16 pp.
1416. Geimer, R. L.; Clemons, C. M., and Wood, J. E. Jr. Density range of compression-molded polypropylene-wood composites. *Wood-and-Fiber-Science*. 1993; 25(2):163-169.
1417. Geimer, R. L.; Heebink, B. G., and Hefty, F. V. Weathering characteristics of particleboard. *USDA-Forest-Service-Research-Paper,-Forest-Products-Laboratory,-Madison*. 1973; (No. FPL 212):21 pp.
1418. Geimer, R. L.; Johnson, S. E., and Kamke, F. A. Response of flakeboard properties to changes in steam injection pressing environments. *Research-Paper -Forest-Products-Laboratory,-USDA-Forest-Service*. 1992; (No. FPL-RP-507):22 pp.
1419. Geimer, R. L.; Souza, M. R. de; Moslemi, A. A., and De Souza, M. R. Accelerated aging of low-density cement-bonded wood composites made conventionally and with carbon dioxide injection. *Drvna-Industrija*. 1996; 47(2):55-62.
1420. Genissel, A.; Leple, J. C.; Millet, N.; Augustin, S.; Jouanin, L., and Pilate, G. High tolerance against *Chrysomela tremulae* of transgenic poplar plants expressing a synthetic cry3Aa gene from *Bacillus thuringiensis* ssp. *tenebrionis*. *Molecular-Breeding*. 2003; 11(2):103-110.
1421. George, C. W. and Blakely, A. D. Effects of ammonium sulphate and ammonium phosphate on flammability. *USDA-Forest-Service-Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station*. 1972; (No. INT-121):26 pp.
1422. Gephart, J. S.; Tevik, J. B.; Adams, R. D., and Berguson, W. E. Aspen supply in Minnesota 1977 to 2007. *Technical-Report -Natural-Resources-Research-Institute,-University-of-Minnesota*. 1990; (No. NRRRI-TR-90-10):ix + 61 pp.
1423. Gerard, J. C. Profiles in dimensional behaviour of particles in simulated particleboard constructions. 1966, *For. Prod. J.* 1966 16 (6), (40-8). [17 Refs.].
1424. Gerhards, C. C. Limited evaluation of physical and mechanical properties of Nepal Alder grown in Hawaii. 1964, *U.S. For. Serv. Res. Note U.S. For. Prod. Lab., Madison No. FPL-036*, 1964. Pp. 4 + 3 Tbls., 2 Sets of Photos. 7 Refs.
1425. Gerlach, J. P.; Reich, P. B.; Puettmann, K., and Baker, T. Species, diversity, and density affect tree seedling mortality from *Armillaria* root rot. *Canadian-Journal-of-Forest-Research*. 1997; 27(9):1509-1512.
1426. Geron, C. D. and Ruark, G. A. Comparison of constant and variable allometric ratios for predicting foliar biomass of various tree genera. *Canadian-Journal-of-Forest-Research*. 1988; 18(10):1298-1304.
1427. Gertjejansen, R. Wet process hardboards from Aspen sapwood and discolored heartwood. 1969, *For. Prod. J.* 1969 19 (9), (103-7). [5 Refs.].
1428. Gertjejansen, R. and Haygreen, J. The effect of Aspen bark from butt and upper logs on the physical properties of wafer-type and flake-type particleboards. *Forest-Products-Journal*. 1973; 23(9):66-71.
1429. Gertjejansen, R. and Hedquist, D. Influence of paper birch on the properties of aspen waferboard: a mill trial. *Forest-Products-Journal*. 1982; 32(11-12):33-34.

1430. Gertjejansen, R.; Hyvarinen, M.; Haygreen, J.; French, D., and Hyvarinen, M. J. Physical properties of phenolic bonded wafer-type particleboard from mixtures of Aspen, Paper Birch, and Tamarack. *Forest-Products-Journal*. 1973; 23(6):24-28.
1431. Gertjejansen, R. O. Properties of particleboard from sunflower stalks and aspen planer shavings. *Technical-Bulletin,-Agricultural-Experiment-Station,-University-of-Minnesota*. 1977; (No. 311):8 pp.
1432. Gertjejansen, R. O.; Schmidt, E. L., and Ritter, D. C. Assessment of preservative-treated aspen waferboard after 5 years of field exposure. *Forest-Products-Journal*. 1989; 39(4):15-19.
1433. Gese, E. C. and Shadle, A. R. Reforestation of Aspen after complete cutting by beavers. 1943, *J. Wildlife Mgmt.* 7 1943 (223-8). [University of Buffalo, Buffalo, N.Y.] B.A.P.
1434. Gevorkiantz, S. R. Site index curves for Aspen in the Lake States. 1956, *Tech. Note Lake St. For. Exp. Sta.* 1956 No. 464, Pp. 2. 1 Ref.
1435. Gevorkiantz, S. R.; Rudolf, P. O., and Zehngraff, P. J. A tree classification for Aspen, Jack Pine, and second-growth Red Pine. 1943, *J. For.* 41 1943 (268-74). [Lake States Forest Exp. Sta.].
1436. Gevorkiantz, S. R. and Zehngraff, P. Scaling Aspen bolts by the cord. 1943, *J. For.* 41 1943 (450-2). [Lake States For. Exp. Sta.].
1437. Gharib, F. H.; Goodrich, R. D.; Meiske, J. C., and El Serafy, A. M. Effects of grinding and sodium hydroxide treatment on poplar bark. *Journal-of-Animal-Science*. 1975, 40: 4, 727-733.
1438. Gharib, F. H.; Meiske, J. C.; Goodrich, R. D., and El Serafy, A. M. In vitro evaluation of chemically-treated poplar bark. Gharib, F. H.; Goodrich, R. D.; Meiske, J. C.; El Serafy, A. M. : Effects of Grinding and Sodium Hydroxide Treatment on Poplar Bark. *Journal-of-Animal-Science*. 1975, 40: 4, 734-742.
1439. Gharibian, S.; Hoffert, C.; Abraham, L. D., and Breuil, C. Localizing an *Ophiostoma piceae* proteinase in sapwood of four tree species using polyclonal antibodies. *New-Phytologist*. 1996; 133(4):673-679.
1440. Ghent, A. W. Mortality of overstory Trembling Aspen in relation to outbreaks of the forest tent caterpillar [*Malacosoma disstria*] and the Spruce budworm [*Choristoneura fumiferana*]. 1958, *Ecology* 1958 39 (2), (222-32). 9 Refs.
1441. ---. Studies of regeneration in forest stands devastated by the Spruce budworm. IV. Problems of stocked-quadrat sampling. 1969, *For. Sci.* 1969 15 (4), (417-29). [19 Refs.].
1442. ---. The treatment of decayed wood from dead Trembling Aspen trees for growth-ring analysis. 1954, *For. Chron.* 1954 30 (3), (280-3).
1443. Ghitter, G. S.; Hall, R. J., and Franklin, S. E. Variability of Landsat Thematic Mapper data in boreal deciduous and mixed-wood stands with conifer understory. *International-Journal-of-Remote-Sensing*. 1995; 16(16):2989-3002.
1444. Giardina, C. P.; Ryan, M. G.; Hubbard, R. M., and Binkley, D. Tree species and soil textural controls on carbon and nitrogen mineralization rates. *Soil-Science-Society-of-America-Journal*. 2001; 65(4):1272-1279.
1445. Gibbs, R. D. Studies in tree physiology. I. General introduction. Water contents of certain Canadian trees. 1939, *Canad. J. Res.* 17 1939 (460-82). [Department of Botany, McGill University, Montreal.] P.R.

1446. Giertz, H. W. Chemimechanical pulping of hardwoods. Symposium Internacional EU CE PA, Madrid. 1974; (Paper No. 11):35 pp.
1447. Gifford, G. F. The influence of growth media, temperatures, and light intensities on Aspen root and top growth. 1967, U.S. For. Serv. Res. Note Intermt. For. Range Exp. Sta. No. INT-67, 1967. Pp. 4. [3 Refs.].
1448. Gifford, G. F.; Humphries, W., and Jaynes, R. A. A preliminary quantification of the impacts of aspen to conifer succession on water yield - II. Modeling results. Water-Resources-Bulletin. 1984; 20(2):181-186.
1449. Gifford, G. G. Aspen root studies on three sites in northern Utah. 1966, Amer. Midl. Nat. 75 (1), 1966 (132-41). 17 Refs.
1450. Gilbertson, R. and Mathiasen, R. First report of *Phoradendron macrophyllum* on *Populus tremuloides*. Plant-Disease. 2001; 85(10):1120.
1451. Gilbertson, R. L. and Budington, A. B. Three new species of wood-rotting fungi in the Corticiaceae. 1970, Mycologia 1970 62 (4), (673-8). [5 Refs.].
1452. Gilfillan, M. C. and Bezdek, H. Winter foods of the ruffed grouse in Ohio. 1944, J. Wildlife Mgmt. 1944. 8 (3). (208-10).
1453. Gill, C. B. The development of forestry in Manitoba. 1939, Emp. For. J. 18 1939 (30-43).
1454. Gilmore, D. W. To thin or not to thin: using the Forest Vegetation Simulator to evaluate thinning of aspen. Northern-Journal-of-Applied-Forestry. 2003; 20(1):14-18.
1455. Gingerich, L. L. Glyphosate (Roundup) for forestry and brush control - summary of 1982 results. Proceedings, North Central Weed Control Conference. 1982, 127-128.
1456. Gingras, J. F. The cost of product sorting during harvesting. Technical-Note -Forest-Engineering-Research-Institute-of-Canada. 1996; (No. TN-245):12 pp.
1457. ---. Partial cutting in boreal mixed woods: a comparison of productivity and site impacts with different harvesting systems. Field-Note:-Partial-Cutting -Forest-Engineering-Research-Institute-of-Canada. 1995; (No. 4):2 pp.
1458. Ginns, J. *Steccherinum oreophilum*: cultural characters and occurrence in North America. Mycologia. 1982; 74(1):20-25.
1459. Girschner, S. E. and Stokke, D. D. Structural flakeboards from aspen-red maple mixtures. Forest-Products-Journal. 1991; 41(3):15-20.
1460. Gladysz, A. Quality of aspen seeds produced under greenhouse conditions. Translation. 1986, Transl. From Sylwan (1983) 127 (2), 9-20.
1461. Godbout, C. and Fortin, J. A. Synthesized ectomycorrhizae of aspen: fungal genus level of structural characterization. Canadian-Journal-of-Botany. 1985; 63(2):252-262.
1462. Goetz, S. J. and Prince, S. D. Remote sensing of net primary production in boreal forest stands. Agricultural-and-Forest-Meteorology. 1996; 78(3-4):149-179.
1463. ---. Variability in carbon exchange and light utilization among boreal forest stands: implications for remote sensing of net primary production. Canadian-Journal-of-Forest-Research. 1998; 28(3):375-389.

1464. Goff, F. G. and Zedler, P. H. Structural gradient analysis of upland forests in the western Great Lakes area. 1968, *Ecol. Monogr.* 1968 38 (1), (65-86). [49 Refs.].
1465. Golding, D. L. and Hall, O. F. Tests of precision of cubic-foot tree-volume equations. 1961, *For. Chron.* 37 (2), 1961 (123-32).
1466. Goldsborough, L. G. and Brown, D. J. Dissipation of glyphosate and aminomethylphosphonic acid in water and sediments of boreal forest ponds. *Environmental-Toxicology-and-Chemistry.* 1993; 12(7):1139-1147.
1467. Gomez Bueso, J.; Westin, M.; Torgilsson, R.; Olesen, P. O., and Simonson, R. Composites made from acetylated lignocellulosic fibers of different origin. Part II. The effect of nonwoven fiber mat composition upon molding ability. *Holz-Als-Roh-Und-Werkstoff.* 1999; 57(3):178-184.
1468. Goodfellow, J. W. and Mider, R. H. Evaluation of several alternatives to basal applications of 2,4,5-T. *Journal-of-Arboriculture.* 1981; 7(11):303-307.
1469. Gordon, A. G. and Gorham, E. Ecological aspects of air pollution from an iron sintering plant at Wawa, Ontario. 1963, *Canad. J. Bot.* 41 (7), 1963 (1063-78 + 5 Photos, 1 Map). 7 Refs.
1470. Gordon, A. G.; Wein, R. W. (ed.); Riewe, R. R. (ed.), and Methven, I. R. Nutrient cycling dynamics in differing spruce and mixedwood ecosystems in Ontario and the effects of nutrient removals through harvesting. *Resources and Dynamics of the Boreal Zone.* 1983; (97-118; 6 fig.):6 tab.
1471. Gordon, A. M.; Schlentner, R. E., and Cleve, K. van. Seasonal patterns of soil respiration and CO₂ evolution following harvesting in the white spruce forests of interior Alaska. *Canadian-Journal-of-Forest-Research.* 1987; 17(4):304-310.
1472. Gosz, J. R. Biomass distribution and production budget for a nonaggrading forest ecosystem. *Ecology.* 1980; 61(3):507-514.
1473. Gosz, J. R. and Moore, D. I. Strontium isotope studies of atmospheric inputs to forested watersheds in New Mexico. *Biogeochemistry.* 1989; 8(2):115-134.
1474. Gosz, J. R. and White, C. S. Seasonal and annual variation in nitrogen mineralization and nitrification along an elevational gradient in New Mexico. *Biogeochemistry.* 1986; 2(3):281-297.
1475. Gottesfeld, L. M. J. Aboriginal burning for vegetation management in Northwest British Columbia. *Human-Ecology-New-York.* 1994; 22(2):171-188.
1476. Gottfried, G. J. Effects of modified skidding rules on mixed conifer advance regeneration in Arizona. *Research-Note -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service.* 1987; (No. RM-479):8 pp.
1477. ---. Five-year growth and development in a virgin Arizona mixed conifer stand. *Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service.* 1978; (No. RM-203):22 pp.
1478. ---. Stand changes on a southwestern mixed conifer watershed after timber harvesting. *Journal-of-Forestry.* 1983; 81(5):311-316.
1479. Gottfried, G. J. and Ffolliott, P. F. Annual needle and leaf fall in an Arizona mixed conifer stand. *Research-Note,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service.* 1983, RM-428, 4 Pp.

1480. Goulet, F. and Bellefleur, P. Leaf morphology plasticity in response to light environment in deciduous tree species and its implication on forest succession. *Canadian-Journal-of-Forest-Research*. 1986; 16(6):1192-1195.
1481. Goward, T. and Arsenault, A. Cyanolichen distribution in young unmanaged forests: a dripzone effect? *Bryologist*. 2000; 103(1):28-37.
1482. Gower, S. T.; Hunter, A.; Campbell, J.; Vogel, J.; Veldhuis, H.; Harden, J.; Trumbore, S.; Norman, J. M., and Kucharik, C. J. Nutrient dynamics of the southern and northern BOREAS boreal forests. *Ecoscience*. 2000; 7(4):481-490.
1483. Graham, G. M. and Betters, D. R. A simulation model for economic analysis of timber/forage production alternatives in Rocky Mountain aspen stands. *Forest-Ecology-and-Management*. 1985; 10(4):313-321.
1484. Graham, L. L. and Johnson, M. A. Sucrose synthetase from triploid quaking aspen callus. *Phytochemistry*. 1978; 17(8):1231-1233.
1485. Graham, S. A. Climax forests of the Upper Peninsula of Michigan. 1941, *Ecology* 22, 1941 (355-62). [University of Michigan.].
1486. ---. Results of deer enclosure experiments in the Ottawa National Forest. 1958, *Trans. N. Amer. Wildlife Conf.* 1958 23 (478-90).
1487. Graham, S. A. and Harrison, R. P. Insect attacks and Hypoxylon infections in Aspen. 1954, *J. For.* 1954 52 (10), (741-3).
1488. ---. Site identification for Bigtooth Aspen sucker stands. 1955, *Mich. For.* 1955 No. 10 Pp. 4.
1489. Graham, S. A. and Orr, L. W. The Spruce budworm in Minnesota. 1940, *Tech. Bull. Minn. Agric. Exp. Sta.* No. 142 1940. Pp. 27. [University of Minnesota.].
1490. Granata, A. and Argyropoulos, D. S. 2-Chloro-4,4,5,5-tetramethyl-1,3,2-dioxaphospholane, a reagent for the accurate determination of the uncondensed and condensed phenolic moieties in lignins. *Journal-of-Agricultural-and-Food-Chemistry*. 1995; 43(6):1538-1544.
1491. Granfeldt, T.; Jackson, M.; Iverson, S. L.; Chuaqui, C. A., and Free, D. The effects of electron beam pretreatment of wood chips on energy consumption in high-yield pulping. *Tappi-Journal*. 1992; 75(6):175-182.
1492. Granger, R. J.; Pomeroy, J. W.; Rosbjerg, D. (ed.); Boutayeb, N. E. (ed.); Gustard, A. (ed.); Kundzewicz, Z. W. (ed.), and Rasmussen, P. F. Sustainability of the western Canadian boreal forest under changing hydrological conditions. II. Summer energy and water use. Sustainability of Water Resources Under Increasing Uncertainty. Proceedings of an international symposium of the Fifth Scientific Assembly of the International Association of Hydrological Sciences (IAHS); (Rabat):Morocco, 23 April to 3 May 1997. 1997, 243-249.
1493. Grant, G. G. and Langevin, D. Oviposition responses of four Choristoneura (Lepidoptera: Tortricidae) species to chemical and physical stimuli associated with host and nonhost foliage. *Environmental-Entomology*. 1994; 23(2):447-456.
1494. Grant, G. G.; Pendrel, B.; Slessor, K. N.; Meng, X. Z., and Miller, W. E. Identification of sex pheromone components for two lepidopteran defoliators, the oak olethreutid leafroller, *Pseudexentera spoliata* (Clemens), and the aspen leafroller, *Pseudexentera oregonana* (Walsingham). *Canadian-Entomologist*. 1991; 123(6):1209-1218.

1495. Grant, R. F.; Black, T. A.; Hartog, G. den; Berry, J. A.; Neumann, H. H.; Blanken, P. D.; Yang, P. C.; Russell, C.; Nalder, I. A., and den Hartog, G. Diurnal and annual exchanges of mass and energy between an aspen-hazelnut forest and the atmosphere: testing the mathematical model Ecosys with data from the BOREAS experiment. Special Section. 1999; 104(D22):27699-27717.
1496. Grant, R. F. and Nalder, I. A. Climate change effects on net carbon exchange of a boreal aspen-hazelnut forest: estimates from the ecosystem model ecosys. *Global-Change-Biology*. 2000; 6(2):183-200.
1497. Grant, T. A. and Berkey, G. B. Forest area and avian diversity in fragmented aspen woodland of North Dakota. *Wildlife-Society-Bulletin*. 1999; 27(4):904-914.
1498. Grattan, D. W. A practical comparative study of several treatments for waterlogged wood. *Studies-in-Conservation*. 1982; 27(3):124-136.
1499. Graustein, W. C.; Rundel, P. W. (ed.); Ehleringer, J. R. (ed.), and Nagy, K. A. $^{87}\text{Sr}/^{86}\text{Sr}$ ratios measure the sources and flow of strontium in terrestrial ecosystems. *Stable-Isotopes-in-Ecological-Research*. 1988, 491-512; 29 Ref.
1500. Gray, W. G. The raising of Aspen from seed. 1949, *For. Rec. For. Comm., Lond.* 1949. No. 2, Pp. 7.
1501. Grayl, L. E.; Jokela, J. J., and Wycoff, H. B. Blackstem of Cottonwood. 1965, *Plant Dis. Repr.* 1965 49 (10), (867-8). [2 Refs.].
1502. Green, A. W. Promoting the spread of Bigtooth Aspen [*Populus grandidentata*] in Iowa. 1961, *Sta. Note Cent. St. For. Exp. Sta. No. 149*, 1961. Pp. 2.
1503. Green, D. S. and Kruger, E. L. Light-mediated constraints on leaf function correlate with leaf structure among deciduous and evergreen tree species. *Tree-Physiology*. 2001; 21(18):1341-1346.
1504. Green, G. W. and Sullivan, C. R. Ants attacking larvae of the forest tent caterpillar, *Malacosoma disstria* Hbn. (Lepidoptera: Lasiocampidae). 1950, *Canad. Ent.* 1950 82 (9), (194-5). [Forest Insect Laboratory, Sault Ste. Marie, Ont.].
1505. Green, K. A.; Zasada, J. C., and Cleve, K. van. An albino Aspen sucker. 1971, *For. Sci.* 1971 17 (2), (272). [3 Ref.].
1506. Greenaway, W.; English, S.; May, J., and Whatley, F. R. Chemotaxonomy of section Leuce poplars by GC-MS of bud exudate. *Biochemical-Systematics-and-Ecology*. 1991; 19(6):507-518.
1507. Greenaway, W.; May, J.; Scaysbrook, T., and Whatley, F. R. Compositions of bud and leaf exudates of some *Populus* species. *Zeitschrift-Fur-Naturforschung.-Section-C,-Biosciences*. 1992; 47(5-6):329-334.
1508. Greenblatt, J. A.; Witter, J. A., and Wellington, W. G. Behavioral studies on *Malacosoma disstria* (Lepidoptera: Lasiocampidae). *Canadian-Entomologist*. 1976; 108(11):1225-1228.
1509. Greene, D. F. and Johnson, E. A. Modelling recruitment of *Populus tremuloides*, *Pinus banksiana*, and *Picea mariana* following fire in the mixedwood boreal forest. *Canadian-Journal-of-Forest-Research*. 1999; 29(4):462-473.
1510. Greene, D. F.; Kneeshaw, D. D.; Messier, C.; Lieffers, V.; Cormier, D.; Doucet, R.; Coates, K. D.; Groot, A.; Grover, G., and Calogeropoulos, C. Modelling silvicultural alternatives for conifer regeneration in boreal mixedwood stands (aspen/white spruce/balsam fir). *Forestry-Chronicle*. 2002; 78(2):281-295.

1511. Greene, J. G. Clonal variation in *Populus tremuloides* Michx. on the east slope of the Front Range, Boulder County, Colorado [USA]. *Dissertation-Abstracts-International*, -B. 1972; 32(7):3784-3785.
1512. Greene, S. What we learned in our study of 11 particle boards. 1961, *Wood*, Chicago 66 (4), 1961 (30-2, 78-9).
1513. Greene, T. A. and Nichols, T. J. Effects of long-term military training traffic on forest vegetation in central Minnesota. *Northern-Journal-of-Applied-Forestry*. 1996; 13(4):157-163.
1514. Gregory, R. A. and Haack, P. M. Growth and yield of well-stocked Aspen and Birch stands in Alaska. 1965, *U.S. For. Serv. Res. Pap. Nth. For. Exp. Sta. No. NOR-2*, 1965. Pp. 28. 7 Refs.
1515. Greitner, C. S. Growth and photosynthesis of plants in response to environmental stress. *Dissertation-Abstracts-International*, -B, -Sciences-and-Engineering. 1991; 52(3):1169B.
1516. Greitner, C. S.; Pell, E. J., and Winner, W. E. Analysis of aspen foliage exposed to multiple stresses: ozone, nitrogen deficiency and drought. *New-Phytologist*. 1994; 127(3):579-589.
1517. Gremler, E. R. and McGovern, J. N. Low-power cold soda pulping. 1960, *Tappi* 43 (8), 1960 (200A-205A). 4 Refs.
1518. Grewal, H. Parent stand age and harvesting treatment effects on juvenile aspen biomass productivity. *Forestry-Chronicle*. 1995; 71(3):299-303.
1519. Gries, R.; Holden, R.; Gries, G.; Wimalaratne, P. D. C.; Slessor, K. N., and Saunders, C. 3Z-cis-6,7-cis-9,10-Di-epoxy-heneicosene: novel class of Lepidopteran pheromone. *Naturwissenschaften*. 1997; 84(5):219-221.
1520. Griffen, D. H.; Quinn, K. E.; Gilbert, G. S.; Wang, C. J. K., and Rosemarin, S. The role of ascospores and conidia as propagules in the disease cycle of *Hypoxyylon mammatum*. *Phytopathology*. 1992; 82(1):114-119.
1521. Griffin, D. H. and Manion, P. D. Host-pathogen interactions as measured by bioassay of metabolites as produced by *Hypoxyylon mammatum* with its host *Populus tremuloides*. *Phytopathology*. 1985; 75(6):674-678.
1522. ---. Ordination, a multivariate method for estimating relative resistance of *Populus tremuloides* and virulence of *Hypoxyylon mammatum*. *Phytopathology*. 1986; 76(12):1289-1293.
1523. Griffin, D. H.; Manion, P. D.; Valentine, F. A., and Gustavson, L. Canker elongation, branch death, and callus formation as resistance or susceptibility responses in *Populus tremuloides* and virulence or avirulence characteristics of *Hypoxyylon mammatum*. *Phytopathology*. 1984; 74(6):683-687.
1524. Griffin, D. H.; Schaedle, M.; DeVit, M. J., and Manion, P. D. Clonal variation of *Populus tremuloides* responses to diurnal drought stress. *Tree-Physiology*. 1991; 8(3):297-304.
1525. Griffin, D. H.; Schaedle, M.; Manion, P. D., and DeVit, M. J. Clonal variation in amino acid contents of roots, stems, and leaves of aspen (*Populus tremuloides* Michx.) as influenced by diurnal drought stress. *Tree-Physiology*. 1991; 8(4):337-350.
1526. Griffis, T. J.; Black, T. A.; Morgenstern, K.; Barr, A. G.; Nestic, Z.; Drewitt, G. B.; Gaumont Guay, D., and McCaughey, J. H. Ecophysiological controls on the carbon balances of three southern boreal forests. *Agricultural-and-Forest-Meteorology*. 2003; 117(1-2):53-71.
1527. Grigal, D. F. and Arneman, H. F. Quantitative relationships among vegetation and soil classifications from

northeastern Minnesota. 1970, *Canad. J. Bot.* 1970 48 (3), (555-66). [45 Refs.].

1528. Grigal, D. F. and McColl, J. G. Litter decomposition following forest fire in northeastern Minnesota. *Journal-of-Applied-Ecology*. 1977; 14(2):531-538.
1529. Grigal, D. F.; McRoberts, R. E., and Ohmann, L. F. Spatial variation in chemical properties of forest floor and surface mineral soil in the North Central United States. *Soil-Science*. 1991; 151(4):282-290.
1530. Grigal, D. F. and Ohmann, L. F. Carbon storage in upland forests of the Lake States. *Soil-Science-Society-of-America-Journal*. 1992; 56(3):935-943.
1531. ---. Spatial patterns in elemental concentrations of the forest floor across the north central USA. *Journal-of-Environmental-Quality*. 1989; 18(3):368-373.
1532. Grigel, J. E. Air drop tests with Fire-Trol 100 and Phos-Chek 205 fire retardants. Information-Report, Northern-Forest-Research-Centre,-Canada. 1971; (No. NOR-X-8):41pp.
1533. Grimble, D. G. Life tables and mortality factors for *Oberea schaumii* and *Saperda inornata* (Coleoptera: Cerambycidae) [on *Populus tremuloides*]. 1969, Abstr. of thesis; (in *Dissert. Abstr. int.* 1969 30B (5):(1974). [Order No. 69-18,014. Price M. \$3.00.
1534. Grimble, D. G. and Knight, F. B. Life tables and mortality factors for *Saperda inornata* [*S. concolor*] (Coleoptera: Cerambycidae). 1970, *Ann. Ent. Soc. Amer.* 1970 63 (5), (1309-19). [12 Refs.].
1535. ---. Mortality factors for *Oberea schaumii* (Coleoptera: Cerambycidae) [on *Populus tremuloides* in N. Michigan]. 1971, *Ann. Ent. Soc. Amer.* 1971 64 (6), (1417-20). [4 Ref. ORS] [Cf. FA 32 No. 6469.].
1536. Grimble, D. G.; Knight, F. B., and Nord, J. C. Associated insects reared from galls of *Saperda inornata* (Coleoptera: Cerambycidae) on Trembling Aspen in Michigan. *The-Michigan-Entomologist*. 1971; 4(2):53-57.
1537. Grimble, D. G.; Nord, J. C., and Knight, F. B. Oviposition characteristics and early larval mortality of *Saperda inornata* [*S. concolor*] and *Oberea schaumii* in Michigan Aspen. 1969, *Ann. Ent. Soc. Amer.* 1969 62 (2), (308-15). [10 Refs.].
1538. Grimm, E. C. Fire and other factors controlling the Big Woods vegetation of Minnesota in the mid-nineteenth century. *Ecological-Monographs*. 1984; 54(3):291-311.
1539. Groenewoud, H. van and Ihm, P. A cluster analysis based on graph theory. *Vegetatio*. 1974; 29(2):115-120.
1540. Groff, R. W. Minnesota's Aspen and its projected supply. 1966, U.S. For. Serv. Res. Note Nth. Cent. For. Exp. Sta. No. NC-4, 1966. Pp. 4.
1541. Groot, A. and Carlson, D. W. Influence of shelter on night temperatures, frost damage, and bud break of white spruce seedlings. *Canadian-Journal-of-Forest-Research*. 1996; 26(9):1531-1538.
1542. Groot, A.; Carlson, D. W.; Fleming, R. L., and Wood, J. E. Small openings in trembling aspen forest: microclimate and regeneration of white spruce and trembling aspen. NODA-NFP-Technical-Report. 1997; (No. TR-47):25 pp.
1543. Groot, A.; Thompson, D. G. (ed.), and Wagner, R. G. Effects of shelter and competition on the early growth of planted white spruce (*Picea glauca*). Proceedings of the Third International Conference on Forest Vegetation Management, Sault Ste. Marie; Ontario, Canada, August 24-28, 1998. *Canadian-Journal-of-Forest-Research*. 1999, 29(7):1002-1014.

1544. Groot, P. de; MacDonald, L. M., and de Groot, P. Green leaf volatiles inhibit response of red pine cone beetle *Conophthorus resinosae* (Coleoptera: Scolytidae) to a sex pheromone. *Naturwissenschaften*. 1999; 86(2):81-85.
1545. Gross, H. L. and Basham, J. T. Diseases of aspen suckers in northern Ontario. Report, -Great-Lakes-Forest-Research-Centre, -Canada. 1981; (No. 0-X-329):vi + 16 pp.
1546. Gross, H. L. and Syme, P. D. Damage to aspen regeneration in northern Ontario by the ghost moth *Sthenopis quadriguttatus* Grote. *Canadian-Forestry-Service-Research-Notes*. 1981; 1(4):30-31.
1547. Grossbechler, F. Propagation of rust resistant poplars. *Australian-Parks-and-Recreation*. 1978; (February):19-20.
1548. Grozdits, G. A. and Chauret, G. The distribution and form of deformation in transversely compressed wood. Report, -Eastern-Forest-Products-Laboratory, -Canada. 1978; (No. OPX204E):iv + 47 pp.
1549. Grubov, S. I. Effect of lubrication on the magnitude of $\Delta\mu$, the static coefficient of resistance to movement of unbarked logs. 1971, *Lesn. Zh.* 1971 14 (1), (148). [Ru].
1550. Gruell, G. E.; Boyce, M. S. (ed.), and Hayden Wing, L. D. Wildlife habitat investigations and management implications on the Bridger-Teton National Forest. *North-American-Elk: -Ecology, -Behavior-and-Management*. 1979, 63-74; 6 Pl.; 15 Ref.
1551. Gruell, G. E.; Brown, J. K., and Bushey, C. L. Prescribed fire opportunities in grasslands invaded by Douglas-fir: state-of-the-art guidelines. *General-Technical-Report -Intermountain-Research-Station, -USDA-Forest-Service*. 1986; (No. INT-198):19 pp.
1552. Gruenhagen, R. H. *Hypoxylon pruina* and its pathogenesis on Poplar. 1945, *Phytopathology* 1945 35, (72-89).
1553. ---. Life history of *Hypoxylon pruina* in relation to pathogenicity on Aspen. 1943, *Abstr. in Phytopathology* 33 1943 (1112).
1554. Grunwald, C.; Deutsch, F.; Eckstein, D., and Fladung, M. Wood formation in rolC transgenic aspen trees. *Trees: -Structure-and-Function*. 2000; 14(5):297-304.
1555. Grunwald, C.; Ruel, K.; Kim, Y. S., and Schmitt, U. On the cytochemistry of cell wall formation in poplar trees. *Plant-Biology*. 2002; 4(1):13-21.
1556. Grunwald, C.; Ruel, K.; Schmitt, U.; Plomion, C. (ed.), and Cahalan, C. Differentiation of xylem cells in rolC transgenic aspen trees -- a study of secondary cell wall development. *Wood, Breeding, Biotechnology and Industrial Expectations. Proceedings of the WBB conference; Bordeaux, France, 11-14 June 2001. Annals-of-Forest-Science*. 2002, 59(5-6):679-685.
1557. Grunwald, C.; Schmitt, U.; Ruel, K., and Bucar, B. Some fine structural aspects on the wood formation in aspen trees. *Proceedings-of-the-Fifth-International-Conference-on-the-Development-of-Wood-Science, -Wood-Technology-and-Forestry, -ICWSF-2001, -Ljubljana, -Slovenija, -5-7-September-2001*. 2001, 3-10; 19 Ref.
1558. Gu LianHong; Shugart, H. H.; Fuentes, J. D.; Black, T. A.; Shewchuk, S. R., and Gu, L. H. Micrometeorology, biophysical exchanges and NEE decomposition in a two-story boreal forest - development and test of an integrated model. *Agricultural-and-Forest-Meteorology*. 1999; 94(2):123-148.
1559. Guan, B. T. and Gertner, G. Z. Modeling individual tree survival probability with a random optimization

procedure: an artificial neural network approach. *AI-Applications*. 1995; 9(2):39-52.

1560. Guenther, A.; Greenberg, J.; Harley, P.; Helmig, D.; Klinger, L.; Vierling, L.; Zimmerman, P.; Geron, C.; Whitehead, D. (ed.), and Kelliher, F. M. Leaf, branch, stand and landscape scale measurements of volatile organic compound fluxes from U.S. woodlands. *Interactive Environmental Effects on Forest Stands. Papers presented at a traveling workshop sponsored by IUFRO; held 5-13 February 1995 in New Zealand. Tree-Physiology*. 1996, 16(1-2):17-24.
1561. Guglielmo, C. G. and Karasov, W. H. Nutritional quality of winter browse for ruffed grouse. *Journal-of-Wildlife-Management*. 1995; 59(3):427-436.
1562. Guglielmo, C. G.; Karasov, W. H., and Jakubas, W. J. Nutritional costs of a plant secondary metabolite explain selective foraging by ruffed grouse. *Ecology*. 1996; 77(4):1103-1115.
1563. Gugin Yu.A; Ivanova, I. S., and Dolinko, V. V. Factors affecting the strength of pulp from hardwoods. 1971, *Bumazh. Prom.* 1971 (6), (16-7). [Ru, 1 Ref.].
1564. Guilkey, P. C. Cordwood in tops of conifers and Aspen in the Lake States. 1949, *Tech. Notes Lake St. For. Exp. Sta.* 1949 No. 315, P.1.
1565. Gulii, V. V. Pathogenesis and pathological morphology of the polyhedrosis of the Aspen sawfly *Cladius viminalis*. 1971, *Biol. Nauki* 1971 (10), (12-8). [Ru, 8 Ref.].
1566. Gulledge, J. and Schimel, J. P. Controls on soil carbon dioxide and methane fluxes in a variety of taiga forest stands in interior Alaska. *Ecosystems*. 2000; 3(3):269-282.
1567. Gullion, G. W. Ruffed grouse use of conifer plantations. *Wildlife-Society-Bulletin*. 1990; 18(2):183-187.
1568. Gullion, G. W. and Adams, R. D. Management of aspen for ruffed grouse and other wildlife - an update. *Aspen Symposium '89: Proceedings. Duluth; (Minnesota):July 25-27, 1989. General-Technical-Report -North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1990, No. NC-140, 133-143.
1569. Gullion, G. W. and Alm, A. A. Forest management and ruffed grouse populations in a Minnesota coniferous forest. *Journal-of-Forestry*. 1983, 81: 8, 529-532, 536.
1570. Gunderson, W. R. H. Home-treated fence posts serve well. 1949, *Tech. Notes Lake St. For. Exp. Sta.* 1949. No. 325, P. 1.
1571. Gunzl, L. Guidelines for the afforestation of marginal agricultural sites, with special reference to fast-growing species. 1971, *Allg. Forstztg.* 1971 82 (10), (287-91). [De, 8 Ref.].
1572. Guries, R. P. and Stettler, R. F. Pre-fertilization barriers to hybridization in the Poplars. *Silvae-Genetica*. 1976; 25(2):37-44.
1573. Gurnagul, N.; Page, D. H., and Seth, R. S. Dry sheet properties of Canadian hardwood kraft pulps. *JPPS,-Journal-of-Pulp-and-Paper-Science*. 1990; 16(1):36-41.
1574. Gutsell, S. L. and Johnson, E. A. Accurately ageing trees and examining their height-growth rates: implications for interpreting forest dynamics. *Journal-of-Ecology-Oxford*. 2002; 90(1):153-166.
1575. Guyon, J. C.; Jacobi, W. R., and McIntyre, G. A. Effects of environmental stress on the development of *Cytospora* canker of aspen. *Plant-Disease*. 1996; 80(12):1320-1326.
1576. Guzina, V. Genetic control of isoperoxidases Px-A1, Px-A2, Px-B1 and Px-B2 in aspen (*Populus tremula*

- L.). *Anali-Za-Sumarstvo*. 1978; 8(4):51-90.
1577. ---. The genetics of European aspen (*Populus tremula* L.). *Anali-Za-Sumarstvo*. 1981; 9(1):1-38.
1578. Gysel, L. W. Bulldozing to provide browse for deer. 1961, *Quart. Bull. Mich. Agric. Exp. Sta.* 43 (4), 1961 (722-31). 2 Refs.
1579. ---. Effects of silvicultural practices on wildlife food and cover in Oak and Aspen types in Northern Michigan. 1957, *J. For.* 1957 55 (11), (803-9).
1580. Haack, P. M. Volume tables for trees of interior Alaska. 1963, U.S. For. Serv. Res. Note Nth. For. Exp. Sta. No. NOR-5, 1963. Pp. 11. 3 Refs.
1581. Haas, B. R. and Kremers, R. E. Analysis of stone cells from Bigtooth and Quaking Aspens. 1961, *Tappi* 44 (10), 1961 (747-8). 8 Refs.
1582. ---. The pectic substances as an index to the chemistry of wood formation. 1964, *Tappi* 47 (9), 1964 (568-73). 20 Refs.
1583. Haas, B. R. and Kremers, R. E. Loosening bark from pulpwood with dilute acids. 1964, *Tappi* 47 (11), 1964 (726-8). 5 Refs.
1584. Haas, T. C. A Bayesian Belief Network advisory system for aspen regeneration. *Forest-Science*. 1991; 37(2):627-654.
1585. Haas, T. C.; Mowrer, H. T., and Shepperd, W. D. Modeling aspen stand growth with a temporal Bayes network. *AI-Applications*. 1994; 8(1):15-28.
1586. Haataja, B. A. and Laks, P. E. Properties of flakeboard made from northern white-cedar. *Forest-Products-Journal*. 1995; 45(1):68-70.
1587. Haataja, H.; Voipio, H. M.; Nevalainen, A.; Jantunen, M. J., and Nevalainen, T. Deciduous wood chips as bedding material: estimation of dust yield, water absorption and microbiological comparison. *Scandinavian-Journal-of-Laboratory-Animal-Science*. 1989; 16(3):105, 107, 109-111.
1588. Hacke, U. G.; Stiller, V.; Sperry, J. S.; Pittermann, J., and McCulloh, K. A. Cavitation fatigue. Embolism and refilling cycles can weaken the cavitation resistance of xylem. *Plant-Physiology*. 2001; 125(2):779-786.
1589. Hackett, R. L. and Whipple, J. W. Wisconsin timber industry - an assessment of timber product output and use, 1994. *Resource-Bulletin -North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1997, No. NC-187, 73 Pp.
1590. Haeffner, A. D. and Leaf, C. F. Areal snow cover observations in the Central Rockies, Colorado. *USDA-Forest-Service-General-Technical-Report,-Rocky-Mountain-Forest-and-Range-Experiment-Station*. 1973; (No. RM-5):15 pp.
1591. Haeussler, S.; Bedford, L.; Boateng, J. O.; MacKinnon, A.; Thompson, D. G. (ed.), and Wagner, R. G. Plant community responses to mechanical site preparation in northern interior British Columbia. *Proceedings of the Third International Conference on Forest Vegetation Management, Sault Ste. Marie; Ontario, Canada, August 24-28, 1998. Canadian-Journal-of-Forest-Research*. 1999, 29(7):1084-1100.
1592. Haider, W. The aesthetics of white pine and red pine forests. *Forestry-Chronicle*. 1994; 70(4):402-410.

1593. Haig, R. A. Result of an experimental seeding in 1920 of White Spruce and Jack Pine in Western Manitoba. 1959, For. Chron. 1959 35 (1), (7-12). 7 Refs.
1594. Hairston, A. B. and Grigal, D. F. Topographic variation in soil water and nitrogen for two forested landforms in Minnesota, USA. Geoderma. 1994; 64(1-2):125-138.
1595. ---. Topographic variation in soil water and nitrogen for two forested landforms in Minnesota, USA. Geoderma. 1994; 64(1-2):125-138.
1596. Haissig, B. E. and Schipper, A. L. Effect of oxidized nucleotide coenzymes and mercaptoethanol on stabilization of plant dehydrogenase activity in crude extracts. Physiologia-Plantarum. 1975; 35(3):249-255.
1597. Hajny, G. J.; Gardner, C. H.; Ritter, G. J., and McCoy, E. Thermophilic fermentation of cellulose in wood. 1948, Journal of Bacteriology 1948 56 (2), (151).
1598. Hale, J. B. and Gregg, L. E. Woodcock use of clearcut aspen areas in Wisconsin. Wildlife-Society-Bulletin. 1976; 4(3):111-115.
1599. Hale, J. D. Experiment on the treatment of trees with chemicals to facilitate removal of bark. 1944, Pulp Paper Mag. Can. 45 1944 (615-8, 620).
1600. ---. Factors that affect the buoyancy of pulpwood logs. I. Sap-wood. 1950, Mimeo. For. Prod. Lab., Can. 1950. No. 0-157 Pp. 8.
1601. ---. Thickness and density of bark; trends of variation for six pulpwood species. 1955, Pulp Paper Mag. Can. 1955 56 (13), 1955 (113-7).
1602. Hale, J. D. and McIntosh, D. C. Project 129 - Progress report. Report on effect of chemical treatment on the ease of peeling bark from trees felled in November, 1946. 1946, Mimeo. For. Prod. Lab. Dom. For. Serv. 1946. No. 116 Pp. 9 + [6].
1603. Hall, H. J.; Gertjeansen, R. O.; Schmidt, E. L.; Carll, C. G., and DeGroot, R. C. Preservative treatment effects on mechanical and thickness swelling properties of aspen waferboard. Forest-Products-Journal. 1982; 32(11-12):19-26.
1604. Hall, J. G. Willow and Aspen in the ecology of beaver on Sagehen Creek, California. 1960, Ecology 41 (3), 1960 (484-94). 18 Refs.
1605. Hall, J. P.; Apps, M. J. (ed.); Price, D. T. (ed.), and Wisniewski, J. Forest health monitoring in Canada: how healthy is the boreal forest? Boreal Forests and Global Change: Peer-Reviewed Manuscripts Selected From the International Boreal Forest Research Association Conference, Held in Saskatoon, Saskatchewan, Canada, September 25-30, 1994. 1995; 82(1-2):77-85.
1606. Hall, L. D.; Rajanayagam, V.; Stewart, W. A., and Steiner, P. R. Magnetic resonance imaging of wood. Canadian-Journal-of-Forest-Research. 1986; 16(2):423-426.
1607. Hall, L. D.; Rajanayagam, V.; Stewart, W. A.; Steiner, P. R., and Chow, S. Detection of hidden morphology of wood by magnetic resonance imaging. Canadian-Journal-of-Forest-Research. 1986; 16(3):684-687.
1608. Hall, R. B.; Hilton, G. D., and Maynard, C. A. Construction lumber from hybrid aspen plantations in the central States. Journal-of-Forestry. 1982; 80(5):291-294.
1609. Hall, R. J.; Crown, P. H., and Titus, S. J. Change detection methodology for aspen defoliation with Landsat

MSS digital data. *Canadian-Journal-of-Remote-Sensing*. 1984; 10(2):135-142.

1610. Hall, R. J.; Morton, R. T., and Nesby, R. N. A comparison of existing models for DBH estimation from large-scale photos. *Forestry-Chronicle*. 1989; 65(2):114-120.
1611. Hall, R. J.; Still, G. N., and Crown, P. H. Mapping the distribution of aspen defoliation using Landsat color composites. *Canadian-Journal-of-Remote-Sensing*. 1983; 9(2):86-91.
1612. Hall, R. J.; Wang, Y., and Morgan, D. J. Estimating tree diameter and volume with a taper model and large-scale photo measurements. *Northern-Journal-of-Applied-Forestry*. 2001; 18(4):110-118.
1613. Halliday, W. E. D. and Brown, A. W. A. The distribution of some important forest trees in Canada. 1943, *Ecology* 24 1943 (353-73).
1614. Halliwell, D. H.; Apps, M. J.; Price, D. T.; Apps, M. J. (ed.); Price, D. T. (ed.), and Wisniewski, J. A survey of the forest site characteristics in a transect through the central Canadian boreal forest. *Boreal Forests and Global Change: Peer-Reviewed Manuscripts Selected From the International Boreal Forest Research Association Conference, Held in Saskatoon, Saskatchewan, Canada, September 25-30, 1994*. 1995; 82(1-2):257-270.
1615. Hamann, R.; Johnson, W.; Moody, N., and Meyer, M. Small scale 35 mm aerial photography for aspen delineation. *Research-Report,-Remote-Sensing-Laboratory,-Institute-of-Agriculture,-Forestry-and-Home-Economics,-University-of-Minnesota*. 1984; (No. 84-3):23pp.
1616. Hammond, H. E. J. Arthropod biodiversity from *Populus* coarse woody material in north-central Alberta: a review of taxa and collection methods. *Canadian-Entomologist*. 1997; 129(6):1009-1033.
1617. Hammond, H. E. J.; Langor, D. W., and Spence, J. R. Early colonization of *Populus* wood by saproxylic beetles (Coleoptera). *Canadian-Journal-of-Forest-Research*. 2001; 31(7):1175-1183.
1618. ---. Early colonization of *Populus* wood by saproxylic beetles (Coleoptera). *Canadian-Journal-of-Forest-Research*. 2001; 31(7):1175-1183.
1619. Hampp, R.; Ecke, M.; Schaeffer, C.; Wallenda, T.; Wingler, A.; Kottke, I., and Sundberg, B. Axenic mycorrhization of wild type and transgenic hybrid aspen expressing T-DNA indoleacetic acid-biosynthetic genes. *Trees:-Structure-and-Function*. 1996; 11(1):59-64.
1620. Hangs, R. D.; Knight, J. D.; Rees, K. C. J. van, and van Rees, K. C. J. Interspecific competition for nitrogen between early successional species and planted white spruce and jack pine seedlings. *Canadian-Journal-of-Forest-Research*. 2002; 32(10):1813-1821.
1621. ---. Nitrogen accumulation by conifer seedlings and competitor species from ¹⁵nitrogen-labeled controlled-release fertilizer. *Soil-Science-Society-of-America-Journal*. 2003; 67(1):300-308.
1622. ---. Nitrogen uptake characteristics for roots of conifer seedlings and common boreal forest competitor species. *Canadian-Journal-of-Forest-Research*. 2003; 33(1):156-163.
1623. Hanks, L. F. and Brisbin, R. L. Lumber grade yields for graded aspen [*Populus tremuloides*] logs and trees. *Research-Paper,-Northeastern-Forest-Experiment-Station,-USDA-Forest-Service*. 1978; (No. NE-423):ii + 13 pp.
1624. Hanley, D. P.; Schmidt, W. C., and Blade, G. M. Stand structure and successional status of two Spruce-Fir forests in southern Utah. *USDA-Forest-Service-Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station*. 1975; (No. INT-176):16 pp.

1625. Hann, D. W. Relationship of stump diameter to diameter at breast height for seven tree species in Arizona and New Mexico. USDA-Forest-Service-Research-Note,-Intermountain-Forest-and-Range-Experiment-Station. 1976; (No. INT-212):16 pp.
1626. Hann, D. W. and Bare, B. B. Comprehensive tree volume equations for major species of New Mexico and Arizona. I. Results and methodology. II. Tables for unforked trees. Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1978; (No. INT-209; No. INT-210):iv + 43 pp.
1627. Hann, R. A. An investigation of the drying of wood at temperatures above 100 degrees centigrade. 1966, Abstr. of Thesis, in Dissert. Abstr. 1966 26 (8), (4146-7).
1628. Hanover, J. W.; Wood, B. W.; Hart, J. W.; Brissette, J. C.; Dickmann, D. I.; Stadt, T. J.; Lemmien, W. A.; Kowalewski, G., and Pope, P. E. Accelerated growth of hardwood seedlings. Central Hardwood Forest Conference II. Proceedings of a meeting held at Purdue University at West Lafayette; (Indiana 47907):November 14-16, 1978. 370-388.
1629. Hansbrough, J. R. Bacterial canker of Poplar in North America. 1967, Proc. 14th Congr. Int. Union For. Res. Organ., Munich 1967 Pt. V, Sect. 24, 1967 (427).
1630. Hansen, A. J.; Rotella, J. J.; Kraska, M. P. V., and Brown, D. Spatial patterns of primary productivity in the Greater Yellowstone Ecosystem. Landscape-Ecology. 2000; 15(6):505-522.
1631. Hansen, H. L. Brush in forests, tree plantations, and farm woodlands. 1953, Res. Rep. 10th Ann. Nth. Cent. Weed Control Conf. 1953 (71-4).
1632. ---. Control of woody plants. 1951, Res. Rep. 8th Ann. Nth. Cent. Weed Control Conf. 1951 (147-64).
1633. ---. Control of woody plants in forests, tree plantations and farm woodlands. 1953, Res. Rep. 11th Ann. Nth. Cent. Weed Control Conf. 1953 (129-36).
1634. Hansen, H. L. and Johnson, R. R. Some effects of monuron [CMU] on Eastern White Pine (*Pinus strobus*) regeneration. 1957, Minn. For. Note 1957. No. 29, Pp. 2.
1635. Hansen, H. P. Postglacial forest in the Yukon territory and Alaska. 1953, Amer. J. Sci. 1953 251 (7), (504-42). 38 Refs.
1636. Hansen, P. L.; Hoffman, G. R., and Bjugstad, A. J. The vegetation of Theodore Roosevelt National Park, North Dakota: a habitat type classification. General-Technical-Report,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1984; (No.RM-113):35pp.
1637. Hanson, J.; Regan, S., and Engstrom, P. The expression pattern of the homeobox gene ATHB13 reveals a conservation of transcriptional regulatory mechanisms between *Arabidopsis* and hybrid aspen. Plant-Cell-Reports. 2002; 21(1):81-89.
1638. Harder, M.; Verhagen, S.; Winton, L., and Einspahr, D. Tetraploid Aspen production using unreduced pollen from triploid males. Forest-Science. 1976; 22(3):329-330.
1639. Harder, M. L. Procedures for collection and extraction of *Populus* seed. 1970, Genet. Physiol. Note Inst. Paper Chem. 1970 No. 9, Pp. 3. [1 Ref.].
1640. Harding, S. A.; Kao, Y. Y.; Tsai, C. J., and Vasil, I. K. Phenylalanine ammonia-lyase gene expression in condensed tannin-accumulating and lignifying cells of quaking aspen. Plant Biotechnology 2002 and Beyond. Proceedings of the 10th IAPTC&B Congress; (Orlando):Florida, USA, June 23-28, 2002. Plant-biotechnology-2002-and-beyond.-Proceedings-of-the-10th-IAPTC-and-B-Congress,-

Orlando,-Florida,-USA,-23-28-June,-2002. 2003, 457-459.

1641. Harding, S. A.; Leshkevich, J.; Chiang, V. L., and Tsai, C. J. Differential substrate inhibition couples kinetically distinct 4-coumarate:coenzyme A ligases with spatially distinct metabolic roles in quaking aspen. *Plant-Physiology*. 2002; 128(2):428-438.
1642. Hardy, G. A. Field observations on the forest tent caterpillar, *Malacosoma disstria* var. *erosa* Stretch. 1943, *Proc. Ent. Soc. B.C.* 40 1943 (28-9). [Provincial Museum, Victoria, B.C.] I.I.E.
1643. Hardy, J. P.; Davis, R. E.; Jordan, R.; Ni, W.; Woodcock, C. E.; Albert, M. R. (ed.); Prowse, T. D. (ed.), and Taylor, S. Snow ablation modelling in a mature aspen stand of the boreal forest. Special Issue: Selected Papers From the CGU (Canadian Geophysical Union) Hydrology Section-Eastern Snow Conference-Western Snow Conference, Held in May 1997 in Banff, Canada. 1998; 12(10-11):1763-1778.
1644. Harestad, A. S. and Keisker, D. G. Nest tree use by primary cavity-nesting birds in south central British Columbia. *Canadian-Journal-of-Zoology*. 1989; 67(4):1067-1073.
1645. Hari, P.; Kaitala, V., and Salminen, R. The use of intermittent radiation in studying photosynthesis and transpiration. *Photosynthetica*. 1988; 22(2):236-239.
1646. Harmsen, R. and Rose, M. R. Habitat effects on larval mortality in the forest tent caterpillar, *Malacosoma disstria* (Lepidoptera: Lasiocampidae). *Proceedings-of-the-Entomological-Society-of-Ontario*. 1983, Publ. 1984, 114: 87-89; 7 Ref.
1647. Harniss, R. O. and Bartos, D. L. Pine hollow exclosures - a 19-year record of an aspen stand treated with 2,4-D. *Rangelands*. 1990; 12(1):37-39.
1648. ---. Survey of aspen stands treated with herbicides in the western United States. Research-Paper,- Intermountain-Research-Station,-USDA-Forest-Service. 1985; (No. INT-340):6pp.
1649. Harniss, R. O. and Harper, K. T. Tree dynamics in seral and stable aspen stands of central Utah. Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1982; (No. INT-297):ii + 7 pp.
1650. Harniss, R. O. and Nelson, D. L. A severe epidemic of *Marssonina* leaf blight on quaking aspen in northern Utah. Research-Note,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1984; (No. INT-339):6 pp.
1651. Harper, G. and Kabzems, R. Growing-space management in boreal mixedwood forests -- the establishment of EP 1192.01, Fort Nelson river site. Extension-Note -British-Columbia-Ministry-of-Forests. 2003; (No.64):8 pp.
1652. Harper, G. J.; Comeau, P. G.; Hintz, W.; Wall, R. E.; Prasad, R.; Becker, E. M.; Thompson, D. G. (ed.), and Wagner, R. G. *Chondrostereum purpureum* as a biological control agent in forest vegetation management. II. Efficacy on Sitka alder and aspen in western Canada. Proceedings of the Third International Conference on Forest Vegetation Management, Sault Ste. Marie; Ontario, Canada, August 24-28, 1998. *Canadian-Journal-of-Forest-Research*. 1999, 29(7):852-858.
1653. Harper, G. J.; Herring, L. J., and Hays Byl, W. J. Conifer and vegetation response in the BWBSmw1 12 years after mechanical and herbicide site preparation. Working-Paper -Ministry-of-Forests-Research-Program,-British-Columbia. 1997; (No. 29):vi + 32 pp.
1654. Harper, K. A. and Macdonald, S. E. Structure and composition of edges next to regenerating clear-cuts in mixed-wood boreal forest. *Journal-of-Vegetation-Science*. 2002; 13(4):535-546.

1655. Harris, A. R.; Sopper, W. E. (ed.), and Kerr, S. N. 13. Physical and chemical changes in forested Michigan sand soils fertilized with effluent and sludge. *Utilization-of-Municipal-Sewage-Effluent-and-Sludge-on-Forest-and-Disturbed-Land*. 1979, 155-161; 5 Ref.
1656. Harris, A. R.; Urie, D. H.; Cole, D. W. (ed.); Henry, C. L. (ed.), and Nutter, W. L. Heavy metal storage in soils of an aspen forest fertilized with municipal sludge. *The Forest Alternative for Treatment and Utilization of Municipal and Industrial Wastes*. 1986; (publ. 1987):168-176.
1657. Harris, A. R.; Urie, D. H.; Cooley, J. H., and Stone, E. L. Sludge fertilization of pine and aspen forests on sand soils in Michigan. *Forest Soils and Treatment Impacts. Proceedings; (Sixth North American Forest Soils Conference):University of Tennessee, Knoxville, June 1983*. 1984, 193-206.
1658. Harris, C. B. and Weidenfeller, T. A. Preliminary results - brush control in conifer plantations with hexazinone pellets. *Proceedings North Central Weed Control Conference, 1979*. 1980; (Volume 34):82.
1659. Harris, C. B.; Weidenfeller, T. A., and Finnerty, D. W. Progress report on hexazinone pellet brush killer for forestry use. *Proceedings North Central Weed Control Conference*. 1980, Volume 35, 96-97.
1660. ---. Progress report on hexazinone pellet brush killer for forestry use. *Proceedings,-North-Central-Weed-Control-Conference*. 1980, 34: 96-97.
1661. Harris, E. E. A lignin-carbohydrate bond in wood. 1953, *Tappi* 1953 36 (9), (402-5). 35 Refs.
1662. ---. Wood-sugar molasses from wood waste. 1947, *Sth. Lumberm.* 1947 175 (2201) (157-61).
1663. Harris, S. A. Annual soil moisture regimes in the rooting zone across the prairie-forest boundary of southwest Alberta. *Journal-of-Soil-Science*. 1974, 25: 4, 448-460.
1664. Harrison, C. M. and Valentine, F. A. Phenetic affinities in small populations of New York aspens. 19th Northeastern Forest Tree Improvement Conference Proceedings, University of Maine, Orono, August 2-4, 1971. 1972, 60-76; 13 Ref.
1665. Harrison, K. J. *Astrodochium coloradense*: a leaf fungus associated with premature fall coloration of largetooth aspen in Nova Scotia, Canada. *Plant-Disease*. 1993; 77(12):1263.
1666. Harrison, R. P. Jr. The insects and diseases of Aspen. 1960, *Abstr. of Thesis, in Dissert. Abstr.* 20 (12), 1960 (4478-9).
1667. Harrocks, J. A. An investigation of the neutral materials in the benzene extract of Aspenwood. 1960, *Abstr. of Thesis, in Dissert. Abstr.* 21 (1), 1960 (53). 1 Ref.
1668. Hart, G. E. and Lomas, D. A. Effects of clearcutting on soil water depletion in an Engelmann spruce stand. *Water-Resources-Research*. 1979; 15(6):1598-1602.
1669. Hart, G. E.; Schultz, J. D., and Coltharp, G. B. Controlling transpiration in Aspen with phenylmercuric acetate. 1969, *Wat. Resour. Res., Wash.* 1969 5 (2), (407-12). [10 Refs.].
1670. Hart, J. B. Jr. and Nguyen, P. V. Soil, groundwater, and plant resources in sludge-treated bigtooth aspen sapling ecosystems. *Journal-of-Environmental-Quality*. 1994; 23(6):1257-1264.
1671. Hart, J. H. Influence of resin on the growth of some wood decay fungi. 135]. *Proceedings-of-the-American-Phytopathological-Society*. 1977, Publ. 1978, 4: 111.
1672. Hart, J. H. and Adams, R. D. Effect of gypsy moth on aspen in Michigan. *Aspen Symposium '89*:

Proceedings. Duluth; (Minnesota):July 25-27, 1989. General-Technical-Report -North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1990, No. NC-140, 173-176.

1673. Hart, J. H.; Hart, D. L.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Heartrot fungi's role in creating picid nesting sites in living aspen. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):207-213.
1674. ---. Heartrot fungi's role in creating picid nesting sites in living aspen. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):207-213.
1675. ---. Interaction among cervids, fungi, and aspen in Northwest Wyoming. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):197-205.
1676. ---. Interaction among cervids, fungi, and aspen in Northwest Wyoming. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):197-205.
1677. Hart, J. H.; Hart, J. B.; Nguyen, P. V.; Cole, D. W. (ed.); Henry, C. L. (ed.), and Nutter, W. L. Aspen mortality following sludge application in Michigan. *The Forest Alternative for Treatment and Utilization of Municipal and Industrial Wastes*. 1986; (publ. 1987):266-271.
1678. Hart, M.; Hogg, E. H., and Lieffers, V. J. Enhanced water relations of residual foliage following defoliation in *Populus tremuloides*. *Canadian-Journal-of-Botany*. 2000; 78(5):583-590.
1679. Hartley, I. D.; Kamke, F. A., and Peemoeller, H. Absolute moisture content determination of aspen wood below the fiber saturation point using pulsed NMR. *Holzforschung*. 1994; 48(6):474-479.
1680. Hartley, R. D.; Jones, E. C.; King, N. J., and Smith, G. A. Modified wood waste and straw as potential components of animal feeds. *Journal-of-the-Science-of-Food-and-Agriculture*. 1974, 25: 4, 433-437.
1681. Haruta, M.; Major, I. T.; Christopher, M. E.; Patton, J. J., and Constabel, C. P. A Kunitz trypsin inhibitor gene family from trembling aspen (*Populus tremuloides* Michx.): cloning, functional expression, and induction by wounding and herbivory. *Plant-Molecular-Biology*. 2001; 46(3):347-359.
1682. Haruta, M.; Pedersen, J. A., and Constabel, C. P. Polyphenol oxidase and herbivore defense in trembling aspen (*Populus tremuloides*): cDNA cloning, expression, and potential substrates. *Physiologia-Plantarum*. 2001; 112(4):552-558.
1683. Harvey, B. D. and Bergeron, Y. Site patterns of natural regeneration following clear-cutting in northwestern Quebec. *Canadian-Journal-of-Forest-Research*. 1989; 19(11):1458-1469.
1684. Harvey, L. D. D. Special issue. Upscaling in global change research: papers from a workshop at the Aspen Global Change Institute, Aspen, Colorado, July 1997. *Climatic-Change*. 2000; 44(3):223-408.
1685. Harward, M. and Treshow, M. Impact of ozone on the growth and reproduction of understory plants in the Aspen zone of western USA. *Environmental-Conservation*. 1975; 2(1):17-24.
1686. Hassall, M.; Parkinson, D., and Visser, S. Effects of the collembolan *Onychiurus subtenuis* on decomposition of *Populus tremuloides* leaf litter. *Pedobiologia*. 1986; 29(3):209-215.
1687. Hassall, M.; Visser, S., and Parkinson, D. Vertical migration of *Onychiurus subtenuis* (Collembola) in

- relation to rainfall and microbial activity. *Pedobiologia*. 1986; 29(3):175-182.
1688. Hatfield, W. C. Shoot blight of Aspen and Poplar caused by species of *Fusicladium*. 1946, Abstr. in Univ. Wyo. Publ. 1946 12 (1/4), (73-4). *Rev. Appl. Mycol.* 26(12), 1947 (571-2).
1689. Hatton, J. V. and Johal, S. S. Chemimechanical pulps from hardwood/softwood chip mixtures. *Pulp-and-Paper-Canada*. 1989; 90(3):90-98.
1690. Haugen, D. E. and Mielke, M. E. Minnesota forest resources in 2000. *Resource-Bulletin -North-Central-Research-Station,-USDA-Forest-Service*. 2003; (No.NC-205):26 pp.
1691. Hausman, J. F. Changes in peroxidase activity, auxin level and ethylene production during root formation by poplar shoots raised in vitro. *Plant-Growth-Regulation*. 1993; 13(3):263-268.
1692. Hausman, J. F.; Evers, D.; Kevers, C., and Gaspar, T. Internal controls of root induction in poplar shoots raised in vitro. *Angewandte-Botanik*. 1997; 71(3-4):104-107.
1693. Hausman, J. F.; Evers, D.; Thiellement, H., and Jouve, L. Compared responses of poplar cuttings and in vitro raised shoots to short-term chilling treatments. *Plant-Cell-Reports*. 2000; 19(10):954-960.
1694. Hausman, J. F.; Kevers, C., and Gaspar, T. Auxin-polyamine interaction in the control of the rooting inductive phase of poplar shoots in vitro. *Plant-Science-Limerick*. 1995; 110(1):63-71.
1695. ---. Involvement of putrescine in the inductive rooting phase of poplar shoots raised in vitro. *Physiologia-Plantarum*. 1994; 92(2):201-206.
1696. ---. Putrescine control of peroxidase activity in the inductive phase of rooting in poplar shoots in vitro, and the adversary effect of spermidine. *Journal-of-Plant-Physiology*. 1995; 146(5-6):681-685.
1697. Hausman, J. F.; Neys, O.; Kevers, C., and Gaspar, T. Effect of in vitro storage at 4°C on survival and proliferation of poplar shoots. *Plant-Cell,-Tissue-and-Organ-Culture*. 1994; 38(1):65-67.
1698. Hawkes, G. E.; Smith, C. Z.; Utley, J. H. P.; Vargas, R. R., and Viertler, H. A comparison of solution and solid state ¹³C NMR spectra of lignins and lignin model compounds. *Holzforschung*. 1993; 47(4):302-312.
1699. Hawksworth, D. L. *Hypoxyton mammatum*. *CMI-Descriptions-of-Pathogenic-Fungi-and-Bacteria*. 1972, No. 356, 2 Pp.
1700. ---. *Hypoxyton mediterraneum*. *CMI-Descriptions-of-Pathogenic-Fungi-and-Bacteria*. 1972, No. 359, 2 Pp.
1701. Hayakawa, T.; Nanto, K.; Kawai, S.; Katayama, Y., and Morohoshi, N. Molecular cloning and tissue-specific expression of two genes that encode caffeic acid O-methyltransferases from *Populus kitakamiensis*. *Plant-Science-Limerick*. 1996; 113(2):157-165.
1702. Haygreen, J. Dry weight of green Aspen bolts. 1959, *For. Prod. J.* 1959 9 (1), (38-42). 13 Refs.
1703. Haygreen, J. G. The strength of Aspen studs. 1970, *Minn. For. Res. Note No. 221*, 1970 Pp. [4]. [1 Ref.].
1704. Haygreen, J. G. and French, D. W. Some characteristics of particle boards from four tropical hardwood of Central America. 1971, *For. Prod. J.* 1971 21 (2), (30-3).
1705. Haygreen, J. G. and Turkia, K. Technical and economic considerations in the platen drying of Aspen sapwood and Paper Birch cut-stock. 1968, *For. Prod. J.* 1968 18 (8),(43-50). [6 Refs.].

1706. Haygreen, J. G. and Wang, S. S. Some mechanical properties of Aspen wetwood. 1966, For. Prod. J. 1966 16 (9), (118-9). [1 Ref.].
1707. Hayward, G. D.; Hayward, P. H., and Garton, E. O. Ecology of boreal owls in the northern Rocky Mountains, USA. Wildlife-Monographs. 1993; (No. 124):59 pp.
1708. Haywood, G. Effect of variation in size and shape of fibres on papermaking properties. 1950, Pulp Paper Mag. Can. 1950 51 (9), (77-89).
1709. He, H. S.; Mladenoff, D. J.; Gustafson, E. J., and Dibble, A. C. Study of landscape change under forest harvesting and climate warming-induced fire disturbance. 'Forest Ecology into the Next Millennium: Putting the Long View into Practice'. Selected papers presented at the Second North American Forest Ecology Workshop; 27-30 June 1999. Forest-Ecology-and-Management. 2002, 155(1-3):257-270.
1710. Heaney, D. P. and Bender, F. The feeding value of steamed Aspen for sheep. 1970, For. Prod. J. 1970 20 (9), (98-102). [18 Refs.].
1711. Heaney, D. P.; Bender, F., and Lister, E. E. Use of steamed aspen poplar in a finishing ration for Holstein steers. Canadian-Journal-of-Animal-Science. 1973, 53: 4, 739-740.
1712. Heatwole, H. F. The forest floor and its utilization by selected species of terrestrial amphibians. 1960, Abstr. of Thesis, in Dissert. Abstr. 21 (2), 1960 (380).
1713. Hebert, C. and St Antoine, L. The oviposition trap: a new technique for sampling eggs of the Bruce spanworm and similar species. Research-Notes -Laurentian-Forestry-Centre,-Canadian-Forest-Service. 1998; (No. 5):4 pp.
1714. Hedin, R. S.; Hedin, E. R., and Graves, D. H. Stimulation of aspen establishment on unreclaimed coal spoils in Pennsylvania. Proceedings, 1990 National Symposium on Mining, 14-18 May 1990. 1990, 31-35; 11 Ref.
1715. Hedin, R. S.; Hedin, E. R.; Skousen, J. (ed.); Sencindiver, J. (ed.), and Samuel, D. Stimulation of aspen establishment on unreclaimed mine spoils. Proceedings of the 1990 Mining and Reclamation Conference and Exhibition. 1990, 589-594; 11 Ref.
1716. Heebink, T. B. Performance of pallets from low-quality Aspen. 1962, Rep. U.S. For. Prod. Lab., Madison No. 2264, 1962. Pp. 7 + 3 Photos, 2 Ghps., 2 Tbls., 1 Map. 7 Refs.
1717. Hegan, R. L. and Luckert, M. K. An economic assessment of using the allowable cut effect for enhanced forest management policies: an Alberta case study. Canadian-Journal-of-Forest-Research. 2000; 30(10):1591-1600.
1718. Hegg, K. M. Forest statistics for the upper Koyukuk River, Alaska, 1971. USDA-Forest-Service-Resource-Bulletin,-Pacific-Northwest-Forest-and-Range-Experiment-Station. 1974; (No. PNW-54):26 pp.
1719. Heidt, J. Clonal variation in height growth of trembling aspen [*Populus tremuloides*] in central Alberta. Agriculture-and-Forestry-Bulletin,-University-of-Alberta. 1983; 6(3):20-23.
1720. Heimburger, C. Report on Poplar hybridization II. 1937 and 1938. 1940, For. Chron. 16 1940 (149-60). [Dominion Forest Service, Ottawa.].
1721. Heinen, J. T. and Sharik, T. L. The influence of mammalian browsing on tree growth and mortality in the Pigeon River State Forest, Michigan. American-Midland-Naturalist. 1990; 123(1):202-206.

1722. Heinlein, T. A.; Covington, W. W.; Fule, P. Z.; Moore, M. M.; Smith, H. B.; Cole, D. N. (ed.); McCool, S. F. (ed.); Borrie, W. T. (ed.); O (ed.), and Loughlin, J. Development of ecological restoration experiments in fire adapted forests at Grand Canyon National Park. Wilderness Science in a Time of Change Conference. Volume 5: Wilderness ecosystems; (threats):and management, Missoula, Montana, USA, 23-27 May 1999. Proceedings -Rocky-Mountain-Research-Station,-USDA-Forest-Service. 2000, No. RMRS-P-15(Vol. 5), 249-254.
1723. Heinselman, M. L. The extent of natural conversion to other species in the Lake States Aspen-Birch type. 1954, J. For. 1954 52 (10), (737-8).
1724. Heinselman, M. L. and Zasada, Z. A. A review of literature relating to Quaking Aspen (*Populus tremuloides*) sites. 1955, Sta. Pap. Lake St. For. Exp. Sta. 1955 No. 32 Pp. 61. 92 Refs.
1725. Heinselmann, M. L. Labor costs for thinning young Aspen. 1952, Tech. Note Lake St. For. Exp. Sta. 1952 No. 374 Pp. 1.
1726. Heitz, M.; Capek Menard, E.; Koeberle, P. G.; Gagne, J., and Chornet, E. Fractionation of *Populus tremuloides* at the pilot plant scale: optimization of steam pretreatment conditions using the STAKE II technology. Bioresource-Technology. 1991; 35(1):23-32.
1727. Hejnowicz, A. and Hejnowicz, Z. Variations of length of vessel members and fibres in the trunk of *Populus tremula* L. 1958, Acta Soc. Bot. Polon. 1958 27 (1), (131-59 + 3 Gphs., 1 Tbl.). 32 Refs.
1728. Heller, R. C. and Schmiede, D. C. Aerial survey techniques for the Spruce budworm in the Lake States. 1962, J. For. 60 (8), 1962 (525-32). 7 Refs.
1729. Hellgren, J. M. Ethylene and auxin in the control of wood formation. Acta-Universitatis-Agriculturae-Sueciae -Silvestria. 2003; (No.268):40 pp. + Papers I-IV.
1730. Hellum, A. K. Factors influencing frond size of bracken on sandy soils in northern Lower Michigan. 1967, Abstr. of Thesis, in Dissert. Abstr. 1967 28B (6), (2207-8).
1731. ---. Germination and early growth of White Spruce on rotten woods and peat moss in the laboratory and nursery. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1972; (No. NOR-X-39):12 pp.
1732. Hellum, A. K. and Zahner, R. The frond size of bracken fern on forested outwash sand in northern lower Michigan. 1966, Proc. Soil Sci. Soc. Amer. 1966 30 (4), (520-4). [8 Refs.].
1733. Helmig, D.; Klinger, L. F.; Guenther, A.; Vierling, L.; Geron, C., and Zimmerman, P. Biogenic volatile organic compound emissions (BVOCs) II. Landscape flux potentials from three continental sites in the US. Chemosphere. 1999; 38(9):2189-2204.
1734. Hely, C.; Bergeron, Y., and Flannigan, M. D. Coarse woody debris in the southeastern Canadian boreal forest: composition and load variations in relation to stand replacement. Canadian-Journal-of-Forest-Research. 2000; 30(5):674-687.
1735. Hely, C.; Bergeron, Y.; Flannigan, M. D.; Engelmark, O. (ed.); Gauthier, S. (ed.), and van der Maarel, E. Effects of stand composition on fire hazard in mixed-wood Canadian boreal forest. Disturbance Dynamics in Boreal and Temperate Forests. 2000; 11(6):813-824.
1736. Hely, C.; Flannigan, M.; Bergeron, Y., and McRae, D. Role of vegetation and weather on fire behavior in the Canadian mixedwood boreal forest using two fire behavior prediction systems. Canadian-Journal-of-Forest-Research. 2001; 31(3):430-441.

1737. Hemming, J. D. C. and Lindroth, R. L. Effects of light and nutrient availability on aspen: growth, phytochemistry, and insect performance. *Journal-of-Chemical-Ecology*. 1999; 25(7):1687-1714.
1738. ---. Effects of phenolic glycosides and protein on gypsy moth (Lepidoptera: Lymantriidae) and forest tent caterpillar (Lepidoptera: Lasiocampidae) performance and detoxication activities. *Environmental-Entomology*. 2000; 29(6):1108-1115.
1739. ---. Intraspecific variation in aspen phytochemistry: effects on performance of gypsy moths and forest tent caterpillars. *Oecologia*. 1995; 103(1):79-88.
1740. Henderson, G. and Jeanne, R. L. Response of aphid-tending ants to a repellent produced by wasps (Hymenoptera: Formicidae, Vespidae). *Annals-of-the-Entomological-Society-of-America*. 1989; 82(4):516-519.
1741. Hendrickson, O. Winter branch nutrients in northern conifers and hardwoods. *Forest-Science*. 1987; 33(4):1068-1074.
1742. Hendrickson, O. Q. Abundance and activity of N₂-fixing bacteria in decaying wood. *Canadian-Journal-of-Forest-Research*. 1991; 21(9):1299-1304.
1743. ---. Biomass and nutrients in regenerating woody vegetation following whole-tree and conventional harvest in a northern mixed forest. *Canadian-Journal-of-Forest-Research*. 1988; 18(11):1427-1436.
1744. Hendrickson, O. Q.; Burgess, D. M., and Chatarpaul, L. Biomass and nutrients in Great Lakes - St. Lawrence forest species: implications for whole-tree and conventional harvest. *Canadian-Journal-of-Forest-Research*. 1987; 17(3):210-218.
1745. Hendrickson, O. Q.; Chatarpaul, L., and Robinson, J. B. Effects of two methods of timber harvesting on microbial processes in forest soil. *Soil-Science-Society-of-America-Journal*. 1985; 49(3):739-746.
1746. Henly, R. K.; Ellefson, P. V., and Baughman, M. J. Minnesota's private forest management program: an evaluation of aspen timber sale assistance. *Northern-Journal-of-Applied-Forestry*. 1990; 7(1):31-34.
1747. Henningsson, B. Interactions between micro-organisms found in Birch and Aspen pulpwood. 1967, *Stud. for. Suec. Skogshogsk.*, Stockh. No. 53, 1967. Pp. 32. [32 Refs. Price Kr. 5.].
1748. ---. Physiology and decay activity of the Birch conk fungus *Polyporus betulinus* (Bull.) Fr. 1965, *Stud. for. Suec. Skogshogsk.*, Stockh. No. 34, 1965. Pp. 77. [100 Refs. Price Kr. 14.].
1749. ---. Physiology of fungi attacking Birch and Aspen pulpwood. 1967, *Stud. for. Suec. Skogshogsk.*, Stockh. No. 52, 1967. Pp. 55. [100 Refs. Price Kr. 8.].
1750. ---. Yield and properties of sulphate pulp from decayed Birch and Aspen pulpwood. *Biodeterioration-of-Materials*. 1972, 336-345; PR; 14 Ref.
1751. Henry, Le R. K. Mycorrhizae from the Uinta Basin (Utah). 1936, *Ann. Carnegie Mus.* 25 1936 (63-70).
1752. Henry, R. M. and Barnes, B. V. Comparative reproductive ability of bigtooth and trembling aspen and their hybrid. *Canadian-Journal-of-Botany*. 1977; 55(24):3093-3098.
1753. Henry, T. J. Review of the *Ceratocapsus lutescens* group, with descriptions of seven new species from the eastern United States (Hemiptera: Miridae). *Proceedings-of-the-Entomological-Society-of-Washington*. 1979; 81(3):401-422.

1754. Hensel, J. S. and Altman, J. A. Cases in point for the Morbarker portable debarker. 1959, Paper Tr. J. 1959 143 (37), (56-8).
1755. Henson, W. R. The effects of radiation on the habitat temperatures of some Poplar-inhabiting insects. 1958, Repr. From Canad. J. Zool. 1958 36 (463-78). 10 Refs.
1756. ---. A sampling system for Poplar insects. 1954, Repr. From Canad. J. Zool. 1954 32 (421-33). 7 Refs. (Contr. Div. For. Biol. Dep. Agric. Can. No. 172.).
1757. Herdy, H. *Melanagromyza schineri* (Giraud) on Trembling Aspen in Ontario. 1963, Bi-m. Progr. Rep. For. Ent. Path. Br. Dep. For. Can. 19 (5), 1963 (2).
1758. Herman, F. R. Growth of Aspen following partial cutting. 1949, Res. Notes. Sthwest. For. Range Exp. Sta. 1949 No. 117, Pp. 3.
1759. Hersperger, A. M. and Forman, R. T. T. Adjacency arrangement effects on plant diversity and composition in woodland patches. *Oikos*. 2003; 101(2):279-290.
1760. Hertzberg, M. and Olsson, O. Molecular characterisation of a novel plant homeobox gene expressed in the maturing xylem zone of *Populus tremula* X *tremuloides*. *Plant-Journal*. 1998; 16(3):285-295.
1761. Hertzberg, M.; Sievertzon, M.; Aspeborg, H.; Nilsson, P.; Sandberg, G., and Lundeberg, J. cDNA microarray analysis of small plant tissue samples using a cDNA tag target amplification protocol. *Plant-Journal*. 2001; 25(5):585-591.
1762. Herwitz, S. R. and Levia, D. F. Jr. Mid-winter stemflow drainage from bigtooth aspen (*Populus grandidentata* Michx.) in central Massachusetts. *Hydrological-Processes*. 1997; 11(2):169-175.
1763. Hessel, D. L.; Betters, D. R.; Loring, T. J.; Porter, L. D., and Bennett, J. E. Utilization and marketing as tools for aspen management in the Rocky Mountains: Proceedings of the symposium, Sept. 8-9, 1976, Fort Collins, Colorado. Panel V. Applying research information to aspen management decisions. USDA-Forest-Service-General-Technical-Report,-Rocky-Mountain-Forest-and-Range-Experiment-Station. 1976, No. RM-29, 101-113.
1764. Hessel, A. Aspen, elk, and fire: the effects of human institutions on ecosystem processes. *BioScience*. 2002; 52(11):1011-1022.
1765. Hessel, A. E. and Graumlich, L. J. Interactive effects of human activities, herbivory and fire on quaking aspen (*Populus tremuloides*) age structures in western Wyoming. *Journal-of-Biogeography*. 2002; 29(7):889-902.
1766. Heuser, E. and Jorgensen, L. Chain length and chain-length distribution of wood cellulose as compared with cotton. 1951, *Tappi* 1951 34 (2), (57-67). 34 Refs.
1767. Heuser, E.; Shema, B. F.; Shockley, W.; Appling, J. W., and McCoy, J. F. The effect of lignin-destroying fungi upon the carbohydrate fraction of wood. 1949, *Arch. Biochem*. 1949 21 (2), (343-50). 6 Refs. [Institute of Paper Chemistry, Appleton, Wis.].
1768. Hewitt, D. G. and Messmer, T. A. Ruffed Grouse (*Bonasa umbellus*) foraging in aspen stands during winter in northern Utah. *Western-North-American-Naturalist*. 2000; 60(2):211-215.
1769. Heyman, O.; Gaston, G. G.; Kimerling, A. J., and Campbell, J. T. A per-segment approach to improving aspen mapping from high-resolution remote sensing imagery. *Journal-of-Forestry*. 2003; 101(4):29-33.

1770. Hibben, C. R.; Bozarth, R. F., and Reese, J. Identification of tobacco necrosis virus in deteriorating clones of aspen. *Forest-Science*. 1979; 25(4):557-567.
1771. Hibben, C. R.; Reese, J., and Bozarth, R. F. The identification of tobacco necrosis virus in deteriorating clones of aspen. 3]. *Proceedings-of-the-American-Phytopathological-Society*. 1977, Publ. 1978, 4: 83.
1772. Hibbert, A. R. Managing vegetation to increase flow in the Colorado River Basin. *General-Technical-Report,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1979; (No. RM-66):ii + 27 pp.
1773. Hicks, R. R. Jr. The Aspen rooting test: a new bioassay. *Forest-Science*. 1972; 18(1):21-22.
1774. Hicks, R. R. Jr. and Gladstone, W. T. Some anatomical aspects of rooting Quaking Aspen. *Proceedings, 11th Conference on Southern Forest Tree Improvement.: Smith, N. G.; Wareing; P. F.(The distribution of latent root primordia in stems of Populus X robusta):and factors affecting the emergence of preformed roots from cuttings*. 1971, 265-274.
1775. Highley, T. L. Hemicellulases of white- and brown-rot fungi in relation to host preferences. *Material-Und-Organismen*. 1976; 11(1):33-46.
1776. Higuchi, T.; Shimada, M.; Yamasaki, T.; Theander, O.; Barton, G. M.; MacDonald, B. F.; Zinkel, D. F.; Stone, R. N.; Conner, A. H.; Diehl, M. A.; Rowe, J. W.; Chang, P. C.; Paszner, L.; Schaleger, L. L.; Brink, D. L.; Allan, G. G.; Beer, J. W.; Cousin, M. J.; Powell, J. C.; Jett, J. B. Jr.; Weir, R. J.; Barker, J. A.; Hemingway, R. W., and McGraw, G. W. [Wood and needle chemistry]. *TAPPI Conference Papers. Forest Biology, Wood Chemistry Conference at Concourse Hotel, Madison, Wis., June 20-22, 1977*. 1977, 69 Pp.
1777. Hilado, C. J. and Brauer, D. P. Effect of air flow on toxicity of pyrolysis gases from wood in USF (University of San Francisco) toxicity tests. *Journal-of-Combust.-Toxicol*. 1979, 6: 37-43; 1 Ref.
1778. Hilado, C. J. and Gall, L. A. Relative toxicity of pyrolysis products of some wood samples. *Journal-of-Combustion-Technology*. 1977, 4: 193-199; TRADA; 7 Ref.
1779. Hilado, C. J. and Murphy, R. M. Ignition and flash-fire studies of cellulosic materials. *Fire-and-Materials*. 1978; 2(4):173-176.
1780. Hildahl, V. and Campbell, A. E. Forest tent caterpillar in the Prairie Provinces. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1975; (No. NOR-X-135):11 pp.
1781. Hildahl, V. and Reeks, W. A. Outbreaks of the forest tent caterpillar, *Malacosoma disstria* Hbn., and their effects on stands of Trembling Aspen in Manitoba and Saskatchewan. 1960, *Canad. Ent.* 92 (3), 1960 (199-209). 14 Refs.
1782. Hill, F. J. An economic evaluation of chipper/canter Aspen production. *Dissertation-Abstracts-International,-B*. 1972; 33(5):1889-1890.
1783. Hill, F. J.; Bowyer, J. L., and Haygreen, J. G. The size and quality of woodrun Aspen bolt-wood in northern Minnesota. 1971, *Minn. For. Res. Note No. 230*, 1971. Pp. 4.
1784. Hill, R. H. Palatability ratings of Black Hills plants for white-tailed deer. 1946, *J. Wildlife Mgmt.* 1946. 10 (1). (47-54).
1785. Hill, R. R. and Harris, D. Food preferences of Black Hills deer. 1943, *J. Wildlife Mgmt.* 7 1943 (233-5). B.A.P.

1786. Hillman, G. R. and Golding, D. L. Forest floor characteristics of Marmot and Streeter experimental watersheds, Alberta. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1981; (No. NOR-X-234):iii + 22 pp.
1787. Hilt, D. E. Introduction of black walnut and northern red oak seedlings in an upland hardwood forest in southeastern Ohio. USDA-Forest-Service-Research-Note,-Northeastern-Forest-Experiment-Station. 1977; (No. NE-241):5 pp.
1788. Hilton, J. E. and Bailey, A. W. Cattle use of a sprayed aspen parkland range. Journal-of-Range-Management. 1972; 25(4):257-260.
1789. ---. Forage production and utilization in a sprayed Aspen forest in Alberta. Journal-of-Range-Management. 1974; 27(5):375-380.
1790. Himmel, M. E.; Tatsumoto, K.; Grohmann, K.; Johnson, D. K., and Chum, H. L. Molecular weight distribution of aspen lignins from conventional gel permeation chromatography, universal calibration and sedimentation equilibrium. Journal-of-Chromatography. 1990; 498(1):93-104.
1791. Hinds, T. E. Aspen mortality in Rocky Mountain campgrounds. USDA-Forest-Service-Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station. 1976; (No. RM-164):20 pp.
1792. ---. Cryptosphaeria canker and Libertella decay of aspen. Phytopathology. 1981; 71(11):1137-1145.
1793. ---. Distribution of Aspen cankers in Colorado. 1964, Plant Dis. Repr. 48 (8), 1964 (610-4). 9 Refs. [Cf. F.A. 24 No. 733.].
1794. ---. Extent of decay associated with Fomes ignarius sporophores in Colorado Aspen. 1963, U.S. For. Serv. Res. Note Rocky Mt. For. Range Exp. Sta. No. RM-4, 1963. Pp. 4. 7 Refs.
1795. ---. [I] Ceratocystis canker of Aspen. [II] Insect transmission of Ceratocystis species associated with Aspen cankers. 1972, Phytopathology 1972 62 (2), (213-20, 221-5). [18 + 14 Ref.].
1796. ---. Inoculations with the sooty bark canker fungus on Aspen. 1962, Repr. From Plant Dis. Repr. 46 (1), 1962 (57-8). 2 Refs.
1797. ---. Insect transmission of Ceratocystis species associated with aspen cankers. Phytopathology. 1972; 62(2):221-225.
1798. Hinds, T. E. and Anderson, G. W. Some Ceratocystis spp. and a Cenangium found on Minnesota Aspen. 1970, Plant Dis. Repr. 1970 54 (6), (460-1). [10 Refs.].
1799. Hinds, T. E. and Davidson, R. W. Ceratocystis species associated with the Aspen ambrosia beetle. Mycologia. 1972; 64(2):405-409.
1800. Hinds, T. E. and Krebill, R. G. Wounds and canker diseases on Western Aspen [Populus tremuloides]. Forest-Pest-Leaflet,-Forest-Service,-US-Department-of-Agriculture. 1975; (No. 152):9 pp.
1801. Hinds, T. E. and Laurent, T. H. Common aspen diseases found in Alaska. Plant-Disease-Reporter. 1978; 62(11):972-975.
1802. Hinds, T. E. and Peterson, R. S. Antibiotic tests on western gall rust and Aspen cankers. 1966, Plant Dis. Repr. 1966 50 (10), (741-4). [7 Refs.].
1803. Hinds, T. E. and Ryan, M. G. Expansion of sooty-bark and Ceratocystis cankers on aspen. Plant-Disease. 1985; 69(10):842-844.

1804. Hinds, T. E. and Shepperd, W. D. Aspen sucker damage and defect in Colorado clearcut areas. Research-Paper -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1987; (No. RM-278):12 pp.
1805. Hinds, T. E. and Wengert, E. M. Growth and decay losses in Colorado aspen. USDA-Forest-Service-Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station. 1977; (No. RM-193):10 pp.
1806. Hiratsuka, Y. and Chakravarty, P. Role of *Phialemonium curvatum* as a potential biological control agent against a blue stain fungus on aspen. *European-Journal-of-Forest-Pathology*. 1999; 29(4):305-310.
1807. Hiratsuka, Y.; Chakravarty, P.; Miao, S., and Ayer, W. A. Potential for biological protection against blue stain in *Populus tremuloides* with a hyphomycetous fungus, *Stachybotrys cylindrospora*. *Canadian-Journal-of-Forest-Research*. 1994; 24(1):174-179.
1808. Hiratsuka, Y.; Gibbard, D. A.; Bakowsky, O., and Maier, G. B. Classification and measurement of aspen decay and stain in Alberta. Information-Report -Northwest-Region,-Forestry-Canada. 1990; (No. NOR-X-314):vi + 29 pp.
1809. Hiratsuka, Y. and Loman, A. A. Decay of aspen and balsam poplar in Alberta. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1984; (No. NOR-X-262):v + 19 pp.
1810. Hirt, R. R. Decay of certain northern hardwoods by *Fomes igniarius*, *Poria obliqua*, and *Polyporus glomeratus*. 1949, *Phytopathology* 1949 39 (6), (474-80). 7 Refs.
1811. Hirt, R. R. and Hopp, H. Relation of tube layers to age in sporophores of *Fomes igniarius* on Aspen. 1942, *Phytopathology* 32 1942 (176-8). [New York State College of Forestry, Syracuse.].
1812. Hiziroglu, S.; Suchsland, O., and Hiziroglu, S. S. Linear expansion and surface stability of particleboard. *Forest-Products-Journal*. 1993; 43(4):31-34.
1813. Hobbie, S. E. and Chapin, F. S. III. An experimental test of limits to tree establishment in arctic tundra. *Journal-of-Ecology-Oxford*. 1998; 86(3):449-461.
1814. Hobbs, N. T.; Baker, D. L.; Ellis, J. E.; Swift, D. M., and Green, R. A. Energy- and nitrogen-based estimates of elk winter-range carrying capacity. *Journal-of-Wildlife-Management*. 1982; 46(1):12-21.
1815. Hobson, K. A. and Bayne, E. Breeding bird communities in boreal forest of Western Canada: consequences of "unmixing" the mixedwoods. *Condor*. 2000; 102(4):759-769.
1816. ---. Effects of forest fragmentation by agriculture on avian communities in the southern boreal mixed woods of Western Canada. *Wilson-Bulletin*. 2000; 112(3):373-387.
1817. ---. The effects of stand age on avian communities in aspen-dominated forests of central Saskatchewan, Canada. *Forest-Ecology-and-Management*. 2000; 136(1-3):121-134.
1818. Hocker, H. W. Jr. Effects of thinning in young *Populus tremuloides* plots. *Canadian-Journal-of-Forest-Research*. 1982; 12(4):731-737.
1819. Hocking, D. Effects on the forest of sulphur dioxide from a sulphur fire near Edson, Alberta. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1975, No. NOR-X-139, 8 Pp.
1820. Hodson, A. C. An ecological study of the forest tent caterpillar *Malacosoma disstria* Hbn., in northern Minnesota. 1941, *Tech. Bull. Minn. Agric. Exp. Sta.* 1941 No. 148, Pp. 55.

1821. ---. The response of aspen (*Populus tremuloides*) to artificial defoliation. *Great-Lakes-Entomologist*. 1981; 14(3):167-169.
1822. Hodson, A. C. and Christensen, C. M. Minnesota forest insect and disease survey for 1941. 1942, Pap. Minn. Agric. Exp. Sta. (Sci. J. Ser.) No. 1997 [1942?] Pp. 12. [University of Minnesota.].
1823. ---. Minnesota forest insect and disease survey for 1942. Pap. Minn. Agric. Exp. Sta. (Sci. J. Ser.) No. 2084 [n.d.] Pp. 8. [Univ. of Minnesota.].
1824. Hoeksema, J. D.; Lussenhop, J., and Teeri, J. A. Soil nematodes indicate food web responses to elevated atmospheric CO₂. *Pedobiologia*. 2000; 44(6):725-735.
1825. Hoff, C. C. A comparison of soil, climate, and biota of conifer and Aspen communities in the central Rocky Mountains. 1957, *Amer. Midl. Nat.* 1957 58 (1), (115-40). 12 Refs.,
1826. ---. Soil and soil invertebrates of Aspen groves in the central Rocky Mountains. 1947, Abstr. in *Bull. Ecol. Soc. Amer.* 1947 28 (4), (50).
1827. Hoffer, R. M. Techniques and applications for computer-aided analysis of multispectral scanner data. *Remote Sensing in Forestry. Proceedings of the symposium held during the XVIth IUFRO World Congress; (Oslo):21-26 June 1976.* 1976, 103-113.
1828. Hoffman, G. R. and Alexander, R. R. Forest vegetation of the Black Hills National Forest of South Dakota and Wyoming [USA]: a habitat type classification. *Research-Paper -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service.* 1987; (No. RM-276):48 pp.
1829. ---. Forest vegetation of the Routt National Forest in northwestern Colorado: a habitat type classification. *Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service.* 1980; (No. RM-221):ii + 42 pp.
1830. ---. Forest vegetation of the Routt national forest in northwestern Colorado: a habitat type classification. *Research-Paper,-USDA-Forest-Service,-Rocky-Mountain-Forest-and-Range-Experiment-Station.* 1980; (No. RM-221):41pp.
1831. ---. Forest vegetation of the White River National Forest in western Colorado: a habitat type classification. *Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service.* 1983; (No. RM-249):ii + 36 pp.
1832. Hoffmann, G. R. and Alexander, R. R. Forest vegetation of the Bighorn Mountains, Wyoming: a habitat type classification. *USDA-Forest-Service-Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station.* 1976; (No. RM-170):38 pp.
1833. Hoganson, H. M. and Borges, J. G. Using dynamic programming and overlapping subproblems to address adjacency in large harvest scheduling problems. *Forest-Science.* 1998; 44(4):526-538.
1834. Hoganson, H. M.; Borges, J. G.; Murray, A. T. (ed.), and Snyder, S. Impacts of the time horizon for adjacency constraints in harvest scheduling. *Special Section: Spatial Modeling.* 2000; 46(2):176-187.
1835. Hoganson, H. M. and Rose, D. M. A model for recognizing forestwide risk in timber management scheduling. *Forest-Science.* 1987; 33(2):268-282.
1836. Hoganson, H. M. and Rose, D. W. A simulation approach for optimal timber management scheduling. *Forest-Science.* 1984; 30(1):220-238.

1837. Hogberg, L. K.; Patriquin, K. J., and Barclay, R. M. R. Use by bats of patches of residual trees in logged areas of the boreal forest. *American-Midland-Naturalist*. 2002; 148(2):282-288.
1838. Hogg, E. H. Climate and the southern limit of the western Canadian boreal forest. *Canadian-Journal-of-Forest-Research*. 1994; 24(9):1835-1845.
1839. ---. Simulation of interannual responses of trembling aspen stands to climatic variation and insect defoliation in western Canada. *Ecological-Modelling*. 1999; 114(2-3):175-193.
1840. Hogg, E. H.; Brandt, J. P.; Kochtubajda, B.; Apps, M. J. (ed.); Karjalainen, T. (ed.); Stocks, B. J. (ed.), and Shaw, C. Growth and dieback of aspen forests in northwestern Alberta, Canada, in relation to climate and insects. *The Role of Boreal Forests and Forestry in the Global Carbon Budget. Papers from an international conference; Edmonton, Alberta, Canada, 8-12 May 2000. Canadian-Journal-of-Forest-Research*. 2002, 32(5):823-832.
1841. Hogg, E. H.; Hart, M., and Lieffers, V. J. White tree rings formed in trembling aspen saplings following experimental defoliation. *Canadian-Journal-of-Forest-Research*. 2002; 32(11):1929-1934.
1842. Hogg, E. H.; Hurdle, P. A.; Apps, M. J. (ed.); Price, D. T. (ed.), and Wisniewski, J. The aspen parkland in western Canada: a dry-climate analogue for the future boreal forest? *Boreal Forests and Global Change: Peer-Reviewed Manuscripts Selected From the International Boreal Forest Research Association Conference, Held in Saskatoon, Saskatchewan, Canada, September 25-30, 1994*. 1995; 82(1-2):391-400.
1843. Hogg, E. H.; Hurdle, P. A.; Margolis, H. A. (ed.), and Ryan, M. G. Sap flow in trembling aspen: implications for stomatal responses to vapor pressure deficit. *Biosphere-Atmosphere Interactions in the Boreal Forest*. 1997; 17(8-9):501-509.
1844. Hogg, E. H.; Price, D. T., and Black, T. A. Postulated feedbacks of deciduous forest phenology on seasonal climate patterns in the Western Canadian interior. *Journal-of-Climatology*. 2000; 13(24):4229-4243.
1845. Hogg, E. H. and Robertson, A. Temporal scaling of moisture and the forest-grassland boundary in western Canada. *Special Issue. 1903 Aug 20; Finland in August 1995. Agricultural-and-Forest-Meteorology*. 1997, 84(1-2):115-122.
1846. Hogg, E. H.; Saugier, B.; Pontauiller, J. Y.; Black, T. A.; Chen, W.; Hurdle, P. A.; Wu, A.; Ryan, M. G. (ed.), and Jarvis, P. G. Responses of trembling aspen and hazelnut to vapor pressure deficit in a boreal deciduous forest. *Special Issue: Biosphere-Atmosphere Interactions in the Boreal Forest*. 2000; 20(11):725-734.
1847. Hogg, E. H. and Schwarz, A. G. Regeneration of planted conifers across climatic moisture gradients on the Canadian prairies: implications for distribution and climate change. *Journal-of-Biogeography*. 1997; 24(4):527-534.
1848. Hogg, E. H.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Modeling aspen responses to climatic warming and insect defoliation in Western Canada. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):325-338.
1849. ---. Modeling aspen responses to climatic warming and insect defoliation in Western Canada. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):325-338.
1850. Hogsett, W. E.; Weber, J. E.; Tingey, D.; Herstrom, A.; Lee, E. H., and Laurence, J. A. An approach for characterizing tropospheric ozone risk to forests. *Environmental-Management*. 1997; 21(1):105-

1851. Holiday, S. A floristic study of Tsegi Canyon, Arizona. *Madrono*. 2000; 47(1):29-42.
1852. Holland, D. N.; Lilieholm, R. J.; Roberts, D. W., and Gillies, J. K. Economic trade-offs of managing forests for timber production and vegetative diversity. *Canadian-Journal-of-Forest-Research*. 1994; 24(6):1260-1265.
1853. Holliday, N. J. The carabid fauna (Coleoptera: Carabidae) during postfire regeneration of boreal forest: properties and dynamics of species assemblages. *Canadian-Journal-of-Zoology*. 1992; 70(3):440-452.
1854. ---. Species responses of carabid beetles (Coleoptera: Carabidae) during post-fire regeneration of boreal forest. *Canadian-Entomologist*. 1991; 123(6):1369-1389.
1855. Holloway, P. S. Aspen wood chip and stone mulches for landscape plantings in interior, Alaska. *Journal-of-Environmental-Horticulture*. 1992; 10(1):23-27.
1856. Holman, H. L. Forest resources of the southern Yukon. 1944, North Pacific Planning Project, Canadian Section. 1944 Pp. 16 + Folding Map.
1857. Holmes, M. J. and Reed, D. D. Competition indices for mixed species northern hardwoods. *Forest-Science*. 1991; 37(5):1338-1349.
1858. Holmsen, S. D. Comparison of four single-stem methods for controlling trembling aspen. *FRDA-Report-Victoria,-B.C.* 1990; (No. 129):26 pp.
1859. ---. Comparison of four single-stem methods for controlling trembling aspen. *Special-Report -Forest-Engineering-Research-Institute-of-Canada*. 1990; (No. SR-70):26 pp.
1860. ---. Mowing to reduce aspen competition in young spruce plantations in northern Alberta. *Technical-Note -Forest-Engineering-Research-Institute-of-Canada*. 1989; (No. TN-132):7 pp.
1861. ---. Stand cleaning with Husqvarna 165 RX clearing saws in northern Alberta. *Technical-Note,-Forest-Engineering-Research-Institute-of-Canada*. 1988; (No. TN-116):8 pp.
1862. Holsten, E. H. and Hard, J. Efficacy of *Bacillus thuringiensis* Berliner for suppressing populations of large aspen tortrix in Alaska. *Canadian-Entomologist*. 1985; 117(5):587-591.
1863. Holsten, E. H. and Wolfe, R. L. Collecting ambrosia beetles (Coleoptera: Scolytidae) with an increment borer. *Canadian-Entomologist*. 1981; 113(1):79-80.
1864. Holtzapple, M. T.; Humphrey, A. E., and Taylor, J. D. Energy requirements for the size reduction of poplar and aspen wood. *Biotechnology-and-Bioengineering*. 1989; 33(2):207-210.
1865. Honer, T. G.; Ker, M. F., and Alemdag, I. S. Metric timber tables for the commercial tree species of central and eastern Canada. *Information-Report,-Maritimes-Forest-Research-Centre,-Canada*. 1983; (No. M-X-140):iii + 139 pp.
1866. Hook, D. D. and Sucoff, E. [I]. Predicting discoloration in wood of Quaking Aspen. 1966, *Minn. For. Note No. 169*, 1966. Pp. [2]. [9 Refs.].
1867. Hooser, D. D. van and Chojnacky, D. C. Tree diameter measurements at English and metric standard heights: a comparison. *Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1984; (No. INT-327):ii + 7 pp.

1868. Hoover, W. L.; Hunt, M. O.; Lattanzi, R. C.; Bateman, J. H., and Youngquist, J. A. Modeling mechanical properties of single-layer, aligned, mixed-hardwood strand panels. *Forest-Products-Journal*. 1992; 42(5):12-18.
1869. Hopkin, A.; Williams, T.; Sajan, R.; Pedlar, J., and Nielsen, C. Ice storm damage to eastern Ontario forests: 1998-2001. *Forestry-Chronicle*. 2003; 79(1):47-53.
1870. Horak, E. and Miller, O. K. Jr. A new species of *Simocybe* from North America. *Mycotaxon*. 1997, 62: 225-229; 11 Ref.
1871. Horn, A. G. and Keller, R. C. Tree diameter at breast height in relation to stump diameter by species group. 1957, Tech. Note Lake St. For. Exp. Sta. 1957. No. 507, Pp. 2.
1872. Horn, R. A. Morphology of pulp fiber from hardwoods and influence on paper strength. USDA-Forest-Service-Research-Paper,-Forest-Products-Laboratory,-Madison. 1978; (No.FPL 312):8 pp.
1873. Horton, B. J. Silvicultural treatments to maximize biomass production in aspen stands. 1984, 19 Pp.; ENFOR Project P-257; 6 Ref.
1874. Horton, D. R. and Lewis, T. M. Seasonal distribution of *Anthocoris* spp. and *Deraeocoris brevis* (Heteroptera: Anthocoridae, Miridae) in orchard and non-orchard habitats of central Washington. *Annals-of-the-Entomological-Society-of-America*. 2000; 93(3):476-485.
1875. Horton, K. W. Early developments in a subalpine Lodgepole Pine stand of fire origin. 1955, Tech. Note For. Br. Can. 1955 No. 16, Pp. 6. 4 Refs.
1876. ---. The ecology of Lodgepole Pine in Alberta and its role in forest succession. 1956, Tech. Note For. Br. Can. 1956 No. 45, Pp. 29. 16 Refs.
1877. Horton, K. W. and Hopkins, E. J. Influence of fire on Aspen [*Populus tremuloides* and *P. grandidentata*] suckering. 1965, Publ. Dep. For. Can. No. 1095, 1965. Pp. 19. 14 Refs.
1878. Horton, K. W. and McCormack, R. J. Economical spot seeding and planting methods for Pines on sand plains. 1961, Tech. Note Dep. For. Can. Lab. No. 100, 1961. Pp. 19.
1879. Horton, K. W. and Wang, B. S. P. Experimental seeding of conifers in scarified strips. 1969, *For. Hron*. 1969 45 (1), (22-9). [6 Refs.].
1880. Hossfeld, R. L.; Gortner, R. A., and Kaufert, F. H. The cooking process. Action of aqueous solutions of pure sodium hydrosulfide on Aspen wood. 1943, *Industr. Engng. Chem. (Industr. Ed.)* 35 1943 (717-20). [Minnesota Agricultural Exp. Sta., St. Paul, Minn.] L.S.
1881. Hossfeld, R. L. and Hunter, W. T. The petroleum ether extractives of Aspen [*Populus tremuloides*] bark. 1958, 1958 *Tappi* 41 (7), (359-62). 21 Refs. P.R. [Cf. F.A. 19 No. 3397].
1882. Hossfeld, R. L. and Kaufert, F. H. Structure and composition of Aspen bark. 1957, *For. Prod. J.* 1957 7 (12), (437-9). 12 Refs.
1883. Hossfeld, R. L.; Oberg, C., and French, D. W. The appearance and decay resistance of discoloured Aspen. 1957, *For. Prod. J.* 1957 7 (10), (378-82). 3 Refs.
1884. Hostin, P. J. and Titus, S. J. Indirect site productivity models for white spruce in Alberta's boreal mixedwood forests. *Forestry-Chronicle*. 1996; 72(1):73-79.
1885. Hou, Y. F.; Kotelnikova, N. E., and Petropavlovsky, G. A. Hydrolytic degradation and properties of

bleached and unbleached celluloses of deciduous wood (aspen and poplar). *Chemistry-and-Industry-of-Forest-Products*. 1990; 10(2):59-68.

1886. Hough, A. F. Zoning for the management of Black Cherry on the Allegheny Plateau. 1959, *J. For.* 1959 57 (5), (353-7). 26 Refs.
1887. Houston, A. P. C.; Visser, S., and Lautenschlager, R. A. Response of microbial processes and fungal community structure to vegetation management in mixedwood forest soils. *Canadian-Journal-of-Botany*. 1998; 76(12):2002-2010.
1888. Houston, D. B. Wildfires in northern Yellowstone National Park. *Ecology*. 1973; 54(5):1111-1117.
1889. Hove, G. P.; Blinn, C. R., and Adams, R. D. Aspen stand development in Beltrami County, Minnesota. *Aspen Symposium '89: Proceedings*. Duluth; (Minnesota):July 25-27, 1989. General-Technical-Report -North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1990, No. NC-140, 113-121.
1890. Howard, A. F. Stumpage rates for a sawmill in interior British Columbia: predicted vs. actual. *Forest-Products-Journal*. 1991; 41(4):63-67.
1891. Howitt, A. J. (Chairman). Fifty-seventh annual conference of the North Central States entomologists. *Proceedings-of-the-North-Central-Branch-of-the-Entomological-Society-of-America*. 1978, Publ. 1979, 33: Ii + 80 Pp.; 250 X 170 Mm.
1892. Hoyt, J. S. and Hannon, S. J. Habitat associations of black-backed and three-toed woodpeckers in the boreal forest of Alberta. *Canadian-Journal-of-Forest-Research*. 2002; 32(10):1881-1888.
1893. Hseu JiingShyang; Buongiorno, J., and Hseu, J. S. Financial performance of maple-birch stands in Wisconsin: value growth rate versus equivalent annual income. *Northern-Journal-of-Applied-Forestry*. 1997; 14(2):59-66.
1894. Hsu, W. E.; Melanson, R. J.; Kozak, P. J., and Maloney, T. M. The effect of wax type and content on waferboard properties. *Proceedings of the Twenty-Fourth Washington State University International Particleboard-Composite Materials Symposium*, April 3, 4, 5, 1990. 1990, 85-93; 2 Ref.
1895. Hsu, W. E.; Schwald, W.; Schwald, J., and Shields, J. A. Chemical and physical changes required for producing dimensionally stable wood-based composites. Part 1: Steam pretreatment. *Wood-Science-and-Technology*. 1988; 22(3):281-289.
1896. Hu BaoXin; Lucht, W.; Li XiaoWen; Strahler, A. H.; Hu, B. X., and Li, X. W. Validation of kernel-driven semiempirical models for the surface bidirectional reflectance distribution function of land surfaces. *Remote-Sensing-of-Environment*. 1997; 62(3):201-214.
1897. Hu WenJing; Harding, S. A.; Lung JrHau; Popko, J. L.; Ralph, J.; Stokke, D. D.; Tsai ChungJui; Chiang, V. L.; Hu, W. J.; Lung, J. H., and Tsai, C. J. Repression of lignin biosynthesis promotes cellulose accumulation and growth in transgenic trees. *Nature-Biotechnology*. 1999; 17(8):808-812.
1898. Hu WenJing; Kawaoka, A.; Tsai ChungJui; Lung, J.; Osakabe, K.; Ebinuma, H.; Chiang, V. L.; Hu, W. J., and Tsai, C. J. Compartmentalized expression of two structurally and functionally distinct 4-coumarate:CoA ligase genes in aspen (*Populus tremuloides*). *Proceedings-of-the-National-Academy-of-Sciences-of-the-United-States-of-America*. 1998; 95(9):5407-5412.
1899. Hua, X.; Capretti, G.; Foher, B.; Marzetti, A.; Kokta, B. V., and Kaliaguine, S. Characterization of aspen explosion pulp by CP/MAS ¹³C NMR. *Applied-Spectroscopy*. 1993; 47(10):1693-1695.

1900. Hua, X.; Kaliaguine, S.; Kokta, B. V., and Adnot, A. Surface analysis of explosion pulps by ESCA. Part 2. Oxygen (1s) and sulfur (2p) spectra. *Wood-Science-and-Technology*. 1993; 28(1):1-8.
1901. Huang JianZhong; Campbell, R. A.; Studens, J. A.; Fleming, R. A., and Huang, J. Z. Absorption and translocation of triclopyr ester in *Populus tremuloides*. *Weed-Science*. 2000; 48(6):680-687.
1902. Huang, S. M. and Titus, S. J. An index of site productivity for uneven-aged or mixed-species stands. *Canadian-Journal-of-Forest-Research*. 1993; 23(3):558-562.
1903. Huang, S. M.; Titus, S. J., and Huang, S. An age-independent individual tree height prediction model for boreal spruce-aspen stands in Alberta. *Canadian-Journal-of-Forest-Research*. 1994; 24(7):1295-1301.
1904. Huang, S. M.; Titus, S. J., and Wiens, D. P. Comparison of nonlinear height-diameter functions for major Alberta tree species. *Canadian-Journal-of-Forest-Research*. 1992; 22(9):1297-1304.
1905. Huang ShongMing; Titus, S. J., and Huang, S. M. An individual tree height increment model for mixed white spruce-aspen stands in Alberta, Canada. *Forest-Ecology-and-Management*. 1999; 123(1):41-53.
1906. Huang, W. Z. and Schoenau, J. J. Distribution of water-soluble organic carbon in an aspen forest soil. *Canadian-Journal-of-Forest-Research*. 1996; 26(7):1266-1272.
1907. ---. Fluxes of water-soluble nitrogen and phosphorus in the forest floor and surface mineral soil of a boreal aspen stand. *Geoderma*. 1998; 81(3-4):251-264.
1908. ---. Forms, amounts and distribution of carbon, nitrogen, phosphorus and sulfur in a boreal aspen forest soil. *Canadian-Journal-of-Soil-Science*. 1996; 76(3):373-385.
1909. ---. Mass loss measurements and statistical models to predict decomposition of leaf litter in a boreal aspen forest. *Communications-in-Soil-Science-and-Plant-Analysis*. 1997; 28(11-12):863-874.
1910. ---. Seasonal and spatial variations in soil nitrogen and phosphorus supply rates in a boreal aspen forest. *Canadian-Journal-of-Soil-Science*. 1997; 77(4):597-612.
1911. Hubbard, J. W. Growth and mortality in a Northern Minnesota forest. 1956, *Minn. For. Note* 1956 No. 50 Pp.2.
1912. Hubbes, M. Benzoic and salicylic acids isolated from a glycoside of Aspen bark and their effect on *Hypoxylon pruinautum*. 1969, *Canad. J. Bot.* 1969 47 (8), (1295-1301). [18 Refs.].
1913. ---. Inhibition of *Hypoxylon pruinautum* by pyrocatechol isolated from bark of Aspen. 1962, *Repr. From Science* 136 (3511), 1962 (156). 7 Refs.
1914. ---. Inhibition of *Hypoxylon pruinautum* (Klotzsche) Cke. by Aspen bark meal and the nature of active extractives. 1966, *Canad. J. Bot.* 1966 44 (4), (365-86). [50 Refs.].
1915. ---. The invasion site of *Hypoxylon pruinautum* in *Populus tremuloides*. 1964, *Abstr. in Phytopathology* 54 (8), 1964 (896).
1916. ---. New facts on host-parasite relationships in the *Hypoxylon [pruinautum]* canker of Aspen. 1964, *Repr. From Canad. J. Bot.* 42, 1964 (1489-94 + 10 Photos). 7 Refs.
1917. ---. Two glycosides from Aspen fungistatic against *Hypoxylon pruinautum* (Klot.) Cke. 1962, *Bi-m. Progr. Rep. For. Ent. Path. Br. Dep. For. Can.* 18 (6), 1962 (2-3).

1918. Hubbes, M. and Astous, R. d'. Factors affecting the germination of spores of *Hypoxylon pruinaum*. 1967, *Canad. J. Bot.* 1967 45 (7), (1145-53). [16 Refs.].
1919. Hubbes, M. and Etheridge, D. E. A chemical basis for selection of heartwood fungi in Balsam Fir. 1965, *Repr. From Canad. J. Bot.* 43 (1), 1965 (181-3). 3 Refs.
1920. Huber, D. P. W.; Gries, R.; Borden, J. H., and Pierce, H. D. Jr. A survey of antennal responses by five species of coniferophagous bark beetles (Coleoptera: Scolytidae) to bark volatiles of six species of angiosperm trees. *Chemoecology*. 2000; 10(3):103-113.
1921. ---. Two pheromones of coniferophagous bark beetles found in the bark of nonhost angiosperms. *Journal-of-Chemical-Ecology*. 1999; 25(4):805-816.
1922. Huber, H.; Maeglin, R. R., and Bozaan, D. Commercial evaluation of SDR (saw-dry-rip) - using aspen for door parts. *Forest-Products-Journal*. 1984; 34(11-12):35-39.
1923. Huber, H. A.; Rosen, H. N.; Stewart, H. A., and Harsh, S. B. A financial analysis of furniture parts from short bolts. *Forest-Products-Journal*. 1983; 33(9):55-58.
1924. Huckaby, L. S. and Moir, W. H. Forest communities at Fraser Experimental Forest, Colorado. *Southwestern-Naturalist*. 1998; 43(2):204-218.
1925. Hudson, L. E.; Robins, D. E.; Plahutnik, F. Jr., and Williams, E. T. Segregation of Aspen bark/wood chip mixtures using the Cartesian-diver principle. *Tappi*. 1975; 58(7):162-163.
1926. Hudson, R. J. and Blyth, C. Mixed grazing systems of the aspen boreal forest. *Rangelands: a Resource Under Siege. Proceedings of the 2nd International Rangeland Congress; (Adelaide):Australia, 13-18 May 1984.* 1986, 380-383.
1927. Hudson, S. and Carlson, M. Propagation of interior British Columbia native plants from seed. 1998, Vii + 30 Pp.; 8 Ref.
1928. Huemmrich, K. F. The GeoSail model: a simple addition to the SAIL model to describe discontinuous canopy reflectance. *Remote-Sensing-of-Environment*. 2001; 75(3):423-431.
1929. Huemmrich, K. F.; Black, T. A.; Jarvis, P. G.; McCaughey, J. H., and Hall, F. G. High temporal resolution NDVI phenology from micrometeorological radiation sensors. *Special Section*. 1999; 104(D22):27935-27944.
1930. Huemmrich, K. F. and Goward, S. N. Vegetation canopy PAR absorptance and NDVI: an assessment for ten tree species with the SAIL model. *Remote-Sensing-of-Environment*. 1997; 61(2):254-269.
1931. Huffman, D. R. Kiln-drying Aspen studs. *Forest-Products-Journal*. 1972; 22(10):21-23.
1932. Huffman, D. R. and Cech, M. Y. Kiln-drying 1-inch Aspen. *Canadian-Forest-Industries*. 1976; 96(8):27...35.
1933. Huffman, R. D.; Fajvan, M. A., and Wood, P. B. Effects of residual overstory on aspen development in Minnesota. *Canadian-Journal-of-Forest-Research*. 1999; 29(2):284-289.
1934. Hughes, M. and Gertjansen, R. Spruce budworm killed balsam fir as a raw material for flakeboard and waferboard. *Forest-Products-Journal*. 1984; 34(2):42-46.
1935. Hulme, M. A. and Shields, J. K. Biological control of decay fungi in wood by competition for non-structural carbohydrates. 1970, *Nature, Lond.* 1970 227 (5255), (300-1). [20 Refs.].

1936. ---. Interaction between fungi in wood blocks. *Canadian-Journal-of-Botany*. 1972; 50(6):1421-1427.
1937. Hulme, M. A. and Thomas, J. F. Erosion of wood by enzymes of wood-rotting basidiomycetes. 1970, *Bi-m. Res. Notes* 1970 26 (6), (57-8). [6 Refs.].
1938. Humphries, W. and Gifford, G. F. A preliminary quantification of the impacts of aspen to conifer succession on water yield - I. Heat pulse methodology for model calibration. *Water-Resources-Bulletin*. 1984; 20(2):173-179.
1939. Hungerford, C. R. Response of Kaibab mule deer to management of summer range. 1970, *J. Wildlife Mgmt.* 1970 34 (4), (852-62). [10 Refs.].
1940. Hungerford, R. D. Soil temperatures and suckering in burned and unburned aspen stands. *Research-Note - Intermountain-Research-Station,-USDA-Forest-Service*. 1988; (No. INT-378):6 pp.
1941. Hunt, E. R. Jr.; Weber, J. A., and Gates, D. M. Differences between tree species in hydraulic press calibration of leaf water potential are correlated with specific leaf area. *Plant,-Cell-and-Environment*. 1984; 7(8):597-600.
1942. Hunt, J. A. Introduction of the Sylvania Selective/Ford Versatile cleaning machine to Alberta. *Field-Note:-Silviculture -Forest-Engineering-Research-Institute-of-Canada*. 1993; (No. 52):2 pp.
1943. Hunt, K.; Basham, J. T., and Kemperman, J. A. Kraft-pulping evaluation of decayed trembling aspen (*Populus tremuloides*) from Ontario. *Canadian-Journal-of-Forest-Research*. 1978; 8(2):181-187.
1944. Hunt, K. and Hatton, J. V. Full forest utilization: Part II. Quality and kraft pulp yield of eastern Canadian hardwoods. *Pulp-and-Paper-Canada*. 1975; 76(11):97-102.
1945. ---. Increased pulp production by use of hardwoods in softwood kraft mills. *Pulp-and-Paper-Canada*. 1976; 77(12):119-123.
1946. ---. Predicting the kraft pulping behavior of decayed pulpwood. *Canada, Canadian Pulp and Paper Association: Preprints of Papers to Be Presented at the Spring Conference, May 17-21, 1978, Jasper, Alberta*. 1978; (48-51; [see FPA 3):467].
1947. ---. Predicting the kraft pulping behaviour of decayed pulpwood. *Pulp-and-Paper-Canada*. 1979; 80(3):55-57 (T72-74).
1948. Hunt, K. and Keays, J. L. Kraft pulping of Trembling Aspen tops and branches. *Canadian-Journal-of-Forest-Research*. 1973; 3(4):535-542.
1949. ---. Short-rotation Trembling Aspen trees (*Populus tremuloides* Michx.) for kraft pulp. *Canadian-Journal-of-Forest-Research*. 1973, 3: 180-184; 17 Ref.
1950. Hunt, M. O. The prediction of the elastic constants of particleboard by means of a structural analogy. S]. 1972 B.C.; 32(9):4979.
1951. Hunt, M. O.; Hoover, W. L., and Fergus, D. A. Thick aspen structural flakeboard. *Forest-Products-Journal*. 1985; 35(4):33-39.
1952. Hunt, M. O. and Suddarth, S. K. Prediction of elastic constants of particleboard. *Forest-Products-Journal*. 1974; 24(5):52-57.
1953. Hunt, R. S. and Etheridge, D. E. True heart-rots of the Pacific region. *Forest-Pest-Leaflet -Pacific-Forestry-Centre,-Canadian-Forest-Service*. 1995; (No. 55):8 pp.

1954. Hunter, A. F. and Lechowicz, M. J. Foliage quality changes during canopy development of some northern hardwood trees. *Oecologia*. 1992; 89(3):316-323.
1955. Hunter, N. B.; George, J. L.; Devlin, D. A.; Boyce, M. S. (ed.), and Hayden Wing, L. D. Herbivore-woody plant relationships on a Pennsylvania clearcut. *North-American-Elk:-Ecology,-Behavior-and-Management*. 1979, 105-111; 13 Ref.
1956. Husain, S. A.; Rose, D. W.; Nichols, J. M., and Archibald, S. O. Estimation of upper bound forest protection expenditures under uncertainty. *Journal-of-Forest-Planning*. 1998; 4(1):27-33.
1957. Hussain, N. G. The bionomics and population dynamics of *Saperda inornata* Say and *Oberea schaumii* Leconte (Coleoptera: Cerambycidae). *Dissertation-Abstracts-International,-B*. 1973; 33(12):5892-5893.
1958. Hutchison, L. J. Wood-inhabiting microfungi isolated from *Populus tremuloides* from Alberta and northeastern British Columbia. *Canadian-Journal-of-Botany*. 1999; 77(6):898-905.
1959. Hutchison, L. J.; Chakravarty, P.; Kawchuk, L. M., and Hiratsuka, Y. *Phoma etheridgei* sp.nov. from black galls and cankers of trembling aspen (*Populus tremuloides*) and its potential role as a bioprotectant against the aspen decay pathogen *Phellinus tremulae*. *Canadian-Journal-of-Botany*. 1994; 72(10):1424-1431.
1960. Hutchison, L. J. and Hiratsuka, Y. Some wood-inhabiting yeasts of trembling aspen (*Populus tremuloides*) from Alberta and northeastern British Columbia. *Mycologia*. 1994; 86(3):386-391.
1961. Hutchison, L. J.; Sigler, L., and Hiratsuka, Y. *Hyphozyma lignicola* sp.nov., a yeast-like hyphomycete from black galls and cankers of trembling aspen (*Populus tremuloides*). *Mycological-Research*. 1993; 97(12):1409-1415.
1962. Hutchison, L. J.; Untereiner, W. A., and Hiratsuka, Y. *Knufia cryptophialidica* gen. et sp. nov., a dematiaceous hyphomycete isolated from black galls of trembling aspen (*Populus tremuloides*). *Mycologia*. 1995; 87(6):902-908.
1963. Hutto, R. L. Composition of bird communities following stand-replacement fires in northern Rocky Mountain (U.S.A.) conifer forests. *Conservation-Biology*. 1995; 9(5):1041-1058.
1964. Hwang, S. Y. and Lindroth, R. L. Clonal variation in foliar chemistry of aspen: effects on gypsy moths and forest tent caterpillars. *Oecologia*. 1997; 111(1):99-108.
1965. Hwang, S. Y.; Lindroth, R. L.; Montgomery, M. E., and Shields, K. S. Aspen leaf quality affects gypsy moth (Lepidoptera: Lymantriidae) susceptibility to *Bacillus thuringiensis*. *Journal-of-Economic-Entomology*. 1995; 88(2):278-282.
1966. Hwang ShawYhi; Lindroth, R. L., and Hwang, S. Y. Consequences of clonal variation in aspen phytochemistry for late season folivores. *Ecoscience*. 1998; 5(4):508-516.
1967. Hyttinen, A.; Keller, E. L., and Schafer, E. R. Experiments on the groundwood and sulfite pulping of Subalpine Fir. 1958, Rep. U.S. For. Prod. Lab., Madison 1958 2122 Pp. 7 + 6 Tbls.
1968. Hyttinen, A.; Mackin, G. E., and Schafer, E. R. Experiments on the grinding of Quaking Aspen [*Populus tremuloides*] and use of pulp in printing paper. 1947, Paper Tr. J. 1947 125 (13) (53-62).
1969. Hyttinen, A.; Martin, J. S., and Keller, E. L. Pulping and papermaking experiments on Quaking Aspen from Colorado. 1960, Rep. U.S. For. Prod. Lab., Madison No. 2180, 1960. Pp. 5 + 8 Tbls.

1970. Hyttinen, A. and Schafer, E. R. Effect of decay on the groundwood pulping of Quaking Aspen [*Populus tremuloides*]. 1948, Repr. From Paper Industry and Paper World June, 1948 Pp. 3. 3 Refs. [Forest Products Laboratory, Madison].
1971. ---. Grinding pretreated hardwoods: experiments on Quaking Aspen, Sweetgum, Red Alder, Black Tupelo, Sugar Maple, Red Oak, and Cottonwood. 1955, Rep. U.S. For. Prod. Lab., Madison 1955. No. 2015, Pp. 12 + 8 Tbls. 6 Refs.
1972. Hyun, J. O. Inheritance of isoenzymes in root tips of trembling aspen (*Populus tremuloides* Michx.). *Journal-of-Korean-Forestry-Society*. 1984; (recd. 1986):No. 64, 20-25.
1973. Hyun, J. O.; Rajora, O. P., and Zsuffa, L. Genetic variation in trembling aspen in Ontario based on isozyme studies. *Canadian-Journal-of-Forest-Research*. 1987; 17(9):1134-1138.
1974. Iacobelli, A. and McCaughey, J. H. Stomatal conductance in a northern temperate deciduous forest: temporal and spatial patterns. *Canadian-Journal-of-Forest-Research*. 1993; 23(2):245-252.
1975. Ignatenko, O. V.; Arkhangel'skaya, A. S., and Chupka, E. I. Formation of peroxide compounds in the oxidation of lignin by oxygen in an organic solvent. *Chemistry-of-Natural-Compounds*. 1992; 28(3-4):361-364.
1976. Illies, Z. M. and Kasha, K. J. Induction of haploid parthenogenesis in *Populus tremula* by male gametes inactivated with toluidine blue. *Haploids-in-Higher-Plants.-Advances-and-Potential.-II.-Methods-of-Producing-Haploids*. 1974, 136.
1977. Imamura, Y.; Nishimoto, K., and Rowell, R. M. Internal bond strength of acetylated flakeboard exposed to decay hazards. *Mokuzai-Gakkaishi-Journal-of-the-Japan-Wood-Research-Society*. 1987; 33(12):986-991.
1978. Iniguez Covarrubias, G.; Lange, S. E., and Rowell, R. M. Utilization of byproducts from the tequila industry: part 1: agave bagasse as a raw material for animal feeding and fiberboard production. *Bioresource-Technology*. 2001; 77(1):25-32.
1979. Jordan Costache, M.; Lowe, K. C.; Davey, M. R., and Power, J. B. Improved micropropagation of *Populus* spp. by Pluronic F-68. *Plant-Growth-Regulation*. 1995; 17(3):233-239.
1980. Irving, B. D. and Bailey, A. W. Control of woody sucker regrowth in clear and break vs spray and burn. *Agriculture-and-Forestry-Bulletin,-University-of-Alberta*. 1985, June, Special Issue, 78-79.
1981. Irving, B. D.; Bailey, A. W., and Taylor, B. A comparison of seedbed preparation methods following clearing of aspen forest. *Agriculture-and-Forestry-Bulletin,-University-of-Alberta*. 1985, June, Special Issue, 80.
1982. Irwin, J. D. and Doyle, J. A. Properties and utilization of Canadian Poplars. 1961, Tech. Note For. Prod. Res. Br. Can. No. 24, 1961. Pp. 28. 14 Refs.
1983. Isebrands, J. G.; Guenther, A. B.; Harley, P.; Helmig, D.; Klinger, L.; Vierling, L.; Zimmerman, P., and Geron, C. Volatile organic compound emission rates from mixed deciduous and coniferous forests in Northern Wisconsin, USA. *Atmospheric-Environment*. 1999; 33(16):2527-2536.
1984. Isebrands, J. G.; McDonald, E. P.; Kruger, E.; Hendrey, G.; Percy, K.; Pregitzer, K.; Sober, J., and Karnosky, D. F. Growth responses of *Populus tremuloides* clones to interacting elevated carbon dioxide and tropospheric ozone. *Environmental-Pollution*. 2001; 115(3):359-371.
1985. Isenberg, I. H. The fine structure of the cambial wall of Bigtooth Aspen. 1956, *Tappi* 39 (12), (882-3).

5 Refs.

1986. Iverson, C. G. Epidemiology of white trunk rot of Aspen incited by *Fomes ignarius* var. *populinus* (Neuman) Campbell. 1968, Abstr. of Thesis, in Dissert. Abstr. 1968 28B (11), (4377).
1987. Iverson, L. R. and Prasad, A. M. Potential changes in tree species richness and forest community types following climate change. *Ecosystems*. 2001; 4(3):186-199.
1988. ---. Potential changes in tree species richness and forest community types following climate change. *Ecosystems*. 2001; 4(3):186-199.
1989. Iverson, L. R.; Prasad, A. M., and Dibble, A. C. Potential redistribution of tree species habitat under five climate change scenarios in the eastern US. 'Forest Ecology into the Next Millennium: Putting the Long View into Practice'. Selected papers presented at the Second North American Forest Ecology Workshop; 27-30 June 1999. *Forest-Ecology-and-Management*. 2002, 155(1-3):205-222.
1990. Iverson, R. and Sanborn, S. M. A site preparation trial with imazapyr on red pine and white spruce in Minnesota. *Proceedings, North Central Weed Control Conference*. 1985, Vol.40, 27.
1991. Iverson, R. D. and Butler Fasteland, M. C. Herbicide efficacy for Lake States forestry - results from a user survey. *Proceedings, North Central Weed Control Conference*. 1985, Vol.40, 29.
1992. Ives, R. L. Forest replacement rates in the Colorado Headwaters area. 1941, *Bull. Torrey Bot. Cl.* 68 1941 (407-8). O.B.D.
1993. ---. Vegetative indicators of solifluction. 1941, *J. Geomorph.* 4 1941 (2), (128-32). *Soil Conser. Lit.* 5 (133).
1994. Ives, W. G. H. Heat units and outbreaks of the forest tent caterpillar, *Malacosoma disstria* (Lepidoptera: Lasiocampidae). *Canadian-Entomologist*. 1973; 105(4):529-543.
1995. Ives, W. G. H.; Blauel, R. A., and Robins, J. K. Prairies region. *Canadian-Forestry-Service:-Annual-Report-of-the-Forest-Insect-and-Disease-Survey,-Department-of-the-Environment,-Canadian-Forestry-Service,-1971*. 1972, 73-80.
1996. Ives, W. G. H. and Cunningham, J. C. Application of nuclear polyhedrosis virus to control Bruce spanworm (Lepidoptera: Geometridae). *Canadian-Entomologist*. 1980; 112(7):741-744.
1997. Ives, W. G. H. and Muldrew, J. A. Preliminary evaluations of the effectiveness of nucleopolyhedrosis virus sprays to control the forest tent caterpillar in Alberta. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1978; (No. NOR-X-204):10 pp.
1998. Ives, W. G. H.; Muldrew, J. A., and Smith, R. M. Experimental aerial application of forest tent caterpillar baculovirus. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1982; (No. NOR-X-240):v + 9 pp.
1999. Jackson, A. and Parkinson, J. R. Kraft pulps from Central American hardwoods. 1968, *Tappi* 1968 51 (10), (44A-47A). [4 Refs.].
2000. Jacobi, W. R.; Scarpa, V. J., and Parke, R. V. Anatomy and chemistry of aspen branches afflicted with drooping aspen disease. *Canadian-Journal-of-Plant-Pathology*. 1990; 12(2):158-163.
2001. Jacobi, W. R. and Shepperd, W. D. Fungi associated with sprout mortality in aspen clearcuts in Colorado and Arizona. *Research-Note -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1991; (No. RM-513):5 pp.

2002. Jacobs, A.; Lundqvist, J.; Stalbrand, H.; Tjerneld, F., and Dahlman, O. Characterization of water-soluble hemicelluloses from spruce and aspen employing SEC/MALDI mass spectroscopy. *Carbohydrate-Research*. 2002; 337(8):711-717.
2003. Jacobs, M. W. and Monteith, D. B. Feasibility of developing regional weight tables. *Journal-of-Forestry*. 1981; 79(10):676-677.
2004. Jagels, R. Gelatinous fibers in the roots of Quaking Aspen. 1963, *For. Sci.* 9 (4), 1963 (440-3). 13 Refs.
2005. Jahan Latibari, A. and Maloney, T. M. Proceedings of the sixteenth international particleboard symposium, WSU, Pullman, Washington, March 30-April 1, 1982. 1982, 388 Pp.; Many Pl. TRADA; Many Ref.
2006. Jahn, E. C. Chemical debarking of trees. 1953, *Sth. Lumberm.* 1953 187 (2336), (41-2).
2007. Jakes, P. J. Minnesota's aspen resource. Research-Note,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1981, No. NC-268, 4 Pp.
2008. Jakubas, W. J. and Gullion, G. W. Coniferyl benzoate in quaking aspen: a ruffed grouse feeding deterrent. *Journal-of-Chemical-Ecology*. 1990; 16(4):1077-1087.
2009. Jakubas, W. J.; Gullion, G. W., and Clausen, T. P. Ruffed grouse feeding behavior and its relationship to secondary metabolites of quaking aspen flower buds. *Journal-of-Chemical-Ecology*. 1989; 15(6):1899-1917.
2010. Jakubas, W. J.; Wentworth, B. C., and Karasov, W. H. Physiological and behavioral effects of coniferyl benzoate on avian reproduction. *Journal-of-Chemical-Ecology*. 1993; 19(10):2353-2377.
2011. Jakubauskas, M. E.; Lulla, K. P., and Mausel, P. W. Assessment of vegetation change in a fire-altered forest landscape. *PE-and-RS,-Photogrammetric-Engineering-and-Remote-Sensing*. 1990; 56(3):371-377.
2012. Jalilvand, H.; Jalali, S. G.; Akbarnia, M.; Tabari, M., and Hosseini, S. M. Growth response of eight hardwood species to current and past climatic variations using regression models. *Journal-of-Agricultural-Science-and-Technology*. 2001; 3(3):209-225.
2013. James, S. E.; Partel, M.; Wilson, S. D., and Peltzer, D. A. Temporal heterogeneity of soil moisture in grassland and forest. *Journal-of-Ecology-Oxford*. 2003; 91(2):234-239.
2014. James, T. D. W. and Smith, D. W. Seasonal changes in the major ash constituents of leaves and some woody components of trembling aspen and red osier dogwood. *Canadian-Journal-of-Botany*. 1978; 56(15):1798-1803.
2015. ---. Short-term effects of surface fire on the biomass and nutrient standing crop of *Populus tremuloides* in southern Ontario. *Canadian-Journal-of-Forest-Research*. 1977; 7(4):666-679.
2016. ---. Short term effects of surface fire on the biomass and nutrient standing crop of *Populus tremuloides* in southern Ontario. *Canadian-Journal-of-Forest-Research*. 1977; 7(4):666-679.
2017. James, T. D. W.; Smith, D. W.; Mackintosh, E. E.; Hoffman, M. K., and Monti, P. Effects of camping recreation on soil, jack pine, and understory vegetation in a northwestern Ontario park. *Forest-Science*. 1979; 25(2):333-349.
2018. ---. Effects of camping recreation on soil, jack pine, and understory vegetation in a northwestern Ontario park. *Forest-Science*. 1979; 25(2):333-349.

2019. James, W. L. Calibration of electric moisture meters for Jack and Red Pine, Black Spruce, Paper Birch, Black Ash, Eastern Hemlock, and Bigtooth Aspen. 1961, Rep. U.S. For. Prod. Lab., Madison No. 2208, 1961. Pp. 7 + 1 Photo, 10 Gphs., 12 Tbls. 5 Refs.
2020. Jameson, J. S. Comparison of tree growth on two sites in the Riding Mountain forest experimental area. 1963, Publ. Dep. For. Can. No. 1019, 1963. Pp. 36. 13 Refs.
2021. Janke, R. A.; McKaig, D., and Raymond, R. Comparison of presettlement and modern upland boreal forests on Isle Royale National Park. *Forest-Science*. 1978; 24(1):115-121.
2022. Jarvis, J. M. Forty-five years growth on the Goulais River watershed. 1960, Tech. Note For. Br. Can. No. 84, 1960. Pp. 31. 5 Refs.
2023. Jarvis, J. M. and et, a. I. Review of silvicultural research. White Spruce [*Picea glauca*] and Trembling Aspen [*Populus tremuloides*] cover types, mixedwood forest section, boreal forest region, Alberta-Saskatchewan-Manitoba. 1966, Publ. Dep. For. Can. No. 1156, 1966. Pp. 189. [Many Refs.].
2024. Jarvis, J. M. and Tucker, R. E. Drought index as a predictor of moisture content in L and F horizons on an upland White Spruce-Trembling Aspen cut-over area. 1968, Dep. Publ. For. Br. Can. 1968 No. 1237, Pp. 10. [13 Refs.].
2025. ---. Prescribed burning after barrel-scarifying on a White Spruce-Trembling Aspen cutover. 1968, *Pulp Paper Mag. Can.* 1968 69 (21, Nov. 1), (70-2). [3 Refs.].
2026. Jarvis, P. G. and Jarvis, M. S. The water relations of tree seedlings: III. Transpiration in relation to osmotic potential of the root medium. 1963, *Physiol. Plant., Copenhagen* 16 (2), 1963 (269-75). 9 Refs.
2027. ---. The water relations of tree seedlings. IV. Some aspects of the tissue water relations and drought resistance. 1963, *Physiol. Plant., Copenhagen* 16 (3), 1963 (501-16). 23 Refs.
2028. ---. The water relations of tree seedlings. V. Growth and root respiration in relation to osmotic potential of the root medium. 1965, In *Water Stress in Plants*. W. Junk, The Hague. 1965. Pp. 167-82. 12 Refs.
2029. Jaynes, R. A. A hydrologic model of aspen-conifer succession in the western United States. USDA-Forest-Service-Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station. 1978; (No. INT-213):17 pp.
2030. Jeffrey, W. W. Experimental watersheds in the Rocky Mountains, Alberta, Canada. 1965, Repr. From Publication, International Association of Scientific Hydrology, Budapest No. 66, 1965 (502-21). 11 Refs.
2031. ---. A prairie to forest succession in Wood Buffalo Park, Alberta. 1961, *Ecology* 42 (2), 1961 (442-4). 6 Refs.
2032. Jeglum, J. K. Strip cutting in shallow-soil upland black spruce near Nipigon, Ontario. II. Regeneration in the first study area. Information-Report,-Great-Lakes-Forest-Research-Centre,-Canada. 1982; (No. O-X-337):v + 24 pp.
2033. Jeglum, J. K. and Dietrichson, J. Aspen-mixedwood silviculture in the boreal forest of Ontario, Canada. *Silviculture for Fuelwood*. Proceedings from IEA Bioenergy Task XII activity on forest management; (Asker):Norway, 406 September 1995. *Norwegian-Journal-of-Agricultural-Sciences*. 1996, Suppl. 24, 29-44.
2034. Jelinski, D. E. Associations between environmental heterogeneity, heterozygosity, and growth rates of *Populus tremuloides* in a Cordilleran landscape. *Arctic-and-Alpine-Research*. 1993; 25(3):183-

2035. Jelinski, D. E. and Cheliak, W. M. Genetic diversity and spatial subdivision of *Populus tremuloides* (Salicaceae) in a heterogeneous landscape. *American-Journal-of-Botany*. 1992; 79(7):728-736.
2036. Jelinski, D. E. and Fisher, L. J. Spatial variability in the nutrient composition of *Populus tremuloides*: clone-to-clone differences and implications for cervids. *Oecologia*. 1991; 88(1):116-124.
2037. Jenkins, K. J. Winter habitat and niche relationships of sympatric cervids along the North Fork of the Flathead River, Montana. *Dissertation-Abstracts-International,-B-Sciences-and-Engineering*. 1986, 47: 6, 2448B.
2038. Jennings, D. T. and Acciavatti, R. E. Sexing large aspen tortrix pupae. *Research-Note,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-Forest-Service,-USDA*. 1975; (No. RM-298):2 pp.
2039. Jensen, K. F. and Kozlowski, T. T. Absorption and translocation of sulfur dioxide by seedlings of four forest tree species. *Journal-of-Environmental-Quality*. 1975, 4: 3, 379-382.
2040. Jensen, K. F. and Masters, R. G. Growth of six woody species fumigated with ozone. *Plant-Disease-Reporter*. 1975; 59(9):760-762.
2041. Jensen, R. A. and Davis, J. R. Seasonal moisture variations in Aspen. 1953, *Minn. For. Note* 1953. No. 19, Pp. 2.
2042. Jensen, V. S. Eight years' growth in hardwood stands on the Bartlett Experimental Forest. 1941, *Tech. Note Ntheast. For. Exp. Sta. No. 43* 1941. Pp. 4.
2043. Jepson, E. A.; Bockheim, J. G.; Caldwell, D. E. (ed.); Brierley, J. A. (ed.), and Brierley, C. L. Acidic deposition influences on biogeochemistry of four forest ecosystems in northwestern Wisconsin. *Planetary Ecology*. 1985, 509-521; 5 Tab.; 38 Ref.
2044. Jessome, A. P. Canadian waferboard properties 1979. *Technical-Report,-Eastern-Laboratory,-Forintek-Canada-Corp*. 1981; (No. 523E):ix + 38 pp.
2045. Jiang, K. S. and Timell, T. E. Polysaccharides in bark of Aspen (*Populus tremuloides*). (1) Isolation and constitution of a 4-O-methylglucuronoxylan. (2) Isolation and structure of an arabinan. (3) Constitution of a galactoglucomannan. *Cellulose-Chemistry-and-Technology*. 1972, 6: 5, 493-505.
2046. Jin WeiZhu and Jin, W. Z. Comparison and analysis of the main technological factors of influencing mechanical properties of scrimber and PSL. *Journal-of-Forestry-Research*. 2001; 12(4):266-268.
2047. Joblin, K. N. and Naylor, G. E. Fermentation of woods by rumen anaerobic fungi. *FEMS-Microbiology-Letters*. 1989; 65(1-2):119-122.
2048. Jobling, J. Silvicultural experiments on Poplars. 1954, *Rep. For. Res. For. Comm., Lond.* 1952/53 1954 (49-53).
2049. Jogia, M. K.; Sinclair, A. R. E., and Andersen, R. J. An antifeedant in balsam poplar inhibits browsing by snowshoe hares. *Oecologia*. 1989; 79(2):189-192.
2050. Johal, S. S. and Hatton, J. V. Chemi-thermomechanical and thermomechanical pulps from trembling aspen/white spruce chip mixtures. *Pulp-and-Paper-Canada*. 1992; 93(12):112-117.
2051. Johansson, A. M.; Wang ChongYing; Stenberg, A.; Hertzberg, M.; Little, C. H. A.; Olsson, O., and Wang, C. Y. Characterization of a PttRPS18 promoter active in the vascular cambium region of hybrid

aspen. *Plant-Molecular-Biology*. 2003; 52(2):317-329.

2052. Johansson, H.; Sterky, F.; Amini, B.; Lundeberg, J., and Kleczkowski, L. A. Molecular cloning and characterization of a cDNA encoding poplar UDP-glucose dehydrogenase, a key gene of hemicellulose/pectin formation. *Biochimica-Et-Biophysica-Acta,-Gene-Structure-and-Expression*. 2002; 1576(1-2):53-58.
2053. ---. Molecular cloning and characterization of a cDNA encoding poplar UDP-glucose dehydrogenase, a key gene of hemicellulose/pectin formation. *Biochimica-Et-Biophysica-Acta,-Gene-Structure-and-Expression*. 2002; 1576(1-2):53-58.
2054. Johns, B. W. The influence of grove size on bird species richness in aspen parklands. *Wilson-Bulletin*. 1993; 105(2):256-264.
2055. Johns, W. E. Isocyanate bonded aspen flakeboard. *Forest-Products-Journal*. 1982; 32(11-12):47-50.
2056. Johns, W. E. and Nguyen, T. Peroxyacetic acid bonding of wood. *Forest-Products-Journal*. 1977; 27(1):17-23.
2057. Johnson, D. K.; Chum, H. L.; Anzick, R.; Baldwin, R. M.; Bridgwater, A. V. (ed.), and Kuester, J. L. Lignin liquefaction in supercritical water. *Research in Thermochemical Biomass Conversion*. 1988, 485-496; 8 Ref.
2058. Johnson, D. K.; Chum, H. L.; Anzick, R.; Baldwin, R. M.; Greenbaum, E. (ed.), and Wyman, C. E. Preparation of a lignin-derived pasting oil. *Eleventh Symposium on Biotechnology for Fuels and Chemicals. Applied-Biochemistry-and-Biotechnology*. 1990, 24-25: 31-40; 19 Ref.
2059. Johnson, F. A. and Worthington, N. A. Procedure for developing a site index estimating system from stem analysis data. 1963, U.S. For. Serv. Res. Pap. Pacif. Nthwest. For. Range Exp. Sta. No. PNW-7, 1963. Pp. 10. 2 Refs.
2060. Johnson, H. J. An evaluation of scarification and direct seeding in Alberta. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1973; (No. NOR-X-71):27 pp.
2061. Johnson, J. A. A test of the effectiveness of sodium arsenite impregnated paper strips in killing Aspen and northern hardwoods. 1959, *Tech. Bull. Ford For. Cent., L'Anse 1959 No. 2*. Pp. 3 + 2 Tbls.
2062. Johnson, L. P. V. Effect of humidity on the longevity of *Populus* and *Ulmus* seeds in storage. 1946, *Canad. J. Res.* 1946 24C (6) (298-302).
2063. ---. A note on inheritance in F1 and F2 hybrids of *Populus alba* L. X *P. grandidentata* Michx. 1946, *Canad. J. Res.* 1946 24C (6) (315-7).
2064. ---. Studies on the relation of growth rate to wood quality in *Populus* hybrids. 1942, *Repr. From Canad. J. Res.* 20, Sec. C 1942 (28-40). [National Research Laboratories, Ottawa.].
2065. Johnson, R. P. A. Mechanical properties of Aspen [*Populus tremuloides*]. 1947, *Lake St. Aspen Rep.* 1947. No. 7 Pp. 16.
2066. Johnson, R. S. and Doty, R. D. Description and hydrologic analysis of two small watersheds in Utah's Wasatch Mountains. *USDA-Forest-Service-Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station*. 1972; (No. INT-127):53 pp.
2067. Johansson, H. Cytological studies of triploid progenies of *Populus tremula*. 1942, *Hereditas, Lund* 28 1942 (306-12). C.G.B.

2068. Johnston, B. C.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Multiple factors affect aspen regeneration on the Uncompahgre Plateau, West-Central Colorado. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):395-414.
2069. ---. Multiple factors affect aspen regeneration on the Uncompahgre Plateau, West-Central Colorado. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):395-414.
2070. Johnston, C. A. and Naiman, R. J. Browse selection by beaver: effects of riparian forest composition. *Canadian-Journal-of-Forest-Research*. 1990, 20: 7, 1036-1043.
2071. Johnston, J. S. and St.Laurent, A. Crosscut shearing of frozen trees. 1971, *Pulp Paper Mag. Can.* 1971 72 (5), (97...108). [4 Ref.].
2072. Johnston, M.; Elliott, J., and Krause, H. The effect of fire severity on ash, and plant and soil nutrient levels following experimental burning in a boreal mixedwood stand. *Sustainable Site Productivity in Canadian Forests Workshop, Sault Ste. Marie; Ontario, February 1997*. *Canadian-Journal-of-Soil-Science*. 1998, 78(1):35-44.
2073. Johnston, M.; Uhlig, P.; Dore, M. H. I. (ed.), and Guevara, R. Carbon storage in soils and vegetation among forested ecosystem types in northern Ontario. *Sustainable-Forest-Management-and-Global-Climate-Change:-Selected-Case-Studies-From-the-Americas*. 2000, 63-75; 28 Ref.
2074. Johnston, R. S. Aspen sprout production and water use. 1969, *U.S. For. Serv. Res. Note Intermt. For. Range Exp. Sta. No. INT-89*, 1969. Pp. 6. [3 Refs.].
2075. ---. Effect of small aspen clearcuts on water yield and water quality. *Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1984, No. 333, 9 Pp.
2076. ---. Evapotranspiration from bare herbaceous and Aspen plots: a check on a former study. 1970, *Wat. Resour. Res.* 1970 6 (1), (324-7). [5 Refs.].
2077. ---. Rainfall interception in a dense Utah Aspen clone. 1971, *US For. Serv. Res. Note Intermt. For. Range Exp. Sta. No. INT-143*, 1971. Pp. 4. [10 Ref.].
2078. Johnston, R. S. and Bartos, D. L. Summary of nutrient and biomass data from two aspen sites in western United States. *USDA-Forest-Service-Research-Note,-Intermountain-Forest-and-Range-Experiment-Station*. 1977; (No. INT-227):15 pp.
2079. Johnston, R. S.; Tew, R. K., and Doty, R. D. Soil moisture depletion and estimated evapo transpiration on Utah mountain watersheds. 1969, *U.S. For. Serv. Res. Pap. Intermt. For. Range Exp. Sta. No. INT-67*, 1969. Pp. 13. [7 Refs.].
2080. Johnstone, W. D. Heavy thinning accelerates growth of 77-year-old lodgepole pine. *Forest-Management-Note,-Northern-Forest-Research-Centre,-Canada*. 1982; (No. 16):3 pp.
2081. ---. Interim equations and tables for the yield of fully stocked spruce-poplar stands in the Mixedwood Forest Section of Alberta. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1977; (No. NOR-X-175):24 pp.
2082. Johnstone, W. D. and Peterson, E. B. Above-ground component weights in Alberta Populus stands. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1980; (No. NOR-X-226):iii + 18 pp.

2083. Jolanki, R.; Suhonen, R.; Henriks Eckerman, M. L.; Estlander, T., and Kanerva, L. Contact allergy to salicyl alcohol in aspen bark. *Contact-Dermatitis*. 1997; 37(6):304-305.
2084. Jones, A. R. C. and Grant, J. Hybrid poplars or hardwood coppice? An agriforestry option to economically increasing wood production in eastern Canada. *Forestry-Chronicle*. 1983; 59(3):143-145.
2085. Jones, E. J. The infrared spectrum of native Spruce lignin. 1949, Tappi, Easton, Pa. 1949 32 (4), (167-70). 7 Refs. [Institute of Paper Chemistry, Appleton, Wis.].
2086. Jones, G. J. and Peterson, E. B. Plant species diversity in a woodland/meadow ecotone near Regina, Saskatchewan. 1970, *Canad. J. Bot.* 1970 48 (3), (591-601). [23 Refs.].
2087. Jones, J. K. N.; Merler, E., and Wise, L. E. The hemicelluloses present in Aspen wood (*Populus tremuloides*). Part III. The constitution of pentosan and hexosan fractions. 1957, *Canad. J. Chem.* 1957 35 (7), (634-45). 14 Refs. O.R.S. [Cf. F.A. 14 No. 1528.].
2088. Jones, J. K. N.; Purves, C. B., and Timell, T. E. Constitution of a 4-O-methylglucuro-noxylan from the wood of Trembling Aspen (*Populus tremuloides* Michx.). 1961, *Canad. J. Chem.* 39 (5), 1961 (1059-66). 42 Refs.
2089. Jones, J. K. N. and Wise, L. E. The hemicelluloses present in Aspen wood (*Populus tremuloides*). Part. I. 1952, *J. Chem. Soc.* July, 1952 (2750-6). [Institute of Paper Chemistry, Appleton, Wis.].
2090. ---. The hemicelluloses present in Aspen wood (*Populus tremuloides*). Part II. 1952, *J. Chem. Soc. Sept.*, 1952 (3389-93). 1 Ref. [Institute of Paper Chemistry, Appleton, Wis.].
2091. Jones, J. R. Aspen site index in the Rocky Mountains. 1967, *J. For.* 1967 65 (11), (820-1). [7 Refs.].
2092. ---. Aspen site index in the Rocky Mountains. 1967, *J. For.* 1967 65 (11), (820-1). [7 Refs.].
2093. ---. Aspen sucker growing from an Engelmann Spruce stump. *USDA-Forest-Service-Research-Note,-Rocky-Mountain-Forest-and-Range-Experiment-Station*. 1974; (No. RM-264):2 pp.
2094. ---. Environmental coordinates and their relation to Aspen height growth in the southern Rocky Mountains. 1967, *Abstr. of Thesis, in Dissert. Abstr.* 1967 28B (5), (1806-7).
2095. ---. An experiment in modeling Rocky Mountain forest ecosystems. 1971, *US For. Serv. Res. Pap. Rocky Mt. For. Range Exp. Sta. No. RM-75*, 1971. Pp. 19. [44 Ref.].
2096. ---. Regeneration on an Aspen clearcut in Arizona. *USDA-Forest-Service-Research-Note,-Rocky-Mountain-Forest-and-Range-Experiment-Station*. 1975; (No. RM-285):8 pp.
2097. ---. Silviculture of southwestern mixed conifers and Aspen: the status of our knowledge. Alexander, R. 1974; (No. RM-122):44 pp.
2098. ---. A site index table for Aspen [*Populus tremuloides*] in the southern and central Rocky Mountains. 1966, *U.S. For. Serv. Res. Note Rocky Mt. For. Range Exp. Sta. No. RM-68*, 1966. Pp. 2. [1 Ref.].
2099. Jones, J. R. and Markstrom, D. C. Aspen ... an American wood (*Populus tremuloides* Michx. and *P. grandidentata* Michx.). *American-Woods,-Forest-Service,-US-Department-of-Agriculture*. 1973; (No. FS-217):8 pp.
2100. Jones, J. R. and Trujillo, D. P. Development of some young Aspen stands in Arizona. *USDA-Forest-Service-Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station*. 1975; (No. RM-151):11 pp.

2101. ---. Height-growth comparisons of some Quaking Aspen clones in Arizona. USDA-Forest-Service-Research-Note,-Rocky-Mountain-Forest-and-Range-Experiment-Station. 1975; (No. RM-282):4 pp.
2102. Jones JRIL. Some food plants of Lepidopterous larvae. List No. 9. 1943, Proc. Ent. Soc. B.C. 40 1943 (27). I.I.E.
2103. Joranson, P. N. Improvement of hardwoods through genetics. 1959, Tappi 1959 42 (8), (691-700). 37 Refs.
2104. Josefsson, T.; Lennholm, H., and Gellerstedt, G. Steam explosion of aspen wood. Characterisation of reaction products. *Holzforschung*. 2002; 56(3):289-297.
2105. Joseph, S. and Mathew, N. M. Use of rubber wood for the manufacture of safety matches. *Rubber-Board-Bulletin*. 1989; 25(2):19-20.
2106. Joy, S. M.; Reynolds, R. T.; Knight, R. L., and Hoffman, R. W. Feeding ecology of sharp-shinned hawks nesting in deciduous and coniferous forests in Colorado. *Condor*. 1994; 96(2):455-467.
2107. Julien, L. M.; Edgar, J. C., and Conder, T. M. A density-gradient technique for obtaining wood and bark chip density. 1971, US For. Serv. Res. Note Nth. Cent. For. Exp. Sta. No. NC-112, 1971. Pp. 4. [6 Ref.].
2108. ---. Segregation of Aspen, Balsam, and Spruce wood and bark chips based on density differences. *Forest-Products-Journal*. 1972; 22(6):56-59.
2109. Jurik, T. W. Temporal and spatial patterns of specific leaf weight in successional northern hardwood tree species. *American-Journal-of-Botany*. 1986; 73(8):1088-1092.
2110. Juzwik, J. and French, D. W. Cryptosphaeria canker on *Populus tremuloides* in Minnesota. *Canadian-Journal-of-Botany*. 1990; 68(9):2044-2045.
2111. Juzwik, J.; French, D. W., and Hinds, T. E. *Encoelia pruinosa* on *Populus tremuloides* in Minnesota: occurrence, pathogenicity, and comparison with Colorado isolates. *Canadian-Journal-of-Botany*. 1986; 64(11):2728-2731.
2112. Juzwik, J. and Hinds, T. E. Ascospore germination, mycelial growth, and microconidial anamorphs of *Encoelia pruinosa* in culture. *Canadian-Journal-of-Botany*. 1984; 62(9):1916-1919.
2113. Juzwik, J.; Nishijima, W. T., and Hinds, T. E. Survey of aspen cankers in Colorado. *Plant-Disease-Reporter*. 1978; 62(10):906-910.
2114. Kaar, W. E. and Brink, D. L. Summative analysis of nine common North American woods. *Journal-of-Wood-Chemistry-and-Technology*. 1991; 11(4):479-494.
2115. Kaar, W. E.; Cool, L. G.; Merriman, M. M., and Brink, D. L. The complete analysis of wood polysaccharides using HPLC. *Journal-of-Wood-Chemistry-and-Technology*. 1991; 11(4):447-463.
2116. Kaarik, A. Growth and sporulation of *Ophiostoma* and some other blueing fungi on synthetic media. 1960, *Symbolae Botanicae Upsaliensis*, Uppsala 16 (3), 1960. Pp. 168. 11 Pp. of Refs.
2117. Kabaev, V. I. Natural resin yield of Scots Pine in mixed stands and low-density stands. 1971, *Gidrol. Lesokhim. Prom*. 1971 24 (4), (15-6). [Ru, 3 Ref.].
2118. ---. Quality of oleoresin of Scots Pine growing in broadleaved stands. 1971, *Gidrol. Lesokhim. Prom*. 1971 24 (5), (23). [Ru,].

2119. Kabzems, R. and Lousier, J. D. Regeneration, growth and development of *Picea glauca* under *Populus* spp. canopy in the boreal white and black spruce zone. FRDA-Report-Victoria,-B.C. 1992; (No. 176):35 pp.
2120. Kaelke, C. M.; Kruger, E. L., and Reich, P. B. Trade-offs in seedling survival, growth, and physiology among hardwood species of contrasting successional status along a light-availability gradient. *Canadian-Journal-of-Forest-Research*. 2001; 31(9):1602-1616.
2121. Kagis, I. Some problems of mixed wood stands. 1952, *For. Chron.* 1952 28 (2) (6-18).
2122. ---. The story of a cut-over. 1954, *For. Chron.* 1954 30 (2), (158-82). 4 Refs.
2123. Kaharabata, S. K.; Schuepp, P. H.; Fuentes, J. D.; Fuentes, J. D. (ed.); Baldocchi, D. D. (ed.), and Lamb, B. Source footprint considerations in the determination of volatile organic compound fluxes from forest canopies. Hydrocarbon Special Issue. Papers from a workshop on biogenic hydrocarbons; August 1997. *Journal-of-Applied-Meteorology*. 1999, 38(7):878-884.
2124. Kalcounis, M. C. and Brigham, R. M. Secondary use of aspen cavities by tree-roosting big brown bats. *Journal-of-Wildlife-Management*. 1998; 62(2):603-611.
2125. Kalkhan, M. A.; Reich, R. M., and Stohlgren, T. J. Assessing the accuracy of Landsat Thematic Mapper classification using double sampling. *International-Journal-of-Remote-Sensing*. 1998; 19(11):2049-2060.
2126. Kalkhan, M. A. and Stohlgren, T. J. Using multi-scale sampling and spatial cross-correlation to investigate patterns of plant species richness. *Environmental-Monitoring-and-Assessment*. 2000; 64(3):591-605.
2127. Kalkreuth, W.; Brouillard, D., and Roy, C. Optical and chemical characterization of solid residues obtained from vacuum pyrolysis of wood (aspen poplar [*Populus tremuloides*]). *Biomass*. 1986; 10(1):27-45.
2128. Kallavus, U. and Gravitis, J. A comparative investigation of the ultrastructure of steam exploded wood with light, scanning and transmission electron microscopy. *Holzforschung*. 1995; 49(2):182-188.
2129. Kallio, E.; Lothner, D. C., and Marden, R. M. A test of a photographic method for determining cubic-foot volume of pulpwood. USDA-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station. 1973; (No. NC-155):3 pp.
2130. Kallio, T. Decay in a ten-year-old stand of hybrid Aspen. 1972, *Silva Fenn.* 1972 6 (1), (1-13). [Fi, En, 35 Ref.].
2131. Kamaluddin, M. and Zwiazek, J. J. Ethylene enhances water transport in hypoxic aspen. *Plant-Physiology*. 2002; 128(3):962-969.
2132. ---. Naphthenic acids inhibit root water transport, gas exchange and leaf growth in aspen (*Populus tremuloides*) seedlings. *Tree-Physiology*. 2002; 22(17):1265-1270.
2133. Kamdem, D. P. Fungal decay resistance of aspen blocks treated with heartwood extracts. *Forest-Products-Journal*. 1994; 44(1):30-32.
2134. Kamdem, D. P. and Sean, S. T. The durability of phenolic-bonded particleboards made of decay-resistant black locust and nondurable aspen. *Forest-Products-Journal*. 1994; 44(2):65-68.
2135. Kamstra, L. D.; Singh, M.; Minyard, J. A.; Moore, D. E., and Healy, R. Winter feeding of pregnant stock

cows utilizing aspen tree fiber. South-Dakota-State-University,-Cow-Calf-Day. 1978, 33-38; A.S. Series 78-19; 2 Ref.

2136. Kamstra, L. D.; Singh, M., and Peterson, L. Utilization of whole aspen tree material as a ruminant feed ingredient. *Journal-of-Animal-Science*. 1979, 49: Suppl. 1, 118-119.
2137. Kanitskaya, L. V.; Medvedeva, S. A.; Babkin, V. A.; Kushnarev, D. F., and Kalabin, G. A. Destruction of aspen wood by the fungus *Phanerochaete sanguinea* quantitative ¹H and ¹³C NMR spectroscopies of biologically degraded lignin. *Chemistry-of-Natural-Compounds*. 1994; 30(4):505-514.
2138. Kao, Y. Y.; Harding, S. A., and Tsai, C. J. Differential expression of two distinct phenylalanine ammonia-lyase genes in condensed tannin-accumulating and lignifying cells of quaking aspen. *Plant-Physiology*. 2002; 130(2):796-807.
2139. Karaim, B. W.; Wengert, E. M.; Szabo, T., and Adams, R. D. Opportunities for aspen and balsam poplar utilization in Alberta. *Aspen Symposium '89: Proceedings*. Duluth; (Minnesota):July 25-27, 1989. General-Technical-Report -North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1990, No. NC-140, 253-274.
2140. Karam, M. A.; Fung, A. K., and Antar, Y. M. M. Electromagnetic wave scattering from some vegetation samples. *IEEE-Transactions-on-Geoscience-and-Remote-Sensing*. 1988; 26(6):799-808.
2141. Karavaev, V. A.; Solntsev, M. K.; Kuznetsov, A. M.; Polyakova, I. B.; Frantsev, V. V.; Yurina, E. V.; Yurina, T. P.; Taborsky, V. (ed.); Polak, J. (ed.); Lebeda, A. (ed.), and Kudela, V. Plant extracts as the source of physiologically active compounds suppressing the development of pathogenic fungi. *Disease Resistance in Plant Pathology. Proceedings (first part) of the 6th Conference of the European Foundation for Plant Pathology; Prague, Czech Republic, 8-14 September 2002*. *Plant-Protection-Science*. 2002, 38(Special 1):200-204.
2142. Karki, T. Drying quality of European aspen (*Populus tremula*) timber. *Holz-Als-Roh-Und-Werkstoff*. 2002; 60(5):369-371.
2143. Karl, T.; Curtis, A. J.; Rosenstiel, T. N.; Monson, R. K., and Fall, R. Transient releases of acetaldehyde from tree leaves-products of a pyruvate overflow mechanism? *Plant,-Cell-and-Environment*. 2002; 25(9):1121-1131.
2144. Karnosky, D. F. Evidence for genetic control of response to sulfur dioxide and ozone in *Populus tremuloides*. *Canadian-Journal-of-Forest-Research*. 1977; 7(3):437-440.
2145. ---. Evidence of genetic control of response to sulphur dioxide and ozone in *Populus tremuloides*. *Canadian-Journal-of-Forest-Research*. 1977; 7(3):437-440.
2146. ---. Genetic variation in response of trembling aspen (*Populus tremuloides* Michx.) leaves and catkins to sulfur dioxide and ozone. *Dissertation-Abstracts-International,-B*. 1975, 36: 3, 997B.
2147. ---. Genetic variation in response of Trembling Aspen (*Populus tremuloides* Michx.) leaves and catkins to sulfur dioxide and ozone. *Dissertation-Abstracts-International,-B*. 1975; 36(3):997.
2148. ---. Threshold levels for foliar injury to *Populus tremuloides* by sulfur dioxide and ozone. *Canadian-Journal-of-Forest-Research*. 1976, 6: 2, 166-169.
2149. ---. Threshold levels for foliar injury to *Populus tremuloides* by sulphur dioxide and ozone. *Canadian-Journal-of-Forest-Research*. 1976; 6(2):166-169.
2150. Karnosky, D. F.; Banalata, S. e. n.; Kim JungHee; Xiang BiXia; Lu XinCheng; Cseke, L.; Dixon, D.; Liu

JunJun; Wyckoff, G.; Podila, G. K.; Sen, B.; Kim, J. H.; Xiang, B. X.; Lu, X. C.; Liu, J. J.; Bista, M. S. (ed.); Joshi, R. B. (ed.); Amatya, S. M. (ed.); Parajuli, A. V. (ed.); Adhikari, M. K. (ed.); Saiju, H. K. (ed.); Thakur, R. (ed.); Suzuki, K. (ed.), and Ishii, K. Engineering reproductive sterility in forest trees. *Bio-Technology-Applications-for-Reforestation-and-Biodiversity-Conservation.-Proceedings-of-the-8th-International-Workshop-of-BIO-REFOR,-Kathmandu,-Nepal,-November-28-December-2,-1999*. 2000, 7-11; 35 Ref.

2151. Karnosky, D. F.; Dickson, R. E.; Gagnon, Z. E.; Coleman, M. D.; Pechter, P., and Isebrands, J. G. Genetic variability in ozone response of trees: indicators of sensitivity. *Agricoltura-Ricerca*. 1993; 15(146):16-17.
2152. Karnosky, D. F.; Gagnon, Z. E.; Dickson, R. E.; Coleman, M. D.; Lee, E. H., and Isebrands, J. G. Changes in growth, leaf abscission, and biomass associated with seasonal tropospheric ozone exposures of *Populus tremuloides* clones and seedlings. *Canadian-Journal-of-Forest-Research*. 1996; 26(1):23-37.
2153. Karnosky, D. F.; Gagnon, Z. E.; Reed, D. D., and Witter, J. A. Growth and biomass allocation of symptomatic and asymptomatic *Populus tremuloides* clones in response to seasonal ozone exposures. *Emerging Issues in Northern Hardwood Management: Air Pollution, Climate Change and Biodiversity* [Organized by Mroz, G.D.; Reed, D.D.]. 1992; 22(11):1785-1788.
2154. Karnosky, D. F.; Gagnon, Z. E.; Reed, D. D.; Witter, J. A.; Cox, R. M. (ed.), and Karnosky, D. F. Effects of genotype on the response of *Populus tremuloides* Michx. to ozone and nitrogen deposition. *Genetic Aspects of Air Pollution*. 1905 May; Montreal, 10 August 1990. *Water,-Air,-and-Soil-Pollution*. 1992, 62(3-4):189-199.
2155. Karnosky, D. F.; Mankovska, B.; Percy, K.; Dickson, R. E.; Podila, G. K.; Sober, J.; Noormets, A.; Hendrey, G.; Coleman, M. D.; Kubiske, M.; Pregitzer, K. S.; Isebrands, J. G.; Sheppard, L. J. (ed.), and Cape, J. N. Effects of tropospheric O₃ on trembling aspen and interaction with CO₂: results from an O₃-gradient and a FACE experiment. *Special Issue: Forest Growth Responses to the Pollution Climate of the 21st Century. Contributions from the 18th IUFRO workshop on air pollution stress; Edinburgh, UK, 21-23 September 1998*. *Water,-Air,-and-Soil-Pollution*. 1999, 116(1-2):311-322.
2156. Karnosky, D. F.; Percy, K. E.; Xiang, B. X.; Callan, B.; Noormets, A.; Mankovska, B.; Hopkin, A.; Sober, J.; Jones, W.; Dickson, R. E., and Isebrands, J. G. Interacting elevated CO₂ and tropospheric O₃ predisposes aspen (*Populus tremuloides* Michx.) to infection by rust (*Melampsora medusae* f. sp. *tremuloidae*). *Global-Change-Biology*. 2002; 8(4):329-338.
2157. ---. Interacting elevated CO₂ and tropospheric O₃ predisposes aspen (*Populus tremuloides* Michx.) to infection by rust (*Melampsora medusae* f. sp. *tremuloidae*). *Global-Change-Biology*. 2002; 8(4):329-338.
2158. Karnosky, D. F.; Podila, G. K.; Gagnon, Z.; Pechter, P.; Akkapeddi, A.; Sheng, Y.; Riemenschneider, D. E.; Coleman, M. D.; Dickson, R. E.; Isebrands, J. G., and Paoletti, E. Genetic control of responses to interacting tropospheric ozone and CO₂ in *Populus tremuloides*. *Special Issue: Stress Factors and Air Pollution. Selected papers from the 17th International meeting for specialists in air pollution effects on forest ecosystems held in Florence; Italy, 14-19 September, 1996*. *Chemosphere*. 1998, 36(4-5):807-812.
2159. Karnosky, D. F.; Zak, D. R.; Pregitzer, K. S.; Awmack, C. S.; Bockheim, J. G.; Dickson, R. E.; Hendrey, G. R.; Host, G. E.; King, J. S.; Kopper, B. J.; Kruger, E. L.; Kubiske, M. E.; Lindroth, R. L.; Mattson, W. J.; McDonald, E. P.; Noormets, A.; Oksanen, E.; Parsons, W. F. J.; Percy, K. E.; Podila, G. K.; Riemenschneider, D. E.; Sharma, P.; Thakur, R.; Sober, A.; Sober, J., and Jones, W. S. (et al). Tropospheric O₃ moderates responses of temperate hardwood forests to elevated CO₂: a

synthesis of molecular to ecosystem results from the Aspen FACE project. *Functional-Ecology*. 2003; 17(3):289-304.

2160. Karteris, M. A. and Astaras, T. The utility of digital Thematic Mapper data for natural resources classification. International Conference on Advances in Remote Sensing. Aristotelian University of Thessaloniki, 10-12 October, 1988. *International-Journal-of-Remote-Sensing*. 1990, 11: 9, 1589-1598.
2161. Kass, A. J. Shrinkage stresses in externally restrained wood. 1965, *For. Prod. J.* 15 (6), 1965 (225-32). 15 Refs.
2162. Katayama, Y.; Mashino, Y.; Nishikubo, N.; Yoshitomi, K.; Funada, R., and Kajita, S. Immunohistochemical localization of enzymes related to lignin biosynthesis in the primary xylem of hybrid aspen. *Journal-of-Wood-Science*. 2002; 48(6):457-466.
2163. Katovich, S. A. and Morse, F. S. White pine weevil response to oak overstory girdling - results from a 16-year-old study. *Northern-Journal-of-Applied-Forestry*. 1992; 9(2):51-54.
2164. Kaufert, F. H. The preservative treatment of Aspen. 1948, *Lake St. Aspen Rep.* 1948. No. 19, Pp. 19. 8 Refs.
2165. Kaufert, F. H.; Neetzel, J. R., and Hanson, W. Thirty-five years of test results on fence posts treated with pentachlorophenol. *Minnesota-Forestry-Research-Notes*. 1978; (No. 270):4 pp.
2166. Kaufman, M. R. Modelling transpiration of subalpine trees in the central Rocky Mountains. *Watershed Management in the Eighties*. 1985; (61-68; 2 fig.):2 tab.
2167. Kaufmann, M. R. Annual transpiration in subalpine forests: large differences among four tree species. *Forest-Ecology-and-Management*. 1985; 13(3-4):235-246.
2168. ---. A canopy model (RM-CWU) for determining transpiration of subalpine forests. I. Model development. *Canadian-Journal-of-Forest-Research*. 1984; 14(2):218-226.
2169. ---. Evaluation of season, temperature, and water stress effects on stomata using a leaf conductance model. *Plant-Physiology*. 1982; 69(5):1023-1026.
2170. ---. Leaf conductance as a function of photosynthetic photon flux density and absolute humidity difference from leaf to air. *Plant-Physiology*. 1982; 69(5):1018-1022.
2171. ---. Leaf conductance during the final season of a senescing aspen branch. *Plant-Physiology*. 1982; 70(3):655-657.
2172. Kaufmann, M. R.; Edminster, C. B., and Troendle, C. A. Leaf area determinations for subalpine tree species in the central Rocky Mountains. *Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1982; (No. RM-238):i + 7 pp.
2173. Kaufmann, M. R. and Troendle, C. A. The relationship of leaf area and foliage biomass to sapwood conducting area in four subalpine forest tree species. *Forest-Science*. 1981; 27(3):477-482.
2174. Kauter, D.; Lewandowski, I., and Claupein, W. Quantity and quality of harvestable biomass from *Populus* short rotation coppice for solid fuel use -- a review of the physiological basis and management influences. *Biomass-and-Bioenergy*. 2003; 24(6):411-427.
2175. Kavanagh, K. R. and Pepper, J. M. The alkaline nitrobenzene oxidation of Aspen wood and lignin model substances. 1955, *Canad. J. Chem.* 1955 33 (1), (24-30). 15 Refs.

2176. Kawai, S.; Mori, A.; Shiokawa, T.; Kajita, S.; Katayama, Y., and Morohoshi, N. Isolation and analysis of cinnamic acid 4-hydroxylase homologous genes from a hybrid aspen, *Populus kitakamiensis*. *Bioscience,-Biotechnology-and-Biochemistry*. 1996; 60(10):1586-1597.
2177. Kay, C. E. Aspen seedlings in recently burned areas of Grand Teton and Yellowstone National Parks. *Northwest-Science*. 1993; 67(2):94-104.
2178. ---. The condition and trend of aspen, *Populus tremuloides*, in Kootenay and Yoho National Parks: implications for ecological integrity. *Canadian-Field-Naturalist*. 1997; 111(4):607-616.
2179. ---. The impact of native ungulates and beaver on riparian communities in the intermountain west. *Proceedings of the Symposium on Riparian Resources, 18-19 April 1991, Eccles Conference Center, Utah State University, Logan, Utah, USA. Natural-Resources-and-Environmental-Issues*. 1994, 1: 23-44; 189 Ref.
2180. ---. Is aspen doomed? *Journal-of-Forestry*. 1997; 95(5):4-11.
2181. Kay, C. E. and Bartos, D. L. Ungulate herbivory on Utah aspen: assessment of longterm exclosures. *Journal-of-Range-Management*. 2000; 53(2):145-153.
2182. Kay, C. E.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Evaluation of burned aspen communities in Jackson Hole, Wyoming. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):215-223.
2183. ---. Evaluation of burned aspen communities in Jackson Hole, Wyoming. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):215-223.
2184. ---. Long-term aspen exclosures in the Yellowstone Ecosystem. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):225-240.
2185. ---. Long-term aspen exclosures in the Yellowstone Ecosystem. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):225-240.
2186. Kay, C. E.; Wagner, F. H., and Greenlee, J. M. Response of shrub-aspen to Yellowstone's 1988 wildfires: implications for 'natural regulation' management. *The Ecological Implications of Fire in Greater Yellowstone. Proceedings of the Second Biennial Conference on the Greater Yellowstone Ecosystem; (Yellowstone National Park):Wyoming, USA, 19-21 September, 1993*. 1996, 107-111.
2187. Kaye, M. W.; Suzuki, K.; Binkley, D.; Stohlgren, T. J.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Landscape-scale dynamics of aspen in Rocky Mountain National Park, Colorado. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):39-46.
2188. ---. Landscape-scale dynamics of aspen in Rocky Mountain National Park, Colorado. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):39-46.
2189. Keating, S. T.; Hunter, M. D., and Schultz, J. C. Leaf phenolic inhibition of gypsy moth nuclear polyhedrosis virus. Role of polyhedral inclusion body aggregation. *Journal-of-Chemical-Ecology*. 1990; 16(5):1445-1457.

2190. Keating, S. T.; Schultz, J. C., and Yendol, W. G. The effect of diet on gypsy moth (*Lymantria dispar*) larval midgut pH, and its relationship with larval susceptibility to a baculovirus. *Journal-of-Invertebrate-Pathology*. 1990; 56(3):317-326.
2191. Keating, S. T. and Yendol, W. G. Influence of selected host plants on gypsy moth (*Lepidoptera: Lymantriidae*) larval mortality caused by a baculovirus. *Environmental-Entomology*. 1987; 16(2):459-462.
2192. Keating, S. T.; Yendol, W. G., and Schultz, J. C. Relationship between susceptibility of gypsy moth larvae (*Lepidoptera: Lymantriidae*) to a baculovirus and host plant foliage constituents. *Environmental-Entomology*. 1988; 17(6):952-958.
2193. Keays, J. L. Present and future use of Aspen in pulping. 1968, Inform. Rep. For. Prod. Lab., Vancouver 1968 No. VP-X-36, Pp.18. [1 Ref.].
2194. ---. The use of Trembling Aspen in pulp and paper manufacture. 1967, Inform. Rep. For. Prod. Lab., Vancouver No. VP-X-18, 1967. Pp. 18 + 1 Gph. [1 Ref.].
2195. Keays, J. L.; Hatton, J. V.; Bailey, G. R., and Neilson, R. W. Present and future uses of Canadian Poplars in fibre and wood products. Information-Report,-Western-Forest-Products-Laboratory,-Canada. 1974; (No. VP-X-120):49 pp.
2196. Keck, W. M. Great Basin Station - sixty years of progress in range and watershed research. USDA-Forest-Service-Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station. 1972; (No. INT-118):48 pp.
2197. Keener, P. D. Unusual numbers of sporophores of a wood-rotting fungus on trunks of *Populus tremuloides* var. *aurea*. 1953, *Plant Dis. Repr.* 1953 37 (3), (164-5).
2198. Keith, C. T. A method for differentiating heartwood and sapwood in unseasoned timber. *Bi-Monthly-Research-Notes*. 1977; 33(3):24-25.
2199. Keith, C. T. and Chang, C. I. Properties of heat-darkened wood. 1. Hygroscopic properties. Report,-Eastern-Forest-Products-Laboratory,-Canada. 1978; (No. OPX213E):iii + 20 pp.
2200. Keller, E. L. Effect of bark in the neutral sulphite semichemical pulping of Aspen, Hickory and Slash Pine. 1950, *Tappi* 1950 33 (11), (556-60). 12 Refs.
2201. Keller, T. Growth and premature leaf fall in American aspen as bioindications for ozone. *Environmental-Pollution*. 1988; 52(3):183-192.
2202. ---. Winter uptake of airborne SO₂ by shoots of deciduous species. *Environmental-Pollution,-A*. 1981; 26(4):313-317.
2203. Kelley, A. P. The form and occurrence of mycorrhizae in the genus *Populus*. 1937, *Landenberg Review* 1937 (54-6).
2204. Kemp, A. E. Factors associated with the development of collapse in Aspen during kiln drying. 1959, *For. Prod. J.* 1959 9 (3), (124-30). 24 Refs.
2205. Kemp, A. K. Study of factors associated with the development of collapse during the kiln-drying of Aspen lumber. 1957, *Abstr. of Thesis, in Dissert. Abstr.* 1957 17 (9), (1858-9).
2206. Kemp, W. P. and Simmons, G. A. The influence of stand factors on parasitism of spruce budworm eggs by *Trichogramma minutum*. *Environmental-Entomology*. 1978; 7(5):685-688.

2207. Kemperman, J. A. Aspen clones: development, variability and identification. Forest-Research-Information-Paper,-Ministry-of-Natural-Resources,-Ontario. 1977; (No. 101):ii + 11 pp.
2208. ---. Clone size in American aspens. Canadian-Journal-of-Botany. 1976; 54(22):2603-2607.
2209. ---. Sucker-root relationships in aspen. Forest-Research-Note,-Ministry-of-Natural-Resources,-Ontario. 1978; (No. 12):4 pp.
2210. Kemperman, J. A.; Navratil, S., and Basham, J. T. Preliminary assessment of defect variation among aspen clones in northern Ontario. Forest-Research-Report,-Ministry-of-Natural-Resources,-Ontario. 1978; (No. 104):9 pp.
2211. Kenkel, N. C.; Watson, P. R., and Uhlig, P. Modelling landscape-level vegetation dynamics in the boreal forests of north-western Ontario. Forest-Research-Report -Ontario-Forest-Research-Institute. 1998; (No. 148):vii + 151 pp.
2212. Kepley, J. B. and Jacobi, W. R. Pathogenicity of *Cytospora* fungi on six hardwood species. Journal-of-Arboriculture. 2000; 26(6):326-333.
2213. Ker, M. F. Biomass equations for seven major maritimes tree species. Information-Report,-Maritimes-Forest-Research-Centre,-Canada. 1984; (No. M-X-148):iv + 54 pp.
2214. ---. Metric tree volume tables for Newfoundland. Information-Report,-Newfoundland-Forest-Research-Centre,-Canada. 1974; (No. N-X-122):24 pp.
2215. ---. Metric yield tables for the major forest cover types of Newfoundland. Information-Report,-Newfoundland-Forest-Research-Centre. 1976; (No. N-X-141):iii + 79 pp.
2216. ---. Tree biomass equations for ten major species in Cumberland County, Nova Scotia. Information-Report,-Maritimes-Forest-Research-Centre,-Canada. 1980; (No. M-X-108):iii + 26 pp.
2217. Keresztesi, B. and Toda, R. Forest tree improvement in Hungary. Forest-Tree-Breeding-in-the-World.-Eastern-and-Central-Europe. 1974, 78-89.
2218. Kerrigan, J.; Smith, M. T.; Rogers, J. D., and Poot, G. A. *Ascobotryozyma americana* gen. nov. et sp. nov. and its anamorph *Botryozyma americana*, an unusual yeast from the surface of nematodes. *Antonie-Van-Leeuwenhoek*. 2001; 79(1):7-16.
2219. Kerstiens, G. In vivo manipulation of cuticular water permeance and its effect on stomatal response to air humidity. *New-Phytologist*. 1997; 137(3):473-480.
2220. Kesteren, A. R. van and Van Kesteren, A. R. Forest type distribution on a calcareous terrain in western Newfoundland. *Forestry-Chronicle*. 1996; 72(2):185-192.
2221. Keyser, A. R.; Kimball, J. S.; Nemani, R. R., and Running, S. W. Simulating the effects of climate change on the carbon balance of North American high-latitude forests. *Global-Change-Biology,-Supplement*. 2000; 6(Supplement 1):185-195.
2222. Khaleel, T. F.; Dillman, R., and Gretch, D. Estradiol distribution during the development and expression of reproductive structures in *Populus tremuloides* Michx. *Sexual-Plant-Reproduction*. 2003; 16(1):35-42.
2223. Khalil, M. A. K. Vegetative propagation of trembling aspen with auxins. *Bi-Monthly-Research-Notes*. 1979; 35(4):19.

2224. Khan, A. W. Factors affecting the utilization of steam- and explosion-decompressed [SED] aspen wood by cellulolytic anaerobes. *Biomass*. 1988; 15(4):269-279.
2225. Kharin, N. G. and Grigorashenko, I. A. Recognition of woody species on aerial photos. 1971, *Lesn. Khoz.* 1971 (7), (60-6). [Ru].
2226. Kharouk, V. I.; Middleton, E. M.; Spencer, S. L.; Rock, B. N.; Williams, D. L.; Apps, M. J. (ed.); Price, D. T. (ed.), and Wisniewski, J. Aspen bark photosynthesis and its significance to remote sensing and carbon budget estimates in the boreal ecosystem. *Boreal Forests and Global Change: Peer-Reviewed Manuscripts Selected From the International Boreal Forest Research Association Conference, Held in Saskatoon, Saskatchewan, Canada, September 25-30, 1994*. 1995; 82(1-2):483-497.
2227. Kharuk, V. I.; Morgun, V. N.; Rock, B. N., and Williams, D. L. Chlorophyll fluorescence and delayed fluorescence as potential tools in remote sensing: a reflection of some aspects of problems in comparative analysis. *Remote-Sensing-of-Environment*. 1994; 47(1):98-105.
2228. Khasa, P. D.; Hambling, B.; Kernaghan, G.; Fung, M., and Ngimbi, E. Genetic variability in salt tolerance of selected boreal woody seedlings. *Forest-Ecology-and-Management*. 2002; 165(1-3):257-269.
2229. Kie, J. G.; Kuiters, A. T. (ed.); Mohren, G. M. J. (ed.), and Van Wieren, S. E. The effects of cattle grazing on optimal foraging in mule deer (*Odocoileus hemionus*). *Selected Papers From the Conference 'Ungulates in Temperate Forest Ecosystems', Held 23-27 April 1995, Wageningen, Netherlands*. 1996; 88(1-2):131-138.
2230. Kielland, K.; Barnett, B., and Schell, D. Intraseasonal variation in the delta15N signature of taiga trees and shrubs. *Canadian-Journal-of-Forest-Research*. 1998; 28(3):485-488.
2231. Kienholz, R. Seasonal course of height growth in some hardwoods in Connecticut. 1941, *Ecology* 22 1941 (249-58). [Connecticut State Forest Service.].
2232. Kienzler, M.; Alban, D. H., and Perala, D. A. Soil invertebrate and microbial populations under three tree species on the same soil type. *Research-Note,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1986, No. NC-337, 4pp.
2233. Kiil, A. D. Effects of spring burning on vegetation in old partially cut Spruce-Aspen stands in east-central Alberta. 1970, *Inform. Rep. For. Res. Lab., Edmonton No. Z-X-33 1970 Pp. 12*. [4 Refs.].
2234. Kilburn, P. D. Effects of logging and fire on xerophytic forests in northern Michigan. 1959, *Abstr. in Bull. Ecol. Soc. Amer.* 40 (4), 1959 (119).
2235. ---. Historical development and structure of the Aspen, Jack Pine and Oak vegetation types on sandy soils in northern Lower Michigan. *Abstr. of Thesis, in Dissert. Abstr.* 1985 19 (3), (422).
2236. Killingbeck, K. T. Hurricane-induced modification of nitrogen and phosphorus resorption in an aspen clone: an example of diffuse disturbance. *Oecologia*. 1988; 75(2):213-215.
2237. Killingbeck, K. T.; May, J. D., and Nyman, S. Foliar senescence in an aspen (*Populus tremuloides*) clone: the response of element resorption to interramet variation and timing of abscission. *Canadian-Journal-of-Forest-Research*. 1990; 20(8):1156-1164.
2238. Kilpatrick, S.; Abendroth, D.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Aspen response to prescribed fire and wild ungulate herbivory. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):387-394.

2239. ---. Aspen response to prescribed fire and wild ungulate herbivory. Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):387-394.
2240. Kilronomos, J. N.; Rillig, M. C.; Allen, M. F.; Zak, D. R.; Pregitzer, K. S., and Kubiske, M. E. Increased levels of airborne fungal spores in response to *Populus tremuloides* grown under elevated atmospheric CO₂. *Canadian-Journal-of-Botany*. 1997; 75(10):1670-1673.
2241. Kim DongYeob and Kim, D. Y. Changes in nutrient distribution, cycling, and availability in aspen stands after an intensive harvesting. *Journal-of-Korean-Forestry-Society*. 1996; 85(4):656-666.
2242. Kim KyoungHeon; Hong Juan; Kim, K. H., and Hong, J. Supercritical CO₂ pretreatment of lignocellulose enhances enzymatic cellulose hydrolysis. *Bioresource-Technology*. 2001; 77(2):139-144.
2243. Kim, M. G.; Pittman, C. U. Jr.; Nicholas, D. D.; Schultz, T. P.; Ingram, L. L. Jr.; Kabir, F. R. A.; Wang, L.; Wu, Y.; Wasson, L., and Ivankoe, M. Wood made decontaminable of chemical warfare agents after sunlight weathering or abrasion. *Journal-of-Wood-Chemistry-and-Technology*. 2001; 21(3):263-283.
2244. Kim, M. K. Characteristics of wood meals by laccase delignification. *Mokchae-Konghak=Journal-of-the-Korean-Wood-Science-and-Technology*. 2003; 31(3):11-16.
2245. Kimball, J. S.; Thornton, P. E.; White, M. A.; Running, S. W.; Margolis, H. A. (ed.), and Ryan, M. G. Simulating forest productivity and surface-atmosphere carbon exchange in the BOREAS study region. *Biosphere-Atmosphere Interactions in the Boreal Forest*. 1997; 17(8-9):589-599.
2246. Kimball, K. E. and Torgeson, O. W. A small lumber-drying unit employing a portable crop drier for heat and air circulation. 1952, Rep. U.S. For. Prod. Lab., Madison 1952. No. R1799 Pp. 11 + 2 Photos + 1 Dgm. + 3 Gphs. + 4 Tbls.
2247. Kimmerer, T. W. and Kozlowski, T. T. Stomatal conductance and sulfur uptake of five clones of *Populus tremuloides* exposed to sulfur dioxide. *Plant-Physiology*. 1981; 67(5):990-995.
2248. Kimmerer, T. W. and Stringer, M. A. Alcohol dehydrogenase and ethanol in the stems of trees. Evidence for anaerobic metabolism in the vascular cambium. *Plant-Physiology*. 1988; 87(3):693-697.
2249. King, J. S.; Pregitzer, K. S.; Zak, D. R.; Kubiske, M. E.; Ashby, J. A., and Holmes, W. E. Chemistry and decomposition of litter from *Populus tremuloides* Michaux grown at elevated atmospheric CO₂ and varying N availability. *Global-Change-Biology*. 2001; 7(1):65-74.
2250. King, J. S.; Pregitzer, K. S.; Zak, D. R.; Sober, J.; Isebrands, J. G.; Dickson, R. E.; Hendrey, G. R., and Karnosky, D. F. Fine-root biomass and fluxes of soil carbon in young stands of paper birch and trembling aspen as affected by elevated atmospheric CO₂ and tropospheric O₃. *Oecologia*. 2001; 128(2):237-250.
2251. King, J. S.; Pregitzer, K. S.; Zak, D. R., and Stokes, A. Clonal variation in above- and below-ground growth responses of *Populus tremuloides* Michaux: influence of soil warming and nutrient availability. *Special Issue: The Supporting Roots - Structure and Function*. 1999 1; 217(1-2):119-130.
2252. Kingsbury, R. M.; Simmonds, F. A.; Mills, R. T., and Fennell, F. L. Bleaching Aspen neutral sulphite semichemical pulp with sodium peroxide. 1946, *Paper Tr. J.* 1946 123 (11), (50-4).
2253. Kinney, K. K. and Lindroth, R. L. Responses of three deciduous tree species to atmospheric CO₂ and soil NO₃- availability. *Canadian-Journal-of-Forest-Research*. 1997; 27(1):1-10.

2254. Kinney, K. K.; Lindroth, R. L.; Jung, S. M., and Nordheim, E. V. Effects of CO₂ and NO₃- availability on deciduous trees: phytochemistry and insect performance. *Ecology*. 1997; 78(1):215-230.
2255. Kinsley, H. B. Jr. A study of the components of the lead subacetate precipitate of the leaves of *Populus tremuloides*. 1967, Abstr. of Thesis, in *Dissert. Abstr.* 1967 28B (2), (581). [O.R.S.] [Cf. F.A. 29 No. 89.].
2256. Kinsley, H. Jr. and Pearl, I. A. Studies on the leaves of the family Salicaceae. IX. Components of the lead subacetate-insoluble fraction of *Populus tremuloides* leaves. 1967, *Tappi* 1967 50 (8), (419-23). [25 Refs.].
2257. Kipp, D. S.; Schingoethe, D. J., and Kamstra, L. D. Utilization of aspen wood pellets as a partial roughage replacement for lactating dairy cows. *Journal-of-Dairy-Science*. 1979, 62: Suppl. 1, 137.
2258. Kirby, C. L. Accuracy of point sampling in White Spruce-Aspen stands of Saskatchewan. 1965, *J. For.* 63 (12), 1965 (924-6). 7 Refs.
2259. ---. The growth and yield of White Spruce-Aspen stands in Saskatchewan. 1962, *Tech. Bull. For. Br. Sask.* No. 4, 1962. Pp. 58. 48 Refs.
2260. Kirby, C. L. and Bailey and Gilmour, J. R. The growth and yield of Aspen [*Populus tremuloides*] in Saskatchewan. 1957, *Tech. Bull. For. Br. Sask.* 1957 No. 3, Pp. 67. 14 Refs.
2261. Kirk, D. A.; Diamond, A. W.; Hobson, K. A., and Smith, A. R. Breeding bird communities of the western and northern Canadian boreal forest: relationship to forest type. *Canadian-Journal-of-Zoology*. 1996; 74(9):1749-1770.
2262. Kirk, D. A. and Hobson, K. A. Bird-habitat relationships in jack pine boreal forests. *Forest-Ecology-and-Management*. 2001; 147(2-3):217-243.
2263. Kirk, T. K.; Koning, J. W. Jr.; Burgess, R. R.; Akhtar, M.; Blanchette, R. A.; Cameron, D. C.; Cullen, D.; Kersten, P. J.; Lightfoot, E. N.; Myers, G. C.; Sachs, I.; Sykes, M., and Wall, M. B. Biopulping. A glimpse of the future? *Research-Paper -Forest-Products-Laboratory,-USDA-Forest-Service*. 1993; (No. FPL-RP-523):74 pp.
2264. Kittams, W. H. October food of ruffed grouse in Maine. 1943, *J. Wildlife Mgmt.* 7 1943 (231-3). [University of Maine, Orono, Maine.] B.A.P.
2265. Klaehn, F. U. and Neu, R. L. Hardwood pollen study. 1960, *Silvae Genet.* 1960 9 (2), (44-8). 16 Refs.
2266. Kleb, H. R. and Wilson, S. D. Scales of heterogeneity in prairie and forest. *Canadian-Journal-of-Botany*. 1999; 77(3):370-376.
2267. ---. Vegetation effects on soil resource heterogeneity in prairie and forest. *American-Naturalist*. 1997; 150(3):283-298.
2268. Klein Gebbinck, H. W.; Blenis, P. V., and Hiratsuka, Y. Fireweed (*Epilobium angustifolium*) as a possible inoculum reservoir for root-rotting *Armillaria* species. *Plant-Pathology*. 1993; 42(1):132-136.
2269. Kleiner, K. W.; Raffa, K. F., and Dickson, R. E. Partitioning of ¹⁴C-labeled photosynthate to allelochemicals and primary metabolites in source and sink leaves of aspen: evidence for secondary metabolite turnover. *Oecologia*. 1999; 119(3):408-418.
2270. Kleinlein, G. Experience with Top KH in Oak plantations. 1972, *Forst- U. Holzw.* 1972 27 (6), (128-30). [De, 1 Ref.].

2271. Kleinschmidt, R. and Frohlich, H. J. Propagation by cuttings in automatic irrigation (preliminary report). Translation,-Environment-Canada. 1975; (No. OOENV TR-901):17 pp.
2272. Klemmedson, J. O.; Smith, E. L., and Youngberg, C. T. Vegetation-soil relationships of forests, woodlands and grasslands of Arizona and New Mexico. *Forest-Soils-and-Land-Use*. 1979?, 42-67; 95 Ref.
2273. Kline, V. M. and Cottam, G. Vegetation response to climate and fire in the Driftless Area of Wisconsin. *Ecology*. 1979; 60(5):861-868.
2274. Kling, G. W. and Grant, M. C. Acid precipitation in the Colorado Front Range: an overview with time predictions for significant effects. *Arctic-and-Alpine-Research*. 1984; 16(3):321-329.
2275. Klironomos, J. N.; Rillig, M. C.; Allen, M. F.; Zak, D. R.; Kubiske, M., and Pregitzer, K. S. Soil fungal-arthropod responses to *Populus tremuloides* grown under enriched atmospheric CO₂ under field conditions. *Global-Change-Biology*. 1997; 3(6):473-478.
2276. Knapp, A. K. and Smith, W. K. Influence of growth form on ecophysiological responses to variable sunlight in subalpine plants. *Ecology*. 1989; 70(4):1069-1082.
2277. Kneeshaw, D. D. and Bergeron, Y. Canopy gap characteristics and tree replacement in the southeastern boreal forest. *Ecology*. 1998; 79(3):783-794.
2278. ---. Ecological factors affecting the abundance of advance regeneration in Quebec's southwestern boreal forest. *Canadian-Journal-of-Forest-Research*. 1996; 26(5):888-898.
2279. ---. Spatial and temporal patterns of seedling and sapling recruitment within canopy gaps caused by spruce budworm. *Ecoscience*. 1999; 6(2):214-222.
2280. Kneeshaw, D. D. and Burton, P. J. Canopy and age structures of some old sub-boreal *Picea* stands in British Columbia. *Journal-of-Vegetation-Science*. 1997; 8(5):615-626.
2281. Knight, D. H.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Summary: aspen decline in the west? Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):441-446.
2282. ---. Summary: aspen decline in the west? Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):441-446.
2283. Knight, F. B. The distribution of twig boring insects in the crowns of Aspen. 1963, Proceedings, North Central Branch, Entomological Society of America, Lexington, Kentucky 18, 1963 (65-7). 1 Ref.
2284. Knoll, C. S.; Wong, B. M., and Roy, D. N. The chemistry of decayed aspen wood and perspectives on its utilization. *Wood-Science-and-Technology*. 1993; 27(6):439-448.
2285. Knowles, R. and O' Toole, P. Acetylene-reduction assay at ambient [P(O₂)] of field and forest soils: laboratory and field core studies. *Nitrogen-Fixation-by-Free-Living-Micro-Organisms-Ed.-W.D.P.-Stewart*. 1975, 285-294; International Biological Programme No. 6.
2286. Knowles, R.; O' Toole, P., and Stewart, W. D. P. Acetylene-reduction assay at ambient P₀₂ of field and forest soils: laboratory and field core studies. In *Nitrogen Fixation by Free-Living Micro-Organisms*. International-Biological-Programme. 1975, No.6, 285-294.
2287. Knutson, D. M. The bacteria in sapwood, wetwood, and heartwood of Trembling Aspen (*Populus*

- tremuloides). *Canadian-Journal-of-Botany*. 1973; 51(2):498-500.
2288. ---. Wetwood in Trembling Aspen (*Populus tremuloides* Michx.). Abstr. of thesis; (in Dissert. Abstr. int. 1979 30B (2)):455-456). [Order No. 69-11,417. Price M \$3.00.
2289. Kobe, R. K. and Coates, K. D. Models of sapling mortality as a function of growth to characterize interspecific variation in shade tolerance of eight tree species of northwestern British Columbia. *Canadian-Journal-of-Forest-Research*. 1997; 27(2):227-236.
2290. Koch, C. B. Effect of compression on moisture content and sorption hysteresis of Aspen [*Populus tremuloides*] plywood. 1966, *For. Prod. J.* 1966 16 (10), (57-60). [2 Refs.].
2291. ---. The recovery of wood after subjection to high compressive strains perpendicular to the grain. 1964, Abstr. of Thesis, in *Dissert. Abstr.* 25 (6), 1964 (3190).
2292. Koch, P. and Springate, N. C. Hardwood structural flakeboard -- development of the industry in North America. *Journal-of-Forestry*. 1983; 81(3):160-161.
2293. Kochy, M. and Wilson, S. D. Litter decomposition and nitrogen dynamics in aspen forest and mixed-grass prairie. *Ecology*. 1997; 78(3):732-739.
2294. ---. Nitrogen deposition and forest expansion in the northern Great Plains. *Journal-of-Ecology-Oxford*. 2001; 89(5):807-817.
2295. Koerper, G. J. and Richardson, C. J. Biomass and net annual primary production regressions for *Populus grandidentata* on three sites in northern lower Michigan. *Canadian-Journal-of-Forest-Research*. 1980; 10(1):92-101.
2296. Kohler, A.; Delaruelle, C.; Martin, D.; Encelot, N., and Martin, F. The poplar root transcriptome: analysis of 7000 expressed sequence tags. *FEBS-Letters*. 2003; 542(1-3):37-41.
2297. Koike, T. Leaf morphology and anatomy affecting the net photosynthetic rate of 33 deciduous broadleaved tree species. *Forest-Resources-and-Environment*. 1996; (No. 34):25-32.
2298. Kokta, B. V. Steam explosion pulping of aspen. *Drevarsky-Vyskum*. 1990; (No. 127):23-39.
2299. Kolabinski, V. S. Clear cutting alternate strips and scarifying in white spruce and white spruce-trembling aspen stands to induce natural white spruce regeneration, Manitoba and Saskatchewan. 1994, v + 43 Pp.; 32 Ref.
2300. Kondraskin, E. P. and Temkina, R. Z. Barrels for liquids from glued wood. 1955, *Derev. Prom.* 1955 4 (1), (10-2). 4 Refs.
2301. Kooiman, M. and Linhart, Y. B. Structure and change in herbaceous communities of four ecosystems in the Front Range, Colorado, U.S.A. *Arctic-and-Alpine-Research*. 1986; 18(1):97-110.
2302. Kopecky, F. Introduction of new Poplar hybrids and clones in Hungary. 1969, [Pap.] 2nd FAO/IUFRO World Consult. For. Tree Breed., Washington 1969 No. FO-FTB-69-7/6, 1969. Pp. 7.
2303. ---. Turning into bearing of Poplar seedlings by grafting into the crown of flowering trees. 1966, [Proc.] Mtg. Sect. 22 Int. Union For. Res. Organ., Hungary 1966 Vol. 1, 1966 (110-2).
2304. Kopper, B. J. and Lindroth, R. L. Effects of elevated carbon dioxide and ozone on the phytochemistry of aspen and performance of an herbivore. *Oecologia*. 2003; 134(1):95-103.

2305. ---. Responses of trembling aspen (*Populus tremuloides*) phytochemistry and aspen blotch leafminer (*Phyllonorycter tremuloidiella*) performance to elevated levels of atmospheric CO₂ and O₃. *Agricultural-and-Forest-Entomology*. 2003; 5(1):17-26.
2306. Korb, J. E. and Ranker, T. A. Changes in stand composition and structure between 1981 and 1996 in four Front Range plant communities in Colorado. *Plant-Ecology*. 2001; 157(1):1-11.
2307. Kosikova, B.; Ebringerova, A., and Micko, M. Effect of aspen and oak wood rotting on the solubility of their main components. *Holzforschung*. 1992; 46(4):289-291.
2308. Kosikova, B.; Mlynar, J.; Zakutna, L.; Joniak, D., and Micko, M. The relationship between ultrastructure and lignin extractability of steamed hardwoods. *Holzforschung*. 1990; 44(4):249-255.
2309. Kosikova, B.; Zakutna, L., and Micko, M. M. Effect of heart rot on the ultrastructure of aspen wood and lignin extractability. *Drevarsky-Vyskum*. 1992, 135: 15-25; 8 Ref.
2310. Kotelnikova, N. E. and Hou, Y. F. Morphological structure of celluloses obtained from deciduous wood species (aspen and poplar). *Chemistry-and-Industry-of-Forest-Products*. 1993; 13(4):289-295.
2311. Kouassi, K. C.; Lorenzetti, F.; Guertin, C.; Cabana, J., and Mauffette, Y. Variation in the susceptibility of the forest tent caterpillar (*Lepidoptera: Lasiocampidae*) to *Bacillus thuringiensis* variety *kurstaki* HD-1: effect of the host plant. *Journal-of-Economic-Entomology*. 2001; 94(5):1135-1141.
2312. Kozlowski, T. T. and Clausen, J. J. Shoot growth characteristics of heterophyllous woody plants. 1966, *Canad. J. Bot.* 1966 44 (6), (827-43 + 4 Photos). [31 Refs.].
2313. Kozlowski, T. T. and Winget, C. H. Diurnal and seasonal shrinkage in tree stems. 1962, *For. Res. Note Wis. Coll. Agric. No. 83*, 1962. Pp. 4. 10 Refs.
2314. ---. Diurnal and seasonal variation in radii of tree stems. 1964, *Ecology* 45 (1), 1964 (149-55). 31 Refs.
2315. ---. Seasonal growth and development of Aspen stems. 1962, *For. Res. Note Wis. Coll. Agric. No. 87*, 1962. Pp. 4. 15 Refs.
2316. Kranabetter, J. M. and Chapman, B. K. Effects of forest soil compaction and organic matter removal on leaf litter decomposition in central British Columbia. *Canadian-Journal-of-Soil-Science*. 1999; 79(4):543-550.
2317. Kranz, J. J. and Linder, R. L. Value of Black Hills forest communities to deer and cattle. *Journal-of-Range-Management*. 1973; 26(4):263-265.
2318. Krasny, M. E. and Johnson, E. A. Stand development in aspen clones. *Canadian-Journal-of-Forest-Research*. 1992; 22(9):1424-1429.
2319. Krasny, M. E.; Zasada, J. C., and Vogt, K. A. Adventitious rooting of four Salicaceae species in response to a flooding event. *Canadian-Journal-of-Botany*. 1988; 66(12):2597-2598.
2320. Kratochvil, J. F. I. The biological degradation of lignin. II. Isolation and characterization of alpha-guaiaconic acid. 1970, *Abstr. of Thesis, in Dissert. Abstr. Int.* 1970 31B (2), (513). [Order No. 70-3594. Price: M. \$4.00; X. \$6.00. Pp. 106.].
2321. Krause, H. H.; Weetman, G. F.; Koller, E., and Veilleux, J. M. Interprovincial forest fertilization program. Results of five-year growth remeasurements. *Information-Report,-Canadian-Forestry-Service*. 1982; (No. DPC-X-12):xxii + 106 pp.

2322. Krausman, P. R. Special feature: Ungulate management in national parks of western North America. Based on a symposium at the Fourth Annual Meeting of the Wildlife Society, Snowmass, Colorado. *Wildlife-Society-Bulletin*. 1998; 26(3):369-498.
2323. Krebill, R. G. Mortality of Aspen on the Gros Ventre elk winter range. *USDA-Forest-Service-Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station*. 1972; (No. INT-129):16 pp.
2324. Krecetov, I. V. and Carey, B. S. Wood seasoning by means of superheated steam. 1955, *Derev. Prom*. 1955 4 (12), (9-12). 7 Refs.
2325. Krefting, L. W. What is the future of the Isle Royale moose herd? 1951, *Trans. N. Amer. Wildlife Conf*. 1951 No. 16 (461-72). 7 Refs.
2326. Krefting, L. W.; Bedard, J. (ed.); Telfer, E. S. (ed.); Wolfe, M. L. (ed.); Peek, J. (ed.); Simkin, D. W. (ed.); Lent, P. C. (ed.), and Ritcey, R. W. Moose distribution and habitat selection in north central North America. *Proceedings of the International Symposium on Moose Ecology Held in Quebec City, Canada, 25-28 March 1973*. *Naturaliste-Canadien*. 1974, 101: 81-100; 93 Ref.
2327. Krefting, L. W.; Hansen, H. L., and Hunt, R. W. Improving the browse supply for deer with aerial applications of 2,4-D. 1960, *Minn. For. Note No. 95*, 1960. Pp. 2.
2328. Kretschmann, D. E.; Isebrands, J. G.; Stanosz, G.; Dramm, J. R.; Olstad, A.; Cole, D., and Samsel, J. Structural lumber properties of hybrid poplar. *Research-Paper -Forest-Products-Laboratory,-USDA-Forest-Service*. 1999; (No. FPL-RP-573):9 pp.
2329. Krishnan, M. S.; Taylor, F.; Davison, B. H., and Nghiem, N. P. Economic analysis of fuel ethanol production from corn starch using fluidized-bed bioreactors. *Bioresource-Technology*. 2000; 75(2):99-105.
2330. Kronzucker, H. J.; Siddiqi, M. Y.; Glass, A. D. M., and Britto, D. T. Root ammonium transport efficiency as a determinant in forest colonization patterns: an hypothesis. *Physiologia-Plantarum*. 2003; 117(2):164-170.
2331. Kruger, B. M. and Manion, P. D. Antifungal compounds in aspen: effect of water stress. *Canadian-Journal-of-Botany*. 1994; 72(4):454-460.
2332. ---. Genetic control of *Populus tremuloides* sensitivity to metabolites of *Hypoxylon mammatum*. *Canadian-Journal-of-Botany*. 1993; 71(10):1276-1279.
2333. ---. Sensitivity of *Populus tremuloides* to toxic metabolites of *Hypoxylon mammatum* and susceptibility to *H. mammatum* infection. *Canadian-Journal-of-Botany*. 1993; 71(10):1298-1303.
2334. Kruger, E. L.; Volin, J. C., and Lindroth, R. L. Influences of atmospheric CO₂ enrichment on the responses of sugar maple and trembling aspen to defoliation. *New-Phytologist*. 1998; 140(1):85-94.
2335. Krutov, V. I. *Melampsora pinitorqua* in young Scots Pine stands in the Kola peninsula and the Karelian ASSR. 1971, *Mikol. i Fitopat*. 1971 5 (4), (366-73). [Ru, 21 Ref.].
2336. Krywolap, G. N.; Grand, L. F., and Casida, L. E. Jr. The natural occurrence of an antibiotic in the mycorrhizal fungus *Cenococcum graniforme*. 1964, *Canad. J. Microbiol*. 10 (3), 1964 (323-8). 6 Refs.
2337. Krzysik, A. and Young, R. A. A lignin adhesive system for flakeboard production. *Forest-Products-Journal*. 1986; 36(11-12):39-44.

2338. Krzyzewski, J. An easy way to preserve fence-posts by sap displacement. 1964, Publ. Dep. For. Can. No. 1076, 1964. Pp. 10.
2339. Ku, T. T. Forest succession on the poorly-drained soils in the Higgins Lake area of Michigan. 1955, Abstr. of Thesis, in Dissert. Abstr. 1955 15 (2), (186-7). [Michigan State College.].
2340. Kubiske, M. E.; Pregitzer, K. S.; Mikan, C. J.; Zak, D. R.; Maziasz, J. L., and Teeri, J. A. *Populus tremuloides* photosynthesis and crown architecture in response to elevated CO₂ and soil N availability. *Oecologia*. 1997; 110(3):328-336.
2341. Kubiske, M. E.; Pregitzer, K. S.; Zak, D. R., and Mikan, C. J. Growth and C allocation of *Populus tremuloides* genotypes in response to atmospheric CO₂ and soil N availability. *New-Phytologist*. 1998; 140(2):251-260.
2342. Kubiske, M. E.; Zak, D. R.; Pregitzer, K. S., and Takeuchi, Y. Photosynthetic acclimation of overstory *Populus tremuloides* and understory *Acer saccharum* to elevated atmospheric CO₂ concentration: interactions with shade and soil nitrogen. *Tree-Physiology*. 2002; 22(5):321-329.
2343. ---. Photosynthetic acclimation of overstory *Populus tremuloides* and understory *Acer saccharum* to elevated atmospheric CO₂ concentration: interactions with shade and soil nitrogen. *Tree-Physiology*. 2002; 22(5):321-329.
2344. Kucera, L. J. and Bariska, M. On the fracture morphology of wood. Part 1: a SEM-study of deformations in wood of spruce and aspen [*Populus tremula*] upon ultimate axial compression load. *Wood-Science-and-Technology*. 1982; 16(4):241-259.
2345. Kucharik, C. J.; Norman, J. M., and Gower, S. T. Characterization of radiation regimes in nonrandom forest canopies: theory, measurements, and a simplified modeling approach. *Tree-Physiology*. 1999; 19(11):695-706.
2346. ---. Measurements of branch area and adjusting leaf area index indirect measurements. *Agricultural-and-Forest-Meteorology*. 1998; 91(1-2):69-88.
2347. ---. Measurements of leaf orientation, light distribution and sunlit leaf area in a boreal aspen forest. *Agricultural-and-Forest-Meteorology*. 1998; 91(1-2):127-148.
2348. Kudzin, S. F. and Nord, F. F. Investigations on lignin and lignification. IV. Studies on hardwood lignin. 1951, *J. Amer. Chem. Soc.* 1951 73 (2), (690-3). [Department of Organic Chemistry and Enzymology, Fordham University.].
2349. Kufeld, R. C. and Bowden, D. C. Movements and habitat selection of Shiras moose (*Alces alces shirasi*) in Colorado. 32nd North American Moose Conference and Workshop, 20-24 April 1996, Banff, Alberta. *Alces*. 1996, 32: 85-99; 58 Ref.
2350. Kuhner, D. J. and Heimpel, A. M. Lecithinase production by strains of *Bacillus cereus* Fr. and Fr. pathogenic for the Larch sawfly, *Pristiphora erichsonii* (Htg.). 1957, *Canad. J. Microbiol.* 1957 3 (3), (547-51). 12 Refs.
2351. Kuklewski, K. M.; Blankenhorn, P. R., and Rishel, L. E. Comparison of selected physical and mechanical properties of red maple (*Acer rubrum* L.) and aspen (*Populus grandidentata* Michx.) flakeboard. *Wood-and-Fiber-Science*. 1985; 17(1):11-21.
2352. Kukor, J. J.; Cowan, D. P., and Martin, M. M. The role of ingested fungal enzymes in cellulose digestion in the larvae of cerambycid beetles. *Physiological-Zoology*. 1988; 61(4):364-371.

2353. Kukor, J. J. and Martin, M. M. The transformation of *Saperda calcarata* (Coleoptera: Cerambycidae) into a cellulose digester through the inclusion of fungal enzymes in its diet. *Oecologia*. 1986; 71(1):138-141.
2354. Kull, O.; Sober, A.; Coleman, M. D.; Dickson, R. E.; Isebrands, J. G.; Gagnon, Z.; Karnosky, D. F.; Percy, K. E. (ed.); Cox, R. M. (ed.), and Jensen, K. F. Photosynthetic responses of aspen clones to simultaneous exposures of ozone and CO₂. *Air Pollution and Multiple Stresses*. 1996 16; 26(4):639-648.
2355. Kumar, S. and Fladung, M. Transgene integration in aspen: structures of integration sites and mechanism of T-DNA integration. *Plant-Journal*. 2002; 31(4):543-551.
2356. ---. Transgene repeats in aspen: molecular characterisation suggests simultaneous integration of independent T-DNAs into receptive hotspots in the host genome. *Molecular-and-General-Genetics*. 2000; 264(1-2):20-28.
2357. Kumarasamy, K. and Menon, P. K. B. Scope of indigenous woods in match manufacture. 1966, Malay. *Forester* 1966 29 (3), (133-9).
2358. Kunkel, K. E.; Isard, S. A.; Hollinger, S. E.; Gleason, B., and Belding, M. Spatial heterogeneity of albedo over a snow-covered agricultural landscape. *Journal-of-Geophysical-Research*. 1999; 104(D16):19551-19557.
2359. Kurjatko, S. and Racko, V. Thermo-physical characteristics of some hardwood species. *Drevarsky-Vyskum*. 1999; 44(3-4):30-38.
2360. Kurkela, T. Release and germination of basidiospores of *Melampsora pinitorqua* (Braun) Rostr. and *M. larici-tremulae* Kleb. at various temperatures. *Metsantutkimuslaitoksen-Julkaisu*. 1973; 78(5):22 pp.
2361. Kurkela, T.; Weissenberg, K. von (ed.), and Kurkela, T. Serological tests for identifying species of *Melampsora* on aspen. Proceedings of the Meeting of the IUFRO Working Party S2.05, Resistance in Pines to *Melampsora Pinitorqua*, June 1979, Suonenjoki, Finland. *Folia-Forestalia*. 1980, 17-18; 1 Fig.; 5 Ref.
2362. Kurmis, V. and Sucoff, E. Population density and height distribution of *Corylus cornuta* in undisturbed forests of Minnesota: 1965-1984. *Canadian-Journal-of-Botany*. 1989; 67(8):2409-2413.
2363. Kurtenacker, R. S. Wood-base panel products for pallet decks. USDA-Forest-Service-Research-Paper,-Forest-Products-Laboratory,-Madison. 1975; (No. FPL 273):17 pp.
2364. Kurzin, N. I. New standard tables for practical use. 1971, *Lesn. Khoz.* 1971 (12), (74-6). [Ru].
2365. Kusch, D. S. Notes on *Itame loricaria julia* Hlst. 1963, *Bi-m. Progr. Rep. For. Ent. Path. Br. Dep. For. Can.* 19 (4), 1963 (3).
2366. ---. Notes on the biology of *Epinotia criddleana* Kft. 1967, *Bi-m. Res. Notes Dep. For. Can.* 1967 23 (1), (3). [3 Refs.].
2367. Kuster, T. A. and Vozzo, J. A. Distribution of manganese(II) in white-rot decayed aspen: a new transmission electron microscopy (TEM) technique. *Research and Applications of Chemical Sciences in Forestry. Proceedings of the 4th Southern Station Chemical Sciences Meeting; (February 1-2):1994, Starville, MS. General-Technical-Report -Southern-Forest-Experiment-Station,-USDA-Forest-Service.* 1994, No. SO-104, 42-50.

2368. Kuuseoks, E.; Dong, J., and Reed, D. Shrub age structure in northern Minnesota aspen stands. *Forest-Ecology-and-Management*. 2001; 149(1-3):265-274.
2369. Kyokong, B.; Keenan, F. J., and Boyd, S. J. Fracture behavior of adhesive joints in poplar. *Wood-and-Fiber-Science*. 1986; 18(4):499-525.
2370. L' Hironnelle, S. J.; Addison, P. A., and Huebert, D. B. Growth and physiological responses of aspen and jack pine to intermittent SO₂ fumigation episodes. *Canadian-Journal-of-Botany*. 1986; 64(11):2421-2427.
2371. LaBonte, G. A. and Leso, R. J. Cleaning paper birch in a birch-aspen stand in Maine: a 34-year case history. *Northern-Journal-of-Applied-Forestry*. 1990; 7(1):22-23.
2372. LaBonte, G. A. and Nash, R. W. Cleaning and weeding paper birch - a 24-year case history. *Journal-of-Forestry*. 1978; 76(4):223-225.
2373. Labrecque, R.; Kallaguine, S., and Grandmalson, J. L. Supercritical gas extraction of wood with methanol. *Industrial-and-Engineering-Chemistry,-Product-Research-and-Development*. 1983; 23(1):177-182.
2374. Ladousse, A.; Wable, F.; Raymond, R.; Turckheim, N. de; Puls, J.; Johansson, A.; Sachetto, J. P.; Roman, A.; Franz, R.; Erckel, R.; Riehm, T.; Woernle, R.; Deger, H. M.; Gast, D.; Ayla, C.; Barnet, D.; Dupeyre, D.; Excoffier, G.; Gagnaire, D.; Nava Saucedo, J. E.; Vignon, M. R.; Strub, A. (ed.); Chartier, P. (ed.), and Schleser, G. Poster group PIV -- Liquid fuels. A -- Pretreatment. *Energy From Biomass*. 2nd E.C. Conference. 1983, 857-893.
2375. Laflamme, G. Discoloured wood of aspen caused by increment boring. *European-Journal-of-Forest-Pathology*. 1979; 9(1):15-18.
2376. Lahdesmaki, P. and Piispanen, R. Changes in concentrations of free amino acids during humification of spruce and aspen leaf litter. *Soil-Biology-and-Biochemistry*. 1989; 21(7):975-978.
2377. ---. Degradation products and the hydrolytic enzyme activities in the soil humification processes. *Soil-Biology-and-Biochemistry*. 1988; 20(3):287-292.
2378. Lai, Y. Z. and Funaoka, M. The distribution of phenolic hydroxyl groups in hardwood lignins. *Journal-of-Wood-Chemistry-and-Technology*. 1993; 13(1):43-57.
2379. Lai, Y. Z. and Guo, X. P. The effect of wood species in sulfonation. *Holzforschung*. 1992; 46(6):477-480.
2380. ---. Variation of the phenolic hydroxyl group content in wood lignins. *Wood-Science-and-Technology*. 1991; 25(6):467-472.
2381. Lai, Y. Z. and Mun, S. P. The chemical aspects of acidic delignification processes. 1. Role of aryl-ether hydrolysis in aspen. *Holzforschung*. 1994; 48(3):203-206.
2382. Lai, Y. Z. and Situ, W. Effects of chemical treatments on ultra-high-yield pulping. VII. Variation of aspen CMP fractions in lignin modification. *Holzforschung*. 1993; 47(1):41-44.
2383. Laidly, P. R. Metric site index curves for aspen, birch and conifers in the Lake States. *General-Technical-Report,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1979; (No. NC-54):ii + 15 pp.
2384. Laisk, A. and Oya, V. Change in the mesophyll resistance [to gas diffusion] of Aspen in response to rapid dehydration of the leaf. 1971, *Fiziol. Rast.* 1971 18 (3), (553-62). [Ru, En, 35 Ref.].

2385. Laks, P. E. and King, J. E. Resistance of wood blocks treated with Lentrek insecticides to aboveground damage by the Formosan subterranean termite. *Down-to-Earth*. 1993; 48(1):11-14.
2386. Laks, P. E.; Manning, M. J., and Amburgey, T. et al. Update on the use of borates as preservatives for wood composites. *The Second International Conference on Wood Protection With Diffusible Preservatives and Pesticides*. 1997, 62-68; 8 Ref.
2387. Laks, P. E.; Richter, D. L., and Larkin, G. M. Fungal susceptibility of interior commercial building panels. *Forest-Products-Journal*. 2002; 52(5):41-44.
2388. Lalvani, S. B. and Rajagopal, P. Hydrogen production from lignin-water solution by electrolysis. *Holzforschung*. 1993; 47(4):283-286.
2389. Lam, S. K. K.; Peemoeller, H., and Chen, Z. Y. NMR and Monte Carlo simulation studies of water adsorption dynamics. *Journal-of-Colloid-and-Interface-Science*. 2002; 248(2):255-259.
2390. ---. NMR and Monte Carlo simulation studies of water adsorption dynamics. *Journal-of-Colloid-and-Interface-Science*. 2002; 248(2):255-259.
2391. Lamb, F. M. Aspen [*Populus tremuloides*] wood characteristics, properties, and uses: a review of recent literature. 1967, U.S. For. Serv. Res. Pap. Nth. Cent. For. Exp. Sta. No. NC-13, 1967. Pp. 15. [115 Refs.].
2392. Lamb, F. M. and Marden, R. M. Bark specific gravities of selected Minnesota tree species. 1968, *For. Prod. J.* 1968 18 (9), (76-83). [9 Refs.].
2393. Lamontagne, M.; Margolis, H., and Bigras, F. Photosynthesis of black spruce, jack pine, and trembling aspen after artificially induced frost during the growing season. *Canadian-Journal-of-Forest-Research*. 1998; 28(1):1-12.
2394. Landhausser, S. M.; DesRochers, A., and Liefvers, V. J. A comparison of growth and physiology in *Picea glauca* and *Populus tremuloides* at different soil temperatures. *Canadian-Journal-of-Forest-Research*. 2001; 31(11):1922-1929.
2395. ---. A comparison of growth and physiology in *Picea glauca* and *Populus tremuloides* at different soil temperatures. *Canadian-Journal-of-Forest-Research*. 2001; 31(11):1922-1929.
2396. Landhausser, S. M. and Liefvers, V. J. Growth of *Populus tremuloides* in association with *Calamagrostis canadensis*. *Canadian-Journal-of-Forest-Research*. 1998; 28(3):396-401.
2397. ---. Leaf area renewal, root retention and carbohydrate reserves in a clonal tree species following above-ground disturbance. *Journal-of-Ecology-Oxford*. 2002; 90(4):658-665.
2398. ---. Photosynthesis and carbon allocation of six boreal tree species grown in understory and open conditions. *Tree-Physiology*. 2001; 21(4):243-250.
2399. ---. Seasonal changes in carbohydrate storage and regrowth in rhizomes and stems of four boreal forest shrubs: applications in *Picea glauca* understory regeneration. *Scandinavian-Journal-of-Forest-Research*. 1997; 12(1):27-32.
2400. Landhausser, S. M.; Muhsin, T. M., and Zwiazek, J. J. The effect of ectomycorrhizae on water relations in aspen (*Populus tremuloides*) and white spruce (*Picea glauca*) at low soil temperatures. *Canadian-Journal-of-Botany*. 2002; 80(6):684-689.
2401. Landis, T. D. and Evans, A. K. A relationship between *Fomes applanatus* and Aspen windthrow. *Plant-*

Disease-Reporter. 1974; 58(2):110-113.

2402. Landt, E. F. Aspen [*Populus grandidentata*] volume tables for furniture-type, flat, 4/4-inch dimension. USDA-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station. 1974; (No. NC-166):2 pp.
2403. Lang, E. M.; Bejo, L.; Divos, F.; Kovacs, Z., and Anderson, R. B. Orthotropic strength and elasticity of hardwoods in relation to composite manufacture. Part III: Orthotropic elasticity of structural veneers. *Wood-and-Fiber-Science*. 2003; 35(2):308-320.
2404. Lange, P. W. The distribution of lignin in the cell wall of normal and reaction wood from Spruce and a few hardwoods. 1954, *Svensk Papp Tidn*. 1954. 57 (15), (525-35). 8 Refs. [g] (Part IX of The Distribution of the Components in the Plant Cell Wall.).
2405. Langenheim, J. H. Vegetation and environmental patterns in the Crested Butte area, Gunnison County, Colorado. 1962, *Ecol. Monogr*. 32 (3), 1962 (249-85 + 1 Map). 156 Refs.
2406. Langlois, J. L.; Johnson, D. W., and Mehuys, G. R. Adsorption and recovery of dissolved organic phosphorus and nitrogen by mixed-bed ion-exchange resin. *Soil-Science-Society-of-America-Journal*. 2003; 67(3):889-894.
2407. Lapin, M. and Barnes, B. V. Using the landscape ecosystem approach to assess species and ecosystem diversity. *Conservation-Biology*. 1995; 9(5):1148-1158.
2408. LaPoint, G. and Cleve, K. van. A portable electronic multichannel dendrograph and environmental factor recording system. 1971, *Canad. J. For. Res*. 1971 1 (4), (273-7). [En, Fr, 9 Ref.].
2409. Larmore, F. D. Influence of specific gravity and resin content on properties of particle board. 1959, *For. Prod. J*. 1959 9 (4), (131-4). 8 Refs.
2410. Laroche, J.; Li Peng; Maggia, L.; Bousquet, J., and Li, P. Molecular evolution of angiosperm mitochondrial introns and exons. *Proceedings-of-the-National-Academy-of-Sciences-of-the-United-States-of-America*. 1997; 94(11):5722-5727.
2411. Larsen, C. P. S. Spatial and temporal variations in boreal forest fire frequency in northern Alberta. *Journal-of-Biogeography*. 1997; 24(5):663-673.
2412. Larsen, C. P. S. and MacDonald, G. M. An 840-year record of fire and vegetation in a boreal white spruce forest. *Ecology*. 1998; 79(1):106-118.
2413. Larsen, E. J.; Ripple, W. J.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Aspen overstory recruitment in northern Yellowstone National Park during the last 200 years. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):345-346.
2414. ---. Aspen overstory recruitment in northern Yellowstone National Park during the last 200 years. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):345-346.
2415. Larsen, J. A. Vegetational relationships with air mass frequencies: boreal forest and tundra. 1971, *Arctic, Montreal* 1971 24 (3), (177-94). [En, Fr, Ru, 11 Ref.].
2416. Larson, F. R. and Winterberger, K. C. Tables and equations for estimating volumes of trees in the Susitna River Basin, Alaska. *Research-Note -Pacific-Northwest-Research-Station,-USDA-Forest-Service*. 1988; (No. PNW-RN-478):20 pp.

2417. Larson, G. C. More on seedlings of Western Aspen. 1944, J. For. 42 1944 (452). [Uinta National Forest.].
2418. Larson, J. L.; Zak, D. R., and Sinsabaugh, R. L. Extracellular enzyme activity beneath temperate trees growing under elevated carbon dioxide and ozone. *Soil-Science-Society-of-America-Journal*. 2002; 66(6):1848-1856.
2419. Larson, K. C. An investigation of pectic substance in the developing xylem of *Populus tremuloides*. 1968, Abstr. of Thesis, in Dissert. Abstr. 1968 28B (10), (4031).
2420. Larson, M. M. Regenerating Aspen by suckering in the Southwest. 1959, Res. Note Rocky Mt. For. Range Exp.Sta. 1959 39 Pp.2 1 Ref.
2421. Larson, P. R. Effect of gibberellic acid on foreign hardwood cuttings for pollen collection. 1958, Tech. Note Lake St. For. Exp. Sta. 1958 No. 53 (2 Pp.).
2422. ---. Gibberellic acid-induced growth of dormant hardwood cuttings. 1960, *For. Sci.* 6 (3), 1960 (232-9). 17 Refs.
2423. Larson, R. P. Using ultra low-volume basal techniques to control brush on rights-of-way. *Proceedings,- Northeastern-Weed-Science-Society*. 1984, Vol. 38 (Supplement), 27-30.
2424. Larsson, S.; Bjorkbacka, H.; Forsman, C.; Samuelsson, G., and Olsson, O. Molecular cloning and biochemical characterization of carbonic anhydrase from *Populus tremula X tremuloides*. *Plant-Molecular-Biology*. 1997; 34(4):583-592.
2425. Larsson, S. E. and Selleby, L. Aspen wood constituents. 1960, *Svensk PappTidn.* 63 (18), 1960 (606-8). 7 Refs.
2426. Laufenberg, T. L. Flakeboard fracture surface observations and correlations with orthotropic failure criteria. *Journal-of-the-Institute-of-Wood-Science*. 1984; 10(2):57-65.
2427. Laurence, J. A.; Amundson, R. G.; Friend, A. L.; Pell, E. J., and Temple, P. J. Allocation of carbon in plants under stress: an analysis of the ROPIS experiments. *Symposium Papers: Responses of Plants to Interacting Stresses*. 1994; 23(3):412-417.
2428. Lautenschlager, R. A.; Bell, F. W.; Wagner, R. G., and Winters, J. A. The Fallingsnow Ecosystem Project: comparing conifer release alternatives in northwestern Ontario. *Forestry-Chronicle*. 1997; 73(1):35-38.
2429. Lautenschlager, R. A.; Dalton, W. J.; Cherry, M. L., and Graham, J. L. Conifer release alternatives increase aspen forage quality in northwestern Ontario. *Journal-of-Wildlife-Management*. 1999; 63(4):1320-1326.
2430. Lavallee, A. Hypoxylon canker of aspen. *Information-Leaflet -Quebec-Region,-Forestry-Canada*. 1990; (No. 21):5 pp.
2431. Lavallee, R. Bibliographical review of *Pachypappa tremulae* (L.): a root aphid of conifer seedlings in containers. *Information-Report -Laurentian-Forestry-Centre,-Canadian-Forestry-Service*. 1987; (No. LAU-X-73E):16 pp.
2432. Lavertu, D.; Mauffette, Y., and Bergeron, Y. Effects of stand age and litter removal on the regeneration of *Populus tremuloides*. *Journal-of-Vegetation-Science*. 1994; 5(4):561-568.
2433. Lavigne, M. B. Tree mass equations for common species of Newfoundland. *Information-Report,- Newfoundland-Forest-Research-Centre*. 1982; (No. N-X-213):vi + 40 pp.

2434. Lavigne, M. B. and Nostrand, R. S. van. Biomass equations for six tree species in central Newfoundland. Information-Report,-Newfoundland-Forest-Research-Centre,-Canada. 1981; (No. N-X-199):iii + 51 pp.
2435. Lavigne, M. B.; Ryan, M. G.; Margolis, H. A. (ed.), and Ryan, M. G. Growth and maintenance respiration rates of aspen, black spruce and jack pine stems at northern and southern BOREAS sites. Biosphere-Atmosphere Interactions in the Boreal Forest. 1997; 17(8-9):543-551.
2436. Lavkulich, L. M.; Pawluk, S., and Odynsky, W. Soil profile development in some Peace River soils. 1964, *Canad. J. Soil Sci.* 44 (2), 1964 (188-95). 16 Refs.
2437. Law, K. N.; Garceau, J. J., and Koran, Z. Measurement of intra-increment tensile strength by using a zero-span technique. *Wood-Science.* 1977; 10(1):42-28.
2438. Law, K. N.; Lanouette, R., and Valade, J. L. Properties of CTMP from mixtures of aspen, birch and maple. Fibre rigidity and density help to characterize wood quality. *Pulp-and-Paper-Canada.* 1999; 100(12):117-122.
2439. Law, K. N. and Lapointe, M. Chemimechanical pulping of boles and branches of white spruce, white birch, and trembling aspen. *Canadian-Journal-of-Forest-Research.* 1983; 13(3):412-418.
2440. Law, K. N.; Lapointe, M., and Valade, J. L. Chemithermomechanical pulping of mixtures of different species of hardwoods. *Tappi-Journal.* 1986; 69(7):80-83.
2441. Law, K. N. and Valade, J. L. Effects of liquor composition on the properties of hardwood ultra-high-yield pulps. *Tappi-Journal.* 1994; 77(7):89-94.
2442. Law, K. N.; Zhou, W. X., and Valade, J. L. Chemimechanical pulping of aspen - effect of high temperatures. *JPPS,-Journal-of-Pulp-and-Paper-Science.* 1990; 16(6):184-189.
2443. Law Kwei, N. a. m.; Jiang XingFen; Law, K. N., and Jiang, X. F. Comparative papermaking properties of oil-palm empty fruit bunch. *Tappi-Journal.* 2001, 84: 1, 95.
2444. Lawford, H. G. and Rousseau, J. D. Fuel ethanol from hardwood hemicellulose hydrolysate by genetically engineered *Escherichia coli* B carrying genes from *Zymomonas mobilis*. *Biotechnology-Letters.* 1991; 13(3):191-196.
2445. Lawler, J. J. and Edwards, T. C. Jr. Landscape patterns as habitat predictors: building and testing models for cavity-nesting birds in the Uinta Mountains of Utah, USA. *Landscape-Ecology.* 2002; 17(3):233-245.
2446. Lawrance, W. H. Michigan beaver populations as influenced by fire and logging. 1954, Abstr. of Thesis, in *Dissert. Abstr.* 14 (7), (1011-2). [University of Michigan.].
2447. Lawrence, W. H. Evidence of the age of Beaver ponds. 1952, *J. Wildlife Mgmt.* 1952 16 (1) (69-79). 6 Refs. [University of Michigan, Ann Arbor.].
2448. Lawrence, W. T. and Oechel, W. C. Effects of soil temperature on the carbon exchange of taiga seedlings. I. Root respiration. *Canadian-Journal-of-Forest-Research.* 1983; 13(5):840-849.
2449. ---. Effects of soil temperature on the carbon exchange of taiga seedlings. II. Photosynthesis, respiration, and conductance. *Canadian-Journal-of-Forest-Research.* 1983; 13(5):850-859.
2450. Lawson, D.; Inouye, R. S.; Huntly, N., and Carson, W. P. Patterns of woody plant abundance, recruitment, mortality, and growth in a 65 year chronosequence of old-fields. *Plant-Ecology.* 1999; 145(2):267-

2451. Laycock, W. A. and Conrad, P. W. Responses of vegetation and cattle to various systems of grazing on seeded and native mountain rangelands in eastern Utah. *Journal-of-Range-Management*. 1981; 34(1):52-58.
2452. Lea, D. C. An orienting study of the effect of the neutral sulphite semichemical cook on the hemicelluloses of Aspenwood. 1954, *Tappi* 1954 37 (9), (393-9). 29 Refs.
2453. Leach, H. A. Computer assessment of Poplar use potential in Ontario. 1971, *For. Chron.* 1971 47 (2), (67).
2454. Leach, J. G.; Hodson, A. C.; Chilton St.JP, and Christensen, C. M. Observations on two ambrosia beetles and their associated fungi. 1940, *Phytopathology* 30 1940 (227-36). [Minnesota Agricultural Exp. Sta.].
2455. Leaf, A. L. and Keller, T. Tentative technique for determining the influence of soil on the growth of forest plantations. 1956, *Proc. Soil Sci. Soc. Amer.* 1956 20 (1), (110-2). 13 Refs.
2456. Leaf, C. F. Watershed management in the Rocky Mountain subalpine zone: the status of our knowledge. USDA-Forest-Service-Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station. 1975; (No. RM-137):31 pp.
2457. Leahy, M. J. and Pregitzer, K. S. A comparison of presettlement and present-day forests in northeastern lower Michigan. *American-Midland-Naturalist*. 2003; 149(1):71-89.
2458. Leak, W. B. and Smith, M. L. Long-term species and structural changes after cleaning young even-aged northern hardwoods in New Hampshire, USA. *Forest-Ecology-and-Management*. 1997; 95(1):11-20.
2459. ---. Sixty years of management and natural disturbance in a New England forested landscape. *Forest-Ecology-and-Management*. 1996; 81(1-3):63-73.
2460. Leak, W. B. and Wilson, R. W. Jr. Regeneration after cutting of old-growth northern hardwoods in New Hampshire. 1958, *Sta. Pap. Ntheast. For. Exp. Sta.* 1958 No. 103 (8 Pp.). [3 Refs.].
2461. Leary, R. A.; Brand, G. J., and Perala, D. A. Predicting quaking aspen stand dynamics in Minnesota. *Northern-Journal-of-Applied-Forestry*. 1993; 10(1):20-27.
2462. Leary, R. A.; Nimerfro, K.; Holdaway, M.; Brand, G.; Burk, T.; Koka, R.; Wolf, A.; Skovsgaard, J. P. (ed.), and Vanclay, J. K. Height growth modeling using second order differential equations and the importance of initial height growth. Special Issue: Regeneration Success and Early Growth of Forest Stands. Selected and edited papers from the IUFRO conference on modelling regeneration success and early growth of forest stands; held in Copenhagen, Denmark, 10-13 June 1996. *Forest-Ecology-and-Management*. 1997, 97(2):165-172.
2463. Leask, R. A review of thermo-mechanical pulping. *Pulp-and-Paper-Canada*. 1975; 76(10):52-60.
2464. Leask, R. A. Chemimechanical pulps from hardwoods. 1968, *Tappi* 1968 51 (12), (117A-120A). [3 Refs.].
2465. Leatham, G. F.; Myers, G. C., and Wegner, T. H. Biomechanical pulping of aspen chips: energy savings resulting from different fungal treatments. *Tappi-Journal*. 1990; 73(5):197-200.
2466. Leatham, G. F.; Myers, G. C.; Wegner, T. H., and Blanchette, R. A. Biomechanical pulping of aspen chips: paper strength and optical properties resulting from different fungal treatments. *Tappi-Journal*. 1990; 73(3):249-255.

2467. Leblanc, J. D. and Sutherland, B. J. Comparative evaluation of seven site preparation tools in a residual poplar mixedwood stand in Saskatchewan. Information-Report -Great-Lakes-Forestry-Centre,-Canadian-Forestry-Service. 1987; (No. O-X-381):55 pp.
2468. Lederle, K. A. and Mroz, G. D. Nutrient status of bracken (*Pteridium aquilinum*) following whole-tree harvesting in Upper Michigan. *Forest-Ecology-and-Management*. 1991; 40(1-2):119-130.
2469. Lee EunJu; Kenkel, N. C.; Booth, T., and Lee, E. J. Pollen deposition in the boreal forest of west-central Canada. *Canadian-Journal-of-Botany*. 1996; 74(8):1265-1272.
2470. Lee, J.; Balatinecz, J. J.; Imada, S. E., and Whiting, P. The optical properties of eight eastern Canadian wood species. Part 2: effect of mechanical pulping on optical properties. *JPPS,-Journal-of-Pulp-and-Paper-Science*. 1990; 16(1):1-5.
2471. Lee, J.; Balatinecz, J. J., and Whiting, P. The optical properties of eight eastern Canadian wood species. Part 1: the inherent optical properties of wood. *JPPS-Journal-of-Pulp-and-Paper-Science*. 1988; 14(6):145-150.
2472. Lee, J.; Morrison, I. K.; Leblanc, J. D.; Dumas, M. T.; Cameron, D. A., and Karjalainen, T. Carbon sequestration in trees and regrowth vegetation as affected by clearcut and partial cut harvesting in a second-growth boreal mixedwood. *The Role of Boreal Forests in the Global Carbon Budget*. Selected papers from the international conference held in Edmonton; Alberta, Canada, May 8-12, 2000. *Forest-Ecology-and-Management*. 2002, 169(1-2):83-101.
2473. Lee, P. Dynamics of snags in aspen-dominated midboreal forests. *Forest-Ecology-and-Management*. 1998; 105(1-3):263-272.
2474. Lee, P.; Hanus, S., and Grover, B. Criteria for estimating old growth in boreal mixedwoods from standard timber inventory data. *Forest-Ecology-and-Management*. 2000; 129(1-3):25-30.
2475. Lee, P. and Sturgess, K. The effects of logs, stumps, and root throws on understory communities within 28-year-old aspen-dominated boreal forests. *Canadian-Journal-of-Botany*. 2001; 79(8):905-916.
2476. Lee, P. C.; Crites, S.; Nietfeld, M.; Hai Van Nguyen, and Stelfox, J. B. Characteristics and origins of deadwood material in aspen-dominated boreal forests. *Ecological-Applications*. 1997; 7(2):691-701.
2477. Lee, P. W. and Schaffer, E. L. Redrying fire-retardant-treated structural plywood. *Wood-and-Fiber*. 1982; 14(3):178-199.
2478. Lee, X.; Neumann, H. H.; Hartog, G. den; Fuentes, J. D.; Black, T. A.; Mickle, R. E.; Yang, P. C.; Blanken, P. D., and Den Hartog, G. Observation of gravity waves in a boreal forest. *Boundary-Layer-Meteorology*. 1997; 84(3):383-398.
2479. Lee Xuhui; Fuentes, J. D.; Staebler, R. M.; Neumann, H. H., and Lee, X. H. Long-term observation of the atmospheric exchange of CO₂ with a temperate deciduous forest in southern Ontario, Canada. *Journal-of-Geophysical-Research*. 1999; 104(D13):15975-15984.
2480. Lees, J. C. A discussion on White Spruce natural regeneration in Alberta's Spruce/Aspen stands. 1962, *Emp. For. Rev.* 41 (3), 1962 (214-9). 15 Refs.
2481. ---. Partial cutting with scarification in Alberta Spruce-Aspen stands. 1963, *Publ. Dep. For. Can. No. 1001*, 1963. Pp. 18. 3 Refs.
2482. ---. Release of White Spruce from Aspen competition in Alberta's Spruce-Aspen forest. 1966, *Publ. Dep.*

For. Can. No. 1163, 1966. Pp. 16. [10 Refs.].

2483. ---. Site factors contributing to the Spruce regeneration problem in Alberta's mixedwood. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1972; (No. NOR-X-40):8-14.
2484. ---. A test of harvest cutting methods in Alberta's Spruce-Aspen forest. 1964, Publ. Dep. For. Can. No. 1042, 1964. Pp. 19. 4 Refs.
2485. Lees.JC. Natural regeneration of White Spruce under Spruce-Aspen shelterwood, B-18a forest section, Alberta. 1970, Publ. For. Serv. Can. No. 1274 1970 Pp. [16]. [13 Refs.].
2486. Legare, S.; Bergeron, Y.; Leduc, A., and Pare, D. Comparison of the understory vegetation in boreal forest types of southwest Quebec. *Canadian-Journal-of-Botany*. 2001; 79(9):1019-1027.
2487. Legare, S.; Bergeron, Y.; Pare, D.; Korpilahti, E. (ed.), and Kuuluvainen, T. Influence of forest composition on understory cover in boreal mixedwood forests of Western Quebec. 'Disturbance Dynamics in Boreal Forests: Defining the Ecological Basis of Restoration and Management of Biodiversity. ' Selected papers from a conference held in Kuhmo; Finland, 21-25 August 2000. *Silva-Fennica*. 2002, 36(1):353-366.
2488. ---. Influence of forest composition on understory cover in boreal mixedwood forests of Western Quebec. 'Disturbance Dynamics in Boreal Forests: Defining the Ecological Basis of Restoration and Management of Biodiversity. ' Selected papers from a conference held in Kuhmo; Finland, 21-25 August 2000. *Silva-Fennica*. 2002, 36(1):353-366.
2489. Legg, G. W. and Hart, J. S. Alkaline pulping of Poplar and Birch. The influence of sulphidity and effective alkali on the rate of pulping and pulp properties. 1960, *Tappi* 1960 43 (5), (471-84). 24 Refs.
2490. Legge, A. H.; Jaques, D. R.; Amundson, R. G., and Walker, R. B. Field studies of pine, spruce and aspen periodically subjected to sulfur gas emissions. *Water,-Air,-and-Soil-Pollution*. 1977; 8(1):105-129.
2491. Legge, A. H.; Jaques, R. D.; Amundson, R. G., and Walker, R. B. Field studies of pine, spruce and aspen periodically subjected to sulfur gas emissions. *Water,-Air,-and-Soil-Pollution*. 1977; 8(1):105-129.
2492. Lehn, G. A. and Higginbotham, K. O. Natural variation in merchantable stem biomass and volume among clones of *Populus tremuloides* Michx. *Canadian-Journal-of-Forest-Research*. 1982; 12(1):83-89.
2493. Lehnen, R.; Saake, B., and Nimz, H. H. Impact of pulping conditions on FORMACELL aspen lignin: investigation of methoxyl and ester groups, carbohydrates, molar mass and glass transition temperatures. *Holzforschung*. 2002; 56(5):498-506.
2494. Leisman, G. A. A vegetation and soil chronosequence on the Mesabi iron range spoil banks, Minnesota. 1955, Abstr. of Thesis in Dissert. Abstr. 1955 15 (11), (1987-8). [University of Minnesota.].
2495. LeMay, V. M. Percent decay estimation using decayed wood area at breast or stump height. *Canadian-Journal-of-Forest-Research*. 1993; 23(2):307-312.
2496. LeMay, V. M.; Kozak, A., and Marshall, P. L. Using limited dependent variable estimators for estimating percent decay. *Canadian-Journal-of-Forest-Research*. 1993; 23(2):266-274.
2497. LeMay, V. M.; Tait, D. E.; Kamp, B. J. van der, and Van der Kamp, B. J. Classification of cedar, aspen, and true fir trees as decayed versus sound. *Canadian-Journal-of-Forest-Research*. 1994; 24(10):2068-2077.
2498. Lenihan, J. M. Ecological response surfaces for North American boreal tree species and their use in forest

classification. *Journal-of-Vegetation-Science*. 1993; 4(5):667-680.

2499. Lenth, C. A. and Kamke, F. A. Equilibrium moisture content of wood in high temperature pressurized environments. *Wood-and-Fiber-Science*. 2001; 33(1):104-118.
2500. Leone, R. and Breuil, C. Biodegradation of aspen steryl esters and waxes by two filamentous fungi with or without other carbon sources. *World-Journal-of-Microbiology-and-Biotechnology*. 1999; 15(6):723-727.
2501. ---. Filamentous fungi can degrade aspen steryl esters and waxes. *International-Biodeterioration-and-Biodegradation*. 1998; 41(2):133-137.
2502. Leopold, A. Deer irruptions. 1943, *Publ. Wis. Conserv. Dep.* [1943?] No. 321, (3-11). 27 Refs. Repr. From *Bull. Wis. Conserv. Dep.* August, 1943.
2503. Leple, J. C.; Bonade Bottino, M.; Augustin, S.; Pilate, G.; Dumanois Le Tan, V.; Delplanque, A.; Cornu, D., and Jouanin, L. Toxicity to *Chrysomela tremulae* (Coleoptera: Chrysomelidae) of transgenic poplars expressing a cysteine proteinase inhibitor. *Molecular-Breeding*. 1995; 1(4):319-328.
2504. Lessard, V.; Reed, D. D., and Monkevich, N. Comparing N-tree distance sampling with point and plot sampling in northern Michigan forest types. *Northern-Journal-of-Applied-Forestry*. 1994; 11(1):12-16.
2505. Lester, D. T. Floral initiation and development in Quaking Aspen. 1963, *For. Sci.* 9 (3), 1963 (323-9). 4 Refs.
2506. ---. Observations on flowering in the Aspens. 1960, *Proc. 8th Ntheast. For. Tree Impr. Conf.*, New Haven, Conn. 1960, 1961 (35-8). 2 Refs.
2507. ---. Variation in sex expression in *Populus tremuloides* Michx. 1963, *Silvae Genet.* 12 (5), 1963 (141-51). 37 Refs.
2508. Letchford, T. Microclimate monitoring in a study of NSR backlog rehabilitation in the boreal region of British Columbia. *FRDA-Report-Victoria,-B.C.* 1991; (No. 169):23 pp.
2509. Leung, J. W.; Sundaram, A., and Webster, G. R. B. Optimizing adjuvant concentration for maximum translocation of glyphosate in trembling aspen. *Journal-of-Environmental-Science-and-Health.-Part-B,-Pesticides,-Food-Contaminants,-and-Agricultural-Wastes*. 1993; 28(5):505-526.
2510. Leuschner, W. A. An econometric analysis of the Wisconsin Aspen pulpwood market. *Forest-Science*. 1973; 19(1):41-46.
2511. ---. Projecting the Aspen resource in the Lake States [USA]. *USDA-Forest-Service-Research-Paper,-North-Central-Forest-Experiment-Station*. 1972; (No. NC-81):32 pp.
2512. Levengood, W. C. Bioelectric currents and oxidant levels in plant systems. *Journal-of-Experimental-Botany*. 1973; 24(81):626-639 + 1 pl.
2513. Levesque, J. and King, D. J. Airborne digital camera image semivariance for evaluation of forest structural damage at an acid mine site. *Remote-Sensing-of-Environment*. 1999; 68(2):112-124.
2514. Levesque, Y.; Doucet, R.; Tombler, G.; Laflamme, G.; Navratil, S.; Menetrier, J. (ed.), and Vallee, G. Proceedings of the Third Annual Meeting of the Poplar Council of Canada, October 20-21-22, 1981, Sainte-Foy, Quebec. 1982, Iv + 232 Pp.; Many Ref.

2515. Levi, M. P. and Cowling, E. B. Role of nitrogen in wood deterioration. VII. Physiological adaptation of wood-destroying and other fungi to substrates deficient in nitrogen. 1969, *Phytopathology* 1969 59 (4), (460-8). [29 Refs.] [Cf. F.A. 29 No. 6605.].
2516. Levia, D. F. Jr. and Frost, E. E. A review and evaluation of stemflow literature in the hydrologic and biogeochemical cycles of forested and agricultural ecosystems. *Journal-of-Hydrology-Amsterdam*. 2003; 274(1-4):1-29.
2517. Levitin, N. The extractives of Birch, Aspen, Elm and Maple: review and discussion. 1970, *Pulp Paper Mag. Can.* 1970 71 (16, Aug. 21), (81-4). [34 Refs.].
2518. Lewis, N. K. Landslide-driven distribution of aspen and steppe on Kathul Mountain, Alaska. *Journal-of-Arid-Environments*. 1998; 38(3):421-435.
2519. Lexen, B. Alternate clear-strip cutting in the Lodgepole Pine type. 1949, *Sta. Pap. Rocky Mt. For. Range Exp. Sta.* 1949 No. 1, Pp. 20.
2520. Li, B. and Wu, R. Genetic causes of heterosis in juvenile aspen: a quantitative comparison across intra- and inter-specific hybrids. *Theoretical-and-Applied-Genetics*. 1996; 93(3):380-391.
2521. Li, B.; Wyckoff, G. W., and Einspahr, D. W. Hybrid aspen performance and genetic gains. *Northern-Journal-of-Applied-Forestry*. 1993; 10(3):117-122.
2522. Li, B. L. and Li BaiLian. Aspen improvement strategies for western Canada - Alberta and Saskatchewan. *Forestry-Chronicle*. 1995; 71(6):720-724.
2523. Li BaiLian; Howe, G. T.; Wu RongLing; Li, B. L., and Wu, R. L. Developmental factors responsible for heterosis in aspen hybrids (*Populus tremuloides* X *P. tremula*). *Tree-Physiology*. 1998; 18(1):29-36.
2524. Li BaiLian; Wu RongLing; Li, B. L., and Wu, R. L. Heterosis and genotype X environment interactions of juvenile aspens in two contrasting sites. *Canadian-Journal-of-Forest-Research*. 1997; 27(10):1525-1537.
2525. Li, C.; Flannigan, M. D., and Corns, I. G. W. Influence of potential climate change on forest landscape dynamics of west-central Alberta. *Canadian-Journal-of-Forest-Research*. 2000; 30(12):1905-1912.
2526. Li, L. G.; Zhou, Y. H.; Cheng, X. F.; Sun, J. Y.; Marita, J. M.; Ralph, J., and Chiang, V. L. Combinatorial modification of multiple lignin traits in trees through multigene cotransformation. *Proceedings-of-the-National-Academy-of-Sciences-of-the-United-States-of-America*. 2003; 100(8):4939-4944.
2527. Li Laigeng; Cheng XiaoFei; Leshkevich, J.; Umezawa, T.; Harding, S. A.; Chiang, V. L.; Li, L., and Cheng, X. F. The last step of syringyl monolignol biosynthesis in angiosperms is regulated by a novel gene encoding sinapyl alcohol dehydrogenase. *Plant-Cell*. 2001; 13(7):1567-1585.
2528. Li LaiGeng; Popko, J. L.; Umezawa, T.; Chiang, V. L., and Li, L. G. 5-Hydroxyconiferyl aldehyde modulates enzymatic methylation for syringyl monolignol formation, a new view of monolignol biosynthesis in angiosperms. *Journal-of-Biological-Chemistry*. 2000; 275(9):6537-6545.
2529. Li, M.; Gertjansen, R. O., and Ritter, D. C. Red pine thinnings as a raw material for waferboard. *Forest-Products-Journal*. 1991; 41(7-8):41-43.
2530. Li, P. J. and Martin, T. E. Nest-site selection and nesting success of cavity-nesting birds in high elevation forest drainages. *Auk*. 1991; 108(2):408-418.

2531. Li Shing Tat, B. and Jelen, P. Cultivation of *Pleurotus* mushrooms on aspen wood shavings with cheese whey supplementation. *Cultivating Edible Fungi*. 1987, 545-554; *Developments in Crop Science* 10; 20 Ref.
2532. Liang, B. H.; Mott, L.; Shaler, S. M., and Caneba, G. T. Properties of transfer-molded wood-fiber/polystyrene composites. *Wood-and-Fiber-Science*. 1994; 26(3):382-389.
2533. Liebhold, A. M.; Elmes, G. A.; Halverson, J. A., and Quimby, J. Landscape characterization of forest susceptibility to gypsy moth defoliation. *Forest-Science*. 1994; 40(1):18-29.
2534. Lieffers, V. J. and Campbell, J. S. Biomass and growth of *Populus tremuloides* in northeastern Alberta: estimates using hierarchy in tree size. *Canadian-Journal-of-Forest-Research*. 1984; 14(5):610-616.
2535. Lieffers, V. J.; Landhausser, S. M.; Hogg, E. H.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Is the wide distribution of aspen a result of its stress tolerance? *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):311-323.
2536. ---. Is the wide distribution of aspen a result of its stress tolerance? *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):311-323.
2537. Lieffers, V. J.; Macmillan, R. B.; MacPherson, D.; Branter, K., and Stewart, J. D. Semi-natural and intensive silvicultural systems for the boreal mixedwood forest. *Forestry-Chronicle*. 1996; 72(3):286-292.
2538. Lieffers, V. J.; Mugasha, A. G., and MacDonald, S. E. Ecophysiology of shade needles of *Picea glauca* saplings in relation to removal of competing hardwoods and degree of prior shading. *Tree-Physiology*. 1993; 12(3):271-280.
2539. Lieffers, V. J.; Pinno, B. D., and Stadt, K. J. Light dynamics and free-to-grow standards in aspen-dominated mixedwood forests. *Forestry-Chronicle*. 2002; 78(1):137-145.
2540. ---. Light dynamics and free-to-grow standards in aspen-dominated mixedwood forests. *Forestry-Chronicle*. 2002; 78(1):137-145.
2541. Lieffers, V. J. and Stadt, K. J. Growth of understory *Picea glauca*, *Calamagrostis canadensis*, and *Epilobium angustifolium* in relation to overstory light transmission. *Canadian-Journal-of-Forest-Research*. 1994; 24(6):1193-1198.
2542. Lieffers, V. J.; Stadt, K. J., and Navratil, S. Age structure and growth of understory white spruce under aspen. *Canadian-Journal-of-Forest-Research*. 1996; 26(6):1002-1007.
2543. Lielpeteris, U. Ya. and Ziedin'sh, I. O. Weight losses of ammonia-treated wood during thermal treatment. 1971, *Khim. Drev. No. 9*, 1971 (167-71). [Ru, 8 Ref.].
2544. Limbird, A. Soil development under asymmetrical vegetation: site specific characteristics near Calgary, Alberta. *International Society of Soil Science: Optimum Soil Utilization Systems Under Differing Climatic Restraints. 11th International Congress of Soil Science, Held at University of Alberta, Edmonton, Canada, June 19-27, 1978*. 4 Vols. 1979, Vol. 1, 326-327.
2545. Lin, Y. L. and Schmidt, E. L. Changes in specific gravity and pH of compression-dewatered aspen fuel chip bales during storage. *Forest-Products-Journal*. 1992; 42(4):67-69.
2546. ---. Effects of compression on parenchyma cell viability, initial heating, and microflora of aspen fuel chips.

Wood-and-Fiber-Science. 1991; 23(2):253-259.

2547. Lindquist, O. H. The Cottonwood leaf miner, *Leucoptera albella* Cham. 1963, Bi-m. Progr. Rep. For. Ent. Path. Br. Dep. For. Can. 19 (1), 1963 (2).
2548. Lindquist, O. H. and Miller, W. J. A key to common Lepidopterous larvae feeding on aspen foliage in Ontario. *Proceedings-of-the-Entomological-Society-of-Ontario*. 1969, Publ. 1970, 100: 146-149; 7 Fig.; 12 Ref.
2549. ---. Keys to insect larvae feeding on Aspen foliage in Ontario. Report,-Great-Lakes-Forest-Research-Centre,-Canada. 1976; (No. O-X-247):32 pp. + appendix.
2550. Lindroth, R. L. Biochemical ecology of aspen-Lepidoptera interactions. *Journal-of-the-Kansas-Entomological-Society*. 1991; 64(4):372-380.
2551. ---. Chemical ecology of the luna moth. Effects of host plant on detoxification enzyme activity. *Journal-of-Chemical-Ecology*. 1989; 15(7):2019-2029.
2552. Lindroth, R. L. and Bloomer, M. S. Biochemical ecology of the forest tent caterpillar: responses to dietary protein and phenolic glycosides. *Oecologia*. 1991; 86(3):408-413.
2553. Lindroth, R. L. and Hemming, J. D. C. Responses of the gypsy moth (Lepidoptera: Lymantriidae) to tremulacin, an aspen phenolic glycoside. *Environmental-Entomology*. 1990; 19(4):842-847.
2554. Lindroth, R. L.; Hwang ShawYhi, and Hwang, S. Y. Clonal variation in foliar chemistry of quaking aspen (*Populus tremuloides* Michx.). *Biochemical-Systematics-and-Ecology*. 1996; 24(5):357-364.
2555. Lindroth, R. L.; Hwang ShawYhi; Hwang, S. Y.; Romeo, J. T. (ed.); Saunders, J. A. (ed.), and Barbosa, P. Diversity, redundancy, and multiplicity in chemical defense systems of aspen. *Phytochemical-Diversity-and-Redundancy-in-Ecological-Reactions*. 1996, 25-56; *Recent Advances in Phytochemistry* Vol. 30; 100 Ref.
2556. Lindroth, R. L.; Hwang ShawYhi; Osier, T. L., and Hwang, S. Y. Phytochemical variation in quaking aspen: effects on gypsy moth susceptibility to nuclear polyhedrosis virus. *Journal-of-Chemical-Ecology*. 1999; 25(6):1331-1341.
2557. Lindroth, R. L.; Jung, S. M., and Feuker, A. M. Detoxication activity in the gypsy moth: effects of host CO₂ and NO₃- availability. *Journal-of-Chemical-Ecology*. 1993; 19(2):357-367.
2558. Lindroth, R. L. and Kinney, K. K. Consequences of enriched atmospheric CO₂ and defoliation for foliar chemistry and gypsy moth performance. *Journal-of-Chemical-Ecology*. 1998; 24(10):1677-1695.
2559. Lindroth, R. L.; Kinney, K. K., and Platz, C. L. Responses of deciduous trees to elevated atmospheric CO₂: productivity, phytochemistry, and insect performance. *Ecology*. 1993; 74(3):763-777.
2560. Lindroth, R. L.; Kopper, B. J.; Parsons, W. F. J.; Bockheim, J. G.; Karnosky, D. F.; Hendrey, G. R.; Pregitzer, K. S.; Isebrands, J. G., and Sober, J. Consequences of elevated carbon dioxide and ozone for foliar chemical composition and dynamics in trembling aspen (*Populus tremuloides*) and paper birch (*Betula papyrifera*). *Environmental-Pollution*. 2001; 115(3):395-404.
2561. Lindroth, R. L. and Koss, P. A. Preservation of Salicaceae leaves for phytochemical analyses: further assessment. *Journal-of-Chemical-Ecology*. 1996; 22(4):765-771.
2562. Lindroth, R. L.; Osier, T. L.; Barnhill, H. R. H., and Wood, S. A. Effects of genotype and nutrient availability on phytochemistry of trembling aspen (*Populus tremuloides* Michx.) during leaf

- senescence. *Biochemical-Systematics-and-Ecology*. 2002; 30(4):297-307.
2563. ---. Effects of genotype and nutrient availability on phytochemistry of trembling aspen (*Populus tremuloides* Michx.) during leaf senescence. *Biochemical-Systematics-and-Ecology*. 2002; 30(4):297-307.
2564. Lindroth, R. L. and Pajutee, M. S. Chemical analysis of phenolic glycosides: art, facts, and artifacts. *Oecologia*. 1987; 74(1):144-148.
2565. Lindroth, R. L.; Roth, S.; Kruger, E. L.; Volin, J. C., and Koss, P. A. CO₂-mediated changes in aspen chemistry: effects on gypsy moth performance and susceptibility to virus. *Global-Change-Biology*. 1997; 3(3):279-289.
2566. Lindroth, R. L.; Roth, S., and Nordheim, E. V. Genotypic variation in response of quaking aspen (*Populus tremuloides*) to atmospheric CO₂ enrichment. *Oecologia*. 2001; 126(3):371-379.
2567. Lindroth, R. L.; Scriber, J. M., and Hsia, M. T. S. Chemical ecology of the tiger swallowtail: mediation of host use by phenolic glycosides. *Ecology*. 1988; 69(3):814-822.
2568. ---. Differential responses of tiger swallowtail subspecies to secondary metabolites from tulip tree and quaking aspen. *Oecologia*. 1986; 70(1):13-19.
2569. ---. Effects of the quaking aspen compounds catechol, salicin and isoniazid on two subspecies of tiger swallowtails. *American-Midland-Naturalist*. 1988; 119(1):1-6.
2570. Lindroth, R. L.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Adaptations of quaking aspen for defense against damage by herbivores and related environmental agents. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):273-284.
2571. ---. Adaptations of quaking aspen for defense against damage by herbivores and related environmental agents. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):273-284.
2572. Lindroth, R. L. and Weisbrod, A. V. Genetic variation in response of the gypsy moth to aspen phenolic glycosides. *Biochemical-Systematics-and-Ecology*. 1991; 19(2):97-103.
2573. Lindroth, R. L.; Wood, S. A., and Kopper, B. J. Response of quaking aspen genotypes to enriched CO₂: foliar chemistry and tussock moth performance. *Agricultural-and-Forest-Entomology*. 2002; 4(4):315-323.
2574. Lindsey, J. P. and Gilbertson, R. L. Basidiomycetes that decay aspen in North America. 1978, 406 Pp.; 12 Pl., 260 Fig.; 115 Ref.
2575. ---. Basidiomycetes that decay aspen in North America. 1978, 406 Pp.; 12 Pl.; 115 Ref.
2576. ---. New species of corticioid fungi on quaking aspen. *Mycotaxon*. 1977; 5(1):311-319.
2577. Little, C. H. A. (Editor); Borchert, R.; Brayman, A. A.; Schaedle, M.; Fayle, D. C. F.; Fisher, J. B.; Greenwood, M. S.; Hield, H.; Hemstreet, S.; Keim, R.; Holl, W.; Kanninen, M. T.; Kellomaki, S.; Mauget, J. C.; Okoro, O. O.; Prasad, R.; Rageau, R.; Savidge, R. A.; Farrar, J. L.; Wareing, P. F.; Sucoff, E. I.; Hong, S. G.; Thompson, S.; Ununger, J.; Ekberg, I.; Brunkener, L.; Wolter, K. E.; Zobel, D. B., and Little, C. H. A. Abstracts of volunteer papers [presented as posters]. *Control of Shoot Growth in Trees. Proceedings of the Joint Workshop of IUFRO Working Parties on Xylem Physiology (S2.01.10) and Shoot Growth Physiology (S2.01.11), July 20-24, 1980, Fredericton,*

New Brunswick, Canada. 1980, 346-351.

2578. Little, L. R. Investigating competitive interactions from spatial patterns of trees in multispecies boreal forests: the random mortality hypothesis revisited. *Canadian-Journal-of-Botany*. 2002; 80(1):93-100.
2579. Little, T. I.; Pluth, D. J.; Corns, I. G. W.; Gilmore, D. W.; Apps, M. J. (ed.); Karjalainen, T. (ed.); Stocks, B. J. (ed.), and Shaw, C. Post-fire forest floor development along toposequences of white spruce -- trembling aspen mixedwood communities in west-central Alberta. *The Role of Boreal Forests and Forestry in the Global Carbon Budget. Papers from an international conference; Edmonton, Alberta, Canada, 8-12 May 2000. Canadian-Journal-of-Forest-Research*. 2002, 32(5):892-902.
2580. Littleford, T. W. and Roff, J. W. Evaluation of structural grades of northern Aspen. *Information-Report,-Western-Forest-Products-Laboratory,-Canada*. 1975; (No. VP-X-148):10 pp. + 5 tab., 3 fig.
2581. Litvak, M. E.; Loreto, F.; Harley, P. C.; Sharkey, T. D., and Monson, R. K. The response of isoprene emission rate and photosynthetic rate to photon flux and nitrogen supply in aspen and white oak trees. *Plant,-Cell-and-Environment*. 1996; 19(5):549-559.
2582. Liu, G. E. and Cote, B. Neutralization and buffering capacity of leaves of sugar maple, largetooth aspen, paper birch and balsam fir. *Tree-Physiology*. 1993; 12(1):15-21.
2583. Liu, J. Y. and McNatt, J. D. Thickness swelling and density variation in aspen flakeboards. *Wood-Science-and-Technology*. 1991; 25(1):73-82.
2584. Liu ShuHua; Campbell, R. A.; Liu, S. H., and Griffith, J. A. Efficacy of glyphosate on *Populus tremuloides* as affected by droplet size and spray volume. *Second International Conference on Forest Vegetation Management, 20-24 March 1995*. 1996; 26(1-2):276-287.
2585. Liu ShuHua; Campbell, R. A.; Studens, J. A.; Wagner, R. G., and Liu, S. H. Absorption and translocation of glyphosate in aspen (*Populus tremuloides* Michx.) as influenced by droplet size, droplet number, and herbicide concentration. *Weed-Science*. 1996; 44(3):482-488.
2586. Liu, Z. and Fournier, G. R. Comparison of allozyme, RFLP, and RAPD markers for revealing genetic variation within and between trembling aspen and bigtooth aspen. *Theoretical-and-Applied-Genetics*. 1993; 87(1-2):97-105.
2587. ---. Inheritance and linkage of allozymes and restriction fragment length polymorphisms in trembling aspen. *Journal-of-Heredity*. 1993; 84(5):419-424.
2588. Liu, Z. and Haygreen, J. G. Drying rates of wood chips during compression drying. *Wood-and-Fiber-Science*. 1985; 17(2):214-227.
2589. Livingston, C. H.; Hinds, T. E.; Seliskar, C. E., and Klein, R. E. A "drooping" malady of western aspen. *Plant-Disease-Reporter*. 1979; 63(11):923-927.
2590. ---. A 'drooping' malady of western aspen. *Plant-Disease-Reporter*. 1979; 63(11):923-927.
2591. Lo, S. N. and Valade, J. L. Chemimechanical pulp (CMP) from mixtures of aspen and larch: the effects of cooking conditions, mixture composition, and the method of mixing. *Tappi-Journal*. 1990; 73(6):213-218.
2592. ---. Sulphite chemi-mechanical pulp from mixtures of aspen and larch. *Pulp-and-Paper-Canada*. 1989; 90(11):73-77.

2593. Loach, K. Shade tolerance in tree seedlings. I. Leaf photosynthesis and respiration in plant raised under artificial shade. 1967, *New Phytol.* 1967 66 (4), (607-210). [41 Refs.].
2594. ---. Shade tolerance in tree seedlings. II. Growth analysis of plants raised under artificial shade. 1970, *New Phytol.* 1970 69 (2), (273-86). [20 Refs. O. R. S.].
2595. Loehnertz, S. P. A continuous press dryer for veneer. *Forest-Products-Journal.* 1988; 38(9):61-63.
2596. Loft, E. R. Habitat and spatial relationships between mule deer and cattle in a Sierra Nevada forest zone. *Dissertation-Abstracts-International.-B,-Sciences-and-Engineering.* 1989, 50: 2, 393B.
2597. Loft, E. R.; Menke, J. W., and Kie, J. G. Habitat shifts by mule deer: the influence of cattle grazing. *Journal-of-Wildlife-Management.* 1991; 55(1):16-26.
2598. Loft, E. R.; Menke, J. W.; Kie, J. G., and Bertram, R. C. Influence of cattle stocking rate on the structural profile of deer hiding cover. *Journal-of-Wildlife-Management.* 1987; 51(3):655-664.
2599. Logan, B. A. and Monson, R. K. Thermotolerance of leaf discs from four isoprene-emitting species is not enhanced by exposure to exogenous isoprene. *Plant-Physiology.* 1999; 120(3):821-825.
2600. Logan, K. T. Growth of White Pine seedlings beneath an Aspen stand. 1962, *Tech. Note Dep. For. Can.* No. 121, 1962. Pp. 13. 9 Refs.
2601. ---. Reproduction after an improvement cutting in a mixed wood stand. Project P-314. 1953, *Silv. Leafl. For. Br. Can.* 1953. No. 81 Pp. 3.
2602. Logan, K. T. and Farrar, J. L. An attempt to grow White Pine [*Pinus strobus*] under an Aspen [*Populus tremuloides*] stand. 1953, *Silv. Leafl. For. Br. Can.* 1953 No. 77 Pp. 3.
2603. Lohman, M. L. and Watson, A. J. Identity and host relations of *Nectria* species associated with diseases of hardwoods in the United States. 1943, *Lloydia* 6 1943 (2), (77-108). *R.A.M.* 23 (47-8).
2604. Lohrey, R. E. Debarking Bigtooth Aspen with 2,4-D amine salt. 1959, *Tech. Note Lake St. For. Exp. Sta.* 1959 No. 550. Pp. 2.
2605. ---. Debarking Bigtooth Aspen with 2,4-D amine salt. 1959, *Tech. Note Lake. St. For. Exp. Sta.* 1959 No. 550, Pp.2.
2606. Lomonosov, V. A. and Sass, A. Ya. A power saw, operated by the STZ-3-NATI tractor, in felling operations. 1947, *Lesnaya Prom.* 1947 (9), (13-15).
2607. Long, H. D. Forest regeneration (problems of control). 1945, *Woodlands Section Index* 1945. No. 804 (F-2). *Canadian Pulp and Paper Association*, 3420 University Street, Montreal. Pp. [2].
2608. Longo, N. and Longo, B. N. Observations on the fine structure of the haustorium of *Melampsora pinitorqua* (A.Br.) Rostr. in cells of *Pinus pinea* L. *Caryologia.* 1975; 28(3):389-405.
2609. Longo, N.; Moriondo, F., and Longo, B. N. Ultrastructural observations on teliospores of *Melampsora pinitorqua* Rostr. *Caryologia.* 1979; 32(2):223-240.
2610. Longpre, M. H.; Bergeron, Y.; Pare, D., and Beland, M. Effect of companion species on the growth of jack pine (*Pinus banksiana*). *Canadian-Journal-of-Forest-Research.* 1994; 24(9):1846-1853.
2611. Lonnberg, B. Short-rotation hardwood species as whole-tree raw material for pulp and paper. 2. Wood raw material. *Paperi-Ja-Puu.* 1975; 57(8):507-516.

2612. Looman, J. The vegetation of the Canadian prairie provinces. IV. The woody vegetation, part 3. Deciduous woods and forests. *Phytocoenologia*. 1987; 15(1):51-84.
2613. Loomis, R. M. Jack pine and aspen forest floors in northeastern Minnesota. USDA-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station. 1977; (No. NC-222):3 pp.
2614. Loomis, R. M. and Blank, R. W. Estimating northern red oak crown component weights in the northeastern United States. Research-Paper,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1981; (No. NC-194):ii + 9 pp.
2615. Loomis, R. M. and Roussopoulos, P. J. Estimating aspen crown fuels in northeastern Minnesota. Research-Paper,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1978; (No. NC-156):6 pp.
2616. Loope, L. L. and Gruell, G. E. The ecological role of fire in the Jackson Hole area, northwestern Wyoming. Wright, H. E.; Jr.; Heindselman, M. L. (Editors).(The ecological role of fire in natural conifer forests of western and northern America. Symposium held at the annual meetings of the Ecological Society of America and the American Institute of Biological Sciences at the University of Minnesota in August 1972. *Quaternary-Research*. 1973):3: 425-443.
2617. Loose, S. S. and Anderson, S. H. Woodpecker habitat use in the forests of southeast Wyoming. *Journal-of-Field-Ornithology*. 1995; 66(4):503-514.
2618. Lopoukhine, N. Forest types and related vegetation of Waterton Lakes National Park, Alberta, 1968. 1970, Inform. Rep. For. Mgmt. Inst., Ottawa No. FMR-X-28 1970 Pp. [83]. [15 Refs.].
2619. Lorimer, C. G. The presettlement forest and natural disturbance cycle of northeastern Maine. *Ecology*. 1977; 58(1):139-148.
2620. Lorimer, N. Differential hatching times in the forest tent caterpillar (Lepidoptera: Lasiocampidae). *Great-Lakes-Entomologist*. 1979; 12(4):199-201.
2621. Lorimer, N. and Mattson, W. J. Jr. Prediapause hatching of the forest tent caterpillar (Lepidoptera: Lasiocampidae) in the laboratory. *Great-Lakes-Entomologist*. 1979; 12(3):119-121.
2622. Lortie, E. M. The Nectria canker and its incitant. 1962, Abstr. of Thesis, in Dissert. Abstr. 23 (4), 1962 (1155-6).
2623. Lortie, M. Inoculations of Nectria galligena on northern hardwoods. 1969, Contr. Fonds Rech. For. Univ. Laval 1969 No. 13 Pp. 31. [32 Refs.].
2624. Losee, S. T. B. Site classification at Abitibi woodlands laboratory. 1954, Pulp Paper Mag. Can. 1954 55 (11), (168...174). (Woodl. Sect. Index Canad. Pulp Pap. Ass. No. 1404 (E-2)).
2625. Lothner, D. C.; Marden, R. M., and Kallio, E. Weight-volume relationships of Aspen and winter-cut Black Spruce pulpwood in northern Minnesota. USDA-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station. 1974; (No. NC-174):4 pp.
2626. Louda, S. M.; Huntly, N., and Dixon, P. M. Insect herbivory across a sun/shade gradient: response to experimentally-induced in situ plant stress. *Acta-Oecologica,-Oecologia-Generalis*. 1987; 8(3):357-363.
2627. Lousier, J. D. Colonization of decomposing deciduous leaf litter by Testacea (Protozoa, Rhizopoda): species succession, abundance, and biomass. *Oecologia*. 1982; 52(3):381-388.

2628. ---. Population dynamics and production studies of species of Euglyphidae (Testacea, Rhizopoda, Protozoa) in an aspen woodland soil. *Pedobiologia*. 1984; 26(5):309-330.
2629. Lousier, J. D. and Parkinson, D. Annual population dynamics and production ecology of Testacea (Protozoa, Rhizopoda) in an aspen woodland soil. *Soil-Biology-and-Biochemistry*. 1984; 16(2):103-114.
2630. ---. Chemical element dynamics in decomposing leaf litter. *Canadian-Journal-of-Botany*. 1978; 56(21):2795-2812.
2631. ---. Litter decomposition in a cool temperate deciduous forest. *Canadian-Journal-of-Botany*. 1976, 54: 5-6, 419-436.
2632. ---. Organic matter and chemical element dynamics in an aspen woodland soil. *Canadian-Journal-of-Forest-Research*. 1979; 9(4):449-463.
2633. Lowe, K. E. Use the complete tree: increasing US fiber resources. *Pulp-and-Paper-International*. 1974, 16: 3, 51-53.
2634. Lozano, F. C. and Morrison, I. K. Disruption of hardwood nutrition by sulfur dioxide, nickel and copper air pollution near Sudbury, Canada. *Journal-of-Environmental-Quality*. 1981; 10(2):198-204.
2635. Lu, E. Y. and Sucoff, E. I. Responses of quaking aspen seedlings to solution calcium and aluminum. *Journal-of-Plant-Nutrition*. 2003; 26(1):97-123.
2636. Lu ErhYang; Sucoff, E. I., and Lu, E. Y. Responses of *Populus tremuloides* seedlings to solution pH and calcium. *Journal-of-Plant-Nutrition*. 2001; 24(1):15-28.
2637. ---. Responses of quaking aspen (*Populus tremuloides*) seedlings to solution calcium. *Canadian-Journal-of-Forest-Research*. 2001; 31(1):123-131.
2638. Lukianchuk, J. L. and Smith, S. M. Influence of plant structural complexity on the foraging success of *Trichogramma minutum*: a comparison of search on artificial and foliage models. *Entomologia-Experimentalis-Et-Applicata*. 1997; 84(3):221-228.
2639. Lumley, T. C.; Gignac, L. D., and Currah, R. S. Microfungus communities of white spruce and trembling aspen logs at different stages of decay in disturbed and undisturbed sites in the boreal mixedwood region of Alberta. *Canadian-Journal-of-Botany*. 2001; 79(1):76-92.
2640. Lund, S. T.; Furnier, G. R., and Mohn, C. A. Isozyme variation in quaking aspen in Minnesota. *Canadian-Journal-of-Forest-Research*. 1992; 22(4):521-524.
2641. Lundgren, A. L. An economic analysis of three Pine release experiments in Northern Minnesota. 1963, *For. Sci.* 9 (2), 1963 (242-56). 9 Refs.
2642. Lundgren, A. L. and Dolid, W. A. Biological growth functions describe published site index curves for Lake States timber species. 1970, U.S. For. Serv. Res. Pap. Nth. Cent. For. Exp. Sta. 1970 No. NC-36. Pp. 9. [17 Refs.].
2643. Lundgren, A. L. and Hahn, J. T. The extent and characteristics of low productivity aspen areas in Wisconsin. General-Technical-Report,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1978; (No. NC-45):ii + 24 pp.
2644. Lundquist, J. E.; Lindner, L. R., and Popp, J. Using landscape metrics to measure suitability of a forested watershed: a case study for old growth. *Canadian-Journal-of-Forest-Research*. 2001; 31(10):1786-

1792.

2645. Lundstrom, H. Studies of the wood-decaying capacity of the soft rot fungi *Allescheria terrestris*, *Phialophora* (*Margarinomyces*) *luteo-viridis* and *Phialophora richardsiae*. Rapport-er-Institutionen-for-Virkeslara-Skogshogskolan. 1973; (No. R 87):50 pp.
2646. ---. Studies of the wood-decaying capacity of the soft-rot fungi *Allescheria terrestris*, *Phialophora* (*Margarinomyces*) *luteo-viridis* and *Phialophora richardsiae*. Rapport-er,-Institutionen-for-Virkeslara. 1973; (No. R 87):2 + 23 pp. + 10 tab., 14 fig.
2647. Lunt, H. A. The use of woodchips and other wood fragments as soil amendments. 1955, Bull Conn. Agric. Exp. Sta. 1955 No. 593 Pp. 46. 22 Refs.
2648. ---. Wood chips as a soil amendment. 1951, Bull. Ntheast. Wood Utiliz. Coun. 1951 No. 33 (83-9).
2649. Lunt, H. A. and Baltz, M. C. Basal area in relation to soil-site factors in two Connecticut forests. 1944, Proc. Soil Sci. Soc. Amer. 1943 1944 8, (415-9). [Connecticut Agricultural Exp. Sta., New Haven, Conn.].
2650. Luppold, W.; Baumgras, J., and Barrett, G. Utilization of the eastern hardwood resource by the hardwood sawmilling industry. Northern-Journal-of-Applied-Forestry. 2001; 18(2):37-41.
2651. Lutz, H. J. Vegetation on a trenched plot twenty-one years after establishment. 1945, Ecology 1945 26, (200-2). [School of Forestry, Yale Univ.].
2652. Lutz, H. L. Ecological effects of forest fires in the interior of Alaska. 1951, Bulletin of the National Research Council, Washington 1951 No. 122 (120).
2653. Lyford, W. H. and Wilson, B. F. Controlled growth of forest tree roots: technique and application. 1966, Harv. For. Pap. No. 16, 1966. Pp. 12. [8 Refs.].
2654. Lynch, D. Ecology of the Aspen groveland in Glacier County, Montana. 1955, Ecol. Monogr. 1955 25 (4), (321-44). 42 Refs.
2655. Lynn, R. J. A quick method of determining age of Trembling Aspen. 1964, For. Chron. 40 (2), 1964 (256).
2656. Lyon, N. F. and Thomson, J. S. Jack pine ingress following aerial seeding. Forest-Research-Note,-Ministry-of-Natural-Resources,-Ontario. 1979; (No. 25):4 pp.
2657. Maass, D. and Arsenault, D. Testing basal applications of triclopyr in conjunction with conifer spacings. Proceedings, 40th Annual Meeting of the Northeastern Weed Science Society. 1986, 213-216; 1 Ref.
2658. MacArthur, J. D. Field planting trials in the clay belt-Quebec. 1964, Pulp Paper Mag. Can. 65 (Convention No.), 1964 (WR58-WR61). 4 Refs.
2659. ---. A study of regeneration after fire in the Gaspe region. 1964, Publ. Dep. For. Can. No. 1074, 1964. Pp. 20. 8 Refs.
2660. MacConnell, W. P. Herbicide tests with shoulder-mounted mist blowers. 1962, Proc. 16th Ntheast. Weed Control Conf. 1962 (408-16). From Abstr. in Weed Abstr. 13 (2), 1964 (437).
2661. MacCracken, J. G. and Viereck, L. A. Browse regrowth and use by moose after fire in interior Alaska. Northwest-Science. 1990; 64(1):11-18.

2662. MacDonald, G. B. The case for boreal mixedwood management: an Ontario perspective. *Forestry-Chronicle*. 1995; 71(6):725-734.
2663. MacDonald, G. B. and Forslund, R. R. Application of a geometrical volume equation to species with different bole forms. *Canadian-Journal-of-Forest-Research*. 1986; 16(2):311-314.
2664. MacDonald, G. B. and Weetman, G. F. Functional growth analysis of conifer seedling responses to competing vegetation. *Forestry-Chronicle*. 1993; 69(1):64-70.
2665. MacDonald, R. G. Hardwoods for groundwood pulp. 1945, *Bull. Tech. Ass. Pulp Pa. Ind.* 1945. No. 60. [1-2].
2666. MacIntosh, J. E. and Sinclair, A. W. J. Economic feasibility of satellite chipping yards in Alberta. *Special-Report,-Forest-Engineering-Research-Institute-of-Canada*. 1988; (No. SR-53):iv + 42 pp.
2667. MacIsaac, D. A.; Lux, S.; Sidders, D.; Edwards, I., and Mitchell, A. K. Hotchkiss River Mixedwood Timber Harvesting Study. Special Issue. Long-term silvicultural research sites: promoting the concept - protecting the investment. Presentations from a workshop; Victoria, BC, Canada, 25-28 October 1998. *Forestry-Chronicle*. 1999, 75(3):435-438.
2668. Mackay, D. S.; Ahl, D. E.; Ewers, B. E.; Gower, S. T.; Burrows, S. N.; Samanta, S., and Davis, K. J. Effects of aggregated classifications of forest composition on estimates of evapotranspiration in a northern Wisconsin forest. *Global-Change-Biology*. 2002; 8(12):1253-1265.
2669. Mackay, J. F. G. Delayed shrinkage after surfacing of high-temperature kiln-dried northern Aspen dimension lumber. *Forest-Products-Journal*. 1976; 26(2):33-36.
2670. ---. Drying trembling aspen lumber in direct-fired kilns. *Forest-Products-Journal*. 1978; 28(1):21-22.
2671. ---. High-temperature kiln-drying of northern Aspen 2- by 4-inch light framing lumber. *Forest-Products-Journal*. 1974; 24(10):32-35.
2672. ---. Properties of northern Aspen discolored wood related to drying problems. *Wood-and-Fiber*. 1975; 6(4):319-326.
2673. ---. Reduce drying times and meet moisture-content Kiln Clubs, Eugene, Oregon, dimension lumber. *Proceedings, 25th Annual Meeting of Western Dry Kiln Clubs, Eugene, Oregon, May 9-10 1974*. 1974, 11 Pp.; PR; 4 Ref.
2674. Mackay, J. F. G.; Hamm, E. A., and Foschi, R. O. Reducing crook in kiln-dried Northern Aspen studs. *Forest-Products-Journal*. 1977; 27(3):33-38.
2675. MacKay, M. R. The larva of *Epinotia criddleana* Kft. and a note on *Pseudexentera oregonana* Wlsh. (*Lepidoptera: Tortricidae*). 1965, *Canad. Ent.* 1965 97 (6), (666-8). [2 Refs.].
2676. Mackes, K. H.; Lynch, D. L.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. The effect of aspen wood characteristics and properties on utilization. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):429-440.
2677. ---. The effect of aspen wood characteristics and properties on utilization. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):429-440.
2678. Mackie, K. L.; Brownell, H. H.; West, K. L., and Saddler, J. N. Effect of sulphur dioxide and sulphuric acid

on steam explosion of aspenwood. *Journal-of-Wood-Chemistry-and-Technology*. 1985; 5(3):405-425.

2679. Mackin, I. GE. Book paper from Aspen semichemical and groundwood pulp. 1948, Rep. U.S. For. Prod. Lab., Madison 1948. No. R1709, Pp. 3 + 2 Tbls. 2 Refs.
2680. Mackintosh, E. E. Impact of recreation on vegetation and soils in Rushing River Provincial Park, Ontario. Report,-Great-Lakes-Forest-Research-Centre,-Canada. 1979; (No. 0-X-290):52 pp.
2681. MacLean, D. A. and Ross, W. W. Nutrient accumulation for postfire jack pine and hardwood succession patterns in New Brunswick. *Canadian-Journal-of-Forestry-Research*. 1977; 7(4):562-578.
2682. MacLean, D. A. and Wein, R. W. Weight loss and nutrient changes in decomposing litter and forest floor material in New Brunswick forest stands. *Canadian-Journal-of-Botany*. 1978; 56(21):2730-2749.
2683. MacLean, D. W. Some aspects of the Aspen-Birch-Spruce-Fir type in Ontario. 1960, Tech. Note For. Br. Can. No. 94, 1960. Pp. 24. 26 Refs.
2684. MacLean, D. W. and Bedell, G. H. D. Northern clay belt growth and yield survey. 1955, Tech. Note For. Br. Can. 1955 No. 20, 1955. Pp. 31. 13 Refs.
2685. MacLeod, J. M.; Berlyn, R. W.; Gooding, R. W., and Cyr, N. Upgrading decayed aspen: chemical pulping. (1). Proceedings of the 1982 TAPPI Pulping Conference, Held October 25-27, 1982 in Toronto, Canada. 1982, 75-80; 9 Ref.
2686. MacLeod, W. K. Average diameter, a basis for cruising second growth. 1952, Res. Note U.B.C. For. Club 1952. No. 6 Pp. 7. 5 Refs.
2687. MacLeod, W. K. and Blyth, A. W. Yield of even-aged fully stocked Spruce-Poplar stands in Northern Alberta. 1955, Tech. Note For. Br. Can. 1955 No. 18, 1955. Pp.33. 28 Refs.
2688. MacPherson, D. M.; Lieffers, V. J., and Blenis, P. V. Productivity of aspen stands with and without a spruce understorey in Alberta's boreal mixedwood forests. *Forestry-Chronicle*. 2001; 77(2):351-356.
2689. Maeglin, R. R. Could S-D-R be the answer to the aspen oversupply problem? *Northern-Logger-and-Timber-Processor*. 1979; 28(1):24-25.
2690. Maeglin, R. R. and Adams, R. D. Structural lumber from aspen: using the saw-dry-rip (SDR) process. Aspen Symposium '89: Proceedings. Duluth; (Minnesota):July 25-27, 1989. General-Technical-Report -North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1990, No. NC-140, 283-293.
2691. Maga, J. A. and Chen, Z. Pyrazine composition of wood smoke as influenced by wood source and smoke generation variables. *Flavour-and-Fragrance-Journal*. 1985; 1(1):37-42.
2692. Mahendrappa, M. K. Abilities of organic horizons under some eastern Canadian forest stands to alter the acidity of rainwater. *Canadian-Journal-of-Forest-Research*. 1986; 16(1):18-22.
2693. ---. Chemical characteristics of precipitation and hydrogen input in throughfall and stemflow under some eastern Canadian forest stands. *Canadian-Journal-of-Forest-Research*. 1983; 13(5):948-955.
2694. ---. Tree species and urea treatment effects on sulfur and metals in throughfall and stemflow of some eastern Canadian forest stands. *Canadian-Journal-of-Forest-Research*. 1987; 17(9):1035-1042.

2695. Mahendrappa, M. K. and Kingston, D. G. O. Prediction of throughfall quantities under different forest stands. *Canadian-Journal-of-Forest-Research*. 1982; 12(3):474-481.
2696. Maher, T. F. Damage appraisal and pheromone trapping studies for the black army cutworm in British Columbia. *FRDA-Report-Victoria,-B.C.* 1990; (No. 117):iv + 41 pp.
2697. Mahrt, L.; Lee XuHui; Black, A.; Neumann, H.; Staebler, R. M., and Lee, X. H. Nocturnal mixing in a forest subcanopy. *Agricultural-and-Forest-Meteorology*. 2000; 101(1):67-78.
2698. Mahrt, L.; Vickers, D.; Sun JieLun; Jensen, N. O.; Jorgensen, H.; Pardyjak, E.; Fernando, H., and Sun, J. L. Determination of the surface drag coefficient. *Boundary-Layer-Meteorology*. 2001; 99(2):249-276.
2699. Maier, G. B. and Darrah, D. Decay levels in mature aspen stands: Whitecourt, Alberta. 1989, Vi + 37 Pp.; 4 Ref.
2700. Maini, J. S. Apical growth of *Populus* spp. I. Sequential pattern of internode, bud, and branch length of young individuals. 1966, *Canad. J. Bot.* 1966 44 (5), (615-22). [12 Refs.].
2701. ---. Apical growth of *Populus* spp. II. Relative growth potential of apical and lateral buds. 1966, *Canad. J. Bot.* 1966 44 (11), (1581-90 + 2 Photos). [19 Refs.].
2702. Maini, J. S. and Cayford, J. H. [Editors]. Growth and utilization of Poplars in Canada. 1968, *Dep. Publ. For. Br. Can.* 1968 No. 1205 Pp. 257 + 8 Maps. [Many Refs.].
2703. Maini, J. S. and Coupland, R. T. Anomalous floral organization in *Populus tremuloides*. 1964, *Canad. J. Bot.* 42 (7), 1964 (835-9). 9 Refs.
2704. ---. A simple technique for age determination in Trembling Aspen. 1964, *For. Chron.* 40 (2), 1964 (219-20, 226). 8 Refs.
2705. Maini, J. S. and Dance, B. W. Temperature relationships of a blight attributed to *Fusarium solani* (Mart.) Sacc. on Trembling Aspen suckers. 1965, *Bi-m. Progr. Rep. For. Ent. Path. Br. Dep. For. Can.* 21 (2), 1965 (2-3).
2706. Maini, J. S. and Horton, K. W. Reproductive response of *Populus* and associated Pteridium to cutting, burning, and scarification. 1966, *Publ. Dep. For. Can. No. 1155*, 1966. Pp. 20. [16 Refs.].
2707. ---. Vegetative propagation of *Populus* spp. (1) Influence of temperature on formation and initial growth of Aspen suckers. 1966, *Repr. From Canad. J. Bot.* 1966 44, (1183-9). [24 Refs.].
2708. Maisenhelder, L. C. Planting and growing Cottonwood on bottomlands. 1951, *Bull. Miss. Agric. Exp. Sta.* 1951 No. 485 Pp. 23.
2709. Maldas, D. and Kokta, B. V. The effect of aging conditions on the mechanical properties of wood fiber-polystyrene composites: II. Sawdust as a reinforcing filler. *Drevarsky-Vyskum*. 1990; (No. 126):1-39.
2710. ---. Performance of treated hybrid-fiber-reinforced thermoplastic composites under extreme conditions. II. Use of glass and wood pulp as hybrid fiber. *Holzforschung*. 1991; 45(2):131-135.
2711. ---. Performance of treated hybrid fiber-reinforced thermoplastic composites under extreme conditions: III. Use of mica and sawdust as hybrid fiber. *Drevarsky-Vyskum*. 1991; (No. 128):1-16.
2712. ---. Studies on the preparation and properties of particle boards made from bagasse and PVC: II. Influence

of the addition of coupling agents. *Bioresource-Technology*. 1991; 35(3):251-261.

2713. Maldas, D.; Kokta, B. V.; Daneault, C., and Koran, Z. Effect of extreme conditions on the mechanical properties of wood fiber-polystyrene composites. I. Chemithermo-mechanical pulp as reinforcing filler. *Drevarsky-Vyskum*. 1990; (No. 125):1-39.
2714. Maliondo, S. M.; Mahendrappa, M. K.; Raalte, G. D. van, and Van Raalte, G. D. Distribution of biomass and nutrients in some New Brunswick forest stands: possible implications of whole-tree harvesting. Information-Report -Forestry-Canada-Maritimes-Region. 1990; (No. M-X-170E-F):v + 40 pp.
2715. Mallea Olaetxe, J. Carving out history: the basque aspens. *Forest-History-Today*. 2001; (No.Spring-Fall):44-50.
2716. Mallett, K. I. and Hiratsuka, Y. The 'trap-log' method to survey the distribution of *Armillaria mellea* in forest soils. *Canadian-Journal-of-Forest-Research*. 1985; 15(6):1191-1193.
2717. Mallett, K. I. and Myrholm, C. L. The mating system of *Phellinus tremulae*. *Mycologia*. 1995; 87(5):597-603.
2718. Mallik, A. U.; Bell, F. W., and Gong, Y. Regeneration behavior of competing plants after clear cutting: implications for vegetation management. *Forest-Ecology-and-Management*. 1997; 95(1):1-10.
2719. Mallik, A. U.; Bell, F. W.; Gong YanLi, and Gong, Y. L. Effectiveness of delayed brush cutting and herbicide treatments for vegetation control in a seven-year-old jack pine plantation in Northwestern Ontario, Canada. *Silva-Fennica*. 2002; 36(2):505-519.
2720. Mallik, A. U.; Gong, Y. L., and Bell, F. W. Regeneration behaviour of competing plants after clear-cutting. *NODA-Notes*. 1997; (No. 29):5 pp.
2721. Man, R. and Lieffers, V. J. Effects of shelterwood and site preparation on microclimate and establishment of white spruce seedlings in a boreal mixedwood forest. *Forestry-Chronicle*. 1999; 75(5):837-844.
2722. ---. Seasonal variations of photosynthetic capacities of white spruce (*Picea glauca*) and jack pine (*Pinus banksiana*) saplings. *Canadian-Journal-of-Botany*. 1997; 75(10):1766-1771.
2723. Man, R.; Lieffers, V. J.; Man RongZhou, and Man, R. Z. Are mixtures of aspen and white spruce more productive than single species stands? *Forestry-Chronicle*. 1999; 75(3):505-513.
2724. Man RongZhou; Lieffers, V. J., and Man, R. Z. Seasonal photosynthetic responses to light and temperature in white spruce (*Picea glauca*) seedlings planted under an aspen (*Populus tremuloides*) canopy and in the open. *Tree-Physiology*. 1997; 17(7):437-444.
2725. Mandenius, C. F.; Liden, H.; Eklov, T.; Taherzadeh, M. J., and Liden, G. Predicting fermentability of wood hydrolyzates with responses from electronic noses. *Biotechnology-Progress*. 1999; 15(4):617-621.
2726. Manier, D. J. and Laven, R. D. Changes in landscape patterns associated with the persistence of aspen (*Populus tremuloides* Michx.) on the western slope of the Rocky Mountains, Colorado. *Forest-Ecology-and-Management*. 2002; 167(1-3):263-284.
2727. Manion, P. D. Factors affecting the germination of basidiospores of the heart rot fungus, *Fomes ignarius* [var. *populinus*] in the infection of Trembling Aspen. 1968, Abstr. of Thesis, in *Dissert. Abstr.* 1968 28B (12, Part 1), (4836-7).].
2728. ---. Two infection sites of *Hypoxylon mammatum* in Trembling Aspen (*Populus tremuloides*). *Canadian-*

Journal-of-Botany. 1975; 53(2):2621-2624.

2729. Manion, P. D. and Blume, M. Epidemiology of Hypoxylon canker of aspen. Proceedings-of-the-American-Phytopathological-Society. 1975, Publ. 1976, 2: 101.
2730. Manion, P. D. and French, D. W. Inoculation of living Aspen trees with basidiospores of Fomes igniarius var. populinus. 1968, Phytopathology 1968 58 (9), (1302-4). [7 Refs.].
2731. ---. Nectria galligena and Ceratocystis fimbriata cankers of Aspen [Populus tremuloides] in Minnesota. 1967, For. Sci. 1967 13 (1), (23-8). [3 Refs.].
2732. ---. The role of glucose in stimulating germination of Fomes igniarius var. populinus basidiospores. 1969, Phytopathology 1969 59 (3), (293-6). [8 Refs.].
2733. Manion, P. D. and Griffin, D. H. Sixty-five years of research on Hypoxylon canker of aspen. Plant-Disease. 1986; 70(8):803-808.
2734. Manion, P. D.; Griffin, D. H.; Rubin, B. D., and Lautenschlager, R. A. Ice damage impacts on the health of the northern New York State forest. Ice Storm 1998 - Forest Policy and Research Papers, Carleton University, Ottawa, Ontario, Canada, 19-22 October 2000. 2001; 77(4):619-625.
2735. Manion, P. D. and Valentine, F. A. Diseases of Trembling Aspen in the Adirondack region of New York. 1971, Plant Dis. Repr. 1971 55 (8), (662-5). [11 Ref.].
2736. ---. Quantitative inheritance of tolerance to Hypoxylon mammatum in aspens. Proceedings-of-the-American-Phytopathological-Society. 1974, 1: 60.
2737. ---. Quantitative inheritance of tolerance to Hypoxylon mammatum in Aspens. Proceedings-of-the-American-Phytopathological-Society. 1974, Publ. 1975, 1: 60-61.
2738. Mankovska, B.; Percy, K., and Karnosky, D. F. Impact of ambient trophospheric O₃, CO₂ and particulates on the epicuticular waxes of aspen clones differing in O₃ tolerance. Ekologia-Bratislava. 1999; 18(2):200-210.
2739. Mann, D. H. and Plug, L. J. Vegetation and soil development at an upland taiga site, Alaska. Ecoscience. 1999; 6(2):272-285.
2740. Manning, G. H.; Massie, M. R. C., and Rudd, J. Metric single-tree weight tables for the Yukon Territory. Information-Report,-Pacific-Forest-Research-Centre,-Canada. 1983; (No. BC-X-250):60 pp.
2741. Mansfield, J. L.; Curtis, P. S.; Zak, D. R., and Pregitzer, K. S. Genotypic variation for condensed tannin production in trembling aspen (Populus tremuloides, Salicaceae) under elevated CO₂ and in high- and low-fertility soil. American-Journal-of-Botany. 1999; 86(8):1154-1159.
2742. Mantanis, G. I. and Young, R. A. Wetting of wood. Wood-Science-and-Technology. 1997; 31(5):339-353.
2743. Mantanis, G. I.; Young, R. A., and Rowell, R. M. Swelling of wood. Part I. Swelling in water. Wood-Science-and-Technology. 1994; 28(2):119-134.
2744. ---. Swelling of wood. Part II. Swelling in organic liquids. Holzforschung. 1994; 48(6):480-490.
2745. ---. Swelling of wood. Part III. Effect of temperature and extractives on rate and maximum swelling. Holzforschung. 1995; 49(3):239-248.
2746. Manuwoto, S.; Scriber, J. M.; Hsia, M. T., and Sunarjo, P. Antibiosis/antixenosis in tulip tree and quaking

aspen leaves against the polyphagous southern armyworm, *Spodoptera eridania*. *Oecologia*. 1985; 67(1):1-7.

2747. March, R. E. The effect on pulp quality of the stepwise removal and replacement of the hemicelluloses from Aspen holocellulose. 1948, Paper Tr. J. 1948 127 (17), (51-7). 28 Refs.
2748. Marcinko, J. J.; Rinaldi, P. L., and Bao, S. Exploring the physicochemical nature of PMDI/wood structural composite adhesion. *Forest-Products-Journal*. 1999; 49(5):75-78.
2749. Marcum, C. L.; Boyce, M. S. (ed.), and Hayden Wing, L. D. Summer-fall food habits and forage preferences of a western Montana elk herd. *North-American-Elk:-Ecology,-Behavior-and-Management*. 1979, 54-62; 22 Ref.
2750. Marden, R. M.; Lothner, D. C., and Kallio, E. Wood and bark percentages and moisture contents of Minnesota pulpwood species. *USDA-Forest-Service-Research-Paper,-North-Central-Forest-Experiment-Station*. 1975; (No. NC-114):9 pp.
2751. Marks, G. C. Shoot blight of Poplars caused by *Colletotrichum gloeosporioides*. 1963, Abstr. of Thesis, in *Dissert. Abstr.* 24 (4), 1963 (1332).
2752. Marks, G. C.; Berbee, J. G., and Riker, A. J. *Colletotrichum* shoot blight of Poplars. 1965, *For. Sci.* 11 (2), 1965 (204-15). 31 Refs.
2753. ---. Direct penetration of leaves of *Populus tremuloides* by *Colletotrichum gloeosporioides*. 1965, *Phytopathology* 55 (4), 1965 (408-12). 16 Refs.
2754. ---. *Gloeosporium* shoot blight and defoliation of Trembling Aspen. 1962, Abstr. in *Phytopathology* 52 (8), 1962 (741-2).
2755. Marks, P. L. On the relation between extension growth and successional status of deciduous trees of the northeastern United States. *Bulletin-of-the-Torrey-Botanical-Club*. 1975; 102(4):172-177.
2756. Marr, J. W. Frost injury to Aspen in Colorado. 1947, Abstr. in *Bull. Ecol. Soc. Amer.* 1947 28 (4), (60).
2757. Mars, J. C. and Crowley, J. K. Mapping mine wastes and analyzing areas affected by selenium-rich water runoff in southeast Idaho using AVIRIS imagery and digital elevation data. *Remote-Sensing-of-Environment*. 2003; 84(3):422-436.
2758. Marsden, B. J.; Lieffers, V. J., and Zwiazek, J. J. The effect of humidity on photosynthesis and water relations of white spruce seedlings during the early establishment phase. *Canadian-Journal-of-Forest-Research*. 1996; 26(6):1015-1021.
2759. Marshall, P.; Szikszai, T.; LeMay, V., and Kozak, A. Testing the distributional assumptions of least squares linear regression. *Forestry-Chronicle*. 1995; 71(2):213-218.
2760. Marston, R. B. Air movement under an Aspen forest and on an adjacent opening. 1956, *J. For.* 1956 54 (7), (468-9). 3 Refs.
2761. ---. Ground cover requirements for summer storm run off control on Aspen sites in Northern Utah. 1952, *J. For.* 1952 50 (4), (303-7). 6 Refs.
2762. ---. Parrish Canyon, Utah: a lesson in flood sources. 1958, *J. Soil. Wat. Conserv.* 1958 13 (4), (165-7). 4 Refs.
2763. ---. Some comparative hydrologic characteristics of Aspen and mountain brush communities on steep

mountain watersheds in northern Utah. 1966, Abstr. of Thesis, in Dissert. Abstr. 1966 26 (10), (5630).

2764. ---. Use of nuclear soil moisture meter in studies of evapo-transpiration on mountain soils. 1958, Proc. Soc. Amer. For. 1958 (1959), (39-41). 3 Refs.
2765. Marston, R. B. and Julander, O. Plant cover reductions by pocket gophers following experimental removal of Aspen from a watershed area in Utah. 1961, J. For. 59 (2), 1961 (100-2). 5 Refs.
2766. Marth, D. E. Studies on the lignin fraction of Aspenwood [*Populus tremuloides*] pulps produced by sulphite-bisulphite cooking liquor systems. 1959, Tappi 1959 42 (4), (301-8). 25 Refs.
2767. Martin, D. A. and Moody, J. A. Comparison of soil infiltration rates in burned and unburned mountainous watersheds. Hydrological-Processes. 2001; 15(15):2893-2903.
2768. Martin, E. C. Growth and change in structure of an Aspen stand after a harvest cutting. 1965, U.S. For. Serv. Res. Note Rocky Mt. For. Range Exp. Sta. No. RM-45, 1965. Pp. [2]. 1 Ref.
2769. Martin, J. L. The bionomics of the Aspen blotch miner, *Lithocolletis salicifoliella* Cham. (Lepidoptera: Gracillariidae). 1956, Canad. Ent. 1956 88 (4), (155-68). 10 Refs.
2770. Martin, J. S. Sulfate pulping of logging and sawmill wastes of old-growth Douglas-Fir and of certain associated species. 1949, Rep. U.S. For. Prod. Lab., Madison 1949. No. R1747 Pp. 10 + 8 Tbls.
2771. Martin, M. J.; Host, G. E.; Lenz, K. E., and Isebrands, J. G. Simulating the growth response of aspen to elevated ozone: a mechanistic approach to scaling a leaf-level model of ozone effects on photosynthesis to a complex canopy architecture. Environmental-Pollution. 2001; 115(3):425-436.
2772. Martin, R. S.; Villanueva, I.; Zhang JingYing; Popp, C. J., and Zhang, J. Y. Nonmethane hydrocarbon, monocarboxylic acid, and low molecular weight aldehyde and ketone emissions from vegetation in central New Mexico. Environmental-Science-and-Technology. 1999; 33(13):2186-2192.
2773. Martynenko, A. I.; Nikitin Yu, A.; Novikov, E. P., and Chernysh, I. G. Nondestructive method of evaluating the mechanical resistance of plants to abiotic factors. Russian-Agricultural-Sciences. 1994; (No. 11):20-23.
2774. Marx, D. H. Tree host range and world distribution of the ectomycorrhizal fungus *Pisolithus tinctorius*. Canadian-Journal-of-Microbiology. 1977; 23(3):217-223.
2775. Mason, M. L. and Lawson, F. A. Biology of the American aspen beetle (Coleoptera: Chrysomelidae: *Gonioctena americana* (Schaeffer)) in the Medicine Bow National Forest, Wyoming. Journal-of-the-Kansas-Entomological-Society. 1982; 55(4):779-788.
2776. ---. Dispersal of the pre-overwintering adult stage of the American aspen beetle (Coleoptera: Chrysomelidae; *Gonioctena americana* (Schaeffer)) using Hg-203. Journal-of-the-Kansas-Entomological-Society. 1980; 53(3):595-596.
2777. ---. Internal morphology of the American aspen beetle, *Gonioctena americana* (Schaeffer) (Coleoptera, Chrysomelidae). Journal-of-the-Kansas-Entomological-Society. 1981; 54(1):156-160.
2778. ---. Laboratory rearing of the American aspen beetle (Coleoptera: Chrysomelidae: *Gonioctena americana* (Schaeffer)). Journal-of-the-Kansas-Entomological-Society. 1980; 53(2):421-422.
2779. Massey, C. L. and Hinds, T. E. Nematodes from Aspen cankers in Colorado and New Mexico. 1970, Repr. From Canad. J. Zool. 1970 48 (1), (97-108). [9 Refs.].

2780. Massie, M. R. C.; Manning, G. H., and McCloskey, K. R. Metric single-tree total volume tables for the Yukon territory. Information-Report,-Pacific-Forest-Research-Centre,-Canada. 1983; (No. BC-X-242):19 pp.
2781. Massie, M. R. C.; Peterson, E. B., and Kabzems, R. D. An economic strategy for managing aspen on private lands in northeast British Columbia. FRDA-Report-Victoria,-B.C. 1990; (No. 124):iv + 74 pp.
2782. Massie, M. R. C.; Peterson, E. B.; Peterson, N. M., and Enns, K. A. An assessment of the strategic importance of the hardwood resource in British Columbia. FRDA-Report-Victoria,-B.C. 1994; (No. 221):206 pp.
2783. Masslich, W. J.; Brotherson, J. D., and Cates, R. G. Relationships of aspen (*Populus tremuloides*) to foraging patterns of beaver (*Castor canadensis*) in the Strawberry Valley of central Utah. Great-Basin-Naturalist. 1988; 48(2):250-262.
2784. Massman, W. J. and Kaufmann, M. R. Stomatal response to certain environmental factors: a comparison of models for subalpine trees in the Rocky Mountains. Agricultural-and-Forest-Meteorology. 1991; 54(2-4):155-167.
2785. Mastrota, F. N.; Yahner, R. H., and Storm, G. L. Small mammal communities in a mixed-oak forest irrigated with wastewater. American-Midland-Naturalist. 1989; 122(2):388-393.
2786. Mather, D. W.; Gensch, R. H., and Barton, H. A. Report on the snowshoe hare repellent and poison studies on the Nicolet National Forest in 1941 and 1942. 1943, U.S. Forest Service. [1943?]. Pp. 36.
2787. Mathes, M. C. Antimicrobial substances from Aspen tissue grown in vitro. 1963, Science 140 (3571), 1963 (1101-2). 16 Refs.
2788. ---. The culture of isolated triploid Aspen tissue. 1964, For. Sci. 10 (1), 1964 (35-8). 5 Refs.
2789. ---. The use of isolated plant tissues in studies related to forest genetics. 1964, Tappi 47 (11), 1964 (710-3). 39 Refs.
2790. Mathes, M. C. and Einspahr, D. W. Comparison of tree growth and callus production in Aspen. 1965, For. Sci. 11 (3), 1965 (360-3). 5 Refs.
2791. Mathes, M. C.; Einspahr, D. W., and Winton, L. L. Chemical composition of callus tissue and juvenile stems from Aspen species. 1970, Genet. Physiol. Note Inst. Paper Chem. 1970 No. 8. Pp. 9. [13 Refs.].
2792. Mathes, M. C.; Helton, E. D., and Fisher, K. D. The production of microbial-regulatory materials by isolated Aspen [*Populus tremuloides*] tissue. Plant-and-Cell-Physiology. 1971, 12: 593-601; ORS.
2793. Mathews, J. F. and Pepper, J. M. Steam treatment of aspen poplar to increase digestibility for ruminants. Canadian-Journal-of-Animal-Science. 1978; 58(3):521-523.
2794. Mathews, J. F.; Tepylo, M. G.; Eager, R. L., and Pepper, J. M. Upgrading of aspen poplar wood oil over HZSM-5 zeolite catalyst. Canadian-Journal-of-Chemical-Engineering. 1985; 63(4):686-689.
2795. Mathison, G. W. and Milligan, L. P. Evaluation of aspen as a feedstuff for ruminants. Agriculture-and-Forestry-Bulletin,-University-of-Alberta. 1986, 9: 1, 25.
2796. Mathison, G. W.; Milligan, L. P., and Weisenburger, R. D. Ruminant feed evaluation unit: evaluation of aspen as a feedstuff for cattle. Agriculture-and-Forestry-Bulletin. 1986; (Special issue):53-55.

2797. Matson, N. P. Biodiversity and its management on the National Elk Refuge, Wyoming. *Bulletin-Series - Yale-School-of-Forestry-and-Environmental-Studies*. 2000; (No.104):101-138.
2798. ---. Biodiversity and its management on the National Elk Refuge, Wyoming. *Bulletin-Series -Yale-School-of-Forestry-and-Environmental-Studies*. 2000; (No.104):101-138.
2799. Matsumura, F.; Tai, A., and Coppel, H. C. Termite trail-following substance, isolation and purification from *Reticulitermes virginicus* and fungus-infected wood. 1969, *J. Econ. Ent.* 1969 62 (3), (599-603). [6 Refs.].
2800. Matsunaga, E.; Sugita, K., and Ebinuma, H. Asexual production of selectable marker-free transgenic woody plants, vegetatively propagated species. *Molecular-Breeding*. 2002; 10(1-2):95-106.
2801. Matteson, N. A.; Sandvol, L.; Stoltz, R. L.; Jensen, G. (ed.), and Adam, L. Research and extension projects with Thysanoptera in Idaho, USA. *Proceedings of the Fifth International Symposium on Thysanoptera Held at Godollo, Hungary From 28 August to 1 September 1995. Folia-Entomologica-Hungarica*. 1996, 62: Suppl., 103-106.
2802. Mattila, R. E. On the production of the tetraploid hybrid Aspen by colchicine treatment. 1961, *Hereditas, Lund* 47 (3/4), 1961 (631-40). 7 Refs.D.
2803. Mattson, J. A. Beneficiation of compression debarked wood chips. *USDA-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station*. 1974; (No. NC-180):4 pp.
2804. ---. Compression debarking of stored wood chips. *USDA-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station*. 1974; (No. metryne):4 pp.
2805. ---. Debarking chips from whole trees in the Lake states. *USDA-Forest-Service-Research-Paper,-North-Central-Forest-Experiment-Sation*. 1975; (No. NC-115):9 pp.
2806. Mattson, W. J. Jr. Shrub nesting of the red-eyed vireo [*Vireo olivaceus*] in relation to structure of aspen [*Populus tremuloides*] forests [in northern Minnesota]. *Research-Note,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1979; (No. NC-245):3 pp.
2807. Mauffette, Y.; Lechowicz, M. J., and Jobin, L. Host preferences of the gypsy moth, *Lymantria dispar* (L.), in southern Quebec. *Canadian-Journal-of-Forest-Research*. 1984; 13(1):53-60.
2808. Maundrell, C.; Hawkins, C.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Establishment of white spruce growth trial in an aspen understory. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):339-343.
2809. ---. Establishment of white spruce growth trial in an aspen understory. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):339-343.
2810. Mayer, P.; Sampson, G.; Gasbarro, A., and Allen, L. Service life of posts from Alaska tree species treated by non-pressure methods. *Forest-Products-Journal*. 1995; 45(11-12):53-56.
2811. Maynard, D. G. The influence of hexazinone on carbon dioxide evolution and mineralization of nitrogen, phosphorus and sulfur in a forest soil. *Canadian-Journal-of-Soil-Science*. 1993; 73(4):433-445.
2812. Maynard, D. G.; Germida, J. J., and Addison, P. A. The effect of elemental sulfur on certain chemical and biological properties of surface organic horizons of a forest soil. *Canadian-Journal-of-Forest-Research*. 1986; 16(5):1050-1054.

2813. Maynard, D. G.; Kalra, Y. P., and Radford, F. G. Extraction and determination of sulfur in organic horizons of forest soils. *Soil-Science-Society-of-America-Journal*. 1987; 51(3):801-806.
2814. Maynard, D. G.; MacIsaac, D. A., and Krause, H. Soil nutrient and vegetation response to patch clear-cutting of an aspen forest near Meadow Lake, Saskatchewan. *Sustainable Site Productivity in Canadian Forests Workshop, Sault Ste. Marie; Ontario, February 1997. Canadian-Journal-of-Soil-Science*. 1998, 78(1):59-68.
2815. Maynard, D. G.; Stadt, J. J.; Mallett, K. I., and Volney, W. J. A. Appendix to sulfur impacts on forest health in west-central Alberta. *Information-Report -Northwest-Region,-Canadian-Forest-Service*. 1995, No. NOR-X-334-1, Vi + 178 Pp.
2816. ---. Sulfur impacts on forest health in west-central Alberta. *Information-Report -Northwest-Region,-Canadian-Forest-Service*. 1994; (No. NOR-X-334):x + 51 pp.
2817. Mazerolle, D. F. and Hobson, K. A. Physiological ramifications of habitat selection in territorial male Ovenbirds: consequences of landscape fragmentation. *Oecologia*. 2002; 130(3):356-363.
2818. McAuley, D. G.; Longcore, J. R.; Sepik, G. F., and Pendleton, G. W. Habitat characteristics of American woodcock nest sites on a managed area in Maine. *Journal-of-Wildlife-Management*. 1996; 60(1):138-148.
2819. McCaffery, K. R.; Ashbrenner, J. E.; Creed, W. A., and Kohn, B. E. The aspen-ruffed grouse connection. *Journal-of-Forestry*. 1997; 95(8):16-20.
2820. McCaffery, K. R.; Tranetzki, J., and Piechura, J. Jr. Summer foods of deer in northern Wisconsin. *Journal-of-Wildlife-Management*. 1974, 38: 2, 215-219.
2821. McCain, E. B.; Zlotoff, J. I., and Ebersole, J. J. Effects of elk browsing on aspen stand characteristics, Rampart Range, Colorado. *Western-North-American-Naturalist*. 2003; 63(1):129-132.
2822. McCartney, W. O.; Scharpf, R. F., and Hawksworth, F. G. Additional hosts of *Viscum album*, European mistletoe, in California. *Plant-Disease-Reporter*. 1973; 57(10):904.
2823. McCaughey, J. H. and Iacobelli, A. Modelling stomatal conductance in a northern deciduous forest, Chalk River, Ontario. *Canadian-Journal-of-Forest-Research*. 1994; 24(5):904-910.
2824. McClain, K. M. Definition and distribution of the boreal mixedwood forest in Ontario. Whitney, R. D.; McClain, K. M. (Cochairmen)(Boreal mixedwood symposium. *Symposium-Proceedings,-Great-Lakes-Forest-Research-Centre,-Canada*. 1981):No. O-P-9, 5-9.
2825. McClelland, B. R.; Frissell, S. S.; Fischer, W. C., and Halvorson, C. H. Habitat management for hole-nesting birds in forests of western larch and Douglas-fir. *Journal-of-Forestry*. 1979; 77(8):480-483.
2826. McClelland, B. R. and McClelland, P. T. Pileated woodpecker nest and roost trees in Montana: links with old-growth and forest 'health'. *Wildlife-Society-Bulletin*. 1999; 27(3):846-857.
2827. ---. Red-naped sapsucker nest trees in northern Rocky Mountain old-growth forest. *Wilson-Bulletin*. 2000; 112(1):44-50.
2828. McColl, J. G. Seasonal nutrient variation in trembling aspen. *Plant-and-Soil*. 1980; 54(2):323-328.
2829. McComb, A. L. and Hansen, N. J. A naturally occurring Aspen-Poplar hybrid. 1954, *J. For.* 52 (7), (528-90).

2830. McCool, S. F.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Quaking aspen and the human experience: dimensions, issues, and challenges. Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):147-160.
2831. ---. Quaking aspen and the human experience: dimensions, issues, and challenges. Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):147-160.
2832. McCormack, M. Jr.; Sprague, E., and Grau, T. Forest vegetation management by aerial hexazinone treatments. Proceedings Northeastern Weed Science Society. 1982, Volume 36, 234.
2833. McCormack, M. L.; Hendler, R. H., and Sprague, E. B. Aerial application of triclopyr for conifer release in Maine. Proceedings, Northeastern Weed Science Society, 1981. 1981, Volume 35, 199.
2834. McCormack, M. L.; Lynn, L. B., and Sprague, E. B. 1978-79 Results with glyphosate for forestry in Maine. Proceedings of the Northeastern Weed Science Society, 1980. 1980, Vol. 34, 304.
2835. McCormack, M. L. Jr. Chemical weed control in northeastern forests. Weed Control in Forest Management. 1981; (H.A.; Fischer):B.C. (Editors)]. 1981, 108-115.
2836. McCraw, W. E. Forests and forest management in Newfoundland. 1946, Pulp Paper Mag. Can. 1946. 47 (5). (90, 92).
2837. McCulloch, J. M. Deer-or timber? 1952, Pennsylvania Game News, Harrisburg 1952 23 (6), (30,35).
2838. McDonald, E. P.; Agrell, J., and Lindroth, R. L. CO₂ and light effects on deciduous trees: growth, foliar chemistry, and insect performance. Oecologia. 1999; 119(3):389-399.
2839. McDonald, E. P.; Kruger, E. L.; Riemenschneider, D. E., and Isebrands, J. G. Competitive status influences tree-growth responses to elevated CO₂ and O₃ in aggrading aspen stands. Functional-Ecology. 2002; 16(6):792-801.
2840. McDonald, J. E. Jr.; Storm, G. L., and Palmer, W. L. Home range and habitat use of male ruffed grouse in managed mixed oak and aspen forests. Forest-Ecology-and-Management. 1998; 109(1-3):271-278.
2841. McDonough, W. T. Quaking aspen [*Populus tremuloides*] - seed germination and early seedling growth. Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Sevice. 1979; (No. INT-234):13 pp.
2842. McDougall, D. N. and Blanchette, R. A. Polyethylene plastic wrap for tree wounds: a promoter of wound closure on fresh wounds. Journal-of-Arboriculture. 1996; 22(5):206-210.
2843. McDougall, G. A. Radial growth studies. 1963, Bi-m. Progr. Rep. For. Ent. Path. Br. Dep. For. Can. 19 (3), 1963 (1). 2 Refs.
2844. McGovern, J. N. Hardwood pulpwood utilization in the United States. Tappi. 1981; 64(3):129-132.
2845. ---. Semichemical pulp. 1945, Mimeo. U.S. For. Prod. Lab., Madison 1945. No. R1477, Pp. 4.
2846. ---. Some experiments in sodium sulphite pulping. 1948, Pulp Paper Mag. Can. 1948 49 (9), (93-100). 20 Refs.
2847. ---. Some problems in the pulping of Northeastern hardwoods, with discussion. 1947, Bull. Ntheast. Wood Utiliz. Coun. 1947. No. 14 (43-58).

2848. ---. Use of bleached Aspen semichemical pulp in groundwood book paper. 1946, Paper Tr. J. 1946 123 (20), (47-52).
2849. McGovern, J. N.; Brown, K. J., and Kraske, W. A. Experiments on water and steam cooking of Aspen. 1949, Tappi 1949 32 (10) (440-8). 12 Refs.
2850. McGovern, J. N. and Keller, E. L. Sulfite pulps from several southern hardwoods. 1943, Sth. Pulp Paper J. 5 1943 (11), (7-10).
2851. McGovern, J. N. and Mackin, G. E. Farm woodlot Aspen for creped tissue paper. 1950, Rep. U.S. For. Prod. Lab., Madison 1950. No. R1783 Pp. 6 + 5 Tbls.
2852. McGovern, J. N.; Mackin, G. E., and Chidester, G. H. Linerboards from Jack Pine and hardwood semichemical pulps. 1948, Fibre Contain. 1948 33 (10), (35-6, 38, 40, 45-6, 48, 50, 52).
2853. McGovern, J. N.; Zehner, C. E., and Boyle, J. B. Investigation of bark residues for livestock bedding. Forest-Products-Journal. 1977; 27(7):29-34.
2854. McGovern, J. N. and McGregor, G. H. Sulfite pulp production: some factors pertinent to meeting war born shortages. 1944, Pulp Paper Mag. Can. 45 1944 (74-81).
2855. McGrath, T. P. Forest biomass accumulations: a parametric approach. [Thesis Summary]. Forestry-Abstracts. 1987, 48: 4, 247.
2856. McGregor, M. D. Biology and natural enemies of an Aspen leaf tier, *Sciaphila duplex*, in the Intermountain Region. 1967, J. Econ. Ent. 1967 60 (5), (1213-6). [9 Refs.].
2857. McIntosh, D. C. Chemical treatment of trees. 1948, Pulp Paper Mag. Can. 1948 49 (7), (117-8, 120).
2858. ---. Effects of chemical treatment of pulpwood trees. 1953, Tappi 1953 36 (8), (150A-160A). 10 Refs.
2859. ---. Effects of chemical treatment of pulpwood trees. 1951, Bull. For. Br. Can. 1951 No. 100 Pp. 30. 10 Refs.
2860. ---. Project 129. Treatment of trees with chemicals (Stevens, Ontario). Transpiration experiment. Observations of trees felled and left with foliage intact (changes in weight, ease of peeling and condition of wood). 1949, Mimeo. For. Prod. Lab., Can. 1949. No. 0-141 Pp. 16.
2861. ---. Studies of the floating properties of pulpwood logs. 1951, Mimeo. For. Prod. Lab., Can. 1951 No. O-158 Pp. 9.
2862. McIntosh, J. A. Aspen [*Populus spp.*]. Canada, Forintek Canada Corp., Western Forest Products Laboratory: Forest Utilization Symposium Proceedings, Winnipeg, Manitoba, September 28-30, 1977. Special-Publication,-Western-Forest-Products-Laboratory,-Forintek-Canada-Corp. 1980?, No. SP 6, 1-5.
2863. McIntyre, C. L.; Rae, A. L.; Curtis, M. D., and Manners, J. M. Sequence and expression of a caffeic acid O-methyl transferase cDNA homologue in the tropical forage legume *Stylosanthes humilis*. Australian-Journal-of-Plant-Physiology. 1995; 22(3):471-478.
2864. McIntyre, G. A.; Jacobi, W. R., and Ramaley, A. W. Factors affecting *Cytospora* canker occurrence on aspen. Journal-of-Arbiculture. 1996; 22(5):229-223.
2865. McKay, H. H. and Lentz, P. L. Descriptions of some fungi associated with forest tree decay in Colorado. 1960, Mycopathologia Et Mycologia Applicata, Den Haag 13 (4), 1960 (265-86). 26 Refs.

2866. McKenzie, L. J.; Whiteside, E. P., and Erickson, A. E. Oxidation-reduction studies on the mechanism of B horizon formation in podzols. 1960, Proc. Soil Sci. Soc. Amer. 24 (4), 1960 (300-5). 18 Refs.
2867. McKnight, T. S. (Moderator); Shields, J. A.; Szabo, T.; Hsu, E.; McNatt, J. D. Hunt MO; Hoover, W. L.; Fergus, D. A.; Harpole, G. B.; Go, T. A.; McLaughlin, A.; Farrissey, W. J.; Alberino, L. M.; Waszeciak, D. P.; Udvardy, O.; Chiu, S. T.; Scott, W. B.; Lagergren, P. J., and Macfarlane, P. B. Session 4, Technology. Szabo, T.; Gribble, H. 1980; (No. 505E):195-319.
2868. McLean, A.; Wikeem, S. J., and Clark, M. B. Long-term effects of grass seeding and cattle grazing on a lodgepole pine clearcut. Research-Note -British-Columbia-Ministry-of-Forests. 1986; (No. 101):vii + 21 pp.
2869. McLellan, T. M.; Aber, J. D.; Martin, M. E.; Melillo, J. M., and Nadelhoffer, K. J. Determination of nitrogen, lignin, and cellulose content of decomposing leaf material by near infrared reflectance spectroscopy. Canadian-Journal-of-Forest-Research. 1991; 21(11):1684-1688.
2870. McMillen, J. M.; Gortner, R. A.; Schmitz, H., and Bailey, A. J. The cooking process. Butanol cooking of hardwoods and softwoods. 1938, Industr. Engng. Chem. 30 1938 (1407-9). [Minnesota Agricultural Exp. Sta., St. Paul, Minn.] P.R.
2871. McNabb, D. H.; Bengtsson, J. (ed.), and Lundkvist, H. Tillage of compacted haul roads and landings in the boreal forests of Alberta, Canada. Ameliorative Practices for Restoring and Maintaining Long-Term Productivity in Forests. Papers presented at the IEA-BE workshop; Asa, Vaxjo, Sweden, spring 1991. Forest-Ecology-and-Management. 1994, 66(1-3):179-194.
2872. McNabb, H. S. Jr.; Klopfenstein, N. B.; Hanna, R. D.; Hall, R. B.; Hart, E. R.; Heuchelin, S. A.; Thornburg, R. W.; MacKenzie, D. R. (ed.), and Henry, S. C. A field trial of transgenic hybrid poplar trees: establishment and growth through the second season. Biological Monitoring of Genetically Engineered Plants and Microbes. Proceedings of the Kiawah Island Conference; (South Carolina):USA, 27-30 November 1990. 1991, 155-159.
2873. McNamara, K.; Boyce, M. S. (ed.), and Hayden Wing, L. D. Differences between quaking aspen genotypes in relation to browsing preference by elk. North-American-Elk:-Ecology,-Behavior-and-Management. 1979, 83-88; 21 Ref.
2874. McNatt, J. D.; Bach, L., and Wellwood, R. W. Contribution of flake alignment to performance of strandboard. Forest-Products-Journal. 1992; 42(3):45-50.
2875. McNeel, W. Jr. Beaver cuttings in Aspen indirectly detrimental to White Pine. 1964, J. Wildlife Mgmt. 28 (4), 1964 (861-3). 3 Refs.
2876. McNulty, M. E. and Wullstein, L. H. Soil nitrogen transformations in Aspen and conifer stands. 1969, Abstr. in Proc. Utah Acad. Sci. 1969 46 (1), (189).
2877. McQueen, I. S. and Miller, R. F. Soil-moisture and energy relationships associated with riparian vegetation near San Carlos, Arizona. Professional-Paper,-United-States-Geological-Survey. 1972, No. 655-E, 51 Pp.
2878. McRae, D. J. Physical properties of some Ontario slash fuels. Canadian-Forestry-Service-Research-Notes. 1982; 2(3):21-22.
2879. McRoberts, R. E. and Hansen, M. H. Annual forest inventories for the north central region of the United States. Special Issue: Sampling Over Time. 1999; 4(4):361-371.
2880. McTague, J. P. and Stansfield, W. F. Stand, species, and tree dynamics of an uneven-aged, mixed conifer

forest type. *Canadian-Journal-of-Forest-Research*. 1995; 25(5):803-812.

2881. McWilliams, W. H.; Arner, S. L.; Barnett, C. J.; Pallardy, S. G. (ed.); Cecich, R. A. (ed.); Garrett, H. G. (ed.), and Johnson, P. S. Summary of mortality statistics and forest health monitoring results for the northeastern United States. Proceedings of the 11th Central Hardwood Forest Conference, Columbia, Missouri, USA, 23-26 March, 1997. 1997; (No. NC-188):59-75.
2882. Mead, D. A. Aspen - the ugly duckling. *Forestry-Chronicle*. 1977; 53(6):353-354.
2883. Medin, D. E. and Clary, W. P. Breeding bird populations in a grazed and ungrazed riparian habitat in Nevada. Research-Paper -Intermountain-Research-Station,-USDA-Forest-Service. 1991; (No. INT-441):i + 7 pp.
2884. ---. Small mammal populations in a grazed and ungrazed riparian habitat in Nevada. Research-Paper - Intermountain-Research-Station,-USDA-Forest-Service. 1989; (No. INT-413):i + 6 pp.
2885. Medvedeva, S. A.; Aleksandrova, G. P.; Kanitskaya, L. V.; D' yachkova, S. G., and Babkin, V. A. Chemical transformation of lignin during the biodegradation and organosolv pulping of deciduous wood. *Chemistry-of-Natural-Compounds*. 1995; 31(4):503-510.
2886. Medvedeva, S. A.; Kanitskaya, L. V.; Volchatova, I. V., and Turchaninov, V. K. Biotransformation of aspen lignin by the fungus *Trametes villosus*. *Chemistry-of-Natural-Compounds*. 2000; publ. 2001, 36(4):411-415.
2887. Meek, P. Preliminary evaluation of the ET-1 processor. Field-Note:-Processing -Forest-Engineering-Research-Institute-of-Canada. 1995, No. 43, 1 Pp.
2888. Mehlhorn, H.; Wellburn, A. R.; Foyer, C. H. (ed.), and Mullineaux, P. M. Man-induced causes of free radical damage to plants: O₃ and other gaseous pollutants. *Causes-of-Photooxidative-Stress-and-Amelioration-of-Defense-Systems-in-Plants*. 1994, 155-175; 222 Ref.
2889. Mei ChangTong; Dai ChunPing; Zhou DingGuo; Mei, C. T.; Dai, C. P., and Zhou, D. G. Effects of horizontal density variation on properties of wood strand composites. *Journal-of-Nanjing-Forestry-University*. 2002; 26(6):1-4.
2890. Meilan, R.; Han, K. H.; Ma, C.; DiFazio, S. P.; Eaton, J. A.; Hoiem, E. A.; Stanton, B. J.; Crockett, R. P.; Taylor, M. L.; James, R. R.; Skinner, J. S.; Jouanin, L.; Pilate, G., and Strauss, S. H. The CP4 transgene provides high levels of tolerance to Roundup(R) herbicide in field-grown hybrid poplars. *Canadian-Journal-of-Forest-Research*. 2002; 32(6):967-976.
2891. Melander, L. W. and et, a. l. Control of woody plants. 1950, Res. Rep. 7th. Ann. Nth. Cent. Weed Control Conf. 1950 (227-70).
2892. Melichar, M. W. and Waggoner, B. K. Low-volume basal application of picloram and triclopyr on utility rights-of-way. Proceedings, 42nd Annual Meeting of the Northeastern Weed Science Society. 1988, 122-123; 1 Ref.
2893. Melillo, J. M.; Naiman, R. J., and Aber, J. D. Wood decomposition dynamics as a function of quality of material and stream order in Quebec. *The-Matamek-Research-Program:-Annual-Report-for-1980*. 1981, 60-69; Technical Report No. WHOI-81-49.
2894. Mellenberger, R. W.; Satter, L. D., and et, a. l. Digestion of Aspen, alkali-treated Aspen, and Aspen bark by goats. 1971, Repr. From *Journal of Animal Science* [, Fort Collins] 1971 32 (4), (756-63). [14 Ref.].

2895. Memmer, P. and Maars, D. Results of tree injection treatments in Monson, Maine. Proceedings, - Northeastern-Weed-Science-Society,-USA. 1979, 33: Supplement, 50-51.
2896. Memmer, P. and Maass, D. Results of tree injection treatments in Monson, Maine. Proceedings Northeastern Weed Science Society. 1979, Vol. 33, Supplement, 50-51.
2897. Men'shikov, V. N. The application of chipless cutting of wood in tending fellings. 1971, Lesn. Khoz. 1971 (10), (68-9). [Ru, 1 Ref.].
2898. Meng HuaBin; Campbell, W. H., and Meng, H. B. Facile enzymic synthesis of caffeoyl CoA. *Phytochemistry*. 1997; 44(4):605-608.
2899. ---. Substrate profiles and expression of caffeoyl coenzyme A and caffeic acid O-methyltransferases in secondary xylem of aspen during seasonal development. *Plant-Molecular-Biology*. 1998; 38(4):513-520.
2900. Merkle, J. *Abies concolor* (White fir) a growing problem in the west. 1955, Abstr. in *Bull. Ecol. Soc. Amer.* 1955 36 (3), (80).
2901. ---. An analysis of the Spruce-Fir community on the Kaibab Plateau, Arizona. 1954, *Ecology* 1954 35 (3), (316-22). 18 Refs.
2902. Merriam, L. C. Jr. and Smith, C. K. Newly established campsites in the Boundary Waters Canoe Area. Restudy of selected sites - 1974. *Minnesota-Forestry-Research-Notes*. 1975; (No.254):4 pp.
2903. ---. Visitor impact on newly developed campsites in the Boundary Waters Canoe Area [, Minnesota]. *Journal-of-Forestry*. 1974; 72(10):627-630.
2904. Merrill, S. B.; Cuthbert, F. J., and Oehlert, G. Residual patches and their contribution to forest-bird diversity on northern Minnesota aspen clearcuts. *Conservation-Biology*. 1998; 12(1):190-199.
2905. Merrill, W. Decay of wood by dikaryotic, monokaryotic, and illegitimate heterokaryotic isolates of *Trametes hispida*. 1965, Abstr. in *Phytopathology* 55 (2), 1965 (130).
2906. ---. Decay of wood by species of the Xylariaceae. 1962, Abstr. in *Phytopathology* 52 (1), 1962 (21).
2907. Merrill, W. and French, D. W. Decay in wood and wood fiber products by *Sporotrichum pruinosum*. 1966, *Mycologia* 1966 58 (4), (592-6). [10 Refs.].
2908. ---. Decay of wood by *Alternaria* and *Penicillium*. 1964, *Phytopathology* 54 (7), 1964 (867-8). 8 Refs.
2909. ---. Particle size alters cellulose yield in wood decayed by *Lenzites trabea*. 1964, *For. Prod. J.* 14 (5), 1964 (228). 3 Refs.
2910. ---. Wood fibreboard studies. 1. A nailhead pull-through method to determine the effects of fungi on strength. 1964, *Tappi* 47 (8), 1964 (449-51). 4 Refs.
2911. Merrill, W.; French, D. W., and Wood, F. A. Decay of wood by species of the Xylariaceae. 1964, *Phytopathology* 54 (1), 1964 (56-8). 4 Refs.
2912. Merrill, W. Jr. The physical and chemical effects of common mold fungi on wood fiberboard. 1964, Abstr. of Thesis, in *Dissert. Abstr.* 25 (4), 1964 (2138).
2913. Messier, C.; Doucet, R.; Ruel, J. C.; Claveau, Y.; Kelly, C., and Lechowicz, M. J. Functional ecology of advance regeneration in relation to light in boreal forests. *Workshop on Functional Aspects of*

Regeneration of the Boreal Forest in the Context of Sustainable Forest Management, Montreal, Quebec, Canada, 10 January 1997. 1999; 29(6):812-823.

2914. Messier, C.; Parent, S.; Bergeron, Y.; Bergeron, Y. (ed.); Engelmark, O. (ed.); Harvey, B. (ed.); Morin, H. (ed.), and Sirois, L. Effects of overstory and understory vegetation on the understory light environment in mixed boreal forests. Special Feature. Key issues in disturbance dynamics in boreal forests: based on contributions presented at the IAVS (International Association for Vegetation Science) workshop on disturbance dynamics in boreal forests; held at the University of Quebec in Abitibi-Temiscamingue in Rouyn-Noranda, Canada, August 26-30, 1996. *Journal-of-Vegetation-Science*. 1998, 9(4):511-520.
2915. Methven, I. R. and Murray, W. G. Using fire to eliminate understory Balsam Fir in Pine management. *Forestry-Chronicle*. 1974; 50(2):77-79.
2916. Meyer, D. The relation of soil horizon texture and acidity to the site index of Aspen in Northern Minnesota. 1956, *Minn. For. Note* 1956 No. 52, Pp. 2. 1 Ref.
2917. Meyers, W. A.; Beatty, R. H., and Allen, W. W. Progress report on amizol (3-amino-1,2,4-triazole) on woody plants. 1956, *Proc. 10th Ntheast. Weed Control Conf.* 1956 (202-5). From *Abstr. in Weed Abstr.* 1956 5 (503). O.R.E.
2918. Meyers, W. L.; Marsh, M., and Arp, P. A. Cation exchange capacities of upland soils in eastern Canada. *Canadian-Journal-of-Soil-Science*. 1994; 74(4):393-408.
2919. Mia, A. J. Fine structure of tylosis in *Populus tremuloides*. *American-Journal-of-Botany*. 1973; 60(4):10.
2920. ---. Organization of tension wood fibers in Poplar stem. 1968, *Bi-m. Res. Notes Dep. For. Can.* 1968 24 (3), (24). [4 Refs.].
2921. ---. Organization of tension wood fibres with special reference to the gelatinous layer in *Populus tremuloides*. 1968, *Wood Sci., Madison* 1968 1 (2), (105-15). [48 Refs.].
2922. ---. Ultrastructure of the gelatinous layer in tension wood fibres of Trembling Aspen (*Populus tremuloides* Michx.). 1967, *Bi-m. Res. Notes Dep. For. Can.* 1967 23 (2), (13-4). [5 Refs.].
2923. Michalowicz, G.; Robert, A., and Barnoud, F. The application of transmission electron microscopy for topochemical studies on aspen wood *Populus tremula* delignification during soda and soda/AQ pulping. *Holzforschung*. 1990; 44(1):39-46.
2924. Micheli, F.; Sundberg, B.; Goldberg, R., and Richard, L. Radial distribution pattern of pectin methylesterases across the cambial region of hybrid aspen at activity and dormancy. *Plant-Physiology*. 2000; 124(1):191-199.
2925. Micko, M. M. Alberta aspen vs. black poplar. Wood quality differences. 1987, Iii + 38 Pp.; Catalogue No. FO 42-91-28-1988E.
2926. Micko, M. M. and Antal, M. Computerized determination of wood and fibre quality parameters: fibre length measurement computer program. *Drevarsky-Vyskum*. 1990; (No. 127):13-21.
2927. Micko, M. M.; Yanchuk, A. D.; Wang, E. I. C., and Taylor, F. W. Computerised measurement of fibre length. *IAWA-Bulletin*. 1982; 3(2):111-113.
2928. Mielke, J. L. Aspen leaf blight in the Intermountain region. 1957, *Res. Note Intermt. For. Range Exp. Sta.* 1957 No. 42, Pp. 5. 10 Refs.

2929. Migita, N. Pulpwoods and pulps. II. Manufacture of pulps from Manchurian Spruce, Fir, and Aspen (*Picea obovata*, *Abies nephrolepis*, and *Populus maximowiczii*). 1939, Cellulose Ind., Tokyo 15 1939 (54-8). Chem. Abs. 34 (2591). P.R.
2930. Mihail, J. D.; Bruhn, J. N.; Meyer, T. R., and Bell, F. W. Pine needle rust effect on *Pinus banksiana* in response to interspecific plant competition and telial host density. Canadian-Journal-of-Forest-Research. 2002; 32(8):1372-1380.
2931. Mikan, C. J.; Zak, D. R.; Kubiske, M. E., and Pregitzer, K. S. Combined effects of atmospheric CO₂ and N availability on the below ground carbon and nitrogen dynamics of aspen mesocosms. Oecologia. 2000; 124(3):432-445.
2932. Mikola, P. Studies on the decomposition of forest litter by Basidiomycetes. 1956, Commun. Inst. for Fenn. 1956 (1958) 48 (2), (22 Pp.). [33 Refs.].
2933. Milks, J. E. and Purves, C. B. Attempted preparation of a homogeneous hemicellulose from Aspen wood. 1956, J. Amer. Chem. Soc. 1956 78 (15), (3738-44). 33 Refs.
2934. ---. Attempted preparation of a homogeneous hemicellulose from Aspen wood. 1956, J. Amer. Chem. Soc. 1956 78 (15), (3738-44). 33 Refs.
2935. Miller, B. K. and Litvaitis, J. A. Habitat segregation by moose in a boreal forest ecotone. Acta-Theriologicala. 1992; 37(1-2):41-50.
2936. Miller, D. G. A preliminary investigation of veneer cutting properties of Aspen Poplar. 1952, Mimeo. For. Prod. Lab., Can. 1952. No. 0-167 Pp. 9 + 5 Photos + 3 Dgms.
2937. Miller, D. R.; Lin, J. D.; Hutchison, B. A. (ed.), and Hicks, B. B. Canopy architecture of a red maple edge stand measured by a point drop method. The Forest-Atmosphere Interaction. Proceedings of the forest environmental measurements conference held at Oak Ridge; (Tennessee):October 23-28, 1983. 1985, 59-70.
2938. Miller, I. J. and Fellows, S. K. Liquefaction of biomass as a source of fuels or chemicals. Nature,-UK. 1981; 289(5796):398-399.
2939. Miller, P. C. Leaf temperature profiles in vegetation canopies in west-central Colorado. 1966, Abstr. in Bull. Ecol. Soc. Amer. 1966 47 (4), (198).
2940. ---. Leaf temperatures, leaf orientation and energy exchange in Quaking Aspen (*Populus tremuloides*) and Gambell's Oak (*Quercus gambellii* [gambelii]) in central Colorado. 1967, Oecol. Plant., Paris 1967 2 (3), (241-70). [33 Refs.D.].
2941. ---. Solar radiation profiles in openings in canopies of Aspen and Oak. 1969, Science 1969 164 (3877), (308-9). [5 Refs.].
2942. Miller, R. F. and Rose, J. A. Historic expansion of *Juniperus occidentalis* (western juniper) in southeastern Oregon. Great-Basin-Naturalist. 1995; 55(1):37-45.
2943. Miller, R. F.; Svejcar, T. J., and Rose, J. A. Impacts of western juniper on plant community composition and structure. Journal-of-Range-Management. 2000; 53(6):574-585.
2944. Miller, W. E. Biology of *Anacamptis innocuella* (Zeller), a leaf-roller on Aspen. 1955, J. Econ. Ent. 48 (5), 1955 48 (622-3). 5 Refs. [Ohio Agricultural Experiment Station.].
2945. ---. Decomposition rates of aspen bole and branch litter. Forest-Science. 1983; 29(2):351-356.

2946. Millet, J.; Bouchard, A., and Edelin, C. Relationship between architecture and successional status of trees in the temperate deciduous forest. *Ecoscience*. 1999; 6(2):187-203.
2947. Millett, M. A.; Baker, A. J., and et, a. l. Modifying wood to increase its in vitro digestibility. 1970, Repr. From *Journal of Animal Science* [Fort Collins] 1970 31 (4), (781-8). [31 Ref.].
2948. Millett, M. A.; Baker, A. J.; Satter, L. D.; McGovern, J. N., and Dinius, D. A. Pulp and papermaking residues as feedstuffs for ruminants. *Journal-of-Animal-Science*. 1973, 37: 2, 599-607.
2949. Millikan, R. L. and Smith, J. N. M. Sublethal effects of fenitrothion on forest passerines. *Journal-of-Applied-Ecology*. 1990; 27(3):983-1000.
2950. Mills, B. B. The Beddington burn stages a comeback. 1961, For. Res. Note Ntheast. For. Exp. Sta. No. 117, 1961. Pp. 6. 3 Refs.
2951. Mills, T. R.; Rumble, M. A., and Flake, L. D. Habitat of birds in ponderosa pine and aspen/birch forest in the Black Hills, South Dakota. *Journal-of-Field-Ornithology*. 2000; 71(2):187-206.
2952. Min, X.; Siddiqi, M. Y.; Guy, R. D.; Glass, A. D. M., and Kronzucker, H. J. A comparative study of fluxes and compartmentation of nitrate and ammonium in early-successional tree species. *Plant,-Cell-and-Environment*. 1999; 22(7):821-830.
2953. Min XiangJia; Siddiqi, M. Y.; Guy, R. D.; Glass, A. D. M.; Kronzucker, H. J., and Min, X. J. A comparative kinetic analysis of nitrate and ammonium influx in two early-successional tree species of temperate and boreal forest ecosystems. *Plant,-Cell-and-Environment*. 2000; 23(3):321-328.
2954. Minocha, R.; Shortle, W. C.; Long, S. L., and Minocha, S. C. A rapid and reliable procedure for extraction of cellular polyamines and inorganic ions from plant tissues. *Journal-of-Plant-Growth-Regulation*. 1994; 13(4):187-193.
2955. Miquelle, D. G. and Ballenberghe, V. van. Impact of bark stripping by moose on aspen-spruce communities. *Journal-of-Wildlife-Management*. 1989; 53(3):577-586.
2956. Misiak, R. B. Ditching improves forest productivity. *Technical-Papers,-American-Pulpwood-Association*. 1982, No. 82-P-38, 3 Pp.
2957. Mital, D. and Sucoff, E. Predicting soil moisture depletion beneath trembling aspen. *Canadian-Journal-of-Forest-Research*. 1984; 13(1):45-52.
2958. Mital, D.; Sucoff, E., and Thielges, B. A. Simulated water deficits in Minnesota aspen stands 1930-1975. *Proceedings. Seventh North American Forest Biology Workshop; ('Physiology and Genetics of Intensive Culture'*. 1983):440-445.
2959. Mitchell, H. L. and Chandler, R. F. The nitrogen nutrition and growth of certain deciduous trees of Northeastern United States, with a discussion of the principles and practice of leaf analysis as applied to forest trees. 1939, *Black Rock For. Bull. No. 11*. 1939 Pp. 94.
2960. Mitchell, J. E. The rangelands of Colorado. *Rangelands*. 1993; 15(5):213-219.
2961. Mitchell, J. L. Savannah stump jump disc harrow: short-term assessment. *Field-Note:-Silviculture -Forest-Engineering-Research-Institute-of-Canada*. 1994; (No. 67):2 pp.
2962. Mitchell, M. J. Vertical and horizontal distributions of oribatid mites (Acari: Cryptostigmata) in an aspen woodland soil. *Ecology*. 1978; 59(3):516-525.

2963. Mitton, J. B. and Grant, M. C. Genetic variation and the natural history of quaking aspen. *BioScience*. 1996; 46(1):25-31.
2964. ---. Observations on the ecology and evolution of quaking aspen, *Populus tremuloides*, in the Colorado Front Range. *American-Journal-of-Botany*. 1980; 67(2):202-209.
2965. Mitton, J. B.; Knowles, P.; Sturgeon, K. B.; Linhart, Y. B., and Davis, M. Associations between heterozygosity and growth rate variables in three western forest trees. In *Proceedings of the Symposium on Isozymes of North American Forest Trees and Forest Insects*. 1927 Jul; (1979):Berkeley, California. General-Technical-Report,-Pacific-Southwest-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1981, No. PSW-48, 27-34.
2966. Miyata, E. S.; Steinhilb, H. M.; Sajdak, R. L., and Coffman, M. Roller chopping for site preparation in Wisconsin: a case study. *Research-Paper,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1982; (No. NC-223):8 pp.
2967. Mladenoff, D. J.; White, M. A.; Crow, T. R., and Pastor, J. Applying principles of landscape design and management to integrate old-growth forest enhancement and commodity use. *Conservation-Biology*. 1994; 8(3):752-762.
2968. Mlodzianowski, F. and Siwecki, R. Ultrastructural changes in chloroplasts of *Populus tremula* L., leaves affected by the fungus *Melampsora pinitorqua* Braun. *Rostr. Physiological-Plant-Pathology*. 1975; 6(1):1-3.
2969. ---. Ultrastructure of poplar leaves naturally infected by rust *Melampsora larici-populina* Kleb. *Arboretum-Kornickie*. 1976, 21: 375-400; 18 Pl.; 18 Ref.
2970. Mockford, E. L. Identification of *Elipsocus* species of western North America with descriptions of two new species (Psocoptera: Elipsocidae). *Pan-Pacific-Entomologist*. 1980; 56(4):241-259.
2971. Moessner, K. E. Preliminary aerial volume tables for conifer stands in the Rocky Mountains. 1957, Res. Pap. Intermt. For. Range Exp. Sta. 1957. No. 41, Pp.17.
2972. Moeur, M. and Ek, A. R. Plot, stand, and cover-type aggregation effects on projections with an individual tree based stand growth model. *Canadian-Journal-of-Forest-Research*. 1981; 11(2):309-315.
2973. Mohammed Kamaluddin and Zwiazek, J. J. Fluoride inhibits root water transport and affects leaf expansion and gas exchange in aspen (*Populus tremuloides*) seedlings. *Physiologia-Plantarum*. 2003; 117(3):368-375.
2974. Molles, M. C.; Gosz, J. R., and Cates, R. G. Effects of recreation (trampling) on the forest floor and associated streams of aspen and conifer forests. 1983, 57 Pp.
2975. Molles, M. C. Jr. Trichopteran communities of streams associated with aspen and conifer forests: long-term structural change. *Ecology*. 1982; 63(1):1-6.
2976. Mondor, E. B. and Roland, J. Host locating behaviour of *Leschenaultia exul* and *Patelloa pachypyga*: two tachinid parasitoids of the forest tent caterpillar, *Malacosoma disstria*. *Entomologia-Experimentalis-Et-Applicata*. 1997; 85(2):161-168.
2977. Monsen, S. B.; Stevens, R.; Walker, S. C., and West, N. E. The competitive influence of seeded smooth brome (*Bromus inermis*) and intermediate wheatgrass (*Thinopyron intermedium*) within aspen-mountain brush communities of central Utah. *Rangelands in a Sustainable Biosphere. Proceedings of the Fifth International Rangeland Congress; Salt Lake City, Utah, USA, 23-28 July, 1995. Volume 1(Contributed presentations)*. 1996):379-380.

2978. Monson, R. K. and Fall, R. Isoprene emission from aspen leaves. Influence of environment and relation to photosynthesis and photorespiration. *Plant-Physiology*. 1989; 90(1):267-274.
2979. Monson, R. K.; Harley, P. C.; Litvak, M. E.; Wildermuth, M.; Guenther, A. B.; Zimmerman, P. R., and Fall, R. Environmental and developmental controls over the seasonal pattern of isoprene emission from aspen leaves. *Oecologia*. 1994; 99(3-4):260-270.
2980. Monson, R. K.; Hills, A. J.; Zimmerman, P. R., and Fall, R. R. Studies of the relationship between isoprene emission rate and CO₂ or photon-flux density using a real-time isoprene analyser. *Plant,-Cell-and-Environment*. 1991; 14(5):517-523.
2981. Montano, J. and Hossfeld, R. The reaction of wood with alkaline solutions of sodium hydrosulphite. 1951, *Tappi* 1951 34 (10), (468-70). 20 Refs.
2982. Monti, P. W. and Mackintosh, E. E. Effect of camping on surface soil properties in the boreal forest regions of northwestern Ontario, Canada. *Soil-Science-Society-of-America-Journal*. 1979; 43(5):1024-1029.
2983. Moody, B. H. and Amirault, P. A. Impacts of major pests on forest growth and yield in the prairie provinces and the Northwest Territories: a literature review. *Information-Report -Northwest-Region,-Forestry-Canada*. 1992; (No. NOR-X-324):35 pp.
2984. Moola, F. M. and Mallik, A. U. Morphological plasticity and regeneration strategies of velvet leaf blueberry (*Vaccinium myrtilloides* Michx.) following canopy disturbance in boreal mixedwood forests. *Forest-Ecology-and-Management*. 1998; 111(1):35-50.
2985. Mooty, J. J.; Karns, P. D., and Fuller, T. K. Habitat use and seasonal range size of white-tailed deer in northcentral Minnesota. *Journal-of-Wildlife-Management*. 1987; 51(3):644-648.
2986. Moran Palma, P. and McTague, J. P. Stand dynamics of the spruce-fir forest in east-central Arizona. *Western-Journal-of-Applied-Forestry*. 1997; 12(2):55-61.
2987. Morawski, Z. J. R.; Basham, J. T., and Turner, K. B. A survey of a pathological condition in the forests of Ontario. 1958, *Rep.(For.Resour.Invent.)Div.Timb.Ont.Dep.Lds.For.* 1958 25 Pp.96 19 Refs.
2988. Morgan, M. D. Ecology of Aspen in Gunnison County, Colorado. 1969, *Amer. Midl. Nat.* 1969 82 (1), (204-28). [47 Refs.].
2989. Moricca, S.; Ragazzi, A., and Longo, B. N. In vitro growth of the aspen rust *Melampsora larici-tremulae*. *Mycological-Research*. 2000; 104(10):1250-1257.
2990. Morissette, J. L.; Cobb, T. P.; Brigham, R. M., and James, P. C. The response of boreal forest songbird communities to fire and post-fire harvesting. *Canadian-Journal-of-Forest-Research*. 2002; 32(12):2169-2183.
2991. Morley, P. M. and Balatinecz, J. J. Poplar utilization in Canada: past, present and future. *Forestry-Chronicle*. 1993; 69(1):46-52.
2992. Morrall, R. A. A. Soil microfungi associated with Aspen in Saskatchewan : synecology and quantitative analysis. *Canadian-Journal-of-Botany*. 1974; 52(8):1083-1817.
2993. ---. Soil microfungi associated with aspen in Saskatchewan: synecology and quantitative analysis. *Canadian-Journal-of-Botany*. 1974; 52(8):1803-1817.
2994. Morris, D. M. and Farmer, R. E. Jr. Species interactions in seedling populations of *Populus tremuloides* and

- Populus balsamifera*: effects of density and species ratios. *Canadian-Journal-of-Forest-Research*. 1985; 15(3):593-595.
2995. Morris, D. M. and Forslund, R. R. A field-oriented competition index for young jack pine plantations and a computerized decision tool for vegetation management. *New-Forests*. 1991; 5(2):93-107.
2996. Morris, P. I.; Clark, J. E.; Minchin, D., and Wellwood, R. Upgrading the fungal resistance of OSB. Document -International-Research-Group-on-Wood-Preservation. 1999; (No. IRG-WP-99-40138):11 pp.
2997. Morrison, I. K.; Lee, J. Jr.; Cameron, D. A.; Leblanc, J. D.; Dumas, M. T.; Richardson, J. (ed.); Bjorheden, R. (ed.); Hakkila, P. (ed.); Lowe, A. T. (ed.), and Smith, C. T. Carbon distribution and above-ground net production as influenced by harvesting in a second-growth boreal mixedwood forest in Eastern Canada. Proceedings of the IEA Bioenergy Task 18 Workshop on Bioenergy From Sustainable Forestry: Principles and Practice, Coffs Harbour, New South Wales, Australia, 16-20 October 2000. . *Forest-Research-Bulletin*. 2001; (No.223):81-91.
2998. Morrison, I. K.; Richardson, J. (ed.); Smith, T. (ed.); Bjorheden, R. (ed.), and Lowe, A. Biomass growth and element uptake by young trembling aspen in relation to site treatments in Northern Ontario, Canada. Principles and Practice of Forestry and Bioenergy in Densely-Populated Regions. 1931; Garderen, The Netherlands, 16-21 September 2001. . *Biomass-and-Bioenergy*. 2003, 24(4-5):351-363.
2999. Morrow, R. R. Chemi-thinning hardwoods in the dormant season. 1959, Proc. 13th Ntheast. Weed Control Conf. 1959 (356-9). 7 Refs. From Abstr. in *Weed Abstr.* 8 (10), 1959 (4964).
3000. ---. Chemi-thinning northern hardwoods with picloram and dicamba. 1966, Proc. 20th Ntheast. Weed Control Conf. 1966 (574-6). [2 Refs. From Abstr. in *Weed Abstr.* 1967 16 (4), (No. 1287).].
3001. ---. Chemi-thinning of hardwoods during the dormant season. 1957, Proc. 11th Ntheast. Weed Control Confr. 1957 (196-202). 7 Refs.
3002. Moses, D. M.; Prion, H. G. L.; Li, H., and Boehner, W. Composite behavior of laminated strand lumber. *Wood-Science-and-Technology*. 2003; 37(1):59-77.
3003. Moses, R. A. and Boutin, S. The influence of clear-cut logging and residual leave material on small mammal populations in aspen-dominated boreal mixedwoods. *Canadian-Journal-of-Forest-Research*. 2001; 31(3):483-495.
3004. Moshenko, D. W. Timberjack FMG 933C Clambunk: observations. *Field-Note:-Skidding-Forwarding - Forest-Engineering-Research-Institute-of-Canada*. 1992, No. 20, 2 Pp.
3005. Moss, E. H. Forest communities in north-western Alberta. 1953, *Canad. J. Bot.* 1953 31 (2), (212-52 + 5 Photos). 17 Refs.
3006. Movnin, M. S. and Ermolovich, A. G. Investigation of a method of continuous compression of wood. 1971, *Lesn. Zh.* 1971 14 (3), (58-62). [Ru, 3 Ref.].
3007. Mowrer, H. T. ASPNORM: a normal diameter distribution growth and yield model for aspen in the central Rocky Mountains. *Research-Paper -Rocky-Mountain-Forest-and-Range-Experiment-Station,- USDA-Forest-Service*. 1986; (No. RM-264):12 pp.
3008. ---. Site productivity estimates for aspen in the central Rocky Mountains. *Western-Journal-of-Applied-Forestry*. 1986; 1(3):89-91.

3009. Mowrer, H. T. and Edminster, C. B. Estimating past breast height diameters and bark thickness of aspen [*Populus tremuloides*] in the central Rocky Mountains. Research-Note,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1985; (No. RM-456):2pp.
3010. Mowrer, H. T. and Shepperd, W. D. Field measurement of age in quaking aspen in the central Rocky Mountains. Research-Note -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1987; (No. RM-476):4 pp.
3011. Moyle, R.; Schrader, J.; Stenberg, A.; Olsson, O.; Sangeeta Saxena; Sandberg, G.; Bhalerao, R. P., and Saxena, S. Environmental and auxin regulation of wood formation involves members of the Aux/IAA gene family in hybrid aspen. *Plant-Journal*. 2002; 31(6):675-685.
3012. Mueggler, W. F. Age distribution and reproduction of Intermountain aspen stands. *Western-Journal-of-Applied-Forestry*. 1989; 4(2):41-45.
3013. ---. Aspen community types of the Intermountain Region. General-Technical-Report -Intermountain-Research-Station,-USDA-Forest-Service. 1988; (No. INT-250):ii + 135 pp.
3014. ---. Sixty years of change in tree numbers and basal area in Central Utah aspen stands. Research-Paper - Intermountain-Research-Station,-USDA-Forest-Service. 1994; (No. INT-RP-478):11 pp.
3015. Mueggler, W. F. and Bartos, D. L. Grindstone Flat and Big Flat exclosures - a 41-year record of changes in clearcut aspen communities. Research-Paper,-USDA-Forest-Service. 1977; (No.INT-195):17pp.
3016. ---. Grindstone Flat and Big Flat exclosures: a 41-year record of changes in clearcut aspen communities. USDA-Forest-Service-Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station. 1977; (No. INT-195):iv + 16 pp.
3017. Mueggler, W. F. and Campbell, R. B. Jr. Aspen community types of Utah. Research-Paper,-Intermountain-Research-Station,-USDA-Forest-Service. 1986; (No. INT-362):i + 69pp.
3018. ---. Aspen community types on the Caribou and Targhee National Forests in southeastern Idaho. Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1982; (No. INT-294):i + 32 pp.
3019. Mueggler, W. F.; Schier, G. A.; Hinds, T. E.; Jones, J. R.; DeByle, N. V., and Hittenrauch, H. R. Utilization and marketing as tools for aspen management in the Rocky Mountains: Proceedings of the symposium, Sept. 8-9, 1976, Fort Collins, Colorado. Panel II. Aspen ecology and harvesting responses. USDA-Forest-Service-General-Technical-Report,-Rocky-Mountain-Forest-and-Range-Experiment-Station. 1976, No. RM-29, 15-44.
3020. Mugasha, A. G. Evaluation of simple competition indices for the prediction of volume increment of young jack pine and trembling aspen trees. *Forest-Ecology-and-Management*. 1989; 26(3):227-235.
3021. Mugg, J. B. The methanol-extractable materials in newly formed Aspenwood [*Populus tremuloides*]. 1959, *Tappi* 1959 52 (4), (289-94). 25 Refs.
3022. Muggli, J. M. Sex identification of *Malacosoma disstria* pupae (Lepidoptera: Lasiocampidae). *Annals-of-the-Entomological-Society-of-America*. 1974; 67(3):521-522.
3023. Muggli, J. M. and Miller, W. E. Instar head widths, individual biomass, and development rate of forest tent caterpillar, *Malacosoma disstria* (Lepidoptera: Lasiocampidae), at two densities in the laboratory. *Great-Lakes-Entomologist*. 1980; 13(4):207-209.
3024. Muhairwe, C. K.; LeMay, V. M., and Kozak, A. Effects of adding tree, stand, and site variables to Kozak's

- variable-exponent taper equation. *Canadian-Journal-of-Forest-Research*. 1994; 24(2):252-259.
3025. Muhammad, A. F. and Micko, M. M. Accumulation of calcium crystals in the decayed wood of aspen attacked by *Fomes igniarius*. *IAWA-Bulletin*. 1984, 5: 3, 237-242.
3026. ---. Accumulation of calcium crystals in the decayed wood of aspen attacked by *Fomes igniarius*. *IAWA-Bulletin*. 1984; 5(3):237-241.
3027. ---. Accumulation of calcium crystals in the decayed wood of aspen attacked by *Fomes igniarius*. *IAWA-Bulletin*. 1984; 5(3):237-241.
3028. Muhlsteph, W. Effect of the shape of the fibre on the properties of cellulose. 1. The absorption capacity of cellulose films for liquids. 1949, *Transl. Inform. Serv. Coun. Sci. Industr. Res. Aust.* [1949?] Pp. 11. *Transl. by M. Slade From Holz Roh- U. Werkstoff* 3 (2), 1940 (45-9).
3029. Muller Schwarze, D.; Brashear, H.; Kinnel, R.; Hintz, K. A.; Lioubomirov, A., and Skibo, C. Food processing by animals: do beavers leach tree bark to improve palatability? *Journal-of-Chemical-Ecology*. 2001; 27(5):1011-1028.
3030. Muller Schwarze, D.; Schulte, B. A.; Sun, L.; Muller Schwarze, A., and Muller Schwarze, C. Red maple (*Acer rubrum*) inhibits feeding by beaver (*Castor canadensis*). *Journal-of-Chemical-Ecology*. 1994; 20(8):2021-2034.
3031. Mullin, R. E. Underplanting tests with Red and White Pine in southern Ontario. *Forest-Research-Note,-Ministry-of-Natural-Resources,-Ontario*. 1975; (No. 2):4 pp.
3032. Mullis, R. H. An autoradiographic study of pentosan deposition on the cell walls of *Populus tremuloides* Michx. 1975, 115 Pp.; Xerox University Microfilms Order No.75-28960.; 117 Ref.
3033. Mulloy, G. A. Empirical stand density yield tables. II. 1947, *Silv. Res. Note Dom. For. Serv.* 1947. No. 82 Pp. 50 + Gphs.
3034. ---. Improvement cuttings : Intolerant hardwood-conifer type. 1941, *Silvic. Res. Note Dom. For. Serv.* No. 68 1941 Pp. 26. [Dominion Forest Service, Ottawa].
3035. Murmanis, L.; Youngquist, J. A., and Myers, G. C. Electron microscopy study of hardboards. *Wood-and-Fiber-Science*. 1986; 18(3):369-375.
3036. Murphey, W. G. and Rishel, L. E. Relative strength of boards made from bark of several species. 1969, *For. Prod. J.* 1969 19 (1), (52).
3037. Murphey, W. K. and Rishel, L. E. Bark: a raw material. 1969, *Nth. Logger, Old Forge, N.Y.* 1969 18 (3), (18-9).
3038. Murphy, D. L. Database management: a forest inventory application. *General-Technical-Report,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1981; (No. NC-67):ii + 9 pp.
3039. Murphy, P. J.; Quintilio, D., and Woodard, P. M. Validation of an index system for estimating fireline production with handtools. *Forestry-Chronicle*. 1989; 65(3):190-193.
3040. Murphy, R. J. and Turner, P. A vapour phase preservative treatment of manufactured wood based board materials. *Wood-Science-and-Technology*. 1989; 23(3):273-279.
3041. Musselman, K. and Hocker, H. W. Jr. Caloric values of eight New Hampshire forest tree species. *Canadian-Journal-of-Forest-Research*. 1981; 11(2):409-412.

3042. Muzika, R. M. and Liebhold, A. M. Changes in radial increment of host and nonhost tree species with gypsy moth defoliation. *Canadian-Journal-of-Forest-Research*. 1999; 29(9):1365-1373.
3043. Mwalongo, G. C. J.; Mkyula, L. L.; Dawson Andoh, B.; Mubofu, E. B.; Shields, J., and Mwingira, B. A. Preventing termite attack: environmentally friendly chemical combinations of cashew nut shell liquid, sulfited wattle tannin and copper(II) chloride. *Green-Chemistry*. 1999; 1(1):13-16.
3044. Myers, G. C. Characterization of fiberboard pulp. *Forest-Products-Journal*. 1987; 37(2):30-36.
3045. ---. A comparison of hardboards manufactured by semidry-, dry-, and wet-formed processes. *Forest-Products-Journal*. 1986; 36(7-8):49-56.
3046. ---. Hardboards from a mixture of Philippine hardwoods after chip storage. Report,-Agency-for-International-Development. 1977; (No. 5 (addendum)):8 pp.
3047. ---. Low-density boards from wood fiber and plastic resin combinations. *Forest-Products-Journal*. 1976; 26(4):31-34.
3048. ---. Properties of hardboards made from tropical hardwoods and aspen chips before and after simulated outdoor storage. *Forest-Products-Journal*. 1983; 33(2):39-42.
3049. ---. Relationship of fiber preparation and characteristics to performance of medium-density hardboards. *Forest-Products-Journal*. 1983; 33(10):43-51.
3050. Myers, G. C.; Arola, R. A.; Horn, R. A., and Wegner, T. H. Chemical and mechanical pulping of aspen chunkwood, mature wood, and juvenile wood. *Tappi-Journal*. 1996; 79(12):161-167.
3051. Myers, G. C. and Crist, J. B. Feasibility of manufacturing hardboard from short-rotation intensively cultured *Populus*. *Forest-Products-Journal*. 1986; 36(1):37-44.
3052. Myers, G. C.; Leatham, G. F.; Wegner, T. H., and Blanchette, R. A. Fungal pretreatment of aspen chips improves strength of refiner mechanical pulp. *Tappi-Journal*. 1988; 71(5):105-108.
3053. Myers, J. F. and Fechner, G. H. Seed hairs and seed germination in *Populus*. *Tree-Planters'-Notes*. 1980; 31(3):3-4.
3054. Myers, W. L. Distribution of oviposition slits constructed by *Oberea schaumii* Leconte and *Saperda concolor* Leconte (Coleoptera: Cerambycidae) on Aspen suckers (*Populus tremuloides* Michaux). 1967, Abstr. of Thesis, in Dissert. Abstr. 1967 28B (6), (2209).
3055. Myers, W. L.; Knight, F. B., and Grimble, D. G. Frequency of borer attacks as related to character of Aspen sucker stands: a comparative study of *Oberea schaumii* and *Saperda inornata* [S. *concolor*]. 1968, *Ann. Ent. Soc. Amer.* 1968 61 (1418-23). [7 Refs. O.R.S.] [Cf. F.A. 29 No. 6004.].
3056. Myles, T. G. Use of disodium octaborate tetrahydrate to protect aspen waferboard from termites. *Forest-Products-Journal*. 1994; 44(9):33-36.
3057. N' Diaye, S.; Rigal, L.; Larocque, P., and Vidal, P. F. Extraction of hemicelluloses from poplar, *Populus tremuloides*, using an extruder-type twin-screw reactor: a feasibility study. *Bioresource-Technology*. 1996; 57(1):61-67.
3058. Nafziger, T. R.; Clark, T. F., and Wolff, I. A. Newsprint from domestic timber Bamboo-*Phyllostachys bambusoides*. 1961, *Tappi* 44 (7), 1961 (472-5). 11 Refs.
3059. Nagaraj, M. Floral morphology of *Populus deltoides* and *P. tremuloides*. 1952, *Bot. Gaz.* 1952 114 (2),

(222-43). 34 Refs.

3060. Nalder, I. A. and Wein, R. W. Long-term forest floor carbon dynamics after fire in upland boreal forests of western Canada. *Global-Biogeochemical-Cycles*. 1999; 13(4):951-968.
3061. ---. A new forest floor corer for rapid sampling, minimal disturbance and adequate precision. *Silva-Fennica*. 1998; 32(4):373-382.
3062. Nalder, I. A.; Wein, R. W.; Alexander, M. E.; Groot, W. J. de, and de Groot, W. J. Physical properties of dead and downed round-wood fuels in the boreal forests of western and northern Canada. *International-Journal-of-Wildland-Fire*. 1999; 9(2):85-99.
3063. Nalder, I. A.; Wein, R. W.; Alexander, M. E.; Groot, W. J. de, and De Groot, W. J. Physical properties of dead and downed round-wood fuels in the boreal forests of Alberta and Northwest Territories. *Canadian-Journal-of-Forest-Research*. 1997; 27(9):1513-1517.
3064. Nanassy, A. J. True dry-mass and moisture content of wood by NMR. *Wood-Science*. 1976; 9(2):104-109.
3065. Napier, D. A. Total tree harvesting doubles fiber tonnage from Aspen stand. *Journal-of-Forestry*. 1972, 70: 6, 343-344.
3066. Navratil, S. and Basham, J. T. Wood defects and microflora in young second growth aspen stands of root sucker origin. *Proceedings-of-the-American-Phytopathological-Society*. 1975, Publ. 1976, 2: 46.
3067. Navratil, S.; Brace, L. G.; Sauder, E. A., and Lux, S. Silvicultural and harvesting options to favor immature white spruce and aspen regeneration in boreal mixedwoods. Information-Report -Northwest-Region,-Canadian-Forest-Service. 1994; (No. NOR-X-337):x + 78 pp.
3068. Navratil, S. (ed.) and Chapman, P. B. Aspen management for the 21st Century. Proceedings of a symposium held November 20-21 1990, in Edmonton, Alberta, in conjunction with the 12th Annual Meeting of the Poplar Council of Canada. 1991, Vi + 174 Pp.; Ref. at End of Each Paper.
3069. Nehls, U.; Bock, A.; Einig, W., and Hampp, R. Excretion of two proteases by the ectomycorrhizal fungus *Amanita muscaria*. *Plant,-Cell-and-Environment*. 2001; 24(7):741-747.
3070. Neilson, R. W. (ed.) and McBride, C. F. Poplar utilization symposium. Information-Report,-Western-Forest-Products-Laboratory,-Canada. 1974; (No. VP-X-127):248 pp.
3071. Nekrasova, G. N. Investigation of the nature of Aspen false heart. 1968, Transl. Dep. For. Can. 1968 No. 179 Pp. 13 [14 Refs. Transl. From Lesn. Z., Arhangel'Sk 1967 10 (2),(87-91). [Cf. F.A. 29 No.1563.] Limited Distribution.].
3072. Nelson, R. M. Jr. A method for describing equilibrium moisture content of forest fuels. *Canadian-Journal-of-Forest-Research*. 1984; 14(4):597-600.
3073. Nelson, S. M. and Roline, R. A. Leaf litter breakdown in a mountain stream impacted by a hypolimnetic release reservoir. *Journal-of-Freshwater-Ecology*. 2000; 15(4):479-490.
3074. Nemecek Marshall, M.; MacDonald, R. C.; Franzen, J. J.; Wojciechowski, C. L., and Fall, R. Methanol emission from leaves. Enzymatic detection of gas-phase methanol and relation of methanol fluxes to stomatal conductance and leaf development. *Plant-Physiology*. 1995; 108(4):1359-1368.
3075. Nepenin Yu.N; Beigel'man, A. V., and Vishnevskaya, N. S. Strong bleached sulphate pulp from hardwoods. 1971, Bumazh. Prom. 1971 (11), (12-4). [Ru, 6 Ref.].

3076. Netzer, D. A. Effect of spring-applied sulfometuron and imazapyr on newly planted tree seedlings in northern Wisconsin. Proceedings, North Central Weed Control Conference. 1986, Vol. 41, 115-117.
3077. Neumann, H. H.; Hartog, G. den, and Shaw, R. H. Leaf area measurements based on hemispheric photographs and leaf litter collection in a deciduous forest during autumn leaf-fall. *Agricultural-and-Forest-Meteorology*. 1989; 45(3-4):325-345.
3078. Neville, J.; Tessier, J. L.; Morrison, I.; Scarratt, J.; Canning, B., and Klironomos, J. N. Soil depth distribution of ecto- and arbuscular mycorrhizal fungi associated with *Populus tremuloides* within a 3-year-old boreal forest clear-cut. *Applied-Soil-Ecology*. 2002; 19(3):209-216.
3079. Newcombe, G. and Chastagner, G. A. A leaf rust epidemic of hybrid poplar along the lower Columbia river caused by *Melampsora medusae*. *Plant-Disease*. 1993; 77(5):528-531.
3080. Newnham, R. M. Variable-form taper functions for four Alberta tree species. *Canadian-Journal-of-Forest-Research*. 1992; 22(2):210-223.
3081. Newsome, R. D. A phytosociological study of the forests of the Cypress Hills. 1966, Abstr. of Thesis, in Dissert. Abstr. 1966 27B (5), (1379).
3082. Newsome, R. D. and Dix, R. L. The forests of the Cypress Hills, Alberta and Saskatchewan, Canada. 1968, *Amer. Midl. Nat.* 1968 80 (1), (118-85). [69 Refs.].
3083. Newsome, T.; Heineman, J. L., and Nemecek, A. Competitive effects of trembling aspen on lodgepole pine performance in the SBS and IDF zones of the Cariboo-Chilcotin Region of South-central British Columbia. Technical-Report -Ministry-of-Forests,-Forest-Science-Program,-British-Columbia. 2003; (No.005):ix + 76 pp.
3084. Newton, M.; Cole, E. C., and Lym, R. G. Combinations of glyphosate and imazapyr for control of deciduous woody species in western Oregon and Alaska. Proceedings of the Western Society of Weed Science, Seattle, Washington, USA, 12-14 March 1991. 1991, 44: 69-72.
3085. Niazi, K. A. and Gertjeansen, R. O. Linear dimensional stability of aspen veneered particleboard. *Forest-Products-Journal*. 1979; 29(5):28-29.
3086. Nichol, C. J.; Huemmrich, K. F.; Black, T. A.; Jarvis, P. G.; Walthall, C. L.; Grace, J., and Hall, F. G. Remote sensing of photosynthetic-light-use efficiency of boreal forest. *Agricultural-and-Forest-Meteorology*. 2000; 101(2-3):131-142.
3087. Nicholas, D. D.; Kim, M. G.; Pittman, C. U. Jr.; Schultz, T. P.; Ingram, L. L. Jr.; Kabir, F. R. A.; Wasson, L.; Wang, L., and Ivankoe, M. Polyurethane resins-treated wood pallets which are decontaminable of chemical warfare agents. *Journal-of-Wood-Chemistry-and-Technology*. 2001; 21(3):285-298.
3088. Nicholls, K. H.; Steedman, R. J., and Carney, E. C. Changes in phytoplankton communities following logging in the drainage basins of three boreal forest lakes in northwestern Ontario (Canada), 1991-2000. *Canadian-Journal-of-Fisheries-and-Aquatic-Sciences*. 2003; 60(1):43-54.
3089. Nichols, D. S. Temperature of upland and peatland soils in a north central Minnesota forest. *Canadian-Journal-of-Soil-Science*. 1998; 78(3):493-509.
3090. Nichols, J. M.; Rose, D. W., and Husain, S. A. The impact of forest management restrictions on aspen harvest levels and forest structure in Itasca County, Minnesota. *Northern-Journal-of-Applied-Forestry*. 1999; 16(4):177-184.

3091. Nicol, R. W.; Arnason, J. T.; Helson, B., and Abou Zaid, M. M. Effect of host and nonhost trees on the growth and development of the forest tent caterpillar, *Malacosoma disstria* (Lepidoptera: Lasiocampidae). *Effets Des Arbres Hotes Et Autres Arbres Sur La Croissance Et Le Cycle De La Livree Des Forets, Malacosoma Disstria* (Lepidoptera: Lasiocampidae). 1997; 129(6):991-999.
3092. Nielsen, E. L. and Moyle, J. B. Forest invasion and succession of the basins of two catastrophically drained lakes in northern Minnesota. 1941, *Amer. Midl. Nat.* 25 1941 (564-79). [University of Arkansas, Fayetteville.] L.S.
3093. Nielsen, U.; Aldred, A. H., and MacLeod, D. A. A forest inventory in the Yukon using large scale photo sampling techniques. Information-Report,-Forest-Management-Institute,-Canada. 1979; (No. FMR-X-121):vi + 40 pp.
3094. Nielson, R. W.; McIntosh, J. A. (ed.), and Carroll, M. N. Secondary or minor products challenges. Utilization of Western Canadian Hardwoods. Proceedings of symposium held at Prince George; (British Columbia):November 21-22, 1979. Special-Publication,-Western-Forest-Products-Laboratory,-Forintek-Canada-Corp. 1980, No. SP 2, 53-59.
3095. Niemela, J. and Spence, J. R. Distribution and abundance of an exotic ground-beetle (Carabidae): a test of community impact. *Oikos*. 1991; 62(3):351-359.
3096. ---. Dynamics of local expansion by an introduced species: *Pterostichus melanarius* III. (Coleoptera, Carabidae) in Alberta, Canada. *Diversity-and-Distributions*. 1999; 5(4):121-127.
3097. Niemela, J.; Spence, J. R., and Spence, D. H. Habitat associations and seasonal activity of ground-beetles (Coleoptera, Carabidae) in central Alberta. *Canadian-Entomologist*. 1992; 124(3):521-540.
3098. Niemela, P.; Chapin, F. S. III; Danell, K., and Bryant, J. P. Herbivory-mediated responses of selected boreal forests to climatic change. *Climatic-Change*. 2001; 48(2-3):427-440.
3099. Niemuth, N. D. and Boyce, M. S. Disturbance in Wisconsin pine barrens: implications for management. Oak Savannas and Woodlands: 1997 Midwest Oak Savanna and Woodland Conference, University of Wisconsin Madison. *Transactions-of-the-Wisconsin-Academy-of-Sciences,-Arts-and-Letters*. 1998, 86: 167-176; 36 Ref.
3100. Nigh, G. Site index conversion equations for mixed trembling aspen and white spruce stands in Northern British Columbia. *Silva-Fennica*. 2002; 36(4):789-797.
3101. Nigh, G. D. Site index adjustments for old-growth stands based on veteran trees. Working-Paper -Ministry-of-Forests-Research-Program,-British-Columbia. 1998; (No. 36):v + 17 pp.
3102. Nigh, G. D.; Krestov, P. V., and Klinka, K. Trembling aspen height-age models for British Columbia. *Northwest-Science*. 2002; 76(3):202-212.
3103. Nihlen, H. and McGovern, J. N. Sustainability of Birch, Aspen and Sugarberry for rayon pulp: results of certain sulfite pulping and bleaching experiments. 1943, Mimeo. U.S. For. Prod. Lab., Madison 1943 No. R1441, Pp. 11 + Tbls.
3104. Niklas, K. J. The elastic moduli and mechanics of *Populus tremuloides* (Salicaceae) petioles in bending and torsion. *American-Journal-of-Botany*. 1991; 78(7):989-996.
3105. Nilsson, O. Effects of *Agrobacterium rhizogenes* rol-gene expression on plant growth and hormone metabolism. 1995, 53 Pp. + 73 Pp.; 15 Pp. of Ref.
3106. Nilsson, O.; Alden, T.; Sitbon, F.; Little, C. H. A.; Chalupa, V.; Sandberg, G., and Olsson, O. Spatial

pattern of cauliflower mosaic virus 35S promoter-luciferase expression in transgenic hybrid aspen trees monitored by enzymatic assay and non-destructive imaging. *Transgenic-Research*. 1992; 1(5):209-220.

3107. Nilsson, O.; Little, C. H. A.; Sandberg, G., and Olsson, O. Expression of two heterologous promoters, *Agrobacterium rhizogenes* rolC and cauliflower mosaic virus 35S, in the stem of transgenic hybrid aspen plants during the annual cycle of growth and dormancy. *Plant-Molecular-Biology*. 1996; 31(4):887-895.
3108. Nilsson, O.; Moritz, T.; Sundberg, B.; Sandberg, G., and Olsson, O. Expression of the *Agrobacterium rhizogenes* rolC gene in a deciduous forest tree alters growth and development and leads to stem fasciation. *Plant-Physiology*. 1996; 112(2):493-502.
3109. Nilsson, O.; Tuominen, H.; Sundberg, B., and Olsson, O. The *Agrobacterium rhizogenes* rolB and rolC promoters are expressed in pericycle cells competent to serve as root initials in transgenic hybrid aspen. *Physiologia-Plantarum*. 1997; 100(3):456-462.
3110. Nitao, J. K.; Birr, B. A.; Nair, M. G.; Herms, D. A., and Mattson, W. J. Rapid quantification of proanthocyanidins (condensed tannins) with a continuous flow analyzer. *Journal-of-Agricultural-and-Food-Chemistry*. 2001; 49(5):2207-2214.
3111. Noh, E. W. and Minocha, S. C. Pigment and isozyme variation in aspen shoots regenerated from callus culture. *Plant-Cell,-Tissue-and-Organ-Culture*. 1990; 23(1):39-44.
3112. Nokoe, S. and Kozak, A. Obtaining a composite volume-age function with the Gompertz model. *Northwest-Science*. 1979; 53(1):12-17.
3113. Noland, T. L.; Miller, J. R.; Moorthy, I.; Panigada, C.; Zarco Tejada, P. J.; Mohammed, G. H.; Sampson, P. H.; Buse, L. J. (ed.), and Perera, A. H. Bioindicators of forest sustainability: using remote sensing to monitor forest condition. Meeting Emerging Ecological, Economic and Social Challenges in the Great Lakes Region: Popular Summaries. Great Lake Forest Alliance's Second Annual Sustainable Forest Management Summit, Sault Ste. Marie, Ontario, Canada, June 2003. *Forest-Research-Information-Paper -Ontario-Forest-Research-Institute*. 2003, No.155, 75-77.
3114. Noll, K. E. and Khalili, E. K. Characterization of pollen deposition in a forest environment. *Atmospheric-Environment.-Part-A,-General-Topics*. 1990; 24A(4):951-957.
3115. Noormets, A.; Podila, G. K., and Karnosky, D. F. Rapid response of antioxidant enzymes to O₃-induced oxidative stress in *Populus tremuloides* clones varying in O₃ tolerance. *Forest-Genetics*. 2000, 7: 4, 335-338.
3116. Noormets, A.; Sober, A.; Pell, E. J.; Dickson, R. E.; Podila, G. K.; Sober, J.; Isebrands, J. G., and Karnosky, D. F. Stomatal and non-stomatal limitation to photosynthesis in two trembling aspen (*Populus tremuloides* Michx.) clones exposed to elevated CO₂ and/or O₃. *Plant,-Cell-and-Environment*. 2001; 24(3):327-336.
3117. Norberg, P. H. and Meier, H. The gelatinous layer in tension wood fibres of Aspen (*Populus tremula* L.). 1966, *News Bull. Int. Ass. Wood Anatomists* 1966 (1), (3-10). [14 Refs.].
3118. Nord, J. C. The life history and behavior of *Saperda inornata* [S.concolor] and *Oberea schaumii* (Coleoptera: Cerambycidae) in Trembling Aspen, *Populus tremuloides*. 1968, *Abstr. of Thesis, in Dissert. Abstr.* 1968 29B (4), (1226-7).
3119. Nord, J. C.; Grimble, D. G., and Knight, F. B. Biology of *Oberea schaumii* (Coleoptera: Cerambycidae) in Trembling Aspen, *Populus tremuloides*. 1972, *Ann. Ent. Soc. Amer.* 1972 65 (1), (114-9). [15

Ref.].

3120. ---. Biology of *Saperda inornata* [*S. concolor*] (Coleoptera: Cerambycidae) in Trembling Aspen, *Populus tremuloides*. 1972, *Ann. Ent. Soc. Amer.* 1972 65 (1), (127-35). [21 Ref.].
3121. Nord, J. C. and Knight, F. B. The distribution of *Saperda inornata* and *Oberea schaumii* (Coleoptera: Cerambycidae) within the crowns of large trembling aspen, *Populus tremuloides*. *Great-Lakes-Entomologist*. 1972; 5(1):28-32.
3122. ---. The geographic variation of *Saperda inornata* Say (Coleoptera: Cerambycidae) in eastern North America. Nord, J. C.; Knight, F. B. (The nomenclatural status of *Saperda inornata* Say (Coleoptera: Cerambycidae). *Michigan-Entomologist*. 1971):publ. 1972, 4: 2, 39-52.
3123. ---. The importance of *Saperda inornata* and *Oberea schaumii* (Coleoptera: Cerambycidae) galleries as infection courts of *Hypoxylon pruinautum* in trembling aspen, *Populus tremuloides*. *Great-Lakes-Entomologist*. 1972; 5(3):87-92.
3124. ---. The relationship of the abundance of *Saperda inornata* and *Oberea schaumii* (Coleoptera: Cerambycidae) in large trembling aspen, *Populus tremuloides*, to site quality. Nord, J. C.; Knight, F. B. (The importance of *Saperda inornata* and *Oberea schaumii* (Coleoptera: Cerambycidae) galleries as infection courts of *Hypoxylon pruinautum* in trembling aspen):*Populus tremuloides*. *Great-Lakes-Entomologist*. 1972, 5: 3, 93-97.
3125. Nord, J. C.; Knight, F. B., and Vogt, G. B. Identity and biology of an Aspen root girdler, *Agrilus horni*. 1965, *For. Sci.* 11 (1), 1965 (33-41). 9 Refs.
3126. Nordin, V. J. A leaf-spot disease of Aspen. 1953, *Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can.* 1953 9 (2), (4).
3127. Nordman, L. S. Mechano-chemical pulps in paper and board manufacture [with discussion]. 1958, *Medd. Industr. CentLab., Helsinki* 1958 No. 207, (35-50). 23 Refs.
3128. Noreen, P. A. and Hughes, J. M. Some economic guides for alternative uses of Aspen logs. 1968, *Tech. Bull. Minn. Agric. Exp. Sta. No. 260*, 1968. Pp. 9. [14 Refs.].
3129. Norris, D. R.; Theberge, M. T., and Theberge, J. B. Forest composition around wolf (*Canis lupus*) dens in eastern Algonquin Provincial Park, Ontario. *Canadian-Journal-of-Zoology*. 2002; 80(5):866-872.
3130. Northcott, T. H. Feeding habits of beaver in Newfoundland. 1971, *Oikos* 1971 22 (3), (407-10). [10 Ref.].
3131. Norton, M. R. and Hannon, S. J. Songbird response to partial-cut logging in the boreal mixedwood forest of Alberta. *Canadian-Journal-of-Forest-Research*. 1997; 27(1):44-53.
3132. Norum, R. A. Wind adjustment factors for predicting fire behavior in three fuel types in Alaska. *Research-Paper,-Pacific-Northwest-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1983; (No. PNW-309):5 pp.
3133. Nostrand, R. S. van. Energy from Newfoundland's forest biomass: a research and development program. *Information-Report,-Newfoundland-Forest-Research-Centre*. 1980; (No. N-X-180):vi + 34 pp.
3134. Novak, F. S. and Lerohl, M. L. An economic assessment of mechanical clearing versus spray and burn in aspen parklands. *Lighter*. 1986; 56(4):23-28.
3135. Nute, D. E.; Rauscher, H. M.; Perala, D. A.; Zhu GuoJun; Chang YouSong; Host, G. E.; Zhu, G. J., and Chang, Y. S. A toolkit approach to developing forest management advisory systems in Prolog. AI-

Applications. 1995; 9(3):39-58.

3136. Nzokou, P. and Kamdem, D. P. Fungal decay resistance of non-durable aspen wood treated with extractives from African padauk (*Pterocarpus soyauxii*). *Journal-of-Tropical-Forest-Products*. 2003; 9(1-2):125-133.
3137. O' Halloran, M. R. Curvilinear stress-strain relationship for wood in compression. *Dissertation-Abstracts-International,-B*. 1973; 34(6):2409.
3138. O' Neill, K. P.; Kasischke, E. S., and Richter, D. D. Environmental controls on soil CO₂ flux following fire in black spruce, white spruce, and aspen stands of interior Alaska. *Canadian-Journal-of-Forest-Research*. 2002; 32(9):1525-1541.
3139. Oberg, J. C.; Hossfeld, R. L., and Kaufert, F. H. Fluorescent materials associated with discoloration in Aspen. 1956, *Tappi* 1956 39 (7), (470-1). 6 Refs.
3140. Ohmann, L. F.; Batzer, H. O.; Buech, R. R.; Lothner, D. C.; Perala, D. A.; Schipper, A. L. Jr., and Verry, E. S. Some harvest options and their consequences for the aspen, birch and associated conifer forest types of the Lake States. *General-Technical-Report,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1978; (No. NC-48):iii + 34 pp.
3141. Ohmann, L. F.; Cushwa, C. T.; Lake, R. E.; Beer, J. R., and Brander, R. B. Wilderness ecology: the upland plant communities, woody browse production, and small mammals of two adjacent 33-year-old wildfire areas of northeastern Minnesota. *USDA-Forest-Service-General-Technical-Report,-North-Central-Forest-Experiment-Station*. 1973; (No.NC-7):30 pp.
3142. Ohmann, L. F. and Grigal, D. F. Spatial and temporal patterns of sulfur and nitrogen in wood of trees across the north central United States. *Canadian-Journal-of-Forest-Research*. 1990; 20(5):508-513.
3143. Okafo, O. A. and Hanover, J. W. Comparative photosynthesis and respiration of trembling and bigtooth aspens in relation to growth and development. *Forest-Science*. 1978; 24(1):103-109.
3144. ---. Two-year performance of barerooted and containerized trembling and bigtooth aspen seedlings. *Tree-Planters'-Notes*. 1978; 29(2):24-28.
3145. Oksanen, E.; Sober, J., and Karnosky, D. F. Impacts of elevated CO₂ and/or O₃ on leaf ultrastructure of aspen (*Populus tremuloides*) and birch (*Betula papyrifera*) in the Aspen FACE experiment. *Environmental-Pollution*. 2001; 115(3):437-446.
3146. Oldemeyer, J. L.; Franzmann, A. W.; Brundage, A. L.; Arneson, P. D., and Flynn, A. Browse quality and the Kenai moose population. *Journal-of-Wildlife-Management*. 1977; 41(3):533-542.
3147. Oliveira, L. C. and Nielson, R. W. Industrial tests of thick veneer slicing and drying technology. *FRDA-Working-Paper-Victoria-B.C*. 1993, Unnumbered, 68 Pp.
3148. Oliver, L. K. and Cleve, K. Van. Notes on soil fungi isolated from a 15-year-old aspen stand in interior Alaska. *Mycotaxon*. 1981; 13(2):369-372.
3149. Olmsted, C. E.; Boyce, M. S. (ed.), and Hayden Wing, L. D. The ecology of aspen with reference to utilization by large herbivores in Rocky Mountain National Park. *North-American-Elk:-Ecology,-Behavior-and-Management*. 1979, 89-97; 27 Ref.
3150. Olmsted, C. E. III. The effect of large herbivores on aspen in Rocky Mountain National Park. *Dissertation-Abstracts-International,-B*. 1977, 38: 5, 2022.

3151. Olsen, J. E. and Junttila, O. Far red end-of-day treatment restores wild type-like plant length in hybrid aspen overexpressing phytochrome A. *Physiologia-Plantarum*. 2002; 115(3):448-457.
3152. Olsen, J. E.; Junttila, O.; Nilsen, J.; Eriksson, M. E.; Martinussen, I.; Olsson, O.; Sandberg, G., and Moritz, T. Ectopic expression of oat phytochrome A in hybrid aspen changes critical daylength for growth and prevents cold acclimatization. *Plant-Journal*. 1997; 12(6):1339-1350.
3153. Olsen, L. P. and Woodworth, H. A. Publications of the Lake States Forest Experiment Station 1923-1955. 1956, Sta. Pap. Lake St. For. Exp. Sta. 1956 No. 39, Pp. 130.
3154. Olsen, R. A.; Odham, G., and Lindeberg, G. Aromatic substances in leaves of *Populus tremula* as inhibitors of mycorrhizal fungi. 1971, *Physiol. Plant*. 1971 25 (1), (122-9). [11 Ref.].
3155. Olson, J. T. and Lundgren, A. L. Converting partially-stocked aspen stands to fully-stocked stands in the Lake States: an economic analysis. General-Technical-Report,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1978; (No. NC-47):ii + 8 pp.
3156. Omdal, D. W.; Shaw, C. G. III; Jacobi, W. R., and Wager, T. C. Variation of pathogenicity and virulence of isolates of *Armillaria ostoyae* on eight tree species. *Plant-Disease*. 1995; 79(9):939-944.
3157. Omule, S. A. Y. and Kozak, A. Stump and breast height diameter tables for British Columbia tree species. FRDA-Report-Victoria,-B.C. 1989, No. 062, v + 67 Pp.
3158. Ondro, W. J. Economics of 15 options for industrial utilization of poplar. Information-Report -Northwest-Region,-Forestry-Canada. 1991; (No. NOR-X-320):x + 33 pp.
3159. ---. Utilization and market potential of poplar in Alberta. Information-Report -Northern-Forestry-Centre,-Forestry-Canada. 1989; (No. NOR-X-305):viii + 64 pp.
3160. Ondro, W. J. and Stewart, H. M. Harvesting forest biomass with a Dika side cutter. Forest-Management-Note,-Northern-Forest-Research-Centre,-Canada. 1983, No. 23, 2 Pp.
3161. Oosting, H. J. and Reed, J. F. The establishment of a White Birch community on cutover pulpwood land in northwestern Maine. 1942, *Bull. Torrey Bot. Cl.* 69 1942 (647-60). [Duke University, Durham, N.C.] O.B.D.
3162. Opio, C.; Jacob, N., and Coopersmith, D. Height to diameter ratio as a competition index for young conifer plantations in northern British Columbia, Canada. *Forest-Ecology-and-Management*. 2000; 137(1-3):245-252.
3163. Opper, M. A. Present utilization of species in the boreal mixedwood forests in Ontario: industrial perspective. Whitney, R. D.; McClain, K. M. (Co-chairmen): Boreal Mixedwood Symposium. Symposium-Proceedings,-Great-Lakes-Forest-Research-Centre,-Canada. 1981, No. 0-P-9, 97-103.
3164. Opsal, P. M. and Hossfeld, R. L. The nature and significance of the natural durability of diamond Willow heartwood. 1959, *For. Prod. J.* 1959 9 (6), (188-91). 15 Refs. [Cf. F.A. 19 No. 2446].
3165. Oriaran, T. P.; Labosky, P. Jr., and Blankenhorn, P. R. Kraft pulp and papermaking properties of *Phanerochaete chrysosporium*-degraded aspen. *Tappi-Journal*. 1990; 73(7):147-152.
3166. Oriaran, T. P.; Labosky, P. Jr., and Royse, D. J. Lignin degradation capabilities of *Pleurotus ostreatus*, *Lentinula edodes* and *Phanerochaete chrysosporium*. *Wood-and-Fiber-Science*. 1989; 21(2):183-192.
3167. Orlenko, E. A valuable form of Aspen growing in Belorussia. 1960, *Sylvan* 1960 104 (1), (15-9). 7 Refs.

[Pol].

3168. Orlov, V. I.; Alexandrov, L. A., and Tarasyuk, D. D. Prehydrolysates of timber of broad-leafed trees - a valuable pentosan containing raw material. Translation,-Dept.-of-Internal-Affairs,-Wellington,-New-Zealand. 1978, 5 Pp.; Translated From *Gidroliznaya i Lesokhimicheskaya Promyshlennost'* (1977) No. 6, 4-5. Ru. Limited Distribution.
3169. Orr, B.; Buongiorno, J.; Young, T.; Lothner, D. C., and Kallio, E. Future timber harvest on the Chippewa and Superior National Forests in Minnesota. *Resource-Bulletin,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1985; (No. NC-89):11 pp.
3170. Osakabe, Y.; Ohtsubo, Y.; Kawai, S.; Katayama, Y., and Morohoshi, N. Structure and tissue-specific expression of genes for phenylalanine ammonia-lyase from a hybrid aspen, *Populus kitakamiensis*. *Plant-Science-Limerick*. 1995; 105(2):217-226.
3171. Osgood, E. A. Jr. Population dynamics of insects on suckers of Quaking Aspen, *Populus tremuloides* Michx., with special emphasis on the spotted Poplar aphid, *Aphis maculatae* Oestlund, and the Willow shoot sawfly, *Janus abbreviatus* (Say). 1963, Abstr. of Thesis, in *Dissert. Abstr.* 24 (1), 1963 (41-2).
3172. Osier, T. L.; Hwang, S. Y., and Lindroth, R. L. Effects of phytochemical variation in quaking aspen *Populus tremuloides* clones on gypsy moth *Lymantria dispar* performance in the field and laboratory. *Ecological-Entomology*. 2000; 25(2):197-207.
3173. Osier, T. L.; Hwang ShawYhi; Lindroth, R. L., and Hwang, S. Y. Within- and between-year variation in early season phytochemistry of quaking aspen (*Populus tremuloides* Michx.) clones. *Biochemical-Systematics-and-Ecology*. 2000; 28(3):197-208.
3174. Osier, T. L. and Lindroth, R. L. Effects of genotype, nutrient availability, and defoliation on aspen phytochemistry and insect performance. *Journal-of-Chemical-Ecology*. 2001; 27(7):1289-1313.
3175. Osterkamp, T. E.; Viereck, L.; Shur, Y.; Jorgenson, M. T.; Racine, C.; Doyle, A., and Boone, R. D. Observations of thermokarst and its impact on boreal forests in Alaska, U.S.A. *Arctic,-Antarctic,-and-Alpine-Research*. 2000; 32(3):303-315.
3176. Ostin, A. Metabolism of indole-3-acetic acid in plants with emphasis on non-decarboxylative catabolism. 1995, 51 + 61 Pp.; 12 Pp. of Ref.
3177. Ostler, W. K. and Buchanan, H. The effects of slope exposure on plant communities. *Proceedings,-Utah-Academy-of-Sciences,-Arts,-and-Letters*. 1973; 50(2):58-63.
3178. Ostrovski, C. M.; Aitken, J.; Free, D.; Egneus, H. (ed.), and Ellegard, A. New developments in fuel ethanol production by gaseous anhydrous hydrofluoric acid (HF) hydrolysis of hardwood, *Populus tremuloides*. *Bioenergy* 84. 1984 Jun 21-1984 Jun 21; (Goteborg):Sweden. Volume III. Biomass conversion. 1984, 181-187.
3179. Ostry, M. E. Association of *Parkerella populi* with declining hybrid aspen in Wisconsin. *Canadian-Journal-of-Botany*. 1986; 64(8):1834-1835.
3180. Ostry, M. E. and Anderson, G. W. Hypoxylon canker incidence on pruned and unpruned aspen. *Canadian-Journal-of-Forest-Research*. 1979; 9(2):290-291.
3181. Ostry, M. E. and Anderson, N. A. Infection of *Populus tremuloides* by *Hypoxylon mammatum* ascospores through *Saperda inornata* galls. *Canadian-Journal-of-Forest-Research*. 1995; 25(5):813-816.

3182. ---. Infection of *Populus tremuloides* by *Hypoxyylon mammatum* at oviposition sites of cicadas (*Magicicada septendecim* (L.)). USA, American Phytopathological Society: Abstracts. *Phytopathology*. 1979, 69: 9, 1041.
3183. ---. Infection of trembling aspen by *Hypoxyylon mammatum* through cicada oviposition wounds. *Phytopathology*. 1983; 73(7):1092-1096.
3184. ---. Interactions of insects, woodpeckers, and hypoxylon canker on aspen. Research-Paper -North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1998; (No. NC-331):ii + 17 pp.
3185. Ostry, M. E. and Dietrichson, J. Poplar disease research: host resistance and pathogen variability. Proceedings From the International Energy Agency (IEA), The Bioenergy Agreement Task VIII Meeting, Held in Biri, Norway, Sept. 4-9; (1994. Genetic improvement of trees and shrubs):pest-disease control, exchange, evaluation and joint testing for energy purposes. *Norwegian-Journal-of-Agricultural-Sciences*. 1994, No. 18, Supplement, 89-94.
3186. Ostry, M. E. and Nicholls, T. H. How to identify and control sapsucker injury on trees. 1976, 5 Pp.
3187. Oswald, E. T. A synecological study of the forested moraines of the valley floor of Grand Teton National Park, Wyoming. 1968, Abstr. of Thesis, in Dissert. Abstr. 1968 28B (7), (2740).
3188. Otjen, L. and Blanchette, R. A. Selective delignification of aspen wood blocks in vitro by three white rot basidiomycetes. *Applied-and-Environmental-Microbiology*. 1985; 50(3):568-572.
3189. ---. Selective delignification of birch wood (*Betula papyrifera*) by *Hirschioporus pargamenus* in the field and laboratory. *Holzforschung*. 1986; 40(3):183-189.
3190. Otwell, L. P.; Hittmeier, M. E.; Usha Hooda; Yan, H. u. i.; Su, W. e. i.; Sujit Banerjee; Hooda, U.; Yan, H.; Su, W., and Banerjee, S. HAPs release from wood drying. *Environmental-Science-and-Technology*. 2000; 34(11):2280-2283.
3191. Oudjehane, A.; Lam, F., and Avramidis, S. A continuum model of the interaction between manufacturing variables and consolidation of wood composite mats. *Wood-Science-and-Technology*. 1998; 32(6):381-391.
3192. Ouellet, D. Biomass prediction equations for twelve commercial species in Quebec. Information-Report,-Laurentian-Forest-Research-Centre,-Canada. 1983; (No. LAU-X-62E):v + 34 pp.
3193. Ouellette, G. B. Frost injuries on branches of Aspen. 1963, Bi-m. Progr. Rep. For. Ent. Path. Br. Dep. For. Can. 19 (5), 1963 (1).
3194. Ovadis, M.; Chernin, L.; Tzfira, T.; Canaan, V.; Aharoni, A.; Sakar, D.; Altman, A.; Vainstein, A.; Altman, A. (ed.); Ziv, M. (ed.), and Izhar, S. Transformation of tobacco and aspen plants with the ita locus of an IncQ plasmid confers resistance to *Agrobacterium tumefaciens* infection. *Plant Biotechnology and in Vitro Biology in the 21st Century. Proceedings of the IXth International Congress of the International Association of Plant Tissue Culture and Biotechnology;* (Jerusalem):Israel, 14-19 June 1998. 1999, 533-536.
3195. Ovington, J. D. Flower and seed production; a source of error in estimating woodland production, energy flow and mineral cycling. 1963, *Oikos* 14 (2), 1963 (148-53). 2 Refs.
3196. Ozolins, R. Forest stand assortment structure analysis using mathematical modelling. *Metsanduslikud-Uurimused*. 2003, 37: 33-42; 2 Ref.
3197. Packard, F. M. Wildlife and Aspen in Rocky Mountain National Park, Colorado. 1942, *Ecology* 23 1942

(478-82). [University of Colorado.].

3198. Packee, E. C. White spruce regeneration on a blade-scarified Alaskan loess soil. *Northern-Journal-of-Applied-Forestry*. 1990; 7(3):121-123.
3199. Packee, E. C.; Quang, P. X., and Ressa Smith, R. Bolewood specific gravity of Alaskan Northern Forest trees. *Forest-Products-Journal*. 1992; 42(1):29-34.
3200. Pagano, K. J. and Gertjeansen, R. O. The effect of mixing high and low density hardwoods on bond development in waferboard. *Forest-Products-Journal*. 1989; 39(2):45-48.
3201. Page, G. The occurrence and growth of Trembling Aspen in Newfoundland. Publication, -Canadian-Forestry-Service. 1972; (No. 1314):15 pp.
3202. Pakdel, H.; Caumia, B. de; Roy, C., and De Caumia, B. Vacuum pyrolysis of lignin derived from steam-exploded wood. *Biomass-and-Bioenergy*. 1992; 3(1):31-40.
3203. Pakdel, H. and Roy, C. Separation and characterization of steroids in biomass vacuum pyrolysis oils. *Bioresource-Technology*. 1996; 58(1):83-88.
3204. Pakdel, H.; Roy, C.; Zeidan, K.; Bridgwater, A. V. (ed.), and Kuester, J. L. Chemical characterization of hydrocarbons produced by vacuum pyrolysis of aspen poplar wood chips. *Research in Thermochemical Biomass Conversion*. 1988, 572-584; 24 Ref.
3205. Palaniswamy, P.; Chisholm, M. D.; Underhill, E. W.; Reed, D. W., and Peesker, S. J. Disruption of forest tent caterpillar (Lepidoptera: Lasiocampidae) orientation to baited traps in aspen groves by air permeation with (5Z,7E)-5,7-dodecadienal. *Journal-of-Economic-Entomology*. 1983; 76(5):1159-1163.
3206. Palardy, R. D.; Haataja, B. A.; Shaler, S. M.; Williams, A. D., and Laufenberg, T. L. Pressing of wood composite panels at moderate temperature and high moisture content. *Forest-Products-Journal*. 1989; 39(4):27-32.
3207. Palardy, R. D.; Story, F. H.; Shaler, S. M., and Maloney, T. M. Improving flakeboard quality and reducing costs by pressing at high moisture content and moderate temperature. *Proceedings of the Twenty-Third Washington State University International Particleboard-Composite Materials Symposium*, April 4, 5, 6, 1989. 1989, 235-245; 17 Ref.
3208. Palik, B.; Cease, K.; Egeland, L., and Blinn, C. Aspen regeneration in riparian management zones in Northern Minnesota: effects of residual overstory and harvest method. *Northern-Journal-of-Applied-Forestry*. 2003; 20(2):79-84.
3209. Palik, B. J. and Pregitzer, K. S. The age and height structure of red maple (*Acer rubrum*) populations in northern Michigan bigtooth aspen (*Populus grandidentata*) forests. *Canadian-Journal-of-Forest-Research*. 1992; 22(10):1449-1462.
3210. ---. A comparison of presettlement and present-day forests on two bigtooth aspen-dominated landscapes in northern Lower Michigan. *American-Midland-Naturalist*. 1992; 127(2):327-338.
3211. ---. Height growth of advance regeneration under an even-aged bigtooth aspen (*Populus grandidentata*) overstory. *American-Midland-Naturalist*. 1995; 134(1):166-175.
3212. ---. The relative influence of establishment time and height-growth rates on species vertical stratification during secondary forest succession. *Canadian-Journal-of-Forest-Research*. 1991; 21(10):1481-1490.

3213. ---. The repeatability of stem exclusion during even-aged development of bigtooth aspen dominated forests. *Canadian-Journal-of-Forest-Research*. 1993; 23(6):1156-1168.
3214. ---. Variability in early height growth rate of forest trees: implications for retrospective studies of stand dynamics. *Canadian-Journal-of-Forest-Research*. 1995; 25(5):767-776.
3215. ---. White pine seed-tree legacies in an aspen landscape: influences on post-disturbance white pine population structure. *Forest-Ecology-and-Management*. 1994; 67(1-3):191-201.
3216. Palka, L. C. and Warren, W. G. Grouping of Canadian veneer species based on plywood rolling-shear properties. *Information-Report,-Western-Forest-Products-Laboratory,-Canada*. 1977; (No. VP-X-163):38 pp.
3217. Pan, Y.; McGuire, A. D.; Melillo, J. M.; Kicklighter, D. W.; Sitch, S.; Prentice, I. C.; Canadell, J. G. (ed.); Steffen, W. L. (ed.), and White, P. S. A biogeochemistry-based dynamic vegetation model and its application along a moisture gradient in the continental United States. *IGBP-GCTE Terrestrial Transects: Dynamics of Terrestrial Ecosystems Under Environmental Change. Papers from the IGBP Terrestrial Transects Workshop; Darwin, Australia, 12-16 July 1999. Journal-of-Vegetation-Science*. 2002, 13(3):369-382.
3218. Panning, D. J. and Gertjejansen, R. O. Balsam poplar as a raw material for waferboard. *Forest-Products-Journal*. 1985; 35(5):49-54.
3219. Panshin, A. J. Dimension stock and other uses of Aspen [*Populus tremuloides*]. 1950, Lake St. Aspen Rep. 1950. No. 12, Pp. 18. 13 Refs.
3220. Panshin, A. J.; Raphael, H. J., and Day, M. W. Further observations on 'chemical' bark peeling of Aspen. 1953, Repr. From *Quart. Bull. Mich. Agric. Exp. Sta.* 1953 35 (4), (474-81).
3221. Panzuto, M.; Lorenzetti, F.; Mauffette, Y., and Albert, P. J. Perception of aspen and sun/shade sugar maple leaf soluble extracts by larvae of *Malacosoma disstria*. *Journal-of-Chemical-Ecology*. 2001; 27(10):1963-1978.
3222. Papworth, R. L. and Johnson, K. R. Power requirements for producing wood chips with a parallel knife chipper. 1968, *For. Prod. J.* 1968 18 (10), (42-4). [1 Ref.].
3223. Paquin, P. and Coderre, D. Changes in soil macroarthropod communities in relation to forest maturation through three successional stages in the Canadian boreal forest. *Oecologia*. 1997; 112(1):104-111.
3224. Parajo, J. C.; Dominguez, H., and Dominguez, J. M. Biotechnological production of xylitol. Part 3: Operation in culture media made from lignocellulose hydrolysates. *Bioresource-Technology*. 1998; 66(1):25-40.
3225. Pare, D. and Bergeron, Y. Above-ground biomass accumulation along a 230-year chronosequence in the southern portion of the Canadian boreal forest. *Journal-of-Ecology-Oxford*. 1995; 83(6):1001-1007.
3226. ---. Effect of colonizing tree species on soil nutrient availability in a clay soil of the boreal mixedwood. *Canadian-Journal-of-Forest-Research*. 1996; 26(6):1022-1031.
3227. Pare, D.; Bergeron, Y.; Camire, C.; Engelmark, O. (ed.); Bradshaw, R. H. W. (ed.), and Bergeron, Y. Changes in the forest floor of Canadian southern boreal forest after disturbance. *Disturbance Dynamics in Boreal Forest. Based on contributions presented at the IAVS Workshop held at the University of Umea; Sweden from 10-14 August, 1992. Journal-of-Vegetation-Science*. 1993, 4(6):811-818.

3228. Pare, D.; Bergeron, Y., and Longpre, M. H. Potential productivity of aspen cohorts originating from fire, harvesting, and tree-fall gaps on two deposit types in northwestern Quebec. *Canadian-Journal-of-Forest-Research*. 2001; 31(6):1067-1073.
3229. Pare, D.; Cleve, K. van, and Van Cleve, K. Aboveground biomass production and nutrient accumulation on postharvested white spruce sites in interior Alaska. *Canadian-Journal-of-Forest-Research*. 1993; 23(6):1233-1239.
3230. ---. Soil nutrient availability and relationships with aboveground biomass production on postharvested upland white spruce sites in interior Alaska. *Canadian-Journal-of-Forest-Research*. 1993; 23(6):1223-1232.
3231. Parekh, S. R.; Parekh, R. S., and Wayman, M. Ethanol and butanol production by fermentation of enzymatically saccharified SO₂-prehydrolysed lignocellulosics. *Enzyme-and-Microbial-Technology*. 1988; 10(11):660-668.
3232. ---. Fermentation of wood-derived acid hydrolysates in a batch bioreactor and in a continuous dynamic immobilized cell bioreactor by *Pichia stipitis* R. *Process-Biochemistry*. 1987; 22(3):85-91.
3233. ---. Fermentation of xylose and cellobiose by *Pichia stipitis* and *Brettanomyces clausenii*. *Applied-Biochemistry-and-Biotechnology*. 1988, 18: 325-338; 16 Ref.
3234. Parekh, S. R.; Yu, S., and Wayman, M. Adaptation of *Candida shehatae* and *Pichia stipitis* to wood hydrolysates for increased ethanol production. *Applied-Microbiology-and-Biotechnology*. 1986; 25(3):300-304.
3235. Park, K. Prairie cattle are happily munching shredded aspen. *British-Columbia-Lumberman*. 1977; 61(10):32.
3236. Parker, G. H. and Hamr, J. Metal levels in body tissues, forage and fecal pellets of elk (*Cervus elaphus*) living near the ore smelters at Sudbury, Ontario. *Environmental-Pollution*. 2001; 113(3):347-355.
3237. Parker, G. R. and Morton, L. D. The estimation of winter forage and its use by moose on clearcuts in northcentral Newfoundland. *Journal-of-Range-Management*. 1978; 31(4):300-304.
3238. Parkinson, D.; Visser, S., and Whittaker, J. B. Effects of Collembolan grazing on fungal colonization of leaf litter. *Ecological-Bulletins-Stockholm*. 1977; (No.25):75-79.
3239. Parry, D.; Goyer, R. A., and Lenhard, G. J. Macrogeographic clines in fecundity, reproductive allocation, and offspring size of the forest tent caterpillar *Malacosoma disstria*. *Ecological-Entomology*. 2001; 26(3):281-291.
3240. Parry, D.; Spence, J. R., and Volney, W. J. A. Budbreak phenology and natural enemies mediate survival of first-instar forest tent caterpillar (Lepidoptera: Lasiocampidae). *Environmental-Entomology*. 1998; 27(6):1368-1374.
3241. ---. Responses of natural enemies to experimentally increased populations of the forest tent caterpillar, *Malacosoma disstria*. *Ecological-Entomology*. 1997; 22(1):97-108.
3242. Parsons, S.; Lewis, K. J., and Psyllakis, J. M. Relationships between roosting habitat of bats and decay of aspen in the sub-boreal forests of British Columbia. *Forest-Ecology-and-Management*. 2003; 177(1-3):559-570.
3243. Parsons, W. J. F.; Taylor, B. R., and Parkinson, D. Decomposition of aspen (*Populus tremuloides*) leaf litter modified by leaching. *Canadian-Journal-of-Forest-Research*. 1990; 20(7):943-951.

3244. Pastor, J.; Aber, J. D., and Melillo, J. M. Biomass prediction using generalized allometric regressions for some Northeast tree species. *Forest-Ecology-and-Management*. 1984; 7(4):265-274.
3245. Pastor, J. and Bockheim, J. G. Biomass and production of an aspen-mixed hardwood-spodosol ecosystem in northern Wisconsin. *Canadian-Journal-of-Forest-Research*. 1981; 11(1):132-138.
3246. ---. Distribution and cycling of nutrients in an aspen-mixed-hardwood-Spodosol ecosystem in northern Wisconsin. *Ecology,-USA*. 1984; 65(2):339-353.
3247. Paszner, L. Innovations for hardwood utilization: catalysed organosolv pulping and saccharification. 1988, Iii + 14 Pp.; Available From Regional Development, Canadian Forestry Service, Edmonton, Alberta, & Forestry, Lands and Wildlife, Forest Industry Development Division, Edmonton, Alberta. Catalogue No. FO 42-91-57-1988 E (Ministry of Supply and Services Canada).
3248. Paszner, L.; Cho, H. J., and Klass, D. L. High-yield organosolv process for conversion of cellulosic biomass to ethanol. *Energy From Biomass and Wastes XII*. 1989, 1297-1318; 47 Ref.
3249. Patton, D. R. Timber harvesting increases deer and elk use of a mixed conifer forest. *USDA-Forest-Service-Research-Note,-Rocky-Mountain-Forest-and-Range-Experiment-Station*. 1976; (No. RM-329):3 pp.
3250. Patton, D. R. and Avant, H. D. Fire stimulated Aspen sprouting in a Spruce-Fir forest in New Mexico. 1970, U.S. For. Serv. Res. Note Rocky Mt. For. Range Exp. Sta. No. Rm-159, 1970 Pp. 3. [5 Refs.].
3251. Patton, D. R. and Jones, J. R. Managing aspen [*Populus tremuloides*] for wildlife in the southwest. *USDA-Forest-Service-General-Technical-Report,-Rocky-Mountain-Forest-and-Range-Experiment-Station*. 1977; (No. RM-37):7 pp.
3252. Patton, D. R. and Vahle, J. R. Cache and nest characteristics of the red squirrel in an Arizona mixed-conifer forest. *Western-Journal-of-Applied-Forestry*. 1986; 1(2):48-51.
3253. Paul, B. H. Choose the right wood. Properties and uses of some Western hardwoods. 1962, *Woodwkg. Dig.* 64 (3), 1962 (47-9).
3254. Pauley, S. S. Budding as a silvicultural technique. 1948, *J. For.* 1948 46 (7), (524-5). 9 Refs.
3255. ---. Flowering habits in *Populus*. 1950, Abstr. in *Genetics*, *Menasha* 1950 35, (684).
3256. ---. Natural hybridisation of the Aspens (: *Populus tremuloides* and *P. grandidentata*). 1956, *Minn. For. Note* 1956 No. 47. Pp. 2.
3257. ---. Performance of some Aspen seed sources and hybrids in Eastern Massachusetts. 1963, [Pap.] *FAO World Consult. For. Genet.*, Stockholm 1963 No. FAO/FORGEN 63/-2b/2, 1963. Pp. Iii + 17. 17 Refs.
3258. Pauley, S. S.; Johnson, A. G., and Santamour, F. S. Jr. Results of Aspen screening tests: I,II,III,IV. 1963, *Minn. For. Notes* Nos. 136-139, 1963. Each Pp. 2. 5 Refs.
3259. Pauley, S. S. and Mennel, G. F. Sex ratio and hermaphroditism in a natural population of Quaking Aspen [*Populus tremuloides*]. 1957, *Minn. For. Note* 1957 No 55, Pp. 2.
3260. Paulin, J. P. Fire blight: epidemiology and control (1921-1996). *Nachrichtenblatt-Des-Deutschen-Pflanzenschutzdienstes*. 1997; 49(5):116-125.

3261. Paulsson, M.; Lucia, L. A.; Ragauskas, A. J., and Li, C. Photoyellowing of untreated and acetylated aspen chemithermomechanical pulp under argon, ambient, and oxygen atmospheres. *Journal-of-Wood-Chemistry-and-Technology*. 2001; 21(4):343-360.
3262. ---. Photoyellowing of untreated and acetylated aspen chemithermomechanical pulp under argon, ambient, and oxygen atmospheres. *Journal-of-Wood-Chemistry-and-Technology*. 2001; 21(4):343-360.
3263. Pausler, M. G.; Ayer, W. A., and Hiratsuka, Y. Benzoic acid, salicylic acid, and the role of black galls on aspen in protection against decay. *Canadian-Journal-of-Forest-Research*. 1995; 25(9):1479-1483.
3264. Payandeh, B. Dimensional relationships for several tree species from the spruce-fir forest types of northwestern Ontario. *Canadian-Forestry-Service-Research-Notes*. 1984; 4(2):18-20.
3265. ---. Equations describing attributes of major tree species in north central Ontario. *Forest-Ecology-and-Management*. 1990; 36(2-4):245-252.
3266. ---. Plonski's (metric) yield tables formulated. *Forestry-Chronicle*. 1991; 67(5):545-546.
3267. ---. Preliminary yield functions and tables for spruce-fir stands of northwestern Ontario. *Information-Report -Great-Lakes-Forestry-Centre,-Canadian-Forestry-Service*. 1988; (No. O-X-389):v + 28 pp.
3268. Payandeh, B. and Wang, Y. Comparison of the modified Weibull and Richards growth function for developing site index equations. *New-Forests*. 1995; 9(2):147-155.
3269. Payandeh, B.; Wang, Y., and Wang, Y. H. A site-index model remodified. *Canadian-Journal-of-Forest-Research*. 1994; 24(1):197-198.
3270. Payandeh, B.; Wang YongHe, and Wang, Y. H. Variable stocking version of Plonski's yield tables formulated. *Forestry-Chronicle*. 1996; 72(2):181-184.
3271. Payette, S. and Lavoie, V. Soil/vegetation relations in the Lower Peribonka region. I. The plant communities. 1971, *Nat. Canad.* 1971 98 (3), (495-514 + 6 Tbls.). [Fr, En, 15 Ref.].
3272. Payne, N. F.; Kohn, B. E.; Norton, N. C., and Bertagnoli, G. G. Black bear food items in northern Wisconsin. *Transactions-of-the-Wisconsin-Academy-of-Sciences,-Arts-and-Letters*. 1998, 86: 263-280; 34 Ref.
3273. Payne, N. J.; Sundaram, K. M., and Helson, B. V. Airborne permethrin and off-target deposits from an aerial ultra-low volume silvicultural spray. *Crop-Protection*. 1991; 10(5):357-362.
3274. Pearl, I. A. Aspen bark as a source of organic chemicals. 1963, *For. Prod. J.* 13 (3), 1963 (122-3). 10 Refs.
3275. ---. The nature of Aspen lignin. 1957, *For. Prod. J.* 1957 7 (2), (88-90). 1 Ref.
3276. Pearl, I. A. and Beyer, D. L. Lignosulfonates of Birch spent sulfite liquor. 1961, *For. Prod. J.* 11 (9), 1961 (442-4). 9 Refs.
3277. ---. New developments in the chemistry of Aspen lignin. 1957, *Tappi* 1957 40 (1), (45-54). 7 Refs.
3278. ---. Separating lignosulphonates from carbohydrates in Aspen spent sulphite liquor by ion exchange. 1959, *For. Prod. J.* 1959 9 (10; 12), (381-3; 8A). 8 Refs. [Cf. F.A. 18 Nos. 3324, 4577].
3279. ---. Studies on the chemistry of Aspenwood. IV. Oxidation of Aspen lignosulphates with alkaline cupric and silver oxide. 1959, *Tappi* 1959 42 (9), (800-4). 17 Refs.

3280. ---. Studies on the chemistry of Aspenwood [*Populus tremuloides*] IX. p-Hydroxybenzoic acid in Aspen Klason lignin. 1962, *J. Organ. Chem.* 27 (6), 1962 (2287). 3 Refs. [Cf. F.A. 22 No. 3609.].
3281. ---. Studies on the chemistry of Aspenwood. VI. Products of alkaline hydrolysis of various portions of the Aspen tree. 1960, *Tappi* 43 (7), 1960 (611-3). 8 Refs.
3282. ---. Studies on the chemistry of Aspenwood. VII. Further studies on the ether extractives of commercial Aspen spent liquor. 1961, *J. Organ. Chem.* 26 (2), 1961 (546-50). 15 Refs.
3283. ---. Studies on the chemistry of Aspenwood. XVI. Further studies on the ether extractives of spent sulfite liquor from authentic Quaking Aspenwood [*Populus tremuloides*]. 1963, *Tappi* 46 (8), 1963 (502-5). 8 Refs.
3284. ---. Studies on the chemistry of Aspenwood. XVII. The ether-soluble, water-soluble components of Aspen spent sulfite liquor. 1964, *Tappi* 47 (8), 1964 (458-62). 14 Refs.
3285. Pearl, I. A.; Beyer, D. L., and Justman, O. Studies on the chemistry of Aspenwood. XIV. The ether-soluble portion of spent sulfite liquor from authentic Quaking Aspenwood. 1962, *Tappi* 45 (2), 1962 (107-13). 6 Refs.
3286. Pearl, I. A. and Beyer, D. T. Studies on the chemistry of Aspenwood [*Populus tremuloides*]. V. An investigation of various Aspen spent liquors as sources of p-hydrobenzoic acid and other compounds. 1960, *Tappi* 43 (6), 1960 (568-72). 8 Refs. P.R. [Cf. F.A. 21 No. 2340.].
3287. Pearl, I. A. and Busche, L. R. Studies on the chemistry of Aspenwood [*Populus tremuloides*]. XII. Studies on the preparation of milled wood lignin from Quaking Aspenwood. 1960, *Tappi* 43 (12), 1960 (970-4). 19 Refs.
3288. ---. Studies on the chemistry of Aspenwood. XI. The Klason lignin determination as applied to Aspenwood with special reference to acid-soluble lignin. 1960, *Tappi* 43 (12), 1960 (961-70). 43 Refs.
3289. Pearl, I. A. and Darling, S. F. Benzoates of salicyloyl salicin from the barks and leaves of *Populus grandidentata* and *Populus tremuloides*. 1965, *Tappi* 48 (9), 1965 (506-8). 15 Refs.
3290. ---. Further studies on the isolation of glucosides from the barks and leaves of *Populus tremuloides* and *Populus grandidentata*. 1964, *Tappi* 47 (6), 1964 (377-80). 15 Refs.
3291. ---. Hot water phenolic extractives of the bark and leaves of diploid *Populus tremuloides*. 1971, *Phytochemistry* 1971 10 (2), (483-4). [3 Ref. (Studies on the Barks of the Family Salicaceae XXVII. Studies on the Leaves of the Family Salicaceae XIV).].
3292. ---. The structures of salicortin [from bark and leaves of various *Salix* and *Populus* spp.] and tremulacin [from bark of *P. tremuloides*]. 1970, *Tetrahedron Lett.* 1970 (44), (3827-30). [8 Refs. O.R.S.] [Cf. F.A. 32 No. 5148.].
3293. ---. Studies on the barks of the family Salicaceae. 11. Salireposide from the bark of *Populus tremuloides*. 1959, *J. Organ. Chem.* 1959 24 (10), (1616). 7 Refs.
3294. ---. Studies on the barks of the family Salicaceae. I. Tremuloidin, a new glucoside from the bark of *Populus tremuloides*. 1959, *J. Organ. Chem.* 1959 24 (6), (731-5). 21 Refs.
3295. ---. Studies on the barks of the family Salicaceae. XIV. Further studies on the bark of triploid *Populus tremuloides*. 1967, *Tappi* 1967 50 (7), (324-9). [28 Refs.].
3296. ---. Studies on the leaves of the family Salicaceae. VIII. Further studies on the leaves of triploid *Populus*

- tremuloides. 1967, Tappi 1967 50 (4), (193-5). [7 Refs.].
3297. Pearl, I. A.; Darling, S. F., and Heller, S. F. Glucosides from the barks and leaves of triploid varieties of *Populus* species. 1966, Tappi 1966 49 (6), (278-80). [9 Refs.].
3298. Pearl, I. A.; Darling, S. F., and Justman, O. Studies on the leaves of the family Salicaceae. I. Populin from the leaves of *Populus grandidentata* and *Populus tremuloides*. 1962, J. Organ. Chem. 27 (7), 1962 (2685-7). 11 Refs.
3299. Pearl, I. A. and Dickey, E. E. Effect of oxygen-alkali pulping conditions on the tall oil components of southern pinewood: comparison of conditions. Tappi. 1977; 60(10):126-129.
3300. Pearl, I. A. and Estes, T. K. Studies on the hot water extractives of the brown bark of *Populus tremuloides*. 1965, Tappi 48 (9), 1965 (532-5). 15 Refs.
3301. Pearl, I. A. and et, a. I. Studies on the barks of the family Salicaceae. III. The alkaline hydrolysis of barks of several species of the genus *Populus*. 1960, Tappi 43 (9), 1960 (756-8). 8 Refs.
3302. ---. Studies on the barks of the family Salicaceae. IV. Preliminary evaluation for glucosides of barks of several species of the genus *Populus*. 1961, Tappi 44 (7), 1961 (475-8). 11 Refs.
3303. Pearl, I. A. and Horrocks, J. A. Studies on the chemistry of Aspenwood. X. Neutral materials from the benzene extractives of *Populus tremuloides*. 1961, J. Organ. Chem. 26 (5), 1961 (1578-83). 18 Refs. O.R.S. [Cf.F.A. 22 Nos. 3609-10.].
3304. Pearl, I. A. and Larson, K. Studies on the hot water extractives of the brown bark of *Populus trichocarpa*. 1965, Tappi 48 (12), 1965 (714-6). 9 Refs.
3305. Pearl, I. A. and McCoy, P. F. Studies on the chemistry of Aspenwood. VIII. An investigation of the neutral extractives of commercial spent Aspen liquor [from *Populus tremuloides*, *P. grandidentata* and *P. tacamahaca* pulped together]. 1961, J. Organ Chem. 26 (2), 1961 (550-2). 8 Refs.
3306. Pearson, L. C. and Lawrence, D. B. Photosynthesis in Aspen bark. 1958, Amer. J. Bot. 1958 45 (5), (383-387). [7 Refs.].
3307. Peck, K. M. and Wallner, S. J. Ecotypic differences in heat resistance of aspen leaves. HortScience. 1982; 17(1):52-53.
3308. Pedlar, J. H.; Pearce, J. L.; Venier, L. A., and McKenney, D. W. Coarse woody debris in relation to disturbance and forest type in boreal Canada. Forest-Ecology-and-Management. 2002; 158(1-3):189-194.
3309. ---. Coarse woody debris in relation to disturbance and forest type in boreal Canada. Forest-Ecology-and-Management. 2002; 158(1-3):189-194.
3310. Peek, J. M. Moose habitat selection and relationships to forest management in northeastern Minnesota. Dissertation-Abstracts-International,-B. 1972, 32: 11, 6149.
3311. ---. Relation of canopy area and volume to production of three woody species. 1970, Ecology 1970 51 (6), (1098-1101). [10 Refs.].
3312. Peek, J. M.; Krefting, L. W., and Tappeiner, J. C. Variation in twig diameter-weight relationships in northern Minnesota. 1971, J. Wildlife Mgmt. 1971 35 (3), (501-7). [11 Ref.].
3313. Peery, M. Z.; Gutierrez, R. J., and Seamans, M. E. Habitat composition and configuration around Mexican

spotted owl nest and roost sites in the Tularosa Mountains, New Mexico. *Journal-of-Wildlife-Management*. 1999; 63(1):36-43.

3314. Pelah, D.; Altman, A.; Shoseyov, O.; Altman, A. (ed.), and Ziv, M. Drought tolerance: a molecular perspective. *Proceedings of the Third International ISHS Symposium on in Vitro Culture and Horticultural Breeding, Jerusalem, Israel, 16-21 June, 1996*. 1997; (No. 447):439-445.
3315. Pelah, D.; Shoseyov, O., and Altman, A. Characterization of BspA, a major boiling-stable, water-stress-responsive protein in aspen (*Populus tremula*). *Tree-Physiology*. 1995; 15(10):673-678.
3316. Pelah, D.; Shoseyov, O.; Altman, A., and Bartels, D. Water-stress response in aspen (*Populus tremula*): differential accumulation of dehydrin, sucrose synthase, GAPDH homologues, and soluble sugars. *Journal-of-Plant-Physiology*. 1997; 151(1):96-100.
3317. Pell, E. J.; Sinn, J. P., and Johansen, C. V. Nitrogen supply as a limiting factor determining the sensitivity of *Populus tremuloides* Michx. to ozone stress. *New-Phytologist*. 1995; 130(3):437-446.
3318. Pell, E. J.; Temple, P. J.; Friend, A. L.; Mooney, H. A., and Winner, W. E. Compensation as a plant response to ozone and associated stresses: an analysis of ROPIS experiments. *Symposium Papers: Responses of Plants to Interacting Stresses*. 1994; 23(3):429-436.
3319. Pelren, E. C. and Crawford, J. A. Blue grouse nesting parameters and habitat associations in northeastern Oregon. *Great-Basin-Naturalist*. 1999; 59(4):368-373.
3320. Peltzer, D. A. Does clonal integration improve competitive ability? A test using aspen (*Populus tremuloides* [Salicaceae]) invasion into prairie. *American-Journal-of-Botany*. 2002; 89(3):494-499.
3321. Peltzer, D. A.; Bast, M. L.; Wilson, S. D., and Gerry, A. K. Plant diversity and tree responses following contrasting disturbances in boreal forest. *Forest-Ecology-and-Management*. 2000; 127(1-3):191-203.
3322. Peltzer, D. A. and Wilson, S. D. Variation in plant responses to neighbors at local and regional scales. *American-Naturalist*. 2001; 157(6):610-625.
3323. Peng ChangHui and Peng, C. H. Nonlinear height-diameter models for nine boreal forest tree species in Ontario. *Forest-Research-Report -Ontario-Forest-Research-Institute*. 1999; (No. 155):28 pp.
3324. Peng ChangHui; Zhang, L. J.; Liu JinXun; Peng, C. H., and Liu, J. X. Developing and validating nonlinear height-diameter models for major tree species of Ontario's boreal forests. *Northern-Journal-of-Applied-Forestry*. 2001; 18(3):87-94.
3325. Peng, W. T. Effect of pre-press pressure on the dry shear strength and wood failure of two different type plywoods. *Forest-Products-Industries*. 1990; 9(4):89-95.
3326. Penner, M.; Robinson, C., and Woods, M. The response of good and poor aspen clones to thinning. *Forestry-Chronicle*. 2001; 77(5):874-884.
3327. ---. The response of good and poor aspen clones to thinning. *Forestry-Chronicle*. 2001; 77(5):874-884.
3328. Pennock, D. J.; Kessel, C. van, and Van Kessel, C. Clear-cut forest harvest impacts on soil quality indicators in the mixedwood forest of Saskatchewan, Canada. *Geoderma*. 1997; 75(1-2):13-32.
3329. Pepper, J. M. Chemical aspects of hardwood lignins. 1959, *Tappi* 1959 42 (9), (793-800). 53 Refs.
3330. Pepper, J. M.; Baylis, P. E. T., and Adler, E. The isolation and properties of lignins obtained by the

acidolysis of Spruce [*Picea abies*] and Aspen [*Populus tremuloides*] woods in dioxane-water medium. 1959, *Canad. J. Chem.* 37 (8), (1241-8). 15 Refs.

3331. Pepper, J. M.; Brounstein, C. J., and Shearer, D. A. Studies on lignin by means of catalytic hydrogenation of Aspen wood and wheat straw. 1951, *J. Amer. Chem. Soc.* 1951 73 (7), (3316-9). 10 Refs.
3332. Pepper, J. M.; Eager, R. L.; Roy, J. C., and Mathews, J. F. Studies on the mechanism of formation of the products of liquefaction of cellulose and aspen poplar wood. *Journal-of-Wood-Chemistry-and-Technology.* 1985; 5(4):491-511.
3333. Pepper, J. M. and Hagerman, D. C. The isolation and oxidation of Aspen lignins. 1954, *Canad. J. Chem.* 1954. 32 (5), (614-27). 17 Refs.
3334. Pepper, J. M. and Siddiqueullah, M. The effect of initial acid concentration on the lignin isolated by the acidolysis of Aspen wood. 1961, *Canad. J. Chem.* 39 (7), 1961 (1454-61). 15 Refs.
3335. Pepper, J. M. and Steck, W. The effect of time and temperature on the hydrogenation of Aspen lignin. 1963, *Canad. J. Chem.* 41 (11), 1963 (2867-75). 17 Refs.
3336. Perala, D. A. Aspen successfully regenerated after killing residual vegetation with herbicides. 1971, *US For. Serv. Res. Note Nth. Cent. For. Exp. Sta. No. NC-106*, 1971. Pp. 2. [1 Ref.].
3337. ---. Aspen sucker production and growth from outplanted root cuttings. *Research-Note,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service.* 1978; (No. NC-241):4 rp.
3338. ---. Clone expansion and competition between quaking and bigtooth aspen suckers after clearcutting. *Research-Paper,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service.* 1981; (No. NC-201):ii + 4 pp.
3339. ---. Controlling Hazel, Aspen suckers, and Mountain Maple with picloram. *US-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station.* 1971; (No. NS-129):4 pp.
3340. ---. Growth and survival of northern hardwood sprouts after burning. *USDA-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station.* 1974; (No. NC-176):4 pp.
3341. ---. How endemic injuries affect early growth of aspen suckers. *Canadian-Journal-of-Forest-Research.* 1984; 14(6):755-762.
3342. ---. Manager's handbook for aspen in the north central States. *USDA-Forest-Service-General-Technical-Report,-North-Central-Forest-Experiment-Station.* 1977; (No. NC-36):30 pp.
3343. ---. Modeling aspen and red pine shoot growth to daily weather variations. *Research-Paper,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service.* 1983; (No. NC-236):iv + 11 pp.
3344. ---. Prescribed burning in an Aspen-mixed hardwood forest. *Canadian-Journal-of-Forest-Research.* 1974; 4(2):222-228.
3345. ---. A provisional assessment of triclopyr herbicide for use in Lake States' forestry. *Research-Paper,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service.* 1980; (No. NC-180):7 pp.
3346. ---. A provisional assessment of triclopyr herbicide for use in Lake States' forestry. *US-Department-of-Agriculture-Forest-Service-Research-Paper.* 1980; (No. FSRP-NC-180):7 pp.
3347. ---. Quaking aspen productivity recovers after repeated prescribed fire. *Research-Paper -North-Central-Forest-Experiment-Station,-USDA-Forest-Service.* 1995; (No. NC-324):11 pp.

3348. ---. Regeneration and productivity of aspen [*Populus tremuloides*] grown on repeated short rotations [in Minnesota]. Research-Paper,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1979; (No. NC-176):7 pp.
3349. ---. Repeated prescribed burning in Aspen. USDA-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station. 1974; (No. NC-171):4 pp.
3350. ---. Shearing restores full productivity to sparse aspen stands. Research-Note,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1983; (No. NC-296):4 pp.
3351. ---. Stand equations for estimating aerial biomass, net productivity, and stem survival of young Aspen suckers on good sites. Canadian-Journal-of-Forest-Research. 1973; 3(2):288-292.
3352. ---. Thinning strategies for aspen [*Populus tremuloides* in the Lake States]: a prediction model. Research-Paper,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1978; (No. NC-161):ii + 19 pp.
3353. ---. Using glyphosate herbicide in converting aspen to conifers. Research-Paper,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1985; (No. NC-259):4pp.
3354. Perala, D. A. and Alban, D. H. Allometric biomass estimators for aspen-dominated ecosystems in the Upper Great Lakes. Research-Paper -North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1994; (No. NC-314):38 pp.
3355. ---. Biomass, nutrient distribution and litterfall in *Populus*, *Pinus* and *Picea* stands on two different soils in Minnesota. Plant-and-Soil. 1982; 64(2):177-192.
3356. ---. Biomass, nutrient distribution and litterfall in *Populus*, *Pinus* and *Picea* stands on two different soils in Minnesota. Plant-and-Soil. 1982; 64(2):177-192.
3357. ---. Rates of forest floor decomposition and nutrient turnover in aspen, pine, and spruce stands on two soils. Research-Paper,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1982; (NC-227):5 pp.
3358. Perala, D. A. and Alm, A. A. Regenerating paper birch in the Lake States with the shelterwood method. Northern-Journal-of-Applied-Forestry. 1989; 6(4):151-153.
3359. Perala, D. A. and Carpenter, E. M. Aspen (*Populus tremuloides* Michx. and *Populus grandidentata* Michx.). American-Woods. 1985; (No. FS-217):8 pp.
3360. Perala, D. A.; Host, G. E.; Jordan, J. K., and Cieszewski, C. J. A multiproduct growth and yield model for the circumboreal aspens. Northern-Journal-of-Applied-Forestry. 1996; 13(4):164-170.
3361. Perala, D. A. and Laidly, P. R. Growth of nitrogen-fertilized and thinned quaking aspen (*Populus tremuloides* Michx.). Research-Paper -North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1989; (No. NC-286):8 pp.
3362. Perala, D. A.; Leary, R. A., and Cieszewski, C. J. Stockability, growth, and yield of the circumboreal aspens (*Populus tremuloides* Michx., *P. tremula* L.). Research-Paper -North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1995; (No. NC-321):24 pp.
3363. Perala, D. A. and Sorensen, R. W. Creating stable shrub communities for managed openings in the aspen forest. Industrial-Vegetation-Turf-and-Pest-Management. 1979; 11(1):10-15.
3364. ---. Creating stable shrub communities for managed openings in the aspen forests. Down-to-Earth. 1979;

35(2):19-24.

3365. Perala, D. A. and Williams, C. S. Site preparation for conifers using herbicides and subsequent burning in a northern Minnesota hardwood stand. *Down-to-Earth*. 1970; 26(3):5-8.
3366. Percival, D. H.; Hunt, M. O.; Comus, Q. B., and Suddarth, S. K. Pilot test of four 16-foot, wood-base composite garage headers. *Forest-Products-Journal*. 1977; 27(9):45-48.
3367. Percy, K. E.; Awmack, C. S.; Lindroth, R. L.; Kubiske, M. E.; Kopper, B. J.; Isebrands, J. G.; Pregitzer, K. S.; Hendrey, G. R.; Dickson, R. E.; Zak, D. R.; Oksanen, E.; Sober, J.; Harrington, R., and Karnosky, D. F. Altered performance of forest pests under atmospheres enriched by CO₂ and O₃. *Nature-London*. 2002; 420(6914):403-407.
3368. Perdue, R. E. Jr. and Nieschlag, H. J. Fiber dimensions of nonwoody plant materials. 1962, *Tappi* 44 (11), 1962 (776-84). 16 Refs.
3369. Pereguda, L. V. and Plyuta, P. G. Functional relationship between leaf surface of forest phytocenoses and biometric indices of the stand. *Biology-Bulletin-of-the-Academy-of-Sciences-of-the-USSR*. 1986; publ. 1987, 13(6):536-542.
3370. Perelygin, L. M. Effect of moisture on resistance of wood to impact bending. 1939, *Zavod Lab.* 8 1939 (608-11). *Brit. Chem. Physical. Abstr. B I*, 1943 (409). P.R.
3371. Perem, E. Tension wood in Canadian hardwoods. 1964, *Publ. Dep. For. Can. No. 1057*, 1964. Pp. 38. 13 Refs.
3372. Perila, O. Investigation on the ethereal extract of Aspen wood (*Populus tremula*). 1955, *Suomen Kemistilehti, Helsinki* 1955 28B (3), (109-10). 4 Refs.
3373. ---. Saturated fatty acids of stem cells of Birch (*Betula verrucosa*) and Aspen (*Populus tremula*). 1956, *Annales Academiae Scientiarum Fennicae, Helsinki (Ser. A II)* 1956 No. 76, Pp. 49. 88 Refs.
3374. Perng, W. R.; Brebner, K. I., and Schneider, M. H. Aspen wood anatomy and fluid transport. *Wood-and-Fiber-Science*. 1985; 17(2):281-289.
3375. Perry, C. H.; Miller, R. C.; Brooks, K. N.; Brooks, R. T. (ed.), and Lust, N. Impacts of short-rotation hybrid poplar plantations on regional water yield. *The Science of Managing Forests to Sustain Water Resources. Partial proceedings of an international conference; Sturbridge, Massachusetts, USA, 8-11 November 1998. Forest-Ecology-and-Management*. 2001, 143(1-3):143-151.
3376. Perry, D. F. and Fleming, R. A. *Erynia crustosa* zygospore germination. *Mycologia*. 1989; 81(1):154-158.
3377. Perry, H. J. Neutral sulphite semichemical pulping process. 1949, *Paper Industry and Paper World, Mount Morris, Ill.* 1949 31 (2), (210-3).
3378. Person, R. A.; Hallgren, A. R., and Hubbard, J. W. Yields from short-rotation Aspen suckers. 1971, *Minn. For. Res. Note No. 224*, 1971. Pp. 4. [1 Ref.].
3379. Persson Huppel, A. Enzymatic splitting of sucrose by some strains of *Valsa nivea* Fr. 1963, *Stud. for. Suec. Skogshogsk., Stockh.* No. 7, 1963. Pp. 29. 34 Refs. Price Kr. 3.
3380. Peters, C. C.; Mergen, A. F., and Panzer, H. R. Slicing wood one inch thick: four types of pressure bars. 1969, *For. Prod. J.* 1969 19 (7), (47-52). [9 Refs.].
3381. Peters, D. J. and Constabel, C. P. Molecular analysis of herbivore-induced condensed tannin synthesis:

- cloning and expression of dihydroflavonol reductase from trembling aspen (*Populus tremuloides*). *Plant-Journal*. 2002; 32(5):701-712.
3382. Peters, J. J.; Bender, D. A.; Wolcott, M. P., and Johnson, J. D. Selected properties of hybrid poplar clear wood and composite panels. *Forest-Products-Journal*. 2002; 52(5):45-54.
3383. Peterson, C. J. and Squiers, E. R. Competition and succession in an aspen-white-pine forest. *Journal-of-Ecology-Oxford*. 1995; 83(3):449-457.
3384. ---. An unexpected change in spatial pattern across 10 years in an aspen-white-pine forest. *Journal-of-Ecology-Oxford*. 1995; 83(5):847-855.
3385. Peterson, D. L. and Flowers, P. J. Estimating postfire changes in production and value of Northern Rocky Mountain-Intermountain rangelands. *Research-Paper -Pacific-Southwest-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1984; (No. PSW-173):19 pp.
3386. Peterson, E. B.; Chan, Y. H., and Cragg, J. B. Aboveground standing crop, leaf area, and calorific value in an Aspen clone near Calgary, Alberta. 1970, *Canad. J. Bot.* 1970 48 (8), (1459-69). [28 Refs.].
3387. Peterson, E. B.; Kabzems, R. D., and Peterson, N. M. Hardwood management problems in northeastern British Columbia: an information review. *FRDA-Report-Victoria,-B.C.* 1989; (No. 066):x + 77 pp.
3388. Peterson, E. B.; Levson, V. M., and Kabzems, R. D. Upper limits of standing crop density for woody species in the Prairie Provinces. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1982; (No. NOR-X-243):vii + 55 pp.
3389. Peterson, E. B. and Peterson, N. M. Aspen [*Populus tremuloides*] managers' handbook for British Columbia. *FRDA-Report-Victoria,-B.C.* 1995; (No. 230):x + 110 pp.
3390. Peterson, G. Volume tables for Aspen in Colorado. 1961, *Res. Note Rocky Mt. For. Range Exp. Sta. No. 63*, 1961. Pp. 4. 2 Refs.
3391. Peterson, J. T. Survey of mechanized processing equipment. Evaluation of the Lim-mit processor. *Technical-Note,-Forest-Engineering-Research-Institute-of-Canada-FERIC*. 1987, No. TN-105, 8pp.
3392. Peterson, L. O. T. Some aspects of Poplar borer, *Saperda calcarata* Say (Cerambycidae) infestations under park-belt conditions. *Contrib. Div. Ent. Dep. Agric. Can. [n.d.] No. 2528*. Pp. 6.
3393. Peterson, L. O. T. and Worden, H. A. The effects of systemic insecticides on injected trees. 1963, *Extr. From Summ. Rep. For. Nursery Sta. Sask.* 1963, [1964] (18).
3394. Peterson, R. W. Radio-frequency power requirements for edge-gluing. 1951, *Wood* 1951 16 (9), (340-4).
3395. Petri, V. N. and Podoinikova, Z. I. Thermal treatment of lignocellulosic sheets. 1971, *Lesn. Zh.* 1971 14 (1), (66-9). [Ru, 3 Ref.].
3396. Petrides, G. a. Observations on the relative importance of winter deer browse species in central New York. 1941, *J. Wildlife Management* 5 1941 (4), (416-22). *Biol. Abs.* 16 (459).
3397. Petty, J. L. Bionomics of two aspen bark beetles, *Trypophloeus populi* and *Procryphalus mucronatus* (Coleoptera: Scolytidae). *Great-Basin-Naturalist*. 1977; 37(1):105-127.
3398. Pew, J. C. Properties of powdered wood and isolation of lignin by cellulolytic enzymes. 1957, *Tappi* 1957 40 (7), (553-8). 10 Refs.

3399. Peyer, S. M.; Wolcott, M. P., and Fenoglio, D. J. Reducing moisture swell of densified wood with polycarboxylic acid resin. *Wood-and-Fiber-Science*. 2000; 32(4):520-526.
3400. Pfaff, F. Status of balsam (black) poplar utilization in waferboard/OSB production (Summary report). 1988, li + 20 Pp.; 26 Ref.
3401. Phelps, J. E.; Isebrands, J. G.; Einspahr, D. W.; Crist, J. B., and Sturos, J. A. Wood and paper properties of vacuum airlift segregated juvenile poplar whole-tree chips. *Wood-and-Fiber-Science*. 1985; 17(4):529-539.
3402. Phelps, V. H. Heart rot of Aspen. 1943, *Silvic. Leaflet. Dom. For. Serv. No. 18* 1943 Pp. 2. [Riding Mountain Forest Exp. Sta.].
3403. Phillips, R. L.; Zak, D. R.; Holmes, W. E., and White, D. C. Microbial community composition and function beneath temperate trees exposed to elevated atmospheric carbon dioxide and ozone. *Oecologia*. 2002; 131(2):236-244.
3404. ---. Microbial community composition and function beneath temperate trees exposed to elevated atmospheric carbon dioxide and ozone. *Oecologia*. 2002; 131(2):236-244.
3405. Philpot, C. W. The effect of reduced extractive content on the burning rate of Aspen leaves. 1969, U.S. For. Serv. Res. Note Intermt. For. Range Exp. Sta. No. INT-92, 1969. Pp. 6. [9 Refs.].
3406. Piatt, J. R. and Krause, P. D. Road and site characteristics that influence road salt distribution and damage to roadside Aspen trees. *Water,-Air-and-Soil-Pollution*. 1974, 3: 3, 301-304.
3407. Pielou, E. C.; Campbell, J. S., and Lieffers, V. J. Comparison of the structures of even-aged aspen stands in three geographic regions. *Canadian-Journal-of-Botany*. 1986; 64(1):122-129.
3408. Pieper, G. R. and Richmond, C. E. Residues of trichlorfon and lauroyl trichlorfon in Douglas-fir, willow, grass, aspen foliage, and in creek water after aerial application. *Bulletin-of-Environmental-Contamination-and-Toxicology*. 1976; 15(2):250-256.
3409. Pieper, G. R. and Roberts, R. B. Residue analysis. 1. Residue analysis of carbaryl on forest foliage and in creek water. 2. Residue analysis on fish and aquatic organisms. 3. Brain cholinesterase activities in rainbow trout exposed to Sevin 4-Oil or Dylox. *Western Spruce Budworm*. 1975; (birds):and insect pollinators. Report,-Northern-Region,-Forest-Service,-United-States-Department-of-Agriculture. 1978, recd. 1980, No. 78-75, i + 10 pp.
3410. Pierce, L. E.; Sarabandi, K., and Ulaby, F. T. Application of an artificial neural network in canopy scattering inversion. *International-Journal-of-Remote-Sensing*. 1994; 15(16):3263-3270.
3411. Pierpoint, G.; Jones, R. K.; Jeglum, J. K.; Wickware, G. M.; Arnup, R., and Stone, E. L. Characteristics and management implications of ecosystems with boreal hardwood components in the Great Clay Belt, northern Ontario, Canada. *Forest Soils and Treatment Impacts. Proceedings; (Sixth North American Forest Soils Conference):University of Tennessee, Knoxville, June 1983*. 1984, 17-28.
3412. Pierre, J. P.; Bears, H., and Paszkowski, C. A. Effects of forest harvesting on nest predation in cavity-nesting waterfowl. *Auk*. 2001; 118(1):224-230.
3413. Pigman, W. W. and Czellak, W. R. A study of the origin of the kraft colour. 1948, *Technical Association Papers, Technical Association of the Pulp and Paper Industry, New York* 1948 31 (393-9). 16 Refs. [Institute of Paper Chemistry, Appleton, Wis.].
3414. Pimlott, D. H. Influence of deer and moose on boreal forest vegetation in two areas of eastern Canada.

1963, Transactions of the VIth Congress, International Union of Game Biologists, Bournemouth 7-12 Oct. 1963, 1965 (105-16). 22 Refs.

3415. Pinno, B. D.; Lieffers, V. J., and Stadt, K. J. Measuring and modelling the crown and light transmission characteristics of juvenile aspen. *Canadian-Journal-of-Forest-Research*. 2001; 31(11):1930-1939.
3416. ---. Measuring and modelling the crown and light transmission characteristics of juvenile aspen. *Canadian-Journal-of-Forest-Research*. 2001; 31(11):1930-1939.
3417. Pisaric, M. F. J.; Holt, C.; Szeicz, J. M.; Karst, T., and Smol, J. P. Holocene treeline dynamics in the mountains of northeastern British Columbia, Canada, inferred from fossil pollen and stomata. *Holocene*. 2003; 13(2):161-173.
3418. Pitt, D.; Weingartner, D., and Greifenhagen, S. Precommercial thinning of trembling aspen in northern Ontario: Part 2 -- Interactions with Hypoxylon canker. *Forestry-Chronicle*. 2001; 77(5):902-910.
3419. ---. Precommercial thinning of trembling aspen in northern Ontario: Part 2 -- Interactions with Hypoxylon canker. *Forestry-Chronicle*. 2001; 77(5):902-910.
3420. Pitt, D. G.; Dumas, M. T.; Wall, R. E.; Thompson, D. G.; Lanteigne, L.; Hintz, W.; Sampson, G.; Wagner, R. G.; Thompson, D. G. (ed.), and Wagner, R. G. *Chondrostereum purpureum* as a biological control agent in forest vegetation management. I. Efficacy on speckled alder, red maple, and aspen in eastern Canada. Proceedings of the Third International Conference on Forest Vegetation Management, Sault Ste. Marie; Ontario, Canada, August 24-28, 1998. *Canadian-Journal-of-Forest-Research*. 1999, 29(7):841-851.
3421. Pitt, D. G.; Fleming, R. A.; Thompson, D. G., and Kettela, E. G. Glyphosate efficacy on eastern Canadian forest weeds. Part II: deposit-response relationships and crop tolerance. *Canadian-Journal-of-Forest-Research*. 1992; 22(8):1160-1171.
3422. Pitts, D. E.; Badhwar, G. D.; Feiveson, A. H.; Guyenne, T. D. (ed.), and Hunt, J. J. Comparison of measured C-band scattering coefficients with model predictions as a function of leaf area index and biomass. IGARSS '88. Remote sensing: moving towards the 21st century. International geoscience and remote sensing symposium; (Edinburgh):UK, 12-16 September 1988. Volume III. 1988, 1271-1275.
3423. Pitts, D. E.; Badhwar, G. D., and Reyna, E. The use of a helicopter mounted ranging scatterometer for estimation of extinction and backscattering properties of forest canopies. Part II: experimental results for high-density aspen. *IEEE-Transactions-on-Geoscience-and-Remote-Sensing*. 1988; 26(2):144-152.
3424. Pitts, D. E.; Badhwar, G. D.; Reyna, E.; Ulaby, F. T., and Brunfeldt, D. R. The use of a helicopter mounted ranging scatterometer for estimation of extinction and backscattering properties of forest canopies. Part I: experimental approach and calibration. *IEEE-Transactions-on-Geoscience-and-Remote-Sensing*. 1988; 26(2):140-143.
3425. Piva, R. J. Pulpwood production in the North-Central Region, 1995. *Resource-Bulletin -North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1996; (No. NC-180):39 pp.
3426. Pizzolato, T. D. A tannic acid-ferric chloride-toluidine blue stain for wood amyloplasts embedded in epoxy resin. *Forest-Science*. 1978; 24(1):49-51.
3427. Plonski, W. L. Normal yield tables for Black Spruce, Jack Pine, Aspen, White Birch, tolerant hardwoods, White Pine, and Red Pine for Ontario. 1960, Bull. (Silv. Ser.) Ont. Dep. Lds. For. No. 2, 1960. Pp. 39. 6 Refs.

3428. Plyfair, L. Brush control with Dybar (25% fenuron). 1960, Res. Rep. 17th Nth. Cent. Weed Control Conf. 1960 (107). From Abstr. in Weed Abstr. 11 (6), 1962 (1850).
3429. Poeydomenge, O.; Boudet, A. M., and Grima Pettenati, J. A cDNA encoding S-adenosyl-L-methionine:caffeic acid 3-O-methyltransferase from Eucalyptus. *Plant-Physiology*. 1994; 105(2):749-750.
3430. Pollard, D. F. W. Above-ground dry matter production in three stands of Trembling Aspen. *Canadian-Journal-of-Forest-Research*. 1972; 2(1):27-33.
3431. ---. Effect of partial defoliation on leader growth. 1970, *Bi-m Res. Notes* 1970 26 (2), (10-1). [5 Refs.].
3432. ---. The effect of rapidly changing light on the rate of photosynthesis in Largetooth Aspen (*Populus grandidentata*). 1970, *Canad. J. Bot.* 1970 48 (4), (824-9). [8 Refs.].
3433. ---. Estimating woody dry matter loss resulting from defoliation. *Forest-Science*. 1972; 18(2):135-138.
3434. ---. Leaf area development on different shoot types in a young Aspen stand and its effect upon production. 1970, *Canad. J. Bot.* 1970 48 (10), (1801-4). [6 Refs.].
3435. ---. Mortality and annual changes in distribution of above-ground biomass in an Aspen sucker stand. 1971, *Canad. J. For. Res.* 1971 1 (4), (262-6). [En, Fr, 9 Ref.].
3436. Polson, C.; Davidson Hunt, I. (ed.); Duchense, L. C. (ed.), and Zasada, J. C. Using aspen for artist stretcher frames: adding value through quality service, direct marketing, and careful material selection. *Forest Communities in the Third Millennium: Linking Research, Business, and Policy Toward a Sustainable Non-Timber Forest Product Sector. Proceedings of a Meeting, Kenora, Ontario, Canada, 1-4 October, 1999. General-Technical-Report -North-Central-Research-Station,-USDA-Forest-Service*. 2000, No.NC-217, 133-134.
3437. Pomerleau, R. Occurrence and importance of cankers and rots in deciduous forests in Quebec. 1946, Abstr. in *Phytopathology*. 1946. 36 (5). (408).
3438. ---. Studies on the ink-spot disease of Poplar. 1940, *Canad. J. Res.* 18, Sec. C 1940 (199-214). [Department of Lands & Forests, Quebec.] P.R.
3439. Pomeroy, J. W.; Granger, R. J.; Rosbjerg, D. (ed.); Boutayeb, N. E. (ed.); Gustard, A. (ed.); Kundzewicz, Z. W. (ed.), and Rasmussen, P. F. Sustainability of the western Canadian boreal forest under changing hydrological conditions. I. Snow accumulation and ablation. *Sustainability of Water Resources Under Increasing Uncertainty. Proceedings of an international symposium of the Fifth Scientific Assembly of the International Association of Hydrological Sciences (IAHS); (Rabat):Morocco, 23 April to 3 May 1997*. 1997, 237-242.
3440. Pomeroy, J. W.; Parviainen, J.; Hedstrom, N.; Gray, D. M.; Taylor, S. (ed.), and Hardy, J. P. Coupled modelling of forest snow interception and sublimation. *Selected Papers From the 55th Eastern Snow Conference Held in Jackson, New Hampshire, USA*. 1998; 12(15):2317-2337.
3441. Pothier, D. and Prevost, M. Photosynthetic light response and growth analysis of competitive regeneration after partial cutting in a boreal mixed stand. *Trees:-Structure-and-Function*. 2002; 16(4-5):365-373.
3442. ---. Photosynthetic light response and growth analysis of competitive regeneration after partial cutting in a boreal mixed stand. *Trees:-Structure-and-Function*. 2002; 16(4-5):365-373.
3443. Potter Witter, K. and Ramm, C. W. Aspen supply, use and demand in Michigan. *Northern-Journal-of-*

Applied-Forestry. 1992; 9(1):10-14.

3444. Potvin, F.; Courtois, R.; Belanger, L.; Thompson, D. G. (ed.), and Wagner, R. G. Short-term response of wildlife to clear-cutting in Quebec boreal forest: multiscale effects and management implications. Proceedings of the Third International Conference on Forest Vegetation Management, Sault Ste. Marie; Ontario, Canada, August 24-28, 1998. Canadian-Journal-of-Forest-Research. 1999, 29(7):1120-1127.
3445. Prasad, R. and Cadogan, B. L. Influence of droplet size and density on phytotoxicity of three herbicides. Weed-Technology. 1992; 6(2):415-423.
3446. Prasad, R.; Chow, P. N. P. (ed.); Grant, C. A. (ed.); Hinshalwood, A. M. (ed.), and Simundsson, E. Role of some adjuvants in enhancing the efficacy of herbicides on forest species. Adjuvants-and-Agrochemicals.-Volume-I.-Mode-of-Action-and-Physiological-Activity. 1989, 159-165; 17 Ref.
3447. Prasad, R. and Feng, J. C. Spotgun-applied hexazinone: release of red pine (*Pinus resinosa*) from quaking aspen (*Populus tremuloides*) competition and residue persistence in soil. Weed-Technology. 1990; 4(2):371-375.
3448. Prasad, R.; Feng, J. C., and Sundaram, K. M. S. Red pine release and residue persistence after hexazinone spotgun treatment in northern Ontario. Proceedings of the 20th Annual Eastern Canada Workshop on Pesticide Residues and Environmental Contaminants. 1988, 107-115; 28 Ref.
3449. Prasad, R. and Foy, C. L. Effects on brush control from the addition of adjuvants to glyphosate. Adjuvants for Agrichemicals. 1992; (545-551; based on the Second International Symposium on Adjuvants for Agrichemicals):Blacksburg, USA, 31 July-3 August 1989.
3450. Pratt, E. R. Rotary veneers. 1954, Quart. J. For. 1954 48 (4), (297-9 + 2 Photos).
3451. Pratt, R. H. M. Aerial spraying with 2,4-D to eliminate Trembling Aspen. 1966, Pulp Paper Mag. Can. 1966 67 (9), (WR460-WR462). [10 Refs.].
3452. Pregitzer, K. S. and Barnes, B. V. Flowering phenology of *Populus tremuloides* and *P. grandidentata* and the potential for hybridization. Canadian-Journal-of-Forest-Research. 1980; 10(2):218-223.
3453. Pregitzer, K. S.; Zak, D. R.; Maziasz, J.; DeForest, J.; Curtis, P. S., and Lussenhop, J. Interactive effects of atmospheric CO₂ and soil-N availability on fine roots of *Populus tremuloides*. Ecological-Applications. 2000; 10(1):18-33.
3454. Prentice, R. M. Further notes on the large Aspen tortrix. 1951, Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can. 1951 7 (5), (2).
3455. ---. The life history and some aspects of the ecology of the large Aspen tortrix, *Choristoneura conflictana* (Wlkr.) (n-comb.) (Lepidoptera: Tortricidae). 1955, Canad. Ent. 1955 87 (11), (461-73). 15 Refs.
3456. Prescott, C. E.; Blevins, L. L., and Staley, C. L. Effects of clear-cutting on decomposition rates of litter and forest floor in forests of British Columbia. Canadian-Journal-of-Forest-Research. 2000; 30(11):1751-1757.
3457. Prescott, C. E.; Kabzems, R., and Zabek, L. M. Effects of fertilization on decomposition rate of *Populus tremuloides* foliar litter in a boreal forest. Canadian-Journal-of-Forest-Research. 1999; 29(3):393-397.
3458. Prescott, C. E.; Zabek, L. M.; Meurisse, R. T. (ed.); Ypsilantis, W. G. (ed.), and Seybold, C. Decomposition and nitrogen mineralization in forests of British Columbia: effects of forest

management practices. Pacific Northwest Forest and Rangeland Soil Organism Symposium: Organism Functions and Processes, Management Effects on Organisms and Processes, and Role of Soil Organisms in Restoration, LaSells Stewart Center, Oregon State University, Corvallis, Oregon, USA, 17-19 March 1998. 1999; (No. PNW-GTR-461):124-136.

3459. Prescott, C. E.; Zabek, L. M.; Staley, C. L., and Kabzems, R. Decomposition of broadleaf and needle litter in forests of British Columbia: influences of litter type, forest type, and litter mixtures. *Canadian-Journal-of-Forest-Research*. 2000; 30(11):1742-1750.
3460. Presthegge, K. Composition and digestibility of forest waste and other substitute feeds. 1943, *Foringsforsok. Norg. LandbrHogsk.* 1943. No. 54 Pp. 73. *Brit. Abstr. BIII*, 1946 (79).
3461. Preston, A. F.; Nicholas, D. D.; Greenley, D. E.; Walcheski, P. J.; McKaig, P. A.; Barry, S. (ed.), and Houghton, D. R. Efficacy of N-substituted isothiazolones for the control of wood decay fungi. *Biodeterioration 6. Papers presented at the 6th International Biodeterioration Symposium; (Washington):DC, August 1984.* 1986, 100-107.
3462. Preston, A. F.; Walcheski, P. J., and McKaig, P. A. Recent studies with ammoniacal copper carboxylate preservatives. *Proceedings,-American-Wood-Preservers'-Association*. 1985; (No. 81):30-38.
3463. Preston, C. M.; Trofymow, J. A.; Sayer, B. G.; Niu JunNing, and Jiu, J. N. ¹³C nuclear magnetic resonance spectroscopy with cross-polarization and magic-angle spinning investigation of the proximate-analysis fractions used to assess litter quality in decomposition studies. *Canadian-Journal-of-Botany*. 1997; 75(9):1601-1613.
3464. Prevost, M. and Pothier, D. Partial cuts in a trembling aspen - conifer stand: effects on microenvironmental conditions and regeneration dynamics. *Canadian-Journal-of-Forest-Research*. 2003; 33(1):1-15.
3465. Preziosi Belloy, L.; Nolleau, V., and Navarro, J. M. Fermentation of hemicellulosic sugars and sugar mixtures to xylitol by *Candida parapsilosis*. *Enzyme-and-Microbial-Technology*. 1997; 21(2):124-129.
3466. Price, A. G. and Watters, R. J. The influence of the overstory, understorey and upper soil horizons on the fluxes of some ions in a mixed deciduous forest. *Journal-of-Hydrology-Amsterdam*. 1989; 109(1-2):185-197.
3467. ---. Seasonal fluxes of some ions through the overstory, underbrush and organic soil horizons of an aspen-birch forest. *Water-Resources-Research*. 1988; 24(3):403-408.
3468. Pridham, J. B. Oligosaccharides and associated glycosidases in Aspen tissues. 1960, *Biochem. J.* 76 (1), 1960 (13-7). 43 Refs.
3469. Pringle, W. L.; Elliott, C. R., and Dobb, J. L. Aspen regrowth in pastures of the Peace River region. *Journal-of-Range-Management*. 1973; 26(4):260-262.
3470. Probst, J. R.; Rakstad, D. S., and Rugg, D. J. Breeding bird communities in regenerating and mature broadleaf forests in the USA Lake States. *Forest-Ecology-and-Management*. 1992; 49(1-2):43-60.
3471. Pronin, D. Estimating tree specific gravity of major pulpwood species of Wisconsin. 1971, *US For. Serv. Res. Pap. US For. Prod. Lab., Madison No. FPL 161*, 1971. Pp. 16. [17 Ref.].
3472. Pronin, D. and Lassen, L. E. Evaluating Quaking Aspen of Wisconsin for a site-quality to wood-quality relationship. 1970, *U.S. For. Serv. Res. Pap. U.S. For. Prod. Lab., Madison No. FPL-141*. 1970 Pp. 8. [20 Refs.].

3473. Pronin, D. and Vaughan, C. L. A literature survey of *Populus* species with emphasis on *P. tremuloides*. 1968, U.S. For. Serv. Res. Note U.S. For. Prod. Lab., Madison No. FPL-0180 (Rev.) 1968. Pp. 67. [703 Refs.].
3474. ---. A literature survey of *Populus* spp. with emphasis on *P. tremuloides*. 1967, U.S. For. Serv. Res. Note U.S. For. Prod. Lab., Madison No. FPL-0180, 1967. Pp. 30. [306 Refs.].
3475. Proulx, O. J. and Greene, D. F. The relationship between ice thickness and northern hardwood tree damage during ice storms. *Canadian-Journal-of-Forest-Research*. 2001; 31(10):1758-1767.
3476. Prusas, Z. C.; Rourke, M. J., and Uhrig, L. O. Variables in chemi-thermomechanical pulping of northern hardwoods. *Tappi-Journal*. 1987; 70(10):91-95.
3477. Pu, J. H.; Tang, R. C., and Davis, W. C. Creep behavior of commercial oriented strandboard under high relative humidity. *Forest-Products-Journal*. 1992; 42(4):49-54.
3478. Pu, J. H.; Tang, R. C., and Price, E. W. The effect of hot and humid environmental conditions on the creep behavior of commercial structural oriented strandboards. *Forest-Products-Journal*. 1992; 42(11-12):9-14.
3479. Puettmann, K. J. and Reich, P. B. The differential sensitivity of red pine and quaking aspen to competition. *Canadian-Journal-of-Forest-Research*. 1995; 25(11):1731-1737.
3480. Puettmann, K. J. and Saunders, M. R. Eastern white pine (*Pinus strobus*) growth response to partial hardwood overstory release. *Northern-Journal-of-Applied-Forestry*. 2000; 17(3):89-94.
3481. Puettmann, M. E. and Schmidt, E. L. Boron diffusion treatment of aspen lumber stored under various relative humidities. *Forest-Products-Journal*. 1997; 47(10):47-50.
3482. Pylypec, B. and Redmann, R. E. Acid-buffering capacity of foliage from boreal forest species. *Canadian-Journal-of-Botany*. 1984; 62(12):2650-2653.
3483. Qian, H.; Klinka, K.; Okland, R. H.; Krestov, P., and Kayahara, G. J. Understorey vegetation in boreal *Picea mariana* and *Populus tremuloides* stands in British Columbia. *Journal-of-Vegetation-Science*. 2003, 14: 2, 173-184.
3484. Quarles, S. L. and Nagoda, L. Performance of vented and nonvented cauls in press-drying. *Forest-Products-Journal*. 1990; 40(11-12):57-60.
3485. Quick, R. H. A study of the hemicellulose removed during a neutral sulphite semichemical cook of Aspenwood. 1956, *Tappi* 1956 39 (6), (357-66). 23 Refs.
3486. Quinn, R. D.; Wu, L.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Quaking aspen reproduce from seed after wildfire in the mountains of Southeastern Arizona. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):369-376.
3487. ---. Quaking aspen reproduce from seed after wildfire in the mountains of Southeastern Arizona. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):369-376.
3488. Quintilio, D.; Alexander, M. E., and Ponto, R. L. Spring fires in a semimature trembling aspen stand in central Alberta. *Information-Report -Northwest-Region,-Forestry-Canada*. 1991; (No. NOR-X-323):30 pp.

3489. Radeloff, V. C.; Mladenoff, D. J.; He, H. S., and Boyce, M. S. Forest landscape change in the northwestern Wisconsin Pine Barrens from pre-European settlement to the present. *Canadian-Journal-of-Forest-Research*. 1999; 29(11):1649-1659.
3490. Raffle, V. L.; Anderson, N. A.; Furnier, G. R., and Doudrick, R. L. Variation in mating competence and random amplified polymorphic DNA in *Laccaria bicolor* (Agaricales) associated with three tree host species. *Canadian-Journal-of-Botany*. 1995; 73(6):884-890 + 3 pp.
3491. Rahman, M. H.; Dayanandan, S., and Rajora, O. P. Microsatellite DNA markers in *Populus tremuloides*. *Genome*. 2000; 43(2):293-297.
3492. Rahman, M. H. and Rajora, O. P. Microsatellite DNA somaclonal variation in micropropagated trembling aspen (*Populus tremuloides*). *Plant-Cell-Reports*. 2001; 20(6):531-536.
3493. Raile, G. K. and Hahn, J. T. The extent and characteristics of low productivity aspen areas in Minnesota. *Resource-Bulletin,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1982; (No. NC-61):36 pp.
3494. Raile, G. K. and Jakes, P. J. Tree biomass estimates for Minnesota's aspen-birch forest survey unit. *Research-Note,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1981; (No. NC-267):6 pp.
3495. Raj, R. G.; Kokta, B. V.; Kennedy, J. F. (ed.); Phillips, G. O. (ed.), and Williams, P. A. Studies on mechanical properties of polyvinyl chloride-wood fibre composites. *Wood Processing and Utilization*. 1989, 257-261; 8 Ref.
3496. Raju, M. V. S.; Coupland, R. T., and Steeves, T. A. On the occurrence of root buds on perennial plants in Saskatchewan. 1966, *Canad. J. Bot.* 44(1), 1966 (33-7 + 2 Photos). 15 Refs.
3497. Ralphs, M. H. and Pfister, J. A. Cattle diets in tall forb communities on mountain rangelands. *Journal-of-Range-Management*. 1992; 45(6):534-537.
3498. Ralston, R. A. Comparison of man hours required for thinning and clear cutting pole-size aspen. 1953, *Tech. Note Lake St. For. Exp. Sta.* 1953 No. 407, Pp. 1.
3499. Ramsay, J. A.; Hassan, M. C. A., and Ramsay, B. A. Biological conversion of hemicellulose to propionic acid. *Enzyme-and-Microbial-Technology*. 1998; 22(4):292-295.
3500. Randall, B. L.; Ek, A. R.; Hahn, J. T., and Buchman, R. G. STEMS model projection capability with incomplete tree list input data. *Northern-Journal-of-Applied-Forestry*. 1988; 5(3):190-194.
3501. Rangen, S. A.; Clark, R. G., and Hobson, K. A. Influence of nest-site vegetation and predator community on the success of artificial songbird nests. *Canadian-Journal-of-Zoology*. 1999; 77(11):1676-1681.
3502. Raphael, H. J. Anatomical changes in Trembling Aspen (*Populus tremuloides* Michx.) induced by the application of chemical agents to the stem. 1954, *Quart. Bull. Mich. Agric. Exp. Sta.* 1954 37 (2), (241-7). 5 Refs.
3503. Raphael, H. J.; Panshin, A. J., and Day, M. W. 'Chemical' bark peeling of Aspen, 1952 and 1953 field tests. 1954, *Quart. Bull. Mich. Agric. Exp. Sta.* 1954 37 (2), (230-40).
3504. Raphael, M. G. and Morrison, M. L. Decay and dynamics of snags in the Sierra Nevada, California. *Forest-Science*. 1987; 33(3):774-783.
3505. Ras, T.; Ven, M. van de; Patterson Kane, E. G.; Nelson, K.; de Ven, M. van, and van de Ven, M. Rats'

preferences for corn versus wood-based bedding and nesting materials. *Laboratory-Animals*. 2002; 36(4):420-425.

3506. Raske, A. G. Forest tent caterpillar moths found in Newfoundland. *Bi-Monthly-Research-Notes*. 1976; 32(1):1-2.
3507. Raup, H. M. Forests and gardens along the Alaska highway. 1945, *Geogr. Rev.* 1945 35 (1) (22-48).
3508. ---. Vegetation along the Alaska Highway and the north Pacific Coast. 1945, *J. N.Y. Bot. Gdn.* 1945 46, (177-91). [Arnold Arboretum.].
3509. Rauscher, H. M.; Nute, D. E.; Perala, D. A.; Zhu GuoJun; Chang YouSong; Host, G. E.; Benzie, J. W.; Zhu, G. J., and Chang, Y. S. The Forest Management Advisory System. *AI-Applications*. 1995; 9(3):60.
3510. Rauscher, H. M.; Perala, D. A.; Host, G. E., and Adams, R. D. An aspen forest management advisory system. *Aspen Symposium '89: Proceedings*. Duluth; (Minnesota):July 25-27, 1989. *General-Technical-Report -North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1990, No. NC-140, 185-194.
3511. Rauscher, H. M.; Perala, D. A., and Worth, C. V. The ecology and management of aspen. *AI-Applications*. 1995; 9(3):59.
3512. Reade, A. E. and McQueen, R. E. Investigation of white-rot fungi for the conversion of poplar into a potential feedstuff for ruminants. *Canadian-Journal-of-Microbiology*. 1983; 29(4):457-463.
3513. Redmann, R. E.; Haraldson, J., and Gusta, L. V. Leakage of UV-absorbing substances as a measure of salt injury in leaf tissue of woody species. *Physiologia-Plantarum*. 1986; 67(1):87-91.
3514. Reed, D. D.; Jones, E. A.; Holmes, M. J., and Fuller, L. G. Modeling diameter growth in local populations: a case study involving four North American deciduous species. *Forest-Ecology-and-Management*. 1992; 54(1-4):95-114.
3515. Reed, D. D.; Jones, E. A.; Mroz, G. D.; Liechty, H. O.; Cattelino, P. J., and Jurgensen, M. F. Effects of 76 Hz electromagnetic fields on forest ecosystems in northern Michigan: tree growth. *International-Journal-of-Biometeorology*. 1993; 37(4):229-234.
3516. Reed, J. C. Jr. and Harms, J. C. Rates of tree growth and forest succession in the Anchorage-Matanuska Valley area, Alaska. 1956, *Arctic*, Montreal 1956 9 (4), (238-48). 3 Refs.
3517. Reed, R. M. Aspen forests of the Wind River Mountains, Wyoming. 1971, *Amer. Midl. Nat.* 1971 86 (2), (327-43). [29 Ref.].
3518. Reeder, C. J. and Jurgensen, M. F. Fire-induced water repellency in forest soils of upper Michigan. *Canadian-Journal-of-Forest-Research*. 1979; 9(3):369-373.
3519. Reeks, W. A. Weather injury to trees in Manitoba. 1958, *Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can.* 1958 14 (5), (1-2).
3520. Rees, L. W. Aspen [*Populus tremuloides*] lumber for building purposes. 1947, *Lake St. Aspen Rep.* 1947. No. 9, Pp. 11. 13 Refs.
3521. Regula, I.; Kolevska Pletikapic, B., and Krsnik Rasol, M. Presence of serotonin in *Juglans ailanthifolia* var. *ailanthifolia* Carr. and its physiological effects on plants. *Acta-Botanica-Croatica*. 1989, 48: 57-62; 1 Pl.; 11 Ref.

3522. Reich, P. B.; Tjoelker, M. G.; Walters, M. B.; Vanderklein, D. W., and Buschena, C. Close association of RGR, leaf and root morphology, seed mass and shade tolerance in seedlings of nine boreal tree species grown in high and low light. *Functional-Ecology*. 1998; 12(3):327-338.
3523. Reich, P. B.; Walters, M. B.; Tjoelker, M. G.; Vanderklein, D., and Buschena, C. Photosynthesis and respiration rates depend on leaf and root morphology and nitrogen concentration in nine boreal tree species differing in relative growth rate. *Functional-Ecology*. 1998; 12(3):395-405.
3524. Reid, I. D. Biological delignification of aspen wood by solid-state fermentation with the white-rot fungus *Merulius tremellosus*. *Applied-and-Environmental-Microbiology*. 1985; 50(1):133-139.
3525. ---. The influence of nutrient balance on lignin degradation by the white-rot fungus *Phanerochaete chrysosporium*. *Canadian-Journal-of-Botany*. 1979; 57(19):2050-2058.
3526. ---. Optimization of solid-state fermentation for selective delignification of aspen wood with *Phlebia tremellosa*. *Enzyme-and-Microbial-Technology*. 1989; 11(12):804-809.
3527. Reid, I. D.; Chao, E. E., and Dawson, P. S. S. Lignin degradation by *Phanerochaete chrysosporium* in agitated cultures. *Canadian-Journal-of-Microbiology*. 1985; 31(1):88-90.
3528. Reighard, G. L. and Hanover, J. W. Shoot and root development and dry matter partitioning in *Populus grandidentata*, *P. tremuloides*, and *P. X smithii*. *Canadian-Journal-of-Forest-Research*. 1990; 20(6):849-852.
3529. Reighard, G. L.; Howe, G., and Hanover, J. W. Effects of chemical weed control and seedling planting depth on survival and growth of aspen. *Tree-Planters'-Notes*. 1985; 36(1):3-7.
3530. Reinke, M. E. Management of Aspen. 1955, *Wis. Conserv. Bull.* 1955 20 (11), (25-8).
3531. Remphrey, W. R. and Pearn, L. P. Crown development of a clone of *Populus tremuloides* exhibiting "crooked" architecture and a comparison with wild-type trees. *Canadian-Journal-of-Botany*. 2003; 81(4):345-359.
3532. Renaud, M.; Rueff, M., and Rocaboy, A. C. Mechanical behaviour of saturated wood under compression. Part 2. Behaviour of wood at low rates of strain some effects of compression on wood structure. *Wood-Science-and-Technology*. 1996; 30(4):237-243.
3533. Renault, S.; Paton, E.; Nilsson, G.; Zwiazek, J. J., and MacKinnon, M. D. Responses of boreal plants to high salinity oil sands tailings water. *Journal-of-Environmental-Quality*. 1999; 28(6):1957-1962.
3534. Renaut, J.; Hausman, J. F.; Lutts, S.; Sorvari, S. (ed.); Karhu, S. (ed.); Kanervo, E. (ed.), and Pihakaski, S. Chill-induced reactions in poplar. *Proceedings of the Fourth International Symposium on In Vitro Culture and Horticultural Breeding, Tampere, Finland, 2-7 July 2000*. 2001; (No.560):307-310.
3535. Renecker, L. A. and Hudson, R. J. Seasonal quality of forages used by moose in the aspen-dominated boreal forest, central Alberta. *Holarctic-Ecology*. 1988; 11(2):111-118.
3536. Renkin, R.; Despain, D., and Greenlee, J. M. Notes on postfire aspen seedling establishment. *The Ecological Implications of Fire in Greater Yellowstone. Proceedings of the Second Biennial Conference on the Greater Yellowstone Ecosystem; (Yellowstone National Park):Wyoming, USA, 19-21 September, 1993*. 1996, 105-106.
3537. ---. Preburn root biomass/basal area influences on the response of aspen to fire and herbivory. *The Ecological Implications of Fire in Greater Yellowstone. Proceedings of the Second Biennial Conference on the Greater Yellowstone Ecosystem; (Yellowstone National Park):Wyoming, USA,*

19-21 September, 1993. 1996, 95-103.

3538. Reno, J. and Kukachka, B. F. Reno-Kukachka wood identification chart No. 1. Commercial hardwoods. Parts 1-3; 5-7. 1950, Wood, Chicago 1950 5 (1-3; 5-7), (25-7; 28-9; 22-3; 26-7; 26-7; 22-3).
3539. Retnakaran, A. Conditioned feeding preference in the forest tent caterpillar. *Bi-Monthly-Research-Notes*. 1978; 34(5):32.
3540. Retnakaran, A. and Smith, L. Greenhouse evaluation of PH 60-40 activity on the forest tent caterpillar. *Bi-Monthly-Research-Notes*. 1976; 32(1):2.
3541. Retnakaran, A.; Smith, L., and Tomkins, B. Application of Dimilin effectively controls forest tent caterpillar populations and affords foliage protection. *Bi-Monthly-Research-Notes*. 1976; 32(5):26-27.
3542. Retnakaran, A.; Smith, L.; Tomkins, B., and Granett, J. Control of forest tent caterpillar, *Malacosoma disstria* (Lepidoptera: Lasiocampidae), with Dimilin. *Canadian-Entomologist*. 1979; 111(7):841-846.
3543. Rettie, W. J. and Messier, F. Range use and movement rates of woodland caribou in Saskatchewan. *Canadian-Journal-of-Zoology*. 2001; 79(11):1933-1940.
3544. Rettie, W. J.; Sheard, J. W., and Messier, F. Identification and description of forested vegetation communities available to woodland caribou: relating wildlife habitat to forest cover data. *Forest-Ecology-and-Management*. 1997; 93(3):245-260.
3545. Reynolds, H. G. Aspen grove use by deer, elk, and cattle in southwestern coniferous forests. 1969, U.S. For. Serv. Res. Note Rocky Mt. For. Range Exp. Sta. No. RM-138, 1969. Pp. 4.
3546. Reynolds, J. W.; Krohn, W. B., and Jordan, G. A. Earthworm populations as related to woodcock habitat usage in central Maine. *Proceedings, 6th Woodcock Symposium*. 1977, 135-146; 20 Ref.
3547. Reynolds, P. E.; Bell, F. W.; Lautenschlager, R. A.; Simpson, J. A.; Gordon, A. M.; Gresch, D. A.; Buckley, D. A.; Winters, J. A.; Mitchell, A. K. (ed.); Puttonen, P. (ed.); Stoehr, M. (ed.), and Hawkins, B. J. Microclimate changes following alternative conifer release treatments continued through three post-treatment growing seasons. *Frontiers of Forest Biology*. 1998 Feb; 10(3-4):267-275.
3548. Reynolds, P. E.; Bell, F. W.; Simpson, J. A.; Gordon, A. M.; Lautenschlager, R. A.; Gresch, D. A., and Buckley, D. A. Alternative conifer release treatments affect leaf area index of competing vegetation and available light for seedling growth. *Fallingsnow Ecosystem Project*. 1997; 73(1):83-89.
3549. Reynolds, P. E.; Bell, F. W.; Simpson, J. A.; Lautenschlager, R. A.; Gordon, A. M.; Gresch, D. A.; Buckley, D. A.; Mitchell, A. K. (ed.); Puttonen, P. (ed.); Stoehr, M. (ed.), and Hawkins, B. J. Alternative conifer release treatments affect competition levels, available light, net assimilation rates, and growth of white spruce seedlings. *Frontiers of Forest Biology*. 1998 Feb; 10(3-4):277-286.
3550. Reynolds, P. E.; MacKay, T. S., and McCormack, M. L. Jr. One year results for a hexazinone conifer release trial. *Proceedings, 40th Annual Meeting of the Northeastern Weed Science Society*. 1986, 218-222; 3 Ref.
3551. Reynolds, P. E.; Pitt, D. G.; Roden, M. J.; Wellman, R. N.; Wood, J. E., and Althen, F. W. von. Performance of liquid and granular hexazinone formulations on silty sand soils in northern

Ontario. 1. Herbicide efficacy. Supplement to the 44th Annual Meeting of the Northeastern Weed Science Society. 1991, 196-206; 12 Ref.

3552. Reynolds, P. E. and Roden, M. J. Short-term performance of two hexazinone formulations: efficacy, seedling survival and growth. *Forestry-Chronicle*. 1995; 71(2):228-232.
3553. Reynolds, P. E.; Simpson, J. A.; Lautenschlager, R. A.; Bell, F. W.; Gordon, A. M.; Buckley, D. A., and Gresch, D. A. Alternative conifer release treatments affect below- and near-ground microclimate. *Fallingsnow Ecosystem Project*. 1997; 73(1):75-82.
3554. Reynolds, P. E.; Thevathasan, N. V.; Simpson, J. A.; Gordon, A. M.; Lautenschlager, R. A.; Bell, W. F.; Gresch, D. A.; Buckley, D. A., and Lousier, J. D. Alternative conifer release treatments affect microclimate and soil nitrogen mineralization. *Special Issue: Ecology of Northern Forest Soils. Selected papers from the International forest soils conference; held Prince George, BC, Canada, 13-18 June 1998. Forest-Ecology-and-Management*. 2000, 133(1-2):115-125.
3555. Rhoads, A. F. and Brennan, E. Air quality as reflected by injury to metropolitan vegetation [in New Jersey]. Heisler, G. M.; Herrington; L. P. (Co-chairmen)(Proceedings of the conference on metropolitan physical environment. *General-Technical-Report,-Northeastern-Forest-Experiment-Station,-USDA-Forest-Service*. 1977):No. NE-25, 303-307.
3556. Rials, T. G. and Glasser, W. G. Multiphase materials with lignin. VI. Effect of cellulose derivative structure on blend morphology with lignin. *Wood-and-Fiber-Science*. 1989; 21(1):80-90.
3557. Ribi, E. Electron microscopic investigations of the cell wall organization of wood. 1953, *Experimental Cell Research*, New York 1953. 5 (1), (161-72). 24 Refs.
3558. Rice, J. Ecological relationships of two interspecifically territorial vireos. *Ecology*. 1978; 59(3):526-538.
3559. Rice, J. A.; MacDonald, G. B., and Weingartner, D. H. Precommercial thinning of trembling aspen in northern Ontario: Part 1 -- Growth responses. *Forestry-Chronicle*. 2001; 77(5):893-901.
3560. ---. Precommercial thinning of trembling aspen in northern Ontario: Part 1 -- Growth responses. *Forestry-Chronicle*. 2001; 77(5):893-901.
3561. Rice, P. F. Some biological effects of volatiles emanating from wood. 1970, *Canad. J. Bot.* 1970 48 (4), (719-35 + 4 Photos). [30 Refs.].
3562. Richards, C. H. and Reed, D. D. A volume estimation system for four northern hardwood species. *Northern-Journal-of-Applied-Forestry*. 1986; 3(1):25-28.
3563. Richardson, R. J. and Holliday, N. J. Occurrence of carabid beetles (Coleoptera: Carabidae) in a boreal forest damaged by fire. *Canadian-Entomologist*. 1982; 114(6):509-514.
3564. Rickers, J. R.; Queen, L. P., and Arthaud, G. J. A proximity-based approach to assessing habitat. *Landscape-Ecology*. 1995; 10(5):309-321.
3565. Riegel, G. M.; Thornburgh, D. A., and Sawyer, J. O. Forest habitat types of the South Warner Mountains, Modoc County, California. *Madrono*. 1990; 37(2):88-112.
3566. Rieger, S. and DeMent, J. A. Cryorthods of the Cook Inlet-Susitna Lowland, Alaska. 1965, *Proc. Soil Sci. Soc. Amer.* 29 (4), 1965 (448-53). 12 Refs.
3567. Riitters, K. H.; Ohmann, L. F., and Grigal, D. F. Woody tissue analysis using an element ratio technique (DRIS). *Canadian-Journal-of-Forest-Research*. 1991; 21(8):1270-1277.

3568. Riley, C. G. Hail damage in forest stands. 1953, For. Chron. 1953 29 (2), (139-43 + 11 Photos).
3569. Riley, C. g. Studies in forest pathology. IX. Fomes igniarius decay of Poplar. 1952, Canad. J. Bot. 1952 30 (6), (710-34 + 8 Photos). 30 Refs.
3570. Rioux, D. and Ouellette, G. B. Light microscope observations of histological changes induced by *Ophiostoma ulmi* in various nonhost trees and shrubs. Canadian-Journal-of-Botany. 1989; 67(8):2335-2351.
3571. Ripley, E. A. and Archibold, O. W. Effects of burning on prairie aspen grove microclimate. Agriculture,- Ecosystems-and-Environment. 1999; 72(3):227-237.
3572. Ripley, R. A. and Fung, D. P. C. Flash pyrolysis of Aspen and Black Spruce lignins-the effect of inorganic salts. 1971, Wood Sci. 1971 4 (1), (25-31). [22 Ref.].
3573. Ripple, W. J. and Larsen, E. J. Historic aspen recruitment, elk, and wolves in northern Yellowstone National Park, USA. Biological-Conservation. 2000; 95(3):361-370.
3574. ---. The role of postfire coarse woody debris in aspen regeneration. Western-Journal-of-Applied-Forestry. 2001; 16(2):61-64.
3575. Ripple, W. J.; Larsen, E. J.; Renkin, R. A., and Smith, D. W. Trophic cascades among wolves, elk and aspen on Yellowstone National Park's northern range. Biological-Conservation. 2001; 102(3):227-234.
3576. Risenhoover, K. L. and Maass, S. A. The influence of moose on the composition and structure of Isle Royale forests. Canadian-Journal-of-Forest-Research. 1987; 17(5):357-364.
3577. Risi, J. and Amiot, L. P. Study of the penetration of aqueous solutions of urea and dimethylolurea into the principal woods of Quebec and of the influence of this treatment on some of their mechanical properties. 1948, Bull. Serv. for. Quebec (n.s.). 1948 No. 13, Pp. 38. 36 Refs.
3578. Ritch Krc, E. M.; Thomas, S.; Turner, N. J., and Towers, G. H. N. Carrier herbal medicine: traditional and contemporary plant use. Journal-of-Ethnopharmacology. 1996; 52(2):85-94.
3579. Ritter, G. J. and Hossfield, R. L. Chemical utilization of Aspen. 1947, Lake St. Aspen Rep. 1947. No. 4, Pp.19. 12 Refs.
3580. Roalson, E. H. and Allred, K. W. A floristic study in the diamond creek drainage area, Gila National forest, New Mexico. Aliso. 1998; 17(1):47-62.
3581. Robbins, R. T. and Brown, D. J. F. Descriptions of three new Longidorus species from Alaska (Nematoda: Longidoridae). Journal-of-Nematology. 1996; 28(1):83-93.
3582. Roberts, D. W. and Li BaiLian. Landscape vegetation modelling with vital attributes and fuzzy systems theory. Special Issue. 1996; 90(2):175-184.
3583. ---. Modelling forest dynamics with vital attributes and fuzzy systems theory. Special Issue. 1996; 90(2):161-173.
3584. Roberts, M. R. Stand development and overstory-understory interactions in an aspen-northern hardwood stand. Forest-Ecology-and-Management. 1992; 54(1-4):157-174.
3585. Roberts, M. R. and Christensen, N. L. Vegetation variation among mesic successional forest stands in northern lower Michigan. Canadian-Journal-of-Botany. 1988; 66(6):1080-1090.

3586. Roberts, M. R. and Gilliam, F. S. Disturbance effects on herbaceous layer vegetation and soil nutrients in Populus forests of northern lower Michigan. *Journal-of-Vegetation-Science*. 1995; 6(6):903-912.
3587. Roberts, M. R. and Richardson, C. J. Forty-one years of population change and community succession in aspen forests on four soil types, northern lower Michigan, USA. *Canadian-Journal-of-Botany*. 1985; 63(9):1641-1651.
3588. Robichaud, I. and Villard, M. A. Do black-throated green warblers prefer conifers? Meso- and microhabitat use in a mixedwood forest. *Condor*. 1999; 101(2):262-271.
3589. Robichaud, Y.; Petro, F. J., and Kingsley, M. C. S. Aspen lumber and dimension stock recovery in relation to sawing pattern. *Forest-Products-Journal*. 1974; 24(3):26-30.
3590. Robinson, D. E.; Wagner, R. G.; Bell, F. W., and Swanton, C. J. Photosynthesis, nitrogen-use efficiency, and water-use efficiency of jack pine seedlings in competition with four boreal forest plant species. *Canadian-Journal-of-Forest-Research*. 2001; 31(11):2014-2025.
3591. ---. Photosynthesis, nitrogen-use efficiency, and water-use efficiency of jack pine seedlings in competition with four boreal forest plant species. *Canadian-Journal-of-Forest-Research*. 2001; 31(11):2014-2025.
3592. Robinson, J. M. Tricamera winter photography cuts forest inventory costs. 1948, *J. For.* 1948 46 (9), (643-5). Also in *Timber of Canada* 8(11), 1948 (34-5, 74-5).
3593. Rocheleau, M. J.; Sithole, B. B.; Allen, L. H., and Noel, Y. Fungal treatment of aspen for wood resin reduction: effect on aged aspen wood chips at room temperature and at 5°C. *Holzforschung*. 1999; 53(1):16-20.
3594. Rochon, P.; Pare, D., and Messier, C. Development of an improved model estimating the nutrient content of the bole for four boreal tree species. *Canadian-Journal-of-Forest-Research*. 1998; 28(1):37-43.
3595. Roden, D. B.; Miller, J. R., and Simmons, G. A. Visual stimuli influencing orientation by larval gypsy moth, *Lymantria dispar* (L.). *Canadian-Entomologist*. 1992; 124(2):287-304.
3596. Roden, J. S. and Pearcy, R. W. The effect of flutter on the temperature of poplar leaves and its implications for carbon gain. *Plant,-Cell-and-Environment*. 1993; 16(5):571-577.
3597. ---. The effect of leaf flutter on the flux of CO₂ in poplar leaves. *Functional-Ecology*. 1993; 7(6):669-675.
3598. ---. Effect of leaf flutter on the light environment of poplars. *Oecologia*. 1993; 93(2):201-207.
3599. ---. Photosynthetic gas exchange response of poplars to steady-state and dynamic light environments. *Oecologia*. 1993; 93(2):208-214.
3600. Rodgers, A. R. and Sinclair, A. R. E. Diet choice and nutrition of captive snowshoe hares (*Lepus americanus*): interactions of energy, protein, and plant secondary compounds. *Ecoscience*. 1997; 4(2):163-169.
3601. Roe, E. I. Aerial brush control in Lake States forests. 1955, Misc. Rep. Lake St. For. Exp. Sta. No. 37, 1955. Pp. 9. 3 Refs.
3602. ---. Early release from Aspen improves yield of Pine plantations. 1951, Tech. Note Lake St. For. Exp. Sta. 1951. No. 353 P. 1.
3603. Roe, E. I. and McCain, D. P. A quick method of collecting and cleaning Aspen seed. 1962, *Tree Plant*.

Notes No. 51, 1962 (17-8).

3604. Roeper, R. A.; Treeful, L. M.; Foote, R. A., and Bunce, M. A. In vitro culture of the ambrosia beetle *Xyleborus affinis* (Coleoptera: Scolytidae). *Great-Lakes-Entomologist*. 1980; 13(1):33-35.
3605. Roesch, F. A. Jr. Adaptive cluster sampling for forest inventories. *Forest-Science*. 1993; 39(4):655-669.
3606. Rogers, J. D. Hypoxylon canker of Aspen. I. Screening for disease resistance. II. Development morphology and cytology of *Hypoxylon pruinaum*. 1963, Abstr. of Theisi, in *Dissert. Abstr.* 23 (11), 1963 (4061-2).
3607. Rogers, J. D. and Berbee, J. G. Developmental morphology of *Hypoxylon pruinaum* in bark of Quaking Aspen. 1964, *Phytopathology* 54 (2), 1964 (154-62). 24 Refs.
3608. Rogers, J. D.; Ju YuMing, and Ju, Y. M. *Entoleuca mammata* comb. nov. for *Hypoxylon mammatum* and the genus *Entoleuca*. *Mycotaxon*. 1996, 59: 441-448; 17 Ref.
3609. Rogers, J. S. Tannin from North-eastern barks. 1949, *Paper Tr. J.* 1949 128 (16), (21-3). 20 Refs.
3610. Rogers, L. Effects of mast and berry crop failures on survival, growth, and reproductive success of black bears. *Transactions, Forty-First North American Wildlife and Natural Resources Conference, March 21-25, 1976, Washington, D.C.* 1976, 431-438; BLL; 12 Ref.
3611. Rogers, L. L. and McRoberts, R. E. Estimation of shrub leaf biomass available to white-tailed deer. *Research-Paper -North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1992; (No. NC-307):17 pp.
3612. Rogers, P.; Atkins, D.; Frank, M., and Parker, D. Forest Health Monitoring in the Interior West: a baseline summary of forest issues, 1996-1999. *General-Technical-Report -Rocky-Mountain-Research-Station,-USDA-Forest-Service*. 2001; (No.RMRS-GTR-75):iii + 40 pp.
3613. ---. Forest Health Monitoring in the Interior West: a baseline summary of forest issues, 1996-1999. *General-Technical-Report -Rocky-Mountain-Research-Station,-USDA-Forest-Service*. 2001; (No.RMRS-GTR-75):iii + 40 pp.
3614. Rogers, P. and Dibble, A. C. Using Forest Health Monitoring to assess aspen forest cover change in the southern Rockies ecoregion. 'Forest Ecology into the Next Millennium: Putting the Long View into Practice'. Selected papers presented at the Second North American Forest Ecology Workshop; 27-30 June 1999. *Forest-Ecology-and-Management*. 2002, 155(1-3):223-236.
3615. Rogstad, S. H.; Nybom, H., and Schaal, B. A. The tetrapod "DNA fingerprinting" M13 repeat probe reveals genetic diversity and clonal growth in quaking aspen (*Populus tremuloides*, Salicaceae). *Plant-Systematics-and-Evolution*. 1991; 175(3-4):115-123.
3616. Rogstad, S. H.; Patton, J. C. II, and Schaal, B. A. M13 report probe detects DNA minisatellite-like sequences in gymnosperms and angiosperms. *Proceedings-of-the-National-Academy-of-Sciences-of-the-United-States-of-America*. 1988; 85(23):9176-9178.
3617. Roise, J. P. and Betters, D. R. An aspect transformation with regard to elevation for site productivity models. *Forest-Science*. 1981, 27: 3, 483-486.
3618. Rokhin, A. V.; Kanitskaya, L. V.; Kushnarev, D. F., and Kalabin, G. A. Quantitative ¹H and ¹³C NMR spectroscopy of lignins isolated from aspen wood by various methods. *Chemistry-of-Natural-Compounds*. 1995; 31(6):740-745.

3619. Rokhin, A. V.; Kanitskaya, L. V.; Zakazov, A. N.; Gogotov, A. F.; Kushnarev, D. F.; Babkin, V. A., and Kalabin, G. A. Quantitative ¹H and ¹³C NMR spectroscopy of lignins from an aqueous ethanolic cook of aspen wood. *Chemistry-of-Natural-Compounds*. 1993; 29(2):231-237.
3620. Roland, J. Large-scale forest fragmentation increases the duration of tent caterpillar outbreak. *Oecologia*. 1993; 93(1):25-30.
3621. Rolf, J. M.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Aspen fencing in Northern Arizona: a 15-year perspective. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. Proceedings -Rocky-Mountain-Research-Station,-USDA-Forest-Service*. 2001, No.RMRS-P-18, 193-196.
3622. ---. Aspen fencing in Northern Arizona: a 15-year perspective. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. Proceedings - Rocky-Mountain-Research-Station,-USDA-Forest-Service*. 2001, No.RMRS-P-18, 193-196.
3623. Roller, K. J. Result of a project for breeding Poplar cultivars for Manitoba. 1970, Extr. From Proc. 12th Mtg. Comm. For. Tree Breeding Can. Part 2, 1970 (135-44).
3624. Rollinger, J. L.; Strong, T. F.; Grigal, D. F.; Lal, R. (ed.); Kimble, J. M. (ed.); Follett, R. F. (ed.), and Stewart, B. A. Forested soil carbon storage in landscapes of the Northern Great Lakes region. *Management-of-Carbon-Sequestration-in-Soil*. 1998, 335-350; 51 Ref.
3625. Rominger, J. M. and Paulik, L. A. A floristic inventory of the plant communities of the San Francisco Peaks Research Natural Area. *General-Technical-Report,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1983; (No. RM-96):ii + 9 pp.
3626. Romme, W. H.; Floyd Hanna, L.; Hanna, D. D.; Bartlett, E.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Aspen's ecological role in the west. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):243-259.
3627. ---. Aspen's ecological role in the west. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):243-259.
3628. Romme, W. H.; Turner, M. G.; Gardner, R. H.; Hargrove, W. W.; Tuskan, G. A.; Despain, D. G., and Renkin, R. A. A rare episode of sexual reproduction in aspen (*Populus tremuloides* Michx.) following the 1988 Yellowstone fires. *Natural-Areas-Journal*. 1997; 17(1):17-25.
3629. Romme, W. H.; Turner, M. G.; Wallace, L. L., and Walker, J. S. Aspen, elk, and fire in northern Yellowstone National Park. *Ecology*. 1995; 76(7):2097-2106.
3630. Ronald, W. G. and Cumming, W. A. Compatibility and growth of Columnar European Aspen on Poplar rootstocks. *Combined-Proceedings,-International-Plant-Propagators'-Society*. 1971, 21: 437-441; EMB; 6 Ref.
3631. Ronald, W. G.; Lenz, L. M., and Cumming, W. A. Biosystematics of the genus *Populus* L. II. Chemotaxonomy, phenology, fertility, and segregates of native Manitoba species and variants. Ronald, W. G.; Lenz, L. M.; Cumming, W. A. (Biosystematics of the genus *Populus* L. I. Distribution and morphology of native Manitoba species and variants. *Canadian-Journal-of-Botany*. 1973):51: 12, 2443-2450.
3632. Roos, K. D.; Shottafer, J. E., and Shepard, R. K. The effect of juvenile wood on the properties of aspen flakeboard. *Technical-Bulletin -Maine-Agricultural-Experiment-Station*. 1994; (No. 152):17 pp.

3633. ---. The relationship between selected mechanical properties and age in quaking aspen. *Forest-Products-Journal*. 1990; 40(7-8):54-56.
3634. Rorrer, G. L.; Ashour, S. S.; Hawley, M. C.; Lamport, D. T. A., and Klass, D. L. Glucose yields from the solvolysis of wood and pure cellulose by anhydrous hydrogen fluoride vapor. *Energy From Biomass and Wastes XI*. 1988, 953-980; 22 Ref.
3635. Rose, A. H. The effect of defoliation on foliage production and radial growth of Quaking Aspen. 1958, *For. Sci.* 1958 4 (4), (335-42). 10 Refs.
3636. ---. A technique for differentiating annual rings in increment cores from diffuse porous woods. 1957, *For. Chron.* 1957 33 (2), (139-40). 1 Ref.
3637. Rose, A. H. and Smereka, E. P. Insects on Trembling Aspen [*Populus tremuloides*]. 1959, *Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can.* 1959 15 (2), (1-2).
3638. Rose, A. J. and Smereka, E. P. Notes on the American Aspen beetle. 1959, *Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can.* 1959 15 (3), (1).
3639. Rose, D. W. and Burk, T. E. Development of a model for simulation of forest regulation techniques. *Technical-Bulletin,-Agricultural-Experiment-Station,-University-of-Minnesota*. 1980; (No. 324):22 pp.
3640. Ross, W. D. Fungi associated with root diseases of aspen in Wyoming. *Canadian-Journal-of-Botany*. 1976; 54(8):734-744.
3641. ---. Host responses of aspen roots to decay columns containing *Ganoderma applanatum*, a *Coprinus* sp. or *Fomes igniarius*. *Proceedings-of-the-American-Phytopathological-Society*. 1975, Publ. 1976, 2: 46.
3642. ---. Relation of aspen root size to infection by *Ganoderma applanatum*. Ross, W. 1976; 54(8):745-751.
3643. Roth, L. and Weiner, J. Constitution and pulping of Aspen and Poplar woods. 1964, *Bibliographic Series, Institute of Paper Chemistry, Appleton, Wis.* No. 184 (Suppl. No. 1), 1964. Pp. 149. [328 Refs.].
3644. Roth, S.; Lindroth, R. L.; Volin, J. C., and Kruger, E. L. Enriched atmospheric CO₂ and defoliation: effects on tree chemistry and insect performance. *Global-Change-Biology*. 1998; 4(4):419-430.
3645. Roth, S.; McDonald, E. P., and Lindroth, R. L. Atmospheric CO₂ and soil water availability: consequences for tree-insect interactions. *Canadian-Journal-of-Forest-Research*. 1997; 27(8):1281-1290.
3646. Roth, S. K.; Lindroth, R. L., and Montgomery, M. E. Effects of foliar phenolics and ascorbic acid on performance of the gypsy moth (*Lymantria dispar*). *Biochemical-Systematics-and-Ecology*. 1994; 22(4):341-351.
3647. Rothley, K. D. Manipulative, multi-standard test of a white-tailed deer habitat suitability model. *Journal-of-Wildlife-Management*. 2001; 65(4):953-963.
3648. Rothman, L. D. and Roland, J. Forest fragmentation and colony performance of forest tent caterpillar. *Ecography*. 1998; 21(4):383-391.
3649. Rothstein, D. E.; Zak, D. R.; Pregitzer, K. S., and Curtis, P. S. Kinetics of nitrogen uptake by *Populus tremuloides* in relation to atmospheric CO₂ and soil nitrogen availability. *Tree-Physiology*. 2000; 20(4):265-270.

3650. Rottmann, W. H.; Meilan, R.; Sheppard, L. A.; Brunner, A. M.; Skinner, J. S.; Ma CaiPing; Cheng ShuPing; Jouanin, L.; Pilate, G.; Strauss, S. H.; Ma, C. P., and Cheng, S. P. Diverse effects of overexpression of LEAFY and PTLF, a poplar (*Populus*) homolog of LEAFY/FLORICAULA, in transgenic poplar and *Arabidopsis*. *Plant-Journal*. 2000; 22(3):235-245.
3651. Rouse, C. Fire effects in northeastern forests: aspen. General-Technical-Report,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1986; (No. NC-102):8 pp.
3652. Rowell, R. M.; Lichtenberg, R. S., and Larsson, P. Stability of acetylated wood to environmental changes. *Wood-and-Fiber-Science*. 1993; 25(4):359-364.
3653. Rowell, R. M.; Lichtenberg, R. S.; Larsson, P.; Plackett, D. V. (ed.), and Dunningham, E. A. Stability of acetyl groups in acetylated wood to changes in pH, temperature, and moisture. *Chemical Modification of Lignocellulosics, Rotorua, New Zealand, 7-8 November 1992*. 1992; (No. 176):33-40.
3654. Rowell, R. M. and Norimoto, M. Acetylation of bamboo fiber. *Mokuzai-Gakkaishi-Journal-of-the-Japan-Wood-Research-Society*. 1987; 33(11):907-910.
3655. Rowell, R. M.; Tillman, A. M., and Liu, Z. T. Dimensional stabilization of flakeboard by chemical modification. *Wood-Science-and-Technology*. 1986; 20(1):83-95.
3656. Rowell, R. M.; Youngquist, J. A., and Imamura, Y. Strength tests on acetylated aspen flakeboards exposed to a brown-rot fungus. *Wood-and-Fiber-Science*. 1988; 20(2):266-271.
3657. Rowell, R. M.; Youngquist, J. A.; Rowell, J. S., and Hyatt, J. A. Dimensional stability of aspen fiberboard made from acetylated fiber. *Wood-and-Fiber-Science*. 1991; 23(4):558-566.
3658. Rowell, R. M.; Youngquist, J. A., and Sachs, I. B. Adhesive bonding of acetylated aspen flakes. Part 1. Surface changes, hydrophobicity, adhesive penetration and strength. *International-Journal-of-Adhesion-and-Adhesives*. 1987; 7(4):183-188.
3659. Roy, C.; Caumia, B. de; Pakdel, H.; Bridgwater, A. V. (ed.), and Kuester, J. L. Preliminary feasibility study of the biomass vacuum pyrolysis process. *Research in Thermochemical Biomass Conversion*. 1988, 585-596; 8 Ref.
3660. Roy, V.; Ruel, J. C., and Plamondon, A. P. Establishment, growth and survival of natural regeneration after clearcutting and drainage on forested wetlands. *Forest-Ecology-and-Management*. 2000; 129(1-3):253-267.
3661. Royer, T. V. and Minshall, G. W. Effects of nutrient enrichment and leaf quality on the breakdown of leaves in a hardwater stream. *Freshwater-Biology*. 2001; 46(5):603-610.
3662. Royer, T. V.; Monaghan, M. T., and Minshall, G. W. Processing of native and exotic leaf litter in two Idaho (U.S.A.) streams. *Hydrobiologia*. 1999, 400: 123-128; 25 Ref.
3663. Ruark, G. A. Evidence for the reserve shelterwood system for managing quaking aspen. *Northern-Journal-of-Applied-Forestry*. 1990; 7(2):58-62.
3664. Ruark, G. A. and Bockheim, J. G. Below-ground biomass of 10-, 20-, and 32-year-old *Populus tremuloides* in Wisconsin. *Pedobiologia*. 1987, 30: 3, 207-217.
3665. ---. Biomass, net primary production and nutrient distribution for an age sequence of *Populus tremuloides* ecosystems. *Canadian-Journal-of-Forest-Research*. 1988; 18(4):435-443.

3666. ---. Digital image analysis applied to soil profiles for estimating tree root biomass. *Soil-Science*. 1988; 146(2):119-123.
3667. Ruark, G. A.; Dyck, W. J. (ed.), and Mees, C. A. Nutrient management options for forests utilizing ecosystem storage - a case study. *Impact of Intensive Harvesting on Forest Site Productivity: Proceedings, IEA-BE A3 Workshop, Furneaux Lodge, Marlborough Sounds, New Zealand, March 1989*. 1990; (No. 159):97-109.
3668. Ruark, G. A.; Martin, G. L., and Bockheim, J. G. Comparison of constant and variable allometric ratios for estimating *Populus tremuloides* biomass. *Forest-Science*. 1987; 33(2):294-300.
3669. Rubin, B. D.; Manion, P. D., and Lautenschlager, R. A. Landscape-scale forest structure in northern New York and potential successional impacts of the 1998 ice storm. *Ice Storm 1998 - Forest Policy and Research Papers, Carleton University, Ottawa, Ontario, Canada, 19-22 October 2000*. 2001; 77(4):613-618.
3670. Rubio Torres, M.; Heitz, M.; Chauvette, G., and Chornet, E. Conversion and solubilization profiles of a prototype hardwood (*Populus tremuloides*) following aqueous thermomechanical pre-treatment. *Biomass*. 1986; 10(2):85-96.
3671. Rudie, A. W. Wood and how it relates to paper products. *Tappi-Journal*. 1998; 81(5):223-228.
3672. Rudolf, P. O. The reforestation job in the Lake States-a new estimate. 1946, *Sta. Pap. Lake States For. Exp. Sta.* 1946. No. 4 Pp. 9.
3673. Rudolph, R. D. Seed yield and quality in *Populus tremuloides* following pollination with gamma-irradiated pollen. *Canadian-Journal-of-Botany*. 1978; 56(23):2967-2972.
3674. Rufelt, H. Rapid changes in transpiration in plants. 1963, *Nature, Lond.* 197 (4871), 1963 (985-6). 12 Refs.
3675. Rumble, M. A. and Anderson, S. H. Evaluating the habitat capability model for Merriam's turkeys. *Research-Paper -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1995; (No. RM-RP-320):i + 8 pp.
3676. ---. Stratification of habitats for identifying habitat selection by Merriam's turkeys. *Great-Basin-Naturalist*. 1992; 52(2):139-144.
3677. Rumble, M. A.; Flake, L. D.; Mills, T. R.; Dykstra, B. L.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Do pine trees in aspen stands increase bird diversity? *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):185-191.
3678. ---. Do pine trees in aspen stands increase bird diversity? *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):185-191.
3679. Rumyantsev, G. T. and Koneva, N. I. The economics of different methods of regeneration in the *Piceetum myrtillosum*. 1971, *Lesn. Khoz.* 1971 (8), (11-5). [Ru].
3680. Running, K. D. Hardwood utilization by the paper industry. 1941, *Pulp Paper Mag. Can.* 42 1941 (2), (104-6). [Anglo-Canadian Pulp and Paper Mills, Ltd.].
3681. ---. Pulp and paper mill utilization of hardwoods and other 'little used' species. 1940, *Pulp Paper Mag. Can.* 41 (2) 1940 (181-4, 190). [Anglo-Canadian Pulp & Paper Mills Limited.].

3682. Running, S. W. Documentation and preliminary validation of H2OTRANS and DAYTRANS, two models for predicting transpiration and water stress in western coniferous forests. Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1984; (No. RM-252):ii + 45 pp.
3683. Runyon, G. K.; Koepke, M. S.; Wengert, E. M.; Auchter, R. J.; Loring, T. J., and Blackwell, G. Utilization and marketing as tools for aspen management in the Rocky Mountains: Proceedings of the symposium, Sept. 8-9, 1976, Fort Collins, Colorado. Panel III. Market opportunities and limitations for Rocky Mountain aspen. USDA-Forest-Service-General-Technical-Report,-Rocky-Mountain-Forest-and-Range-Experiment-Station. 1976, No. RM-29, 45-60.
3684. Rusch, D. A. and Reeder, W. G. Population ecology of Alberta red squirrels. *Ecology*. 1978; 59(2):400-420.
3685. Russell, C. A. and Voroney, R. P. Carbon dioxide efflux from the floor of a boreal aspen forest. I. Relationship to environmental variables and estimates of C respired. *Canadian-Journal-of-Soil-Science*. 1998; 78(2):301-310.
3686. Russell, C. A.; Voroney, R. P.; Black, T. A.; Blanken, P. D., and Yang, P. C. Carbon dioxide efflux from the floor of a boreal aspen forest. II. Evaluation of methods - verification by infra-red analysis of a dynamic closed chamber. *Canadian-Journal-of-Soil-Science*. 1998; 78(2):311-316.
3687. Russell, J. A. and McCown, B. H. Recovery of plants from leaf protoplasts of hybrid-poplar and aspen clones. *Plant-Cell-Reports*. 1988; 7(1):59-62.
3688. Russell, N. H. Natural succession in planted conifer forests in eastern New York. 1955, *Proc. Iowa Acad. Sci.* 1955 62 (223-30). 9 Refs.
3689. Rutkowski, J.; Mroz, W., and Perlinska Sipa, K. Glycol-acetic wood delignification. *Cellulose-Chemistry-and-Technology*. 1994; 28(6):621-628.
3690. Ryan, M. G. Foliar maintenance respiration of subalpine and boreal trees and shrubs in relation to nitrogen content. *Plant,-Cell-and-Environment*. 1995; 18(7):765-772.
3691. Saake, B.; Lehnen, R.; Schmekal, E.; Neubauer, A., and Nimz, H. H. Bleaching of Formacell pulp from aspen wood with ozone and peracetic acid in organic solvents. *Holzforschung*. 1998; 52(6):643-650.
3692. Saatchi, S. S. and Rignot, E. Classification of boreal forest cover types using SAR images. *Remote-Sensing-of-Environment*. 1997; 60(3):270-281.
3693. Sachs, I. B.; Blanchette, R. A.; Cease, K. R., and Leatham, G. F. Effect of wood particle size on fungal growth in a model biomechanical pulping process. *Wood-and-Fiber-Science*. 1991; 23(3):363-375.
3694. Sachs, I. B.; Leatham, G. F., and Myers, G. C. Biomechanical pulping of aspen chips by *Phanerochaete chrysosporium*: fungal growth pattern and effects on wood cell walls. *Wood-and-Fiber-Science*. 1989; 21(4):331-342.
3695. Sackett, S. S. Woody fuel particle size and specific gravity of southwestern tree species. Research-Note,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1980; (No. RM-389):4 pp.
3696. Saddler, J. N.; Yu, E. K. C.; Mes Hartree, M.; Levitin, N.; Brownell, H. H.; Palz, W. (ed.); Coombs, J. (ed.), and Hall, D. O. The fractionation of lignocellulosic substrates by steam explosion and the

subsequent conversion of the various components to sugars, fuels and chemicals. Energy From Biomass: 3rd E.C. conference; (held Venice 25-29 March):1985. 1985, 978-981.

3697. Safford, L. O. and Czapowskyj, M. M. Fertilizer stimulates growth and mortality in a young Populus-Betula stand: 10-year results. Canadian-Journal-of-Forest-Research. 1986; 16(4):807-813.
3698. Sain, M.; Li HaiJun, and Li, H. J. Enhancement of strength properties of mechanical pulps. Journal-of-Wood-Chemistry-and-Technology. 2002; 22(4):187-197.
3699. Sakai, A. and Weiser, C. J. Freezing resistance of trees in North America with reference to tree regions. Ecology. 1973; 54(1):118-126.
3700. Sakai, A. K. Sex ratios of red maple (*Acer rubrum*) populations in northern lower Michigan. Ecology. 1990; 71(2):571-580.
3701. Sakai, A. K. and Burriss, T. A. Growth in male and female aspen clones: a twenty-five-year longitudinal study. Ecology. 1985; 66(6):1921-1927.
3702. Sakai, A. K. and Sharik, T. L. Clonal growth of male and female bigtooth aspen (*Populus grandidentata*). Ecology,-USA. 1988; 69(6):2031-2033.
3703. Salkie, F. J.; Luckert, M. K., and Phillips, W. E. An economic analysis of landowner propensity for woodlot management and harvesting in northwestern Saskatchewan. Forestry-Chronicle. 1995; 71(4):451-458.
3704. Salmonson, B. J.; Crow, T. R.; Buech, R. R.; Zavitkovski, J.; Erbisch, F. H.; Murphy, P. G.; Sharitz, R. R.; Murphy, A. J.; Rudolph, T. D.; Bauer, E. O., and Zavitkovski, J. The Enterprise, Wisconsin, radiation forest. Radioecological studies. 1977, Vi + 211 Pp.; Available From NTIS, Springfield, Va. 22161, USA; Many Ref.
3705. Saltarelli, N. J. Better regeneration through full-tree logging. Pulp-and-Paper-Canada. 1980; 81(6):121-122, 124.
3706. Salzman, J. A. and et, a. l. The water-holding capacity of wood chips as compared with common livestock beddings. 1958, Minn. For. Note 1958 No. 69 Pp. 2. 2 Refs.
3707. Samgin, P. A. and Bakhtin, O. V. Use of arboricides to suppress the suckering of Aspen. 1971, Lesn. Khoz. 1971 (10), (40-1). [Ru].
3708. Samoil, J. K. Management and utilization of northern mixedwoods. Proceedings of a symposium held April 11-14, 1988, in Edmonton, Alberta. Information-Report -Northern-Forestry-Centre,-Canadian-Forestry-Service. 1988; (No. NOR-X-296):viii + 163 pp.
3709. Sampson, G. R.; Richmond, A. P.; Brewster, G. A., and Gasbarro, A. F. Cofiring of wood chips with coal in interior Alaska. Forest-Products-Journal. 1991; 41(5):53-56.
3710. Sampson, G. R. and Ruppert, F. A. Potential for economical recovery of fuel from land clearing residue in interior Alaska. Research-Paper,-Pacific-Northwest-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1983; (No. PNW-308):i + 11 pp.
3711. Sampson, G. R. and Wurtz, T. L. Record interior Alaska snowfall effect on tree breakage. Northern-Journal-of-Applied-Forestry. 1994; 11(4):138-140.
3712. Samran, S.; Woodard, P. M., and Rothwell, R. L. The effect of soil water on ground fuel availability. Forest-Science. 1995; 41(2):255-267.

3713. Samuga, A. and Joshi, C. P. A new cellulose synthase gene (PtrCesA2) from aspen xylem is orthologous to Arabidopsis AtCesA7 (irx3) gene associated with secondary cell wall synthesis. *Gene*. 2002; 296(1-2):37-44.
3714. San Martin, R.; Blanch, H. W.; Wilke, C. R., and Schiamanna, A. F. Production of cellulase enzymes and hydrolysis of steam-exploded wood. *Biotechnology-and-Bioengineering*. 1986; 28(4):564-569.
3715. Sandberg, D. and Schneider, A. E. the regeneration of Aspen by suckering. 1953, *Minn. For. Note* 1953. No. 24, Pp. 2.
3716. Sandeep Kumar; Fladung, M., and Kumar, S. Gene stability in transgenic aspen (*Populus*). II. Molecular characterization of variable expression of transgene in wild and hybrid aspen. *Planta*. 2001; 213(5):731-740.
3717. ---. Somatic mobility of the maize element Ac and its utility for gene tagging in aspen. *Plant-Molecular-Biology*. 2003; 51(5):643-650.
3718. Sanders, C. J. Natural regulation of the aphid *Pterocomma populifoliae* on Bigtooth Aspen suckers in northern Michigan. 1966, *Abstr. of Thesis, in Dissert. Abstr.* 1966 27B (2), (346).
3719. Sanders, C. J. and Knight, F. B. Natural regulation of the aphid *Pterocomma populifoliae* on Bigtooth Aspen in northern lower Michigan. 1968, *Ecology* 1968 49 (2), (234-44). [14 Refs.].
3720. Sanders, C. J. and Weatherston, J. Sex pheromone of the eastern spruce budworm (Lepidoptera: Tortricidae): optimum blend of trans- and cis-11-tetradecenal. *Canadian-Entomologist*. 1976; 108(11):1285-1290.
3721. Sandmeier, S. and Deering, D. W. Structure analysis and classification of boreal forests using airborne hyperspectral BRDF data from ASAS. *Remote-Sensing-of-Environment*. 1999; 69(3):281-295.
3722. Sands, W. Aspen [*Populus tremuloides*] for containers. 1947, *Lake St. Aspen Rep.* 1947. No. 10 Pp. 12.
3723. Sanger, J. E. A quantitative study of leaf pigments from initiation in buds to decomposition in soils. 1969, *Abstr. of Thesis, in Dissert. Abstr.* 1969 29B (10), (3643-4).
3724. Sangster, A. G. and Dale, H. M. A preliminary study of differential pollen grain preservation. 1961, *Canad. J. Bot.* 39 (1), 1961 (35-43). 7 Refs.
3725. Santamour, F. S. Hermaphroditism in *Populus*. 1956, *Proc. 3rd Ntheast. For. Tree Improvemt. Conf., Ithaca* 1955, 1956 (28-30).
3726. ---. Graft compatibility in woody plants: an expanded perspective. *Journal-of-Environmental-Horticulture*. 1988; 6(1):27-32.
3727. Santini, A. and Capretti, P. Analysis of the Italian population of *Ceratocystis fimbriata* f.sp. platani using RAPD and minisatellite markers. *Plant-Pathology*. 2000; 49(4):461-467.
3728. Saskatchewan. Annual report of the Department of Natural Resources of the Province of Saskatchewan for the fiscal year ended April 30, 1942. 1943, King's Printer, Regina. 1943. Pp. 127.
3729. Sastry, C. B. R. and Anderson, H. W. Clonal variation in gross heat of combustion of juvenile *Populus* hybrids. *Canadian-Journal-of-Forest-Research*. 1980; 10(3):245-249.
3730. Satter, L. D.; Baker, A. J., and Millett, M. A. Aspen sawdust as a partial roughage substitute in a high concentrate dairy ration. 1970, *Repr. From Journal of Dairy Science* 1970 53 (10), (1455-60). [25

Ref.].

3731. Satter, L. D.; Lang, R. L.; Baker, A. J., and Millett, M. A. Value of aspen sawdust as a roughage replacement in high-concentrate dairy rations. *Journal-of-Dairy-Science*. 1973, 56: 10, 1291-1297.
3732. Sauer, D. J. and Haygreen, J. G. Effects of sorption on the flexural creep behaviour of hardboard. 1968, *For. Prod. J.* 1968 18 (10), (57-63). [11 Refs.].
3733. Sauer, J. and Struik, G. A possible ecological relation between soil disturbance, light-flash, and seed germination. 1964, *Ecology* 45 (4), 1964 (884-6). 18 Refs.
3734. Saugier, B.; Granier, A.; Pontailier, J. Y.; Dufrene, E.; Baldocchi, D. D.; Margolis, H. A. (ed.), and Ryan, M. G. Transpiration of a boreal pine forest measured by branch bag, sap flow and micrometeorological methods. *Biosphere-Atmosphere Interactions in the Boreal Forest*. 1997; 17(8-9):511-519.
3735. Saunder, E. A. and Sinclair, A. W. J. Trial of a double-drum flail delimber/debarker processing small-diameter frozen timber: Phase I. Special-Report -Forest-Engineering-Research-Institute-of-Canada. 1989; (No. SR-59):viii + 34 pp.
3736. Sauter, J. J. Respiratory and phosphatase activities in contact cells of wood rays and their possible role in sugar secretion. *Zeitschrift-Fur-Pflanzenphysiologie*. 1972; 67(2):135-145.
3737. Savina, A. V. Influence of thinnings on the wood structure of Aspen. 1939, *Trud. Vsesoyuz. Nauchno-Issledov. Inst. Lesnogo Khoz. `VNIILKh`* 1939 No. 2 (56-68). Translation by D. Armstrong, Information Service, Council for Scientific and Industrial Research, Melbourne. [n.d.] Pp. 16.
3738. Savinsky, H. M. Nutrient budget evaluation of four pulpwood stands harvested by full-tree logging. [Thesis Summary]. 1982; 43(10):613.
3739. Scarratt, J. B. Response to disturbance in boreal mixedwood ecosystems: the Black Sturgeon Boreal Mixedwood Research Project. *NODA-Notes*. 1996; (No. 19):6 pp.
3740. Schaalje, G. B. and Wilkinson, P. R. Discriminant analysis of vegetational and topographical factors associated with the focal distribution of Rocky Mountain wood ticks, *Dermacentor andersoni* (Acari: Ixodidae), on cattle range. *Journal-of-Medical-Entomology*. 1985; 22(3):315-320.
3741. Schaedle, M. and Brayman, A. A. Ribulose-1,5-bisphosphate carboxylase activity of *Populus tremuloides* Michx. bark tissues. *Tree-Physiology*. 1986; 1(1):53-56.
3742. Schaedle, M. and Foote, K. C. Seasonal changes in the photosynthetic capacity of *Populus tremuloides* bark. 1971, *For. Sci.* 1971 17 (3), (308-13). [22 Ref.].
3743. Schaedle, M.; Iannaccone, P., and Foote, K. C. Hill reaction capacity of isolated Quaking Aspen bark chloroplasts. 1968, *For. Sci.* 1968 14 (2), (222-3). [5 Refs.].
3744. Schaefer, J. A. Canopy, snow, and lichens on woodland caribou range in southeastern Manitoba. *Proceedings of the Sixth North American Caribou Workshop, Prince George, B. C., Canada, 1-4 March, 1994. Rangifer*. 1996, SPEC-ISSUE 9, 239-244.
3745. Schafer, E. R. Aspen for pulp and paper. 1947, *Lake St. Aspen Rep.* 1947. No. 14 Pp. 10. Also in *Pulp Paper Mag. Can.* 48 (13), 1947 (104, 106, 108-9).
3746. Schafer, E. R. and Hyttinen, A. Effect of the moisture content of wood on the groundwood pulping of White spruce and Quaking Aspen. 1950, *Paper Tr. J.* 1950 131 (5), (26-9).

3747. ---. The groundwood pulping of mixtures of White Spruce and Quaking Aspen. 1950, Tappi 1950 33 (7), (335-7).
3748. Schantz Hansen, T. Harvesting young Aspen on the Cloquet Forest. 1945, J. For. 1945 43, (506-7). [Division of Forestry, Univ. of Minnesota.].
3749. ---. Logging methods and peeling of Aspen [*Populus tremuloides*]. 1948, Lake St. Aspen Rep. 1948 No. 3. Pp. 13.
3750. Scheiner, S. M. and Istock, C. A. Species enrichment in a transitional landscape, northern lower Michigan. *Canadian-Journal-of-Botany*. 1994; 72(2):217-226.
3751. Scheiner, S. M.; Sharik, T. L.; Roberts, M. R., and Kopple, R. Vande. Tree density and modes of tree recruitment in a Michigan pine-hardwood forest after clear-cutting and burning. *Canadian-Field-Naturalist*. 1988; 102(4):634-638.
3752. Schell, D. J.; Torget, R.; Power, A.; Walter, P. J.; Grohmann, K.; Hinman, N. D.; Greenbaum, E. (ed.), and Wyman, C. E. A technical and economic analysis of acid-catalyzed steam explosion and dilute sulfuric acid pretreatments using wheat straw or aspen wood chips. Twelfth Symposium on Biotechnology for Fuels and Chemicals. *Applied-Biochemistry-and-Biotechnology*. 1991, 28-29: 87-97; 21 Ref.
3753. Schepps, J.; Lohr, S., and Martin, T. E. Does tree hardness influence nest-tree selection by primary cavity nesters? *Auk*. 1999; 116(3):658-665.
3754. Scheu, S. and Parkinson, D. Changes in bacterial and fungal biomass C, bacterial and fungal biovolume and ergosterol content after drying, remoistening and incubation of different layers of cool temperate forest soils. *Soil-Biology-and-Biochemistry*. 1994; 26(11):1515-1525.
3755. ---. Effects of invasion of an aspen forest (Canada) by *Dendrobaena octaedra* (Lumbricidae) on plant growth. *Ecology*. 1994; 75(8):2348-2361.
3756. ---. Successional changes in microbial biomass, respiration and nutrient status during litter decomposition in an aspen and pine forest. *Biology-and-Fertility-of-Soils*. 1995; 19(4):327-332.
3757. Schieck, J.; Nietfeld, M., and Stelfox, J. B. Differences in bird species richness and abundance among three successional stages of aspen-dominated boreal forests. *Canadian-Journal-of-Zoology*. 1995; 73(8):1417-1431.
3758. Schier, G. A. Apical dominance in multishoot cultures from Aspen roots. *Forest-Science*. 1972; 18(2):147-149.
3759. ---. Deterioration of Aspen clones in the middle Rocky Mountains. *USDA-Forest-Service-Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station*. 1975; (No. INT-170):14 pp.
3760. ---. Effect of abscisic acid on sucker development and callus formation on excised roots of *Populus tremuloides*. *Physiologia-Plantarum*. 1973; 28(1):143-145.
3761. ---. Effects of gibberellic acid and an inhibitor of gibberellin action on suckering from Aspen root cuttings. Schier, G. 1973; 3(1):39-44.
3762. ---. Origin and development of Aspen root suckers. Schier, G. 1973; 3(1):45-53.
3763. ---. Physiological research on adventitious shoot development in aspen roots. *General-Technical-Report,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1981; (No. INT-

107):ii + 12 pp.

3764. ---. Promotion of sucker development on *Populus tremuloides* root cuttings by an antiauxin. *Canadian-Journal-of-Forest-Research*. 1975; 5(2):338-340.
3765. ---. Rooting stem cuttings from aspen seedlings. *Research-Note,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1980; (No. INT-282):4 pp.
3766. ---. Seasonal variation in sucker production from excised roots of *Populus tremuloides* and the role of endogenous auxin. *Canadian-Journal-of-Forest-Research*. 1973; 3(3):459-461.
3767. ---. Shoot development in young aspen. *Research-Note,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1979; (No. INT-275):4 pp.
3768. ---. Sucker regeneration in some deteriorating Utah aspen stands: development of independent root systems. *Canadian-Journal-of-Forest-Research*. 1982; 12(4):1032-1035.
3769. ---. Variation in suckering capacity among and within lateral roots of an aspen clone. *USDA-Forest-Service-Research-Note,-Intermountain-Forest-and-Range-Experiment-Station*. 1978; (No. INT-241):7 pp.
3770. ---. Vegetative propagation of Aspen: clonal variation in suckering from root cuttings and in rooting of sucker cuttings. *Canadian-Journal-of-Forest-Research*. 1974; 4(4):565-567.
3771. ---. Vegetative propagation of Rocky Mountain aspen. *USDA-Forest-Service-General-Technical-Report,-Intermountain-Forest-and-Range-Experiment-Station*. 1978; (No. INT-44):13 pp.
3772. ---. Vegetative regeneration of Gambel oak and chokecherry from excised rhizomes. *Forest-Science*. 1983; 29(3):499-502.
3773. Schier, G. A. and Campbell, R. B. Aspen sucker regeneration following burning and clearcutting on two sites in the Rocky Mountains. *Forest-Science*. 1978; 24(2):303-308.
3774. ---. Differences among *Populus* species in ability to form adventitious shoots and roots. *Canadian-Journal-of-Forest-Research*. 1976; 6(3):253-261.
3775. ---. Effect of cold storage on development of suckers on aspen root cuttings. *Research-Note,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1978; (No. INT-248):8 pp.
3776. ---. Effect of ethephon on suckering of excised roots and rooting of cuttings in trembling aspen. *Forest-Science*. 1978; 24(1):66-72.
3777. ---. Variation among healthy and deteriorating aspen clones. *Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1980; (No. INT-264):12 pp.
3778. Schier, G. A. and Johnston, R. S. Clonal variation in total nonstructural carbohydrates of Trembling Aspen roots in three Utah areas. 1971, *Canad. J. For. Res.* 1(4), (252-5). [En, Fr, 11 Ref.].
3779. Schier, G. A. and Smith, A. D. Sucker regeneration in a Utah aspen clone after clearcutting, partial cutting, scarification and girdling. *USDA-Forest-Service-Research-Note,-Intermountain-Forest-and-Range-Experiment-Station*. 1979; (No. INT-253):6 pp.
3780. Schier, G. A. and Zasada, J. C. Role of carbohydrate reserves in the development of root suckers in *Populus tremuloides*. *Canadian-Journal-of-Forest-Research*. 1973; 3(2):243-250.

3781. Schimpf, D. J. and Danz, N. P. Light passage through leaf litter: variation among northern hardwood trees. *Agricultural-and-Forest-Meteorology*. 1999; 97(2):103-111.
3782. Schimpf, D. J. and MacMahon, J. A. Insect communities and faunas of a rocky mountain subalpine sere. *Great-Basin-Naturalist*. 1985; 45(1):37-60.
3783. Schingoethe, D. J.; Kipp, D. S., and Kamstra, L. D. Aspen pellets as partial roughage replacement for lactating dairy cows. *Journal-of-Dairy-Science*. 1981; 64(4):698-702.
3784. Schinkel, H.; Hertzberg, M., and Wingsle, G. A small family of novel CuZn-superoxide dismutases with high isoelectric points in hybrid aspen. *Planta*. 2001; 213(2):272-279.
3785. Schipper, A. L. Jr. Changes in dehydrogenase and peroxidase activities of aspen infected with *Hypoxyylon mammatum*. *Phytopathology*. 1975; 65(4):440-445.
3786. ---. Changes in glucose-6 phosphate dehydrogenase, glyceraldehyde-3 phosphate dehydrogenase, and peroxidase activity in *Populus tremuloides* after inoculation with *Hypoxyylon mammatum* or wounding. *Phytopathology*. 1972, 62: 7, 787-788.
3787. ---. A *Hypoxyylon mammatum* pathotoxin responsible for canker formation in quaking aspen. *Phytopathology*. 1978; 68(6):866-872.
3788. ---. A *Hypoxyylon mammatum* pathotoxin responsible for canker formation in quaking aspen. *Phytopathology*. 1978; 68(6):866-872.
3789. ---. *Hypoxyylon* pathotoxin necessary to the infection of aspen by *Hypoxyylon mammatum*. *Proceedings-of-the-American-Phytopathological-Society*. 1975, Publ. 1976, 2: 46-47.
3790. ---. Mammatoxin, a *Hypoxyylon mammatum* metabolite responsible for canker development in Aspen. *Abstracts of Papers, 2nd International Congress of Plant Pathology, Minneapolis*. 1973, 0677.
3791. ---. Sugar accumulation associated with *Hypoxyylon mammatum* canker development in Aspen. 1970, *Abstr. in Phytopathology* 1970 60 (9), (1312).
3792. Schipper, A. L. Jr. and Anderson, G. W. Alteration of sugar translocation in Aspen by *Hypoxyylon mammatum*. 1971, *Phytopathology* 1971 61 (4), (366-8). [8 Refs.] [Cf. F.A. 32 No. 2781.].
3793. Schipper, A. L. Jr. and Anderson, R. L. How to identify and minimize white trunk rot of aspen. 1978, 2 Pp.; 2 Pl.; 1 Ref.
3794. ---. How to identify *Hypoxyylon* canker of Aspen. 1976, 5 Pp.
3795. Schlaegel, B. E. Estimating Aspen volume and weight for individual trees, diameter classes, or entire stands. *USDA-Forest-Service-General-Technical-Report,-North-Central-Forest-Experiment-Station*. 1975; (No. NC-20):16 pp.
3796. ---. Growth and yield of Quaking Aspen in north-central Minnesota. 1971, *US For. Serv. Res. Pap. Nth. Cent. For. Exp. Sta. No. NC-58, 1971. Pp. 11. [10 Ref.]*.
3797. ---. Yields of four 40-year-old conifers and Aspen in adjacent stands. *Canadian-Journal-of-Forest-Research*. 1975; 5(2):278-280.
3798. Schlaegel, B. E. and Ringold, S. B. Thinning pole-sized Aspen has no effect on number of veneer trees or total yield. 1971, *US For. Serv. Res. Note Nth. Cent. For. Exp. Sta. No. NC-121, 1971. Pp. 2.*

3799. Schlatzer, G. Some observations on foliation phenomena in Aspens. 1963, Arsskr. Vet. Landbohojsk. 1963 (119-30). 11 Refs.
3800. Schlentner, R. E. and Cleve, K. van. Relationships between CO₂ evolution from soil, substrate temperature, and substrate moisture in four mature forest types in interior Alaska. *Canadian-Journal-of-Forest-Research*. 1985; 15(1):97-106.
3801. Schmid, J. M.; Farrar, P. A., and Ragenovich, I. Length of western tent caterpillar egg masses and diameter of their associated stems. *Great-Basin-Naturalist*. 1981, 41: 4, 465-466.
3802. Schmid, J. M. and Mata, S. A. Natural variability of specific forest insect populations and their associated effects in Colorado. *General-Technical-Report -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1996; (No. RM-GTR-275):iii + 14 pp.
3803. Schmidt, E.; Cochran, G.; Schrader, C., and Lukanen, E. Evaluation of poplar wood chips after 19 years of burial as swamp roadway fill. *Forest-Products-Journal*. 1997; 47(7-8):72-74.
3804. Schmidt, E. L. Effects of a formaldehyde and sulphur dioxide treatment on the decay and mechanical properties of aspen waferboard. *International-Journal-of-Wood-Preservation*. 1982; 2(4):173-175.
3805. ---. A resin-compatible copper naphthenate to preserve aspen composites. *Forest-Products-Journal*. 1991; 41(5):31-32.
3806. ---. Test methods for mechanical and biodurability evaluation of preservative treated non-veneered wood composites. *Proceedings,-American-Wood-Preservers'-Association*. 1984; (No. 80):56-58.
3807. Schmidt, E. L. and Dietz, M. G. Pilodyn evaluation of treated waferboard in field exposure. *Wood-and-Fiber-Science*. 1988; 20(1):18-21.
3808. Schmidt, E. L. and French, D. W. CCA and sodium pentachlorophenate inhibition of basidiospore germination of decay fungi: contact agar method. *Forest-Products-Journal*. 1979; 29(5):53-54.
3809. ---. Spore germination of *Gloeophyllum trabeum* on wood in relation to mass of the sample. *Plant-Disease-Reporter*. 1979; 63(1):30-31.
3810. ---. Sterilization method effects on germination of wood decay fungus spores observed by the contact agar method. *Phytopathology*. 1979; 69(7):688-689.
3811. Schmidt, E. L. and Gertjensan, R. O. Trials of two powdered preservatives for phenol-formaldehyde-bonded and polymeric-isocyanate-bonded aspen structural composite board. *Forest-Products-Journal*. 1988; 38(3):19-21.
3812. Schmidt, E. L.; Hall, H. J.; Gertjensan, R. O., and Carll, C. G. Assessment of preservative treated aspen waferboard after 30 months of field exposure. *Forest-Products-Journal*. 1987; 37(2):62-66.
3813. Schmidt, E. L.; Hall, H. J.; Gertjensan, R. O.; Carll, C. G., and DeGroot, R. C. Biodeterioration and strength reductions in preservative treated aspen waferboard. *Forest-Products-Journal*. 1983; 33(11-12):45-53.
3814. Schmidt, J. A. and Heitner, C. Light-induced yellowing of mechanical and ultra-high yield pulps. Part 3. Comparison of softwood TMP, softwood CTMP and aspen CTMP. *Journal-of-Wood-Chemistry-and-Technology*. 1995; 15(2):223-245.
3815. Schmidt, P. and Lockwood, J. A. Subnivean arthropod fauna of southeastern Wyoming: habitat and seasonal effects on population density. *American-Midland-Naturalist*. 1992; 127(1):66-76.

3816. Schmidt, T. L.; Spencer, J. S. Jr., and Hansen, M. H. Old and potential old forest in the Lake States, USA. *Forest-Ecology-and-Management*. 1996; 86(1-3):81-96.
3817. Schneider, M. H. and Brebner, K. I. Wood-polymer combinations: the chemical modification of wood by alkoxysilane coupling agents. *Wood-Science-and-Technology*. 1985; 19(1):67-73.
3818. Schnitzer, M. and Gupta, U. C. Some chemical characteristics of the organic matter extracted from the O and B2 horizons of a grey wooded soil. 1964, *Proc. Soil Sci. Soc. Amer.* 28 (3), 1964 (374-7). 10 Refs.
3819. Schoettler, J. R. The alkali resistance of the pentosans in Aspen-wood. 1954, *Tappi* 1954 37 (12), (686-94). 27 Refs.
3820. Scholz, H. F. Treated Paper Birch and Aspen posts give good service. 1946, *Tech. Note Lake States For. Exp. Sta.* 1946. No. 246 P. [1].
3821. Schulte Hostedde, A. I. and Brooks, R. J. An experimental test of habitat selection by rodents of Algonquin Park. *Canadian-Journal-of-Zoology*. 1997; 75(12):1989-1993.
3822. Schultze Dewitz, G. Investigation of the influence of storage time of Aspen wood on its various properties. 1971, *Transl. Environm. Can. No. OOENV 8*, 1971. Pp. 13. [16 Ref. *Transl. From Holzindustrie* 1970 23 (9), (278-80). [Cf. FA 32 No. 3399.] Limited Distribution.].
3823. Schulz, G. Exploratory test to increase preservative penetration in Spruce and Aspen by mold infection. 1956, *For. Prod. J.* 1956 6 (2), (77-80). 4 Refs.
3824. Schwald, W.; Chan, M.; Brownell, H. H.; Saddler, J. N.; Aubert, J. P. (ed.); Beguin, P. (ed.), and Millet, J. Influence of hemicellulose and lignin on the enzymatic hydrolysis of wood. *Biochemistry and Genetics of Cellulose Degradation*. 1988, 303-314; 15 Ref.
3825. Schwartz, C. C. and Franzmann, A. W. Interrelationships of black bears to moose and forest succession in the northern coniferous forest. *Wildlife-Monographs*. 1991; (No. 113):58 pp.
3826. Schwartz, C. C.; Regelin, W. L., and Franzmann, A. W. Estimates of digestibility of birch, willow, and aspen mixtures in moose. *Journal-of-Wildlife-Management*. 1988; 52(1):33-37.
3827. Schwartz, S. L. and Bray, M. W. Effect of continuous liquor flow in pulping by the sulphate process. 1946, *Paper Tr. J.* 1946 123 (17), (42-8).
3828. Schwarz, A. G. and Wein, R. W. Threatened dry grasslands in the continental boreal forests of Wood Buffalo National Park. *Canadian-Journal-of-Botany*. 1997; 75(8):1363-1370.
3829. Scott, D. R. M. Growth of hybrid Aspen in pot cultures of the litter forest plants. 1952, *J. For.* 1952 50 (2), (107-8). [Division of Research, Ontario Departments of Lands and Dorests, Madle, Ont.].
3830. Scott, R. W.; Libkie, K. A., and Springer, E. L. Comparison of a gravimetric CO₂ method for uronic anhydride with a colorimetric method. *Journal-of-Wood-Chemistry-and-Technology*. 1984; 4(4):497-504.
3831. Scott, V. E. Bird response to snag removal in ponderosa pine. *Journal-of-Forestry*. 1979; 77(1):26-28.
3832. Scott, V. E. and Crouch, G. L. Breeding birds and small mammals in pole-sized lodgepole pine and small inclusions of aspen in central Colorado. *Research-Note -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1988; (No. RM-482):4 pp.

3833. ---. Breeding birds in uncut aspen and 6- to 10-year-old clearcuts in southwestern Colorado. Research-Note -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1988; (No. RM-485):5 pp.
3834. ---. Response of breeding birds to commercial clearcutting of aspen in southwestern Colorado [USA]. Research-Note -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1987; (No. RM-475):5 pp.
3835. ---. Summer birds and mammals of aspen-conifer forests in west-central Colorado. Research-Paper -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1988; (No. RM-280):6 pp.
3836. Screiner, E. J. Variation between two hybrid Poplars in susceptibility in the inhibiting effect of grass and weeds. 1945, J. For. 1945 43, (669-72).
3837. Scriber, J. M. Absence of behavioral induction in oviposition preference of *Papilio glaucus* (Lepidoptera: Papilionidae). Great-Lakes-Entomologist. 1993; 26(2):81-95.
3838. ---. Differential suitability of 12 Great Lakes tree species for *Papilio canadensis* (Lepidoptera: Papilionidae) larval survival and growth. Great-Lakes-Entomologist. 1991; 24(4):239-252.
3839. ---. A new 'Cold Pocket' hypothesis to explain local host preference shifts in *Papilio canadensis*. Ninth International Symposium on Insect-Plant Relationships Held on 24-30 June 1995 in Gwatt, Switzerland. 1996; 80(1):315-319.
3840. Scriber, J. M. and Ayres, M. P. New foodplant and oviposition records for the tiger swallowtail butterfly, *Papilio glaucus canadensis* in Alaska (Lepidoptera: Papilionidae). Great-Lakes-Entomologist. 1990; 23(3):145-147.
3841. Scriber, J. M.; Giebink, B. L., and Snider, D. Reciprocal latitudinal clines in oviposition behavior of *Papilio glaucus* and *P. canadensis* across the Great Lakes hybrid zone: possible sex-linkage of oviposition preferences. Oecologia. 1991; 87(3):360-368.
3842. Scriber, J. M.; Lindroth, R. L., and Nitao, J. Differential toxicity of a phenolic glycoside from quaking aspen to *Papilio glaucus* butterfly subspecies, hybrids and backcrosses. Oecologia. 1989; 81(2):186-191.
3843. Scriber, J. M.; Lindroth, R. L., and Nitao, J. K. Toxic phenolic glycosides from *Populus*: physiological adaptations of the western North American tiger swallowtail butterfly, *Papilio rutulus* (Lepidoptera: Papilionidae). Great-Lakes-Entomologist. 1991; 24(3):173-180.
3844. Sean, S. T.; Sanschagrin, B.; Kokta, B. V., and Maldas, D. Effect of treated wood fibre-polystyrene composites under prolonged immersion in water. Mokuzai-Gakkaishi=Journal-of-the-Japan-Wood-Research-Society. 1990; 36(8):637-643.
3845. ---. A study on the mechanical properties of wood fiber polystyrene composites. Drevarsky-Vyskum. 1992, 133: 25-40; 19 Ref.
3846. Seaver, F. J. *Sclerotinia bifrons*. 1945, Mycologia. 1945. 37 (6). (641-7). [The New York Botanical Garden, Bronx, New York City.].
3847. Seely, B.; Welham, C.; Kimmins, H., and Karjalainen, T. Carbon sequestration in a boreal forest ecosystem: results from the ecosystem simulation model, FORECAST. The Role of Boreal Forests in the Global Carbon Budget. Selected papers from the international conference held in Edmonton; Alberta, Canada, May 8-12, 2000. Forest-Ecology-and-Management. 2002, 169(1-

2):123-135.

3848. Semen, E.; Kuo MonLin; Su YuChang; Hall, R. B.; Stokke, D. D.; Kuo, M. L., and Su, Y. C. Physical properties of kraft pulp from four-year-old aspen hybrids and crosses. *Wood-and-Fiber-Science*. 2001; 33(1):140-147.
3849. Serreqi, A. N.; Leone, R.; Rio, L. F. del; Mei, S.; Fernandez, M.; Breuil, C., and del Rio, L. F. Identification and quantification of important steryl esters in aspen wood. *Journal-of-the-American-Oil-Chemists'-Society*. 2000; 77(4):413-418.
3850. Seth, R. S.; Soszynski, R. M., and Page, D. H. The effect of wood species on the edgewise compressive strength of paper. *Tappi-Journal*. 1986; 69(10):94-96.
3851. Severson, K. E. Production and nutritive value of aspen understory, Black Hills. *Journal-of-Range-Management*. 1982; 35(6):786-789.
3852. Severson, K. E. and Kranz, J. J. Understory production not predictable from aspen basal area or density. *Research-Note,-USDA-Forest-Service*. 1976; (No.RM-314):4pp.
3853. Severson, K. E. and Thilenius, J. F. Classification of quaking aspen stands in the Black Hills and Bear Lodge mountains. *Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1976; (No. RM-166):24 pp.
3854. Severson, R. C.; Grigal, D. F., and Arneman, H. F. Percolation losses of phosphorus, calcium, and potassium from some Minnesota forest soils. *Soil-Science-Society-of-America-Proceedings*. 1975; 39(3):540-543.
3855. Shafer, E. L. Jr. The twig-count method for measuring hardwood deer browse. 1963, *J. Wildlife Mgmt*. 27 (3), 1963 (428-37). 10 Refs.
3856. Shafer, E. L. Jr.; Grisez, T. J., and Sowa, E. Results of deer exclosure studies in north-eastern Pennsylvania. 1961, *For. Res. Note Ntheast. for. Exp. Sta. No. 121*, 1961. Pp. 7. 1 Ref.
3857. Shafizadeh, F.; Chin, P. P. S., and DeGroot, W. F. Effective heat content of green forest fuels. *Forest-Science*. 1977; 23(1):81-89.
3858. Shah, M. M. and Lee, Y. Y. Process improvement in acetone-butanol production from hardwood by simultaneous saccharification and extractive fermentation. *Applied-Biochemistry-and-Biotechnology.-Part-A,-Enzyme-Engineering-and-Biotechnology*. 1994; 45-46(COM):585-597.
3859. Shah, M. M.; Song, S. K.; Lee, Y. Y.; Torget, R.; Greenbaum, E. (ed.), and Wyman, C. E. Effect of pretreatment on simultaneous saccharification and fermentation of hardwood into acetone/butanol. *Twelfth Symposium on Biotechnology for Fuels and Chemicals. Applied-Biochemistry-and-Biotechnology*. 1991, 28-29: 99-109; 14 Ref.
3860. Shain, L. Evidence for formae speciales in poplar leaf rust fungus *Melampsora medusae*. *Mycologia*. 1988; 80(5):729-732.
3861. Shaler, S. M. The usefulness of selected polymer composite theories to predict the elastic moduli of oriented flakeboard. *Dissertation-Abstracts-International.-B,-Sciences-and-Engineering*. 1987; 47(11):4376-B.
3862. Shaler, S. M. and Blankenhorn, P. R. Composite model prediction of elastic moduli for flakeboard. *Wood-and-Fiber-Science*. 1990; 22(3):246-261.

3863. Shamoun, S. F. and Wall, R. E. Characterization of Canadian isolates of *Chondrostereum purpureum* by protein content, API ZYM and isozyme analyses. *European-Journal-of-Forest-Pathology*. 1996; 26(6):333-342.
3864. Shani, Z.; Dekel, M.; Jensen, C. S.; Tzfira, T.; Goren, R.; Altman, A., and Shoseyov, O. *Arabidopsis thaliana* endo-1,4-beta-glucanase (cell) promoter mediates *uidA* expression in elongating tissues of aspen (*Populus tremula*). *Journal-of-Plant-Physiology*. 2000; 156(1):118-120.
3865. Shankman, D. Tree regeneration following fire as evidence of timberline stability in the Colorado Front Range, U.S.A. *Arctic-and-Alpine-Research*. 1984; 16(4):413-417.
3866. Sharma, H. R.; Forsberg, N. E., and Guenter, W. The nutritive value of pressure-steamed aspen (*Populus tremuloides*) for mature sheep. *Canadian-Journal-of-Animal-Science*. 1979; 59(2):303-312.
3867. Sharma, H. R.; Guenter, W.; Devlin, T. J.; Ingalls, J. R., and McDaniel, M. Comparative nutritional value of corn silage and steamed aspen in the diet of wintering calves and finishing beef steers. *Canadian-Journal-of-Animal-Science*. 1980; 60(1):99-106.
3868. Sharma, M. P. and Vanden Born, W. H. Foliar penetration of picloram and 2,4-D in Aspen and Balsam Poplar. 1970, *Weed Science*, Urbana 18 (1), (57-63). [26 Ref. From Abstr. in *Weed Abstr*. 1971 20 (2), (No. 852).].
3869. Shaw, R. H.; Paw, U. KT, and Gao, W. Detection of temperature ramps and flow structures at a deciduous forest site. *Agricultural-and-Forest-Meteorology*. 1989; 47(2-4):123-138.
3870. Shcherbakova, L. D.; Ivanov, M. A.; Kleymenova, T. A., and Kleimenova, T. A. The digestion of wood in buffering solutions with different pH and temperature values. *Pira-Translation*. 1973?; (No. 656(PB)):9 pp. + 2 fig., 1 tab.
3871. Shea, K. R. Induction of Hypoxylon cankers in Aspens by artificial inoculation. 1963, *For. Sci* 9 (1), 1963 (2-7). 12 Refs.
3872. Shea, K. R. and Kuntz, J. E. Effective inoculation of Aspen with *Hypoxylon pruinautum*. 1955, *Abstr. in Phytopathology* 1955 46 (1), 1955 (26).
3873. ---. Inoculation of Aspens with *Hypoxylon pruinautum* (Kl.) Cke. 1956, *For. Res. Note Wis. Coll. Agric*. 1956. No. 27, Pp. 2. 1 Ref.
3874. ---. Prevention of damping-off of Poplar seedlings. 1956, *For.Sci*. 1956 2 (1),(54-7).8 Refs.
3875. Shea, K. R. and Riker, A. J. Breeding Poplars for disease resistance. 1954, *Abstr. in Phytopathology* 1954 44 (9), (505).
3876. Shear, C. L. and Davison, R. W. A new species of *Dothiora* on Aspen and Willow. 1940, *Mycologia* 32 1940 (105-11). *R.A.M.* 19 (444).
3877. Sheen, D. R. and Johnston, L. P. Statistical and spatial properties of forest clutter measured with polarimetric synthetic aperture radar (SAR). *IEEE-Transactions-on-Geoscience-and-Remote-Sensing*. 1992; 30(3):578-588.
3878. Sheen, D. R.; Malinas, N. P.; Kletzli, D. W. Jr.; Lewis, T. B., and Roman, J. F. Foliage transmission measurements using a ground-based ultrawide band (300-1300 MHz) SAR system. *IEEE-Transactions-on-Geoscience-and-Remote-Sensing*. 1994; 32(1):118-130.
3879. Shen, K. C. and Fung, D. P. C. Aspen particleboards bonded with spent sulphite liquor powder treated with

sulfuric acid. *Forest-Products-Journal*. 1979; 29(3):34-39.

3880. Shen, S. S.; Badhwar, G. D., and Carnes, J. G. Separability of boreal forest species in the Lake Jennette area, Minnesota. *Photogrammetric-Engineering-and-Remote-Sensing*. 1985; 51(11):1775-1783.
3881. Sheng YingPing; Podila, G. K.; Karnosky, D. F., and Sheng, Y. P. Differences in O₃-induced superoxide dismutase and glutathione antioxidant expression in O₃ tolerant and sensitive trembling aspen (*Populus tremuloides* Michx.) clones. *Forest-Genetics*. 1997; 4(1):25-33.
3882. Shepard, R. K. and Shottafer, J. E. Effect of early release on specific gravity and wood yield of black spruce. *Forest-Products-Journal*. 1990; 40(1):18-20.
3883. Shepard, R. K. Jr. Radial distribution of cortical photosynthate in stems of Bigtooth and Trembling Aspen. *Forest-Science*. 1975; 21(4):370-372.
3884. Shepherd, R. F. and Brown, C. E. Sequential egg-band sampling and probability methods of predicting defoliation by *Malacosoma disstria* (Lasiocampidae: Lepidoptera). 1971, *Canad. Ent.* 1971 103 (10), (1371-9). [14 Ref.].
3885. Sheperd, W. D. A classification of quaking aspen in the central Rocky Mountains based on growth and stand characteristics. *Western-Journal-of-Applied-Forestry*. 1990; 5(3):69-75.
3886. ---. The effect of harvesting activities on soil compaction, root damage, and suckering in Colorado aspen. *Western-Journal-of-Applied-Forestry*. 1993; 8(2):62-66.
3887. ---. Initial growth, development, and clonal dynamics of regenerated aspen in the Rocky Mountains. Research-Paper -Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1993; (No. RM-312):8 pp.
3888. ---. Response of aspen root suckers to regeneration methods and post-harvest protection. Research-Paper - Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1996; (No. RM-RP-324):8 pp.
3889. Sheperd, W. D.; Bartos, D. L., and Mata, S. A. Above- and below-ground effects of aspen clonal regeneration and succession to conifers. *Canadian-Journal-of-Forest-Research*. 2001; 31(5):739-745.
3890. Sheperd, W. D.; Binkley, D.; Bartos, D. L.; Stohlgren, T. J.; Eskew, L. G.; Sheperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Sustaining aspen in western landscapes: symposium proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. Proceedings -Rocky-Mountain-Research-Station,-USDA-Forest-Service. 2001; (No.RMRS-P-18):v + 460 pp.
3891. ---. Sustaining aspen in western landscapes: symposium proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. Proceedings -Rocky-Mountain-Research-Station,-USDA-Forest-Service. 2001; (No.RMRS-P-18):v + 460 pp.
3892. Sheperd, W. D. and Mowrer, H. T. Whole stand volume tables for quaking aspen [*Populus tremuloides*] in the Rocky Mountains [Colorado, Wyoming]. Research-Note,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1984; (No. RM-440):5 pp.
3893. Sheperd, W. D.; Sheperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Manipulations to regenerate aspen ecosystems. Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):355-365.

3894. ---. Manipulations to regenerate aspen ecosystems. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):355-365.
3895. Shepperd, W. D. and Smith, F. W. The role of near-surface lateral roots in the life cycle of aspen in the central Rocky Mountains. *Forest-Ecology-and-Management*. 1993; 61(1-2):157-170.
3896. Shetron, S. G. Variation of forest site productivity among soil taxonomic units in northern lower Michigan. 1969, Abstr. of thesis; (in *Dissert. Abstr. int.* 1969 30b (5)):(1986). [Order No. 69-18,109. Price M. \$3.00.
3897. Shiau IngLuen; Chen HsinTai; Shiau, I. L., and Chen, H. T. Evaluation of flammability of lignocellulosic materials and synthetic polymers by TGA. *Forest-Products-Industries*. 1996; 15(1):148-162.
3898. Shields, W. J. Jr and Bockheim, J. G. Deterioration of [over-mature] trembling aspen clones in the Great Lakes region. *Canadian-Journal-of-Forest-Research*. 1981; 11(3):530-537.
3899. Shigo, A. L. and Kilham, L. Sapsuckers and *Fomes ignarius* var. *populinus*. 1968, U.S. For. Serv. Res. Note Ntheast. For. Exp. Sta. 1968 No. NE-84, Pp. 2. [7 Refs.].
3900. Shigo, A. L. and Tippett, J. T. Compartmentalization of decayed wood associated with *Armillaria mellea* in several tree species. *Research-Paper,-Northeastern-Forest-Experiment-Station,-USDA-Forest-Service*. 1981; (No. NE-488):ii + 20 pp.
3901. Shinneman, D. J. and Baker, W. L. Nonequilibrium dynamics between catastrophic disturbances and old-growth forests in ponderosa pine landscapes of the Black Hills. *Conservation-Biology*. 1997; 11(6):1276-1288.
3902. Shirley, D. M.; Erickson, V.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Aspen restoration in the Blue Mountains of Northeast Oregon. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):101-115.
3903. ---. Aspen restoration in the Blue Mountains of Northeast Oregon. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):101-115.
3904. Shirley, H. L. Reproduction of upland conifers as affected by root competition and light. 1945, *Amer. Midl. Nat.* 1945 33, (537-612). [Northeastern Forest Exp. Sta., Philadelphia, Pa.].
3905. Shiue, C. J. The anatomical and physiological effects of chlorophenoxyacetic acid derivatives on Trembling Aspen (*Populus tremuloides* Michx.) with special reference to the application of such chemicals as debarking agents. 1957, *Abstr. of Thesis, in Dissert. Abstr.* 1957 17 (6), (1177).
3906. Shiue, C. J.; Hossfeld, R. L., and Rees, L. W. Absorption and translocation of 2,4,5-trichlorophenoxyacetic acid derivatives in Quaking Aspen. 1958, *For. Sci.* 1958 4 (4), (319-24). 8 Refs.
3907. Shiue, C. J; Rees, L. W., and Brown, R. M. Some anatomical and physiological changes in Quaking Aspen [*P. tremuloides*] induced by bark removal with 2,4,5-T. 1958, *For. Sci.* 1958 4 (3), (212-8). 7 Refs.
3908. Shoup, J. M.; Nairn, L. D., and Pratt, R. H. M. Trembling Aspen bibliography. 1968, *Liais. Serv. Note For. Res. Lab., Winnipeg* 1968 No. MS-L-3, Pp. 81. [Many Refs.].
3909. Shubin, G. S. and Shchedrina, E. B. Moisture conduction of wood at temperatures below freezing. 1971, *Derev. Prom.* 1971 20 (10), (13-5). [Ru, 5 Ref.].

3910. Shuffstall, W. C. and Medve, R. J. Growth performances and mycorrhizae of native and exotic hardwoods on bituminous stripmine spoils. *Ohio-Journal-of-Science*. 1979; 79(6):274-279.
3911. Sibal, P. V. and Bowyer, J. L. The quality of aspen bolts delivered to two concentration yards in northern Minnesota. *Technical-Bulletin,-Agricultural-Experiment-Station,-University-of-Minnesota*. 1983; (No. 337):20 pp.
3912. Sibal, P. V.; Bowyer, J. L., and Bradley, D. P. Log merchandising in aspen. *Journal-of-Forestry*. 1984; 82(7):420-425.
3913. Sidhu, S. S. Early effects of burning and logging in Pine-mixedwoods. I. Frequency and biomass of minor vegetation. *Information-Report,-Petawawa-Forest-Experiment-Station,-Canada*. 1973; (No. PS-X-46):47 pp.
3914. ---. Foliar nutrient status in three boreal species for three years following hexazinone application. *Communications-in-Soil-Science-and-Plant-Analysis*. 1994; 25(17-18):2997-3007.
3915. Sidhu, S. S. and Feng, J. C. Hexazinone and its metabolites in boreal forest vegetation. *Weed-Science*. 1993; 41(2):281-287.
3916. Siemens, J. A. and Zwiazek, J. J. Effects of water deficit stress and recovery on the root water relations of trembling aspen (*Populus tremuloides*) seedlings. *Plant-Science*. 2003; 165(1):113-120.
3917. Sigler, L.; Lumley, T. C., and Currah, R. S. New species and records of saprophytic ascomycetes (*Myxotrichaceae*) from decaying logs in the boreal forest. *Mycoscience*. 2000; 41(5):495-502.
3918. Silitonga, T. and McGovern, J. N. Experimental holopulping of several temperate and tropical hardwoods. *Tappi*. 1975; 58(7):125-128.
3919. Silkworth, D. R. and Grigal, D. F. Determining and evaluating nutrient losses following whole-tree harvesting of aspen. *Soil-Science-Society-of-America-Journal*. 1982; 46(3):626-631.
3920. Silver, G. M. and Fall, R. Characterization of aspen [*Populus tremuloides*] isoprene synthase, an enzyme responsible for leaf isoprene emission to the atmosphere. *Journal-of-Biological-Chemistry*. 1995; 270(22):13010-13016.
3921. ---. Enzymatic synthesis of isoprene from dimethylallyl diphosphate in aspen leaf extracts. *Plant-Physiology*. 1991; 97(2):1588-1591.
3922. Silverborg, S. B. Rate of decay in northern hardwoods following artificial inoculation with some common heartrot fungi. 1959, *For. Sci.* 1959 5 (3), (223-8). 7 Refs.
3923. ---. Sterile conks of *Fomes ignarius* on Aspen. 1953, *Phytopathology* 1953 43 (12), (699-700).
3924. Simard, M. J.; Bergeron, Y., and Sirois, L. Substrate and litterfall effects on conifer seedling survivorship in southern boreal stands of Canada. *Canadian-Journal-of-Forest-Research*. 2003; 33(4):672-681.
3925. Simard, S.; Heineman, J.; Mather, J.; Sachs, D., and Vyse, A. Brushing effects on conifers and plant communities in the southern interior of British Columbia: summary of PROBE results 1991-2000. *Extension-Note -British-Columbia-Ministry-of-Forests*. 2001; (No.58):25 pp.
3926. Simmonds, F. and Hyttinen, A. Light microscopy and various physical properties of several commercial groundwood pulps. 1970, *Tappi CA Report No. 29* [, 1970?]. Pp. 10 + 15 Plates. [4 Ref.].
3927. Simmonds, F. A. and Hyttinen, A. Two-stage nonchlorination bleaching of several hardwood neutral sulfite

semichemical pulps. 1964, U.S. For. Serv. Res. Note U.S. For. Prod. Lab., Madison No. FPL-043, 1964. Pp. 5 + 6 Tbls.

3928. Simmonds, F. a.; Kingsbury, R. M.; Martin, J. S., and Keller, E. L. Purified hardwood pulps for chemical conversion. I. Aspen sulphite and prehydrolysis-sulphate pulps. 1953, Tappi 1953 36 (3), (103-10). 18 Refs.
3929. Simonov, M. N. and Maiorova, A. G. The strength of bark and wood at low temperatures. 1971, Lesn. Zh. 1971 14 (2), (81-6). [Ru].
3930. Simonsen, J.; Jacobson, R., and Rowell, R. Properties of styrene-maleic anhydride copolymers containing wood-based fillers. Forest-Products-Journal. 1998; 48(1):89-92.
3931. Simonson, S. E.; Opler, P. A.; Stohlgren, T. J., and Chong, G. W. Rapid assessment of butterfly diversity in a montane landscape. Biodiversity-and-Conservation. 2001; 10(8):1369-1386.
3932. Simpson, I. J.; Edwards, G. C., and Thurtell, G. W. Variations in methane and nitrous oxide mixing ratios at the southern boundary of a Canadian boreal forest. Atmospheric-Environment. 1999; 33(7):1141-1150.
3933. Simpson, W. T. Measuring dependence of diffusion coefficient of wood on moisture concentration by adsorption experiments. Wood-and-Fiber. 1974; 5(4):299-307.
3934. Simpson, W. T. and Liu, J. Y. Dependence of the water vapor diffusion coefficient of aspen (*Populus spec.*) on moisture content. Wood-Science-and-Technology. 1991; 26(1):9-21.
3935. Sims, R. A.; Kershaw, H. M., and Wickware, G. M. The autecology of major tree species in the North Central region of Ontario. COFRDA-Report. 1990; (No. 3302):vi + 126 pp.
3936. Simson, B. W. and Timell, T. E. Polysaccharides in cambial tissues of *Populus tremuloides* and *Tilia americana*. Cellulose-Chemistry-and-Technology. 1978; 12(1):39-84.
3937. ---. Polysaccharides in cambial tissues of *Populus tremuloides* and *Tilia americana*. (5). Cellulose. Cellulose-Chemistry-and-Technology. 1978; 12(2):137-141.
3938. Sinclair, G. D. and Dymond, D. K. Hardboards from Poplar wood. 1968, Tappi 1968 51 (9), (108A-111A). [12 Refs.].
3939. Sinclair, S. A.; Hassler, C. C., and Bolstad, K. Moisture loss in aspen logging residue. Wood-and-Fiber-Science. 1984; 16(1):93-96.
3940. Singer, F. J.; Swift, D. M.; Coughenour, M. B.; Varley, J. D., and Krausman, P. R. Thunder on the Yellowstone revisited: an assessment of management of native ungulates by natural regulation, 1968-1993. Special Feature: Ungulate Management in National Parks of Western North America, Based on a Symposium at the Fourth Annual Meeting of the Wildlife Society, Snowmass, Colorado. 1998; 26(3):375-390.
3941. Singh, T. Biomass equations for six major tree species of the Northwest Territories. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1984; (No. NOR-X-257):viii + 22 pp.
3942. ---. Biomass equations for ten major tree species in the prairie provinces. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1982; (No. NOR-X-242):iv + 35 pp.
3943. ---. Conversion of tree volume to biomass in the prairie provinces. Forest-Management-Note,-Northern-Forest-Research-Centre,-Canada. 1984; (No. 28):7 pp.

3944. ---. A proposed method for preliminary assessment of erosion hazards in west-central Alberta. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1983; (No. NOR-X-251):vi + 17 pp.
3945. ---. Variation in the oven-dry wood density of ten Prairie tree species. Forestry-Chronicle. 1984; 60(4):217-221.
3946. ---. Weight tables for important tree species in the Northwest Territories. Forest-Management-Note,-Northern-Forest-Research-Centre,-Canada. 1983; (No. 27):4 pp.
3947. ---. Weight tables for important tree species in the Prairie Provinces. Forest-Management-Note,-Northern-Forest-Research-Centre,-Canada. 1982; (No. 14):4 pp.
3948. ---. Wood density variation of six major tree species of the Northwest Territories. Canadian-Journal-of-Forest-Research. 1986; 16(1):127-129.
3949. ---. Wood density variations in thirteen Canadian tree species. Wood-and-Fiber-Science. 1987; 19(4):362-369.
3950. Singh, T. and Kalra, Y. P. Water quality of a range watershed in southwestern Alberta prior to Aspen clearing. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1976; (No. NOR-X-168):14 pp.
3951. Singh, T. and Kostecky, M. M. Calorific value variations in components of 10 Canadian tree species. Canadian-Journal-of-Forest-Research. 1986; 16(6):1378-1381.
3952. Sithole, B. B.; Sullivan, J. L., and Allen, L. H. Identification and quantitation of acetone extractives of wood and bark by ion exchange and capillary GC with a spreadsheet program. Holzforschung. 1992; 46(5):409-416.
3953. Siwecki, R. Observations on the resistance of Poplar hybrids from section Leuce Duby, to infection by *Venturia tremulae* Aderh. 1968, Arboretum Kornickie, Poznan 1968 13, (275-85). [4 Refs.].
3954. Skelly, J. M.; Chappelka, A. H.; Laurence, J. A., and Fredericksen, T. S. Ozone and its known and potential effects on forests in the eastern United States. Forest-Degradation-and-Ozone.-A-Comparison-of-Controlled-Chamber-and-Field-Experiments. 1997, 69-93; Ecological Studies 127; 6 Pp. of Ref.
3955. Skilling, D. D. The growth of under-planted White Pine. 1953, Mich. For. 1953 No. 2 Pp. 2.
3956. Skujins, J.; Tann, C. C., and Borjesson, I. Dinitrogen fixation in a montane forest sere determined by ¹⁵N₂ assimilation and in situ acetylene-reduction methods. Soil-Biology-and-Biochemistry. 1987; 19(4):465-471.
3957. Slabaugh, P. E. Silvical characteristics of Bigtooth Aspen [*Populus grandidentata*]. 1958, Sta. Pap. Lake St. For. Exp. Sta. 1958 63 (16 Pp.). [50 Refs.].
3958. Slayton, S. H. Storing baled Red Pine, Black Spruce, and White Spruce over winter feasible in Upper Michigan. 1970, Tree Plant. Notes 1970 21 (4), (15-7). [5 Refs.].
3959. Smedley, S. R. and Eisner, T. Sodium uptake by puddling in a moth. Science-Washington. 1995; 270(5243):1816-1818.
3960. Smereka, E. P. The life history and habits of *Chrysomela crotchii* Brown (Coleoptera: Chrysomelidae) in northwestern Ontario. 1965, Repr. From Canad. Ent. 97 (5), 1965 (541-9). 5 Refs.
3961. ---. Some notes on *Lobophora nivigerata* Walker. 1960, Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can.

16 (4), 1960 (1).

3962. Smerlis, E. Hosts and pathogenicity of *Godronia fuliginosa*. 1968, *Plant Dis. Repr.* 1968 52 (2), (167-8). [1 Ref.].
3963. ---. Pathogenicity of some species of *Godronia* occurring in Quebec. 1969, *Plant Dis. Repr.* 1969 53 (10), (807-10). [3 Refs.].
3964. Smidt, M. F. and Blinn, C. R. Biological and financial impacts of high flotation tyres for aspen harvesting. Paper -American-Society-of-Agricultural-Engineers. 1990; (No. 90-7535):19 pp.
3965. ---. Harvest caused soil disturbance decreased suckering capacity of quaking aspen (*Populus tremuloides* Michx.) following growing season harvests in Minnesota, USA. *Forest-Ecology-and-Management*. 2002; 163(1-3):309-317.
3966. Smith, A. L.; Campbell, C. L.; Walker, D. B., and Hanover, J. W. Extracts from black locust as wood preservatives: extraction of decay resistance from black locust heartwood. *Holzforschung*. 1989; 43(5):293-296.
3967. Smith, C. F. The genus *Phloeomyzus* with the description of *P. dearborni* n. sp. from *Populus tremuloides* Michx. (Homoptera: Aphididae). *Proceedings-of-the-Entomological-Society-of-Washington*. 1974; 76(1):66-72.
3968. Smith, C. G. Overwintering of cleistocarps of *Uncinula salicis* and *Microsphaera penicillata* in Alberta. 1971, *Trans. Brit. Mycol. Soc.* 1971 56 (2), (275-9). [9 Ref.D].
3969. Smith, D. C. Waferboard press closing strategies. *Forest-Products-Journal*. 1982; 32(3):40-45.
3970. Smith, D. C. c. p-Hydroxybenzoate groups in the lignin of Aspen (*Populus tremula*). 1955, *J. Chem. Soc.* July, 1955 (2347-51). [Low Temperature Research Station, Cambridge.].
3971. Smith, D. G. and Neish, A. C. Alkaline oxidation of ¹⁴C-labelled protolignin, formed from cinnamic acid in Spruce and Aspen twigs. 1964, *Phytochemistry, Oxf.* 3 (5), 1964 (609-15). 14 Refs.
3972. Smith, D. R. Sawflies of the Holarctic genus *Platycampus* Schioedte (Hymenoptera:Tenthredinidae). *Proceedings-of-the-Entomological-Society-of-Washington*. 1976; 78(2):202-207.
3973. Smith, D. W. and Gatherum, G. E. Effects of moisture and clone on photosynthesis and growth of an Aspen-Poplar hybrid. *Botanical-Gazette*. 1974; 135(4):293-296.
3974. Smith, D. W. and James, T. D. Characteristics of prescribed burns and resultant short-term environmental changes in *Populus tremuloides* woodland in southern Ontario. *Canadian-Journal-of-Botany*. 1978; 56(15):1782-1791.
3975. Smith, D. W. and James, T. D. W. Changes in the shrub and herb layers of vegetation after prescribed burning in *Populus tremuloides* woodland in southern Ontario. *Canadian-Journal-of-Botany*. 1978; 56(15):1792-1797.
3976. Smith, G. J. and Raske, A. G. Starvation experiments with first instar forest tent caterpillar larvae. 1968, *Bi-m. Res. Notes, Ottawa* 1968 24 (5), (39). [4 Refs.].
3977. Smith, H. S. Seasoning of Aspen [*Populus tremuloides*]. 1947, *Lake St. Aspen Rep.* 1947. No. 5, Pp. 19. 16 Refs.
3978. Smith, J. G. Food habits of Mule deer in Utah. 1952, *J. Wildlife Mgmt.* 1952 16 (2) (148-55). 16 Refs.

3979. Smith, J. H. G. and DeBell, D. S. Opportunities for short rotation culture and complete utilization of seven northwestern tree species. *Forestry-Chronicle*. 1973; 49(1):31-34.
3980. Smith, J. H. G. and Ker, J. W. Timber volume depends on D H. 1957, B.C. Lumberm 1957 41 (9), (28, 30). 6 Refs.
3981. Smith, J. K.; Laven, R. D., and Omi, P. N. Microplot sampling of fire behaviour on *Populus tremuloides* stands in north-central Colorado. *International-Journal-of-Wildland-Fire*. 1993; 3(2):85-94.
3982. Smith, R. W. Progress report on cacodylic acid as a silvicide. 1966, Proc. 20th Ntheast. Weed Control Conf. 1966 (568-73). [3 Refs. From Abstr. in Weed Abstr. 1967 16 (4), (No. 1288).].
3983. Smith, S. D.; Murray, K. J.; Landau, F. H.; Sala, A. M.; Roundy, B. A. (ed.); McArthur, E. D. (ed.); Haley, J. S. (ed.), and Mann, D. K. Structure of woody riparian vegetation in Great Basin National Park. Proceedings: Wildland Shrub and Arid Land Restoration Symposium, Las Vegas, 19-21 October 1993. 1995; (No. INT-GTR-315):246-251.
3984. Smith, S. M. and Strom, K. B. Oviposition by the forest tent caterpillar (Lepidoptera: Lasiocampidae) and acceptability of its eggs to *Trichogramma minutum* (Hymenoptera: Trichogrammatidae). *Environmental-Entomology*. 1993; 22(6):1375-1382.
3985. Smyth, D. R. Plant genetics: fast flowering. *Current-Biology*. 1996; 6(2):122-124.
3986. Snow, A. G. Use of indolebutyric acid to stimulate the rooting of dormant Aspen cuttings. 1938, *Jnl. For.* 36 1938 (582-7).
3987. Snyder, J. D. and Janke, R. A. Impact of moose browsing on boreal-type forests of Isle Royal National Park. *American-Midland-Naturalist*. 1976; 95(1):79-92.
3988. Sodhi, N. S. and Paszkowski, C. A. Habitat use and foraging behavior of four parulid warblers in a second-growth forest. *Journal-of-Field-Ornithology*. 1995; 66(2):277-288.
3989. Sodhi, N. S.; Paszkowski, C. A., and Keehn, S. Scale-dependent habitat selection by American redstarts in aspen-dominated forest fragments. *Wilson-Bulletin*. 1999; 111(1):70-75.
3990. Sokolov, A. A. Effect of roots of Spruce, Birch and Aspen on the physical and chemical properties of sod-podzolic soils. Translation,-British-Library,-Boston-Spa. 1976; (No. RTS 10307):11 pp.
3991. Sokolov, I. V. and Torgov, I. V. Conjugates of trans-coniferyl alcohol in propolis and its sources. *Chemistry-of-Natural-Compounds*. 1989; 25(3):272-275.
3992. ---. Flavonoid aglycons in propolis and its sources. *Chemistry-of-Natural-Compounds*. 1990; publ. 1991, 26(4):468.
3993. Somerville, J. L. and Pearson, A. J. Application of the cold soda process in the use of Eucalypts for newsprint manufacture. 1958, APPITA, Melbourne 1958 12 (3), (57-72). 20 Refs.
3994. Son, S. H.; Moon, H. K., and Hall, R. B. Somaclonal variation in plants regenerated from callus culture of hybrid aspen (*Populus alba* L. X *P. grandidentata* Michx.). *Plant-Science-Limerick*. 1993; 90(1):89-94.
3995. Sonderman, D. L. Quality responses of 29-year-old, even-aged central hardwoods after thinning. Research-Paper,-Northeastern-Forest-Experiment-Station,-USDA-Forest-Service. 1984; (No. NE-546):9 pp.
3996. ---. Stem-quality changes on young, mixed upland hardwoods after crop-tree release. Research-Paper,-

Northeastern-Forest-Experiment-Station,-USDA-Forest-Service. 1987; (No. NE-RP-597):7 pp.

3997. Sondreal, M. L. and Murphy, R. K. Low Cooper's hawk, *Accipiter cooperii*, nest in dense shrubs. *Canadian-Field-Naturalist*. 1998; 112(2):339-340.
3998. Song, D. and Ellis, S. Localized properties in flakeboard: a simulation using stacked flakes. *Wood-and-Fiber-Science*. 1997; 29(4):353-363.
3999. Song, S. J. and Hannon, S. J. Predation in heterogeneous forests: a comparison at natural and anthropogenic edges. *Ecoscience*. 1999; 6(4):521-530.
4000. Soos, J. Early mortality of container planting in the Peace River Forest, Alberta. 1967, Inform. Rep. For. Res. Lab., Calgary No. A-X-12, 1967. Pp. 35. [12 Refs.].
4001. ---. First year mortality of container planting in the Clearwater-Rocky Mountain House Forest, Alberta. 1967, Inform. Rep. For. Res. Lab., Calgary No. A-X-7, 1967. Pp. 42. [13 Refs.].
4002. Sorensen, R. W. Size of Aspen crop trees little affected by initial sucker density. 1968, U.S. For. Serv. Res. Note Nth. Cent. For. Exp. Sta. 1968 No. NC-51, Pp. 4 [1 Ref.].
4003. Sorensen, T. C. and Moses, R. A. Host preferences and temporal trends of the tick *Ixodes angustus* in north-central Alberta. *Journal-of-Parasitology*. 1998; 84(5):902-906.
4004. Soulliere, G. J. Density of suitable wood duck nest cavities in a northern hardwood forest. *Journal-of-Wildlife-Management*. 1988; 52(1):86-89.
4005. Sourial, F. A. Economic feasibility study: integrated industrial complex for the utilization of aspen, birch and cottonwood in northeastern British Columbia. [Thesis Summary]. *Forest-Products-Abstracts*. 1983, 6: 5, 106.
4006. South, D. B. Testing the hypothesis that mean relative growth rates eliminate size-related growth differences in tree seedlings. *New-Zealand-Journal-of-Forestry-Science*. 1991; publ. 1992, 21(2-3):144-164.
4007. Sperry, J. S.; Nichols, K. L.; Sullivan, J. E. M., and Eastlack, S. E. Xylem embolism in ring-porous, diffuse-porous, and coniferous trees of northern Utah and interior Alaska. *Ecology*. 1994; 75(6):1736-1752.
4008. Sperry, J. S.; Perry, A. H., and Sullivan, J. E. M. Pit membrane degradation and air-embolism formation in ageing xylem vessels of *Populus tremuloides* Michx. *Journal-of-Experimental-Botany*. 1991; 42(244):1399-1406.
4009. Sperry, J. S.; Saliendra, N. Z.; Pockman, W. T.; Cochard, H.; Cruiziat, P.; Davis, S. D.; Ewers, F. W., and Tyree, M. T. New evidence for large negative xylem pressures and their measurement by the pressure chamber method. *Plant,-Cell-and-Environment*. 1996; 19(4):427-436.
4010. Sperry, J. S. and Sullivan, J. E. M. Xylem embolism in response to freeze-thaw cycles and water stress in ring-porous, diffuse-porous, and conifer species. *Plant-Physiology*. 1992; 100(2):605-613.
4011. Spiers, A. G. Comparative studies of host specificity and symptoms exhibited by poplars infected with *Marssonina brunnea*, *Marssonina castagnei* and *Marssonina populi*. *European-Journal-of-Forest-Pathology*. 1984; 14(4-5):202-218.
4012. Spies, T. A. and Barnes, B. V. Natural hybridization between *Populus alba* L. and the native aspens in southeastern Michigan. *Canadian-Journal-of-Forest-Research*. 1982; 12(3):653-660.

4013. Spindler, D. D.; Wyman, C. E.; Grohmann, K.; Greenbaum, E. (ed.), and Wyman, C. E. The simultaneous saccharification and fermentation of pretreated woody crops to ethanol. Twelfth Symposium on Biotechnology for Fuels and Chemicals. Applied-Biochemistry-and-Biotechnology. 1991, 28-29: 773-786; 24 Ref.
4014. Springer, E. L. Delignification of aspen wood with pernitric acid. Tappi-Journal. 1994; 77(6):103-108.
4015. Springer, E. L.; Feist, W. C.; Zoch, L. L. Jr., and Hajny, G. J. Evaluation of chemicals for preserving wood chips using pile simulators. Tappi. 1973; 56(6):125-128.
4016. ---. A treatment to preserve tall oil during chip storage. Tappi. 1975; 58(8):188-189.
4017. Springer, E. L. and Hajny, G. J. Spontaneous heating in piled wood chips. I. Initial mechanism. 1970, Tappi 1970 53 (1), (85-6). [4 Refs.].
4018. Springer, E. L.; Hajny, G. J., and Feist, W. C. Spontaneous heating in piled wood chips. II. Effect of temperature. 1971, Tappi 1971 54 (4), (589-91). [3 Refs.].
4019. Springer, E. L.; Harris, J. F., and Neill, W. K. Rate studies of the hydrotropic delignification of Aspenwood. 1963, Tappi 46 (9), 1963 (551-5). 34 Refs.
4020. Springer, E. L.; Haslerud, E. J., and et, a. l. An evaluation of four chemicals for preserving wood chips stored outdoors. 1971, Tappi 1971 54 (4), (555-60). [9 Refs.].
4021. Springer, E. L. and Zoch, L. L. Hydrolysis of xylan in different species of hardwoods. 1968, Tappi 1968 51 (5), (214-8). [12 Refs.].
4022. ---. A simulator of an outside chip pile. 1970, Tappi 1970 53 (1), (116-7). [4 Refs.].
4023. ---. Delignifying Aspen wood with aqueous xylenesulfonic acid at 100°C. 1971, Tappi 1971 54 (12), (2059-60). [3 Ref.].
4024. ---. Laboratory evaluation of the possibility of using sulphuric acid as a wood chip preservative. Tappi. 1981; 64(3):145-150.
4025. Squiers, E. R. Size-class and age-class structure in an aspen [Populus] - white pine [Pinus strobus] successional system [in Michigan]. Proceedings-of-the-Indiana-Academy-of-Science. 1980, 89: 146; APB. See FA 42, 1140 & Next Record.
4026. Squiers, E. R.; Allan, D. N., and Young, C. L. Composition and homogeneity within an aspen-white pine successional system in Kalkaska County, Michigan. Proceedings-of-the-Indiana-Academy-of-Science. 1979, 88: 164; APB.
4027. Squiers, E. R. and Klosterman, J. E. Competition and spatial patterning in an aspen [Populus] - white pine [Pinus strobus] successional system [in Michigan]. Proceedings-of-the-Indiana-Academy-of-Science. 1980, 89: 146-147; APB. See Preceding Record.
4028. ---. Spatial patterning and competition in an aspen-white pine successional system. American-Journal-of-Botany. 1981; 68(6):790-794.
4029. Squires, J. R. and Ruggiero, L. F. Nest-site preference of northern goshawks in southcentral Wyoming. Journal-of-Wildlife-Management. 1996; 60(1):170-177.
4030. Srinivasan, U.; Ung, T., and Cooper, P. A. Susceptibility of CCA treated North American hardwoods to Chaetomium globosum decay. Document -International-Research-Group-on-Wood-Preservation.

1998; (No. IRG-WP-98-10278):11 pp.

4031. St Amour, M. Use of the Kendall Cutter in precommercial strip thinning of aspen. Advantage -Forest-Engineering-Research-Institute-of-Canada-FERIC. 2000, 1: 13, 2 Pp.
4032. Stadt, K. J. and Lieffers, V. J. MIXLIGHT: a flexible light transmission model for mixed-species forest stands. Agricultural-and-Forest-Meteorology. 2000; 102(4):235-252.
4033. Stahelin, R. Factors influencing the natural restocking of high altitude burns by coniferous trees in the central Rocky Mountains. 1943, Ecology 24 1943 (19-30). [Rocky Mountain Forest and Range Exp. Sta].
4034. Stairs, G. R. The effects of ionizing radiation on the genetic structure of heterozygous outbreeding populations of forest trees. 1965, Prog. Rep. [From Abstr. in Plant Breed. Abstr. June 1, 1965 to May 31, 1966. 38 Contract AT (30-1)-35 71: Dep. Mn. CFSTI. Pp. 9. (4), (No. 6984).].
4035. Stairs, G. R. and Jeffers, R. M. Effects of gamma radiation on juvenile and mature cuttings of Quaking Aspen. 1967, For. Sci. 1967 13 (3), (240-5). [13 Refs.].
4036. Stanek, D. A. A study of the low-molecular weight phenols formed upon the hydrolysis of Aspenwood. 1958, Tappi 1958 41 (10), (601-9). 29 Refs.
4037. Stanek, W. and Orloci, L. Some silvicultural ecosystems in the Yukon. Information-Report -Pacific-Forestry-Centre,-Canadian-Forestry-Service. 1987; (No. BC-X-293):56 pp.
4038. Stanosz, G. R. and Patton, R. F. Armillaria root rot in aspen stands after repeated short rotations. Canadian-Journal-of-Forest-Research. 1987; 17(9):1001-1005.
4039. ---. Armillaria root rot in Wisconsin aspen sucker stands. Canadian-Journal-of-Forest-Research. 1987; 17(9):995-1000.
4040. ---. Quantification of Armillaria rhizomorphs in Wisconsin aspen sucker stands. European-Journal-of-Forest-Pathology. 1990; 21(1):5-16.
4041. ---. Stump colonization by Armillaria in Wisconsin aspen stands following clearcutting. European-Journal-of-Forest-Pathology. 1990; 20(6-7):339-346.
4042. Stanosz, G. R.; Patton, R. F., and Spear, R. N. Structure of Armillaria rhizomorphs from Wisconsin aspen stands. Canadian-Journal-of-Botany. 1987; 65(10):2124-2127.
4043. Stanwell Fletcher], J. F. and Stanwell Fletcher, T. C. Some accounts of the flora and fauna of the Driftwood Valley region of north and central British Columbia. 1943, Occ. Pap. B.C.Prov.Mus. No. 4, 1943 (1-97 + Plates). Biol. Abstr. 17 (19422).
4044. Staples, T. E.; Rees, K. C. J. van; Kessel, C. van; van Rees, K. C. J., and van Kessel, C. Nitrogen competition using ¹⁵N between early successional plants and planted white spruce seedlings. Canadian-Journal-of-Forest-Research. 1999; 29(8):1282-1289.
4045. Starr, G. H. Propagation of Aspen trees from lateral roots. 1971, J. For. 1971 69 (12), (866-7).
4046. Stasiak, M. A.; Hofstra, G.; Payne, N. J.; Prasad, R., and Fletcher, R. A. Alterations of growth and shikimic acid levels by sublethal glyphosate applications on pin cherry and trembling aspen. Canadian-Journal-of-Forest-Research. 1991; 21(7):1086-1090.
4047. Stayton, C. L.; Hyvarinen, M. J., and et, a. l. Aspen and Paper Birch mixtures as raw material for particle

board. 1971, For. Prod. J. 1971 21 (12), (29-30). [8 Ref.].

4048. Ste Marie, C. and Pare, D. Soil, pH and N availability effects on net nitrification in the forest floors of a range of boreal forest stands. *Soil-Biology-and-Biochemistry*. 1999; 31(11):1579-1589.
4049. Stearns, F. and Likens, G. E. One hundred years of recovery of a pine forest in Northern Wisconsin. *American-Midland-Naturalist*. 2002; 148(1):2-19.
4050. Steele, S. J.; Gower, S. T.; Vogel, J. G.; Norman, J. M.; Margolis, H. A. (ed.), and Ryan, M. G. Root mass, net primary production and turnover in aspen, jack pine and black spruce forests in Saskatchewan and Manitoba, Canada. *Biosphere-Atmosphere Interactions in the Boreal Forest*. 1997; 17(8-9):577-587.
4051. Stegeman, L. C. The production of Aspen and its utilization by beaver on the Huntington Forest. 1954, *J. Wildlife Mgmt.* 1954 18 (3), (348-58). 11 Refs.
4052. Steiner, P. R. and Andersen, A. W. Effects of veneer preheating temperature, press and assembly time on aspen LVL. *Forest-Products-Journal*. 1982; 32(10):39-44.
4053. Steiner, P. R. and Xu, W. Influence of flake characteristics on horizontal density distribution of flakeboard. *Forest-Products-Journal*. 1995; 45(4):61-66.
4054. Steinhagen, H. P. Heating times for frozen veneer logs - new experimental data. *Forest-Products-Journal*. 1977; 27(6):24-28.
4055. Steinhilb, H. M.; Arola, R. A., and Winsauer, S. A. Green weight tables for eight tree species in northern Michigan. *General-Technical-Report,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1984; (No. NC-95):23pp.
4056. Steinhilb, H. M. and Erickson, J. R. Weights and centres of gravity for Quaking Aspen trees and boles. 1970, *U.S. For. Serv. Res. Note Nth. Cent. For. Exp. Sta.* 1970 No. NC-91. Pp. 4. [3 Refs.].
4057. Steinmetz, P. E. Resin systems and glass reinforcements to improve dry-formed hardboards. *USDA-Forest-Service-Research-Paper,-Forest-Products-Laboratory,-Madison*. 1977; (No. FPL 284):11 pp.
4058. Steinmetz, P. E. and Fahey, D. J. Effect of manufacturing variables on stability and strength of wet-formed hardboards. 1971, *US For. Serv. Res. Pap. US For. Prod. Lab., Madison* No. FPL 142, 1971. Pp. 7. [1 Ref.].
4059. ---. Resin treatments for improving dimensional stability of structural fiberboard. 1968, *For. Prod. J.* 1968 18 (9), (71-5).
4060. Steinmetz, P. E. and Polley, C. W. Influence of fiber alignment on stiffness and dimensional stability of high-density dry-formed hardboard. *Forest-Products-Journal*. 1974; 24(5):45-50.
4061. Steklenski, P. G.; Schmidt, E. L., and Haygreen, J. G. Properties of compression dewatered and baled aspen wood chip fuels. *Forest-Products-Journal*. 1989; 39(2):8-13.
4062. Stelzer, M. J. The Great Basin tent caterpillar in New Mexico: life history, parasites, disease, and defoliation. 1968, *U.S. For. Serv. Res. Note Rocky Mt. For. Range Exp. Sta.* 1968 No. RM-39 Pp. 16. [13 Refs.].
4063. ---. The Great Basin tent caterpillar in New Mexico: life history, parasites, disease, and defoliation. *Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-Forest-Service,-United-States-Department-of-Agriculture*. 1968; (No. 39):[2+]16 pp.

4064. ---. Susceptibility of the Great Basin tent caterpillar, *Malacosoma fragile* (Stretch), to a nuclear polyhedrosis virus and *Bacillus thuringiensis* Berliner. 1965, *J. Invert. Path.*, New York 7 (2), 1965 (122-5). 4 Refs.
4065. Steneker, G. A. Early performance of Poplar clones in Manitoba. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1976; (No. NOR-X-156):25 pp.
4066. ---. Factors affecting the suckering of Trembling Aspen. *Forestry-Chronicle*. 1974; 50(1):32-34.
4067. ---. Growth of White Spruce following release from Trembling Aspen. 1967, *Publ. Dep. For. Can. No. 1183*, 1967. Pp. v + 16. [9 Refs.].
4068. ---. Guide to the silvicultural management of trembling aspen in the prairie provinces [of Canada]. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1976; (No. NOR-X-164):6 pp.
4069. ---. Results of a 1936 release cutting to favour White Spruce in a 50-year-old White-Spruce/Aspen stand in Manitoba. 1963, *Publ. Dep. For. Can. No. 1005*, 1963. Pp. 17. 18 Refs.
4070. ---. Selective cutting to release White Spruce in 75- to 100-year-old White Spruce-Trembling Aspen stands, Saskatchewan. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1974; (No. NOR-X-121):13 pp.
4071. ---. Size and suckering of Trembling Aspen (*Populus tremuloides* Michaux) clones in Manitoba. *Dissertation-Abstracts-International,-B*. 1973; 33(9):4064-4065.
4072. ---. The size of Trembling Aspen (*Populus tremuloides* Michx.) clones in Manitoba. *Canadian-Journal-of-Forest-Research*. 1973; 3(4):472-478.
4073. ---. Ten-year results of thinning 14-, 19- and 23-year-old Aspen to different spacings. 1964, *Publ. Dep. For. Can. No. 1038*, 1964. Pp. 22. 9 Refs.
4074. ---. Thinning of Trembling Aspen (*Populus tremuloides* Michaux) in Manitoba. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1974; (No. NOR-X-122):ii + 17 pp.
4075. Steneker, G. A. and Jarvis, J. M. A preliminary study to assess competition in a White Spruce-Trembling Aspen stand. 1963, *For. Chron.* 39 (3), 1963 (334-6). 1 Ref.
4076. ---. Thinning in Trembling Aspen stands: Manitoba and Saskatchewan. 1966, *Publ. Dep. For. Can. No. 1140*, 1966. Pp. 28. [17 Refs.].
4077. Steneker, G. A. and Prasad, R. Suckering and soluble sugars in Trembling Aspen root cuttings. *Bi-Monthly-Research-Notes*. 1972, 28: 5, 34.
4078. Steneker, G. A. and Wall, R. E. Wound healing and fungal colonization in stems of young Trembling Aspen after thinning and pruning. Information-Report,-Northern-Forest-Research-Centre,-Canada. 1972; (No. NOR-X-37):25 pp.
4079. Stephens, G. R.; Turner, N. C., and Roo, H. C. de. Some effects of defoliation by gypsy moth (*Porthetria dispar* L.) and Elm spanworm (*Ennomos subsignarius* Hbn.) on water balance and growth of deciduous forest trees. *Forest-Science*. 1972; 18(4):326-330.
4080. Stephens, R. S. and Kutscha, N. P. Effect of resin molecular weight on bonding flakeboard. *Wood-and-Fiber-Science*. 1987; 19(4):353-361.
4081. Stermer, B. A.; Scheffer, R. P., and Hart, J. H. Isolation of toxins of *Hypoxylon mammatum* and

demonstration of some toxin effects on selected clones of *Populus tremuloides*. *Phytopathology*. 1984; 74(6):654-658.

4082. Stern, E. G. Design of pallet deckboard-stringer joints. Part 1: Aspen-pallet joints and Aspen pallets. *Bulletin,-Wood-Research-and-Wood-Construction-Laboratory,-Virginia-Polytechnic-Institute-and-State-University*. 1974; (No. 126):47 pp.
4083. ---. Performance of pallet joints and pallets assembled with nails and staples. *Bulletin,-Pallet-and-Container-Laboratory,-Virginia-Polytechnic-Institute-and-State-University*. 1980; (No. 2):8 pp.
4084. Stern, E. G. and Wallin, W. B. Design of Aspen pallet deckboard-stringer joints. *Forest-Products-Journal*. 1975; 25(2):51-54.
4085. Stettler, R. F. Experimental induction of haploid parthenogenesis in *Populus trichocarpa*. 1968, *Genetics* [, Princeton?] 1968 60 (1, Pt. 2), (229). [From *Abstr. in Plant Breed. Abstr.* 1969 39 (3), (No. 5638)].
4086. ---. Irradiated mentor pollen: its use in remote hybridization of Black Cottonwood. 1968, *Nature, Lond.* 1968 219 (5155), (746-7). [16 Refs.].
4087. Stettler, R. F. and Bawa, K. S. Experimental induction of haploid parthenogenesis in Black Cottonwood (*Populus trichocarpa* T. & G. ex Hook.). 1971, *Silvae Genet.* 1971 20 (1/2), (15-25). [En, 32 Ref.].
4088. Stettler, R. F. and Guries, R. P. The mentor pollen phenomenon in black cottonwood. *Canadian-Journal-of-Botany*. 1976; 54(9):820-830.
4089. Stettler, R. F.; Koster, R., and Steenackers, V. Interspecific crossability studies in poplars. *Theoretical-and-Applied-Genetics*. 1980; 58(6):273-282.
4090. Stevanovic Janezic, T.; Cooper, P. A., and Ung, Y. T. Chromated copper arsenate preservative treatment of North American hardwoods: Part 1. CCA fixation performance. *Holzforschung*. 2000; 54(6):577-584.
4091. Stevens, D. R. Winter ecology of moose in the Gallatin mountains, Montana. 1970, *J. Wildlife Mgmt.* 1970 34 (1), (37-46). [23 Ref.].
4092. Stevens, M. T.; Turner, M. G.; Tuskan, G. A.; Romme, W. H.; Gunter, L. E., and Waller, D. M. Genetic variation in postfire aspen seedlings in Yellowstone National Park. *Molecular-Ecology*. 1999; 8(11):1769-1780.
4093. Stevens, O. A. The trees of North Dakota. 1941, *Bi-m. Bull. N. Dak. Agri. Exp. Sta.* 3 1941 (5),(8-10).
4094. Steventon, J. D.; MacKenzie, K. L., and Mahon, T. E. Response of small mammals and birds to partial cutting and clearcutting in northwest British Columbia. *Forestry-Chronicle*. 1998; 74(5):703-713.
4095. Stewart, D. A.; Booth, G. M., and Petty, J. L. Emergence data and artificial rearing media for an aspen bark beetle, *Trypophloeus populi* (Coleoptera: Scolytidae). *Great-Basin-Naturalist*. 1979; 39(2):129-132.
4096. Stewart, H. A. Cross-grain knife planing improves surface quality and utilization of Aspen. *US-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station*. 1971; (No.NC-127):4 pp.
4097. Stewart, H. A. and Crist, J. B. SEM examination of subsurface damage of wood after abrasive and knife planing. *Wood-Science*. 1982; 14(3):106-109.

4098. Stewart, J. D.; Hogg, E. H.; Hurdle, P. A.; Stadt, K. J.; Tollestrup, P., and Lieffers, V. J. Dispersal of white spruce seed in mature aspen stands. *Canadian-Journal-of-Botany*. 1998; 76(2):181-188.
4099. Stewart, J. D.; Landhausser, S. M.; Stadt, K. J., and Lieffers, V. J. Regeneration of white spruce under aspen canopies: seeding, planting, and site preparation. *Western-Journal-of-Applied-Forestry*. 2000; 15(4):177-182.
4100. Stiell, W. M. and Berry, A. B. Limiting white pine weevil attacks by side shade. *Forestry-Chronicle*. 1985; 61(1):5-9.
4101. ---. Productivity of short-rotation aspen stands. *Forestry-Chronicle*. 1986; 62(1):10-15.
4102. Stine, R. A.; Miller, L. K.; Wyckoff, G.; Li, B., and Li, B. L. A comprehensive tree improvement plan for Minnesota. Staff-Paper-Series -Department-of-Forest-Resources,-University-of-Minnesota. 1995; (No. 102):24 pp.
4103. Stoeckeler, J. H. Deer, mice and hares damage young Aspen and Paper Birch plantings in northeastern Wisconsin. 1955, Tech. Note Lake St. For. Exp. Sta. No. 411, 1955. Pp. 1.
4104. ---. Nutrients in duff and humus layers increase growth of forest plantations. 1945, Tech Note Lake St. For. Exp. Sta. 1945. No. 226. P. 1.
4105. ---. Soil factors affecting the growth of Quaking Aspen forests in the Lake States. 1960, Tech. Bull. Minn. Agric. Exp. Sta. 1960 No. 233. Pp. 43. 108 Refs. [Cf. F.A. 18 No. 1973].
4106. ---. Soil factors affecting the growth of Quaking Aspen forests in the Lake States. 1956, Abstr. of Thesis, University of Minnesota, St. Paul, Minn. 1956 Pp. 3.
4107. ---. When is plantation release most effective? 1947, *J. For.* 1947 45 (4) (265-71).
4108. Stoeckeler, J. H. and Limstrom, G. A. Ecological factors influencing reforestation in northern Wisconsin. 1942, *Ecol. Monogr.* 12 1942 (191-212). [Lake States Forest Exp. Sta.].
4109. ---. Reforestation research findings in northern Wisconsin and upper Michigan. 1950, Sta. Pap. Lake St. For. Exp. Sta. 1950. No. 23, Pp. 34 + 2 Gphs. 9 Refs.
4110. Stoeckeler, J. H. and Macon, J. W. Regeneration of Aspen cutover areas in Northern Wisconsin. 1956, *J. For.* 1956 54 (1), (13-6). 9 Refs.
4111. Stoeckeler, J. H. and Skilling, D. D. Direct seeding and planting of Balsam Fir in Northern Wisconsin. 1959, Sta. Pap. Lake St. For. Exp. Sta. 1959 No. 72. Pp.[1] + 22. 5 Refs.
4112. Stoeckler, J. H. The growth of Quaking Aspen as affected by soil properties and fire. 1948, *J. For.* 1948 46 (10), (727-37). 17 Refs.
4113. Stoehr, H. A. Stand conditions affecting form factor in Trembling Aspen. 1954, Abstr. of Thesis, in *Dissert. Abstr.* 1954 14 (8), (1122). [University of Michigan.].
4114. ---. Stem taper of Trembling Aspen. 1955, *For. Sci.* 1 (3), 1955 (222-6). 12 Refs.
4115. Stohlgren, T. J.; Bachand, R. R.; Onami, Y., and Binkley, D. Species-environment relationships and vegetation patterns: effects of spatial scale and tree life-stage. *Plant-Ecology*. 1998; 135(2):215-228.
4116. Stohlgren, T. J.; Binkley, D.; Chong, G. W.; Kalkhan, M. A.; Schell, L. D.; Bull, K. A.; Otsuki, Y.;

- Newman, G.; Bashkin, M.; Son YowHan, and Son, Y. H. Exotic plant species invade hot spots of native plant diversity. *Ecological-Monographs*. 1999; 69(1):25-46.
4117. Stohlgren, T. J.; Chong, G. W.; Kalkhan, M. A., and Schell, L. D. Multi scale sampling of plant diversity: effects of minimum mapping unit size. *Ecological-Applications*. 1997; 7(3):1064-1074.
4118. ---. Rapid assessment of plant diversity patterns: a methodology for landscapes. *Environmental-Monitoring-and-Assessment*. 1997; 48(1):25-43.
4119. Stohlgren, T. J.; Kaye, M. W.; McCrumb, A. D.; Otsuki, Y.; Pfister, B., and Villa, C. A. Using new video mapping technology in landscape ecology. *BioScience*. 2000; 50(6):529-536.
4120. Stompor Chrzan, E.; Taborsky, V. (ed.); Polak, J. (ed.); Lebeda, A. (ed.), and Kudela, V. Effect of aqueous extracts of aspen, black currant, folded blackberry and walnut leaves on development of pathogenic fungi. *Disease Resistance in Plant Pathology*. Proceedings of the 6th Conference of European Foundation for Plant Pathology; Prague, Czech Republic, 8-14 September 2002. *Plant-Protection-Science*. 2002, 38(Special 2):623-625.
4121. Stone, D. M. A decision tree to evaluate silvicultural alternatives for mature aspen in the northern Lake States. *Northern-Journal-of-Applied-Forestry*. 1997; 14(2):95-98.
4122. ---. Logging options to minimize soil disturbance in the northern Lake States. *Northern-Journal-of-Applied-Forestry*. 2002; 19(3):115-121.
4123. Stone, D. M. and Elioff, J. D. Soil disturbance and aspen regeneration on clay soils: three case histories. *Forestry-Chronicle*. 2000; 76(5):747-752.
4124. Stone, D. M.; Elioff, J. D., and Krause, H. Soil properties and aspen development five years after compaction and forest floor removal. *Sustainable Site Productivity in Canadian Forests Workshop*, Sault Ste. Marie; Ontario, February 1997. *Canadian-Journal-of-Soil-Science*. 1998, 78(1):51-58.
4125. Stone, D. M.; Elioff, J. D.; Potter, D. V.; Peterson, D. B.; Wagner, R.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Restoration of aspen-dominated ecosystems in the Lake States. *Sustaining Aspen in Western Landscapes: Symposium Proceedings*, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):137-143.
4126. ---. Restoration of aspen-dominated ecosystems in the Lake States. *Sustaining Aspen in Western Landscapes: Symposium Proceedings*, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):137-143.
4127. Stone, D. M. and Kabzems, R. Aspen development on similar soils in Minnesota and British Columbia after compaction and forest floor removal. *Forestry-Chronicle*. 2002; 78(6):886-891.
4128. Stone, D. M.; Parker, S. (ed.), and Hummel, S. S. Lake states aspen productivity following soil compaction and organic matter removal. *Beyond 2001: a Silvicultural Odyssey to Sustaining Terrestrial and Aquatic Ecosystems*. 2001; (Hood River):Oregon, USA, 6-10 May 2001. *General-Technical-Report -Pacific-Northwest-Research-Station,-USDA-Forest-Service*. 2002, No.PNW-GTR-546, 59-67.
4129. ---. Reserve tree method produces abundant aspen regeneration and increases early growth. *Beyond 2001: a Silvicultural Odyssey to Sustaining Terrestrial and Aquatic Ecosystems*. 2001; (Hood River):Oregon, USA, 6-10 May 2001. *General-Technical-Report -Pacific-Northwest-Research-Station,-USDA-Forest-Service*. 2002, No.PNW-GTR-546, 68-73.

4130. Stone, D. M.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Sustaining aspen productivity in the Lake States. Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):47-59.
4131. ---. Sustaining aspen productivity in the Lake States. Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000. 2001; (No.RMRS-P-18):47-59.
4132. Stone, J. E. The effective capillary cross sectional area of wood as a function of pH. 1957, Tappi 1957 40 (7), (539-41). 4 Refs.
4133. ---. A study of the lignin removed during a neutral sulphite cook of Aspen. 1955, Tappi 1955 38 (10), (610-2). 6 Refs.
4134. Stone, J. E. and Forderreuther, C. Studies of penetration and diffusion into wood. 1956, Tappi 1956 39 (10), (679-83). 2 Refs.
4135. Storckeler, J. H. Organic layers in Minnesota Aspen stands and their role in soil improvement. 1961, For. Sci. 7 (1), 1961 (66-71). 15 Refs.
4136. Stott, C. B.; Barton, W. W., and Stone, J. H. Results of forest cutting practices in various Lake States timber types. 1942, U.S. Forest Service, Region Nine, Milwaukee, Wisconsin. 1942 Pp. Iii + 56.
4137. Stottlemeyer, R. Nitrogen mineralization and streamwater chemistry, Rock Creek watershed, Denali National Park, Alaska, USA. Arctic-and-Alpine-Research. 1992; 24(4):291-303.
4138. Stottlemeyer, R. and Hanson, D. G. Jr. Atmospheric deposition and ionic concentrations in forest soils of Isle Royale National Park, Michigan. Soil-Science-Society-of-America-Journal. 1989; 53(1):270-274.
4139. Stoyenoff, J. L.; Witter, J. A., and Montgomery, M. E. Gypsy moth (Lepidoptera: Lymantriidae) performance in relation to egg hatch and feeding initiation times. Environmental-Entomology. 1994; 23(6):1450-1458.
4140. ---. Nutritional indices in the gypsy moth (*Lymantria dispar* (L.)) under field conditions and host switching situations. Oecologia. 1994; 97(2):158-170.
4141. Stoyenoff, J. L.; Witter, J. A.; Montgomery, M. E., and Chilcote, C. A. Effect of host switching on gypsy moth (*Lymantria dispar* (L.)) under field conditions. Oecologia. 1994; 97(2):143-157.
4142. Strachan, I. B. and Harvey, L. E. Quantifying the effects of temporal autocorrelation on climatological regression models using geostatistical techniques. Canadian-Journal-of-Forest-Research. 1996; 26(5):864-871.
4143. Strachan, I. B. and McCaughey, J. H. Spatial and vertical leaf area index of a deciduous forest resolved using the LAI-2000 plant canopy analyzer. Forest-Science. 1996; 42(2):176-181.
4144. Strain, B. R. The effect of a late spring frost on the radial growth of variant Quaking Aspen biotypes. 1966, For. Sci. 1966 12 (3), (334-7). [16 Refs.].
4145. ---. Physiological and morphological variability of local Quaking Aspen clones. 1964, Abstr. of Thesis, in Dissert. Abstr. 25 (6), 1964 (3228).
4146. Strain, B. R. and Johnson, P. L. Corticular photosynthesis and growth in *Populus termuloides*. 1963, Ecology 44 (3), 1963 (581-4). 13 Refs.

4147. Stranks, D. W. Fermenting wood substrates with a rumen cellulolytic bacterium. 1959, For. Prod. J. 1959 9 (7), (228-33). 20 Refs. [Cf. F.A. 17 No. 4576].
4148. ---. Growth of *Aureobasidium pullulans* on ball-milled Aspen. 1968, Bi-m. Res. Notes Dep. For. Can. 1968 24 (2), (17-8). [3 Refs.].
4149. ---. *Trichoderma viride* enzymic degradation of wood structure. 1970, Bi-m. Res. Notes 1970 26 (3), (23-4). [2 Refs.].
4150. ---. Utilization of Aspen wood residues. 1961, For. Prod. J. 11 (7), 1961 (288-92). 16 Refs.
4151. Strong, F. C. A study of calcium chloride injury to roadside trees. 1944, Quart. Bull. Mich. Agric. Exp. Sta. 1944 27, (209-24).
4152. Strong, W. L. and Roi, G. H. la. Root density - soil relationships in selected boreal forests of central Alberta, Canada. *Forest-Ecology-and-Management*. 1985; 12(3-4):233-251.
4153. ---. Root-system morphology of common boreal forest trees in Alberta, Canada. *Canadian-Journal-of-Forest-Research*. 1983; 13(6):1164-1173.
4154. ---. Rooting depths and successional development of selected boreal forest communities. *Canadian-Journal-of-Forest-Research*. 1983; 13(4):577-588.
4155. Strothmann, R. O. Evaluating the growth potential of Aspen lands in northern Minnesota. 1960, Sta. Pap. Lake St. For. Exp. Sta. No. 86, 1960. Pp. 20. 4 Refs.
4156. Strothmann, R. O. and Zasada, Z. A. Silvical characteristics of Quaking Aspen (*Populus tremuloides*). St. Pap. Lake St. For. Exp. Sta. No. 49 Pp. 26. 91 Refs.
4157. Struble, G. R. Gall wasp infestations in forest trees, chiefly Pines, of California. 1969, Repr. From Pan-Pacif. Ent. 1969 45 (2), (112-5). [3 Refs.].
4158. Struckmeyer, B. E. and Riker, A. J. Wound-periderm formation in White Pine trees resistant to blister rust. 1951, *Phytopathology* 1951 41 (3), (276-81). 8 Refs.
4159. Struempf, H. M.; Finch, D. M.; Hayward, G.; Anderson, S.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Predicting nest success from habitat features in aspen forests of the Central Rocky Mountains. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):165-181.
4160. ---. Predicting nest success from habitat features in aspen forests of the Central Rocky Mountains. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):165-181.
4161. Stump, L. M. and Binkley, D. Relationships between litter quality and nitrogen availability in Rocky Mountain forests. *Canadian-Journal-of-Forest-Research*. 1993; 23(3):492-502.
4162. Sturges, D. L. Comparison of precipitation as measured in gages protected by a modified Alter shield, Wyoming shield, and stand of trees. *Western Snow Conference Held 17-19 April, 1984 in Sun Valley, Idaho*. 1985, 57-67; 15 Ref.
4163. Sturm, M. Snow distribution and heat flow in the taiga. *Arctic-and-Alpine-Research*. 1992; 24(2):145-152.
4164. Sturos, J. A. Bark, foliage, and grit removal from whole-tree chips - results and economics. USA, Technical

Association of the Pulp and Paper Industry: TAPPI Pulping Conference Proceedings, New Orleans, Louisiana, Nov. 5-8; (1978. 1978):121-134.

4165. ---. Determining the terminal velocity of wood and bark chips. US-Forest-Service-Research-Note,-North-Central-Forest-Experiment-Station. 1972; (No. NC-131):4 pp.
4166. ---. Theoretical methods for estimating moments of inertia of trees and boles. USDA-Forest-Service-Research-Paper,-North-Central-Forest-Experiment-Station. 1973; (No. NC-96):10 pp.
4167. Sturos, J. A. and Dickson, R. E. Fiber, fuel and food from whole-tree chips. Transactions-of-the-ASAE. 1980; 23(6):1353-1358.
4168. Sturos, J. B. Characterization and air drying of chunkwood and chips. Research-Note,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1984; (No. NC-308):6pp.
4169. ---. Teardrop Chunker performance. Research-Paper -North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1989; (No. NC-285):10 pp.
4170. Sturos, J. B.; Coyer, L. A., and Arola, R. A. Air drying of chunkwood and chips. Research-Note,-North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1983; (No. NC-293):4 pp.
4171. Suchsland, O. An analysis of a two-species three-layer wood flake board. 1960, Quart. Bull. Mich. Agric. Exp. Sta. 43 (2), 1960 (375-93).
4172. ---. Linear hygroscopic expansion of selected commercial particleboards. Forest-Products-Journal. 1972; 22(11):28-32.
4173. Sucoff, E. Water relations of the aspens. Technical-Bulletin,-Agricultural-Experiment-Station,-University-of-Minnesota. 1982; (No. 338):iv + 36 pp.
4174. Sucoff, E.; Ratsch, H., and Hook, D. D. Early development of wound-initiated discoloration in *Populus tremuloides*. 1967, Canad. J. Bot. 1967 45 (5), (649-56 + 8 Photos). [12 Refs.].
4175. Sudo, K.; Mullord, D. D., and Pepper, J. M. Lignin and related compounds. (8). Lignin monomers and dimers from hydrogenolysis of aspen poplar wood using rhodium-on-charcoal catalyst. Canadian-Journal-of-Chemistry. 1981; 59(7):1029-1031.
4176. Suffling, R. and Stott, P. Can disturbance determine vegetation distribution during climate warming? A boreal test. Terrestrial Ecosystem Interactions With Global Change. Papers submitted to the First Global Change and Terrestrial Ecosystem Science Conference; Woods Hole, Massachusetts, USA, 23-27 May 1994. Journal-of-Biogeography. 1995, 22(2-3):501-508.
4177. Sugden, B. A. Annotated list of forest insects of British Columbia. Part XIII. Brepinae, Geometrinae, Sterrhinae, and Larentiinae (Geometridae). 1966, J. Ent. Soc. B.C. 1966 63, (4, 6-10).
4178. Sultze, R. F. A study of the developing tissues of Aspenwood. 1957, Tappi 1957 40 (12), (985-94). 34 Refs.
4179. Sump, A. W. Aspen for cabin logs. 1947, Lake St. Aspen Rep. 1947. No. 15 Pp. 12.
4180. Sun, B. C. H. and Hawke, R. N. Properties of polyisocyanate resin consolidated composites made from secondary fibers of corrugated containers. Forest-Products-Journal. 1997; 47(2):80-88.
4181. Sun, B. C. H.; Hawke, R. N., and Gale, M. R. Effect of polyisocyanate level on strength properties of wood fiber composite materials. Forest-Products-Journal. 1994; 44(3):34-40.

4182. Sundaram, A. Effect of a Nalco-Trol II on bioavailability of glyphosate in laboratory trials. *Journal-of-Environmental-Science-and-Health.-Part-B,-Pesticides,-Food-Contaminants,-and-Agricultural-Wastes*. 1990; 25(3):309-332.
4183. ---. Influence of surfactant concentration on foliar retention of pesticides used in forestry. *Journal-of-Environmental-Science-and-Health.-Part-B,-Pesticides,-Food-Contaminants,-and-Agricultural-Wastes*. 1992; 27(5):591-620.
4184. Sundaram, A. and Foy, C. L. Influence of two polymeric adjuvants on bioavailability of glyphosate in Vision formulation: relevance to rain washing of deposits from foliar surfaces. *Adjuvants for Agrichemicals*. 1992; (77-85; based on the Second International Symposium on Adjuvants for Agrichemicals):Blacksburg, USA, 31 July-3 August 1989.
4185. Sundaram, A.; Leung, J. W.; Webster, G. R. B.; Nott, R.; Curry, J., and Sloane, L. Effect of glycerol on spreading and drying of Vision R droplets containing Silwet R L-77: relevance to rainfastness and herbicidal activity of glyphosate on trembling aspen (*Populus tremuloides* Michx.). Special Issue on Environmental Behavior of Pesticides. Papers presented at the symposium on Environmental Behavior of Pesticides; May 25-27, 1995, Ontario, Canada. *Journal-of-Environmental-Science-and-Health.-Part-B,-Pesticides,-Food-Contaminants,-and-Agricultural-Wastes*. 1996, 31(4):901-912.
4186. Sundaram, K. M. S. Distribution, dissipation and persistence of aminocarb in aquatic components of the forest environment after aerial application of two Matacil R 180F formulations. *Information-Report -Forest-Pest-Management-Institute*. 1987; (No. FPM-X-78):19 pp.
4187. Sundaram, K. M. S.; Campbell, R.; Sloane, L., and Studens, J. Uptake, translocation, persistence and fate of azadirachtin in aspen plants (*Populus tremuloides* Michx.) and its effect on pestiferous two-spotted spider mite (*Tetranychus urticae* Koch). *Crop-Protection*. 1995; 14(5):415-421.
4188. Sundaram, K. M. S.; Helson, B. V., and Payne, N. J. Distribution and persistence of aerially sprayed permethrin in some terrestrial components of a boreal plantation forest. *Journal-of-Agriculture-and-Food-Chemistry*. 1992; 40(12):2523-2529.
4189. Sundaram, K. M. S. and Sloane, L. Effects of pure and formulated azadirachtin, a neem-based biopesticide, on the phytophagous spider mite, *Tetranychus urticae* Koch. *Journal-of-Environmental-Science-and-Health.-Part-B,-Pesticides,-Food-Contaminants,-and-Agricultural-Wastes*. 1995; 30(6):801-814.
4190. Sundaram, K. M. S.; Sundaram, A.; Curry, J., and Sloane, L. Dissipation kinetics of azadirachtin in some forest matrices and its systemic translocation in conifers for spruce budworm control. *Journal-of-Environmental-Science-and-Health.-Part-B,-Pesticides,-Food-Contaminants,-and-Agricultural-Wastes*. 1997; 32(5):803-829.
4191. Sundaram, K. M. S.; Sundaram, K. M. S. (ed.), and Sundaram, A. Azadirachtin biopesticide: a review of studies conducted on its analytical chemistry, environmental behaviour and biological effects. Special Issue on Environmental Behavior of Pesticides. Papers presented at the Symposium on Environmental Behavior of Pesticides; Ontario, Canada, May 25-27, 1995. *Journal-of-Environmental-Science-and-Health.-Part-B,-Pesticides,-Food-Contaminants,-and-Agricultural-Wastes*. 1996, 31(4):913-948.
4192. Sureda, M. and Morrison, M. L. Habitat characteristics of small mammals in southeastern Utah. *Great-Basin-Naturalist*. 1999; 59(4):323-330.
4193. Sutherland, B. and Foreman, F. F. Black spruce and vegetation response to chemical and mechanical site preparation on a boreal mixedwood site. *Canadian-Journal-of-Forest-Research*. 2000;

30(10):1561-1570.

4194. Sutov, I. V. The use of arboricides in forest tending. 1960, In *Voprosy Lesovedenija i Lesovodstva*. Moscow. 1960. Pp. 274-87.
4195. Sutton, B. C. Forest microfungi II. Additions to *Aerodictys*. 1969, *Canad. J. Bot.* 1969 47 (6), (853-8). [4 Refs.].
4196. Sutton, R. F. Chemical herbicides and their uses in the silviculture of forests of Eastern Canada. 1958, *Tech. Note For. Br. Can.* 1958 No. 68, Pp. 54. Ca. 225 Refs.
4197. ---. Glyphosate herbicide: an assessment of forestry potential. *Forestry-Chronicle*. 1978; 54(1):24-28.
4198. ---. Glyphosate herbicide: an assessment of forestry potential. *Forestry-Chronicle*. 1978; (February):24-28.
4199. ---. Plantation establishment in the boreal forest: glyphosate, hexazinone, and manual weed control. *Forestry-Chronicle*. 1984; 60(5):283-287.
4200. ---. White Spruce group planting in herbicide-treated, overmature mixedwood : 11-year results. *Forestry-Chronicle*. 1974; 50(1):35-37.
4201. Suvorov, P. A. Biological characteristics of *Fomes fomentarius*, found on Spruce and Birch. 1967, *Canad. J. Bot.* 1967 45 (10), (1853-7). [9 Refs.].
4202. Suzuki, K.; Suzuki, H.; Binkley, D., and Stohlgren, T. J. Aspen regeneration in the Colorado Front Range: differences at local and landscape scales. *Landscape-Ecology*. 1999; 14(3):231-237.
4203. Swain, R. B. Notes on the biology of the Great Basin tent caterpillar, *Malacosoma fragilis* Stretch [Lep., Lasiocampidae]. 1939, *Canad. Ent.* 71 1939 (76-7). R.A.E. A 27 (528).
4204. Swan, J. M. A. and Dix, R. L. The phytosociological structure of upland forest at Candle Lake, Saskatchewan. 1966, *J. Ecol.* 54 (1), 1966 (13-40). 39 Refs.
4205. Swanson, R. H. Local snow distribution is not a function of local topography under continuous tree cover. *Journal-of-Hydrology,-New-Zealand*. 1970, 9: 2, 292-298.
4206. Swanson, R. H.; Rothwell, R. L.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Hydrologic recovery of aspen clearcuts in Northwestern Alberta. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):121-135.
4207. ---. Hydrologic recovery of aspen clearcuts in Northwestern Alberta. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):121-135.
4208. Swihart, R. K.; Bryant, J. P., and Newton, L. Latitudinal patterns in consumption of woody plants by snowshoe hares in the eastern United States. *Oikos*. 1994; 70(3):427-434.
4209. Syska, A. D. Exploratory investigation of fire-retardant treatments for particleboard. U.S. 1969, *For. Serv. Res. Note U.S. For. Prod. Lab., Madison No. FPL-0201*, 1969. Pp. 19 + 3 Figs., 9 Tbls. [16 Refs.].
4210. Szabo, T. Reinforcement of structural wood members. Report,-*Eastern-Forest-Products-Laboratory,-Canada*. 1975; (No. OPX 149E):11 pp.
4211. Tabarsa, T.; Chui YingHei, and Chui, Y. H. Characterizing microscopic behavior of wood under transverse

- compression. Part II. Effect of species and loading direction. *Wood-and-Fiber-Science*. 2001; 33(2):223-232.
4212. Takai, S. and Hubbes, M. Polyphenol-oxidase activity and growth inhibition of *Hypoxylon pruinautum* (Klotzsch) Cke. by Aspen bark meal. *Phytopathologische-Zeitschrift*. 1973; 78(2):97-108.
4213. Takeuchi, Y.; Kubiske, M. E.; Isebrands, J. G.; Pregtizer, K. S.; Hendrey, G., and Karnosky, D. F. Photosynthesis, light and nitrogen relationships in a young deciduous forest canopy under open-air CO₂ enrichment. *Plant,-Cell-and-Environment*. 2001; 24(12):1257-1268.
4214. Tang, R. C.; Pu, J. H., and Price, E. W. Effect of temperature on the creep of commercial oriented strandboards under cyclic relative humidity. *Forest-Products-Journal*. 1997; 47(7-8):100-106.
4215. Tann, C. C. Nitrogen fixation and allelopathy in arid and forest soils in the western United States. *Dissertation-Abstracts-International,-B-Sciences-and-Engineering*. 1986; 47(6):2239B-2240B.
4216. Tanner, V. M. A biotic study of the Kaiparowits region of Utah. 1940, *Great Britain Nat.* 1 1940 (3/4), (97-126). *Biol. Abs.* 15 (21162).
4217. Tatsumoto, K.; Baker, J. O.; Tucker, M. P.; Oh, K. K.; Monagheghi, A.; Grohmann, K., and Himmel, M. E. Digestion of pretreated aspen substrates. Hydrolysis rates and adsorptive loss of cellulase enzymes. *Applied-Biochemistry-and-Biotechnology*. 1988, 18: 159-174; 38 Ref.
4218. Taylor, B. R. Air-drying depresses rates of leaf litter decomposition. *Soil-Biology-and-Biochemistry*. 1998; 30(3):403-412.
4219. Taylor, B. R.; Goudey, J. S., and Carmichael, N. B. Toxicity of aspen wood leachate to aquatic life: laboratory studies. *Environmental-Toxicology-and-Chemistry*. 1996; 15(2):150-159.
4220. Taylor, B. R. and Parkinson, D. Annual differences in quality of leaf litter of aspen (*Populus tremuloides*) affecting rates of decomposition. *Canadian-Journal-of-Botany*. 1988; 66(10):1940-1947.
4221. ---. Aspen and pine leaf litter decomposition in laboratory microcosms. I. Linear versus exponential models of decay. *Canadian-Journal-of-Botany*. 1988; 66(10):1960-1965.
4222. ---. Aspen and pine leaf litter decomposition in laboratory microcosms. II. Interactions of temperature and moisture level. *Canadian-Journal-of-Botany*. 1988; 66(10):1966-1973.
4223. ---. Does repeated freezing and thawing accelerate decay of leaf litter? *Soil-Biology-and-Biochemistry*. 1988; 20(5):657-665.
4224. ---. Does repeated wetting and drying accelerate decay of leaf litter? *Soil-Biology-and-Biochemistry*. 1988; 20(5):647-656.
4225. ---. Patterns of water absorption and leaching in pine and aspen leaf litter. *Soil-Biology-and-Biochemistry*. 1988; 20(2):257-258.
4226. ---. Respiration and mass loss rates of aspen and pine leaf litter decomposing in laboratory microcosms. *Canadian-Journal-of-Botany*. 1988; 66(10):1948-1959.
4227. Taylor, B. R.; Parkinson, D., and Parsons, W. F. J. Nitrogen and lignin content as predictors of litter decay rates: a microcosm test. *Ecology*. 1989; 70(1):97-104.
4228. Taylor, B. (R); Parkinson, D., and Taylor, B. R. A new microcosm approach to litter decomposition studies. *Canadian-Journal-of-Botany*. 1988; 66(10):1933-1939.

4229. Taylor, B. R.; Parsons, W. F. J., and Parkinson, D. Decomposition of *Populus tremuloides* leaf litter accelerated by addition of *Alnus crispa* litter. *Canadian-Journal-of-Forest-Research*. 1989; 19(5):674-679.
4230. Teachman, G. E.; Frederick, D. J.; Perkis, W. E., and Jurgensen, M. F. Effects of fertilization on Hypoxylon canker of trembling aspen. *Plant-Disease*. 1980; 64(3):284-286.
4231. Teja Singh and Singh, T. Yields of dissolved solids from aspen-grassland and spruce-fir watersheds in southwestern Alberta. *Journal-of-Range-Management*. 1976; 29(5):401-405.
4232. Teleman, A.; Lundqvist, J.; Tjerneld, F.; Stalbrand, H., and Dahlman, O. Characterization of acetylated 4-O-methylglucuronoxylan isolated from aspen employing ¹H and ¹³C NMR spectroscopy. *Carbohydrate-Research*. 2000; 329(4):807-815.
4233. ---. Characterization of acetylated 4-O-methylglucuronoxylan isolated from aspen employing ¹H and ¹³C NMR spectroscopy. *Carbohydrate-Research*. 2000; 329(4):807-815.
4234. Telfer, E. S. Habitat use by moose in southwestern Alberta. *Alces*. 1988, 24: 14-21; 17 Ref.
4235. ---. Weight/diameter relationships for 22 woody plant species. 1969, *Canad. J. Bot.* 1969 47 (12), (1851-5). [10 Refs.].
4236. Telford, C. J. and Malcolm, F. B. Milling of Aspen into lumber. 1947, *Lake St. Aspen Rep.* 1947. No. 4, Pp. 9.
4237. Tengerdy, R. P. and Nagy, J. G. Increasing the feed value of forestry waste by ammonia freeze explosion treatment. *Biological-Wastes*. 1988; 25(2):149-153.
4238. Tenhagen, M. D. and Jeglum, J. K. Decreased strip width and increased seeding period result in increased black spruce stocking and density in 18-year-old strip clear-cuts. *Frontline,-Technical-Note - Great-Lakes-Forestry-Centre,-Canadian-Forest-Service*. 1997; (No. 89):4 pp.
4239. Ter Mikaelian, M. T.; Wagner, R. G.; Bell, F. W.; Shropshire, C.; Thompson, D. G. (ed.), and Wagner, R. G. Comparison of photosynthetically active radiation and cover estimation for measuring the effects of interspecific competition on jack pine seedlings. *Proceedings of the Third International Conference on Forest Vegetation Management, Sault Ste. Marie; Ontario, Canada, August 24-28, 1998. Canadian-Journal-of-Forest-Research*. 1999, 29(7):883-889.
4240. Terrell, B. Z. Distribution of tension wood and its relation to longitudinal shrinkage in Aspen. 1953, *Mater. Veg.* 1953 1 (3), (288-99). 6 Refs.
4241. Tew, R. K. Properties of soil under Aspen and herb shrub cover. 1968, *U.S. For. Serv. Res. Note Intermt. For. Range Exp. Sta.* 1968 No. INT-78 Pp.4. [1 Ref.].
4242. ---. Role of zinc, carbohydrate reserves, and soil properties in the vegetative reproduction of Aspen. 1968, *Abstr. of Thesis, in Dissert. Abstr.* 1968 29B (5), (1540).
4243. ---. Root carbohydrate reserves in vegative reproduction of Aspen. 1970, *For. Sci.* 1970 16 (3). (318-20). [9 Refs.] [Cf. *F.A.* 30 No. 5408.].
4244. ---. Seasonal variation in the nutrient content of Aspen foliage. 1970, *J. Wildlife Mgmt.* 1970 34 (2), (475-8). [10 Refs.].
4245. ---. Soil moisture depletion by Aspen in Central Utah. 1967, *U.S. For. Serv. Res. Note Intermt. For. Range Exp. Sta.* 1967. No. INT-74, Pp.8. [1 Ref.].

4246. Tew, R. K.; Debyle, N. V., and Schultz, J. D. Intraclonal root connections among Quaking Aspen trees. 1969, *Ecology* 1969 50 (5), (920-1). [4 Refs.].
4247. Tewksbury, J. J.; Hejl, S. J., and Martin, T. E. Breeding productivity does not decline with increasing fragmentation in a western landscape. *Ecology*. 1998; 79(8):2890-2903.
4248. Thamarus, K. A. and Furnier, G. R. Temporal and genotypic variation of wound-induced gene expression in bark of *Populus tremuloides* and *P. grandidentata*. *Canadian-Journal-of-Forest-Research*. 1998; 28(11):1611-1620.
4249. Thames, J. L.; Stoeckeler, J. H., and Tobiaski, R. Soil moisture regime in some forest and non-forest sites in northern Wisconsin. 1955, *Proc. Soil Sci. Soc. Amer.* 1955 19 (3), (381-4). 4 Refs.
4250. Thevathasan, N. V.; Reynolds, P. E.; Kuessner, R.; Bell, W. F., and Lousier, J. D. Effects of controlled weed densities and soil types on soil nitrate accumulation, spruce growth, and weed growth. Special Issue: Ecology of Northern Forest Soils. Selected papers from the International forest soils conference; held Prince George, BC, Canada, 13-18 June 1998. *Forest-Ecology-and-Management*. 2000, 133(1-2):135-144.
4251. Thomas, B. B. The isolation and analysis of hemicellulose fractions from Aspen holocellulose. 1945, *Paper Ind.* 1945 27, (374-8, 382).
4252. Thomas, B. R.; Macdonald, S. E., and Dancik, B. P. Variance components, heritabilities and gain estimates for growth chamber and field performance of *Populus tremuloides*: gas exchange parameters. *Silvae-Genetica*. 1997; 46(6):309-317.
4253. ---. Variance components, heritabilities and gain estimates for growth chamber and field performance of *Populus tremuloides*: growth parameters. *Silvae-Genetica*. 1997; 46(6):317-326.
4254. Thomas, G. P.; Etheridge, D. E., and Paul, G. Fungi and decay in Aspen and Balsam Poplar in the Boreal Forest Region, Alberta. 1960, *Repr. From Canad. J. Bot.* 38 (4), 1960 (459-66). 7 Refs.
4255. Thomas, J. B. Hail damage in Lake Nipigon area. 1956, *Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can.* 1956 12 (3), (2).
4256. Thomas, P. A. and Wein, R. W. Amelioration of wood ash toxicity and jack pine establishment. *Canadian-Journal-of-Forest-Research*. 1994; 24(4):748-755.
4257. ---. Jack pine establishment on ash from wood and organic soil. *Canadian-Journal-of-Forest-Research*. 1990; 20(12):1926-1932.
4258. Thomas, P. R. Preparation of pulps from sound Alberta aspen and balsam poplar by various processes. 1987, *Publ.* 1988, Ii + 66 Pp.
4259. Thompson, C. G. A polyhedrosis virus for control of the Great Basin tent caterpillar, *Malacosoma fragile*. 1958, *Transactions, First International Conference of Insect Pathology and Biological Control, Praha* 1958, 1959 (201-4). 5 Refs.
4260. Thompson, D. G.; Pitt, D. G.; Staznik, B.; Payne, N. J.; Jaipersaid, D.; Lautenschlager, R. A., and Bell, F. W. On-target deposit and vertical distribution of aerially released herbicides. *Fallingsnow Ecosystem Project*. 1997; 73(1):47-59.
4261. Thompson, G. E. A canker disease of Poplars caused by a new species of *Neofabraea*. 1939, *Mycologia* 31 1939 (455-65). P.R.

4262. Thompson, I. D.; Davidson, I. J.; O' Donnell, S., and Brazeau, F. Use of track transects to measure the relative occurrence of some boreal mammals in uncut forest and regeneration stands. *Canadian-Journal-of-Zoology*. 1989; 67(7):1816-1823.
4263. Thompson, I. D.; Flannigan, M. D.; Wotton, B. M.; Suffling, R., and Munn, R. E. The effects of climate change on landscape diversity: an example in Ontario forests. Special Issue. Atmospheric change and biodiversity: formulating a Canadian Science Agenda. Proceedings of the workshop; held in Toronto, Canada, February 26-29, 1996. *Environmental-Monitoring-and-Assessment*. 1998, 49(2-3):213-233.
4264. Thompson, J. O. and Wise, L. E. Some molecular properties of the hemicelluloses of Big Tooth Aspen. 1952, *Tappi* 1952 35 (7), (331-6). 22 Refs.
4265. Thompson, M. A. Thinning northern hardwoods with chain saws and forwarders. *Northern-Journal-of-Applied-Forestry*. 1991; 8(4):149-153.
4266. Thompson, N. S. and Kaustinen, O. A. Modification of the physical properties of tracheids and pulps prepared from coniferous chlorite holocellulose. 1970, *Tappi* 1970 53 (8), (1502-6). [25 Refs.].
4267. Thompson, R. D. Aspen studs produced on chipping headrig. *Forest-Industries*. 1972, 99: 60-62; NLL; 4 Ref.
4268. ---. The marketability of Aspen studs. *Forest-Products-Journal*. 1974, 24: 12, 23-27.
4269. Thomson, J. W. Relic prairie areas in central Wisconsin. 1940, *Ecol. Monogr.* 10 1940 (685-717).
4270. Thomson, T. A. Efficient combinations of timber and financial market investments in single-period and multiperiod portfolios. *Forest-Science*. 1991; 37(2):461-480.
4271. Tillman, L. M.; Lee, Y. Y.; Torget, R.; Greenbaum, E. (ed.), and Wyman, C. E. Effect of transient acid diffusion on pretreatment/hydrolysis of hardwood hemicellulose. Eleventh Symposium on Biotechnology for Fuels and Chemicals. *Applied-Biochemistry-and-Biotechnology*. 1990, 24-25: 103-113; 13 Ref.
4272. Timar, M. C.; Maher, K.; Irle, M., and Mihai, M. D. Preparation of wood with thermoplastic properties: Part 2. Simplified technologies. *Holzforschung*. 2000; 54(1):77-82.
4273. Timar, M. C. and Mihai, M. D. Esterification of aspen wood with maleic anhydride. *Journal-of-Nanjing-Forestry-University*. 1997; 21(3):103-110.
4274. Timar, M. C.; Mihai, M. D.; Maher, K., and Irle, M. Preparation of wood with thermoplastic properties Part 1. Classical synthesis. *Holzforschung*. 2000; 54(1):71-76.
4275. Timar, M. C.; Pitman, A., and Mihai, M. D. Biological resistance of chemically modified aspen composites. *International-Biodeterioration-and-Biodegradation*. 1999; 43(4):181-187.
4276. ---. The decay resistance of chemically modified aspen [*Populus tremula*] composites to the white rot fungus *Coriolus versicolor* (L.) Quelet. Document -International-Research-Group-on-Wood-Preservation. 1998; (No. IRG-WP-98-40122):10 pp.
4277. Timell, T. E. Molecular properties of seven native wood celluloses. 1957, *Tappi* 1957 40 (1), (25-9). 17 Refs.
4278. Timell, T. E.; Glaudemans, C. P. J., and Gillham, J. K. Recent studies on the polysaccharides of White Birch and other hardwoods. 1959, *Tappi* 1959 42 (8), (623-34). 90 Refs.

4279. Timmer, V. R.; Savinsky, H. M.; Marek, G. T.; Wein, R. W. (ed.); Riewe, R. R. (ed.), and Methven, I. R. Impact of intensive harvesting on nutrient budgets of boreal forest stands. *Resources and Dynamics of the Boreal Zone*. 1983; (131-147; 3 fig.):9 tab.
4280. Timmons, D. R.; Verry, E. S.; Burwell, R. E., and Holt, R. F. Nutrient transport in surface runoff and interflow from an aspen-birch forest. *Journal-of-Environmental-Quality*. 1977; 6(2):188-192.
4281. Timoney, K. P. Types and attributes of old-growth forests in Alberta, Canada. *Natural-Areas-Journal*. 2001; 21(3):282-300.
4282. Timoney, K. P.; Peterson, G., and Wein, R. Vegetation development of boreal riparian plant communities after flooding, fire, and logging, Peace River, Canada. *Forest-Ecology-and-Management*. 1997; 93(1-2):101-120.
4283. Tittler, R. and Hannon, S. J. Nest predation in and adjacent to cutblocks with variable tree retention. *Forest-Ecology-and-Management*. 2000; 136(1-3):147-157.
4284. Tjoelker, M. G.; Oleksyn, J., and Reich, P. B. Acclimation of respiration to temperature and CO₂ in seedlings of boreal tree species in relation to plant size and relative growth rate. *Global-Change-Biology*. 1999; 5(6):679-691.
4285. ---. Modelling respiration of vegetation: evidence for a general temperature-dependent Q₁₀. *Global-Change-Biology*. 2001; 7(2):223-230.
4286. ---. Seedlings of five boreal tree species differ in acclimation of net photosynthesis to elevated CO₂ and temperature. *Tree-Physiology*. 1998; 18(11):715-726.
4287. ---. Temperature and ontogeny mediate growth response to elevated CO₂ in seedlings of five boreal tree species. *New-Phytologist*. 1998; 140(2):197-210.
4288. Tjoelker, M. G.; Reich, P. B., and Oleksyn, J. Changes in leaf nitrogen and carbohydrates underlie temperature and CO₂ acclimation of dark respiration in five boreal tree species. *Plant,-Cell-and-Environment*. 1999; 22(7):767-778.
4289. Tobiessen, P. Dark opening of stomata in successional trees. *Oecologia*. 1982; 52(3):356-359.
4290. Tobiessen, P. and Kana, T. M. Drought-stress avoidance in three pioneer tree species. *Ecology*. 1974; 55(3):667-670.
4291. Toole, A. W. Aspen for core stock. 1947, Lake St. Aspen Rep. 1947. No. 11 Pp. 9.
4292. Torgersen, T. R. and Beckwith, R. C. Parasitoids associated with the large aspen Tortrix, *Choristoneura conflictana* (Lepidoptera: Tortricidae), in interior Alaska. *Canadian-Entomologist*. 1974; 106(12):1247-1265.
4293. Torgerson, T. R. and Beckwith, R. C. Parasitoids associated with the large Aspen tortrix, *Choristoneura conflictana* (Lepidoptera : Tortricidae), in interior Alaska. *Canadian-Entomologist*. 1974; 106(12):1247-1265.
4294. Torget, R.; Himmel, M. E., and Grohmann, K. Dilute sulfuric acid pretreatment of hardwood bark. *Bioresource-Technology*. 1991; 35(3):239-246.
4295. Touchan, R.; Allen, C. D.; Swetnam, T. W., and Allen, C. D. Fire history and climatic patterns in ponderosa pine and mixed-conifer forests of the Jemez Mountains, northern New Mexico. *Fire Effects in Southwestern Forests: Proceedings of the Second La Mesa Fire Symposium*. 1996; (No.

RM-GTR-286):33-46.

4296. Townes, H. A new *Cremastus* (Ichneumonidae), parasitic on *Oberea*. 1965, Pap. Mich. Acad. Sci. 50, 1965 (105-6).
4297. Townley Smith, L. J. and Redmann, R. E. Injury to aspen (*Populus tremuloides*) exposed to airborne salt from potash mines in Saskatchewan. *Canadian-Journal-of-Botany*. 1980; 58(24):2616-2623.
4298. Trappe, J. M. Some probable mycorrhizal associations in the Pacific Northwest. 1957, *Northw. Sci.* 1957 31 (4), (183-5). 5 Refs.
4299. ---. Some probable mycorrhizal associations in the Pacific Northwest. II. 1960, Repr. From *Northw. Sci.* 34 (4), 1960 (113-7). 13 Refs.
4300. Treitz, P. and Howarth, P. Integrating spectral, spatial, and terrain variables for forest ecosystem classification. *PE-and-RS,-Photogrammetric-Engineering-and-Remote-Sensing*. 2000; 66(3):305-317.
4301. Tremblay, C.; Cloutier, A., and Fortin, Y. Moisture content-water potential relationship of red pine sapwood above the fiber saturation point and determination of the effective pore size distribution. *Wood-Science-and-Technology*. 1996; 30(5):361-371.
4302. Trenk, F. B. Indications of serviceability of fence posts treated with water gas tar by hot and cold bath process - Spooner Branch Experiment Station. 1955, *For. Res. Note Wis. Coll. Agric.* 1955. No. 24, Pp. 2.
4303. Treshow, M. Ozone damage to plants. 1970, *Environm. Pollut.* 1970 1 (2), (155-61). [12 Ref.].
4304. Trifonov, L. S.; Ayer, W. A.; Chakravarty, P., and Hiratsuka, Y. Structure-activity relationships of some congeners of 4-phenyl-3-butenic acid against aspen decay and stain fungi. *European-Journal-of-Forest-Pathology*. 1996; 26(5):273-280.
4305. Trifonov, L. S.; Chakravarty, P.; Hiratsuka, Y., and Ayer, W. A. Antifungal activity of metabolites of *Peniophora polygonia* against the aspen decay fungus *Phellinus tremulae*. *European-Journal-of-Forest-Pathology*. 1992; 22(6-7):441-448.
4306. Tripp, H. A.; Ouellete, G. B., and O'Neil, L. C. Hail damage. 1962, *Bi-m. Progr. Rep. For. Ent. Path. Br. Dep. For. Can.* 18 (3), 1962 (1-2).
4307. Trivedi, S. A.; Kingsbury, R. M., and Simmonds, F. A. Extraction treatments in bleaching Aspen neutral sulphite semi-chemical pulp. 1948, Repr. From *Paper Ind.* 1948 29 (1443-53). 23 Refs.
4308. Troth, J. L.; Deneke, F. J., and Brown, L. M. Upland aspen/birch and black spruce stands and their litter and soil properties in interior Alaska. *Forest-Science*. 1976, 22: 1, 33-44.
4309. Trotter, E. H. Woody debris, forest-stream succession, and catchment geomorphology. *Journal-of-the-North-American-Benthological-Society*. 1990; 9(2):141-156.
4310. Troxell, H. E. The use of Rocky Mountain species for pulping. 1954, *J. For.* 1954. 52 (8), (583-6). 12 Refs.
4311. Truax, B.; Lambert, F., and Gagnon, D. Herbicide-free plantations of oaks and ashes along a gradient of open to forested mesic environments. *Forest-Ecology-and-Management*. 2000; 137(1-3):155-169.
4312. Trujillo, D. P. Preparing Aspen increment cores for ring counts. *Journal-of-Forestry*. 1975, 73: 7, 428.

4313. Tryon, P. R. and Chapin, F. S. III. Temperature control over root growth and root biomass in taiga forest trees. *Canadian-Journal-of-Forest-Research*. 1983; 13(5):827-833.
4314. Tsai, C. J.; Podila, G. K., and Chiang, V. L. Agrobacterium-mediated transformation of quaking aspen (*Populus tremuloides*) and regeneration of transgenic plants. *Plant-Cell-Reports*. 1994; 14(2-3):94-97.
4315. Tsai ChungJui; Mielke, M. R.; Popko, J. L.; Monosso, J. M.; Hu, W. J.; Podila, G. K.; Chiang, V. L.; Tsai, C. J., and Jamieson, A. Altered lignin composition in quaking aspen [*Populus tremuloides*] through manipulation of caffeic acid/5-hydroxy ferulic acid O-methyltransferase gene expression. Proceedings of the Second International Wood Biotechnology Symposium, Canberra, Australia, 10-12 March, 1997. 1999, 89-95; 20 Ref.
4316. Tsai ChungJui; Podila, G. K.; Chiang, V. L., and Tsai, C. J. Nucleotide sequence of a *Populus tremuloides* gene encoding bispecific caffeic acid/5-hydroxyferulic acid O-methyltransferase. *Plant-Physiology*. 1995; 107(4):1459.
4317. Tsai ChungJui; Popko, J. L.; Mielke, M. R.; Hu WenJing; Podila, G. K.; Chiang, V. L.; Tsai, C. J., and Hu, W. J. Suppression of O-methyltransferase gene by homologous sense transgene in quaking aspen causes red-brown wood phenotypes. *Plant-Physiology*. 1998; 117(1):101-112.
4318. Tsapuk, A. K. About the possibility of producing wood particle boards with extremely low formaldehyde content. *Holz-Als-Roh-Und-Werkstoff*. 1992; 50(10):387-388.
4319. Tsel' niker Yu, L.; Mai, V. V., and Andreeva, T. F. Relationship between ribulose diphosphate carboxylase activity and the rate of photosynthesis in aspen leaves. *Soviet-Plant-Physiology*. 1981; publ. 1982, 28(5):I, 693-700.
4320. Tsel' niker Yu, L. and Malkina, I. S. Organic matter balance in leaf ontogenesis of deciduous trees. *Soviet-Plant-Physiology*. 1986; 33(5):II, 719-725.
4321. Tsuneda, I. and Kennedy, L. L. Basidiospore germination and substrate preference in *Fomes fomentarius* and *Fomitopsis cajanderi*. *Mycologia*. 1980; 72(1):204-208.
4322. Tubbs, C. H. Manager's handbook for northern hardwoods in the north central States. USDA-Forest-Service-General-Technical-Report,-North-Central-Forest-Experiment-Station. 1977; (No. NC-39):29 pp.
4323. Tuchman, N. C.; Wahtera, K. A.; Wetzel, R. G.; Russo, N. M.; Kilbane, G. M.; Sasso, L. M., and Teeri, J. A. Nutritional quality of leaf detritus altered by elevated atmospheric CO₂: effects on development of mosquito larvae. *Freshwater-Biology*. 2003; 48(8):1432-1439.
4324. Tuchman, N. C.; Wetzel, R. G.; Rier, S. T.; Wahtera, K. A., and Teeri, J. A. Elevated atmospheric CO₂ lowers leaf litter nutritional quality for stream ecosystem food webs. *Global-Change-Biology*. 2002; 8(2):163-170.
4325. Tucker, R. E. and Jarvis, J. M. Prescribed burning in a White Spruce - Trembling Aspen stand in Manitoba. 1967, *Pulp Paper Mag. Can.* 1967 68 (7), (WR 333 - WR 335). [8 Refs.].
4326. Tuhus, E. H.; Walters, D. K., and Ek, A. R. Analysis of the Cloquet Forestry Center continuous forest inventory 1959-1990. Staff-Paper-Series -Department-of-Forest-Resources,-University-of-Minnesota. 1994; (No. 100):21 pp. + 94 pp.
4327. Tunnock, S.; Hard, J., and Karch, T. Potential deforestation [of *Populus tremuloides*] by the forest tent caterpillar [*Malacosoma disstria*] in the Turtle Mountains, North Dakota during 1979. Report,-

Northern-Region,-State-and-Private-Forestry,-USDA-Forest-Service. 1978; (No. 78-19):9 pp.

4328. Tuominen, H. Secondary xylem formation in transgenic hybrid aspen trees with an altered indole-3-acetic acid balance. *Acta-Universitatis-Agriculturae-Sueciae -Silvestria*. 1997; (No. 38):50 pp. + papers i-v.
4329. Tuominen, H.; Ostin, A.; Sandberg, G., and Sundberg, B. A novel metabolic pathway for indole-3-acetic acid in apical shoots of *Populus tremula* (L.) X *Populus tremuloides* (Michx.). *Plant-Physiology*. 1994; 106(4):1511-1520.
4330. Tuominen, H.; Puech, L.; Fink, S., and Sundberg, B. A radial concentration gradient of indole-3-acetic acid is related to secondary xylem development in hybrid aspen. *Plant-Physiology*. 1997; 115(2):577-585.
4331. Tuominen, H.; Puech, L.; Regan, S.; Fink, S.; Olsson, O., and Sundberg, B. Cambial-region-specific expression of the *Agrobacterium* *iaa* genes in transgenic aspen visualized by a linked *uidA* reporter gene. *Plant-Physiology*. 2000; 123(2):531-541.
4332. Tuominen, H.; Sitbon, F.; Jacobsson, C.; Sandberg, G.; Olsson, O., and Sundberg, B. Altered growth and wood characteristics in transgenic hybrid aspen expressing *Agrobacterium tumefaciens* T-DNA indoleacetic acid-biosynthetic genes. *Plant-Physiology*. 1995; 109(4):1179-1189.
4333. Turkia, K. and Haygreen, J. [G]. Platen drying of Aspen sapwood. 1968, *For. PRod. J.* 1968 18 (6),(43-8). [9 Refs.].
4334. Turnock, W. J. Variability of parasitism and other pupal mortality of the forest tent caterpillar in relation to the cocooning site. 1961, *Bi-m. Progr. Rep. For. Ent. Path. Br. Dep. For. Can.* 17 (2), 1961 (2).
4335. Turunen, J. and Visapaa, A. Sulphur in Spruce needles and Aspen leaves. Part III. Determination of the sulphur content by X-ray fluorescence. *Paperi-Ja-Puu*. 1973; 55(2):69-70.
4336. Tuskan, G. A.; Francis, K. E.; Russ, S. L.; Romme, W. H., and Turner, M. G. RAPD markers reveal diversity within and among clonal and seedling stands of aspen in Yellowstone national park, USA. *Canadian-Journal-of-Forest-Research*. 1996; 26(12):2088-2098.
4337. Tyrrell, D. Transmission of *Entomophthora egressa* MacLeod and Tyrell to *Malacosoma disstria* (Hbn.), a non-host species. *Bi-Monthly-Research-Notes*. 1977; 33(1):5.
4338. Tzfira, T.; Ben Meir, H.; Vainstein, A., and Altman, A. Highly efficient transformation and regeneration of aspen plants through shoot-bud formation in root culture. *Plant-Cell-Reports*. 1996; 15(8):566-571.
4339. Tzfira, T.; Jensen, C. S.; Vainstein, A., and Altman, A. Transformation and regeneration of transgenic aspen plants via shoot formation from stem explants. *Physiologia-Plantarum*. 1997; 99(4):554-561.
4340. Tzfira, T.; Vainstein, A., and Altman, A. *rol*-gene expression in transgenic aspen (*Populus tremula*) plants results in accelerated growth and improved stem production index. *Trees:-Structure-and-Function*. 1999; 14(2):49-54.
4341. Tzfira, T.; Vainstein, A.; Altman, A.; Jensen, C. S.; Altman, A. (ed.), and Ziv, M. Aspen transformation procedures: oncogenic *Agrobacterium rhizogenes* versus disarmed *Agrobacterium tumefaciens*. *Proceedings of the Third International ISHS Symposium on in Vitro Culture and Horticultural Breeding, Jerusalem, Israel, 16-21 June, 1996*. 1997; (No. 447):295-300.

4342. Tzfira, T.; Vinocur, B.; Altman, A., and Vainstein, A. rol-Transgenic *Populus tremula*: root development, root-borne bud regeneration and in vitro propagation efficiency. *Trees:-Structure-and-Function*. 1998; 12(8):464-471.
4343. Tzfira, T.; Yarnitzky, O.; Vainstein, A.; Altman, A.; Ahuja, M. R. (ed.); Boerjan, W. (ed.), and Neale, D. B. Highly efficient transformation and regeneration of transgenic aspen plants through shoot-bud formation in root culture, and transformation of *Pinus halepensis*. *Somatic Cell Genetics and Molecular Genetics of Trees*. 1996, 125-130; 23 Ref.
4344. Ucar, G. The dilute acid hydrolysis of wood. *Istanbul-Universitesi-Orman-Fakultesi-Dergisi.-Seri-A*. 1988; publ. 1989, 38(1):114-133.
4345. ---. Pretreatment of poplar by acid and alkali for enzymatic hydrolysis. *Wood-Science-and-Technology*. 1990; 24(2):171-180.
4346. Ung ChhunHuor; Bernier, P. Y.; Raulier, F.; Fournier, R. A.; Lambert, M. C.; Regniere, J.; Ung, C. H.; Johnsen, K. (ed.); Samuelson, L. (ed.), and McNulty, S. Biophysical site indices for shade tolerant and intolerant boreal species. *Applications of Process Models. Papers from a meeting 'Toward the application of process models to sustainable management of southern pine forests'*; Asheville, North Carolina, USA, 8-11 June 1999. *Forest-Science*. 2001, 47(1):83-95.
4347. United States. Seventh annual report of the Rocky Mountain Forest and Range Experiment Station, 1942. 1943, Rocky Mt. Forest and Range Exp. Sta., Fort Collins, Colorado. [1943?] Pp. 36 + Iii + Plates.
4348. Urie, D. H. An analysis of the hydrologic budget in glacial sands under Pine and hardwood forests. 1966, Abstr. of Thesis, in *Dissert. Abstr.* 1966 26 (8), (4149-50).
4349. Urie, D. H.; Sopper, W. E. (ed.), and Kerr, S. N. 1. Nutrient recycling under forests treated with sewage effluents and sludge in Michigan. *Utilization-of-Municipal-Sewage-Effluent-and-Sludge-on-Forest-and-Disturbed-Land*. 1979, 7-17; 13 Ref.
4350. Ustin, S. L. and Xiao, Q. F. Mapping successional boreal forests in interior central Alaska. *International-Journal-of-Remote-Sensing*. 2001; 22(9):1779-1797.
4351. Vaartaja, O. Damping-off control by antibiotic plant substances. 1957, *Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can.* 1957 13 (2), (2).
4352. ---. Ecotypic variation of photoperiodic response in trees, especially in two *Populus* species. 1960, *For. Sci.* 6 (3), 1960 (200-6). 18 Refs.
4353. Vahala, J.; Keinanen, M.; Schutzendubel, A.; Polle, A., and Kangasjarvi, J. Differential effects of elevated ozone on two hybrid aspen genotypes predisposed to chronic ozone fumigation. Role of ethylene and salicylic acid. *Plant-Physiology*. 2003; 132(1):196-205.
4354. Val'mene, E. The moisture regime of eroded soils in Luthuania. 1968, *Pocvoved*. 1968 (7), (111-8). [10 Refs. [RRuss.e.]].
4355. Valade, J. L.; Law, K. N., and Lanouette, R. Chemithermomechanical pulping of mixtures of aspen and birch. *Tappi-Journal*. 1992; 75(11):93-98.
4356. Valentine, F.; Baker, S.; Belanger, R.; Manion, P.; Griffin, D., and Ahuja, M. R. Screening for resistance to *Hypoxylon mammatum* in *Populus tremuloides* clones and micropropagated plantlets. *Somatic Cell Genetics of Woody Plants. Proc. IUFRO Working Party S2.04-07, Held in Grosshansdorf, W. Germany, 10-13 Aug. 1987*. 1988, 181.

4357. Valentine, F. A. Genetic control of sex ratio, earliness and frequency of flowering in *Populus tremuloides*. Proceedings, 22nd Northeastern Forest Tree Improvement Conference 1974. 1975, 111-129; 12 Ref.
4358. ---. Natural variation in specific gravity in *Populus tremuloides* in Northern New York. 1961, Proc. 9th Ntheast. For. Tree Impr. Conf., Syracuse 1961, 1962 (17-24). 3 Refs.
4359. ---. Variation in fiber length in *Populus tremuloides* clones. 1963, [Pap.] FAO World Consult. For. Genet., Stockholm 1963 No. FAO/FORGEN 63/-7/4, 1963. Pp. ii + 8. 6 Refs.
4360. Valentine, F. A. and LaBumbard, S. and Fowler, R. G. Selection and identification of monoplloid *Populus tremuloides* Michx. 1969, Proc. 16th Ntheast. For. Tree. Impr. Conf., Quebec 1968, 1969 (29-34). [7 Refs.].
4361. Valentine, F. A. and Manion, P. D. Genetic control of susceptibility to *Hypoxyylon mammatum* in native Aspens. Proceedings, 19th Northeastern Forest Tree Improvement Conference 1971. 1972, 97-108; 9 Ref.
4362. Valentine, F. A.; Manion, P. D., and Moore, K. E. Genetic control of resistance to *Hypoxyylon* infection and canker development in *Populus tremuloides*. Einspahr, D. W. (Chairman): Proceedings of the Twelfth Lake States Forest Tree Improvement Conference; (August 1975. USDA-Forest-Service-General-Technical-Report,-North-Central-Forest-Experiment-Station. 1976):No. NC-26, 132-146.
4363. Valentine, F. A.; Manion, P. D.; Moore, K. E., and Morgenstern, E. K. Genetic control of resistance to *Hypoxyylon* infection and canker development in *Populus tremuloides*. Proceedings of the Fifteenth Meeting of the Canadian Tree Improvement Association. Part 2. 12th Lake States Forest Tree Improvement Conference. II.: [Abstracts]. 1976, 104.
4364. Valentine, H. T. Estimating defoliation of hardwoods using blade-petiole relations. USDA-Forest-Service-Research-Paper,-Northeastern-Forest-Experiment-Station. 1978; (No. NE-405):5 pp.
4365. Valiquette, L. Diameter conversions between stump and breast height for northern species, Quebec. 1964, Pulp. Dep. For. Can. No. 1052, 1964. Pp. 31. 23 Refs.
4366. Vance, E. D. and Chapin, F. S. III. Substrate limitations to microbial activity in taiga forest floors. Soil-Biology-and-Biochemistry. 2001; 33(2):173-188.
4367. Vashchev, N. V. and Onegin, V. I. The effect of compression of wood on the processes of heating [while in the press]. 1971, Lesn. Zh. 1971 14 (2), (65-9). [Ru].
4368. ---. Heating of wood in the process of compression. 1971, Lesn. Zh. 1971 14 (3), (73-7). [Ru, 1 Ref.].
4369. Vasilevsky, A. M. Commercial forest land in Minnesota countries by forest type. 1956, Tech. Note Lake St. For. Exp. Sta. 1956 No. 470, Pp. 2.
4370. Vasiliauskas, S. and Chen, H. Y. H. How long do trees take to reach breast height after fire in northeastern Ontario? Canadian-Journal-of-Forest-Research. 2002; 32(10):1889-1892.
4371. Vasseur, L.; Guscott, R. L., and Mudie, P. J. Monitoring of spring flower phenology in Nova Scotia: comparison over the last century. Northeastern-Naturalist. 2001; 8(4):393-402.
4372. Veblen, T. T.; Hadley, K. S.; Nel, E. M.; Kitzberger, T.; Reid, M., and Villalba, R. Disturbance regime and disturbance interactions in a Rocky Mountain subalpine forest. Journal-of-Ecology-Oxford. 1994; 82(1):125-135.

4373. Veblen, T. T.; Kulakowski, D.; Eisenhart, K. S., and Baker, W. L. Subalpine forest damage from a severe windstorm in northern Colorado. *Canadian-Journal-of-Forest-Research*. 2001; 31(12):2089-2097.
4374. Veer, J. J. G. Moisture blistering of paints on wood. 1957, *For. Prod. J.* 1957 7 (10), (342-4). 8 Refs.
4375. Verry, E. S. Estimating water yield differences between hardwood and pine forests: an application of net precipitation data. *USDA-Forest-Service-Research-Paper,-North-Central-Experiment-Station*. 1976; (No. NC-128):ii + 12 pp.
4376. ---. Water storage and related physical characteristics of four mineral soils in North Central Minnesota. 1969, *U.S. For. Serv. Res. Note Nth. Cent. For. Exp. Sta. No. NC-78*, 1969. Pp. 4. [1 Ref.].
4377. Verry, E. S.; Lewis, J. R., and Brooks, K. N. Aspen clearcutting increases snowmelt and storm flow peaks in north central Minnesota. *Water-Resources-Bulletin*. 1983; 19(1):59-67.
4378. Verry, E. S. and Timmons, D. R. Elements in leaves of a Trembling Aspen clone by crown position and season. *Canadian-Journal-of-Forest-Research*. 1976; 6(3):436-440.
4379. ---. Precipitation nutrients in the open and under two forests in Minnesota. *Canadian-Journal-of-Forest-Research*. 1977; 7(1):112-119.
4380. ---. Waterborne nutrient flow through an upland-peatland watershed in Minnesota. *Ecology*. 1982; 63(5):1456-1467.
4381. Vesall, D.; Gensch, R., and Nyman, R. Beavertimber problem in Minnesota's 'Big Bog'. 1947, *Conserv. Volunteer* 1947 10 (57), (45-50).
4382. Vick, C. B. Adhesion of phenol-formaldehyde resin to waterborne emulsion preservatives in aspen veneer. *Forest-Products-Journal*. 1990; 40(11-12):25-30.
4383. ---. Phenolic adhesive bonds to aspen veneers treated with amino-resin fire retardants. *Forest-Products-Journal*. 1994; 44(1):33-40.
4384. Vick, C. B.; De Groot, R. C.; Youngquist, J., and Groot, R. C. de. Compatibility of nonacidic waterborne preservatives with phenol-formaldehyde adhesives. *Forest-Products-Journal*. 1990; 40(2):16-22.
4385. Vick, C. B.; Krzysik, A., and Wood, J. E. Jr. Acetylated, isocyanate-bonded flakeboards after accelerated aging. Dimensional stability and mechanical properties. *Holz-Als-Roh-Und-Werkstoff*. 1991; 49(6):221-228.
4386. Vickery, W. L.; Iverson, S. L.; Mihok, S., and Schwartz, B. Environmental variation and habitat separation among small mammals. *Canadian-Journal-of-Zoology*. 1989; 67(1):8-13.
4387. Viereck, L. A. Forest ecology of the Alaska taiga. *Proceedings, Circumpolar Conference on Northern Ecology*, Sept. 1915 18; (Ottawa. 1975):I1-I22.
4388. Viereck, L. A.; Dyrness, C. T.; Cleve, K. van, and Foote, M. J. Vegetation, soils, and forest productivity in selected forest types in interior Alaska. *Canadian-Journal-of-Forest-Research*. 1983; 13(5):703-720.
4389. Viereck, L. A. (ed.) and Dyrness, C. T. Ecological effects of the Wickersham Dome fire near Fairbanks, Alaska. *General-Technical-Report,-Pacific-Northwest-Forest-and-Range-Experiment-Station,-USDA-Forest-Service*. 1979; (No. PSW-90):iv + 71 pp.
4390. Vignon, M. R.; Garcia Jaldon, C., and Dupeyre, D. Steam explosion of woody hemp chenevotte.

International-Journal-of-Biological-Macromolecules. 1995; 17(6):395-404.

4391. Vinocur, B.; Carmi, T.; Altman, A., and Ziv, M. Enhanced bud regeneration in aspen (*Populus tremula* L.) roots cultured in liquid media. *Plant-Cell-Reports*. 2000; 19(12):1146-1154.
4392. Viro, P. J. Investigations on forest litter. 1956, *Commun. Inst. for. Fenn.* 1956 45 (6), Pp. 65. 41 Refs.
4393. Virtanen, A. I. Fermentation of wood-dust by cellulose bacteria. 1946, *Nature, Lond.* 1946 158 (4022) (795).[Biochemical Institute, Helsinki.].
4394. Virtanen, A. I. and Koistinen, O. A. Fermentation of the native cellulose and pentosans in wood. 1944, *Svensk Kem. Tidskr.* 1944 56 (12), (391-400).
4395. Visser, S.; Maynard, D., and Danielson, R. M. Response of ecto- and arbuscular mycorrhizal fungi to clear-cutting and the application of chipped aspen wood in a mixedwood site in Alberta, Canada. *Applied-Soil-Ecology*. 1998; 7(3):257-269.
4396. Visser, S. and Parkinson, D. Fungal succession on aspen poplar leaf litter. *Canadian-Journal-of-Botany*. 1975; 53(16):1640-1651.
4397. Visser, S.; Whittaker, J. B., and Parkinson, D. Effects of collembolan grazing on nutrient release and respiration of a leaf litter inhabiting fungus. *Soil-Biology-and-Biochemistry*. 1981; 13(3):215-218.
4398. Vitousek, P. M.; Gosz, J. R.; Grier, C. C.; Melillo, J. M., and Reiners, W. A. A comparative analysis of potential nitrification and nitrate mobility in forest ecosystems. *Ecological-Monographs*. 1982; 52(2):155-177.
4399. Vlymen, V. P. van. Aspen grove type (1921 burn) Iroquois Falls, Ontario. 1949, *Pulp Paper Mag. Can.* 1949 50 (12), (130, 132, 134).
4400. Voigt, G. K.; Heinselman, M. L., and Zasada, Z. A. The effect of soil characteristics on the growth of Quaking Aspen in Northern Minnesota. 1957, *Proc. Soil Sci. Soc. Amer.* 1957 21 (6), (649-52). 22 Refs.
4401. Volin, J. C.; Kruger, E. L., and Lindroth, R. L. Responses of deciduous broadleaf trees to defoliation in a CO₂ enriched atmosphere. *Tree-Physiology*. 2002; 22(7):435-448.
4402. Volin, J. C. and Reich, P. B. Interaction of elevated CO₂ and O₃ on growth, photosynthesis and respiration of three perennial species grown in low and high nitrogen. *Physiologia-Plantarum*. 1996; 97(4):674-684.
4403. Volin, J. C.; Reich, P. B., and Givnish, T. J. Elevated carbon dioxide ameliorates the effects of ozone on photosynthesis and growth: species respond similarly regardless of photosynthetic pathway or plant functional group. *New-Phytologist*. 1998; 138(2):315-325.
4404. Vonhof, M. J. and Barclay, R. M. R. Roost-site selection and roosting ecology of forest-dwelling bats in southern British Columbia. *Canadian-Journal-of-Zoology*. 1996; 74(10):1797-1805.
4405. Vos, A. de, and Bailey, R. H. The effect of logging and intensive camping on vegetation in Riding Mountain National Park [Manitoba]. 1970, *For. Chron.* 1970 46 (1), (49-55). [13 Refs.].
4406. Vozar, L.; Labudova, G., and Babiak, M. Thermal diffusivity of selected wood species. *Drevarsky-Vyskum*. 1999; 44(2):1-8.
4407. Vozzo, J. A. and HacsKaylo, E. Endo- and ectomycorrhizal associations in five *Populus* species. *Bulletin-*

of-the-Torrey-Botanical-Club. 1974; 101(4):182-186.

4408. Vujnovic, K.; Wein, R. W., and Dale, M. R. T. Factors determining the centrifugal organization of remnant *Festuca* grassland communities in Alberta. *Journal-of-Vegetation-Science*. 2000; 11(1):127-134.
4409. Vysotskaya, I. F. and Korol'kov, I. I. The chemical composition of Spruce and Aspen bark. 1971, *Gidrol. Lesokhim. Prom.* 1971 24 (7), (4-5). [Ru, 2 Ref.].
4410. Waddington, J. and Bittman, S. Control of brush regrowth in northeastern Saskatchewan by several concentrations of herbicides applied with a roller. *Canadian-Journal-of-Plant-Science*. 1987; 67(2):467-475.
4411. ---. Effect of number of passes with a roller-applicator using dilute herbicide solutions on control of brush regrowth in northeastern Saskatchewan. *Canadian-Journal-of-Plant-Science*. 1987; 67(3):845-848.
4412. Wadleigh, L. and Jenkins, M. J. Fire frequency and the vegetative mosaic of a spruce-fir forest in northern Utah. *Great-Basin-Naturalist*. 1996; 56(1):28-37.
4413. Wadso, L. Unsteady-state water vapor adsorption in wood: an experimental study. *Wood-and-Fiber-Science*. 1994; 26(1):36-50.
4414. Wagar, J. A. and Myers, C. A. Some factors affecting the results of direct-seeding Ponderosa Pine in the Black Hills. 1958, Res. Note Rocky Mt. For. Range Exp. Sta. 1958 33 Pp. 6.
4415. Wagner, C. E. van. Drying rates of some fine forest fuels. 1969, *Fire Control Notes* 1969 30 (4), (5, 7, 12). [2 Refs.].
4416. ---. Equilibrium moisture contents of some fine forest fuels in eastern Canada. Information-Report,-Petawawa-Forest-Experiment-Station. 1972, No. PS-X-36, 7 Pp.
4417. ---. An index to estimate the current moisture content of the forest floor. Publication,-Canadian-Forestry-Service. 1970; (No.1288):iv + 23pp.
4418. ---. Rough prediction of fire spread rates by fuel type. Information-Report,-Petawawa-Forest-Experiment-Station,-Canada. 1973; (No.PS-X-42):9pp.
4419. ---. Seasonal variation in moisture content of eastern Canadian tree foliage and the possible effect on crown fires. 1967, Dep. Publ. For. Br. Can. No. 1204, 1967. Pp. 15 + 2. [12 Refs.].
4420. ---. Story of an intense crown fire at Petawawa. 1965, *Pulp Paper Mag. Can.* 66 (8), 1965 (WR 358-WR 361).
4421. Wagner, F. H.; Schier, G. A.; Shepperd, W. D.; Harniss, R. O.; Youngblood, A. P.; Hittenrauch, H. R.; Clauson, R. D.; Pierson, W. W.; Shields, P. W.; Bartos, D. L.; Ward, F. R., and DeByle, N. V. Symposium proceedings. Situation management of two Intermountain species: aspen and coyotes. Volume I. Aspen. Utah State University, Logan, Utah. 23-24 April 1981. 1985, Iv + 99 Pp.; 3 Pl. 1952; (Utah State Univ.):Logan, UT 84322, USA.
4422. Wagner, T. L. and Leonard, D. E. Aspects of mating, oviposition, and flight in the satin moth, *Leucoma salicis* (Lepidoptera: Lymantriidae). *Canadian-Entomologist*. 1979; 111(7):833-840.
4423. ---. The effects of parental and progeny diet on development, weight gain, and survival of pre-diapause larvae of the satin moth, *Leucoma salicis* (Lepidoptera: Lymantriidae). *Canadian-Entomologist*. 1979; 111(6):721-729.

4424. ---. Mortality factors of satin moth, *Leucoma salicis* (Lep.: Lymantriidae) in aspen forests in Maine. *Entomophaga*. 1980; 25(1):7-16.
4425. Wagner, T. L.; Mattson, W. J., and Witter, J. A. A survey of soil invertebrates in two aspen forests in northern Minnesota. USDA-Forest-Service-General-Technical-Report-NC. 1977; (No.40):23pp.
4426. Wakefield, W. E. Plywood in the construction of aeroplanes. 1942, *Emp. For. J.* 21 1942 (18-20). [Dominion Forest Service, Ottawa.].
4427. Waldron, R. M. August-November seed and litter fall in a mature White Spruce stand. 1963, *For. Chron.* 39 (3), 1963 (333-4). 1 Ref.
4428. ---. Factors affecting natural White Spruce regeneration on prepared seedbeds at the Riding Mountain Forest Experimental Area, Manitoba. 1966, *Publ. Dep. For. Can. No. 1169*, 1966. Pp. 41. [49 Refs.].
4429. ---. Girdling, basal spraying and frilling of mature Aspen. 1961, *Timber of Canada* 22 (12), 1961 (34-5).
4430. ---. Hazel foliage treatments to reduce suppression of White Spruce reproduction. 1959, *Tech. Note For. Br. Can. No. 75*, 1959. Pp. 17. 10 Refs.
4431. ---. Seeding White Spruce at the base of Aspen. 1961, *For. Chron.* 37 (3), 1961 (224-7, 233). 3 Refs.
4432. Waldron, R. M. and Kolbinski, V. S. Uniform shelterwood cutting and scarifying in white spruce-trembling aspen stands to induce natural white spruce regeneration, Manitoba and Saskatchewan. 1994, v + 53 Pp.; 46 Ref.
4433. Wali, M. K. and Krajina, V. J. Vegetation-environment relationships of some sub-boreal Spruce zone ecosystems in British Columbia. *Vegetatio*. 1973; 26(4-6):237-381 + 2 tab.
4434. Walker, B. H. and Coupland, R. T. Herbaceous wetland vegetation in the Aspen grove and grassland regions of Saskatchewan. 1970, *Canad. J. Bot.* 1970 48 (10), (1861-78). [37 Refs.].
4435. Walker, K. V.; Davis, M. B., and Sugita, S. Climate change and shifts in potential tree species range limits in the Great Lakes Region. *Journal-of-Great-Lakes-Research*. 2002, 28: 4, 555-567.
4436. Walker, L. C. Foliar analysis as a method of indicating potassium-deficient soils for reforestation. 1955, *Proc. Soil Sci. Soc. Amer.* 1955 19 (2), (233-6). 12 Refs.
4437. ---. *Forests: a naturalist's guide to trees and forest ecology*. 1990, Xiii + 288 Pp.; 32 Ref.
4438. Walker, S. C.; Mann, D. K., and McArthur, E. D. Plant community changes over 54 years within the Great Basin Experimental Range, Manti-La Sal National Forest. *Proceedings: Shrubland Ecosystem Dynamics in a Changing Environment*. Las Cruces; (NM):23-25 May 1995. General-Technical-Report -Intermountain-Research-Station,-USDA-Forest-Service. 1996, No. INT-GTR-338, 66-68.
4439. Wall, R. E. Distribution of *Fomes igniarius* [var. *populinus*] in Aspen stands as affected by clonal variation. 1969, *Bi-m. Res. Notes, Ottawa* 1969 25 (1), (5). [2 Refs.].
4440. ---. Effects of extracts from dead branches of Trembling Aspen on the germination of spores of *Fomes igniarius*. 1962, *Abstr. in Phytopathology* 52 (1), 1962 (31).
4441. ---. Fructification of *Chondrostereum purpureum* on hardwoods inoculated for biological control. *Canadian-Journal-of-Plant-Pathology*. 1997; 19(2):181-184.

4442. ---. The fungus *Chondrostereum purpureum* as a silvicide to control stump sprouting in hardwoods. *Northern-Journal-of-Applied-Forestry*. 1990; 7(1):17-19.
4443. ---. Variation in decay in Aspen stands as affected by their clonal growth pattern. 1971, *Canad. J. For. Res.* 1971 1 (3), (141-6). [En, Fr, 14 Ref.].
4444. Wall, R. E.; Kalra, Y. P., and Prasad, R. Concentration of micronutrients in foliage of Aspen (*Populus tremuloides* Michx.) in Manitoba. Information-Report,-Forest-Research-Laboratory,-Edmonton,-Canada. 1971; (No. A-X-47):7 pp.
4445. Wall, R. E. and Kuntz, J. E. Inoculation of hardwoods with *Fomes igniarius*. 1964, *For. Res. Note Wis. Coll. Agric. No. 109*, 1964. Pp. 4. 11 Refs.
4446. ---. Water-soluble substances in dead branches of Aspen (*Populus tremuloides* Michx.) and their effects on *Fomes igniarius*. 1964, *Canad. J. Bot.* 42 (8), 1964 (969-77 + 3 Photos). 12 Refs.
4447. Wall, R. E. and Shamoun, S. F. Experiments on vegetation control with native pathogenic fungi in the southern interior of British Columbia. FRDA-Report-Victoria,-B.C. 1990; (No. 134):v + 18 pp.
4448. Wall, T. G.; Miller, R. F., and Svejcar, T. J. Juniper encroachment into aspen in the Northwest Great Basin. *Journal-of-Range-Management*. 2001; 54(6):691-698.
4449. Wallin, W. B. The influence and importance of defects and log grades on lumber grade yield from Aspen logs. 1958, *Abstr. of Thesis, in Dissert. Abstr.* 1958 18 (4), (1193).
4450. Wallmo, O. C. Vegetation of the Huachuca Mountains, Arizona. 1955, *Amer. Midl. Nal.* 1955 54 (2), (466-80). 21 Refs.
4451. Wallner, W. E. Gypsy moth host interactions: a concept of room and board. In *Proceedings. Forest defoliator-host interactions: a comparison between gypsy moth and spruce budworms*. New Haven; (Connecticut):April 5-7, 1983 [coordinated by Talerico, R.L.
4452. Walsh, H. G.; Belliveau, D. R., and Maloney, T. M. Evolution of the art of manufacturing OSB - a modern large new plant. *Proceedings of the Twenty-Third Washington State University International Particleboard-Composite Materials Symposium*, April 4, 5, 6, 1989. 1989, 129-139.
4453. Walsum, G. P. van; Allen, S. G.; Spencer, M. J.; Laser, M. S.; Antal, M. J. Jr.; Lynd, L. R.; Van Walsum, G. P.; Wyman, C. E. (ed.), and Davison, B. H. Conversion of lignocellulosics pretreated with liquid hot water to ethanol. *Seventeenth Symposium on Biotechnology for Fuels and Chemicals, Held at Vail, Colorado, USA, 7-11 May 1995. Applied-Biochemistry-and-Biotechnology.-Part-A,-Enzyme-Engineering-and-Biotechnology*. 1996, 57-58: 157-170; 51 Ref.
4454. Walsworth, N. A. and King, D. J. Image modelling of forest changes associated with acid mine drainage. *Computers-and-Geosciences*. 1999; 25(5):567-580.
4455. Walters, D. K.; Ek, A. R., and Adams, R. D. Development and application of a state-wide empirical growth and yield model for natural aspen stands. *Aspen Symposium '89: Proceedings. Duluth; (Minnesota):July 25-27, 1989. General-Technical-Report -North-Central-Forest-Experiment-Station,-USDA-Forest-Service*. 1990, No. NC-140, 177-183.
4456. Walters, D. K.; Ek, A. R., and Czysz, D. Construction of variable-density empirical yield equations from forest management inventory data. *Northern-Journal-of-Applied-Forestry*. 1990; 7(3):110-113.
4457. Walters, J. W.; Hinds, T. E.; Johnson, D. W., and Beatty, J. Effects of partial cutting on diseases, mortality, and regeneration of Rocky Mountain aspen stands. *Research-Paper,-Rocky-Mountain-Forest-and-*

Range-Experiment-Station,-USDA-Forest-Service. 1982; (No. RM-240):i + 12 pp.

4458. Walters, M. B. and Reich, P. B. Trade-offs in low-light CO₂ exchange: a component of variation in shade tolerance among cold temperate tree seedlings. *Functional-Ecology*. 2000; 14(2):155-165.
4459. Wan XianChong; Landhausser, S. M.; Zwiazek, J. J.; Lieffers, V. J., and Wan, X. C. Root water flow and growth of aspen (*Populus tremuloides*) at low root temperatures. *Tree-Physiology*. 1999; 19(13):879-884.
4460. Wan XianChong; Zwiazek, J. J.; Lieffers, V. J.; Landhausser, S. M., and Wan, X. C. Hydraulic conductance in aspen (*Populus tremuloides*) seedlings exposed to low root temperatures. *Tree-Physiology*. 2001; 21(10):691-696.
4461. Wan XianChong; Zwiazek, J. J., and Wan, X. C. Mercuric chloride effects on root water transport in aspen seedlings. *Plant-Physiology*. 1999; 121(3):939-946.
4462. ---. Root water flow and leaf stomatal conductance in aspen (*Populus tremuloides*) seedlings treated with abscisic acid. *Planta*. 2001; 213(5):741-747.
4463. Wang, D.; Karnosky, D. F., and Bormann, F. H. Effects of ambient ozone on the productivity of *Populus tremuloides* Michx. grown under field conditions. *Canadian-Journal-of-Forest-Research*. 1986; 16(1):47-55.
4464. Wang, E. I. C. and Micko, M. M. Some strength properties of aspen wood affected by varying degrees of heart rot. *Forest-Products-Journal*. 1985; 35(2):53-57.
4465. Wang, J. R.; Comeau, P.; Kimmins, J. P.; Apps, M. J. (ed.); Price, D. T. (ed.), and Wisniewski, J. Simulation of mixedwood management of aspen and white spruce in northeastern British Columbia. *Boreal Forests and Global Change: Peer-Reviewed Manuscripts Selected From the International Boreal Forest Research Association Conference, Held in Saskatoon, Saskatchewan, Canada, September 25-30, 1994*. 1995; 82(1-2):171-178.
4466. Wang, J. R.; Zhong, A. L.; Comeau, P.; Tsze, M., and Kimmins, J. P. Aboveground biomass and nutrient accumulation in an age sequence of aspen (*Populus tremuloides*) stands in the boreal white and black spruce zone, British Columbia. *Forest-Ecology-and-Management*. 1995; 78(1-3):127-138.
4467. Wang, J. R.; Zhong, A. L., and Kimmins, J. P. Biomass estimation errors associated with the use of published regression equations of paper birch and trembling aspen. *Northern-Journal-of-Applied-Forestry*. 2002; 19(3):128-136.
4468. Wang, P. Y.; Bolker, H. I., and Purves, C. B. Uronic acid ester groups in some softwoods and hardwoods. 1967, *Tappi* 50 (3), (123-4). [9 Refs.].
4469. Wang, S.; Grant, R. F.; Versegny, D. L., and Black, T. A. Modelling plant carbon and nitrogen dynamics of a boreal aspen forest in CLASS -- the Canadian Land Surface Scheme. *Ecological-Modelling*. 2001; 142(1-2):135-154.
4470. Wang, S. C.; Hart, J. H., and Behr, E. A. Procedure for evaluating the effect of heartwood extractives on decay resistance. *Forest-Products-Journal*. 1980; 30(1):55-56.
4471. Wang, S. S. and Anderson, N. A. The mating type factors of *Pleurotus ostreatus* in a limited geographic area. *Phytopathology* . 1967; 57(8):835.
4472. Wang ShuSen; Grant, R. F.; Versegny, D. L.; Black, T. A., and Wang, S. S. Modelling carbon-coupled energy and water dynamics of a boreal aspen forest in a general circulation model land surface

scheme. *International-Journal-of-Climatology*. 2002; 22(10):1249-1265.

4473. ---. Modelling carbon dynamics of boreal forest ecosystems using the Canadian Land Surface Scheme. *Climatic-Change*. 2002; 55(4):451-477.
4474. Wang SiQun; Winistorfer, P. M., and Wang, S. Q. The effect of species and species distribution on the layer characteristics of OSB. *Forest-Products-Journal*. 2000; 50(4):37-44.
4475. Wang, W. X.; Tzfira, T.; Levin, N.; Shoseyov, O.; Altman, A.; Altman, A. (ed.); Ziv, M. (ed.), and Izhar, S. Plant tolerance to water and salt stress: the expression pattern of a water stress responsive protein (BspA) in transgenic aspen plants. *Plant Biotechnology and in Vitro Biology in the 21st Century. Proceedings of the IXth International Congress of the International Association of Plant Tissue Culture and Biotechnology; (Jerusalem):Israel, 14-19 June 1998*. 1999, 561-565.
4476. Wang WangXia; Pelah, D.; Alergand, T.; Shoseyov, O.; Altman, A., and Wang, W. X. Characterization of SP1, a stress-responsive, boiling-soluble, homo-oligomeric protein from aspen. *Plant-Physiology*. 2002; 130(2):865-875.
4477. Wang, X. Z.; Curtis, P. S., and Vogel, C. S. Effects of soil fertility and atmospheric CO₂ enrichment on leaf, stem and root dark respiration of *Populus tremuloides*. *Pedosphere*. 2001; 11(3):199-208.
4478. Wang XianZhong; Curtis, P. S.; Pregitzer, K. S.; Zak, D. R., and Wang, X. Z. Genotypic variation in physiological and growth responses of *Populus tremuloides* to elevated atmospheric CO₂ concentration. *Tree-Physiology*. 2000; 20(15):1019-1028.
4479. Wang XianZhong; Curtis, P. S., and Wang, X. Z. Gender-specific responses of *Populus tremuloides* to atmospheric CO₂ enrichment. *New-Phytologist*. 2001; 150(3):675-684.
4480. Wang, Y. and Payandeh, B. A base-age invariant site index model for aspen stands in north central Ontario. *Forest-Ecology-and-Management*. 1995; 72(2-3):207-211.
4481. ---. A bi-segmental curve fitting approach to improve the accuracy of site index equations. *Forest-Ecology-and-Management*. 1994; 67(1-3):35-38.
4482. ---. A numerical method for the solution of a base-age-specific site index model. *Canadian-Journal-of-Forest-Research*. 1993; 23(12):2487-2489.
4483. Wang, Y. u. e.; Titus, S. J.; LeMay, V. M., and Wang, Y. Relationships between tree slenderness coefficients and tree or stand characteristics for major species in boreal mixedwood forests. *Canadian-Journal-of-Forest-Research*. 1998; 28(8):1171-1183.
4484. Wang YongHe; Payandeh, B., and Wang, Y. H. Evaluating a dimensionally compatible height growth modelling approach. *Forestry-Chronicle*. 1996; 72(6):647-650.
4485. Wang ZiYin; Nyland, R. D., and Wang, Z. Y. Changes in the condition and species composition of developing even-aged northern hardwood stands in Central New York. *Northern-Journal-of-Applied-Forestry*. 1996; 13(4):189-194.
4486. Wann, S. R. and Einspahr, D. W. Reliable plantlet formation from seedling explants of *Populus tremuloides* (Michx.). *Silvae-Genetica*. 1986; 35(1):19-24.
4487. Wann, S. R.; Wyckoff, G. W., and Wyckoff, J. L. A tissue culture solution to a forestry problem - the propagation of a tetraploid European aspen. *Tree-Planters'-Notes*. 1988; 39(3):28-30.
4488. Ward, J. C. The effect of wetwood on lumber drying times and rates: an exploratory evaluation with

longitudinal gas permeability. *Wood-and-Fiber-Science*. 1986; 18(2):288-307.

4489. ---. Influence of wetwood on pulsed-current resistances in lumber before and during kiln-drying. *Wood-and-Fiber-Science*. 1984; 16(4):598-617.
4490. Ward, J. S.; Anagnostakis, S. L., and Ferrandino, F. J. Stand dynamics in Connecticut hardwood forests: the old series plots (1927-1997). *Bulletin -Connecticut-Agricultural-Experiment-Station*. 1999; (No. 959):68 pp.
4491. Ward, W. W. Oak/hardwood reproduction in central Pennsylvania. 1966, *J. For.* 1966 64 (11), (744-9). [7 Refs.].
4492. Ward, W. W. and Bowersox, T. W. Oak stump sprouts in regeneration on a good site. *Journal-of-Forestry*. 1979; 77(10):672-674.
4493. Warkentin, I. G. and Reed, J. M. Effects of habitat type and degradation on avian species richness in Great Basin riparian habitats. *Great-Basin-Naturalist*. 1999; 59(3):205-212.
4494. Warren, H. V. and Delavault, R. E. Gold and silver content of some trees and horsetails in British Columbia. 1950, *Bulletin of the Geological Society of America*, Baltimore 1950 61 (2), (123-8). 6 Refs.
4495. Waters, W. E. and Henson, W. R. Some sampling attributes of the negative binomial distribution with special reference to forest insects. 1959, *For. Sci.* 1959 5 (4), (397-412). 36 Refs.
4496. Watters, R. J. and Price, A. G. The influence of stemflow from standing dead trees on the fluxes of some ions in a mixed deciduous forest. *Canadian-Journal-of-Forest-Research*. 1988; 18(11):1490-1493.
4497. Wayman, M.; Lora, J. H.; Gulbinas, E., and Tomlinson, M. Material and energy balances in production of ethanol from wood. *Chemistry for Energy*. 1979, 183-201; American Chemical Society Symposium Series No. 90; 23 Ref.
4498. Wayman, M.; Parekh, S., and Parekh, S. R. Simultaneous saccharification and fermentation by mixed cultures of *Brettanomyces clausenii* and *Pichia stipitis* R of SO₂-prehydrolysed wood. *Biotechnology-Letters*. 1987; 9(6):435-440.
4499. Wayman, M. and Parekh, S. R. SO₂ prehydrolysis for high yield ethanol production from biomass. *Applied-Biochemistry-and-Biotechnology*. 1988, 17: 33-43; 11 Ref.
4500. Wayman, M.; Tallevi, A., and Winsborrow, B. Hydrolysis of biomass by sulphur dioxide. *Biomass*. 1984; 6(1-2):183-191.
4501. Weatherston, I. Alternatives in forest pest control. Is the use of the sex pheromone a viable method for the control of pest Lepidoptera? *Sex-Pheromones-of-the-Lepidoptera.-Les-Pheromones-Sexuelles-Des-Lepidopteres*. 1976; (recd. 1978):51-57.
4502. Weatherston, J.; Percy, J. E., and MacDonald, L. M. Field testing of cis-11-tetradecenal as attractant or synergist in Tortricinae. *Experientia*. 1976; 32(2):178-179.
4503. Weaver, T. Auxin regulation of branch abscission by aspen (*Populus tremuloides*, Michx.). *Northwest-Science*. 1978; 52(3):part 1, 168-170.
4504. Weaver, T. and Forcella, F. Seasonal variation in soil nutrients under six rocky mountain vegetation types. *Soil-Science-Society-of-America-Journal*. 1979; 43(3):589-593.

4505. Weaver, T. and Smolik, J. Soil nematodes of northern Rocky Mountain ecosystems: genera and biomasses. *Great-Basin-Naturalist*. 1987; 47(3):473-479.
4506. Webb, S. L. Contrasting windstorm consequences in two forests, Itasca State Park, Minnesota. *Ecology*. 1989; 70(4):1167-1180.
4507. Weber, M. G. Aspen management options using fire or cutting. Information-Report -Petawawa-National-Forestry-Institute,-Forestry-Canada. 1991; (No. PI-X-100):v + 11 pp.
4508. ---. The effect of cutting and burning on browse production in eastern Canadian aspen forests. *International-Journal-of-Wildland-Fire*. 1991; 1(1):41-47.
4509. ---. Forest soil respiration after cutting and burning in immature aspen ecosystems. *Forest-Ecology-and-Management*. 1990; 31(1-2):1-14.
4510. ---. Response of immature aspen ecosystems to cutting and burning in relation to vernal leaf flush. *Forest-Ecology-and-Management*. 1990; 31(1-2):15-33.
4511. Webster, R. K. and Butler, E. E. A morphological and biological concept of the species *Ceratocystis fimbriata*. 1967, *Canad. J. Bot.* 1967 45 (9), (1457-68 + 53 Photos). [37 Refs.].
4512. Weetman, G. F.; Krause, H. H.; Koller, E., and Veilleux, J. M. Interprovincial forest fertilization trials. 5- and 10-year results. *Forestry-Chronicle*. 1987; 63(3):184-192.
4513. Wegner, G. True detective. *Pest-Control*. 1992, 20: 1, 38.
4514. Wegner, T. H.; Myers, G. C., and Leatham, G. F. Biological treatments as an alternative to chemical pretreatments in high-yield wood pulping. *Tappi-Journal*. 1991; 74(3):189-193.
4515. Wei, S. u.; Hui, Y. a. n.; Banerjee, S.; Otwell, L. P.; Hittmeier, M. E.; Su, W., and Yan, H. Field-proven strategies for reducing volatile organic carbons from hardwood drying. *Environmental-Science-and-Technology*. 1999; 33(7):1056-1059.
4516. Weigel, D. and Nilsson, O. A developmental switch sufficient for flower initiation in diverse plants. *Nature-London*. 1995; 377(6549):495-500.
4517. Weih, R. C.; Nord, G. D., and Meyer, M. P. Application of 35 mm aerial photography to evaluate post-harvest aspen regeneration. Research-Report,-Remote-Sensing-Laboratory,-Institute-of-Agriculture,-Forestry-and-Home-Economics,-University-of-Minnesota. 1984; (No. 84-2):23pp.
4518. Wein, R. W. *International Journal of Wildland Fire*. ISSN 1049-8001.
4519. Weiner, J. and Roth, L. Constitution and pulping of hardwoods. I-IV. 1967, *Bibliographic Series, Institute of Paper Chemistry, Appleton, Wis.* Nos. 230-233, 1967. Pp. 195; 137; 319; 245. [2305 Refs.].
4520. Weingartner, D. H. The effects of scarification on trembling aspen in northern Ontario: a preliminary report. *Forestry-Chronicle*. 1980; 56(4):173-175.
4521. Weingartner, D. H. and Basham, J. T. Variation in the growth and defect of aspen (*Populus tremuloides* Michx.) clones in northern Ontario. Forest-Research-Report,-Ministry-of-Natural-Resources,-Ontario. 1985; (No. 111):26 pp.
4522. Weinstein, J.; Boyce, M. S. (ed.), and Hayden Wing, L. D. The condition and trend of aspen along Pacific Creek in Grand Teton National Park. *North-American-Elk:-Ecology,-Behavior-and-Management*. 1979, 79-82; 11 Ref.

4523. Weir, J. M. H. and Johnson, E. A. Effects of escaped settlement fires and logging on forest composition in the mixedwood boreal forest. *Canadian-Journal-of-Forest-Research*. 1998; 28(3):459-467.
4524. Weisberg, P. J.; Hobbs, N. T.; Ellis, J. E., and Coughenour, M. B. An ecosystem approach to population management of ungulates. *Journal-of-Environmental-Management*. 2002; 65(2):181-197.
4525. Weise, D. R. and Biging, G. S. Effects of wind velocity and slope on flame properties. *Canadian-Journal-of-Forest-Research*. 1996; 26(10):1849-1858.
4526. Weissenberg, K. von; Weissenberg, K. von (ed.), and Kurkela, T. Effect of temperature on dormancy, activation and long-term storage of teliospores of *Melampsora pinitorqua*. Proceedings of the Meeting of the IUFRO Working Party S2.05, Resistance in Pines to *Melampsora Pinitorqua*, June 1979, Suonenjoki, Finland. 1980; (32-36; 3 fig.):1 tab.
4527. Weitzman, S. and Bay, R. R. Snow behaviour in forests of northern Minnesota and its management implications. 1959, Sta. Pap. Lake St. For. Exp. Sta. No. 69, 1959. Pp. 18. 15 Refs.
4528. Weixelman, D. A.; Bowyer, R. T.; Ballenberghe, V. van; Van Ballenberghe, V.; Ballard, W. B. (ed.), and Rodgers, A. R. Diet selection by Alaskan moose during winter: effects of fire and forest succession. Proceedings of the 33rd North American Moose Conference and Workshop and 4th International Moose Symposium, Fairbanks, Alaska, 17-23 May, 1997. 1998; 34(1):213-238.
4529. Welham, C.; Seely, B., and Kimmins, H. The utility of the two-pass harvesting system: an analysis using the ecosystem simulation model FORECAST. *Canadian-Journal-of-Forest-Research*. 2002; 32(6):1071-1079.
4530. Welling, A.; Moritz, T.; Palva, E. T., and Junttila, O. Independent activation of cold acclimation by low temperature and short photoperiod in hybrid aspen. *Plant-Physiology*. 2002; 129(4):1633-1641.
4531. Wengert, E. M. Evaluation of kiln drying characteristics of 8/4 Canadian aspen lumber in a commercial kiln. 1987, Iii + 10 Pp.; Catalogue No. FO 42-91-2-1986E.
4532. ---. Maximum initial moisture contents for kiln-drying 4/4 hardwoods at high temperatures. *Forest-Products-Journal*. 1974, 24: 8, 54-56.
4533. ---. A quick method to distinguish aspen heartwood and sapwood. *Wood-and-Fiber*. 1976; 8(2):114-115.
4534. ---. A tutorial for grading aspen, birch and other Canadian hardwoods. 1988, Vi + 60 Pp.; in Text.; 4 Ref.
4535. ---. Utilization and marketing opportunities for Alberta aspen solid wood products. 1988, Ix + 100 Pp.; Catalogue No. FO 42-91-46-1988E; 9 Pp. of Ref.
4536. Wengert, E. M. and Donnelly, D. M. Lumber yield potential of aspen [*Populus tremuloides*] in the Rocky Mountains. Research-Paper,-Rocky-Mountain-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1980; (No. RM-227):7 pp.
4537. Wengert, E. M.; Gray, P. D.; Mathison, R. S.; Crawford, D. W., and Hronek, B. B. Utilization and marketing as tools for aspen management in the Rocky Mountains. Proceedings of the symposium, Sept. 8-9, 1976, Fort Collins, Colorado. Panel I. Perspectives on Rocky Mountain aspen resource. USDA-Forest-Service-General-Technical-Report,-Rocky-Mountain-Forest-and-Range-Experiment-Station. 1976, No. RM-29, 2-14.
4538. Wengert, E. M.; Yerkes, V. P.; Ward, J. C.; Baker, A. J.; Fullinwider, J. A.; Troxell, H. E.; Geimer, R. L.; Groff, W. H.; Lowery, D. P., and Wangaard, F. F. Utilization and marketing as tools for aspen management in the Rocky Mountains: Proceedings of the symposium, Sept. 8-9, 1976, Fort

Collins, Colorado. Panel IV. Research advances in aspen utilization. USDA-Forest-Service-General-Technical-Report,-Rocky-Mountain-Forest-and-Range-Experiment-Station. 1976, No. RM-29, 61-100.

4539. Werner, R. A. and Weatherston, J. A synthetic sex pheromone for the large aspen tortrix in Alaska. Research-Note,-Pacific-Northwest-Forest-and-Range-Experiment-Station,-USDA-Forest-Service. 1980; (No. PNW-354):4 pp.
4540. Werner, S. J. and Urness, P. J. Elk forage utilization within rested units of rest-rotation grazing systems. *Journal-of-Range-Management*. 1998; 51(1):14-18.
4541. Wershaw, R. L.; Leenher, A.; Kennedy, K. R.; Ghabbour, E. A. (ed.), and Davies, G. Use of ¹³C NMR and FTIR for elucidation of degradation pathways during senescence and litter decomposition of aspen leaves. *Understanding-Humic-Substances.-Advanced-Methods,-Properties-and-Applications*. 1999, 19-30; 18 Ref.
4542. Westberg, H.; Lamb, B.; Kempf, K.; Allwine, G.; Ryan, M. G. (ed.), and Jarvis, P. G. Isoprene emission inventory for the BOREAS southern study area. *Special Issue: Biosphere-Atmosphere Interactions in the Boreal Forest*. 2000; 20(11):735-743.
4543. Westell, C. E. Jr. Available browse following Aspen logging in Lower Michigan. 1954, *J. Wildlife Mgmt*. 1954 18 (2), (266-71). 2 Refs.
4544. ---. Ecological relationships between deer and forests in lower Michigan. 1956, *Proc. Soc. Amer. For*. 1955 1956 (130-2). 6 Refs.
4545. ---. The ecology of deer and Aspen in Lower Michigan. 1961, *Abstr. of Thesis, in Dissert. Abstr.* 21 (8), 1961 (2067-8).
4546. Westworth, D. A. and Telfer, E. S. Summer and winter bird populations associated with five age-classes of aspen forest in Alberta. *Canadian-Journal-of-Forest-Research*. 1993; 23(9):1830-1836.
4547. Whaley, R. S. Economic guidelines for timber management investments in Michigan. 1969, *Abstr. of Thesis, in Dissert. Abstr. Int.* 1969 30B (5), (1976). [Order No. 69-18,137. Pp.130.].
4548. White, C. A.; Feller, M. C.; Shepperd, W. D. (ed.); Binkley, D. (ed.); Bartos, D. L. (ed.); Stohlgren, T. J. (ed.), and Eskew, L. G. Predation risk and elk-aspen foraging patterns. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):61-80.
4549. ---. Predation risk and elk-aspen foraging patterns. *Sustaining Aspen in Western Landscapes: Symposium Proceedings, Grand Junction, Colorado, USA, June 13-15, 2000*. 2001; (No.RMRS-P-18):61-80.
4550. White, C. A.; Olmsted, C. E.; Kay, C. E., and Krausman, P. R. Aspen, elk, and fire in the Rocky Mountain national parks of North America. *Special Feature: Ungulate Management in National Parks of Western North America, Based on a Symposium at the Fourth Annual Meeting of the Wildlife Society, Snowmass, Colorado*. 1998; 26(3):449-462.
4551. White, C. S. and Allen, C. D. The effects of fire on nitrogen cycling processes within Bandelier National Monument, NM. *Fire Effects in Southwestern Forests: Proceedings of the Second La Mesa Fire Symposium*. 1996; (No. RM-GTR-286):123-139.
4552. White, C. S. and Gosz, J. R. Factors controlling nitrogen mineralization and nitrification in forest ecosystems in New Mexico. *Biology-and-Fertility-of-Soils*. 1987; 5(3):195-202.

4553. White, M. A. and Vankat, J. L. Middle and high elevation coniferous forest communities of the North Rim region of Grand Canyon National Park, Arizona, USA. *Vegetatio*. 1993; 109(2):161-174.
4554. White McDougall, W. J.; Blanchette, R. A., and Farrell, R. L. Biological control of blue stain fungi on *Populus tremuloides* using selected *Ophiostoma* isolates. *Holzforchung*. 1998; 52(3):234-240.
4555. White, W. B. and Morse, B. W. ASPENEX: an expert system interface to a geographic information system for aspen management. *AI-Applications-in-Natural-Resource-Management*. 1987; 1(2):49-53.
4556. Whitecross, M. I. and Willing, P. R. Hybridization of incompatible Poplars following solvent treatment of stigmas. *Experientia*. 1975; 31(6):651-653.
4557. Whitehead, D.; Gower, S. T.; Linder, S. (ed.); Kellomaki, S. (ed.); Koppel, A. (ed.); Kull, O. (ed.); Stenberg, P. (ed.), and Smolander, H. Photosynthesis and light-use efficiency by plants in a Canadian boreal forest ecosystem. *Canopy Dynamics and Forest Management: a Missing Link? A Collection of Peer Reviewed Papers From Among Those Presented at a Travelling Workshop in Estonia, Finland and Sweden, August 1-11, 1999*. 2001; 21(12-13):925-929.
4558. Whitney, G. G. Relation of plant species to substrate, landscape position, and aspect in north central Massachusetts. *Canadian-Journal-of-Forest-Research*. 1991; 21(8):1245-1252.
4559. Whitney, R. D. Comparative susceptibility of large and small Spruce roots to *Polyporus tomentosus*. 1967, *Canad. J. Bot.* 1967 45 (11), (2227-9).
4560. Whittaker, R. H. and Niering, W. A. Vegetation of the Santa Catalina mountains, Arizona. V. Biomass, production, and diversity along the elevation gradient. *Ecology*. 1975; 56(4):771-790.
4561. Whyson, G. L. and Bailey, A. W. Production and nitrogen content of herbage in a silverberry (*Elaeagnus commutata*) community compared to adjacent grassland and forest communities. *Canadian-Journal-of-Plant-Science*. 1975; 55(3):801-808.
4562. Wible, R. C. Report into use of ammate in our Eastern Region, No. 1. 1949, Pa. For. Wat. 1949 1 (8), (181, 188). 5 Refs.
4563. Wickman, B. E. The large Aspen tortrix, *Choristoneura conflictana* in California (Lepidoptera: Tortricidae). 1963, *J. Econ. Ent.* 56 (5), 1963 (593-6). 4 Refs.
4564. Widsten, P.; Laine, J. E.; Qvintus Leino, P., and Tuominen, S. Effect of high-temperature defibration on the chemical structure of hardwood. *Holzforchung*. 2002; 56(1):51-59.
4565. Wiebe, H. H. Photosynthesis in wood. *Physiologia-Plantarum*. 1975; 33(4):245-246.
4566. Wiebe, K. L. Microclimate of tree cavity nests: is it important for reproductive success in Northern Flickers? *Auk*. 2001; 118(2):412-421.
4567. ---. Microclimate of tree cavity nests: is it important for reproductive success in Northern Flickers? *Auk*. 2001; 118(2):412-421.
4568. Wiensczyk, A. M.; Dumas, M. T., and Irwin, R. N. Effect of Northwestern Ontario Forest Ecosystem Classification treatment units on the infection levels of *Armillaria* in black spruce plantations. *Canadian-Journal-of-Forest-Research*. 1996; 26(7):1248-1255.
4569. ---. Predicting *Armillaria ostoyae* infection levels in black spruce plantations as a function of environmental factors. *Canadian-Journal-of-Forest-Research*. 1997; 27(10):1630-1634.

4570. Wikstrom, C. Fungal decomposition of sapwood and heartwood of European Aspen, *Populus tremula* L. *European-Journal-of-Forest-Pathology*. 1975; 5(6):349-356.
4571. Wilcox, H. Some results from the chemical treatment of trees to facilitate bark removal. 1954, *J. For.* 1954. 52 (7), (522-5). 2 Refs.
4572. Wilde, S. A. and Krause, H. H. Soil-forest types of the Yukon and Tanana valleys in subarctic Alaska. 1960, *J. Soil Sci.* 11 (2), 1960 (266-79 + 6 Photos). 14 Refs.
4573. Wilde, S. A. and Paul, B. H. Growth, specific gravity, and chemical composition of Quaking Aspen on different soil types. 1959, Rep. U.S. For. Prod. Lab., Madison 1959 No. 2144. Pp. 4 + 4 Tbls., 1 Photo. 6 Refs.
4574. ---. Rate of growth and composition of wood of Quaking and Largetooth Aspen in relation to soil fertility. 1951, *Transactions, Wisconsin Academy of Sciences, Arts and Letters, Madison* 1951 40 (2), (245-50). 7 Refs.
4575. Wilde, S. A. and Pronin, D. T. Growth of Trembling Aspen in relation to ground water and soil organic matter. 1950, *Proc. Soil Sci. Soc. Amer.* 1949 1950 14 (345-7). 5 Refs.
4576. Wilde, S. A.; Steinbrenner, E. C.; Pierce, R. S., Dosen, R. C., and Pronin, D. T. Influence of forest cover on the state of the groundwater table. 1953, *Proc. Soil Sci. Soc. Amer.* 1953 17 (1), (65-7). 10 Refs.
4577. Wilde, S. a.; Youngberg, C. T., and Hovind, J. H. Changes in composition of ground water, soil fertility, and forest growth produced by the construction and removal of beaver dams. 1950, *J. Wildlife Mgmt.* 1950 14 (2), (123-8 + 1 Plate). 5 Refs. [University of Wisconsin.].
4578. Wildman, H. G. and Parkinson, D. Microfungal succession on living leaves of *Populus tremuloides*. *Canadian-Journal-of-Botany*. 1979; 57(24):2800-2811.
4579. ---. Seasonal changes in water-soluble carbohydrates of *Populus tremuloides* leaves. *Canadian-Journal-of-Botany*. 1981; 59(5):862-869.
4580. Williams, B. D. and Johnston, R. S. Natural establishment of aspen from seed on a phosphate mine dump. *Journal-of-Range-Management*. 1984; 37(6):521-522.
4581. Williams, C. E.; Moriarity, W. J., and Walters, G. L. Overstory and herbaceous layer of a riparian savanna in northwestern Pennsylvania. *Castanea*. 1999; 64(1):90-97.
4582. Williams, D. and Morris, R. Machining and related mechanical properties of 15 B.C. wood species. *Special-Publication -Forintek-Canada-Corp.* 1998; (No. SP-39):31 pp.
4583. Williams, M. S. A regression technique accounting for heteroscedastic and asymmetric errors. *Journal-of-Agricultural,-Biological,-and-Environmental-Statistics*. 1997; 2(1):108-129.
4584. Williams, M. S. and Wiant, H. V. Jr. Double sampling with importance sampling to eliminate bias in tree volume estimation of the centroid method. *Forest-Ecology-and-Management*. 1998; 104(1-3):77-88.
4585. Williams, S. A. The application of a geographic information system for ruffed grouse habitat analysis. *Dissertation-Abstracts-International,-B-Sciences-and-Engineering*. 1987; 47(7):2705B.
4586. Willoughby, M. G. and West, N. E. The effects of grazing on deciduous plant communities in the Boreal Ecoprovince of Alberta. *Rangelands in a Sustainable Biosphere. Proceedings of the Fifth International Rangeland Congress; Salt Lake City, Utah, USA, 23-28 July, 1995. Volume*

1(Contributed presentations. 1996):608-609.

4587. Wilson, F. G. Numerical expression of stocking in terms of height. 1946, *J. For.* 1946 44 (10), (758-61).
4588. Wilson, G. G. and Kaupp, W. J. Application of *Nosema disstriae* and *Pleistophora schubergi* (Microsporida) against the forest tent caterpillar in Ontario, 1977. Report, Forest-Pest-Management-Institute, -Canada. 1977; (No. FPM-X-4):9 pp.
4589. Wilson, S. D. Belowground competition in forest and prairie. *Oikos*. 1993; 68(1):146-150.
4590. Wilson, S. D. and Kleb, H. R. The influence of prairie and forest vegetation on soil moisture and available nitrogen. *American-Midland-Naturalist*. 1996; 136(2):222-231.
4591. Winandy, J. E.; LeVan, S. L.; Schaffer, E. L., and Lee, P. W. Effect of fire-retardant treatment and redrying on the mechanical properties of Douglas-fir and aspen plywood. Research-Paper -Forest-Products-Laboratory, -USDA-Forest-Service. 1988; (No. FPL-RP-485):19 pp.
4592. Winch, J. E. and Manion, P. [D]. Relationship of basidiospore germination of *Fomes igniarius* to host specificity. 1971, Abstr. in *Phytopathology* 1971 61 (8), (917).
4593. Winget, C. H. and Kozlowski, T. T. Cambial growth of competing species of the northern conifer-hardwood forest in Wisconsin. 1965, *For. Res. Note Wis. Coll. Agric.* No. 119, 1965. Pp. 3. 3 Refs.
4594. Winistorfer, P. M.; Young, T. M., and Walker, E. Modeling and comparing vertical density profiles. *Wood-and-Fiber-Science*. 1996; 28(1):133-141.
4595. Winsauer, S. A. and Steinhilb, H. M. Summary of green weights and volumes for five tree species in Michigan [tables, equations and curves]. Research-Paper, -North-Central-Forest-Experiment-Station, -USDA-Forest-Service. 1980; (No. NC-191):i + 22 pp.
4596. Winterhalder, K. Environmental degradation and rehabilitation of the landscape around Sudbury, a major mining and smelting area. *Environmental-Reviews*. 1996; 4(3):185-224.
4597. Winterhalder, K.; Innes, J. L. (ed.), and Oleksyn, J. Landscape degradation by smelter emissions near Sudbury, Canada, and subsequent amelioration and restoration. *Forest-Dynamics-in-Heavily-Polluted-Regions.-Report-No.-1-of-the-IUFRO-Task-Force-on-Environmental-Change*. 2000; (publ. 1999):87-119.
4598. Winton, L. L. Fertilization in forced Quaking Aspen and Cottonwood. 1968, *Silvae Genet.* 1968 17 (1), (20-1). [9 Refs.].
4599. ---. Initiation of firm white Aspen callus under different light environments. 1970, *Phyton, Argentina* 1970 27 (1), (11-4). [En, 6 Ref.].
4600. ---. Plantlets from Aspen tissue cultures. 1968, *Science* 1968 160 (3833), (1234 - 5). [13 Refs.].
4601. ---. The rooting of liquid -grown Aspen callus. 1968, *Amer. J. Bot.* 1968 55 (2), (159 - 67). [22 Refs.].
4602. ---. Shoot and tree production from Aspen tissue cultures. 1970, *Amer. J. Bot.* 1970 57 (8), (904-9). [25 Ref.D].
4603. ---. Squash preparations for counting Aspen chromosomes. 1968, *Genet. Physiol. Note Inst. Paper Chem., Appleton, Wis.* 1968 No. 5 Pp. 5. [14 Refs.].

4604. Winton, L. [L.]. Tissue culture propagation of European Aspen. 1971, For. Sci. 1971 17 (3), (348-50). [6 Refs.].
4605. Winton, L. L. and Dickey, E. E. Wood maceration, slide preparation and fiber measurements. 1968, Genet. Physiol. Note Inst. Paper Chem., Appleton, Wis. 1968. No. 6 Pp. 7. [8 Refs.].
4606. Winton, L. L. and Einspahr, D. W. The use of heat-treated pollen for Aspen haploid production. 1968, For. Sci. 1968 14 (4), (406-7). [2 Refs.].
4607. Winton, L. [L.] and Einspahr, D. W. Tetraploid Aspen production using unreduced triploid pollen. 1970, For. Sci. 1970 16 (2), (180-2). [5 Refs.].
4608. Wirsing, J. M. and Alexander, R. R. Forest habitat types on the Medicine Bow National Forest, southeastern Wyoming: preliminary report. USDA-Forest-Service-General-Technical-Report,-Rocky-Mountain-Forest-and-Range-Experiment-Station. 1975; (No. RM-12):11 pp.
4609. Wise, L. E.; Green, J. W., and Rittenhouse, R. C. Paper partition chromatography of simple sugars as applied to pulp hydrolyzates and other related substances. 1949, Tappi 1949 32 (7), (335-6). 7 Refs. [Institute of Paper Chemistry, Appleton, Wis.].
4610. Wise, L. E.; Murphy, M., and d'Addieco, A. A. Chlorite holocellulose, its fractionation and bearing on summative wood analysis and on studies on the hemicelluloses. 1946, Paper Tr. J. 1946. 122 (2). (35-43).
4611. Wise, L. E.; Ratcliff, E. K., and Browning, B. L. Determination of mannose. Mannans in hardwoods. 1948, Analyt. Chem. 1948 20 (9), (825-8). 25 Refs.
4612. Witkamp, M.; Parkinson, D.; Ghilarov, M. S. [Gilyarov MS]; Gilyarov, M. S.; Zajonc, I.; Reichle, D. E.; Berthet, P., and Kitazawa, Y. Litter decomposition - forest soil fauna and flora. Productivity of Forest Ecosystems. Proceedings of the Brussels Symposium. 1971, 411-498; Many Ref.
4613. Witter, J. A.; Kulman, H. M., and Hodson, A. C. Life tables for the forest tent caterpillar. 1972, Ann. Ent. Soc. Amer. 1972 65 (1), (25-31). [20 Ref.].
4614. Witter, J. A.; Mattson, W. J., and Kulman, H. M. Numerical analysis of a forest tent caterpillar (Lepidoptera: Lasiocampidae) outbreak in northern Minnesota. Canadian-Entomologist. 1975; 107(8):837-854.
4615. Witter, J. A. and Waisanen, L. A. The effect of differential flushing times among trembling aspen clones on tortricid caterpillar populations. Environmental-Entomology. 1978; 7(1):139-143.
4616. Wittmann, C.; Aschan, G., and Pfanz, H. Leaf and twig photosynthesis of young beech (*Fagus sylvatica*) and aspen (*Populus tremula*) trees grown under different light regime. Basic-and-Applied-Ecology. 2001; 2(2):145-154.
4617. Wojcik, M. E.; Blankenhorn, P. R., and Labosky, P. Jr. Comparison of red maple (*Acer rubrum* L.) and aspen (*Populus grandidentata* Michx) 3-layered flakeboards. Wood-and-Fiber-Science. 1989; 21(3):306-312.
4618. Wolter, K. E. In vitro cultivation of Ash, Aspen and Pin Oak callus tissue. 1964, Abstr. of Thesis, in Dissert. Abstr. 24 (12, Part I), 1964 (4895).
4619. ---. Root and shoot initiation in Aspen callus cultures. 1968, Nature, Lond. 1968 219 (5153), (509 -10). [6 Refs.].

4620. Wolter, K. E. and Gordon, J. C. Hormonal control of growth and lignification in Aspen cultures in relation to peroxidase level and isoenzyme expression. *Plant-Physiology*. 1972; 49(Supplement):32.
4621. ---. Peroxidases as indicators of growth and differentiation in Aspen callus cultures. *Physiologia-Plantarum*. 1975; 33(3):219-223.
4622. Wolter, K. E.; Harkin, J. M., and Kirk, T. K. Guaiacyl lignin associated with vessels in Aspen callus cultures. *Physiologia-Plantarum*. 1974; 31(2):140-143.
4623. Wolter, K. E. and Kozlowski, T. T. Transpiration capacity of dormant buds of forest trees. 1964, Repr. From *Bot. Gaz.* 125 (3), 1964 (207-11). 5 Refs.
4624. Wolter, P. T.; Mladenoff, D. J.; Host, G. E., and Crow, T. R. Improved forest classification in the northern Lake States using multi-temporal Landsat imagery. *PE-and-RS,-Photogrammetric-Engineering-and-Remote-Sensing*. 1995; 61(9):1129-1143.
4625. Wolter, P. T. and White, M. A. Recent forest cover type transitions and landscape structural changes in northeast Minnesota, USA. *Landscape-Ecology*. 2002; 17(2):133-155.
4626. Wolterson, J. F. Aspen in Holland. 1971, *Populier* 1971 8 (5), (88-93). [NI, 12 Ref.].
4627. Wong, A. Review of chemical products produced from the Tigney exploded aspenwood process. 1986, Viii + 36 Pp.; 92 Ref.
4628. ---. Review of pulping and papermaking properties of aspen. 1987, Ix + 82 Pp.; Catalogue No. FO 42-101/-1987E; 152 Ref.
4629. Wong, A. (ed.) and Szabo, T. Proceedings of the workshop on aspen pulp, paper and chemicals. 1988, Ix + 230 Pp.; Many Ref.
4630. Wong, H. R. Fallocampus: a new sawfly genus for the Nearctic species of Platycampus Schioedte (Hymenoptera: Tenthredinidae). *Canadian-Entomologist*. 1977; 109(8):1103-1107.
4631. ---. Sawflies of the genus Platycampus Schiodte on Trembling Aspen in the Canadian prairies. 1957, Bi-m. Progr. Rep. Div. For. Biol. Dep. Agric. Can. 1957 13 (4), (2).
4632. Wong, H. R.; Ives, W. G. H., and Muldrew, J. A. Biological observations on overwintering larvae of the large aspen tortrix in Alberta. *Bi-Monthly-Research-Notes*. 1979; 35(4):21.
4633. Wong, H. R. and McLeod, B. B. Two species of gall-producing Saperda in Manitoba and Saskatchewan. 1965, Bi-m. Progr. Rep. Dep. For. Can. 21 (5), 1965 (3).
4634. Wong, H. R.; McLeod, B. B., and Drouin, J. A. Saperda calcarata Say in the root collar of Poplars. 1963, Bi-m. Progr. Rep. For. Ent. Path. Br. Dep. For. Can. 19 (5), 1963 (2). 3 Refs.
4635. Wong, H. R. and Melvin, J. C. E. Biological observations and larval descriptions of Enargia decolor (Lepidoptera: Noctuidae) on trembling aspen in northern Alberta. *Canadian-Entomologist*. 1976; 108(11):1213-1220.
4636. ---. Insects associated with trees damaged by hydrocarbon condensate in the Strachan area, Alberta. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1973; (No. NOR-X-74):19 pp.
4637. ---. Insects of Aspen catkins in the Canadian prairies. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1974; (No. NOR-X-76):27 pp.

4638. ---. The leaf roller *Pseudexentera oregonana* Wlsh. 1967, Bi-m. Res. Notes Dep. For. Can. 1967 23 (1), (3-4). [6 Refs.].
4639. Wong, K. K. Y. and Maringer, U. Substrate hydrolysis by combinations of *Trichoderma* xylanases. *World-Journal-of-Microbiology-and-Biotechnology*. 1999; 15(1):29-32.
4640. Wong, W. K. R.; Curry, C.; Parekh, R. S.; Parekh, S. R.; Wayman, M.; Davies, R. W.; Kilburn, D. G., and Skipper, N. Wood hydrolysis by *Cellulomonas fimi* endoglucanase and exoglucanase coexpressed as secreted enzymes in *Saccharomyces cerevisiae*. *Biotechnology*. 1988; 6(6):713-719.
4641. Wood, F. A. Ceratocystis canker of Aspen in Pennsylvania. 1964, *Plant Dis. Repr.* 48 (6), 1964 (441). 1 Ref.
4642. ---. A study of the epiphytology of Hypoxylon canker of Aspen. 1962, *Abstr. of Thesis, in Dissert. Abstr.* 22 (11), 1962 (3805).
4643. Wood, F. A. and French, D. W. Bacteria in the perithecia of *Hypoxylon pruina* and their effect on ascospore germination and development. 1960, *Abstr. in Phytopathology* 50 (9), 1960 (659).
4644. ---. *Ceratocystis fimbriata*, the cause of a stem canker of Quaking Aspen. 1963, *For. Sci.* 9 (2), 1963 (232-5). 7 Refs.
4645. ---. Ejection of ascospores by *Hypoxylon pruina* in Minnesota. 1962, *Abstr. in Phytopathology* 52 (1), 1962 (33).
4646. ---. Hypoxylon canker of Aspen: seasonal development of cankers and ascospore ejection in winter. 1965, *Phytopathology* 55 (7), 1965 (771-4). 8 Refs.
4647. ---. Microorganisms associated with *Hypoxylon pruina*. 1965, *Mycologia* 57 (5), 1965 (766-75). 7 Refs.
4648. Woods, K. D.; Feiveson, A. H., and Botkin, D. B. Statistical error analysis for biomass density and leaf area index estimation. *Canadian-Journal-of-Forest-Research*. 1991; 21(7):974-989.
4649. Woods, R. F.; Betters, D. R., and Mogren, E. W. Understorey herbage production as function of Rocky Mountain aspen stand density. *Journal-of-Range-Management*. 1982; 35(3):380-381.
4650. Woodyard, D. K.; Campa, H. III; Haufler, J. B.; Cole, D. W. (ed.); Henry, C. L. (ed.), and Nutter, W. L. The influence of forest application of sewage sludge on the concentration of metals in vegetation and small mammals. *The Forest Alternative for Treatment and Utilization of Municipal and Industrial Wastes*. 1986; (publ. 1987):199-205.
4651. Worley, D. P.; Bramble, W. C., and Byrnes, W. R. Effect of seasonal basal sprays on root suckering of Aspen. 1954, *Proc. 8th Ntheast. Weed Control Conf.* 1954 (447-52). 3 Refs.
4652. Worster, H. and Sugiyama, B. K. The carbohydrate content and composition of some western woods related to growth factors. 1962, *Pulp Paper Mag. Can.* 63 (8), 1962 (T395-T401). 21 Refs.
4653. Wright, D.; Rugo, L. G.; Benskin, H.; Bedford, L.; Lieffers, V. J.; Beck, J. A. Jr.; Brunette, V.; Lees, J. C.; Irland, L. C.; Maass, D. I., and Sziklai, O. The silviculture conference. *Forestry-Chronicle*. 1994, 70: 3, 238-281.
4654. Wright, E. F.; Canham, C. D., and Coates, K. D. Effects of suppression and release on sapling growth for 11 tree species of northern, interior British Columbia. *Canadian-Journal-of-Forest-Research*. 2000; 30(10):1571-1580.

4655. Wu, A.; Black, A.; Verseghy, D. L., and Bailey, W. G. Comparison of two-layer and single-layer canopy models with Lagrangian and K-theory approaches in modelling evaporation from forests. *International-Journal-of-Climatology*. 2001; 21(14):1821-1839.
4656. Wu LuGuang; Joshi, C. P.; Chiang, V. L., and Wu, L. G. A xylem-specific cellulose synthase gene from aspen (*Populus tremuloides*) is responsive to mechanical stress. *Plant-Journal*. 2000; 22(6):495-502.
4657. Wu QingLin; Suchsland, O., and Wu, Q. L. Effect of moisture on the flexural properties of commercial oriented strandboards. *Wood-and-Fiber-Science*. 1997; 29(1):47-57.
4658. Wu, R.; Li, B.; Wu, S. S., and Casella, G. A maximum likelihood-based method for mining major genes affecting a quantitative character. *Biometrics*. 2001; 57(3):764-768.
4659. Wu, R. L. Partitioning of population genetic variance under multiplicative-epistatic gene action. *Theoretical-and-Applied-Genetics*. 2000; 100(5):743-749.
4660. Wustman, B. A.; Oksanen, E.; Karnosky, D. F.; Noormets, A.; Isebrands, J. G.; Pregitzer, K. S.; Hendrey, G. R.; Sober, J., and Podila, G. K. Effects of elevated CO₂ and O₃ on aspen clones varying in O₃ sensitivity: can CO₂ ameliorate the harmful effects of O₃? *Environmental-Pollution*. 2001; 115(3):473-481.
4661. Wyckoff, G. W.; Einspahr, D. W.; Benson, M. K., and Adams, R. D. Development of an aspen sucker stand following irrigation and fertilization. *Aspen Symposium '89: Proceedings*. Duluth; (Minnesota):July 25-27, 1989. General-Technical-Report -North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1990, No. NC-140, 195-203.
4662. Wylie, N. Forests in Montenegro. 1945, *Quart. J. For.* 1945 39 (27-9).
4663. Wyman, J.; Bruneau, A., and Tremblay, M. F. Microsatellite analysis of genetic diversity in four populations of *Populus tremuloides* in Quebec. *Canadian-Journal-of-Botany*. 2003; 81(4):360-367.
4664. Xiao, X. J.; Anderson, D. W., and Bettany, J. R. The effect of pedogenetic processes on the distribution of phosphorus, calcium and magnesium in Gray Luvisols. *Canadian-Journal-of-Soil-Science*. 1991; 71(4):397-410.
4665. Xu, E. C. Chemical treatment in mechanical pulping, part 2: North American aspen (process and properties): tensile strength is a good indicator of process suitability. *Pulp-and-Paper-Canada*. 1999; 100(2):40-45.
4666. Xu, W. e. i. and Xu, W. How to analyze strand alignment of oriented strandboard. *Forest-Products-Journal*. 2002; 52(4):48-52.
4667. ---. How to analyze strand alignment of oriented strandboard. *Forest-Products-Journal*. 2002; 52(4):48-52.
4668. Yahner, R. H. Avian nesting ecology in small even-aged aspen stands. *Journal-of-Wildlife-Management*. 1991; 55(1):155-159.
4669. ---. Feeding-site use by red squirrels, *Tamiasciurus hudsonicus*, in a marginal habitat in Pennsylvania. *Canadian-Field-Naturalist*. 1987; 101(4):586-589.
4670. ---. Short-term avifaunal turnover in small even-aged forest habitats. *Biological-Conservation*. 1987; 39(1):39-47.
4671. Yahner, R. H. and Adams, R. D. Nongame response to ruffed grouse habitat management in Pennsylvania.

Aspen Symposium '89: Proceedings. Duluth; (Minnesota):July 25-27, 1989. General-Technical-Report -North-Central-Forest-Experiment-Station,-USDA-Forest-Service. 1990, No. NC-140, 145-153.

4672. Yahner, R. H. and Mahan, C. G. Effects of logging roads on depredation of artificial ground nests in a forested landscape. *Wildlife-Society-Bulletin*. 1997; 25(1):158-162.
4673. Yamaguchi, M.; Fabian, T.; Sauter, M.; Bhalerao, R. P.; Schrader, J.; Sandberg, G.; Umeda, M., and Uchimiya, H. Activation of CDK-activating kinase is dependent on interaction with H-type cyclins in plants. *Plant-Journal*. 2000; 24(1):11-20.
4674. Yanchuk, A. D.; Dancik, B. P., and Micko, M. M. Intraclonal variation in wood density of trembling aspen in Alberta. *Wood-and-Fiber-Science*. 1983; 15(4):387-394.
4675. ---. Variation and heritability of wood density and fibre length of trembling aspen in Alberta, Canada. *Silvae-Genetica*. 1984; 33(1):11-16.
4676. Yanchuk, A. D. and Micko, M. M. Radial variation of wood density and fibre length in trembling aspen. *IAWA-Bulletin*. 1990; 11(2):211-215.
4677. Yanchuk, A. D.; Spilda, I., and Micko, M. M. Genetic variation of extractives in the wood of trembling aspen. *Wood-Science-and-Technology*. 1988; 22(1):67-71.
4678. Yanchuk, A. D.; Spilda, I., and Micko, M. M. Natural variation of extractives in the wood of trembling aspen. *Agriculture-and-Forestry-Bulletin,-University-of-Alberta*. 1986; 9(4):22-24.
4679. Yang, D.; Bernier, L., and Dessureault, M. Biological control of Septoria leaf spot of poplar by *Phaeotheca dimorphospora*. *Plant-Disease*. 1994; 78(8):821-825.
4680. Yang, D. Q. and Rossignol, L. Evaluation of *Gliocladium roseum* against wood-degrading fungi in vitro and on major Canadian wood species. *Biocontrol-Science-and-Technology*. 1999; 9(3):409-420.
4681. Yang, K. C. Survival rate and nuclear irregularity index of sapwood ray parenchyma cells in four tree species. *Canadian-Journal-of-Forest-Research*. 1993; 23(4):673-679.
4682. Yang, K. C. and Hazenberg, G. Relationship between tree age and sapwood/heartwood width in *Populus tremuloides* Michx. *Wood-and-Fiber-Science*. 1991; 23(2):247-252.
4683. Yang, P. C.; Black, T. A.; Neumann, H. H.; Novak, M. D., and Blanken, P. D. Spatial and temporal variability of CO₂ concentration and flux in a boreal aspen forest. *Special Section*. 1999; 104(D22):27653-27661.
4684. Yang, R. C. Fertilization: a tool for managing aspen in western Canada. *Forest-Management-Note - Northwest-Region,-Forestry-Canada*. 1991; (No. 54):5 pp.
4685. ---. Growth of white spruce following release from aspen competition: 35 year results. *Forestry-Chronicle*. 1991; 67(6):706-711.
4686. ---. Growth response of white spruce to release from trembling aspen. *Information-Report -Northern-Forestry-Centre,-Forestry-Canada*. 1989; (No. NOR-X-302):vi + 24 pp.
4687. Yao XiaoHong; Titus, S. J.; MacDonald, S. E., and Yao, X. H. A generalized logistic model of individual tree mortality for aspen, white spruce, and lodgepole pine in Alberta mixedwood forests. *Canadian-Journal-of-Forest-Research*. 2001; 31(2):283-291.

4688. Yarie, J. Boreal forest ecosystem dynamics. II. Application of the model to four vegetation types in interior Alaska. *Canadian-Journal-of-Forest-Research*. 2000; 30(6):1010-1023.
4689. ---. Nitrogen productivity of Alaskan tree species at an individual tree and landscape level. *Ecology*. 1997; 78(8):2351-2358.
4690. Yarie, J.; Billings, S.; Apps, M. J. (ed.); Karjalainen, T. (ed.); Stocks, B. J. (ed.), and Shaw, C. Carbon balance of the taiga forest within Alaska: present and future. *The Role of Boreal Forests and Forestry in the Global Carbon Budget. Papers from an international conference; Edmonton, Alberta, Canada, 8-12 May 2000. Canadian-Journal-of-Forest-Research*. 2002, 32(5):757-767.
4691. Yarie, J.; Cleve, K. van, and Van Cleve, K. Effects of carbon, fertilizer, and drought on foliar chemistry of tree species in interior Alaska. *Ecological-Applications*. 1996; 6(3):815-827.
4692. Yarie, J.; Cleve, K. van (ed.); Viereck, L. A. (ed.); Marion, G. M. (ed.); Yarie, J. (ed.), and Dyrness, C. T. Effects of selected forest management practices on environmental parameters related to successional development on the Tanana River floodplain, interior Alaska. *Role of Salt-Affected Soils in Primary Succession on the Tanana River Floodplain, Interior Alaska*. 1993; 23(5):1001-1014.
4693. Yarie, J.; Pulliam, W.; Cleve, K. van; Schlentner, R., and Van Cleve, K. Carbon and nutrient availability effect on plant nutrient supply for upland forest sites in interior Alaska. *Understanding Plant Nutrient Supply - Opportunities for Managing Site Productivity. Papers presented at the IEA-BA Task IX Activity 4 workshop held in Omapere; Northland, New Zealand, 6-12 March 1994. New-Zealand-Journal-of-Forestry-Science*. 1994, 24(2-3):234-252.
4694. Yeh, F. C.; Chong, D. K. X., and Yang, R. C. RAPD variation within and among natural populations of trembling aspen (*Populus tremuloides* Michx.) from Alberta. *Journal-of-Heredity*. 1995; 86(6):454-460.
4695. Yerg, D. G. Low-frequency wind fluctuations within an irregular forest. *Agricultural-and-Forest-Meteorology*. 1990; 51(2):123-144.
4696. Yildiz, S.; Yildiz, U. C.; Gezer, E. D., and Temiz, A. Some lignocellulosic wastes used as raw material in cultivation of the *Pleurotus ostreatus* culture mushroom. *Process-Biochemistry*. 2002; 38(3):301-306.
4697. Yoon, S. H.; Labosky, P. Jr., and Blankenhorn, P. R. Ethanol-kraft pulping and papermaking properties of aspen and spruce. *Tappi-Journal*. 1997; 80(1):203-210.
4698. Yoon SungHoon; Labosky, P. Jr., and Yoon, S. H. Ethanol-kraft pulping and papermaking properties of aspen and spruce. *Tappi-Journal*. 1998; 81(4):145-151.
4699. Young, A. G.; Warwick, S. I., and Merriam, H. G. Genetic variation and structure at three spatial scales for *Acer saccharum* (sugar maple) in Canada and the implications for conservation. *Canadian-Journal-of-Forest-Research*. 1993; 23(12):2568-2578.
4700. Young, C. E. Tree rings and Kaibab North deer hunting success, 1925-1975. *Journal-of-the-Arizona-Nevada-Academy-of-Science*. 1979; 14(3):61-65.
4701. Young, C. W. T. Testing of Poplars and Pines against Pine twisting rust, *Melampsora pinitorqua*. 1961, *Extr. From Rep. For. Res. For. Comm., Lond.* 1961/62, 1963 (137-40). 3 Refs.
4702. Young, H. E. Preliminary estimates of bark percentages and chemical elements in complete trees of eight species in Maine. 1971, *For. Prod. J.* 1971 21 (5), (56-9). [6 Ref.].

4703. Young, H. E.; Carpenter, P. N., and Altenberger, R. A. Preliminary tables of some chemical elements in seven tree species in Maine. 1965, Tech. Bull. Me. Agric. Exp. Sta. No. 20, 1965. Pp. 88. 6 Refs.
4704. Young, H. E.; Gammon, C. B., and Ashley, M. Potential fibre from Balsam Fir, White Pine, Hemlock, White Birch, and Aspen logging residues. 1964, Tappi 47 (9), 1964 (555-7). 3 Refs.
4705. Young, H. E.; Strand, L., and Altenberger, R. Preliminary fresh and dry weight tables for seven tree species in Maine. 1964, Tech. Bull. Me. Agric. Exp. Sta. No. 12, 1964. Pp. 76. 3 Refs.
4706. Young, R. A. Wettability of wood pulp fibers: applicability of methodology. Wood-and-Fiber. 1976; 8(2):120-128.
4707. Young, R. A. and Davis, J. L. Organic acid pulping of wood. Part II. Acetic acid pulping of aspen. Holzforschung. 1986; 40(2):99-108.
4708. Youngblood, A. Development patterns in young conifer-hardwood forests of interior Alaska. Journal-of-Vegetation-Science. 1995; 6(2):229-236.
4709. Youngblood, A. P. and Mueggler, W. F. Aspen [*Populus tremuloides*] community types on the Bridger-Teton national forest in western Wyoming [including a key with indicator species]. Research-Paper,-Intermountain-Forest-and-Range-Experiment-Station. 1981; (No. INT-272):34 pp.
4710. Younger, P. D. and Kapustka, L. A. Acetylene reduction (N_2 fixation) by *Alnus rugosa* (DuRoi) Sprengel and the allelochemic effects of *Populus tremuloides* (Michx.) in the northern hardwood forest. Ohio-Journal-of-Science. 1981; 81(April Program Abstracts):23.
4711. ---. $N_2(C_2H_2)$ ase activity by *Alnus incana* ssp. *Rugosa* (betulaceae) in the northern hardwood forest. American-Journal-of-Botany. 1983; 70(1):30-39.
4712. Younger, P. D.; Koch, R. G., and Kapustka, L. A. Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. Forest-Science. 1980; 26(3):429-434.
4713. Youngquist, J. A.; Krzysik, A., and Rowell, R. M. Dimensional stability of acetylated aspen flakeboard. Wood-and-Fiber-Science. 1986; 18(1):90-98.
4714. Youngquist, J. A.; Rowell, R. M., and Krzysik, A. Mechanical properties and dimensional stability of acetylated aspen flakeboard. Holz-Als-Roh-Und-Werkstoff. 1986; 44(12):453-457.
4715. Yu, Q.; Pulkkinen, P.; Alen, R.; Tarvanen, N.; Salonen, M.; Ranua, J.; Sorvari, S. (ed.); Karhu, S. (ed.); Kanervo, E. (ed.), and Pihakaski, S. The effect of wood properties upon micropropagation efficiency in hybrid aspen clones. Proceedings of the Fourth International Symposium on In Vitro Culture and Horticultural Breeding, Tampere, Finland, 2-7 July 2000. 2001; (No.560):493-496.
4716. Yu QiBin; Mantyla, N.; Salonen, M., and Yu, Q. B. Rooting of hybrid clones of *Populus tremula* L. x *P. tremuloides* Michx. by stem cuttings derived from micropropagated plants. Scandinavian-Journal-of-Forest-Research. 2001; 16(3):238-245.
4717. Yu ZiCheng; Apps, M. J.; Bhatti, J. S.; Yu, Z. C.; Canadell, J. G. (ed.); Steffen, W. L. (ed.), and White, P. S. Implications of floristic and environmental variation for carbon cycle dynamics in boreal forest ecosystems of central Canada. IGBP-GCTE Terrestrial Transects: Dynamics of Terrestrial Ecosystems Under Environmental Change. Papers from the IGBP Terrestrial Transects Workshop; Darwin, Australia, 12-16 July 1999. Journal-of-Vegetation-Science. 2002, 13(3):327-340.
4718. Yun SungChul; Laurence, J. A., and Yun, S. C. The response of clones of *Populus tremuloides* differing in sensitivity to ozone in the field. New-Phytologist. 1999; 141(3):411-421.

4719. ---. The response of sensitive and tolerant clones of *Populus tremuloides* to dynamic ozone exposure under controlled environmental conditions. *New-Phytologist*. 1999; 143(2):305-313.
4720. Zahner, R. and Crawford, N. A. The clonal concept in Aspen site relations. 1965, In *Forest Soil Relationships in North America*. Oregon State University Press, Corvallis, Ore. 1965. Pp. 229-43. [18 Refs.].
4721. Zahner, R. and DeByle, N. V. Effect of pruning the parent root on growth of Aspen suckers. 1965, *Ecology* 46 (3), 1965 (373-5). 6 Refs.
4722. Zak, D. R.; Grigal, D. F., and Ohmann, L. F. Kinetics of microbial respiration and nitrogen mineralization in Great Lakes forests. *Soil-Science-Society-of-America-Journal*. 1993; 57(4):1100-1106.
4723. Zak, D. R.; Pregitzer, K. S.; Curtis, P. S., and Holmes, W. E. Atmospheric CO₂ and the composition and function of soil microbial communities. *Ecological-Applications*. 2000; 10(1):47-59.
4724. Zak, D. R.; Pregitzer, K. S.; Curtis, P. S.; Vogel, C. S.; Holmes, W. E., and Lussenhop, J. Atmospheric CO₂, soil-N availability, and allocation of biomass and nitrogen by *Populus tremuloides*. *Atmospheric CO₂ and Ecosystem Feedback Between C and N Cycles*. 2000; 10(1):34-46.
4725. Zalasky, H. Isolation and characteristics of sclerid-like cells in sapwood of *Pinus* and *Populus*. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1972; (No. NOR-X-48):14 pp.
4726. ---. Morphology of *Ceratocystis fimbriata* in Aspen. 1965, Repr. From *Canad. J. Bot.* 43 (6), 1965 (625-6 + 11 Photos). 5 Refs.
4727. ---. Nomenclature and description of *Diplodia tumefaciens* (Shear) Zalasky [= *Macrophoma tumefaciens* Shear apud Hubert]. 1964, Repr. From *Canad. J. Bot.* 42 (8), 1964 (1049-55 + 15 Photos). 23 Refs.
4728. ---. Penetration and initial establishment of *Nectria galligena* in Aspen and Peachleaf Willow. 1968, *Canad. J. Bot.* 1968 46 (1), (57-60). [10 Refs.].
4729. ---. Process of *Ceratocystis fimbriata* infection in Aspen. 1965, Repr. From *Canad. J. Bot.* 43 (10), 1965 (1157-62 + 17 Photos). 6 Refs.
4730. Zalasky, H. and Fenn, O. K. Inoculation tests with *Diplodia tumefaciens* (Shear) Zalasky. 1965, *Bi-m. Progr. Rep. Dep. For. Can.* 21 (6), 1965 (3).
4731. Zanewich, K. P. and Rood, S. B. Endogenous gibberellins in flushing buds of three deciduous trees: alder, aspen, and birch. *Journal-of-Plant-Growth-Regulation*. 1994; 13(3):159-162.
4732. Zanzi, R.; Sjoström, K.; Bjornbom, E., and Bridgwater, A. V. Rapid pyrolysis of wood with application to gasification. *Advances in Thermochemical Biomass Conversion. Volume 2 Edited and reviewed papers from an International conference held in Interlaken; (Switzerland):11-15 May, 1992*. 1994, 977-985.
4733. Zarges, R. V.; Neuman, R. D., and Crist, J. B. Kraft pulp and paper properties of *Populus* clones grown under short-rotation intensive culture. *Tappi*. 1980; 63(7):91-94.
4734. Zarnovican, R. and Ouellet, D. Allometry, growth, yield and prices for aspen in the Temiscouata region of Quebec. *Information-Report -Laurentian-Forestry-Centre,-Canadian-Forestry-Service*. 1987; (No. LAU-X-78E):44 pp.
4735. Zasada, J. C.; Norum, R. A.; Teutsch, C. E., and Densmore, R. Survival and growth of planted black

spruce, alder, aspen and willow after fire on black spruce/feather moss sites in interior Alaska. *Forestry-Chronicle*. 1987; 63(2):84-88.

4736. Zasada, J. C. and Schier, G. A. Aspen root suckering in Alaska: effect of clone, collection date, and temperature. *Northwest-Science*. 1973; 47(2):100-104.
4737. Zasada, J. C.; Veldhuizen, R. M. van; Norum, R. A.; Teutsch, C. E., and Zasada, J. Artificial regeneration of trees and tall shrubs in experimentally burned upland black spruce/feather moss stands in Alaska. *Canadian-Journal-of-Forest-Research*. 1983; 13(5):903-913.
4738. Zasada, Z. A. Aspen [*Populus tremuloides*] lumber grades and characteristics. 1948, Lake St. Aspen Rep. 1948 No. 6 Pp. 9. 9 Refs.
4739. Zasada, Z. a. Does it pay to thin young Aspen? 1952, *J. For.* 1952 50 (10), (747-8).
4740. Zasada, Z. A. Marketing of Aspen [*Populus tremuloides*]. 1949, Lake St. Aspen Rep. 1949 No. 20, Pp. 10. 6 Refs.
4741. Zasada, Z. a. Reproduction on cut-over swamplands in the upper peninsula of Michigan. 1952, Sta. Pap. Lake St. For. Exp. Sta. 1952. No. 27 Pp. 15. 5 Refs.
4742. Zasada, Z. A.; Heinselman, M. L., and Voigt, G. K. Potential productivity of forest lands in Pine, Carlton, Aitkin and Southern St. Louis counties, Minnesota. 1954, Misc. Rep. Lake St. For. Exp. Sta. 1954 30 Pp. 53. 13 Refs.
4743. Zasada, Z. A. and Kluender, W. A. The future of Aspen in the Lake States. 1946, Econ. Note Lake St. For. Exp. Sta. 1946. No. 21 Pp. 11.
4744. Zasada, Z. A. and Tappeiner, J. C. Full-tree harvesting system aids forest management. 1969, *Minn. For. Res. Note No. 205*, 1969. Pp. 4. [1 Ref.].
4745. Zasada, Z. A. and Tappeiner, J. E. Soil disturbance from rubber-tire skidders during summer harvesting of Aspen. 1969, *Minn. For. Res. Note No. 204*, 1969. Pp. 3.
4746. Zasada, Z. A. and Zehngraff, P. J. Logging costs of Aspen [*Populus tremuloides*]. 1948, Tech. Notes Lake St. For. Exp. Sta. 1948 No. 304 P. 1.
4747. Zauscher, S. and Humphrey, P. E. Orienting lignocellulosic fibers and particles by means of a magnetic field. *Wood-and-Fiber-Science*. 1997; 29(1):35-46.
4748. Zavitkovski, J. Ground vegetation biomass, production, and efficiency of energy utilization in some northern Wisconsin forest ecosystems. *Ecology*. 1976; 57(4):694-706.
4749. Zedler, P. H. Biomass and aspects of nutrient cycling in Maple/Basswood forests of southern Wisconsin. 1969, Abstr. of Thesis, in *Dissert. Abstr.* 1969 29B (12, Part 1), (4557).
4750. Zehngraff, P. Possibilities of managing Aspen. 1947, Lake St. Aspen Rep. 1947 No. 21 Pp. 23.
4751. ---. Yields of Aspen in unmanaged stands. 1948, Tech. Notes Lake St. For. Exp. Sta. 1948. No. 300, Pp. [1].
4752. Zehngraff, P. J. Aspen as a forest crop in the Lake States. 1949, *J. For.* 1949 47 (7), (555-65). 14 Refs.
4753. ---. Response of young Aspen suckers to overhead shade. 1947, Tech. Notes Lake St. For. Exp. Sta. 1947. No. 278 P. 1.

4754. ---. Season of cutting affects Aspen sprouting. 1946, Tech. Note Lake St. For. Exp. Sta. 1946. No. 250 P. 1.
4755. Zhan XiangCan; Kawai, S.; Katayama, Y.; Morohoshi, N., and Zhan, X. C. A new approach based on the leaf disc method for Agrobacterium mediated transformation and regeneration of aspen. *Plant-Science-Limerick*. 1997; 123(1-2):105-112.
4756. Zhang, J.; Quin, F., and Tackett, B. Bending fatigue life of two-pin dowel joints constructed of wood and wood composites. *Forest-Products-Journal*. 2001; 51(10):73-78.
4757. Zhang JiLei; Quin, F.; Tackett, B., and Zhang, J. L. Bending strength and stiffness of two-pin dowel joints constructed of wood and wood composites. *Forest-Products-Journal*. 2001; 51(2):29-35.
4758. Zhao Wang; Leone, R., and Breuil, C. Why fungal growth is less effective in aspen heartwood than in aspen sapwood. *Material-Und-Organismen*. 1997; 31(2):145-155.
4759. Zhu, H.; Higginbotham, O.; Dancik, B. P.; compiled (ed.); Worrall, J. (ed.); Loo Dinkins, J. (ed.), and Lester, D. P. Intraspecific variation in utilization of nitrogen sources by the ectomycorrhizal fungus *Hebeloma crustuliniforme*. Proceedings, 10th North American Forest Biology Workshop, 'Physiology and Genetics of Reforestation', Vancouver, British Columbia, July 10-22, 1988. 1988, 79-84; 7 Ref.
4760. Zillgitt, W. M. Disking to increase stocking in Aspen stands. 1951, Tech. Notes Lake St. For. Exp. Sta. 1951. No. 357, Pp. 1.
4761. Zimmerman, C. C. Fenuron, a promising new tool for forest renovation in the northeast. 1962, Proc. 16th Ntheast. Weed Control Conf. 1962 (417-25). From Abstr. in *Weed Abstr.* 13 (2), 1964 (435).
4762. Zinbo, M. and Timell, T. E. The degree of branching of hardwood xylans. 1965, *Svensk PappTidn.* 68 (19), 1965 (647-62). 77 Refs.
4763. Zoch, L. L. Jr.; Rusch, J. J., and Springer, E. L. Changes in aspen bark stored in outdoor piles. *Forest-Products-Journal*. 1982; 32(6):31-34.
4764. Zoch, L. L. Jr.; Springer, E. L., and Hajny, G. J. Storage of aspen whole-tree chips under laboratory conditions. *USDA-Forest-Service-Research-Paper,-Forest-Products-Laboratory,-Madison*. 1976; (No. 288):6 pp.
4765. Zoladeski, C. A. Classification and gradient analysis of forest vegetation of Cape Enrage, Bic Park, Quebec. *Naturaliste-Canadien*. 1988; 115(1):9-18.
4766. Zoladeski, C. A. and Maycock, P. F. Dynamics of the boreal forest in northwestern Ontario. *American-Midland-Naturalist*. 1990; 124(2):289-300.
4767. Zoltai, S. C. Southern limit of coniferous trees on the Canadian prairies. *Information-Report,-Northern-Forest-Research-Centre,-Canada*. 1975; (No. NOR-X-128):12 pp. + 15 maps.
4768. Zsuffa, L. and Saul, G. H. The rooting ability of winter stored and freshly planted cuttings of *Leuce Duby* (Aspen) hybrid clones. *Forest-Research-Note,-Ministry-of-Natural-Resources,-Ontario*. 1976; (No. 4):4 pp.
4769. Zufa, L. A rapid method for vegetative propagation of Aspens and their hybrids. 1971, *For. Chron.* 1971 47 (1), (3-9). [9 Refs].
4770. Zufa, L.; Day, R. J., and Miller, J. S. The rootability of adventitious shoots from root segments of the section *Leuce*, genus *Populus*. 1969, Extr. From *Rep. Res. For. Bot. Glendon Hall Fac. For. Univ.*

Toronto 1969/70, 1970 (6).