CMS Manual System Pub. 100-04 Medicare Claims Processing	Department of Health & Human Services (DHHS) Centers for Medicare & Medicaid Services (CMS)
Transmittal 395	Date: DECEMBER 15, 2004
_	CHANGE REQUEST 3619

CHANGE REQUEST 3619

**SUBJECT: Ambulance Fee Schedule – Medical Conditions List** 

I. SUMMARY OF CHANGES: This change request provides the Ambulance Medical Conditions List.

## NEW/REVISED MATERIAL - EFFECTIVE DATE\*: January 1, 2005 **IMPLEMENTATION DATE: January 3, 2005**

Disclaimer for manual changes only: The revision date and transmittal number apply to the red italicized material only. Any other material was previously published and remains unchanged. However, if this revision contains a table of contents, you will receive the new/revised information only, and not the entire table of contents.

II. CHANGES IN MANUAL INSTRUCTIONS: (N/A if manual not updated.) (R = REVISED, N = NEW, D = DELETED) - (Only One Per Row.)

R/N/D	CHAPTER/SECTION/SUBSECTION/TITLE
N	15/30.3/Ambulance Fee Schedule – Medical Conditions List
N	Attachment 1 Medical Conditions List

III. FUNDING: Medicare contractors shall implement these instructions within their current operating budgets.

#### **IV. ATTACHMENTS:**

X	<b>Business Requirements</b>
X	<b>Manual Instruction</b>
	Confidential Requirements
	One-Time Notification
	Recurring Update Notification

<sup>\*</sup>Unless otherwise specified, the effective date is the date of service.

## **Attachment - Business Requirements**

Pub. 100-04 | Transmittal: 395 | Date: December 15, 2004 | Change Request 3619

**SUBJECT:** Ambulance Fee Schedule – Medical Conditions List

#### I. GENERAL INFORMATION

#### A. Background:

This document furnishes you with the Ambulance Medical Conditions List. Under Medicare, a patient's reason for transport is currently defined by the use of the Health Care Common Procedure Coding System (HCPCS) codes, which are billing codes used on the claim form. The HCPCS codes address every type of ambulance transport.

The Ambulance Medical Conditions List provides a crosswalk from the ICD-9-CM code that may be used to describe the patient's clinical condition during the transport to the HCPCS code. Each transport situation is different, so each transport is numbered consecutively, and the general and specific conditions are described in English. This creates the Ambulance Medical Conditions List.

#### **B.** Policy:

The Ambulance Medical Conditions List is intended primarily as an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. The ambulance medical condition codes crosswalk to ICD-9-CM codes, and use of the ICD-9-CM codes in the crosswalk will not guarantee payment of the claim or payment for a certain level of service. Also, neither the presence nor absence of a code affects whether the claim would be paid or denied. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

C. Provider Education: A Medlearn Matters provider education article related to this instruction will be available at <a href="www.cms.hhs.gov/medlearn/matters">www.cms.hhs.gov/medlearn/matters</a> shortly after the CR is released. You will receive notification of the article release via the established "Medlearn Matters" listserv. Contractors shall post this article, or a direct link to this article, on their Web site and include information about it in a listserv message within one week of the availability of the provider education article. In addition, the provider education article must be included in your next regularly scheduled bulletin. Contractors are free to supplement Medlearn Matters

articles with localized information that would benefit their provider community in billing and administering the Medicare program correctly

## II. BUSINESS REQUIREMENTS

Requirement #	Requirements	Responsibility
3619.1	The Ambulance Fee Schedule – Medical	All contractors with
	Conditions List may be made available to all	Medicare ambulance
	ambulance providers and suppliers for their use.	service claims.

## III. SUPPORTING INFORMATION AND POSSIBLE DESIGN CONSIDERATIONS

#### A. Other Instructions:

X-Ref Requirement #	Instructions
	N/A

## **B.** Design Considerations:

X-Ref Requirement #	Recommendation for Medicare System Requirements
	N/A

C. Interfaces: N/A

D. Contractor Financial Reporting /Workload Impact: N/A

E. Dependencies: N/A

F. Testing Considerations: N/A

## IV. SCHEDULE, CONTACTS, AND FUNDING

Effective Date: January 1, 2005	These instructions should be
Implementation Date: January 3, 2005	implemented within your current operating budget.
Pre-Implementation Contact(s): Anne Tayloe, (410)786-4546	
<b>Post-Implementation Contact(s):</b>	
Anne Tayloe, (410)786-4546	

## Medicare Claims Processing Manual

Chapter 15 - Ambulance

**Table of Contents** 

(Rev.395, 12-15-04)

30.3 - Ambulance Fee Schedule - Medical Conditions List

Attachment 1 - Medical Conditions List

# 30.3 – Ambulance Fee Schedule – Medical Conditions List (Rev.395, Issued: 12-15-04, Effecttive: 01-01-05, Implementation: 01-03-05)

The Ambulance Medical Conditions List is intended primarily as an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. The ambulance medical condition codes crosswalk to ICD-9-CM codes, and use of the ICD-9-CM codes in the crosswalk will not guarantee payment of the claim or payment for a certain level of service. Also, neither the presence nor absence of a code affects whether the claim would be paid or denied. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. See Attachment I for Ambulance Fee Schedule – Medical Conditions List

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative Specific Code	Condition (General)	Condition (Specific)		Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
			<b>Emergency</b>	<b>Conditions</b>	(non-t	raum	atic)	
1	789.00	458.9, 780.2, 787.01, 787.02, 787.03, 789.01, 789.02, 789.03, 789.04, 789.05, 789.06, 789.07, 789.09, 789.60 through 789.69, or 789.40 through 789.49 PLUS any other code from 780 through 799 except 793, 794, and 795.		With other signs or symptoms			Nausea, vomiting, fainting, pulsatile mass, distention, rigid, tenderness on exam, guarding.	A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative Specific Code	Condition (General)	Condition (Specific)	Servic	vice Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
2		726.2, 789.01, 789.02, 789.03, 789.04, 789.05, 789.06, 789.07, or 789.09.	Abdominal pain	Without other signs or symptoms	В	BLS		A0429

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative	Condition (General)	Condition (Specific)	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
3	427.9			Potentially life-threatening	ALS	Bradycardia, junctional and ventricular blocks,non-sinus tachycardias, PVC's >6, bi and trigeminy, ventricular tachycardia, ventricular fibrillation, atrial flutter, PEA, asystole, AICD/AED Fired	A0427/A0433
4	780.8	782.5 or 782.6	Abnormal skin signs		ALS	Diaphorhesis, cyanosis, delayed cap refill, poor turgor, mottled.	A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

-	<b>#</b>	<b>Code</b> 796.4		(General) Abnormal vital signs (includes abnormal pulse oximetry).	Condition (Specific)  With or without symptoms.	Service Level ALS	Comments and Examples (not all-inclusive)	HCPC Crosswalk A0427/A0433
	6	995.0	995.1, 995.2, 995.3, 995.4, 995.60, 995.61, 995.62, 995.63, 995.64, 995.65, 995.66, 995.67, 995.68, 995.69 or 995.7.		Potentially life-threatening		Other emergency conditions, rapid progression of symptoms, prior hx. Of anaphylaxis, wheezing, difficulty swallowing.	A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative	Condition (General)	Condition (Specific)	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
7	692.9	692.0, 692.1, 692.2, 692.3, 692.4, 692.5, 692.6, 692.70, 692.71, 692.72, 692.75, 692.76, 692.77, 692.79, 692.81, 692.82, 692.83, 692.89, 692.9, 693.0, 693.1, 693.8, 693.9, 695.9, 698.9, 708.9, 782.1.		Other		Hives, itching, rash, slow onset, local swelling, redness, erythema.	A0429

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative Specific Code		Condition (Specific)	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
8	790.21	790.22, 250.02, or 250.03.	G .	Abnormal <80 or >250, with symptoms.	ALS	Altered mental status, vomiting, signs of dehydration.	A0427/A0433
9	799.1	786.02, 786.03, 786.04, or 786.09.	Respiratory arrest			Apnea, hypoventilation requiring ventilatory assistance and airway management.	A0427/A0433
10	786.05		Difficulty breathing		ALS		A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

# 11	ICD9 Primary Code 427.5	ICD9 Alternative Specific Code	Condition (General) Cardiac arrest—Resuscitation in	Condition (Specific)	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk A0427/A0433
12	786.50		progress Chest pain (non-traumatic)			Dull, severe, crushing, substernal, epigastric, left sided chest pain associated with pain of the jaw, left arm, neck, back, and nausea, vomiting, palpitations, pallor, diaphoresis, decreased LOC.	A0427/A0433
13	784.9	933.0 or 933.1.	Choking episode	Airway obstructed or partially obstructed	ALS		A0427/A0433
14	991.6		Cold exposure	Potentially life or limb threatening	ALS	Temperature< 95F, deep frost bite, other emergency conditions.	A0427/A0433
15	991.9	991.0, 991.1, 991.2, 991.3, or 991.4.	Cold exposure	With symptoms	BLS	Shivering, superficial frost bite, and other emergency conditions.	A0429
16	780.01	,	Altered level of consciousness (nontraumatic)		ALS	Acute condition with Glascow Coma Scale<15.	A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative Specific Code	Condition (General)	Condition (Specific)	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
17		345.00, 345.01, 345.2, 345.3, 345.10, 345.11, 345.40, 345.41, 345.50, 345.51, 345.60, 345.61, 345.70, 345.71, 345.80, 345.81, 345.90, 345.91, or 780.31.	Convulsions/Seizures	Seizing, immediate post-seizure, postictal, or at risk of seizure & requires medical monitoring/observation.	ALS		A0427/A0433
18	379.90	368.11, 368.12, or 379.91.	Eye symptoms, non-traumatic	Acute vision loss and/or severe pain	BLS		A0429
19	437.9	784.0 PLUS 781.0, 781.1, 781.2, 781.3, 781.4, or 781.8.	Non traumatic headache	With neurologic distress conditions or sudden severe onset	ALS		A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

<b>#</b> 20	ICD9 Primary Code 785.1		(General)	Condition (Specific) Palpitations, skipped beats	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk A0427/A0433
21	536.2	787.01, 787.02, 787.03, 780.79, 786.8, or 786.52.	•	Atypical pain or other symptoms	ALS	Persistent nausea and vomiting, weakness, hiccups, pleuritic pain, feeling of impending doom, and other emergency conditions.	A0427/A0433
22	992.5	992.0, 992.1, 992.3, 992.4, or 992.5.	Heat Exposure	Potentially life-threatening	ALS	Hot and dry skin, Temp>105, neurologic distress, signs of heat stroke or heat exhaustion, orthostatic vitals, other emergency conditions.	A0427/A0433
23	992.2	992.6, 992.7, 992.8, or 992.9.	Heat exposure	With symptoms	BLS	Muscle cramps, profuse sweating, fatigue.	A0429

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative Specific Code	Condition (General)	Condition (Specific)	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
24	459.0	578.1, 578.9, 596.7, 596.8, 623.8, 626.9, 637.1, 634.1, 666.00, 666.02, 666.04, 666.10, 666.12, 666.14, 666.20, 666.22, 666.24, 674.30, 674.32, 674.34, 786.3, 784.7, or 998.11.		Severe (quantity) and potentially life-threatening		Uncontrolled or significant sings of shock or other emergency conditions. Severe, active vaginal, rectal bleeding, hematemesis, hemoptysis, epistaxis, active post-surgical bleeding.	A0427/A0433
25	038.9	136.9, any other condition in the 001 through 139 code range which would require isolation.			BLS		A0429

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

_							
	1000 D :	1000 414 41					
	•	ICD9 Alternative		Condition		Comments and Examples	HCPC
#	Code	Specific Code	(General)	(Specific)	Service Level	•	Crosswalk
26	987.9	981, 982.0,	Hazmat Exposure		ALS	Toxic fume or liquid exposure via inhalation, absorption,	A0427/A0433
		982.1, 982.2,				oral, radiation, smoke inhalation.	
		982.3, 982.4,					
		982.8, 983.0,					
		983.1, 983.2,					
		983.9, 984.0,					
		984.1, 984.8,					
		984.9, 985.0,					
		985.1, 985.2,					
		985.3, 985.4,					
		985.5, 985.6,					
		985.8, 985.9,					
		986, 987.0,					
		987.1, 987.2,					
		987.3, 987.4,					
		987.5, 987.6,					
		987.7, 987.8,					
		989.1, 989.2,					
		989.3, 989.4,					
		989.6, 989.7,					
		989.9, or 990.					
		303.3, 01 330.					

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative Specific Code	Condition (General)	Condition (Specific)	Service Leve	Comments and Examples (not all-inclusive)	HCPC Crosswalk
27	996.00	996.01, 996.02, 996.04, 996.09, 996.1, or 996.2.	Medical Device Failure	Life or limb threatening malfunction, failure, or complication.	ALS	Malfunction of ventilator, internal pacemaker, internal defibrillator, implanted drug delivery device.	A0427/A0433
28	996.30	996.31, 996.4, or 996.59.	Medical Device Failure	Health maintenance device failures that cannot be resolved on location.	BLS	OS supply malfunction, orthopedic device failure.	A0429
29	436	291.3, 293.82, 298.9, 344.9, 368.16, 369.9, 780.09, 780.4, 781.0, 781.2, 781.94, 781.99, 782.0, 784.3, 784.5, or 787.2.	Neurologic Distress	Facial drooping; loss of vision; aphasia; difficulty swallowing; numbness, tingling extremity; stupor, deliriu confusion, hallucinations; paralysis, paresis (focal weakness); abnormal movements; vertigo; unsteady ga balance; slurred speech, unable to speak			A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative Specific Code	Condition (General)	Condition (Specific)	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
30	780.99		, ·	Acute onset, unable to ambulate or sit due to intensity of pain.		Pain is the reason for the transport. Use severity scale (7–10 for severe pain) or patient receiving pre-hospital pharmacologic intervention.	A0427/A0433
31	724.5		Back pain—non-traumatic (T and/or LS).	Suspect cardiac or vascular etiology		Other emergency conditions, absence of or decreased leg pulses, pulsatile abdominal mass, severe tearing abdominal pain.	A0427/A0433
32	724.9	724.2, 724.5, 847.1, or 847.2.		Sudden onset of new neurologic symptoms	ALS	Neurologic distress list.	A0427/A0433
33	977.9	,	Poisons, ingested, injected, inhaled, absorbed.	Adverse drug reaction, poison exposure by inhalation, injection or absorption.	ALS		A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative Specific Code	(General)	Condition (Specific)	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
34	305.00		` ' '	Unable to care for self and unable to ambulate. No airway compromise.	BLS		A0429
35	977.3			Airway may or may not be at risk. Pharmacological intervention or cardiac monitoring may be needed. Decreased level of consciousness resulting or potentially resulting in airway compromise.	ALS		A0427/A0433
36	998.9	674.10, 674.12, 674.14, 674.20, 674.22, 674.24, 997.69, 998.31, 998.32, or 998.83.		Major wound dehiscence, evisceration, or requires special handling for transport.	BLS	Non-life threatening.	A0429

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative Specific Code	(General)	Condition (Specific)	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
37	650	Any code from 660 through 669 or from 630 through 767.	Pregnancy complication/ Childbirth/Labor		ALS		A0427/A0433
38	292.9	291.0, 291.3, 291.81, 292.0, 292.81, 292.82, 292.83, 292.84, or 292.89.	Psychiatric/Behavioral	Abnormal mental status; drug withdrawal.	ALS	Disoriented, DT's, withdrawal symptoms	A0427/A0433
39	298.9	300.9	Psychiatric/Behavioral	Threat to self or others, acute episode or exacerbation of paranoia, or disruptive behavior	BLS	Suicidal, homicidal, or violent.	A0429
40	036.9	780.6 PLUS either 784.0 or 723.5.	Sick Person - Fever	Fever with associated symptoms (headache, stiff neck, etc.). Neurological changes.	BLS	Suspected spinal meningitis.	A0429

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative Specific Code	Condition (Specific)	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
41	787.01	787.02, 787.03, or 787.91.	Nausea and vomiting, diarrhea, severe and incapacitating resulting in severe side effects of dehydration.	ALS		A0429
42	780.02		Transient unconscious episode or found unconscious. Acute episode or exacerbation.	ALS		A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative Specific Code	Condition (General)	Condition (Specific) Emergency Conditions—Trauma	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
43	959.8	800.00 through 804.99, 807.4, 807.6, 808.8, 808.9, 812.00 through 812.59, 813.00 through 813.93, 813.93, 820.00 through 821.39, 823.00 through 823.92, 851.00 through 866.13, 870.0 through 879.9, 880.00 through 887.7, or 890.0 through 897.7.		As defined by ACS Field Triage Decision Scheme.		Trauma with one of the following: Glascow <14; systolic BP<90; RR<10 or >29; all penetrating injuries to head, neck, torso, extremities proximal to elbow or knee; flail chest; combination of trauma and burns; pelvic fracture; 2 or more long bone fractures; open or depressed skull fracture; paralysis; severe mechanism of injury including: ejection, death of another passenger in same patient compartment, falls >20", 20" deformity in vehicle or 12" deformity of patient compartment, auto pedestrian/ bike, pedestrian thrown/run over, motorcycle accident at speeds >20 mph and rider separated from vehicle.	A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative Specific Code	Condition (General)	Condition (Specific)	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
44	518.5		Other trauma	Need to monitor or maintain airway	ALS	Decreased LOC, bleeding into airway, trauma to head, face or neck.	A0427/A0433
45	958.2	870.0 through 879.9, 880.00 through 887.7, 890.0 through 897.7, or 900.00 through 904.9.	Other trauma	Major bleeding	ALS	Uncontrolled or significant bleeding.	A0427/A0433
46	829.0	805.00, 810.00 through 819.1, or 820.00 through 829.1.		Suspected fracture/dislocation requiring splinting/immobilization for transport.		Spinal, long bones, and joints including shoulder elbow, wrist, hip, knee, and ankle, deformity of bone or joint.	A0429
47	880.00	880.00 through 887.7 or 890.0 through 897.7.	Other trauma	Penetrating extremity injuries	BLS	Isolated with bleeding stopped and good CSM.	A0429

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

<b>#</b>	ICD9 Primary Code 886.0 or 895.0	ICD9 Alternative Specific Code 886.1 or 895.1.	(General)	Condition (Specific)  Amputation—digits	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk A0429
49	887.4 or 897.4		Other trauma	Amputation—all other	ALS		A0427/A0433
50	869.0 or 869.1	511.8, 512.8, 860.2, 860.3, 860.4, 860.5, 873.8, 873.9, or 959.01.		Suspected internal, head, chest, or abdominal injuries.		Signs of closed head injury, open head injury, pneumothorax, hemothorax, abdominal bruising, positive abdominal signs on exam, internal bleeding criteria, evisceration.	A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative Specific Code	Condition (General)	Condition (Specific)	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
51	949.3	941.30 through 941.39, 942.30 through 942.39, 943.30 through 943.39, 944.30 through 944.38, 945.30 through 945.39, or 949.3.		Major—per American Burn Association (ABA)		Partial thickness burns > 10% total body surface area (TBSA); involvement of face, hands, feet, genitalia, perineum, or major joints; third degree burns; electrical; chemical; inhalation; burns with preexisting medical disorders; burns and trauma;	A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code	ICD9 Alternative Specific Code	Condition (General)	Condition (Specific)	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk
52	949.2	941.20 through 941.29, 942.20 through 942.29, 943.20 through 943.29, 944.20 through 944.28, 945.20 through 945.29, or 949.2.		Minor—per ABA	BLS	Other burns than listed above.	A0429
53	989.5		Animal bites/sting/envenomation	Potentially life or limb-threatening		Symptoms of specific envenomation, significant face, neck, trunk, and extremity involvement; other emergency conditions.	A0427/A0433
54	879.8	Any code from 870.0 through 897.7.	Animal bites/sting/envenomation	Other		Local pain and swelling or special handling considerations (not related to obesity) and patient monitoring required.	A0429
55	994.0		Lightning		ALS		A0427/A0433
56	994.8		Electrocution		ALS		A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

<b>#</b> 57	ICD9 Primary Code 994.1	ICD9 Alternative Specific Code	Condition (General) Near Drowning	Condition (Specific) Airway compromised during near drowning event.	Service Level	Comments and Examples (not all-inclusive)	HCPC Crosswalk A0427/A0433
58	921.9	870.0 through 870.9, 871.0, 871.1, 871.2, 871.3, 871.4, 871.5, 871.6, 871.7, 871.9, or 921.0 through 921.9.	Eye injuries	Acute vision loss or blurring, severe pain or chemical exposure, penetrating, severe lid lacerations.	BLS		A0429
59	995.83	995.53 or V71.5 PLUS any code from 925.1 through 929.9, 930.0 through 939.9, 958.0 through 958.8, or 959.01 through 959.9.		With major injuries	ALS	Reference Codes 959.8, 958.2, 869.0/869.1	A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

60	995.8	995.53 or V71.5	With minor or no injuries	BLS	A0429
		PLUS any code			
		from 910.0			
		through 919.9,			
		920 through			
		924.9, or 959.01			
		through 959.9.			

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code		Condition (General)	Condition (Specific)	Service Level	Comments and examples	HCPC Crosswalk
				Non-E	merç	gency	
61	428.9		Cardiac/hemodynamic monitoring required en route.		ALS	Expectation monitoring is needed before and after transport.	A0426
62	518.81 or 518.89	V46.11 or V46.12.	Advanced airway management.		ALS	Ventilator dependent, apnea monitor, possible intubation needed, deep suctioning.	A0426, A0434
63	Need Code		IV meds required en route.		ALS	Does not apply to self-administered IV medications.	A0426
64	293.0		Chemical restraint.		ALS		A0426
65	496	492.0 through	Suctioning required en route, need for titrated O2 therapy or IV fluid management.		BLS	Per transfer instructions.	A0428

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

#	ICD9 Primary Code		Condition (General)	Condition (Specific)	s	Service Level	Comments and examples	HCPC Crosswalk
66	786.09		Airway control/positioning required en route.			BLS	Per transfer instructions.	A0428
67	496	492.0 through	Third party assistance/attendant required to apply, administer, or regulate or adjust oxygen en route.				Does not apply to patient capable of self-administration of portable or home O2. Patient must require oxygen therapy and be so frail as to require assistance.	A0428
68	298.9		Patient Safety: Danger to self or others - in restraints.			BLS	Refer to definition in 42 C.F.R Sec. 482.13(e).	A0428
69	293.1		Patient Safety: Danger to self or others - monitoring.				Behavioral or cognitive risk such that patient requires monitoring for safety.	A0428

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

	ICD9 Primary						HCPC
#	Code		Condition (General)	Condition (Specific	Service	evel Comments and examples	Crosswalk
70	298.8		Patient Safety: Danger to self or others - seclusion (flight risk).		BLS	Behavorial or cognitive risk such that patient requires attendant to assure patient does not try to exit the ambulance prematurely. Refer to 42 C.F.R. Sec. 482.13(f)(2) for definition	A0428
71	781.3	Add 295.0 through 295.9	Patient Safety: Risk of falling off wheelchair or stretcher while in motion (not related to obesity).		BLS	Patient's physical condition is such that patient risks injury during vehicle movement despite restraints. Indirect indicators include MDS criteria.	A0428
72	041.9		Special handling en route - isolation.		BLS	Includes patients with communicable diseases or hazardous material exposure who must be isolated from public or whose medical condition must be protected from public exposure; surgical drainage complications.	A0428

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

73	ICD9 Primary Code 907.2		Condition (General) Special handling en route to reduce pain - orthopedic device.	Condition (Specific)	Comments and examples  Backboard, halotraction, use of pins and traction, etc.  Pain may be present.	HCPC Crosswalk A0428
74		718.49, or 907.2.	Special handling en route - positioning requires specialized handling.		Requires special handling to avoid further injury (such as with >grade 2 decubiti on buttocks). Generally does not apply to shorter transfers of <1 hour. Positioning in wheelchair or standard car seat inappropriate due to contractures or recent extremity fractures —post-op hip as an example. #	A0428

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

			Modifiers			
Transport Description Modifiers Air and Ground*	Transport Category		Modifier Description	Service Level	Comments and Examples	HCPC Crosswalk
А	Interfacility Transport	EMTALA-certified inter-facility transfer to a higher level of care.	Beneficiary requires higher level of care.	BLS, ALS, SCT, FW, RW	Excludes patient-requested EMTALA transfer.	A0428, A0429, A0426, A0427, A0433, A0434
В	Interfacility Transport	Service not available at originating facility, and must meet one or more emergency or non-emergency conditions.		BLS, ALS, SCT, FW, RW	MUST specify what service is not available on the submitted claim in the narrative/coment field.	A0428, A0429, A0426, A0427, A0433, A0434
С	ALS level Response to BLS level Patient	upon appropriate Dispatch Protocols - BLS level patient transport	Indicates to Carrier/Intermediary that an ALS level ambulance responded appropriately based upon the information received at the time the call was received in dispatch and after a clinically appropriate ALS-assessment was performed on scene, it was determined that the condition of the patient was at a BLS level. These claims, properly documented, should be reimbursed at an ALS-1 level based upon coverage guidelines under the Ambulance Medicare Fee Schedule.	ALS	Must specify BOTH conditions on the claim - initial condition would indicate the BLS level condition of the patient during transport and the second would indicate the ALS level condition that describes the information received at the time of dispatch	A0427

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

Transport Description Modifiers Air and Ground*	Transport Category		Modifier Description	Service Level	Service Level	Comments and Examples
D	Medically necessary transport but not to the nearest facility.	BLS or ALS Response	Indicates to Carrier/Intermediary that an ambulance provided a medically necessary transport, but that the number of miles on the Medicare claim form may be excessive.		This should occur if the facility is on divert status or the particular service is not available at the time of transport only. In these instances the ambulance units should clearly document why the beneficiary was not transported to the nearest facility.	Based on transport level.
E	ALS-level	ALS-Level Condition treated and transport by a BLS-level ambulance	This modifier is used for ALL situations where a BLS-level ambulance treats and transports a patient that presents an ALS-level condition. No ALS-level assessment or intervention occurs at all during the patient encounter.		This code MUST be submitted on the claim in addition to the code whenever a BLS-level ambulance transports a patient presenting an ALS-level condition.	A0429
F	Emergency Trauma Dispatch Condition Code	Major Incident or Mechanism of Injury	Major Incident-This modifier is to be used ONLY as a secondary code when the on-scene encounter is a BLS-level patient.		Trapped in machinery, close proximity to explosion, building fire with persons reported inside, major incident involving aircraft, bus, subway, metro, train and watercraft. Victim entrapped in vehicle.	A0427/A0433

The following list is intended as primarily an educational guideline. It will help ambulance providers and suppliers to communicate the patient's condition to Medicare contractors, as reported by the dispatch center and as observed by the ambulance crew. Use of the codes does not guarantee payment of the claim or payment for a certain level of service. Ambulance providers and suppliers must retain adequate documentation of dispatch instructions, patient's condition, other on-scene information, and details of the transport (e.g., medications administered, changes in the patient's condition, and miles traveled), all of which may be subject to medical review by the Medicare contractor or other oversight authority. Medicare contractors will rely on medical record documentation to justify coverage, not simply the HCPCS code or the condition code by themselves. All current Medicare ambulance policies remain in place.

## IMPORTANT NOTE: DO NOT use the Condition Code # on the Ambulance Claim Form, use the ICD-9-CM Code.

	Air Ambulance Transport			
Air Ambulance Transport Modifiers	Modifier Description	Service Level	Comments and Examples	HCPC Crosswalk
Air-A	Long Distance-patient's condition requires rapid transportation over a long distance	FW, RW	If the patient's condition warrants only.	A0430, A0431
Air-B	Under rare and exceptional circumstances, traffic patterns preclude ground transport at the time the response is required.	FW, RW		A0430, A0431
Air-C	Time to get to the closest appropriate hospital due to the patient's condition precludes transport by ground ambulance. Unstable patient with need to minimize out-of-hospital time to maximize clinical benefits for the patient.	FW, RW		A0430, A0431
	Diak up point not accessible by ground ambulance	E\\\ D\\\		,
Air-D	Pick-up point not accessible by ground ambulance	FW, RW		A0430, A0431

Note: HCPC Crosswalk to ALS1E (A0427) and ALS2 (A0433) would ultimately be determined by the number and type of ALS level services provided during transport. All medical condition codes can be crosswalked to fixed wing and rotor wing HCPCS provided the air ambulance service has documented the medical necessity for air ambulance service versus ground or water ambulance. As a result, codes A0430 (Fixed Wing) and A0431 (Rotor Wing) can be included in Column 7 for each condition listed.