

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
4810	PERDIDO PASS LIGHT 1	30-16-11.213N 087-33-29.018W	Q G	17	3	SG on steel pile.	08/09
					*		
4815	PERDIDO PASS LIGHT 2	30-16-10.622N 087-33-24.291W	Q R	17	3	TR on pile.	08/09
					*		
5267	MOBILE CHANNEL LOWER REACH CHANNEL RANGE REAR LIGHT PASSING LIGHT	30-27-28.642N 088-00-34.453W	Fl W 4s	12	3	On same structure as Mobile Channel Lower Reach Range Rear Light.	08/09
					*		
18402	<i>Bayou Shaffer Lighted Wreck Buoy WR1</i>	29-40-30.689N 091-12-11.086W	Q G		4	Green.	08/09
						*	
21355	<i>Sabine Bank Channel Lighted Buoy 9</i>	29-29-01.035N 093-40-15.293W	Q G		3	Green.	08/09
					*		
977	<i>Helis-122-7 (Lighted Buoy)</i>	28-06-34.370N 093-11-46.240W	Q W			White with orange bands.	Private aid. 07/09
*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3020	<i>St Joseph Bay Entrance Lighted Bell Buoy 12</i>	29-53-12.181N 085-23-14.696W	Q R			3 Red.		07/09
						*		
6240	Theodore Ship Channel Daybeacon 9						Remove from list.	07/09
							*	
6241	Theodore Ship Channel Buoy 9 300 feet outside channel limit.	30-30-10.197N 088-03-35.372W				Green can.		07/09
*	*	*	*	*	*	*	*	
6495	DOG RIVER CHANNEL LIGHT 8	30-34-00.327N 088-04-12.694W	Fl R 4s		17	4 TR on pile.	Ra ref.	07/09
						*		
6933	PASCAGOULA CHANNEL D RANGE FRONT LIGHT PASSING LIGHT	30-12-57.520N 088-30-15.435W	Fl W 4s		29	3 On same structure as Pascagoula Channel Range D Front Light.		07/09
						*		
9470	Bayou Biloxi Entrance Light 1						Remove from list.	07/09
							*	
19880	Bayou Petit Anse Daybeacon 23	29-53-38.861N 091-56-38.658W				SG on pile.	Ra ref.	07/09
21355	<i>Sabine Bank Channel Lighted Buoy 9</i>	29-29-01.035N 093-40-15.293W	Q G			4 Green.		07/09
						*		
21837	MOTIVA DOCK LIGHTS (2)	29-49-48.059N 093-57-33.505W	Fl R 2.5s			On dock.	Private aid.	07/09
*	*	*	*	*	*	*	*	
22855	HOUSTON SHIP CHANNEL ENTRANCE INNER RANGE REAR LIGHT 2,510 yards, 318.3° from front light.	29-23-35.190N 094-49-39.975W	Iso G 6s		60	KRW on skeleton tower on piles.	Visible 2° each side of range line.	07/09
						*		
22870	<i>Houston Ship Channel Lighted Buoy 26</i>	29-22-09.672N 094-48-02.712W	Q R			3 Red.		07/09
						*		
35597.2	Matagorda Bay - Alternate Route Daybeacon 14 25 feet outside channel limit.	28-28-06.226N 096-22-37.828W				TR-TY on pile.		07/09
		*						
35881	Bird Island Daybeacon	28-27-02.194N 096-21-02.783W				NR on pile.		07/09
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
140	NOAA Lighted Data Buoy 42409	26-39-17.000N 085-47-49.000W	Fl (4)Y 20s			Red/white disc buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	06/09
*	*	*	*	*	*	*	*	
141	NOAA Lighted Buoy 42039	28-47-28.000N 086-00-29.000W	Fl (4)Y 20s			Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	06/09
173	Noaa Lighted Buoy 42408	*					Remove from list.	06/09
202	Noaa Lighted Buoy 42054 (Faa)						Remove from list.	06/09
293	NOAA Lighted Buoy 42040 (ODAS)	29-12-19.000N 088-12-19.000W	Fl (4)Y 20s			Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	06/09
297	Noaa Lighted Buoy 42070 (Ndbc Tao)	*					Remove from list.	06/09
345	NOAA Lighted Buoy 42007 (ODAS)	30-05-25.000N 088-46-07.000W	Fl (4)Y 20s		8	Yellow disc-shaped buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	06/09
402	Energy XXI-102-10 (Lighted Horn Buoy)	29-14-20.440N 088-53-01.173W	Q G			Green lighted horn buoy.	Private aid.	06/09
*	*	*	*	*	*	*	*	
1101	NOAA Lighted Data Buoy 42055	22-01-02.000N 094-02-45.000W	Fl (4)Y 20s		4	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	06/09
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1145	NOAA Lighted Data Buoy 42035	29-13-54.000N 094-24-46.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	06/09
		*						
1330	NOAA Lighted Data Buoy 42020	26-57-59.000N 096-41-42.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	06/09
		*						
1395	NOAA Lighted Data Buoy 42003 (ODAS)	25-57-56.000N 085-35-40.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	06/09
		*						
1400	NOAA Lighted Buoy 42001 (ODAS)	25-54-00.000N 089-40-00.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	06/09
		*						
1405	NOAA Lighted Data Buoy 42002	25-47-24.000N 093-39-58.000W	Fl (4)Y 20s		5	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	06/09
		*						
	* Add Heading: Beatty Bayou Channel							06/09
3532	Beatty Bayou Channel Daybeacon 1	30-15-17.013N 085-37-11.708W				SG on pile.	Private aid.	06/09
*	*	*	*	*	*	*	*	
3532.1	Beatty Bayou Channel Daybeacon 2	30-15-17.057N 085-37-12.272W				TR on pile.	Private aid.	06/09
*	*	*	*	*	*	*	*	
3532.2	Beatty Bayou Channel Daybeacon 3	30-15-14.650N 085-37-11.985W				SG on pile.	Private aid.	06/09
*	*	*	*	*	*	*	*	
3532.3	Beatty Bayou Channel Daybeacon 4	30-15-14.742N 085-37-12.544W				TR on pile.	Private aid.	06/09
*	*	*	*	*	*	*	*	
3532.4	Beatty Bayou Channel Daybeacon 5	30-15-11.925N 085-37-12.520W				SG on pile.	Private aid.	06/09
*	*	*	*	*	*	*	*	
3532.5	Beatty Bayou Channel Daybeacon 6	30-15-11.991N 085-37-13.102W				TR on pile.	Private aid.	06/09
*	*	*	*	*	*	*	*	
16535	BELLE PASS RANGE FRONT LIGHT	29-05-54.934N 090-13-23.367W	Q G	25		KRW on platform.	Visible all around; higher intensity on rangeline.	06/09
		*						
18402	Bayou Shaffer Lighted Wreck Buoy WR1	28-40-30.689N 091-12-11.086W	Q G		4	Green can.		06/09
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
18402	Bayou Shaffer Wreck Light Wr1						Remove from list.	06/09
							*	
18435	ATCHAFALAYA RIVER LIGHT 42	29-38-19.424N 091-14-17.443W	Fl R 4s	17	4	TR on pile.	Ra ref.	06/09
		*						
18437	ATCHAFALAYA RIVER LIGHT 44	29-39-15.691N 091-14-26.161W	Fl R 2.5s	17	4	TR on pile.	Ra ref.	06/09
		*						
23233	BAYPORT SHIP CHANNEL RANGE FRONT PASSING LIGHT	29-36-51.745N 094-57-07.396W	Fl W 4s	14	3			06/09
27070	Aransas Channel Daybeacon 4	27-51-43.829N 097-04-35.811W				TR on pile.	Ra ref.	06/09
		*						
33597	Wax Outlet Northeast Approach Daybeacon NE	29-38-55.210N 091-23-18.658W				NG on pile worded WARNING EXTREME CURRENT.	Ra ref.	06/09
		*						
33602	Wax Outlet West Approach Daybeacon W	29-38-58.006N 091-23-58.064W				NG on pile worded WARNING EXTREME CURRENT.	Ra ref.	06/09
		*						
33610	MUD LAKE LIGHT 9	29-45-08.175N 091-35-57.639W	Fl G 2.5s	17	3	SG on pile.	Ra ref.	06/09
		*						
34200	Bolivar Peninsula Daybeacon 2	29-26-17.505N 094-42-12.856W				TR-TY on pile.	Ra ref.	06/09
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5495	Chickasaw Creek Junction Buoy C	30-44-16.619N 088-02-36.646W				Green can with red band. *		05/09
10595	Mississippi River - Gulf Outlet Lighted Buoy 7						Remove from list. *	05/09
23295	BAYPORT SHIP CHANNEL LIGHT 9	29-36-46.394N 094-59-18.876W	Fl G 2.5s	17	4	SG on pile.		05/09
35596.65	Matagorda Bay - Alternate Route Daybeacon 8A	28-29-07.991N 096-21-10.310W				TR-TY on pile.	Ra ref.	05/09
35598	MATAGORDA BAY LIGHT 30	28-32-54.991N 096-13-02.190W	Q R	17	3	TR on pile.		05/09
*	*	*	*	*	*	*	*	
35610	Matagorda Bay Light 35						Remove from list. *	05/09
35655	Matagorda Bay Leading Light J						Remove from list. *	05/09
35670	Matagorda Bay Light 53						Remove from list. *	05/09
35680	Matagorda Bay Light 61						Remove from list. *	05/09
35690	Matagorda Bay Light 69						Remove from list. *	05/09
35695	Matagorda Bay Buoy 73						Remove from list. *	05/09
35700	Palacios Channel Junction Buoy A						Remove from list. *	05/09
35705	Palacios Channel Light 2						Remove from list. *	05/09
35710	Palacios Channel Daybeacon 4						Remove from list. *	05/09
35875	Matagorda Bay K Range Front Light						Remove from list. *	05/09
35880	Matagorda Bay K Range Rear Light						Remove from list. *	05/09

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
693	<i>Probe-102-1 Lighted Buoy</i> Marks subsea installation. *	28-26-18.764N 090-41-18.069W	Fl W 2.5s				White with orange bands.	SIGN: EP-ST-214. Private aid.	04/09
3255 29765	<i>St Andrew Bay Junction Lighted Buoy</i>	30-08-59.377N 085-40-47.122W	Fl (2+1)G 6s			4	Green can with red band and yellow triangle. *		04/09
4170 31565	<i>Pensacola Bay Lighted Bell Buoy 20</i>	30-19-48.719N 087-15-17.895W	Q R			3	Red with yellow square. *		04/09
4175	PENSACOLA BAY CHANNEL RANGE FRONT LIGHT	30-24-25.543N 087-11-35.581W	Fl W 2.5s		18		On skeleton tower on piles.	DAY: Visible 2° each side of range line. NIGHT: Visible all around, higher intensity 2° each side of range line.	04/09
5450 6550	Arlington Channel Junction Buoy 60 feet outside channel limit.	30-38-40.688N 088-02-01.991W	* *				Green can with red band. *		04/09

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
5495	Chickasaw Creek Junction Buoy C	30-44-16.619N 088-02-36.646W				Green can with red band. *	04/09
6550 5450	Arlington Channel Junction Buoy 60 feet outside channel limit.	30-38-40.688N 088-02-01.991W				Green can with red band. *	04/09
6990	<i>Bayou La Batre Lighted Junction Buoy BB</i>	30-14-44.380N 088-30-25.246W	Fl (2+1)R 6s			3 Red with green band. *	04/09
7060	<i>Bayou Casotte Channel Junction Lighted Buoy BC</i>	30-17-23.830N 088-30-51.730W	Fl (2+1)R 6s			3 Red with green band. *	04/09
12365	BAPTISTE COLLETTE BAYOU LIGHT 3 50 feet outside channel limit.	29-23-57.272N 089-18-26.050W	Fl G 6s		17	4 SG on pile.	Ra ref. 04/09
16699	<i>Timbalier - Terrebonne Bay Junction Lighted Buoy TB</i>	29-09-54.797N 090-36-00.136W	Fl (2+1)R 6s			4 Red with green band. *	04/09
22551	PORT OF BEAUMONT GENERAL CARGO DOCK LIGHTS (2)	30-04-40.389N 094-04-46.667W	Fl R 2.5s		12	On dock.	Private aid. 04/09
* 24365	<i>San Jacinto River Lighted Buoy 15</i>	29-48-07.200N 095-03-52.200W	Fl G 2.5s			4 Green. *	04/09
29112	Scipio Creek Junction Buoy A	29-43-44.161N 084-58-55.507W				Green can with green band. *	04/09
29765 3255	<i>St Andrew Bay Junction Lighted Buoy</i>	30-08-59.377N 085-40-47.122W	Fl (2+1)G 6s			4 Green can with red band and yellow triangle. *	04/09
31565 4170	<i>Pensacola Bay Lighted Bell Buoy 20</i>	30-19-48.719N 087-15-17.895W	Q R			3 Red with yellow square. *	04/09
34365	Galveston-Freeport Cutoff Channel Junction Buoy	29-18-32.567N 094-52-26.693W				Green can with red band and yellow square. *	04/09
35125	Chocolate Bayou Channel North Entrance Junction Buoy E	29-09-47.142N 095-07-52.905W				Red nun with green band. *	04/09
35139	Chocolate Bayou Junction Buoy C	29-09-52.607N 095-08-04.509W				Green can with red band. *	04/09
35355	Chocolate Bay Junction Buoy W	29-09-34.267N 095-08-13.483W				Red nun with green band. *	04/09
35700	Palacios Channel Junction Buoy A	28-29-15.569N 096-17-46.702W				Green can with red band. *	04/09
36165	Victoria East Entrance Channel Junction Buoy A	28-18-53.453N 096-40-22.433W				Red nun with green band and yellow triangle. *	04/09

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
36190	Victoria Channel Junction Buoy C	28-18-58.049N 096-40-45.175W				Green can with red band. *	04/09
36405	Victoria West Entrance Channel Junction Buoy 2W	28-18-35.532N 096-40-49.053W				Red nun with green band and yellow triangle. *	04/09
36466	San Antonio Bay Daybeacon 8	28-17-59.676N 096-41-40.171W				TR-TY on pile. *	04/09
36516	San Antonio Bay Daybeacon 20	28-16-27.351N 096-43-50.002W				TR-TY on pile. *	04/09
37095	Aransas-Corpus Christi Bay Cutoff Channel Junction Buoy	28-00-00.728N 097-01-49.101W				Red nun with green band and yellow triangle. *	04/09
38855	Baffin Bay Junction Buoy	27-16-28.772N 097-24-41.912W				Red nun with green band and yellow triangle. *	04/09
39980	Arroyo Colorado Cutoff Channel Junction Buoy N	26-21-54.981N 097-19-38.503W				Red nun with green band and yellow triangle. *	04/09
40020	Arroyo Colorado Cutoff Channel Junction Buoy A	26-21-41.351N 097-19-47.202W				Green can with red band. *	04/09

No corrections this week.

03/09

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8227	WARREN PAVING BARGE DOCK LIGHTS (2)	30-25-24.000N 089-01-30.000W	Fl R 2.5s	20		On dock.	Private aid.	02/09
*	*	*	*	*	*	*	*	
23100	Houston Ship Channel Pipeline Marker Light A						Remove from list.	02/09
							*	
23105	Houston Ship Channel Pipeline Marker Light B						Remove from list.	02/09
							*	
23110	Houston Ship Channel Pipeline Marker Light C						Remove from list.	02/09
							*	
23115	Houston Ship Channel Pipeline Marker Light D						Remove from list.	02/09
							*	
23860	Hi-Port Industries Mooring Facility Lights (2)						Remove from list.	02/09
							*	
24212	Teppco Barge Dock Light						Remove from list.	02/09
							*	
24342	Southwest Shipyard Dolphin Lights (2)						Remove from list.	02/09
							*	
24535	Manchester Wharf Light						Remove from list.	02/09
							*	
24815	Sterling Chemical Pipeline Lighted Buoy Pl						Remove from list.	02/09
							*	
25660	Dow Chemical A-8 Dock Lights (2)						Remove from list.	02/09
							*	
25710	Dow Chemical A-22 West Dock Light						Remove from list.	02/09
							*	
25720	Dow Chemical A-2 Dock Lights (2)						Remove from list.	02/09
							*	
25755	Dow Chemical B-6 Dock Light						Remove from list.	02/09
							*	
34547.2	Pier 77 Channel Buoy 5						Remove from list.	02/09
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8485	GULFPORT MIDDLE REACH INBOUND RANGE FRONT LIGHT	30-15-58.579N 089-00-25.895W	Q W		25	KRW on skeleton tower on piles.	Visible all around; higher intensity 2° each side rangeline.	01/09
25965	MATAGORDA SHIP CHANNEL A RANGE FRONT LIGHT	28-26-34.408N 096-20-42.437W	Fl W 2.5s (NIGHT) Fl W 2.5s (DAY)		22 24	On pile with platform.	Visible all around; higher intensity on rangeline.	01/09
27455	CORPUS CHRISTI CHANNEL LIGHT 26 150 feet outside channel limit.	27-49-28.487N 097-10-15.433W	Fl R 4s		17	3 TR on pile.	Ra ref.	01/09
28360 40750	BROWNSVILLE CHANNEL A RANGE FRONT LIGHT	26-01-50.685N 097-13-32.072W	Q W		33	KRW-I on skeleton tower.	Visible all around; higher intensity on rangeline.	01/09
33142 11152	AMID STATION DISCHARGE LIGHTS (2)	29-59-52.000N 090-00-35.000W	Fl R 2.5s			On dolphins.	Private aid.	01/09
* 34645	* Offatts Bayou Entrance Channel Daybeacon 3	* 29-17-15.988N 094-53-15.204W	* *		*	* SG on pile.	* *	01/09
34655	Offatts Bayou Entrance Channel Daybeacon 6	29-17-09.553N 094-53-15.216W	*			TR on pile.	Ra ref.	01/09
40750 28360	BROWNSVILLE CHANNEL A RANGE FRONT LIGHT	26-01-50.685N 097-13-32.072W	Q W		33	KRW-I on skeleton tower.	Visible all around; higher intensity on rangeline.	01/09
							*	