

EL-CID Program Change Report Summary

1/11/2006

PCR ID	PCR Date	Agency	Requestor	Level	Description	Status	Action	Completed Version	Comment
RL-001	10/1/2003	NTIA	R. Lancaster	3	Minor changes to printed Certification of Spectrum Support page. Remove location coordinates, align signature block, remove excess space on continuation pages.	Complete		3.0 Rev 1	
CS-001	10/15/2003	NTIA	C. Scammon	3	Replace existing data items with generalized curve display/edit/query capability. Curves supported are Fundamental, Harmonic, Spurious Emission, IF Selectivity, and RF Selectivity.	Complete		3.0 Rev 87	
GC-001	10/15/2003	JSC	G. Cramblitt	3	Correct misspelling of "Department of Treasury" in agency list.	Complete		2.0 Rev 71	
RL-002	10/1/2003	NTIA	R. Lancaster	3	Change power of the portable radio in the Justice Wireless Network record to 5 Watts.	Complete		3.0 Rev 244	
GC-002	10/15/2003	JSC	G. Cramblitt	3	Menu button not displayed next to [Location] and [Reference] nodes in Tree View	Complete		3.0 Rev 1	
GC-003	10/15/2003	JSC	G. Cramblitt	3	Non-Certifiers should not be able to remove Locations or References from approved Certs.	Complete		3.0 Rev 1	
CS-002	10/15/2003	NTIA	C. Scammon	3	Add Antenna Type Descriptor (A40) readonly picklist to Antenna.	Rejected			The list of descriptors is long and needs to be organized by antenna type before it can be incorporated into EL-CID.
GC-004	10/15/2003	JSC	G. Cramblitt	3	Warn user about possible malicious code before launching attachment.	Complete		3.0 Rev 87	
BS-001	10/15/2003	NAVSEA	R. Sweeney	3	Add Cancel button in Tree View to allow user to gracefully back out of an operation.	Complete		3.0 Rev 244	From NAVSEA comments 9/18/2003
BS-002	10/15/2003	NAVSEA	R. Sweeney	3	No analysis tools exist to calculate harmonics or spurious emissions.	Complete		3.0 Rev 244	
BS-003	10/15/2003	NAVSEA	R. Sweeney	3	Emission Designator screen error messages confusing.	Complete		3.0 Rev 244	From NAVSEA comments 9/18/2003
BS-004	10/15/2003	NAVSEA	R. Sweeney	3	Allow different Table of Allocations. EL-CID currently has a fixed TOA.	Complete		3.0 Rev 244	From NAVSEA comments 9/18/2003.

EL-CID Program Change Report Summary

1/11/2006

PCR ID	PCR Date	Agency	Requestor	Level	Description	Status	Action	Completed Version	Comment
BS-005	10/15/2003	NAVSEA	R. Sweeney	3	Add DoD data items. Print DoD page. Foreign Coordination pages.	Submitted	DoD		From NAVSEA comments 9/18/2003. Funding issues. Further requirement definition needed.
BS-006	10/15/2003	NAVSEA	R. Sweeney	3	Allow creation of Links by clicking on Stations. Currently, Links can only be created on Diagram.	Submitted			
BS-007	10/15/2003	NAVSEA	R. Sweeney	3	Add Remarks to Transmitter, Receiver, and Antenna.	Accepted	JSC/NTIA		Scheduling/funding issues
DD-001	10/15/2003	JSC	D. Doyen	3	Allow 0 or more aliases to be specified for a single equipment nomenclature, permitting user to find records by these names.	Accepted	NTIA		Scheduling/funding issues
DD-002	10/15/2003	JSC	D. Doyen	3	Allow ranges of Pulse Repetition Rate/Width.	Submitted	JSC		Further requirement definition needed.
DD-003	10/15/2003	JSC	D. Doyen	3	Enhance antenna scan rate/angle interface.	Submitted	JSC		Further requirement definition needed.
SG-001	1/7/2004	JSC	S. Green	3	Duplicate Relm manufacturer in database.	Complete		2.0 Rev 71	
SG-002	1/7/2004	JSC	S. Green	3	Unable to print 1494 pages for some records. "Overflow in field PrintOverflow.ItemData".	Complete		2.0 Rev 71	
EB-001	1/10/2004	JSC	E. Baerwald	3	All Print Preview screens are labeled "DoD 1494". Should be more specific for each type of print or just "Print Preview".	Complete		3.0 Rev 87	
CS-003	1/7/2004	NTIA	C. Scammon	3	New fields and changes required for Chapter 5 Compliance Checks: 1) [Receiver]\Tuning Method. Picklist just like Tx Tuning Method. 2) [Linear Antenna]\1st Sidelobe Level Attenuation 3) [Linear Antenna]\1st Sidelobe Level Atten Rel/Act 4) [Receiver]\Conducted Undesired Emission 5) [Receiver]\Adjacent Channel Selectivity 6) Do not accept negative numbers for [Modulation]\Peak Deviation.	Complete		3.0 Rev 1	
CS-004	1/7/2004	NTIA	C. Scammon	3	Change Link Info screen to assume Coupling Loss of 0, so we can always calculate EIRP.	Complete		3.0 Rev 1	

EL-CID Program Change Report Summary

1/11/2006

PCR ID	PCR Date	Agency	Requestor	Level	Description	Status	Action	Completed Version	Comment
CS-005	1/7/2004	NTIA	C. Scammon	3	Add field PointToPointFlag to [Station] node. "P" if station is Point-to-point. "M" if Point-to-multipoint. NULL if the station does not transmit on 932-935 or 941-944 MHz bands. In Link Info screen, if field is NULL, and any of the RequestedModes are in these bands, prompt user for answer when they click Apply button. In [Station] node, only display if there are any RequestedModes in these bands.	Complete		3.0 Rev 1	
CS-006	1/7/2004	NTIA	C. Scammon	3	Allow transmitter Emission Designator to be changed. Currently, must delete and add.	Complete		3.0 Rev 1	
CS-007	1/7/2004	NTIA	C. Scammon	3	In [Modulation], allow user to change Modulation Type even if in conflict with 1st symbol of Emission Designator. Catch conflicts in Compliance Checks.	Complete		3.0 Rev 244	
GC-005	1/7/2004	JSC	G. Cramblitt	3	Add a NATO Location record to the map.	Submitted			
GC-006	1/7/2004	JSC	G. Cramblitt	3	When running a query on Locations where the condition is a Certification field, only finds those Locations that are Certification-wide (CertificationLocation), not station locations (StationLocation).	Complete		3.0 Rev 202	
GC-007	1/7/2004	JSC	G. Cramblitt	3	As currently configured, EL-CID requires that user have write access to the Program (Install) directory. Move all user-writeable elements into an Elcid_Data directory that can be located elsewhere on the drive.	Submitted			
CS-008	1/7/2004	NTIA	C. Scammon	3	Add compliance check for overlapping frequencies in a Transmitter with the same emission. WARNING level. Can lead to duplicate Requested Modes in Link Info screen.	Complete		3.0 Rev 244	
CS-009	1/7/2004	NTIA	C. Scammon	3	Improve StdUnits control to support Power per Frequency (Watts/Hz). Will be used for Spectral Power Density. If possible, include the combination of Watts/4KHz.	Complete		3.0 Rev 244	
GC-008	1/14/2004	JSC	G. Cramblitt	3	In Map, clicking on any symbol in Legend produces error msg "comdlg32.ocx is not installed or properly registered" and EL-CID crashes.	Complete		2.0 Rev 71 Patch 1	Patch available in Software Updates on EL-CID Support Center website.

EL-CID Program Change Report Summary

1/11/2006

PCR ID	PCR Date	Agency	Requestor	Level	Description	Status	Action	Completed Version	Comment
GC-009	1/14/2004	JSC	G. Cramblitt	3	Cannot export a Certification. Error message "directory not found". Occurs after uninstalling EL-CID, then re-installing to same (existing) program folder.	Complete		3.0 Rev 244	Workaround. After un-installing EL-CID, delete the EL-CID program folder (C:\Program Files\Elcid).
GC-010	1/14/2004	JSC	G. Cramblitt	3	Users are not allowed to add duplicate EmDes to a frequency, but with copy/paste or drag/drop, they can.	Submitted			
GC-011	1/14/2004	JSC	G. Cramblitt	3	Date Imported is not cleared when creating a Trunking System from a template. As a result, "Last Imported" query incorrectly lists Trunking System.	Accepted	JSC		
DD-004	1/14/2004	JSC	D. Doyen	3	On Preferences screen, permit user to discover which data items would be affected by a change in default Units.	Complete		3.0 Rev 244	
SG-003	1/20/2004	JSC	S. Green	3	When changing Site Elevation or Antenna Height data item in [Station] node, an error message is displayed "syntax error in from clause". The program does not crash and data is updated (except for Timestamp).	Complete		3.0 Rev 87	
SG-004	1/20/2004	JSC	S. Green	3	A non-Certifier can add a [Trunking Information] node to an Approved Cert. Should not be allowed.	Complete		3.0 Rev 87	
RL-003	1/21/2004	NTIA	R. Lancaster	3	Simplify interface for submission of Stage 1 Certs. Reduce number of requested data items. Possibly implement by shading data items that are optional at Stage 1.	Complete		4.0 Rev 80	
CS-010	1/21/2004	NTIA	C. Scammon	3	Permit entry of more than one antenna sidelobe or permit entry/import of full antenna patterns.	Submitted	JSC/NTIA		Further requirement definition needed.
CS-011	1/23/2004	NTIA	C. Scammon	3	Radar Target stations are Generic, therefore there is no Rx in a Radar->Target link. Require a Rx at the Radar station and handle as special case in Link Info screen?	Complete		3.0 Rev 87	
DD-005	3/31/2004	JSC	D. Doyen	3	Produce more compact listing of modes in Certification of Spectrum Support page by combining like items. Print this in Full Record print instead of line-by-line print of mode items.	Complete		3.0 Rev 244	
CS-012	3/31/2004	NTIA	C. Scammon	3	Make changes required by Sep 2003 revisions to NTIA Manual section 10.9.2, Trunking Systems.	Complete		3.0 Rev 87	

EL-CID Program Change Report Summary

1/11/2006

PCR ID	PCR Date	Agency	Requestor	Level	Description	Status	Action	Completed Version	Comment
JM-001	3/31/2004	Commerce	J. Mincer	3	Add numbers to Recommendation when listing on Operating Characteristics and Recommendations screen.	Submitted	JSC/NTIA		Further requirement definition needed.
CS-013	3/31/2004	NTIA	C. Scammon	3	When displaying the logical record ID of Walk & Talk system, the "&" becomes an underscore in the lower right security panel.	Complete		3.0 Rev 87	
CS-014	3/31/2004	NTIA	C. Scammon	3	Remove field Radar Tuned Frequency from the [Modulation] node. This data comes from the Selected Modes on Link Info screen instead.	Complete		3.0 Rev 87	
CS-015	3/31/2004	NTIA	C. Scammon	3	Add field FM/CW Frequency Deviation to [Modulation] node. Only appears if RadarType is FM/CW. Required for Chapter 5 Compliance Checks.	Complete		3.0 Rev 87	
CS-016	3/31/2004	NTIA	C. Scammon	3	Add field Justification for Short Rise Time to [Modulation] node. Only appears when Pulse Rise or Fall Time is <0.1 microseconds.	Complete		3.0 Rev 87	
CS-017	3/31/2004	NTIA	C. Scammon	3	Add Compliance Check: For each Requested Mode, if the Rx Station is not Generic, there is a Rx with a matching frequency and EmDes. Rx Freq overlap is sufficient.	Complete		3.0 Rev 87	
CS-018	4/14/2004	NTIA	C. Scammon	3	If user adds an Attachment node, but does not specify a filename, "Path not found" error occurs when exporting the Certification.	Complete		3.0 Rev 95	
CS-019	4/14/2004	NTIA	C. Scammon	3	Spread Spectrum Chip Rate should permit Megachips per second units.	Complete		3.0 Rev 95	microseconds units added
CS-020	4/29/2004	NTIA	C. Scammon	3	Modify CH 10 Compliance Checks to bring in line with May 2003 Ed, Jan 2004 Rev of NTIA Manual.	Complete		3.0 Rev 105	
CS-021	4/29/2004	NTIA	C. Scammon	3	Change the StdUnits2 type of [Modulation]PulseRepetitionRate from Data Rate to Pulse Rate.	Complete		3.0 Rev 105	

EL-CID Program Change Report Summary

1/11/2006

PCR ID	PCR Date	Agency	Requestor	Level	Description	Status	Action	Completed Version	Comment
CS-022	4/29/2004	NTIA	C. Scammon	3	Add the following data items to Phased Array antenna: Horizontal Sector Total Degrees of Scan, Antenna Vertical Scan (Yes/No), Antenna Vertical Scan Rate, Antenna Vertical Scan Maximum Elevation, Antenna Vertical Scan Minimum Elevation. Note, do not ask for Horizontal Rotation Type, assume sector scan. Review existing Compliance Checks for revisions affected by this.	Complete		3.0 Rev 105	
CS-023	4/29/2004	NTIA	C. Scammon	3	Remove Pre-emphasis Indicator.	Complete		3.0 Rev 105	
CS-024	5/19/2004	NTIA	C. Scammon	3	Warn Certifier when he chooses Purge/Replace option on export.	Complete		3.0 Rev 126	
CS-025	5/19/2004	NTIA	C. Scammon	3	When 1st symbol of Emission Designator is N, set EmDes to 0H00N0N.	Complete		3.0 Rev 126	
CS-026	5/19/2004	NTIA	C. Scammon	3	When adding a new Location to a Satellite Station, default State/Country to "Space" and City to Station Name. Add Compliance Check: On a Satellite station, don't allow non orbital Location types.	Complete		3.0 Rev 126	
CS-027	6/10/2004	NTIA	C. Scammon	3	Print Status Log.	Complete		3.0 Rev 148	
RL-004	6/10/2004	NTIA	R. Lancaster	3	Geo-synchronous locations not printed in Full Record and NTIA General Info prints.	Complete		3.0 Rev 148	
GC-012	6/10/2004	JSC	G. Cramblitt	3	Allow a comment to be modified or deleted in the Status Log if it was made by the logged-in Agency, and it is not followed by an import, export, approval, create, or delete.	Complete		3.0 Rev 148	
GC-013	6/10/2004	JSC	G. Cramblitt	3	When deleting a Cert, if any attachments are open (in Acrobat for example), those attachments cannot be deleted. Silently does not delete them, but these "orphaned" attachments cause problems later.	Complete		3.0 Rev 148	Attachments are copied to a temp folder before viewing.
GC-014	6/10/2004	JSC	G. Cramblitt	3	The WaitWindow DLL (VbWaitWnd.dll) needs capability to hide the Cancel button if operation is in fact, not cancelable.	Complete		3.0 Rev 148	New DLL named ElcidWaitWnd.dll.
CS-028	6/30/2004	NTIA	C. Scammon	3	Add field Minimum Point Angle to Stations node (Earth stations only).	Complete		3.0 Rev 179	
GC-015	6/30/2004	JSC	G. Cramblitt	3	When Compliance Checks are run against a Cert, the Status Log entry should record the categories run, in addition to the counts.	Complete		3.0 Rev 179	

EL-CID Program Change Report Summary

1/11/2006

PCR ID	PCR Date	Agency	Requestor	Level	Description	Status	Action	Completed Version	Comment
CS-029	6/30/2004	NTIA	C. Scammon	3	Add Primary/Secondary indicator to Frequency Allocation Table. Display PRI/SEC in Link Info screen and prints.	Complete		3.0 Rev 179	
CS-030	6/30/2004	NTIA	C. Scammon	3	Sometimes the dropdown list in the picklist control is positioned such that the right side of the dropdown is cut off. In extreme cases, there may be additional choices, but user cannot see them because the scrollbar is hidden. In addition, sometimes the picklist flashes up and disappears and user must click the downarrow again.	Complete		3.0 Rev 179	
GC-016	7/21/2004	JSC	G. Cramblitt	3	Add "Ignore case" checkbox to Query Builder. This makes explicit to user when case doesn't matter.	Complete		3.0 Rev 202	
CS-031	7/21/2004	NTIA	C. Scammon	3	Allow copy of Compliance Results grid in Tree View to clipboard.	Complete		3.0 Rev 202	
CS-032	7/21/2004	NTIA	C. Scammon	3	When printing Certification of Spectrum Support page, print "Original signature on file" if Approving Date Signed is not Null.	Complete		3.0 Rev 202	
RL-005	8/5/2004	NTIA	R. Lancaster	3	Print "Out-of-band" in Remarks on NTIA page for each mode that is out-of-band.	Complete		3.0 Rev 213	
RL-006	8/5/2004	NTIA	R. Lancaster	3	On NTIA page, always print the Radio Service and Station Class, even if not Stage 4. Currently, only prints if Stage 4. Block 16 and 17.	Complete		3.0 Rev 213	
CS-033	8/5/2004	NTIA	C. Scammon	3	Defect on Export screen. Without using browse dialog, enter an existing file name. At prompt whether to overwrite, choose No. Both buttons on the Export screen are grayed and there is no way to exit.	Complete		3.0 Rev 213	
RK-001	8/5/2004	JSC	R. Kempton	3	Add Agency abbreviation to Login screen and sort agencies by abbreviation.	Complete		3.0 Rev 213	
CS-034	8/5/2004	NTIA	C. Scammon	3	When 2nd symbol of EmDes is "X" (Other), user is supposed to give an explanation of the Nature of Signal. Add additional memo field to EmDes node, only making visible if 2nd symbol of EmDes is "X". X is allowed if transmitter is Comm (but not if Radar). It is also allowed for Receivers. Add Compliance Check to ensure filled in (all stages, FAILURE). Add Compliance check WARNING if 2nd symbol is "X".	Complete		3.0 Rev 213	

EL-CID Program Change Report Summary

1/11/2006

PCR ID	PCR Date	Agency	Requestor	Level	Description	Status	Action	Completed Version	Comment
SG-005	8/5/2004	JSC	S. Green	3	When dragging new icons onto diagram, if user changes the name from the default, the node in the tree is given the name without preceding "[Station]". Loading the Cert again fixes.	Complete		3.0 Rev 213	
CS-035	8/5/2004	NTIA	C. Scammon	3	In Select Radio Service/Station Class dialog, first clicks in checkboxes are sometimes ignored.	Complete		3.0 Rev 213	
CS-036	8/16/2004	NTIA	C. Scammon	3	Pasting from Word into memo box can lead to strange characters in the memo field. Strip non-UTF-8 characters from text in MemoBox and TextBox controls.	Complete		3.0 Rev 220	
CS-037	8/16/2004	NTIA	C. Scammon	3	May 2004 revision to NTIA Manual. New agency, new Manufacturers, CH10 renumbering.	Complete		3.0 Rev 220	
CS-038	8/31/2004	NTIA	C. Scammon	3	Print not handling CRLFs in memo fields correctly.	Complete		3.0 Rev 228	
RK-002	8/31/2004	JSC	R. Kempton	3	On Link Info, choose an out-of-band mode and fill in Justification. Click View Link button. Upon return from View Link screen, justification is blanked.	Complete		3.0 Rev 228	
GC-017	8/31/2004	JSC	G. Cramblitt	3	When an equipment appears under more than one Station, and adding nodes such as frequency and emission designator, the node is added, but focus does not go to the newly-added node, if one adds to the instances below the first instance of the equipment.	Complete		3.0 Rev 228	
CS-039	8/31/2004	NTIA	C. Scammon	3	Support Ultra-wideband policy. Craig will send us a draft of the policy. Also see 10.11 of NTIA Manual.	Accepted	JSC/NTIA		Further requirement definition needed.
CS-040	9/15/2004	NTIA	C. Scammon	3	Equipment data submitted by manufacturers is often considered exempt from FOIA. Similarly, assessment documents are "pre-decisional", and also considered exempt from FOIA. Need to support marking of these separately from the overall Cert.	Submitted			Further requirement definition needed.
NOAA-001	9/1/2004	NOAA		3	Add right-click menu option for printing individual equipments from the Tree View when viewing a Cert.	Submitted			
NOAA-002	9/1/2004	NOAA		3	Hide the Site Elevation and Antenna Height fields on [Station] node if not a Trunking System.	Complete		4.0 Rev 80	

EL-CID Program Change Report Summary

1/11/2006

PCR ID	PCR Date	Agency	Requestor	Level	Description	Status	Action	Completed Version	Comment
NOAA-003	9/1/2004	NOAA		3	C/N not a choice in Performance Criteria dropdown list.	Submitted			
NOAA-004	9/1/2004	NOAA		3	Support 11 character Emission Designators as described in NTIA Manual.	Submitted			Further requirement definition needed.
RK-003	9/1/2004	JSC	R. Kempton	3	In the Query Results screen, the Export button is not visible when one or more items are highlighted. Users can right-click and export however.	Submitted			
CS-041	9/1/2004	NTIA	C. Scammon	3	Users need help choosing type of Antenna. For example, given a "dipole" antenna, how would I know to use Linear?	Submitted			
CS-042	9/1/2004	NTIA	C. Scammon	3	Add picklist of "standard" Emission Designators to EmDes Wizard.	Submitted			
JZ-001	9/1/2004	TT Industries	Jen Zhou	3	Satellite Spectral Power Density, which is currently in the [Station] node, varies depending upon power and EmDes (Necessary BW). (Just from units, which is W/Hz, one can see that it is related to both power and Necessary BW).	Complete		4.0 Rev 80	Satellite Spectral Power Density model added.
DD-006	9/1/2004	JSC	D. Doyen	3	Add DoD "Test and Training Ranges" to Location DB.	Accepted	JSC		Further requirement definition needed.
GC-018	9/1/2004	JSC	G. Cramblitt	3	On Link Info screen, when a non-Certifier is viewing an Approved record, the equipment combo boxes are disabled, even if there are other equipment combinations available, therefore, user cannot view other equipment combinations. User can view by clicking the View Link button.	Complete		4.0 Rev 80	
CS-043	9/1/2004	NTIA	C. Scammon	3	Ability to import emission measured data into EL-CID.	Accepted	JSC/NTIA		Schedule/funding issues.
CS-044	9/1/2004	NTIA	C. Scammon	3	Add Satellite Look Angles and FDR models from SXXI to ELCID.	Submitted			
CS-045	9/1/2004	NTIA	C. Scammon	3	Add equipment "Clone and Replace" option. Prompt user for new Nomenclature.	Submitted			

EL-CID Program Change Report Summary

1/11/2006

PCR ID	PCR Date	Agency	Requestor	Level	Description	Status	Action	Completed Version	Comment
CS-046	9/1/2004	NTIA	C. Scammon	3	If a user sets Large Fonts in their Windows display properties, then clicks the "show Station Classes checkbox in Stations Palette, the Stations Palette title bar disappears. To duplicate this problem, right-click on Desktop, choose Properties, Settings, Advanced. Choose Large fonts. Must reboot. By the way, doing this also hoses up the splash screen.	Submitted			
CS-047	9/20/2004	NTIA	C. Scammon	3	On printed, Certification of Spectrum Support page move Control Numbers from block at bottom of page to block at upper right corner.	Complete		4.0 Rev 80	
CS-048	1/1/2005	NTIA	C. Scammon	3	Tab key does not work in Tree View.	Complete		4.0 Rev 80	
CS-049	1/1/2005	NTIA	C. Scammon	3	Print frequency summary at top of Full Record and Summary Prints.	Complete		4.0 Rev 80	
CS-050	1/1/2005	NTIA	C. Scammon	3	Add METAIDS and METAIDS radar station types.	Complete		4.0 Rev 80	
CS-051	1/1/2005	NTIA	C. Scammon	3	Make Recommendations Approved and versioned records so that NTIA Director can officially bless them.	Complete		4.0 Rev 80	
DD-006	1/1/2005	JSC	D. Doyen	3	Add coordinates of single-point Location records to the Select City screen so that user can determine if the Location is the exact coordinates desired or not.	Complete		4.0 Rev 80	
CS-052	1/1/2005	NTIA	C. Scammon	3	Create a minimal web install package for users running Windows XP	Complete		4.0 Rev 80	
CS-052	10/1/2005	NTIA	C. Scammon	3	Optimize import of Location data. When a .cid file contains a large number of existing Locations, a lot of time is wasted parsing location data that will not be imported.	Accepted	JSC/NTIA		
CS-053	10/1/2005	NTIA	C. Scammon	3	Add Littoral areas to Location database. These are areas within 12 miles of coastline. East Coast, West Coast, Gulf Coast	Accepted	JSC/NTIA		
CS-054	10/1/2005	NTIA	C. Scammon	3	Add summary of frequencies, emission designators, and stations names to Diagram.	Accepted	JSC/NTIA		
CS-055	10/1/2005	NTIA	C. Scammon	3	Rework Trunking Systems.	Submitted	NTIA		Further requirement definition needed.

EL-CID Program Change Report Summary

1/11/2006

PCR ID	PCR Date	Agency	Requestor	Level	Description	Status	Action	Completed Version	Comment
CS-056	10/1/2005	NTIA	C. Scammon	3	Permit "certification" of receivers without a transmitter.	Submitted	NTIA		Further requirement definition needed. Should not be called "certification". Current standards require link information, and therefore a transmitter.
DD-007	10/1/2005	JSC	D. Doyen	3	D. Doyen prepared a detailed list of additional DoD data items to be added to EL-CID for the ESG.	Submitted	NTIA/DoD		Scheduling/funding issues.