Map symbol	Soil name	HEL	
AaB	  Aaron silt loam, 2 to 8 percent slopes	  Potentially highly  erodible land	
AaC	Aaron silt loam, 8 to 15 percent slopes	Highly erodible land	
AbB	Aaron-Upshur complex, 2 to 8 percent slopes	Potentially highly  erodible land	
AbC2	  Aaron-Upshur complex, 8 to 15 percent slopes, eroded 	Highly erodible land	
AgC	Allegheny loam, 8 to 15 percent slopes	Highly erodible land	
BaD	Barkcamp loam, 8 to 25 percent slopes	Highly erodible land	
ВсВ	Barkcamp very flaggy sandy loam, 0 to 8 percent slopes, very stony	Potentially highly erodible land	
BcD	Barkcamp very flaggy sandy loam, 8 to 40 percent slopes, very stony	Highly erodible land	
BeC	Berks channery silt loam, 8 to 15 percent slopes	Highly erodible land	
BeD	Berks channery silt loam, 15 to 25 percent slopes	Highly erodible land	
BeE	Berks channery silt loam, 25 to 40 percent slopes	Highly erodible land	
BeF	Berks channery silt loam, 40 to 70 percent slopes	Highly erodible land	
BgB	Bethesda clay loam, 0 to 8 percent slopes	Potentially highly	
DD	Dethands also less 0 to 05 neuront along	erodible land	
BgD Def	Bethesda clay loam, 8 to 25 percent slopes  Bethesda clay loam, 25 to 40 percent slopes	Highly erodible land  Highly erodible land	
BgE BhB	Bethesda channery loam, 0 to 8 percent slopes	Potentially highly	
DIID		erodible land	
BhD	  Bethesda channery loam, 8 to 25 percent slopes	Highly erodible land	
BhF	Bethesda channery loam, 25 to 70 percent slopes	Highly erodible land	
BsD	Brookside silt loam, 15 to 25 percent slopes	Highly erodible land	
BtC	Brookside-Vandalia complex, 8 to 15 percent slopes	Highly erodible land	
BtD	  Brookside-Vandalia complex, 15 to 25 percent slopes 	Highly erodible land	
BtE	Brookside-Vandalia complex, 25 to 40 percent slopes	Highly erodible land	
Ca	Chagrin loam, occasionally flooded	Not highly erodible land	
ChD	Clarksburg channery silt loam, 15 to 25 percent slopes	Highly erodible land	
CkC	Claysville-Guernsey complex, 8 to 15 percent slopes	Highly erodible land	
CoD	Coshocton loam, 15 to 25 percent slopes	Highly erodible land	
CsC2	Coshocton silt loam, 8 to 15 percent slopes, eroded	Highly erodible land	
DkC	Dekalb channery loam, 8 to 15 percent slopes	Highly erodible land	
DkD	Dekalb channery loam, 15 to 25 percent slopes	Highly erodible land	
DkE	Dekalb channery loam, 25 to 40 percent slopes	Highly erodible land	
DmF	Dekalb channery loam, 25 to 70 percent slopes, very stony	Highly erodible land	
Dp D-	Dumps		
Ds EbC	Dumps, mine  Elba silty clay loam, 8 to 15 percent slopes	  Highly erodible land	
EDC EDD	Elba silty clay loam, 15 to 25 percent slopes	Highly erodible land	
EDE	Elba silty clay loam, 25 to 40 percent slopes	Highly erodible land	
EkF	Elba-Berks complex, 40 to 70 percent slopes	Highly erodible land	
EnB	  Enoch loam, 0 to 8 percent slopes	  Potentially highly  erodible land	
EnD	Enoch loam, 8 to 25 percent slopes	Highly erodible land	
EuA	Euclid silt loam, rarely flooded	Not highly erodible land	
FcB	Fairpoint silty clay loam, 0 to 8 percent slopes	Potentially highly   erodible land	
FcD	Fairpoint silty clay loam, 8 to 25 percent slopes	Highly erodible land	
FcE	Fairpoint silty clay loam, 25 to 40 percent slopes	Highly erodible land	
FtA	Fitchville silt loam, 0 to 3 percent slopes	Not highly erodible land	
GdB	Gilpin silt loam, 2 to 8 percent slopes	Potentially highly	
		erodible land	
GdC	Gilpin silt loam, 8 to 15 percent slopes	Highly erodible land	

GdD GnA GnB	Gilpin silt loam, 15 to 25 percent slopes  Glenford silt loam, 0 to 2 percent slopes  Glenford silt loam, 2 to 6 percent slopes 	Highly erodible land  Not highly erodible land  Potentially highly  erodible land
GpA	Glenford-Urban land complex, 0 to 2 percent slopes	Not highly erodible land
GrC GrD2 GuC	Guernsey silt loam, 8 to 15 percent slopes  Guernsey silt loam, 15 to 25 percent slopes, eroded  Guernsey-Upshur complex, 8 to 15 percent slopes	Highly erodible land  Highly erodible land  Highly erodible land
GuD	  Guernsey-Upshur complex, 15 to 25 percent slopes	  Highly erodible land
HaF HbE He Ho KaB	Hazleton channery loam, 25 to 70 percent slopes, stony Hazleton channery loam, 25 to 40 percent slopes Hartshorn silt loam, occasionally flooded Holton silt loam, occasionally flooded Kanawha loam, 2 to 6 percent slopes	Highly erodible land Highly erodible land Not highly erodible land Not highly erodible land Potentially highly erodible land
KeB	Keene silt loam, 1 to 8 percent slopes	Potentially highly erodible land
KeC Lc Ld LoC LoD LuE	Keene silt loam, 8 to 15 percent slopes Lindside silt loam, occasionally flooded Lindside silt loam, frequently flooded Lowell silt loam, 8 to 15 percent slopes Lowell silt loam, 15 to 25 percent slopes Lowell-Upshur complex, 25 to 40 percent slopes	Highly erodible land Not highly erodible land Not highly erodible land
LwC	  Lowell-Westmoreland complex, 8 to 15 percent slopes	  Highly erodible land
LwD	  Lowell-Westmoreland complex, 15 to 25 percent slopes	Highly erodible land
LwE	  Lowell-Westmoreland complex, 25 to 40 percent slopes	Highly erodible land
LwF	  Lowell-Westmoreland complex, 40 to 70 percent slopes	Highly erodible land
McA Md MeB	McGary silt loam, 0 to 3 percent slopes   Melvin silt loam, ponded   Mentor silt loam, 2 to 8 percent slopes	Not highly erodible land Not highly erodible land Potentially highly erodible land
MeC MeD MfB	Mentor silt loam, 8 to 15 percent slopes   Mentor silt loam, 15 to 25 percent slopes   Mentor-Urban land complex, 2 to 8 percent slopes 	Highly erodible land  Highly erodible land  Potentially highly  erodible land
MnB	Morristown silty clay loam, 0 to 8 percent slopes	Potentially highly erodible land
MnD MoF Nd Ne No OmB	Morristown silty clay loam, 8 to 25 percent slopes   Morristown channery clay loam, 40 to 70 percent slopes   Newark silt loam, occasionally flooded   Newark silt loam, frequently flooded   Nolin silt loam, frequently flooded   Omulga silt loam, 1 to 6 percent slopes	Highly erodible land  Highly erodible land  Not highly erodible land  Not highly erodible land  Not highly erodible land  Potentially highly  erodible land
OmC Or RcC RcD Sa SeB	Omulga silt loam, 6 to 15 percent slopes   Orrville silt loam, occasionally flooded   Richland channery loam, 8 to 15 percent slopes   Richland channery loam, 15 to 25 percent slopes   Sarahsville silty clay loam, frequently flooded   Sees silty clay loam, 2 to 6 percent slopes	Highly erodible land Not highly erodible land Highly erodible land Highly erodible land Not highly erodible land Potentially highly erodible land
Ub	Udorthents, loamy-Rock outcrop complex	Highly erodible land
Uc Ud	Udorthents-Pits complex  Udorthents-Urban land complex	  Highly erodible land
UpB	  Upshur silt loam, 2 to 6 percent slopes	  Potentially highly  erodible land
UrC UrD UrD3 VaD2	Upshur silty clay loam, 6 to 15 percent slopes Upshur silty clay loam, 15 to 25 percent slopes Upshur silty clay loam, 15 to 25 percent slopes, severely eroded Vandalia silty clay loam, 15 to 25 percent slopes, eroded	Highly erodible land Highly erodible land Highly erodible land Highly erodible land

VtC	Vincent silt loam, 6 to 15 percent slopes	Highly erodible land
VwB	Vincent silty clay loam, 2 to 6 percent slopes	Potentially highly
		erodible land
W	Water	Potentially highly
		erodible land
WhB	Wellston silt loam, 2 to 8 percent slopes	Highly erodible land
WhC	Wellston silt loam, 8 to 15 percent slopes	Potentially highly
		erodible land
WkB	Westmore silt loam, 2 to 8 percent slopes	Highly erodible land
WkC2	Westmore silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
WmC	Westmoreland silt loam, 8 to 15 percent slopes	Highly erodible land
WmD	Westmoreland silt loam, 15 to 25 percent slopes	Highly erodible land
WmE	Westmoreland silt loam, 25 to 40 percent slopes	Highly erodible land
WnF	Westmoreland-Berks complex, 40 to 70 percent slopes	Highly erodible land
WrC	Westmoreland-Urban land complex, 6 to 15 percent slopes	Highly erodible land
WrD	Westmoreland-Urban land complex, 15 to 25 percent slopes	Potentially highly
		erodible land
WtB	Woodsfield silt loam, 1 to 8 percent slopes	Highly erodible land
WtC	Woodsfield silt loam, 8 to 15 percent slopes	Potentially highly
		erodible land
ZnB	Zanesville silt loam, 2 to 6 percent slopes	Highly erodible land
ZnC	Zanesville silt loam, 6 to 15 percent slopes	Not highly erodible land
Zp	Zipp silty clay loam, frequently flooded	Not highly erodible land
Zs	Zipp silty clay loam, ponded	

USDA-NRCS, OHIO 12/02/2004