

9. REFERENCES

Abdul AS, Gibson TL, Rai DN. 1987. Statistical correlations for predicting the partition coefficient for nonpolar organic contaminants between aquifer organic carbon and water. *Haz Waste Haz Mat* 4:211-222.

Abraham M, Ibrahim A. 2006. Air to fat and blood to fat distribution of volatile organic compounds and drugs: Linear free energy analyses. *Eur J Med Chem* 41(12):1430-1438.

Abraham MH, Hassanisadi M, Jalali-Heravi M, et al. 2003. Draize rabbit eye test compatibility with eye irritation thresholds in humans: A quantitative structure-activity relationship analysis. *Toxicol Sci* 76(2):384-391.

*Abraham MH, Ibrahim A, Acree WE. 2005. Air to blood distribution of volatile organic compounds: A linear free energy analysis. *Chem Res Toxicol* 18(5):904-911.

Abraham MH, Kumarsingh R, Cometto-Muniz JE, et al. 1998a. An algorithm for nasal pungency thresholds in man. *Arch Toxicol* 72:227-232.

Abraham MH, Kumarsingh R, Cometto-Muniz JE, et al. 1998b. Draize eye scores and eye irritation thresholds in man combined into one quantitative structure-activity relationship. *Toxicol In Vitro* 12:403-408.

*ACGIH. 1992. 1992-1993 Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, 21.

ACGIH. 1996. Ethylbenzene. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, 22.

*ACGIH. 2002. Ethylbenzene. Documentation of the threshold limit values for chemical substances and physical agents and biological exposure indices. 7th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

*ACGIH. 2006. Ethylbenzene. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, 29, 104.

*Acton DW, Barker JF. 1992. In situ biodegradation potential of aromatic hydrocarbons in anaerobic groundwaters. *J Contam Hydrol* 9:325-352.

*Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. *Dev Med Child Neurol* 27(4):532-537.

* Cited in text

+ Cited in supplemental document

9. REFERENCES

*Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.

Admans G, Takahashi T, Ban S, et al. 2001. Artificial neural network for predicting the toxicity of organic molecules. *Bull Chem Soc Jpn* 74:2451-2461.

AFCEE. 1999a. Recommendation for no further investigation at study area 6 (SA 6). San Antonio, TX: U.S. Air Force Center for Environmental Excellence. ADA381656.

AFCEE. 1999b. Treatability study in support of intrinsic remediation for fire protection training area 3. San Antonio, TX: U.S. Air Force Center for Environmental Excellence. ADA382789.

AFRL. 2001a. Comparison of time-averaged concentrations measured at fixed locations and painters' breathing zones during aircraft spray painting in conditions of straight-through and recirculating ventilation. U.S. Air Force Research Laboratory. AFRLMLTYTP20010033. ADA392941.

AFRL. 2001b. Total petroleum hydrocarbon criteria working group (TPHCWG) field demonstration report: Elmendorf Air Force Base, Alaska. Wright-Patterson AFB, OH: U.S. Air Force Research Laboratory. AFRLHEWPTR20010118. ADA424194.

AFRL. 2002. Total petroleum hydrocarbon criteria working group (TPHCWG) field demonstration report: Air Force Number 6 Fuel Farm, Dobbins AFB, GA. Wright-Patterson AFB, OH: U.S. Air Force Research Laboratory. AFRLHEWPTR20020158. ADA425422.

AFRL. 2003. Total petroleum hydrocarbon criteria working group (TPHCWG) field demonstration report: IRP site 4, POL area, Springfield ANG Base, Springfield, OH: Wright Patterson AFB, OH: U.S. Air Force Research Laboratory. AFRLHEWPTR20030099. ADA425111.

*Agency for Toxic Substances and Disease Registry. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry, Division of Toxicology. *Fed Regist* 54(174):37618-37634.

*Agency for Toxic Substances and Disease Registry. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary and immune systems. Subcommittee on Biomarkers of Organ Damage and Dysfunction. Atlanta, GA: Agency for Toxic Substances and Disease Registry.

*Agency for Toxic Substances and Disease Registry. 1992. Toxicological profile for styrene. Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/toxprofiles/tp53.pdf>. August 02, 2007.

*Agency for Toxic Substances and Disease Registry. 1995. Toxicological profile for gasoline. Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/toxprofiles/tp72.html>. August 14, 2007.

Agency for Toxic Substances and Disease Registry. 2005. Notice of the revised priority list of hazardous substances that will be the subject of toxicological profiles. *Fed Regist* 70:72840-72842.

Alarie Y. 1981. Bioassay for evaluating the potency of airborne sensory irritants and predicting acceptable levels of exposure in man. *Food Cosmet Toxicol* 19:623-626.

9. REFERENCES

- Alarie Y, Nielson GD, Abraham MH. 1998a. A theoretical approach to the Ferguson principle and its use with non-reactive and reactive airborne chemicals. *Pharmacol Toxicol* 83(6):270-279.
- Alarie Y, Schaper M, Nielsen GD, et al. 1998b. Structure-activity relationships of volatile organic chemicals as sensory irritants. *Arch Toxicol* 72:125-140.
- Alarie Y, Wakisaka I, Oka S. 1973. Sensory irritation by sulfur dioxide and chlorobenzylidene malononitrile. *Environ Physiol Biochem* 3:53-64.
- Al-Gailany KAS, Houston JB, Bridges JW. 1977. The role of substrate lipophilicity in determining type 1 microsomal P450 binding characteristics. *Biochem Pharmacol* 27:783-788.
- Almgren M, Grieser F, Powell JR, et al. 1979. A correlation between the solubility of aromatic hydrocarbons in water and micellar solution, with their normal boiling points. *J Chem Eng Data* 24:285-287.
- *Altman PL, Dittmer DS. 1974. *Biological handbooks: Biology data book*. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.
- Altshuller AP, Bellar TA. 1963. Gas chromatographic analysis of hydrocarbons in the Los Angeles atmosphere. *J Air Pollut Control Assoc* 13:81-87.
- Altshuller AP, Lonneman WA, Sutterfield FD, et al. 1971. Hydrocarbon composition of the atmosphere of the Los Angeles basin - 1967. *Environ Sci Technol* 5:1009-1016.
- American Chemistry Council. 2003a. A pilot inhalation study for a reproductive toxicity study of ethylbenzene in rats. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8(e). 8EHQ-1202-15228 B. 89030000085.
- American Chemistry Council. 2003b. Pilot inhalation toxicity study for a 2-generation reproductive study in rats. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8(e). 8EHQ-1003-15228 C. 89040000022.
- American Chemistry Council. 2003c. Pilot inhalation study for a reproductive toxicity study of ethylbenzene in rats. Submitted to the U.S. Environmental Protection Agency under TSCA Section FYI. FYI-0903-01462 A. 84030000029.
- *Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. *J Appl Toxicol* 3:272-290.
- *Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York: Marcel Dekker, Inc., 9-25.
- *Andersen ME, MacNaughton MG, Clewell HJ, et al. 1987. Adjusting exposure limits for long and short exposure periods using a physiological pharmacokinetic model. *Am Ind Hyg Assoc J* 48(4):335-343.
- Andersen P. 1953. Inhibitory reflexes elicited from the trigeminal and olfactory nerves in rabbits. *Acta Physiol Scand* 30:137-148.

9. REFERENCES

- +*Andersson K, Fuxe K, Nilsen OG, et al. 1981. Production of discrete changes in dopamine and noradrenaline levels and turnover in various parts of the rat brain following exposure to xylene, *ortho*-, *meta*-, and *para*-xylene, and ethylbenzene. *Toxicol Appl Pharmacol* 60:535-548.
- *Aneja VP. 1993. Organic compounds in cloud water and their deposition at a remote continental site. *J Air Waste Manage Assoc* 43:1239-1244.
- *Angerer J, Lehnert G. 1979. Occupational chronic exposure to organic solvents. *Int Arch Occup Environ Health* 43:145-150.
- *Angerer J, Wulf H. 1985. Occupational chronic exposure to organic solvents. XI. Alkylbenzene exposure of varnish workers: Effects on hematopoietic system. *Int Arch Occup Environ Health* 56:307-321.
- *Anid PJ, Alvarez PJJ, Vogel TM. 1993. Biodegradations of monoaromatic hydrocarbons in aquifer columns amended with hydrogen peroxide and nitrate. *Wat Res* 27(4):685-691.
- +*Antoine SR, DeLeon IR, O'Dell-Smith RM. 1986. Environmentally significant volatile organic pollutants in human blood. *Bull Environ Contam Toxicol* 36:364-371.
- *APHA. 1995a. Method 6040 B. Closed-loop stripping, gas chromatography/mass spectrometric analysis. In: Eaton AD, Clesceri LS, Greenberg AE, eds. *Standard methods for the examination of water and wastewater*. Washington, DC: American Public Health Association. American Water Works Association. Water Environmental Federation, 6-7 to 6-16.
- *APHA. 1995b. Method 6210 B. Purge and trap packed-column gas chromatographic/mass spectrometric method I. In: Eaton AD, Clesceri LS, Greenberg AE, eds. *Standard methods for the examination of water and wastewater*. Washington, DC: American Public Health Association. American Water Works Association. Water Environmental Federation, 6-17 to 6-25.
- *APHA. 1995c. Method 6220 B. Purge and trap gas chromatographic method I. In: Eaton AD, Clesceri LS, Greenberg AE, eds. *Standard methods for the examination of water and wastewater*. Washington, DC: American Public Health Association. American Water Works Association. Water Environmental Federation, 6-39 to 6-41.
- *APHA. 1995d. Method 6220 C. Purge and trap gas chromatographic method II. In: Eaton AD, Clesceri LS, Greenberg AE, eds. *Standard methods for the examination of water and wastewater*. Washington, DC: American Public Health Association. American Water Works Association. Water Environmental Federation, 6-42 to 6-46.
- Aquatic Life Advisory Committee of the Ohio River Valley Water Sanitation Committee. 1960. Aquatic life water quality criteria: Third progress report. *J Water Pollut Control Fed* 32:65-82.
- *Ashley DL, Prah JD. 1997. Time dependence of blood concentrations during and after exposure to a mixture of volatile organic compounds. *Arch Environ Health* 52(1):26-33.
- +*Ashley DL, Bonin MA, Cardinali FL. 1992. Determining volatile organic compounds in human blood from a large sample production by using purge and trap gas chromatography-mass spectrometry. *Anal Chem* 64(9):1021-1029.

9. REFERENCES

- *Ashley DL, Bonin MA, Cardinali FL, et al. 1994. Blood concentration of volatile organic compounds in a nonoccupationally exposed U.S. population and in groups with suspected exposure. *Clin Chem* 40(7):1401-1409.
- +*Ashley DL, Bonin MA, Hamar B, et al. 1995. Removing the smoking confounder from blood volatile organic compounds measurements. *Environ Res* 7(1):39-45.
- *Assmuth T, Kalevi K. 1992. Concentrations and toxicological significance of trace organic compounds in municipal solid waste landfill gas. *Chemosphere* 24(9):1207-1216.
- *ASTER. 1995. ASTER (Assessment Tools for the Evaluation of Risk) ecotoxicity profile. Duluth, MN: U.S. Environmental Protection Agency, Environmental Research Laboratory.
- *ASTM. 1999a. D 2908-91. Standard practice for measuring volatile organic matter in water by aqueous-injection gas chromatography. In: Allen RF, Baldini NC, Donofrio et al., eds. 1999 Annual book of ASTM standards. Vol. 11.02. Section 11: Water and environmental technology, 168-173.
- *ASTM. 1999b. D 3871-84. Standard test method for purgeable organic compounds in water using headspace sampling. In: Allen RF, Baldini NC, Donofrio PE, et al., eds. 1999 Annual book of ASTM standards. Vol. 11.02. Section 11: Water and environmental technology, 348-358.
- *Atkinson R, Carter WPL. 1984. Kinetics and mechanisms of the gas-phase reactions of ozone with organic compounds under atmospheric conditions. *Chem Rev* 84:437-470.
- *Atkinson R, Aschmann SM, Winer AM. 1987. Kinetics of the reactions of NO₃ radicals with a series of aromatic compounds. *Environ Sci Technol* 21:1123-1126.
- *Atkinson R, Darnall KR, Pitts JN. 1978. Rate constraints for reaction of OH radicals and ozone with cresols at 300±1 K. *J Phys Chem* 82:2759-2761.
- *Backer LC, Egeland GM, Ashley DL, et al. 1997. Exposure to regular gasoline and ethanol oxyfuel during refueling in Alaska. *Environ Health Perspect* 105(8):850-855.
- +Backes WL, Sequeira DJ, Cawley GF, et al. 1993. Relationship between hydrocarbon structure and induction of P450: Effects on protein levels and enzyme activities. *Xenobiotica* 23(12):1353-1366.
- +*Bakke OM, Scheline RR. 1970. Hydroxylation of aromatic hydrocarbons in the rat. *Toxicol Appl Pharmacol* 16:691-700.
- Banerjee S. 1985. Calculation of water solubility of organic compounds with UNIFAC-derived parameters. *Environ Sci Technol* 19:369-370.
- Banerjee S, Howard PH. 1988. Improved estimation of solubility and partitioning through correction of UNIFAC-derived activity coefficients. *Environ Sci Technol* 22:839-841.
- Bardodej Z, Bardodejova E. 1961. [Value and application of exposure tests. X. Exposure test for ethylbenzene.] *Ceskoslovenska Hygiena* 6:537-545. (Czechoslovakian)
- +*Bardodej Z, Bardodejova E. 1970. Biotransformation of ethylbenzene, styrene, and alpha-methylstyrene in man. *Am Ind Hyg Assoc J* 31:206-209.

9. REFERENCES

- +*Bardodej Z, Cirek A. 1988. Long-term study on workers occupationally exposed to ethylbenzene. *J Hyg Epidemiol Microbiol Immunol* 32:1-5.
- *Barker JF. 1987. Volatile aromatic and chlorinated organic contaminants in groundwater at six Ontario landfills. *Water Pollut Res J Can* 22:33-48.
- Barker JF, Tessmann JS, Plotz PE, et al. 1986. The organic geochemistry of a sanitary landfill plume. *J Contam Hydrol* 1:171-189.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. U.S. Environmental Protection Agency. *Regul Toxicol Pharmacol* 8:471-486.
- *Barrefors G, Petersson G. 1993. Assessment of ambient volatile hydrocarbons from tobacco smoke and from vehicle emissions. *J Chromatogr* 643(1/2):71-76.
- Basak SC, Gute BD, Mills D, et al. 2003. Quantitative molecular similarity methods in the property/toxicity estimation of chemicals: A comparison of arbitrary versus tailored similarity spaces. *J Mol Struct (Theochem)* 622(1-2):127-145.
- *Baun A, Jensen SD, Bjerg PL, et al. 2000. Toxicity of organic chemical pollution in groundwater downgradient of a landfill (Grindsted, Denmark). *Environ Sci Technol* 34:1647-1652.
- Bayer CW, Black MS. 1987. Capillary chromatographic analysis of volatile organic compounds in the indoor environment. *J Chromatogr Sci* 25:60-64.
- Beall JR, Ulsamer AG. 1981. Toxicity of volatile organic compounds present indoors. *Bull NY Acad Med* 57:978-996.
- *Beavers JD, Himmelstein JS, Hammond SK, et al. 1996. Exposure in a household using gasoline-contaminated water: A pilot study. *J Occup Environ Med* 38(1):35-38.
- Bedding ND, McIntyre AE, Perry R, et al. 1982. Organic contaminants in the aquatic environment: I. Sources and occurrence. *Sci Total Environ* 25:143-167.
- Beliveau M, Krishnan K. 2000a. Concentration dependency of rat blood: Air partition coefficients of some volatile organic chemicals. *J Toxicol Environ Health A* 60:377-389.
- Beliveau M, Krishnan K. 2000b. Estimation of rat blood: Air partition coefficients of volatile organic chemicals using reconstituted mixtures of blood components. *Toxicol Lett* 116:183-188.
- Beliveau M, Lipscomb J, Tardif R, et al. 2005. Quantitative structure-property relationships for interspecies extrapolation of the inhalation pharmacokinetics of organic chemicals. *Chem Res Toxicol* 18(3):475-485.
- Beliveau M, Tardif R, Krishnan K. 2003. Quantitative structure-property relationships for physiologically based pharmacokinetic modeling of volatile organic chemicals in rats. *Toxicol Appl Pharmacol* 189(3):221-232.
- *Bellar TA, Lichtenberg JJ. 1974. Determining volatile organics at microgram-per-liter levels by gas chromatography. *J Am Water Works Assoc* 66:739-744.

9. REFERENCES

- Bergamaschi E, Brustolin A, DePalma G, et al. 1999. Biomarkers of dose and susceptibility in cyclists exposed to monoaromatic hydrocarbons. *Toxicol Lett* 108(2-3):241-247.
- *Berger GS, ed. 1994. Epidemiology of endometriosis. In: *Endometriosis: Advanced management and surgical techniques*. New York, NY: Springer-Verlag, 3-7.
- Bergeron RM, Desai K, Serron SC, et al. 1999. Changes in the expression of cytochrome P450s 2B1, 2B2, 2E1 and 2C11 in response to daily aromatic hydrocarbon treatment. *Toxicol Appl Pharmacol* 157:1-8.
- Bergeron RM, Serron SC, Rinehart JJ, et al. 1998. Pituitary component of the aromatic hydrocarbon-mediated expression of CYP2B and CYP2C11. *Xenobiotica* 28(3):303-312.
- *Berkley RE, Varns JL, Pleil J. 1991. Comparison of portable gas chromatographs and passivated canisters for field sampling airborne toxic organic vapors in the United States and the USSR. *Environ Sci Technol* 25(8):1439-1444.
- Berglund RL, Whipple GM. 1987. Predictive modeling of organic emissions. *Chem Eng Prog* 83:46-54.
- +Bernard AM, De Russis R, Normand J-C, et al. 1989. Evaluation of the subacute nephrotoxicity of cyclohexane and other industrial solvents in the female Sprague-Dawley rat. *Toxicol Lett* 45(2/3):271-280.
- Bertsch W, Anderson E, Holzer G. 1975. Trace analysis of organic volatiles in water by gas chromatography-mass spectrometry with glass capillary columns. *J Chromatogr* 112:701-718.
- Bertsch W, Chang RC, Zlatkis A. 1974. The determination of organic volatiles in air pollution studies: Characterization of profiles. *J Chromatogr Sci* 12:175-182.
- Beskid O, Dusek Z, Solansky I, et al. 2006. The effects of exposure to different clastogens on the pattern of chromosomal aberrations detected by FISH whole chromosome painting in occupationally exposed individuals. *Mutat Res* 594(1-2):20-29.
- *Bestetti G, Galli E. 1984. Plasmid-coded degradation of ethylbenzene and 1-phenylethanol in *Pseudomonas fluorescens*. *FEMS Microbiology Letters* 21:165-168.
- +Bevan MAJ, Proctor CJ, Baker-Rogers J. 1991. Exposure to carbon monoxide, respirable suspended particulates, and volatile organic compounds while commuting by bicycle. *Environ Sci Technol* 25(4):788-791.
- *Biedermann M, Grob K, Morchio G. 1995. On the origin of benzene, toluene, ethylbenzene and xylene in extra virgin olive oil. *Z Lebensm Unters Forsch* 200:266-272.
- *Blank IH, McAuliffe DJ. 1985. Penetration of benzene through human skin. *J Invest Dermatol* 84:522-526.
- *Blank IH, Scheuplein RJ. 1969. Transport into and within the skin. *Brit J Dermatol* 81(Supp 4):4-10.
- Blinova VG, Kharchevnikova NV. 2000. Toxicity of substituted benzenes predicted using the JSM method of automated hypothesis generation and quantum-chemical calculations. *Pharm Chem J* 34(4):208-214.

9. REFERENCES

- Bocek K. 1976. Relationships among activity coefficients, partition coefficients and solubilities. *Experientia Suppl* 23:231-240.
- *Bohon RL, Claussen WF. 1951. The solubility of aromatic hydrocarbons in water. *J Am Chem Soc* 73:1571-1578.
- Bond DL, Thodos G. 1960. Vapor pressures of alkyl aromatic hydrocarbons. *J Chem Eng Data* 5:289-292.
- *Borden RC, Yanoschak TM. 1990. Ground and surface water quality impacts of North Carolina sanitary landfills. *Water Resour Bull* 26(2):269-277.
- *Borden RC, Black DC, McBleif KV. 2002. MTBE and aromatic hydrocarbons in North Carolina stormwater runoff. *Environ Pollut* 118:141-152.
- Bos R, Goudena EJG, Guicherit R, et al. 1978. Atmospheric precursors and oxidants concentrations in the Netherlands. In: Guicherit R, ed. *Photochemical smog formation in the Netherlands*. Delft, The Netherlands: TNO Research Institute for Environmental Hygiene, 20-59.
- Bos R, Guicherit R, Hoogeveen A. 1977. Distribution of some hydrocarbons in ambient air near Delft and the influence on the formation of secondary air pollutants. *Sci Total Environ* 7:269-281.
- Botton S, Parsons JR. 2006. Degradation of BTEX compounds under iron-reducing conditions in contaminated aquifer microcosms. *Environ Toxicol Chem* 25(10):2630-2638.
- *Bouwer EJ, McCarty PL. 1983. Transformations of halogenated organic compounds under denitrification conditions. *Appl Environ Microbiol* 45:1295-1299.
- *Bouwer EJ, McCarty PL. 1984. Modeling of trace organics biotransformation in the subsurface. *Ground Water* 22:433-440.
- *Boyd SA, Xiangcan J, Lee J-F. 1990. Sorption of nonionic organic compounds by corn residues from a no-tillage field. *J Environ Qual* 19:734-738.
- Brass HJ. 1982. Procedures for analyzing organic contaminants in drinking water. *Am Water Works Assoc J* 74:107-112.
- Brooke DN, Dobbs AJ, Williams N. 1986. Octanol:water partition coefficients(P): Measurement, estimation, and interpretation, particularly for chemicals with P>105. *Ecotox Environ Safety* 11:251-260.
- *Brown HS, Hattis D. 1989. The role of skin absorption as a route of exposure for volatile organic compounds (VOCs) in household tap water: A simulated kinetic approach. *J Am Coll Toxicol* 8(5):839-851.
- Brown RL, Wasik SP. 1974. A method of measuring the solubilities of hydrocarbons in aqueous solutions. *J Res Natl Bur Stand Sec A* 78:453-460.
- *Budavari S, O'Neil MJ. 1989. Ethylbenzene. In: *The Merck index. An encyclopedia of chemicals, drugs, and biologicals*. 11th ed. Rahway, NJ: Merck & Co., Inc., 595.

9. REFERENCES

- *Burback BL, Perry JJ. 1993. Biodegradation and biotransformation of groundwater pollutant mixtures by *Mycobacterium vaccae*. *Applied and Environmental Microbiology* 59(4):1025-1029.
- Burkhard LP, Kuehl DW. 1986. N-octanol/water partition coefficients by reverse phase liquid chromatography/mass spectrometry for eight tetrachlorinated planar molecules. *Chemosphere* 15:163-167.
- *Burri J, Crockett R, Hany R, et al. 2004. Gasoline composition determined by ¹H NMR spectroscopy. *Fuel* 83(2):187-193.
- *Burris DR, MacIntyre WG. 1984. Water solubility behavior of hydrocarbon mixtures implications for petroleum dissolution. In: Vandermeulen JH, Hruday SE, eds. *Oil in freshwater: Chemistry, biology, countermeasure technology*. New York, NY: Pergamon Press, 85-93.
- Buswell JA, Jurtschuk P. 1969. Microbial oxidation of hydrocarbons measured by oxygraphy (using a Clark oxygen electrode). *Arch Mikrobiol* 64:215-222.
- *C&EN. 1994a. Production by the U.S. chemical industry: Growth continues in chemical production. *Chem Eng News* 72(27):30-36.
- *C&EN. 1994b. Top 50 chemicals production rose modestly last year. *Chem Eng News* 72(15):12-15.
- *C&EN. 1995. Production soared in most chemical sectors. *Chem Eng News* 73(26):38-42.
- *C&EN. 2006. Production: Growth is the norm. Output of chemicals increased across most products and in most countries. *Chem Eng News*. July 10, 2006.
- Calabrese EJ. 1978. *Pollutants and high-risk groups. The biological basis of increased human susceptibility to environmental and occupational pollutants*. New York, NY: John Wiley and Sons, 186-193.
- *Campbell JL, Fisher JW. 2007. A PBPK modeling assessment of the competitive metabolic interactions of JP-8 vapor with two constituents, m-xylene and ethylbenzene. *Inhal Toxicol* 19(3):265-273.
- Campbell JR, Luthy RG. 1985. Prediction of aromatic solute partition coefficients using the UNIFAC group contribution model. *Environ Sci Tech* 19:980-985.
- Canady WT, Robinson DA, Colby HD. 1974. A partition model for hepatic cytochrome P-450-hydrocarbon complex formation. *Biochem Pharmacol* 23:3075-3078.
- +*Cappaert NLM, Klis SFL, Baretta AB, et al. 2000. Ethyl benzene-induced ototoxicity in rats: A dose-dependent mid-frequency hearing loss. *J Assoc Res Otolaryngol* 1(4):292-299.
- +*Cappaert NLM, Klis SFL, Muijser H, et al. 1999. The ototoxic effects of ethyl benzene in rats. *Hear Res* 137:91-102.
- +*Cappaert NLM, Klis SFL, Muijser H, et al. 2001. Simultaneous exposure to ethyl benzene and noise: Synergistic effects on outer hair cells. *Hear Res* 162(1-2):67-79.

9. REFERENCES

- +*Cappaert NLM, Klis SFL, Muijser H, et al. 2002. Differential susceptibility of rats and guinea pigs to the ototoxic effects of ethyl benzene. *Neurotoxicol Teratol* 24(4):503-510.
- Cardoza TR, Rosa DP, Feiden IR, et al. 2006. Corrigendum to [Genotoxicity and toxicity assessment in urban hydrographic basins. *Mutation Research* 603:83-96]. *Mutat Res* 605(1-2):103.
- Chakraborty R, Coates JD. 2004. Anaerobic degradation of monoaromatic hydrocarbons. *Appl Microbiol Biotechnol* 64(4):437-446.
- Chambers DM, McElprang DO, Waterhouse MG, et al. 2006. An improved approach for accurate quantitation of benzene, toluene, ethylbenzene, xylene, and styrene in blood. *Anal Chem* 78:5375-5383.
- +Chan C, Lin S, Her G. 1994. Office worker's exposure to volatile organic compounds while commuting and working in Taipei City. *Atmos Environ* 28(14):2351-2359.
- Chan PC, Hasemani JK, Mahleri J, et al. 1998. Tumor induction in F344/N rats and B6C3F1 mice following inhalation exposure to ethylbenzene. *Toxicol Lett* 99(1):23-32.
- Chao J, Lin CT, Chung TH. 1983. Vapor pressure of coal chemicals. *J Phys Chem Ref Data* 12:1033-1063.
- *Charest-Tardif G, Tardif R, Krishnan K. 2006. Inhalation pharmacokinetics of ethylbenzene in B6C3F1 mice. *Toxicol Appl Pharmacol* 210(1-2):63-69.
- *Chen C, Taylor RT. 1995. Thermophilic biodegradation of BTEX by two *Thermus* species. *Biotechnol Bioeng* 48:614-624.
- *Chen CS, Zoltek J. 1995. Organic priority pollutants in wetland-treated leachates at a landfill in central Florida. *Chemosphere* 31(6):3455-3464.
- +*Chin BH, McKelvey JA, Calisti LJ, et al. 1980a. A comparison of *in vivo* and *in vitro* (tissue explant) techniques: Metabolic profile of ethylbenzene in the rat and the dog. *Bull Environ Contam Toxicol* 25:241-245.
- +*Chin BJ, McKelvey JA, Tyler TR, et al. 1980b. Absorption, distribution, and excretion of ethylbenzene, ethylcyclohexane, and methylethylbenzene isomers in rats. *Bull Environ Contam Toxicol* 24:477-483.
- Chin YP, Weber WJ, Voice TC. 1986. Determination of partition coefficients and aqueous solubilities by reverse phase chromatography. II. Evaluation of partitioning and solubility models. *Water Res* 20:1443-1450.
- Chiou CT. 1985. Partition coefficients of organic compounds in lipid-water systems and correlations with fish bioconcentration factors. *Environ Sci Technol* 19:57-62.
- *Chiou CT, Porter PE, Schmedding DW. 1983. Partition equilibria of nonionic organic compounds between soil organic matter and water. *Environ Sci Technol* 17:227-231.
- Chou CC, Riviere JE, Monteiro-Riviere NA. 2003. The cytotoxicity of jet fuel aromatic hydrocarbons and dose-related interleukin-8 release from human epidermal keratinocytes. *Arch Toxicol* 77:384-391.

9. REFERENCES

- Clark AI, McIntyre AE, Lester JN, et al. 1982. Evaluation of a Tenax GC sampling procedure for collection and analysis of vehicle-related aromatic and halogenated hydrocarbons in ambient air. *J Chromatogr* 252:147-157.
- Clark AI, McIntyre AE, Lester JN, et al. 1984a. Ambient air measurements of aromatic and halogenated hydrocarbons at urban, rural and motorway locations. *Sci Total Environ* 39:265-279.
- Clark AI, McIntyre AE, Perry R, et al. 1984b. Monitoring and assessment of ambient atmospheric concentrations of aromatic and halogenated hydrocarbons at urban, rural, and motorway locations. *Environ Pollut Series B* 7:141-158.
- Claus D, Walker N. 1964. The decomposition of toluene by soil bacteria. *J Gen Microbiol* 36:107-122.
- *Clayton GD, Clayton FE, eds. 1981. *Patty's industrial hygiene and toxicology*. Vol. 2B. 3rd ed. New York, NY: John Wiley & Sons, Inc., 3303-3307.
- *Clewell HJ, Andersen M. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- +*Climie IJG, Hutson DH, Stoydin G. 1983. The metabolism of ethylbenzene hydroperoxide in the rat. *Xenobiotica* 13:611-618.
- *CMR. 2004. Ethylbenzene. *Chemical Market Reporter*. July 14, 2007.
- *Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. *J Water Pollut Control Fed* 56:898-908.
- Colenutt BA, Thorburn S. 1980. Gas chromatographic analysis of trace hydrocarbon pollutants in water samples. *Int J Environ Stud* 15:25-32.
- +*Cometto-Muñiz JE, Cain WS. 1995. Relative sensitivity of the ocular trigeminal, nasal trigeminal and olfactory systems to airborne chemicals. *Chemical Senses* 20(2):191-198.
- +*Conkle JP, Camp BJ, Welch BE. 1975. Trace composition of human respiratory gas. *Arch Environ Health* 30:290-295.
- *Cotruvo JA. 1985. Organic micropollutants in drinking water: An overview. *Sci Total Environ* 47:7-26.
- Cox DP, Goldsmith CD. 1979. Microbial conversion of ethylbenzene to 1-phenethanol and acetophenone by *Nocardia tartaricans* ATCC 31190. *Appl Environ Microbiol* 38:514-520.
- +*Cragg ST, Clarke EA, Daly IW, et al. 1989. Subchronic inhalation toxicity of ethylbenzene in mice, rats, and rabbits. *Fundam Appl Toxicol* 13(3):399-408.
- +*Cramer PH, Boggess KE, Hosenfeld JM, et al. 1988. Determination of organic chemicals in human whole blood: Preliminary method development for volatile organics. *Bull Environ Contam Toxicol* 40:612-618.

9. REFERENCES

- Croute F, Poinot J, Gaubin Y, et al. 2002. Volatile organic compounds cytotoxicity and expression of HSP72, HSP90 and GRP78 stress proteins in cultured human cells. *Biochim Biophys Acta* 1591:147-155.
- Csanady GA, Filser JG. 2001. The relevance of physical activity for the kinetics of inhaled gaseous substances. *Arch Toxicol* 74(11):663-672.
- Cucco JA. 1987. A method of determining the efficiency of air sampling traps to collect and release volatile organic compounds. *Anal Lett* 20:223-234.
- Czerczak S, Kupczewska M. 2002. Assignment of skin notation for maximum allowable concentration (MAC) list in Poland. *Appl Occup Environ Hyg* 17(3):187-199.
- *Daisey JM, Hodgson AT, Fisk WJ, et al. 1994. Volatile organic compounds in twelve California office buildings: Classes, concentrations and sources. *Atmos Environ* 28(22):3557-3562.
- Darnall KR, Lloyd AC, Winer AM, et al. 1976. Reactivity scale for atmospheric hydrocarbons based on reaction with hydroxyl radicals. *Environ Sci Technol* 10:692-696.
- Da Silva MLB, Alvarez PJJ. 2004. Enhanced anaerobic biodegradation of benzene-toluene-ethylbenzene-xylene-ethanol mixtures in bioaugmented aquifer columns. *Appl Environ Microbiol* 70(8):4720-4726.
- *Dean BJ, Brooks TM, Hodson-Walker G, et al. 1985. Genetic toxicology testing of 41 industrial chemicals. *Mutat Res* 153:57-77.
- De Bortoli M, Knoepfel H, Pecchio E, et al. 1986. Concentrations of selected organic pollutants in indoor and outdoor air in northern Italy. *Environ Int* 12:343-350.
- +*De Ceaurriz JC, Micillino JC, Bonnet P, et al. 1981. Sensory irritation caused by various industrial airborne chemicals. *Toxicol Lett (Amst)* 9:137-144.
- De Celis R, Feria-Velasco A, Gonzalez-Unzaga M, et al. 2000. Semen quality of workers occupationally exposed to hydrocarbons. *Fertil Steril* 73(2):221-228.
- *Degirmenci E, Ono Y, Kawara O, et al. 2000. Genotoxicity analysis and hazardousness prioritization of a group of chemicals. *Water Sci Technol* 42(7-8):125-131.
- *de Medinilla J, Espirgares M. 1988. Contamination by organic solvents in auto paint shops. *Am Occup Hyg* 31(4):509-513.
- *Dennison JE, Andersen ME, Clewell HJ, et al. 2004. Development of a physiologically based pharmacokinetic model for volatile fractions of gasoline using chemical lumping analysis. *Environ Sci Technol* 38(21):5674-5681.
- *Dennison JE, Andersen ME, Yang RSH. 2003. Characterization of the pharmacokinetics of gasoline using PBPK modeling with a complex mixtures chemical lumping approach. *Inhal Toxicol* 15:961-986.
- *Dennison JE, Bigelow PL, Mumtaz MM, et al. 2005. Evaluation of potential toxicity from co-exposure to three CNS depressants (toluene, ethylbenzene, and xylene) under resting and working conditions using PBPK modeling. *J Occup Environ Hyg* 2(3):127-135.

9. REFERENCES

- Dewulf J, Van Langenhove H. 1997. Chlorinated C₁- and C₂-hydrocarbons and monocyclic aromatic hydrocarbons in marine waters: An overview on fate processes, sampling, analysis and measurements. *Water Research* 31(8):1825-1838.
- *Dewulf J, Dewettinck T, De Visscher A, et al. 1996. Sorption of chlorinated C₁- and C₂-hydrocarbons and monocyclic aromatic hydrocarbons on sea sediment. *Water Research* 30 (12):3130-3138.
- de Wolf W, Lieder PH, Walker JD. 2004. Application of QSARs: Correlation of acute toxicity in the rat following oral or inhalation exposure. *QSAR Comb Sci* 23(7):521-525.
- *Dilling WL, Bredeweg CJ, Tefertiller NB. 1976. Organic photochemistry. XIII. Simulated atmospheric photodecomposition rates of methylene chloride, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other compounds. *Environ Sci Technol* 10:351-356.
- DOT. 1990a. Hazardous materials table, special provisions, hazardous materials communications, emergency response information, and training requirements. U.S. Department of Transportation. Code of Federal Regulations. 49 CFR 172.101.
- DOT. 1990b. List of hazardous substances and reportable quantities. U.S. Department of Transportation. Code of Federal Regulations. CFR 172.101, App A.
- Dowty BJ, Laseter JL, Storer J. 1976. The transplacental migration and accumulation in blood of volatile organic constituents. *Pediatr Res* 10:696-701.
- *Dreisch FA, Munson TO. 1983. Purge-and-trap analysis using fused silica capillary column GC/MS. *J Chromatogr Sci* 21:111-118.
- *Driscoll N, Atwood ES. 1993. Application of gas chromatography with photoionization and electron-capture detectors for field screening of semi volatiles in soil and water. *J Chromatogr* 642:435-443.
- Drozd J, Novak J, Rijks JA. 1978. Quantitative and qualitative head-space gas analysis of parts per billion amounts of hydrocarbons in water: A study of model systems by capillary-column gas chromatography with splitless sample injection. *J Chromatogr* 158:471-482.
- Dueerksen-Hughes PJ, Yang J, Ozcan O. 1999. p53 induction as a genotoxic test for twenty-five chemicals undergoing *in vivo* carcinogenicity testing. *Environ Health Perspect* 107(10):805-812.
- +*Dutkiewicz T, Tyras H. 1967. A study of the skin absorption of ethylbenzene in man. *Brit J Ind Med* 24:330-332.
- *Dutkiewicz T, Tyras H. 1968. Skin absorption of toluene, styrene, and xylene by man. *Brit J Ind Med* 24:243.
- ECETOC. 1986. Joint assessment of commodity chemicals. No. 7: Ethylbenzene. Brussels, Belgium: European Chemical Industry Ecology and Toxicology Center.
- Edelson SB, Cantor DS. 1998. Autism: Xenobiotic influence. *Toxicol Ind Health* 14(6):799-811.

9. REFERENCES

- *Ehret-Henry J, Ducruet V, Luciani A, et al. 1994. Styrene and ethylbenzene migration from polystyrene into dairy products by dynamic purge-and-trap gas chromatography. *J Food Sci* 59(5):990-1001.
- *Ehrhardt M, Petrick G. 1984. On the sensitized photo-oxidation of alkylbenzenes in seawater. *Mar Chem* 15:47-58.
- *Eiceman GA, McConnon JT, Zaman M, et al. 1986. Hydrocarbons and aromatic hydrocarbons in groundwater surrounding an earthen waste disposal pit for produced water in the Duncan oil field of New Mexico. *Int J Environ Anal Chem* 24:143-162.
- *Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15(1):30-38.
- Elcombe CR, Bridges JW, Gray TJ, et al. 1975. Studies on the interaction of safrole with rat hepatic microsomes. *Biochem Pharmacol* 24:1427-1433.
- Elke K, Jermann E, Begerow J, et al. 1998. Determination of benzene, toluene, ethylbenzene and xylenes in indoor air at environmental levels using diffusive samplers in combination with headspace solid-phase microextraction and high-resolution gas chromatography-flame ionization detection. *J Chromatogr A* 826:191-200.
- *Ellenson WD, Mukerjee S, Stevens RK, et al. 1997. An environmental scoping study in the lower Rio Grande Valley of Texas: II. Assessment of transboundary pollution transport and other activities by air quality monitoring. *Environ Int* 23(5):643-655.
- *El Masri AM, Smith JN, Williams RT. 1958. The metabolism of alkylbenzenes: Phenylacetylene and phenylethylene (styrene). *Biochem J* 68(2):199-204.
- +*El Masry AM, Smith JN, Williams RT. 1956. The metabolism of alkylbenzenes: *n*-Propylbenzene and *n*-butylbenzene with further observations on ethylbenzene. *Biochem J* 64:50-56.
- +*Elovaara E, Engstrom K, Nickels J, et al. 1985. Biochemical and morphological effects of long-term inhalation exposure of rats to ethylbenzene. *Xenobiotica* 15:299-308.
- +*Elovaara E, Engstrom K, Vainio H, et al. 1982. Unaltered metabolism of *m*-xylene in the presence of ethylbenzene. In: Hietanen E, Laitinen M, Hanninen O, eds. *Cytochrome P-450, biochemistry, biophysics and environmental implications*. Amsterdam, The Netherlands: Elsevier Biomedical Press, 765-768.
- +*Elovaara E, Engstrom K, Vainio H. 1984. Metabolism and disposition of simultaneously inhaled *m*-xylene and ethylbenzene in the rat. *Toxicol Appl Pharmacol* 75:466-478.
- Engelhardt G, Schwind K-R, Mussler B. 2004. The testing of chemicals in the Syrian hamster embryo (SHE) cell transformation assay for assessment of carcinogenic potential. *Toxicol In Vitro* 18(2):213-218.
- *Engelke M, Bergmann U, Diehl HA. 1993. Fluidity of the microsomal membrane and cytochrome P450 reduction kinetics of pig liver microsomes as a consequence of organic solvent impact. *Xenobiotica* 23(1):71-78.

9. REFERENCES

- +*Engstrom J, Bjurstrom R. 1978. Exposure to xylene and ethylbenzene. II. Concentration in subcutaneous adipose tissue. *Scand J Work Environ Health* 4:195-203.
- +*Engstrom K, Elovaara E, Aitio A. 1985. Metabolism of ethylbenzene in the rat during long-term intermittent inhalation exposure. *Xenobiotica* 15:281-286.
- +*Engstrom K, Riihimaki V, Laine A. 1984. Urinary disposition of ethylbenzene and *m*-xylene in man following separate and combined exposure. *Int Arch Occup Environ Health* 54:355-363.
- +Engstrom KM. 1984. Metabolism of inhaled ethylbenzene in rats. *Scand J Work Environ Health* 10:83-87.
- Enzminger JD, Ahlert RC. 1987. Environmental fate of polynuclear aromatic hydrocarbons in coal tar. *Environ Technol Lett* 8:269-278.
- EPA. 1973. Guidelines establishing test procedures for analysis of pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136, App A.
- EPA. 1978. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.
- EPA. 1979a. Non-urban hydrocarbon concentrations in ambient air north of Houston, Texas. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA500379010, 38.
- EPA. 1979b. Toxic pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15.
- *EPA. 1981. Engineering handbook for hazardous waste incineration. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Solid Waste. PB81248163.
- *EPA. 1982. Aquatic fate process data for organic priority pollutants. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Monitoring and Data Support Division. EPA440481014.
- EPA. 1984a. Application for permit to discharge wastewater: Existing manufacturing, commercial, mining, and silvicultural operations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 125.
- *EPA. 1984b. Health effects assessment for ethylbenzene. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA540186008.
- *EPA. 1984c. Method 602: Purgeable aromatics. Guidelines establishing test procedures for the analysis of pollutants under the Clean Water Act; final rule and interim final rule and proposed rule. U.S. Environmental Protection Agency. *Fed Regist* 49(209):40-48.
- EPA. 1984d. Method 624. Guidelines establishing test procedures for the analysis of pollutants under the Clean Water Act; final rule and interim final rule and proposed rule. U.S. Environmental Protection Agency. 40 CFR Part 136.

9. REFERENCES

- +*EPA. 1984e. Analyses of exhaled breath of 355 urban residents for volatile organic compounds. Indoor Air. Vol. 4. Chemical characterization and personal exposure. Proceedings of the 3rd International Conference on Indoor Air Quality and Climate held in Stockholm on August 20-24, 1984. U.S. Environmental Protection Agency. PB85104214, 15-20.
- EPA. 1985a. Maximum contaminant level goals. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.50.
- EPA. 1985b. Drinking water criteria document for ethylbenzene. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. PB86117835.
- EPA. 1985c. Determination of reportable quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3.
- EPA. 1985d. Synthetic organic compound sampling survey of public water supplies. Washington, DC: U.S. Environmental Protection Agency. PB85214427AS, 38.
- +*EPA. 1986a. Broad scan analysis of the FY82 national human adipose tissue survey specimens. Vol. I. Executive summary. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA566586035.
- EPA. 1986b. General pretreatment regulations for existing and new sources of pollution. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403, Appendix B.
- EPA. 1986c. Reference values for risk assessment (Final draft). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Solid Waste. ECAOCIN477.
- EPA. 1986d. Test methods for evaluating solid waste SW-846. U.S. Environmental Protection Agency.
- *EPA. 1987. Project summary. The total exposure assessment methodology (TEAM) study: Summary and analysis. U.S. Environmental Protection Agency, Office of Research and Development. EPA600687002.
- *EPA. 1988a. Method T01-1. Method for the determination of volatile organic compounds in ambient air using tenax adsorption and gas chromatography mass spectrometry (GC/MS). Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. U.S. Environmental Protection Agency. EPA600489017.
- *EPA. 1988b. Method T014-1. Determination of volatile organic compounds (VOCs) in ambient air using SUMMA passivated canister sampling and gas chromatographic analysis. Compendium of Methods for the determination of toxic organic compounds in ambient air. U.S. Environmental Protection Agency. EPA600489017.
- *EPA. 1988c. National ambient volatile organic compounds (VOCs) data base update. Research Triangle Park, NC: U.S. Environmental Protection Agency, Atmospheric Sciences Research Laboratory. EPA600388010A.
- EPA. 1988d. Recommendations for and documentation of biological values for use in risk assessment. U.S. Environmental Protection Agency. EPA600687008.

9. REFERENCES

- EPA. 1989a. Interim methods for development of inhalation reference doses. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA600888066F.
- EPA. 1989b. National primary and secondary drinking water regulations. U.S. Environmental Protection Agency. Fed Regist 54:22062-22160.
- *EPA. 1990a. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA600890066A. PB90238890.
- EPA. 1990b. Standards of performance for volatile organic compounds (VOC) emissions from synthetic organic chemical manufacturing industry (SOCMI) distillation operation. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.667.
- EPA. 1991a. National primary drinking water regulations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.61.
- EPA. 1991b. Constituents for detection monitoring. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258, App 1.
- EPA. 1991c. List of hazardous inorganic and organic constituents. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258, App II.
- *EPA. 1991d. Method 502.2. Volatile organic compounds in water by purge and trap capillary column gas chromatography with photoionization and electrolytic conductivity detectors in series. Methods for the determination of organic compounds in drinking water. U.S. Environmental Protection Agency. EPA600488039.
- *EPA. 1991e. Method 503.1. Volatile aromatic and unsaturated organic compounds in water by purge and trap gas chromatography. Methods for the determination of organic compounds in drinking water. U.S. Environmental Protection Agency. EPA600488039.
- *EPA. 1991f. Method 524.1. Measurement of purgeable organic compounds in water by packed column gas chromatography/mass spectrometry. Revision 3.0. In: Methods for the determination of organic compounds in drinking water. Cincinnati, OH: U.S. Environmental Protection Agency, 253-282. EPA600488039. PB91231480.
- *EPA. 1991g. Alpha_{2u}-Globulin: Association with chemically induced renal toxicity and neoplasia in the male rat. Washington, DC: U.S. Environmental Protection Agency. EPA625391019F.
- *EPA. 1992a. Method 524.2. Measurement of purgeable organic compounds in water by capillary column gas chromatography mass spectrometry. Methods for the determination of organic compounds in drinking water. Supplement II. U.S. Environmental Protection Agency. EPA600R92129.
- EPA. 1992b. National air toxics information clearinghouse: NATICH data base report on state, local and EPA air toxics activities. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Emissions Standards Division. EPA453R92008.
- *EPA. 1992c. Hazardous wastes from non-specific sources. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.31.

9. REFERENCES

EPA. 1992d. Applicability of treatment standards. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.40.

EPA. 1992e. Waste specific prohibitions-solvent wastes. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.30.

EPA. 1993a. Electroplating point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 413.02.

EPA. 1993b. Pretreatment standards for existing sources (PSES). U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.25.

EPA. 1993c. Pretreatment standards for existing sources (PSES). U.S. Environmental Protection Agency. 40 CFR 414.35.

EPA. 1993d. Pretreatment standards for existing sources (PSES). U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.45.

EPA. 1993e. Pretreatment standards for existing sources (PSES). U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.55.

EPA. 1993f. Toxic pollutant effluent limitations and standards for direct discharge point sources that do not use end-of-pipe biological treatment. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.101.

EPA. 1993g. Toxic pollutant effluent limitations and standards for direct discharge point sources that use end-of-pipe biological treatment. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.91.

EPA. 1993h. General pretreatment regulations for existing and new sources of pollution. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403, App G.

EPA. 1993j. Pretreatment standards for new sources (PSNS). U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 423.17.

EPA. 1993k. Steam electric power generating point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 423, App A.

EPA. 1994a. National emissions standards for organic hazardous air pollutants from synthetic organic chemical manufacturing industry. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 63.106.

*EPA. 1994c. Measurement of reformulated gasoline fuel parameters. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 80.46.

*EPA. 1994d. Method 8021A. Halogenated volatiles by gas chromatography using photoionization and electrolytic conductivity detectors in series: Capillary column technique. SW-846. Final update II. 3rd ed. U.S. Environmental Protection Agency.

9. REFERENCES

- *EPA. 1994e. Method 8260A. Volatile organic compounds by gas chromatography mass spectrometry (GC/MS): Capillary column technique. Method Status Table SW-846, 3rd ed., Updates I, II, IIA and IIB. U.S. Environmental Protection Agency.
- EPA. 1994f. Chemical lists and reporting periods. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 712.30.
- EPA. 1994g. Standards of performance for the equipment leaks of VOC in the synthetic organic chemicals manufacturing industry. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.489.
- EPA. 1994h. NPDES permit application testing requirements. U.S. Environmental Protection Agency. 40 CFR 122, App D.
- EPA. 1994i. Applicability; description of the metal finishing point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 433.10.
- EPA. 1994j. Designation, reportable quantities, and notification. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- EPA. 1994k. Specific toxic chemical listings. Chemicals and chemical categories to which this part applies. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.
- EPA. 1994l. Standards of performance for volatile organic compounds emissions from synthetic organic chemical manufacturing industry (SOCMI) reactor processes. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.707.
- EPA. 1994m. Health and safety data reporting. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 716.120.
- EPA. 1994n. Tests methods for pesticide pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 455.50.
- *EPA. 1994o. Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA600/8-90/066F.
- *EPA. 1995a. Method 8021B. Halogenated volatiles by gas chromatography using photoionization and electrolytic conductivity detectors in series: Capillary column technique. SW-846. Final update IIB. 3rd ed. U.S. Environmental Protection Agency.
- *EPA. 1995b. Method 8260B. Volatile organic compounds by gas chromatography mass spectrometry (GC/MS): Capillary column technique. SW-846. Final update IIB. 3rd ed. U.S. Environmental Protection Agency.
- *EPA. 1995c. Drinking water regulations and health advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water.
- *EPA. 1995d. Toxic chemical release inventory. Reporting form R and instructions. Section 313 of the Emergency Planning and Community Right-to-Know Act. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.

9. REFERENCES

- *EPA. 1995e. Method 4030: Soil screening for petroleum hydrocarbons by immunoassay. In: Test methods for evaluating solid waste, physical/chemical methods. Final update IIB. 3rd ed. U.S. Environmental Protection Agency. SW-846. <http://www.epa.gov/epaoswer/hazwaste/test/pdfs/4030.pdf>. August 15, 2007.
- EPA. 1997a. Land disposal restrictions: Correction of tables; treatment standards for hazardous wastes and universal treatment standards. U.S. Environmental Protection Agency. Fed Regist 62:7502-7600.
- *EPA. 1997b. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA630R96012.
- *EPA. 1999. Method 624: Purgeables. In: Methods and guidance for the analysis of water: Version 2. U.S. Environmental Protection Agency. PB99500209. http://infotrek.er.usgs.gov/docs/nemi/method_pdf/5249.pdf. August 13, 2007.
- *EPA. 2000. Benchmark dose technical guidance document. Washington, DC: U.S. Environmental Protection Agency. EPA630R00001.
- *EPA. 2003. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency, Office of Ground Water and Drinking Water. EPA816F03016. <http://www.epa.gov/safewater/mcl.html>. March 07, 2006.
- *EPA. 2004. Inert pesticide ingredients in pesticide products. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/opprd001/inerts/lists.html>. April 11, 2007.
- *EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency. Office of Environmental Information. EPA260B05001.
- *EPA. 2006a. Drinking water standards and health advisories. Washington, DC: Office of Water, U.S. Environmental Protection Agency. EPA822R04005. <http://epa.gov/waterscience/criteria/drinking/>. April 11, 2007.
- *EPA. 2006b. National recommended water quality criteria. Washington, DC: U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology. <http://www.epa.gov/waterscience/criteria/wqcriteria.html>. March 07, 2006.
- *EPA. 2007a. Acute exposure guideline levels (AEGLs) Washington, DC: Office of Pollution Prevention and Toxics, U.S. Environmental Protection Agency. <http://www.epa.gov/oppt/aegl/pubs/compiled.pdf>. April 11, 2007.
- *EPA. 2007b. Designated as hazardous substances in accordance with Section 311(b)(2)(A) of the Clean Water Act. Code of Federal Regulations. 40 CFR 116.4. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. April 11, 2007.
- *EPA. 2007c. Hazardous air pollutants. Clean Air Act. United States Code. 42 USC 7412. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/ttn/atw/orig189.html>. April 11, 2007.

9. REFERENCES

- *EPA. 2007d. Reportable quantities of hazardous substances designated pursuant to Section 311 of the Clean Water Act. Code of Federal Regulations. 40 CFR 117.3. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. April 11, 2007.
- *EPA. 2007e. Superfund, emergency planning, and community right-to-know programs. Designation, reportable quantities, and notifications. Code of Federal Regulations. 40 CFR 302.4. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. April 11, 2007.
- *EPA. 2007f. Superfund, emergency planning, and community right-to-know programs. Toxic chemical release reporting. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. April 11, 2007.
- *EPA. 2007g. Toxic pollutants designated pursuant to Section 307(a)(1) of the Clean Water Act. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. April 11, 2007.
- *EPA. 2007h. Toxic Substances Control Act. Health and Safety Data Reporting. Substances and listed mixtures to which this subpart applies. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 716.120. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. April 11, 2007.
- *EPA. 2007i. Ethylbenzene. Modernized STORET system: Regular results by project (stormodb): Characteristic search by CAS number. U.S. Environmental Protection Agency. <http://www.epa.gov/storet/dbtop.html>. April 02, 2007.
- *EPA. 2007j. Master testing list. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. <http://www.epa.gov/opptintr/chemtest/pubs/mtl.htm>. May 10, 2007.
- +*Ethylbenzene Producers Association. 1986a. A four day inhalation study of ethylbenzene in the rat, mouse, and rabbit. Ethylbenzene Producers Association. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0513170.
- Ethylbenzene Producers Association. 1986b. A four week inhalation study of ethylbenzene in the rat, mouse, and rabbit. Ethylbenzene Producers Association. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8d. OTS0513173.
- +Etkina EI, Etkina IA. 1995. Chemical mixtures exposure and children's health. *Chemosphere* 31(1):2463-2474.
- +*Faber WD, Roberts LSG, Stump DG, et al. 2006. Two generation reproduction study of ethylbenzene by inhalation in Crl-CD rats. *Birth Defects Res B Dev Reprod Toxicol* 77(1):10-21.
- +*Faber WD, Roberts LSG, Stump DG, et al. 2007. Inhalation developmental neurotoxicity study of ethylbenzene in Crl-CD rats. *Birth Defects Res B Dev Reprod Toxicol* 80:34-48.
- Fang Z, Sonner J, Laster MJ, et al. 1996. Anesthetic and convulsant properties of aromatic compounds and cycloalkanes: Implications for mechanisms of narcosis. *Anesth Analg* 83(5):1097-1104.

9. REFERENCES

- *FDA. 2006a. Beverages. Bottled water. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 165.110. <http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm>. April 11, 2007.
- *FDA. 2006b. Total diet study. Market baskets 1991-1993 through 2003-2004. U.S. Food and Drug Administration, 1-126.
- *FDA. 2007. Everything added to food in the United States (EAFUS) Washington, DC: U.S. Food and Drug Administration. <http://vm.cfsan.fda.gov/~dms/eafus.html>. April 11, 2007.
- *FEDRIP. 2007. Ethylbenzene. Federal Research in Progress database. Springfield, VA: National Technical Information Service.
- *Fellin P, Otson R. 1994. Assessment of the influence of climatic factors on concentration levels of volatile organic compounds (VOCs) in Canadian homes. *Atmos Environ* 28(22):3581-3586.
- *Ferrario JB, Lawler GC, DeLeon IR, et al. 1985. Volatile organic pollutants in biota and sediments of Lake Pontchartrain. *Bull Environ Contam Toxicol* 34:246-255.
- *Filipovic D, Paulsen MD, Loida PJ, et al. 1992. Ethylbenzene hydroxylation by cytochrome P450cam. *Biochem Biophys Res Commun* 189(1):488-495.
- *Fishbein L. 1985. An overview of environmental and toxicological aspects of aromatic hydrocarbons. IV. Ethylbenzene. *Sci Total Environ* 44:269-287.
- *Florin I, Rutberg L, Curvall M, et al. 1980. Screening of tobacco smoke constituents for mutagenicity using the Ames test. *Toxicology* 18:219-232.
- *Fomon SJ. 1966. Body composition of the infant: Part 1: The male reference infant. In: Faulkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 239-246.
- *Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35:1169-1175.
- Forziati AF, Norris WR, Rossini FD. 1949. Vapor pressures and boiling points of sixty API-NBS hydrocarbons. *J Res Natl Bureau Standards* 43:555-563.
- +Fouchecourt MO, Riviere JL. 1996. Activities of liver and lung cytochrome p450-dependent monooxygenases and antioxidant enzymes in laboratory and wild Norway rats exposed to reference and contaminated soils. *Toxicology* 30(4):513-522.
- Fox MA, Tran NL, Groopman JD. 2004. Toxicological resources for cumulative risk: An example with hazardous air pollutants. *Regul Toxicol Pharmacol* 40(3):305-311.
- +*Frantik E, Hornychova M, Horvath M. 1994. Relative acute neurotoxicity of solvents: Isoeffective air concentrations of 48 compounds evaluated in rats and mice. *Environ Res* 66(2):173-185.
- Fujita T, Iwasa J, Hansch C. 1964. A new substituent constant, π , derived from partition coefficients. *J Amer Chem Soc* 86:5175-5180.

9. REFERENCES

- *Fukuda M, Nishi T, Igarashi M, et al. 1989. Degradation of ethylbenzene by *Pseudomonas putida* harboring OCT plasmid. *Agric Biol Chem* 53(12):3293-3299.
- Furnas DW, Hine CH. 1958. Neurotoxicity of some selected hydrocarbons. *Arch Ind Health* 18:9-15.
- Fusillo TV, Hochreiter JJ J, Lord DG. 1985. Distribution of volatile organic compounds in a New Jersey coastal plain aquifer system. *Groundwater* 23:354-360.
- +*Fustinoni S, Buratti M, Giampiccolo R. 1995. Biological and environmental monitoring of exposure to airborne benzene and other aromatic hydrocarbons in Milan traffic wardens. *Toxicol Lett* 77:387-392.
- *Fustinoni S, Buratti M, Giampiccolo R, et al. 1996. Biological monitoring of airborne aromatic hydrocarbon exposure: A gas chromatographic procedure for the determination of benzene, toluene, ethylbenzene and xylenes in blood and urine. *Med Lav* 87(1):63-75.
- Fustinoni S, Giampiccolo R, Pulvirenti S, et al. 1999. Headspace solid-phase microextraction for the determination of benzene, toluene, ethylbenzene and xylenes in urine. *J Chromatogr B Biomed Sci Appl* 723:105-115.
- +*Gagnaire F, Langlais C. 2005. Relative ototoxicity of 21 aromatic solvents. *Arch Toxicol* 79(6):346-354.
- +*Gagnaire F, Langlais C, Grossmann S, et al. 2007. Ototoxicity in rats exposed to ethylbenzene and to two technical xylene vapours for 13 weeks. *Arch Toxicol* 81(2):127-143.
- Gamberale F, Annwall G, Hultengren M. 1978. Exposure to xylene and ethylbenzene. III. Effects on central nervous function. *Scand J Work Environ Health* 4:204-211.
- *Gargas ML, Burgess RJ, Voisard DE, et al. 1989. Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. *Toxicol Appl Pharmacol* 98:87-99.
- Gerarde HW. 1959. Toxicological studies on hydrocarbons. III. The biochemorphology of the phenylalkanes and phenylalkenes. *AMA Arch Ind Health* 19:403-418.
- +Gerarde HW, Linden NJ. 1956. Toxicological studies on hydrocarbons. II. A comparative study of the effect of benzene and certain mono-n-alkylbenzenes on hemopoiesis and bone marrow metabolism in rats. *AMA Arch Ind Health* 13:468-474.
- +Gerarde HW, Linden NJ. 1963. Toxicological studies on hydrocarbons: IX. The aspiration hazard and toxicity of hydrocarbons and hydrocarbon mixtures. *Arch Environ Health* 6:329-341.
- +Gershbein LL. 1975. Liver regeneration as influenced by the structure of aromatic and heterocyclic compounds. *Res Commun Chem Pathol Pharmacol* 11:445-466.
- Gibson DT. 1977. Biodegradation of aromatic petroleum hydrocarbons. In: Wolfe DA, ed. Fate and effects of petroleum hydrocarbons in marine organisms and ecosystems. New York, NY: Pergamon Press, 36-46.
- Gibson DP, Brauning R, Shaffi HS, et al. 1997. Induction of micronuclei in Syrian hamster embryo cells: Comparison to results in the SHE cell transformation assay for national toxicology program test chemicals. *Mutat Res* 392(1-2):61-70.

9. REFERENCES

- *Gibson DT, Geschwendt B, Yeh WK, et al. 1973. Initial reactions in the oxidation of ethylbenzene by *Pseudomonas putida*. *Biochemistry* 12:1520-1528.
- Gibson DT, Koch JR, Kallio RE. 1968. Oxidative degradation of aromatic hydrocarbons by microorganisms. I. Enzymatic formation of catechol from benzene. *Biochemistry* 7:2653-2662.
- Giger W, Schaffner C. 1981. Groundwater pollution by volatile chemicals. *Stud Environ Sci* 17:517-522.
- *Gillette JR, Mitchell JR, Brodie BB. 1974. Biochemical mechanisms of drug toxicity. *Ann Rev Pharmacol* 14:271-288.
- *Giwerzman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect Suppl* 101(2):65-71.
- *Goldberg MS, Al-Homsi N, Goulet L, et al. 1995. Incidence of cancer among persons living near municipal solid waste landfill site in Montreal, Quebec. *Arch Environ Health* 50(6):416-424.
- Goldfrank LR. 1994. Hydrocarbons. In: Goldfrank LR, Flomenbaum NE, Lewin NA, et al., eds. *Goldfrank's toxicologic emergencies*. 5th ed. Norwalk, CT: Appleton & Lange, 1231-1244.
- *Górna-Binkul A, Keymeulen R, Van Langenhove H, et al. 1996. Determination of monocyclic aromatic hydrocarbons in fruit and vegetables by gas chromatography-mass spectrometry. *J Chromatogr A* 734(2):297-302.
- *Gossel TA, Bricker JD. 1994. Principles of clinical toxicology. 3rd ed. New York, NY: Raven Press, 124-126.
- Gossett RW, Brown DA, Young DR. 1983. Predicting the bioaccumulation of organic compounds in marine organism using octanol/water partition coefficients. *Mar Pollut Bull* 14:387-392.
- *Gramshaw JW, Vandenburg HJ. 1995. Compositional analysis of samples of thermoset polyester and migration of ethylbenzene and styrene from thermoset polyester into pork during cooking. *Food Addit Contam* 12(2):223-234.
- *Greiner JW, Kramer RE, Robinson DA, et al. 1976. Interaction of aromatic hydrocarbons and drugs with adrenal microsomal cytochrome P-450 in the guinea pig. *Biochem Pharmacol* 25(8):951-955.
- Grigor'eva KV, Klyuzko AS. 1971. Studies of the metabolite of styrene and ethylbenzene in urine. *Hyg Sanit* 36:136-137.
- Grob K, Grob G. 1971. Gas-liquid chromatographic-mass spectrometric investigation of C₆-C₂₀ organic compounds in an urban atmosphere. An application of ultra trace analysis on capillary columns. *J Chromatogr* 62:1-13.
- +*Gromiec JP, Piotrowski JK. 1984. Urinary mandelic-acid as an exposure test for ethylbenzene. *Int Arch Occup Environ Health* 55(1):61-72.
- *Grosjean D, Fung K. 1984. Hydrocarbons and carbonyls in Los Angeles air. *J Air Pollut Control Assoc* 34:537-543.

9. REFERENCES

- *Grovenstein E, Mosher AJ. 1970. Reaction of atomic oxygen with aromatic hydrocarbons [Letter]. *J Am Chem Soc* 92:3810-3812.
- *Gschwend PM, Zafirlou OC, Mantoura RFC, et al. 1982. Volatile organic compounds at a coastal site. 1. Seasonal variations. *Environ Sci Technol* 16:31-38.
- +Gut IY, Terelius E, Frantik I, et al. 1993. Exposure to various benzene derivatives differently induces cytochromes P450 2B1 and P450 2E1 in rat liver. *Arch Toxicol* 67(4):237-243.
- *Guy RH, Maibach HI. 1984. Correction factors for determining body exposure from forearm percutaneous absorption data. *J Appl Toxicol* 4(1):26-28.
- *Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.
- *Haddad S, Béliveau M, Tardif R, et al. 2001. A PBPK modeling-based approach to account for interactions in the health risk assessment of chemical mixtures. *Toxicol Sci* 63:125-131.
- +*Hajimiragha H, Ewers U, Brockhaus A, et al. 1989. Levels of benzene and other volatile aromatic compounds in the blood of non-smokers and smokers. *Int Arch Occup Environ Health* 61(8):513-518.
- *Hallbourg RR, Delfino JJ, Miller WL. 1992. Organic priority pollutants in groundwater and surface water at three landfills in north central Florida. *Water Air Soil Pollut* 65:307-322.
- *Hampton CV, Pierson WR, Schuetzle D, et al. 1983. Hydrocarbon gases emitted from vehicles on the road. 2. Determination of emission rates from diesel and spark-ignition vehicles. *Environ Sci Technol* 17:699-708.
- Hannah SA, Austern BM, Eralp AE, et al. 1986. Comparative removal of toxic pollutants by six wastewater treatment processes. *J Water Pollut Control Fed* 58:27-34.
- *Hansch C, Leo A. 1979. Substituent constants for correlation analysis in chemistry and biology. New York, NY: John Wiley & Sons, 232.
- Hansch C, Leo A, Nikaitani D. 1972. On the additive-constitutive character of partition coefficients. *J Org Chem* 37:3090-3092.
- Hansch C, Quinlan JE, Lawrence GL. 1968. The linear-free energy relationship between partition coefficients and the aqueous solubility of organic liquids. *J Org Chem* 33:347-350.
- +Hansen LF, Nielsen GD. 1994. Sensory irritation effects of n-propanol and ethylbenzene after pretreatment with capsaicin or indomethacin. *Pharmacol Toxicol* 75(3-4):154-161.
- *Hard GC. 2002. Significance of the renal effects of ethylbenzene in rodents for assessing human carcinogenic risk. *Toxicol Sci* 69:30-41.
- Hardin BD, Bond GP, Sikov MR, et al. 1981. Testing of selected workplace chemicals for teratogenic potential. *Scand J Work Environ Health* 7 (Suppl 4):66-75.

9. REFERENCES

- Harkonen H, Lindstrom K, Seppalainen AM, et al. 1978. Exposure-response relationship between styrene exposure and central nervous functions. *Scand J Work Environ Health* 4:53-59.
- *Harkov R, Kebbekus B, Bozzelli JW, et al. 1983. Measurement of selected volatile organic compounds at three locations in New Jersey during the summer season. *J Air Pollut Control Assoc* 33:1177-1183.
- Harkov R, Kebbekus B, Bozzelli JW, et al. 1984. Comparison of selected volatile organic compounds during the summer and winter at urban sites in New Jersey. *Sci Total Environ* 38:259-274.
- Harkov R, Kebbekus B, Bozzelli JW. 1987. Volatile organic compounds at urban sites in New Jersey. In: Lioy PJ, Daisey JM, eds. *Toxic air pollutants*. Chelsea, MI: Lewis Publishers Inc, 69-90.
- Haumann K, Kiesswetter E, van Thriel C, et al. 2003. Breathing and heart rate during experimental solvent exposure of young adults with self-reported multiple chemical sensitivity (sMCS) *Neurotoxicology* 24(2):179-186.
- Hawthorne SB, Miller DJ. 2003. Evidence for very tight sequestration of BTEX compounds in manufactured gas plant soils based on selective supercritical fluid extraction and soil/water partitioning. *Environ Sci Technol* 37(16):3587-3594.
- *HazDat. 2007. Ethylbenzene. HazDat Database: ATSDR's Hazardous Substance Release and Health Effects Database. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/hazdat.html>. April 02, 2007.
- Heald PC, Schladow SG, Reuter JE, et al. 2005. Modeling MTBE and BTEX in lakes and reservoirs used for recreational boating. *Environ Sci Technol* 39:1111-1118.
- *Heikes DL, Jensen SR, Fleming-Jones ME. 1995. Purge and trap extraction with GC-MS determination of volatile organic compounds in table-ready foods. *J Agric Food Chem* 43:2869-2875.
- Heiselman DE, Cannon LA. 1990. Benzene and the aromatic hydrocarbons. In: Haddad LM, Winchester JF eds. *Clinical management of poisoning and drug overdose*. 2nd ed., 1222-1232.
- Henry B, Grant SG, Klopman G, et al. 1998. Induction of forward mutations at the thymidine kinase locus of mouse lymphoma cells: Evidence for electrophilic and non-electrophilic mechanisms. *Mutat Res* 397:313-335.
- *Herron JT, Huie RE. 1973. Rate constants for the reactions of atomic oxygen (O^3P) with organic compounds in the gas phase. *J Phys Chem Ref Data* 2(3):467-518.
- Hester NE, Meyer RA. 1979. A sensitive technique for measurement of benzene and alkylbenzenes in air. *Environ Sci Technol* 13:107-109.
- *Hiatt MH. 1981. Analysis of fish and sediment for volatile priority pollutants. *Anal Chem* 53:1541-1543.
- *Hiatt MH. 1983. Determination of volatile organic compounds in fish samples by vacuum distillation and fused silica capillary gas chromatography-mass spectrometry. *Anal Chem* 55:506-516.
- Hinwood AL, Rodriguez C, Runnion T, et al. 2007. Risk factors for increased BTEX exposure to four Australian cities. *Chemosphere* 66(3):533-541.

9. REFERENCES

- *Hodgson AT, Daisey JM, Grot RA. 1991. Sources and source strengths of volatile organic compounds in a new office building. *J Air Waste Manage Assoc* 41(11):1461-1468.
- *Hodgson AT, Daisey JM, Mahanama KRR, et al. 1996. Use of volatile tracers to determine the contribution of environmental tobacco smoke to concentrations of volatile organic compounds in smoking environment. *Environ Int* 22(3):295-307.
- *Hodgson AT, Garbesi K, Sextro RG, et al. 1992. Soil-gas contamination and entry volatile organic compounds into a house near a landfill. *J Air Waste Manage Assoc* 42(3):277-283.
- *Hodson J, Williams NA. 1988. The estimation of the adsorption coefficient (K_{oc}) for soils by high performance liquid chromatography. *Chemosphere* 17:67-77.
- *Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.
- Holmberg B, Malmfors T. 1974. The cytotoxicity of some organic solvents. *Environ Res* 7:183-192.
- Holmberg B, Jakobson I, Malmfors T. 1974. The effect of organic solvents on erythrocytes during hypotonic hemolysis. *Environ Res* 7:193-205.
- +*Holz O, Scherer G, Brodtmeier S, et al. 1995. Determination of low level exposure to volatile aromatic hydrocarbons and genotoxic effects in workers at a styrene plant. *Environ Med* 52(6):420-428.
- +Hong HL, Yang RSH, Boorman GA. 1991. Residual damage to hematopoietic system in mice exposed to a mixture of groundwater contaminants. *Toxicol Lett* 57(1):101-112.
- *Hoshino M, Akimoto H, Okuda M. 1978. Photochemical oxidation of benzene, toluene, and ethylbenzene initiated by hydroxyl radicals in the gas phase. *Bull Chem Soc Jpn* 51:718-724.
- *HSDB. 2007. Ethylbenzene. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. April 02, 2007.
- Hung I-F, Lee S-A, Chen R-K. 1998. Simultaneous determination of benzene, toluene, ethylbenzene, and xylenes in urine by thermal desorption-gas chromatography. *J Chromatogr B* 706(2):352-357.
- *Hutchins SR. 1991. Optimizing BTEX biodegradation under denitrifying conditions. *Environ Toxicol Chem* 10:1437-1448.
- *Hutchins SR, Sewell GW, Kovacs DA, et al. 1991. Biodegradation of aromatic hydrocarbons by aquifer microorganisms under denitrifying conditions. *Environ Sci Technol* 25:68-76.
- Huyskens PL, Tack JJ. 1975. Specific interactions of phenols with water. *J Phys Chem* 79:1654-1658.
- IARC. 2000. Ethylbenzene. IARC monographs on the evaluation of carcinogenic risks to humans. Vol. 77. Some industrial chemicals. Lyon, France: World Health Organization International Agency for Research on Cancer.

9. REFERENCES

- *IARC. 2006. Agents reviewed by the IARC Monographs. Volumes 1–96. Lyon, France: International Agency for Research on Cancer. <http://monographs.iarc.fr/ENG/Classification/index.php>. April 11, 2007.
- Imamura K, Fuji T. 1979. [Rapid determination of toluene, ethylbenzene, and xylene isomers at ppb level in ambient air by mass fragmentography]. *Bunseki Kagaku* 28:549-554. (Japanese)
- +Imaoka S, Funae Y. 1991. Induction of cytochrome P450 isozymes in rat liver by methyl n-alkyl ketones and n-alkylbenzenes. Effects of hydrophobicity of inducers on inducibility of cytochrome *Biochem Pharmacol* 450(42):143-150.
- Ioffe BV, Isidorov VA, Zenkevich IG. 1979. Certain regularities in the composition of volatile organic pollutants in the urban atmosphere. *Environ Sci Technol* 13:864-868.
- *IRIS. 2007. Ethylbenzene. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/iris/subst/index.html>. April 11, 2007.
- +*Ivanov SV. 1962. [Toxicology of ethylbenzene.] *Tr Voronezh Gos Med Inst* 47:80-82. (Russian).
- Ivanov SV. 1964. [Materials on toxicity and hygienic rating ethylbenzol content in the atmosphere of industrial premises]. *Gig Tr Prof Zabol* 8:9-14. (Russian)
- Jahn MK, Handerlein SB, Meckenstock RU. 2005. Anaerobic degradation of benzene, toluene, ethylbenzene, and o-xylene in sediment-free iron-reducing enrichment cultures. *Appl Environ Microbiol* 71(6):3355-3358.
- *Jamison VW, Raymond RL, Hudson JO. 1970. Hydrocarbon cooxidation by *Nocardia corallina* strain V-49. *Develop Ind Microbiol* 12:99-105.
- Jang JY, Droz PO, Kim S. 2001. Biological monitoring of workers exposed to ethylbenzene and co-exposed to xylene. *Int Arch Occup Environ Health* 74:31-37.
- *Jay K, Steiglitz L. 1995. Identification and quantification of volatile organic components in emissions of waste incineration plants. *Chemosphere* 30(7):1249-1260.
- Jo WK, Yu CH. 2001. Public bus and taxicab drivers' exposure to aromatic work-time volatile organic compounds. *Environ Res* 86(1):66-72.
- *Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs. cerebral cortex. *Brain Res* 190:3-16.
- +Johanson G, Filser JG. 1992. Experimental data from closed chamber gas uptake studies in rodents suggest lower uptake rate of chemical than calculated from literature values on alveolar ventilation. *Arch Toxicol* 66(4):291-295.
- Johnstone RAW, Quan PM, Carruthers W. 1962. Composition of cigarette smoke: Some low-boiling components. *Nature* 195:1267-1269.
- *Jonsson A, Persson KA, Grigoriadis V. 1985. Measurements of some low molecular-weight oxygenated, aromatic, and chlorinated hydrocarbons in ambient air and in vehicle emissions. *Environ Int* 11:383-392.

9. REFERENCES

- *Junk GA, Ford CS. 1980. A review of organic emissions from selected combustion processes. *Chemosphere* 9:187-230.
- Juttner F. 1986. Analysis of organic compounds (VOC) in the forest air of southern Black Forest. *Chemosphere* 15:985-992.
- *Kango RY, Quinn JG. 1989. Adsorption studies of xylenes and ethylbenzene on soil and humic acid by a purge and trap gas chromatographic method. *Chemosphere* 19(8/9):1269-1276.
- Kappeler T, Wuhrmann K. 1978. Microbial degradation of the water soluble fraction of gas oil. I. *Water Res* 12:327-333.
- *Karasek FW, Charbonneau GM, Reuel GJ, et al. 1987. Determination of organic compounds leached from municipal incinerator fly ash by water at different pH levels. *Anal Chem* 59:1027-1031.
- *Katzman H, Libby WF. 1975. Hydrocarbon emissions from jet engines operated at simulated high altitude supersonic flight conditions. *Atmos Environ* 9:839-842.
- *Kaubisch N, Daly JW, Jerina DM. 1972. Arene oxides as intermediate in the oxidative metabolism of aromatic compounds. Isomerization of methyl-substituted arene oxides. *Biochemistry* 11:3080-3088.
- +*Kawai T, Mizunuma K, Yasugi T, et al. 1991. Urinary methylhippuric acid isomer levels after occupational exposure to a xylene mixture. *Int Arch Occup Environ Health* 63(1):69-75.
- +*Kawai T, Yasugi T, Mizunuma K, et al. 1992. Comparative evaluation of urinalysis and blood analysis as means of detecting exposure to organic solvents at low concentrations. *Int Arch Occup Environ Health* 64(4):223-234.
- *Kawamura K, Kaplan IR. 1983. Organic compounds in the rainwater of Los Angeles. *Environ Sci Tech* 17:497-501.
- *Keefe SH, Barber LB, Runkel RL, et al. 2004. Fate of volatile organic compounds in constructed wastewater treatment wetlands. *Environ Sci Technol* 38(7):2209-2216.
- *Keith LH, Garrison AW, Allen FR, et al. 1976. Identification of organic compounds in drinking water from thirteen U.S. cities. In: Identification and analysis of organic pollutants in water. Ann Arbor, MI: Ann Arbor Science Publishers, Inc., 329-373.
- *Kelly TJ, Mukund R, Spicer CW, et al. 1994. Concentrations and transformations of hazardous air pollutants. *Environ Sci Technol* 28(8):378A-387A.
- *Keymeulen R, Van Langenhove H, Schamp N. 1991. Determination of monocyclic aromatic hydrocarbons in plant cuticles by gas chromatography-mass spectrometry. *J Chromatogr* 541:83-88.
- +*Kiese M, Lenk W. 1974. Hydroxyacetophenones: Urinary metabolites of ethylbenzene and acetophenone. *Xenobiotica* 4:337-343.
- Kim YM, Harrad S, Harrison RM. 2002. Levels and sources of personal inhalation exposure to volatile organic compounds. *Environ Sci Technol* 36:5405-5410.

9. REFERENCES

- *Kinlin TE, Muraldihara R, Pittet AO, et al. 1972. Volatile components of roasted filberts. *J Agric Food Chem* 20:1021.
- *Kinney PL, Chillrud SN, Ramstrom S, et al. 2002. Exposures to multiple air toxics in New York City. *Environ Health Perspect* 110(Suppl 4):539-546.
- *Kirschner EM. 1995. Production of top 50 chemicals increased substantially in 1994. *Chem Eng News* 73(15):16-22.
- *Kitto AM, Pirbazari M, Badriyha BN, Ravindran V, Tyner R, Synolakis CE. 1997. Emissions of volatile and semi-volatile organic compounds and particulate matter from hot asphalts. *Environ Technol* 18(2):121-138.
- *Knox RC, Canter LW. 1996. Prioritization of ground water contaminants and sources. *Water Air Soil Pollut* 88:205-226.
- *Komori M, Nishio K, Kitada M et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29:4430-4433.
- Kool HJ, Van Kreijl CF, Zoeteman BCJ. 1982. Toxicology assessment of organic compounds in drinking water. *Crit Rev Env Control* 12:307-357.
- Kopfler FC, Melton GG, Mullaney JL, et al. 1977. Human exposure to water pollutants. *Adv Environ Sci Technol* 8:419-433.
- Koren HS, Devlin RB. 1992. Human upper respiratory tract responses to inhaled pollutants with emphasis on nasal lavage. *Ann New York Acad Sci* 641:215-224.
- *Kos G, Ariya PA. 2006. Determination of a wide range of volatile and semivolatile organic compounds in snow by use of solid-phase micro-extraction (SPME). *Anal Bioanal Chem* 385:57-66.
- *Kostiainen R. 1995. Volatile organic compounds in the indoor air of normal and sick houses. *Atmos Environ* 29(6):693-702.
- *Krill RM, Sonzogni WC. 1986. Chemical monitoring of Wisconsin's groundwater. *J Am Water Works Assoc* 78:70-75.
- *Krishnan K, Andersen ME. 1994. Physiologically-based pharmacokinetic modeling in toxicology. In: Wallace Hayes, ed. *Principles and Methods of Toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- *Krishnan K, Andersen ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures: Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- Krost KJ, Pellizzari ED, Walburn SG, et al. 1982. Collection and analysis of hazardous organic emissions. *Anal Chem* 54:810-817.
- Krotoszynski BK, Bruneau GM, O'Neill HJ. 1979. Measurement of chemical inhalation exposure in urban population in the presence of endogenous effluents. *J Anal Toxicol* 3:225-234.

9. REFERENCES

- *Kubo T, Urano K, Utsumi H. 2002. Mutagenicity characteristics of 255 environmental chemicals. *J Health Sci* 48(6):545-554.
- Kumagai S, Matsunaga I. 1992. Fluctuations of occupational exposure indices to mixtures. *Ann Occup Hyg* 36(2):131-143.
- Kumagai S, Matsunaga I. 1995. Models describing variation of short-term exposure levels of two chemicals. *Annals Occup Hyg* 39(1):7-20.
- *Kwok ESC, Atkinson R. 1994. Estimation of hydroxyl radical reaction rate constants for gas-phase organic compounds using a structure-reactivity relationship: An update. Riverside CA: University of California. CMAARC8.00R.
- Lambotte-Vandepaer M, Duverger-Van Bogaert M, De Meester C, et al. 1979. Styrene induced modifications of some rat liver enzymes involved in the activation and inactivation of xenobiotics. *Biochem Pharmacol* 28:1653-1660.
- Langworth S, Anundi H, Friis L, et al. 2001. Acute health effects common during graffiti removal. *Int Arch Occup Environ Health* 74(3):213-218.
- LaRegina J, Bozzelli JW, Harkov R, et al. 1986. Volatile organic compounds at hazardous waste sites and a sanitary landfill. *Environ Prog* 5:18-27.
- *Lawryk NJ, Weisel CP. 1996. Concentration of volatile organic compounds in the passenger compartments of automobiles. *Environ Sci Technol* 30:810-816.
- *Lawryk NJ, Liroy PJ, Weisel CP. 1995. Exposure to volatile organic compounds in the passenger compartment of automobiles during periods of normal and malfunctioning operation. *J Expo Anal Environ Epidemiol* 5(4):511-531.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- Lehmann E, Gmehling J, Weidlich U. 1986. Survey on organic solvents in various products and methods for estimating workplace exposures. *Prog Clin Biol Res* 220:31-41.
- Lehmann I, Rehwagen M, Dietz U, et al. 2001. Enhanced *in vivo* IgE production and T cell polarization toward the type 2 phenotype in association with indoor exposure to VOC: Results of the LARS study. *Int J Hyg Environ Health* 204(4):211-221.
- *Leikin JB, Poloucek FP. 2002. Ethylbenzene. In: *Poisoning and toxicology handbook*. Hudson, OH: Lexi-Comp, Inc., 554.
- Lemire S, Ashley D, Olaya P, et al. 2004. Environmental exposure of commuters in Mexico City to volatile organic compounds as assessed by blood concentrations, 1998. *Salud Publica Mex* Jan-Feb(1):32-38.
- *Lesage S. 1993. Methods for the analysis of hazardous wastes. *J Chromatogr* 642:65-74.
- *Leung HW. 1993. Physiologically-based pharmacokinetic modelling. In: Ballantine B, Marro T, Turner T, eds. *General and Applied Toxicology*. Vol. 1. New York, NY: Stockton Press, 153-164.

9. REFERENCES

- *Lide DR, ed. 1994. CRC handbook of chemistry and physics. 75th ed. Boca Raton, FL: CRC Press, Inc., 3-47, 6-62, 15-46, 16-26.
- *Ligocki MP, Leuenberger C, Pankow JF. 1985. Trace organic compounds in rain-II. Gas scavenging of neutral organic compounds. *Atmos Environ* 19:1609-1617.
- *Lillo RS, Morris JW, Caldwell JM, et al. 1990. Atmosphere contamination following repainting of a human hyperbaric chamber complex. *Undersea Biomed Res* 17(5):437-449.
- Liu, J, Li N, Jiang G, et al. 2005. Disposable ionic liquid coating for headspace solid-phase microextraction of benzene, toluene, ethylbenzene, and xylenes in paints followed by gas chromatography-flame ionization detection. *J Chromatogr A* 1066:27-32.
- *Livingston AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4(2-3):301-324.
- Lloyd AC, Darnall KR, Winer AM, et al. 1976. Relative rate constants for reaction of the hydroxyl radical with a series. *J Phys Chem* 80:789-794.
- +Lofgren L, Persson K, Stromvall A-M. 1991. Exposure of commuters to volatile aromatic hydrocarbons from petrol exhaust. *Sci Total Environ* 108(3):225-233.
- Logemann W, Giraldi P, Gagliardo E, et al. 1964. [Presence of mandelic acid and hippuric acid in the urine of individuals given (oral) ethylbenzene]. *Hoppe-Seylers Z Physiol Chem* 337:48-49. (German)
- Lonneman WA, Bellar TA, Altshuller AP. 1968. Aromatic hydrocarbons in the atmosphere of the Los Angeles basin. *Environ Sci Technol* 2:1017-1020.
- *Lovegren NV, Fisher GS, Legendre MG, et al. 1979. Volatile constituents of dried legumes. *J Agric Food Chem* 27:851-853.
- Lowry LK. 1986. Biological exposure index as a complement to the TLV. *J Occup Med* 28:578-582.
- *Lyman WJ, Reehl WF, Rosenblatt DH. 1982. Handbook of chemical property estimation methods. New York, NY: McGraw-Hill Book Company, 15-25.
- *Mackay D. 1979. Finding fugacity feasible. *Environ Sci Technol* 13(10):1218-1223.
- *Mackay D, Shiu WY. 1981. A critical review of Henry's law constants for chemicals of environmental interest. *J Phys Chem Ref Data* 19:1175-1199.
- Mackay D, Bobra A, Chan DW, et al. 1982. Vapor pressure correlations for low-volatility environmental chemicals. *Environ Sci Technol* 16:645-649.
- Mackay D, Bobra A, Shiu WY, et al. 1980. Relationships between aqueous solubility and octanol-water partition coefficients. *Chemosphere* 9:701-711.
- *Mackay D, Shiu WY, Sutherland RP. 1979. Determination of air-water Henry's law constants for hydrophobic pollutants. *Environ Sci Technol* 13:333-337.

9. REFERENCES

- Malaney GW, McKinney RE. 1966. Oxidative abilities of benzene-acclimated activated sludge. *Water Sewage Works* 113:302-309.
- Maltoni C, Ciliberti A, Pinto C, et al. 1997. Results of long-term experimental carcinogenicity studies of the effects of gasoline, correlated fuels, and major gasoline aromatics on rats. *Ann N Y Acad Sci* 837:15-52.
- +*Maltoni C, Conti B, Cotti G, et al. 1985. Experimental studies on benzene carcinogenicity at the Bologna Institute of Oncology: Current results and ongoing research. *Am J Ind Med* 7:415-446.
- Malyarova LK, Nesterova NE. 1972. Determination of aromatic compounds (benzene and its homologues) in the air. *Gig Tr Prof Zabol* 16:58-59.
- Marks TA, Ledoux TA, Moore JA. 1982. Teratogenicity of a commercial xylene mixture in the mouse. *J Toxicol Environ Health* 9:97-105.
- *Martin P, Heavner DL, Nelson PR, et al. 1997. Environmental tobacco smoke (ets): A market cigarette study. *Environ Int* 23(1):75-90.
- Martinez MA, Ballesteros S. 2005. Investigation of fatalities due to acute gasoline poisoning. *J Anal Toxicol* 29(7):643-651.
- Martins EM, Arbilla G, Bauerfeldt GF, et al. 2007. Atmospheric levels of aldehydes and BTEX and their relationship with vehicular fleet changes in Rio de Janeiro urban area. *Chemosphere* 67:2096-2103.
- *Masten LW, Boeri RL, Walker JD. 1994. Strategies employed to determine the acute aquatic toxicity of Ethylbenzene, a highly volatile, poorly water-soluble chemical. *Ecotoxicol Environ Safety* 27:335-348.
- +*Matsumoto T, Koga M, Sata T, et al. 1992. The changes of gasoline compounds in blood in a case of gasoline intoxication. *J Toxicol Clin Toxicol* 30(4):653-662.
- Mayer S, Cook R, Mattler M. 1983. Evaluation of potential employee exposures while molding ignition resistant polystyrene. *J Cell Plast* 19:227-236.
- *Maylin GA, Cooper MJ, Anders MW. 1973. Effect of phenobarbital treatment on the stereochemistry of the *in vitro* metabolism of ethylbenzene. *J Med Chem* 16:606-610.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74(2-3):135-149.
- McAuliffe C. 1963. Solubility in water of C1-C9 hydrocarbons. *Nature* 200:1092-1093.
- McAuliffe C. 1966. Solubility in water of paraffin, cycloparaffin, olefin, acetylene, cycloolefin and aromatic hydrocarbons. *J Phys Chem* 70:1267-1275.
- *McClenny WA, Fortune CR. 1995. Superfund contract laboratory program method evaluation--ambient air volatile organic compounds from canisters. *J Environ Sci Health A* 30(4):901-919.
- *McDougal JN, Pollard DL, Weisman W, et al. 2000. Assessment of skin absorption and penetration of JP-8 jet fuel and its components. *Toxicol Sci* 55:247-255.

9. REFERENCES

- McElroy NR, Thompson ED, Jurs PC. 2003. Classification of diverse organic compounds that induce chromosomal aberrations in Chinese hamster cells. *J Chem Inf Comput Sci* 43(6):2111-2119.
- *McGregor DB, Brown A, Cattnach P, et al. 1988. Responses of the L5178Y tk+/tk- mouse lymphoma cell forward mutation assay: III. 72 Coded chemicals. *Environ Mol Mutag* 12:85-154.
- +*McMahon RE, Sullivan HR. 1966. Microsomal hydroxylation of ethylbenzene. Stereospecificity and the effect. *Life Sci* 5:921-926.
- *McMahon RE, Sullivan HR, Craig JC, et al. 1969. The microsomal oxygenation of ethylbenzene: Isotopic, stereochemical, and induction studies. *Arch Biochem Biophys* 132:575-577.
- +*Mellert W, Deckhardt K, Kaufmann W, et al. 2007. Ethylbenzene: 4- and 13-week rat oral toxicity. *Arch Toxicol* 81:361-370.
- *Meylan WM, Howard PH, Boethling RS, et al. 1999. Improved method for estimating bioconcentration/bioaccumulation factor from octanol/water partition coefficient. *Environ Toxicol Chem* 18(4):664-672.
- *Michael LC, Erickson MD, Parks SP. 1980. Volatile environmental pollutants in biological matrices with a headspace purge technique. *Anal Chem* 52:1836-1841.
- +Mickiewicz W, Rzeczycki W. 1988. Effect of styrene and other alkyl benzene derivatives on oxidation of FAD- and NAD-linked substrates in rat liver mitochondria. *Biochem Pharmacol* 37(23):4439-4444.
- *Midorikawa K, Uchida T, Okamoto Y, et al. 2004. Metabolic activation of carcinogenic ethylbenzene leads to oxidative DNA damage. *Chem Biol Interact* 150:271-281.
- Mill T. 1982. Hydrolysis and oxidation processes in the environment. *Environ Toxicol Chem* 1:135-141.
- Miller RL, Etre LS, Johansen NG. 1983a. Quantitative analysis of hydrocarbons by structural group type in gasolines and distillates. II. Liquid chromatography. *J Chromatogr* 259:393-412.
- Miller RL, Etre LS, Johansen NG. 1983b. Quantitative analysis of hydrocarbons by structural group type in gasolines and distillates. III. Combined use of liquid and gas chromatography. *J Chromatogr* 264:19-32.
- Ministry of Environment. 1999. Ambient water quality guidelines for ethylbenzene. British Columbia: Ministry of Environment. MIC10004289.
<http://www.env.bc.ca/wat/wq/BCguidelines/ethylbenzene.html>. April 04, 2007.
- Minoia C, Meroni G, Aprea C, et al. 1996. Environmental and urinary reference values as markers of exposure to hydrocarbons in urban areas. *Sci Total Environ* 192(2):163-82.
- Miyake K, Kitaura F, Mizuno N, et al. 1987. Determination of partition coefficient and acid dissociation constant by high-performance liquid chromatography on porous polymer gel as a stationary phase. *Chem Pharmacol* 35:377-388.

9. REFERENCES

- *Mohtashampur E, Norpoth K, Woelke U, et al. 1985. Effects of ethylbenzene, toluene, and xylene on the induction of micronuclei in bone marrow polychromatic erythrocytes of mice. *Arch Toxicol* 58:106-109.
- +*Molnar J, Paksy KA, Naray M. 1986. Changes in the rat's motor behaviour during 4-hour inhalation exposure to preanesthetic concentrations of benzene and its derivatives. *Acta Physiol Hung* 67:349-354.
- +*Morgan DL, Cooper SW, Carlock DL, et al. 1991. Dermal absorption of neat and aqueous volatile organic chemicals in the Fischer 344 rat. *Environ Res* 55(1):51-63.
- *Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age related differences and therapeutic implications. *Clin Pharmacokinet* 5:485-527.
- +*Moscato G, Biscaldi G, Cottica D, et al. 1987. Occupational asthma due to styrene: Two case reports. *J Occup Med* 29:957-960.
- *Muhammad F, Monteiro-Riviere NA, Baynes RE, et al. 2005. Effect of *in vivo* jet fuel exposure on subsequent *in vitro* dermal absorption of individual aromatic and aliphatic hydrocarbon fuel constituents. *J Toxicol Environ Health* 68:719-737.
- *Mukerjee S, Ellenson WD, Lewis RG, et al. 1997. An environmental scoping study in the Lower Rio Grande Valley of Texas: III. Residential microenvironmental monitoring for air, house dust, and soil. *Environ Int* 23(5):657-673.
- *Mukund R, Kelly TJ, Spicer CW. 1996. Source attribution of ambient air toxic and other VOCs in Columbus, Ohio. *Atmos Environ* 30(20):3457-3470.
- Murray DAJ, Lockhart WL. 1981. Microextraction and gas chromatographic analysis of selected petroleum hydrocarbons in water and fish tissue. *J Chromatogr* 212:305-311.
- Mutti A, Franchini I. 1987. Toxicity of metabolites to dopaminergic systems and the behavioural effects. *Br J Ind Med* 44:721-723.
- +*Mutti A, Falzoi H, Romanelli A, et al. 1988. Brain dopamine as a target for solvent toxicity: Effects of some monocyclic aromatic hydrocarbons. *Toxicology* 49:77-82.
- *Nakajima T, Sato A. 1979. Enhanced activity of liver drug-metabolizing enzymes for aromatic and chlorinated hydrocarbons following food deprivation. *Toxicol Appl Pharmacol* 50:549-556.
- Namkung E, Rittmann BE. 1987. Estimating volatile organic compound emissions from publicly owned treatment works. *J Water Pollut Control Fed* 59:670-678.
- *NAS. 1980. The alkyl benzenes. Washington, DC: National Academy of Sciences, I-16, IV-1 to IV-88.
- *NAS/NRC. 1989. Report of the oversight committee. Biologic markers in reproductive toxicology. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press, 15-35.
- *Naskali L, Engelke M, Tahti H, et al. 1993. The effects of selected organic solvents on rat synaptosomal membrane fluidity and integral enzyme activities. *Neurosci Res Commun* 13(1):27-35.

9. REFERENCES

- *Naskali L, Oksanen H, Tahti H. 1994. Astrocytes as targets for CNS effects of organic solvents *in vitro*. *Neurotoxicology* 15(3):609-612.
- *Nestmann ER, Lee EG. 1983. Mutagenicity of constituents of pulp and papermill effluent in growing cells of *Saccharomyces cerevisiae*. *Mutat Res* 119:273-280.
- *Nestmann ER, Lee EG, Matula TI, et al. 1980. Mutagenicity of constituents identified in pulp and paper mill effluents using the Salmonella/mammalian-microsome assay. *Mutat Res* 79:203-212.
- *NFPA. 1994. Ethylbenzene. Fire protection guide to hazardous materials. 11th ed. Quincy, MA: National Fire Protection Association, 49-65, 325-348.
- Nicholson WJ, Tarr D. 1984. Occupational hazards in production and processing of styrene polymers - epidemiologic findings. *Industrial Hazards of Plastics and Synthetic Elastomers*. New York, NY: Alan R. Liss, Inc., 263-277.
- *Nicola RM, Branchflower R, Pierce D. 1987. Chemical contaminants in bottomfish. *J Environ Health* 49:342-347.
- +*Nielsen GD, Alarie Y. 1982. Sensory irritation, pulmonary irritation, and respiratory stimulation by airborne benzene and alkylbenzenes: Prediction of safe industrial exposure levels and correlation with their thermodynamic properties. *Toxicol Appl Pharmacol* 65:459-477.
- Niemi GJ, Veith GD, Regal RR, et al. 1987. Structural features associated with degradable and persistent chemicals. *Environ Toxicol Chem* 6:515-527.
- NIOSH. 1974. Health hazard evaluation/toxicity determination. ARCO Polymer Incorporated, Monaca, Pennsylvania. Cincinnati, OH: National Institute for Occupational Safety and Health. PB232729.
- +*NIOSH. 1981. Teratologic assessment of ethylbenzene and 2-ethoxyethanol. Cincinnati, OH: National Institute for Occupational Safety and Health. PB83208074.
- NIOSH. 1984. NIOSH manual of analytical methods. Washington, DC: U.S. Department of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health.
- *NIOSH. 1990. Ethylbenzene. Estimated numbers of employees potentially exposed to specific agents by 2-digit Standard Industrial Classification (SIC). National Occupational Exposure Survey conducted from 1981-1983. Centers for Disease Control. National Institute for Occupational Safety and Health. <http://www.cdc.gov/noes/>. August 22, 2007.
- *NIOSH. 1994a. Method 1501. NIOSH manual of analytical methods. Washington, DC: U.S. Department of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health.
- NIOSH. 1994b. Ethylbenzene. NIOSH pocket guide to chemical hazards. U.S. Department of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 132-133.

9. REFERENCES

- *NIOSH. 1995. Report to Congress on workers' home contamination study conducted under the worker's family Protection Act (29 U.S.C. 671a). DHHS (NIOSH) Publication No. 95-123. PB96192000HEF.
- NIOSH. 1997. NIOSH pocket guide to chemical hazards. U.S. Department of Health and Human Services. Public Health Service. Centers for Disease Control and Prevention. National Institute for Occupational Safety and Health.
- NIOSH. 1999. Health Hazard Evaluation Report. Cincinnati, OH: National Institute for Occupational Safety and Health. HETA9701062770. PB2000107833.
- *NIOSH. 2005. Ethylbenzene. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <http://www.cdc.gov/niosh/npg/> April 11, 2007.
- NIOSH. 2006. NIOSH Health Hazard Evaluation Report - ACH Foam Technologies, Fond du Lac, Wisconsin. Washington: National Institute for Occupational Safety and Health. HETA No. 2005-0243-3016. PB 2006 115 469.
- *NIOSH/OSHA. 1978. Occupational health guidelines for ethyl benzene. Washington, DC: National Institute for Occupational Safety and Health. Occupational Safety and Health Administration.
- *Nishihara T, Nishikawa J, Kanayama T, et al. 2000. Estrogenic activities of 517 chemicals by yeast two-hybrid assay. *J Health Sci* 46(4):282-298.
- *Norppa H, Vainio H. 1983a. Induction of sister-chromatid exchanges by styrene analogues in cultured human lymphocytes. *Mutat Res* 116:379-387.
- Norppa H, Vainio H. 1983b. Genetic toxicity of styrene and some of its derivatives. *Scand J Work Environ Health* 9:108-114.
- *NRC. 1993. Pesticides in the diets of infants and children. National Research Council, Washington DC: National Academy Press. PB93216091.
- *NTP. 1986. Toxicology and carcinogenesis studies of xylenes (mixed) (60% m-xylene, 14% p-xylene, 9%-xylene, and 17% ethylbenzene) in F334/N rats and B6C3F1 mice (gavage studies). Research Triangle Park, NC: National Toxicology Program. NTP TR 327.
- NTP. 1988a. National toxicology program: Review of current DHHS, DOE, and EPA research related to toxicology. Fiscal year 1988. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service.
- NTP. 1988b. National toxicology program annual plan for fiscal year 1988. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program.
- +*NTP. 1992. Toxicity studies of ethylbenzene in F344/N rats and B6C3F1 mice (inhalation studies). Research Triangle Park, NC: National Toxicology Program. NTP Tox 10. <http://inmagic.syrres.com/esc-images/NTIS/NTP/TOX010.pdf>. August 02, 2007.

9. REFERENCES

- +*NTP. 1999. NTP technical report on the toxicology and carcinogenesis studies of ethylbenzene in F344/N rats and B6C3F1 mice (inhalation studies). Research Triangle Park, NC: National Toxicology Program, U.S. Department of Health and Human Services. NTP TR 466.
- *NTP. 2005. Report on carcinogens. 11 ed. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service National Toxicology Program. <http://ntp-server.niehs.nih.gov/ntp/roc/toc11.html>. March 08, 2006.
- *Nunes P, Benville PE. 1979. Uptake and depuration of petroleum hydrocarbons in the Manila clam, *Tapes semidecussata* reeve. *Bull Environ Contam Toxicol* 21:719-726.
- Nutmagul W, Cronn DR, Hill HH. 1983. Photoionization-flame-ionization detection of atmospheric hydrocarbons after capillary gas chromatography. *Anal Chem* 55:2160-2164.
- Nyska A, Haseman JK, Hailey JR, et al. 1999. The association between severe nephropathy and pheochromocytoma in the male F344 rat-The National Toxicology Program experience. *Toxicol Pathol* 27(4):456-462.
- O'Brien RJ, Holmes JR, Bockian AH. 1975. Formation of photochemical aerosol from hydrocarbons chemical reactivity and products. *Environ Sci Technol* 9:568-576.
- *Ogata M, Taguchi T. 1987. Quantitation of urinary metabolites of toluene, xylene, styrene, ethylbenzene, benzene and phenol by automated high-performance liquid chromatography. *Int Arch Occup Environ Health* 59:263-272.
- +*Ogata M, Taguchi T. 1988. Simultaneous determination of urinary creatinine and metabolites of toluene, xylene, styrene, ethylbenzene and phenol by automated high performance liquid chromatography. *Environ Health* 61(1/2):131-140.
- *Ogata M, Fujisawa K, Ogino Y, et al. 1984. Partition coefficients as a measure of bioconcentration potential of crude oil compounds in fish and shellfish. *Bull Environ Contam Toxicol* 33:561-567.
- *Ohta T, Ohyama T. 1985. A set of rate constants for the reactions of OH radicals with aromatic hydrocarbons. *Bull Chem Soc Jpn* 58:3029-3030.
- *Oliver KD, Adams JR, Daughtrey EH, et al. 1996. Technique for monitoring toxic VOCs in air: Sorbent preconcentration, closed-cycle cooler cryofocusing and GC/MS analysis. *Environ Sci Technol* 30:1939-1945.
- Opdyke DLJ. 1975. Monographs on fragrance raw materials. *Food Cosmet Toxicol* 13:803-804.
- Osborn AG, Scott DW. 1980. Vapor pressures of 17 miscellaneous organic compounds. *J Chem Thermodynamic* 12:429-438.
- OSHA. 1974. Air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.
- *OSHA. 2006a. Air contaminants. Occupational safety and health standards for shipyard employment. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000 <http://www.osha.gov/comp-links.html>. April 11, 2007.

9. REFERENCES

- *OSHA. 2006b. Gases, vapors, fumes, dusts, and mists. Safety and health regulations for construction. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55, Appendix A. <http://www.osha.gov/comp-links.html>. April 11, 2007.
- *OSHA. 2006c. Limits for air contaminants. Occupational safety and health standards. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000. <http://www.osha.gov/comp-links.html>. April 11, 2007.
- *OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment. OTABA438.
- Otson R. 1987. Sample handling and analysis for 51 volatile organics by an adapted purge and trap GC-MS technique. *Int J Environ Anal Chem* 30:275-287.
- *Otson R, Chan C. 1987. Sample handling and analysis for 51 volatile organics by an adapted purge and trap GC-MS technique. *Int J Environ Anal Chem* 30:275-287.
- *Otson R, Kumarathasan P. 1995. An automated head space analysis method for xylenes and ethylbenzene in blood and water. *Chemosphere* 30(6):1109-1123.
- *Otson R, Williams DT. 1981. Evaluation of a liquid-liquid extraction technique for water pollutants. *J Chromatogr* 212:187-198.
- *Otson R, Williams DT. 1982. Headspace chromatographic determination of water pollutants. *Anal Chem* 54:942-946.
- *Otson R, Fellin P, Tran Q. 1994. VOCs in representative Canadian residences. *Atmos Environ* 28(22):3563-3569.
- *Overton EB, Stewart M, Carney R. 1995. Instrumental consideration for reliable fieldable VOC analyses. *J Hazard Mater* 43:77-89.
- *Owen GM, Brozek J. 1966. Influence of age, sex, and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: Saunders, 222-238.
- Paolini M, Potenza G, Biagi GL, et al. 2001. Re: Ethylbenzene induces microsomal oxygen free radical generation: Antibody-directed characterization of the responsible cytochrome P450 enzymes. *Toxicol Appl Pharmacol* 173(3):188-189.
- Patterson JW, Kodukala PS. 1981. Biodegradation of hazardous organic pollutants. *Chem Eng Prog* 77:48-55.
- Pelekis M, Krishnan K. 2004. Magnitude and mechanistic determinants of the interspecies toxicokinetic uncertainty factor for organic chemicals. *Regul Toxicol Pharmacol* 40(3):264-271.
- +*Pellizzari ED, Hartwell TD, Harris BSH, et al. 1982. Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol* 28:322-328.
- *Pellizzari ED, Sheldon L, Keever J, et al. 1993. Determination of airborne organic compounds using tenax GC and gas chromatography mass spectrometry. *Environmental carcinogens selected methods of*

9. REFERENCES

analysis. Vol 7. IARC Publication No. 68. Lyon, France: International Agency for the Research on Cancer, 196-210.

*Pellizzari ED, Zweidinger RA, Sheldon LS. 1985. Method 23: Breath sampling. Environmental carcinogens selected methods of analysis. Vol 7. IARC Publication No. 68. Lyon, France: International Agency for the Research of Cancer, 399-411.

Perbellini L, Pasini F, Romani S, et al. 2002. Analysis of benzene, toluene, ethylbenzene and *m*-xylene in biological samples from the general population. J Chromatogr B Analyt Technol Biomed Life Sci 778:199-210.

Pereira WE, Rostad CE, Taylor H E, et al. 1982. Characterization of organic contaminants in environmental samples associated with Mount St. Helens 1980 volcanic eruption. Environ Sci Technol 16:387-396.

Pettersson B, Curvall M, Enzell CR. 1980. Effects of tobacco smoke compounds on the noradrenaline induced oxidative metabolism in isolated brownfat cells. Toxicology 18:1-15.

Phelps CD, Young LY. 1999. Anaerobic biodegradation of BTEX and gasoline in various aquatic sediments. Biodegradation 10(1):15-25.

*Pierce CH, Dills RL, Silvey GW, et al. 1996. Partition coefficients between human blood or adipose tissue and air for aromatic solvents. Scand J Work Environ Health 22:112-118.

Pilotti A, Ancker K, Arrhenius E, et al. 1975. Effects of tobacco and tobacco smoke constituents on cell multiplication *in vitro*. Toxicology 5:49-62.

Pleil JD, Oliver KD, McClenny WA. 1988. Ambient air analysis using nonspecific flame ionization and electron capture detection compared to specific detection by mass spec. J Air Pollut Control Assoc 38:1006-1010.

*Plumb RH. 1991. The occurrence of Appendix IX organic constituents in disposal site ground water. Ground Water Monit Rev 11(2):157-164.

Pohl HR, Roney N, Wilbur S, et al. 2003. Six interaction profiles for simple mixtures. Chemosphere 53(2):183-197.

*Polak J, Lu BCY. 1973. Mutual solubilities of hydrocarbons and water at 0 and 25 C. Can J Chem 51:4018-4023.

Possanzini M, Ciccio P, Brancaloni E, et al. 1982. Gas chromatographic detection of hydrocarbons in the atmosphere using specific GC detectors and mass spectrometry in selected ion monitoring mode. Comm Eur Communities. Phys Chem Behav Atmos Pollut 7624:76-81.

*Potter TL. 1993. Analysis of petroleum contaminated soil and water: An overview. In: Calabrese EJ, Kostecki PT, eds. Principles and practices for petroleum contaminated soils. Boca Raton, FL: Lewis Publishers, 1-14.

*Proctor NH, Hughes JP. 1978. Ethylbenzene. In: Chemical hazards of the workplace. Philadelphia, PA: J.B. Lippincott Company, 251-252.

9. REFERENCES

- *Ptacek CJ, Cherry JA, Gillham RW. 1984. Mobility of dissolved petroleum derived hydrocarbon in sand aquifers. In: Vandermeulen JH, Hrudey SE, eds. Oil in freshwater: Chemistry, biology, countermeasure technology. New York, NY: Pergamon Press, 195-212.
- +*Pyykko K, Paavilainen S, Metsa-Ketela T, et al. 1987. The increasing and decreasing effects of aromatic hydrocarbon solvents on pulmonary and hepatic cytochrome P-450 in the rat. *Pharmacol Toxicol* 60:288-293.
- *Quigley CJ, Corsi RL. 1995. Emissions of VOCs from a municipal sewer. *J Air Waste Manage Assoc* 45:395-403.
- Radzikowska-Kintzi H, Jakubowski M. 1981. Internal standardization in the head space analysis of organic solvents in blood. *Int Arch Occup Environ Health* 49:115-123.
- *Ramanand K, Balba MT, Duffy J. 1995. Biodegradation of select organic pollutants in soil columns under denitrifying conditions. *Haz Waste Haz Mater* 12(1):27-36.
- *Ransley DL. 1984. Xylenes and ethylbenzene. In: Grayson M, ed. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 24. New York, NY: John Wiley & Sons, 709-744.
- *Rao PSC, Hornsley AG, Kilcrease DF, et al. 1985. Sorption and transport of hydrophobic organic chemicals in aqueous and mixed solvent systems: Model development and preliminary evaluation. *J Environ Qual* 14:376-382
- *Rappaport SM, Selvin S, Waters MA. 1987. Exposure to hydrocarbon components of gasoline in the petroleum industry. *Appl Ind Hyg* 2:148-154.
- *Ravishankara AR, Wagner S, Fischer S, et al. 1978. A kinetics study of the reactions of hydroxyl with several aromatic and olefinic compounds. *Int J Chem Kinet* 10:783-804.
- *Raykar PV, Fung MC, Anderson BD. 1988. The role of protein and lipid domains in the uptake of solutes by human stratum corneum. *Pharmacol Res* 5(3):140-150.
- Reisch MS. 1994. Top 50 chemicals production rose modestly last year. *Chem Eng News* 72(15):12-15.
- Reutman SR, LeMasters GK, Knecht EA, et al. 2002. Evidence of reproductive endocrine effects in women with occupational fuel and solvent exposures. *Environ Health Perspect* 110(8):805-811.
- *Rhue RD, Rao PSC, Smith RE. 1988. Vapor-phase adsorption of alkyl benzenes and water on soils and clays. *Chemosphere* 17:727-741.
- Ribbons DW, Eaton RW. 1982. Chemical transformations of aromatic hydrocarbons that support the growth. In: Chakrabarty AM, ed. *Biodegradation and detoxification of environmental pollutants*. CRC Press, Inc., 59-84.
- *Riedel K, Ruppert T, Conze C, et al. 1996. Determination of benzene and alkylated benzenes in ambient and exhaled air by microwave desorption coupled with gas chromatography-mass spectrometry. *J Chromatogr A* 719(2):383-389.

9. REFERENCES

- +Roberfroid M, Poncelet F, Lambotte-Vandepaer M, et al. 1978. Acute biotoxic effect of styrene on rat liver. Correlation with enzyme-mediated mutagenicity of benzpyrene and acrylonitrile. *Scand J Work Environ Health* 4:163-168.
- *Roberts MS, Triggs EJ, Anderson RA. 1975. Permeability of solutes through biological membranes measured by a desorption technique. *Nature* 257:225-227.
- +*Romanelli A, Falzoi M, Mutti A, et al. 1986. Effects of some monocyclic aromatic solvents and their metabolites on brain dopamine in rabbits. *J Appl Toxicol* 6(6):431-435.
- *Romer KG, Federsel RJ, Freundt KJ. 1986. Rise of inhaled toluene, ethyl benzene, m-xylene, or mesitylene in rat blood after treatment with ethanol. *Bull Environ Contam Toxicol* 37:874-876.
- *Rosen AA, Skeel RT, Ettinger MB. 1963. Relationship of river water odor to specific organic contaminants. *J Water Pollut Cont Fed* 35:777-782.
- *Rosenfeld JK, Plumb RH. 1991. Ground water contamination at wood treatment facilities. *Ground Water Monit Rev* 11:133-140.
- Rosenkranz HS, Karol MH. 1999. Chemical carcinogenicity: Can it be predicted from knowledge of mutagenicity and allergic contact dermatitis? *Mutat Res* 431(1):81-91.
- *Rowell LB. 1986. Human circulation, regulation during physical stress. New York, NY: Oxford University Press, Inc., 96-98
- Roy WR, Griffin RA. 1985. Mobility of organic solvents in water-saturated soil materials. *Environ Geol Water Sci* 7:241-247.
- *RTECS. 2007. Ethylbenzene. Registry of Toxic Effects on Chemical Substances. National Institute of Occupational Safety and Health. MDL Information Systems, Inc. May 8, 2007.
- Rumchev K, Spickett J, Bulsara M, et al. 2004. Association of domestic exposure to volatile organic compounds with asthma in young children. *Thorax* 59(9):746-751.
- Sabljić A. 1984. Prediction of the nature and strength of soil sorption of organic pollutants by molecular topology. *J Agric Food Chem* 32:243-246.
- Sabljić A. 1987. On the prediction of soil sorption coefficients of organic pollutants from molecular structure: Application of molecular topology model. *Environ Sci Technol* 21:358-366.
- *Sack TM, Steele DH, Hammerstrom K, et al. 1992. A survey of household products for volatile organic compounds. *Atmos Environ* 26A(6):1063-1070.
- +*Saillefait AM, Gallissot F, Morel G, et al. 2003. Developmental toxicities of ethylbenzene, *ortho*-, *meta*-, *para*-xylene and technical xylenes in rats following inhalation exposure. *Food Chem Toxicol* 41:415-429.
- +*Saillefait AM, Gallissot F, Sabate JP, et al. 2006. Developmental toxicity of combined ethylbenzene and methylethylketone administered by inhalation to rats. *Food Chem Toxicol* 44(8):1287-1298.

9. REFERENCES

- +*Saillenfait AM, Gallissot F, Sabate JP, et al. 2007. Developmental toxic effects of ethylbenzene to toluene alone and in combination with butyl acetate in rats after inhalation exposure. *J Appl Toxicol* 27(1):32-42.
- *Sams C, Loizou GD, Crocker J, et al. 2004. Metabolism of ethylbenzene by human liver microsomes and recombinant human cytochrome P450s (CYP). *Toxicol Lett* 147(3):253-260.
- Sanemasa I, Araki M, Deguchi T, et al. 1981. Solubilities of benzene and the alkylbenzenes in water - method for obtaining aqueous solutions saturated with vapors in equilibrium with organic liquids. *Chem Lett* 2:225.
- Sanemasa I, Araki M, Deguchi T, et al. 1982. Solubility measurements of benzene and the alkylbenzenes in water by making use of solute vapor. *Bull Chem Soc Jpn* 55:1054-1062.
- Sato A, Nakajima T. 1979. Partition coefficients of some aromatic hydrocarbons and ketones in water, blood, and oil. *Br J Ind Med* 36:231-234.
- *Sauer PA, Tyler EJ. 1995. Heavy metal and volatile organic chemical removal and treatment in on-site wastewater infiltration systems. I. Catch basins and septic tanks. *Water Air Soil Pollut* 89:221-232.
- Sauer TC. 1981. Volatile organic compounds in open ocean and coastal surface waters. *Org Geochem* 3:91-101.
- *Sauer TC, Sackett WM, Jeffrey LM. 1978. Volatile liquid hydrocarbons in the surface coastal waters of the Gulf of Mexico. *Mar Chem* 7:1-16.
- *Sax NI, Lewis RJ. 1989. Dangerous properties of industrial materials. Vol. II. 7th ed. New York, NY: Van Nostrand Reinhold, 1601.
- Sax SN, Bennett DH, Chillrud SN, et al. 2006. A cancer risk assessment of inner-city teenagers living in New York City and Los Angeles. *Environ Health Perspect* 114:1558-1566.
- *Scheuplein RJ. 1976. Permeability of the skin: A review of some major concepts. *J Invest Dermatol* 67:672-676.
- Scheuplein RJ, Blank IH, Brauner GJ, et al. 1969. Percutaneous absorption of steroids. *J Invest Dermatol* 52(1):63-70.
- Schirmer RE, Pahl TR, Phelps DW. 1984. Application of internal standards in routine vapor measurements by gas chromatography. *Am Ind Hyg Assoc J* 45:95-98.
- *Schuberth J. 1996. A full evaporation headspace technique with capillary GC and ITD: A means for quantitating volatile organic compounds in biological samples. *J Chromatogr Sci* 34(7):314-319.
- Schwarz FP, Miller J. 1980. Determination of the aqueous solubilities of organic liquids at 10.0, 20.0 and 30.0 C by elution chromatography. *Anal Chem* 52:2162-2164.
- *Seely JC, Haseman JK, Nyska A, et al. 2002. Effect of chronic progressive nephropathy on the incidence of renal tubule cell neoplasms in control male F344 rats. *Toxicol Pathol* 30(6):681-686.

9. REFERENCES

- Selvakumar A, Hsieh HN. 1987. Absorption of organic compounds by microbial biomass. *Int J Environ Stud* 30:313-319.
- +Sequeira DJ, Eyer CS, Cawley GF, et al. 1992. Ethylbenzene-mediated induction of cytochrome P450 isozymes in male and female rats. *Biochem Pharmacol* 44(6):1171-1182.
- Serra JR, Thompson ED, Jurs PC. 2003. Development of binary classification of structural chromosome aberrations for a diverse set of organic compounds from molecular structure. *Chem Res Toxicol* 16(2):153-163.
- Serron SC, Dwivedi N, Backes WL. 2000. Ethylbenzene induces microsomal oxygen free radical generation: Antibody-directed characterization of the responsible cytochrome P450 enzymes. *Toxicol Appl Pharmacol* 164(3):305-311.
- Serron SC, Zhang S, Bergeron RM, et al. 2001. Effect of hypophysectomy and growth hormone replacement on the modulation of P450 expression after treatment with the aromatic hydrocarbon ethylbenzene. *Toxicol Appl Pharmacol* 172(3):163-171.
- *Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. *Handbook of physiology: Endocrinology V*. Washington, DC: American Physiological Society, 143-172.
- *Seto Y. 1994. Determination of volatile substances in biological samples by headspace gas chromatography. *J Chromatogr A* 674:25-62.
- *Sexton K, Adgate JL, Church TR, et al. 2005. Children's exposure to volatile organic compounds as determined by longitudinal measurements in blood. *Environ Health Perspect* 113(3):342-349.
- Sgaragli G, Della Corte L, Rizzotti-Conti M, et al. 1977. Effects of monocyclic compounds on biomembranes. *Biomed Pharmacol* 26:2145-2149.
- +*Shatkin JA, Brown HS. 1991. Pharmacokinetics of the dermal route of exposure to volatile organic chemicals in water: A computer simulation model. *Environ Res* 56(1):90-108.
- Shen TT. 1982. Estimation of organic compound emissions from waste lagoons. *J Air Pollut Control Assoc* 32:79-82.
- Shen Y. 1998. *In vitro* cytotoxicity of BTEX metabolites in Hela cells. *Arch Environ Contam Toxicol* 34:229-234.
- Shields HC, Weschler CJ. 1987. Analysis of ambient concentrations of organic vapors with a passive sampler. *J Air Pollut Control Fed* 37:1039-1045.
- Shinohara R, Kido A, Eto S, et al. 1981. Identification and determination of trace organic substances in tap water by computerized gas chromatography-mass spectrometry and mass fragmentography. *Water Res* 15:535-542.
- *Shirey RE. 1995. Rapid analysis of environmental samples using solid-phase microextraction (SPME) and narrow bore capillary columns. *J High Resol Chromatogr* 18(8):495-499.

9. REFERENCES

- Shoji R, Sakoda A, Sakai Y, et al. 2000. A new assay for evaluating hepatotoxicity and cytotoxicity using LDL-uptake activity of liver cells. *J Health Sci* 46(6):493-502.
- *Sikkema J, De Bont J AM, Poolman B. 1995. Mechanisms of membrane toxicity of hydrocarbons. *Microbiol Rev* 59(2):201-222.
- Simpson S, Lemasters G, Kesner J, et al. 2000. Internal dose of benzene, ethyl-benzene, toluene & xylenes & fuel components and effects on reproductive hormones in women. *Am J Epidemiol* 151:11.
- *Singh HB, Salas LJ, Cantrell BK, et al. 1985. Distribution of aromatic hydrocarbons in the ambient air. *Atmos Environ* 19:1911-1919.
- *Singh HG, Salas LJ, Smith AJ, et al. 1981. Measurements of some potentially hazardous organic chemicals in urban environments. *Atmos Environ* 15:601-612.
- Skender L, Brcic I, Karacic V. 2004. Urine analysis for the evaluation of environmental exposures to aromatic hydrocarbons. *Arch Environ Health* 59(5):237-244.
- *Sliwinska-Kowalska M, Zamyslowska-Szmytke E, Szymczak W, et al. 2001. Hearing loss among workers exposed to moderate concentrations of solvents. *Scand J Work Environ Health* 27(5):335-342.
- +*Smith JN, Smithies RH, Williams RT. 1954a. The metabolism of alkylbenzenes. Stereochemical aspects of the biological hydroxylation of ethylbenzene to methylphenylcarbinol. *Biochem J* 56:320-324.
- +*Smith JN, Smithies RH, Williams RT. 1954b. The metabolism of alkylbenzenes. (a) Glucuronic acid excretion following the administration of alkylbenzenes. (b) Elimination of toluene in the expired air of rabbits. *Biochem J* 56:317-320.
- +*Smyth H, Carpenter CP, Weil CS, et al. 1962. Range finding toxicity data: List VI. *Am Ind Hyg Assoc J* 23:95-107.
- *Snider EH, Manning FS. 1982. A survey of pollutant emission levels in wastewaters and residuals from the petroleum refining industry. *Environ Int* 7:237-258.
- +*Sollenberg J, Smallwood AW, Lowry LK. 1985. Determination of mandelic and phenylglyoxylic acids in rat urine by high- performance liquid chromatography and by isotachopheresis. *J Chromatogr* 343:175-178.
- Spiller HA. 2001. Chronic occupational exposure to aromatic hydrocarbon gases associated with dysmenorrhea, dysfunctional uterine bleeding and CNS effects. *J Toxicol Clin Toxicol* 39(5):525.
- *Sram RJ, Beskid O, Binkova B, et al. 2004. Cytogenic analysis using fluorescence *in situ* hybridization (FISH) to evaluate occupational exposure to carcinogens. *Toxicol Lett* 149:335-344.
- SRI. 1988. Ethylbenzene. Directory of chemical producers: United States of America.. Menlo Park, CA: SRI International, 608-609.
- SRI. 1990. Ethylbenzene. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 610.

9. REFERENCES

- SRI. 1992. Ethylbenzene. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 609-610.
- SRI. 1994. Ethylbenzene. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 591.
- SRI. 1995. Ethylbenzene. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 586.
- SRI. 1996. Ethylbenzene. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 580.
- *SRI. 2006. Ethylbenzene. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 593.
- *Staples CA, Werner AF, Hoogheem TJ. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. *Environ Toxicol Chem* 4:131-142.
- Stein V, Narang S. 1990. A simplified method for the determination of volatiles in eggs using headspace analysis with a photoionization detector. *Arch Environ Contam Toxicol* 19:593-596.
- *St-Germain F, Mamer O, Brunet J, et al. 1995. Volatile organic compound analysis by an inertial spray extraction interface coupled to an ion trap mass spectrometer. *Anal Chem* 67:4536-4541.
- *Stein VB, Narang RS. 1990. A simplified method for the determination of volatiles in eggs using headspace analysis with a photoionization detector. *Arch Environ Contam Toxicol* 19:593-596.
- *Stokman SK. 1987. Estimations of concentrations of soluble petroleum hydrocarbons migrating into ground water from contaminated soil sources. Proceedings of the NWWA/API conference on petroleum hydrocarbons and organic chemicals in groundwater: Prevention, detection and restoration, Houston, Texas, November 1987. Dublin, OH: National Water Well Association, 541-558.
- *Stott WT, Johnson KA, Bahnemann R, et al. 2003. Evaluation of potential modes of action of inhaled ethylbenzene in rats and mice. *Toxicol Sci* 71:53-66.
- *Stubin AI, Brosnan TM, Porter KD, et al. 1996. Organic priority pollutants in New York City municipal wastewaters: 1989-1993. *Water Environ Res* 68(6):1037-1044.
- *Stuermer DH, Ng DJ, Morris CJ. 1982. Organic contaminants in groundwater near an underground coal gasification site in northeastern Wyoming. *Environ Sci Technol* 16:582-587.
- *Sugita T, Ishiwata H, Kawamura Y, et al. 1995. Headspace gas chromatographic analysis of residual volatile substances in polystyrene food containers. *J Food Hyg Soc Jpn* 36(2):263-268. (Japanese).
- +*Sullivan HR, Miller WM, McMahon RE. 1976. Reaction pathways of *in vivo* stereoselective conversion of ethylbenzene to (-)-mandelic acid. *Xenobiotica* 6:49-54.
- +*Susten AS, Niemeier RW, Simon SD. 1990. *In vivo* percutaneous absorption studies of volatile organic solvents in hairless mice. II. Toluene, ethylbenzene and aniline. *J Appl Toxicol* 10(3):217-225.

9. REFERENCES

- *Sutton C, Calder JA. 1975. Solubility of alkylbenzenes in distilled and seawater 25.0°C. *J Chem Eng Data* 20:320-322.
- *Swann RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio, and water solubility. *Residue Rev* 85:17-28.
- Swedrowska H, Jarnuszkiewicz I, Slebioda K. 1986. Application of gas chromatography in conjunction with enrichment of samples on active carbon to determine low concentrations of organic compounds in air. Part I. Aromatic hydrocarbons. *Bull Inst Marit Trop Med Gdynia* 37:103-112.
- Takeuchi A, Kawai T, Zhang ZW, et al. 2002. Toluene, xylenes and xylene isomers in urine as biological indicators of low-level exposure to each solvent; a comparative study. *Int Arch Occup Environ Health* 75:387-393.
- Takeuchi Y, Ono Y, Hisanaga N, et al. 1982. Environmental and health surveys on car repair workers exposed to organic solvents. *Jpn J Ind Health* 24:305-313.
- *Tang W, Hemm I, Eisenbrand G. 2000. Estimation of human exposure to styrene and ethylbenzene. *Toxicology* 144:39-50.
- +Tanii H, Huang J, Hashimoto K. 1995. Structure-acute toxicity relationship of aromatic hydrocarbons in mice. *Toxicol Lett* 76(1):27-31.
- +*Tardif R, Charest-Tardif G, Brodeur J. 1996. Comparison of the influence of binary mixtures versus a ternary mixture of inhaled aromatic hydrocarbons on their blood kinetics in the rat. *Arch Toxicol* 70(7):405-13.
- *Tardif R, Charest-Tarif G, Brodeur J, et al. 1997. Physiologically based pharmacokinetic modeling of a ternary mixture of alkyl benzenes in rats and humans. *Toxicol Appl Pharmacol* 144:120-134.
- *Tardif R, Laparé S, Plaa GL, et al. 1991. Effect of simultaneous exposure to toluene and xylene on their respective biological exposure indices in humans. *Int Arch Occup Environ Health* 63:279-284.
- Tatrai E, Balogh T, Baca G, et al. 1982. [Embryotoxic effect of ethylbenzene]. *Egeszsegtudomány* 26:297-303. (Hungarian)
- +*Tegeris JS, Balster RL. 1994. A comparison of the acute behavioral effects of alkylbenzenes using a functional observational battery in mice. *Fundam Appl Toxicol* 22(2):240-250.
- *Tester DJ, Harker RJ. 1981. Groundwater pollution investigations in the Great Ouse Basin. *Water Pollut Control* 80:614-631.
- Thelestram M, Curvall M, Enzell CR. 1980. Effect of tobacco smoke compounds on the plasma membrane of cultured human lung fibroblasts. *Toxicology* 15:203-217.
- *Thienes C, Haley TJ. 1972. *Clinical toxicology*. 5th ed. Philadelphia, PA: Lea and Febiger, 126-127.
- *Thomas K, Colborn T. 1992. Organochlorine endocrine disruptors in human tissue. In: Colborn T, Clement C, eds. *Chemically induced alterations in sexual and functional development: The wildlife/human connection*. Princeton, NJ: Princeton Scientific Publishing, 65-394.

9. REFERENCES

- +*Thomas KW, Pellizzari ED, Cooper SD. 1991. A canister-based method for collection and GC/MS analysis of volatile organic compounds in human breath. *J Anal Toxicol* 15(2):54-59.
- *Thomas KW, Pellizzari ED, Raymer JH, et al. 1992. Kinetics of low-level volatile organic compounds in breath - I. Experimental design and data quality. *J Exp Anal Environ Epidemiol* 2(2):45-66.
- +*Toftgard R, Nilsen OG. 1982. Effects of xylene and xylene isomers on cytochrome P-450 and *in vitro* enzymatic activities in rat liver kidney and lung. *Toxicology* 23:197-212.
- *TRI05. 2007. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Office of Environmental Information. U.S. Environmental Protection Agency. Toxics Release Inventory. <http://www.epa.gov/triexplorer/>. March 08, 2007.
- *Tsuruta H. 1982. Percutaneous absorption of organic solvents: III. On the penetration rates of hydrophobic solvents through excised rat skin. *Ind Health* 20:335-346.
- +*Ungvary G. 1986. Solvent effects on reproduction: Experimental toxicity. *Prog Clin Biol Res* 220:169-177.
- +*Ungváry G, Tátrai E. 1985. On the embryotoxic effects of benzene and its alkyl derivatives in mice, rats and rabbits. *Arch Toxicol Suppl* 8:425-430.
- Uno I, Wakamatsu S, Wadden RA, et al. 1985. Evaluation of hydrogen reactivity in urban air. *Atmos Environ* 19:1283-1293.
- U.S. Air Force. 2000. Historical air emissions estimate, Kelly Air Force Base, TX. Brooks Air Force Base: Air Force Institute for Environment, Safety and Occupational Health Risk Analysis. IERARSBRSR20000012. ADA387077.
- U.S. Congress. 1986. Hazardous air pollutants. Clean Air Act, Title 3.
- *USGS. 2006. Volatile organic compounds in the Nation's ground water and drinking-water supply wells. Reston, VA: U.S. Department of the Interior, U.S. Geological Survey.
- USITC. 1987. Synthetic organic chemicals: United States production and sales, 1986. USITC Publication 2009. Washington, DC: U.S. International Trade Commission, 26, 39.
- USITC. 1994. Preliminary report on U.S. production of selected synthetic organic chemicals (including synthetic plastics and resin materials): First quarter, second quarter, and cumulative totals, 1994. U.S. International Trade Commission.
- *Vaalavirta L, Tähti H. 1995a. Astrocyte membrane Na⁺, K⁽⁺⁾-ATPase and Mg⁽²⁺⁾-ATPase as targets of organic solvent impact. *Life Sci* 57(24):2223-2230.
- *Vaalavirta L, Tähti H. 1995b. Effects of selected organic solvents on the astrocyte membrane ATPase *in vitro*. *Clin Exper Pharmacol Physiol* 22(4):293-294.
- *Van der Linden AC, Thijsse GJE. 1965. The mechanisms of microbial oxidations of petroleum hydrocarbons. *Adv Enzymol* 27:469-546.

9. REFERENCES

- van Thriel C, Haumann K, Kiesswetter E, et al. 2002. Time courses of sensory irritations due to 2-butanone and ethyl benzene exposure: Influences of self-reported multiple chemical sensitivity (sMCS). *Int J Hyg Environ Health* 204:367-369.
- *Verhoeff AP, Suk J, Van Wijnen JH. 1988. Residential indoor air contamination by screen printing plants. *Int Arch Occup Environ Health* 60:201-209.
- *Verschuere K. 1983. *Handbook of environmental data on organic chemicals*. 2nd ed. New York, NY: Van Nostrand Reinhold Co., 628-630.
- Veulemans H, Groeseneken D, Masschelein R, et al. 1987. Survey of ethylene glycol ether exposures in Belgian industries and workshops. *Am Ind Hyg Assoc J* 48:671-677.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238(2):476-483.
- Vleminckx C, Klemans W, Schriewer L, et al. 1997. Performance of cytogenetic biomarkers on children exposed to environmental pollutants. *Toxicol Ind Health* 13 (2-3):219-230.
- Von Oettingen WF, Neal PA, Donahue DD. 1942. The toxicity and potential danger of toluene. *J Am Med Assoc* 118:579-584.
- *Vowles PD, Mantoura RFC. 1987. Sediment-water partition coefficients and HPLC retention factors of aromatic hydrocarbons. *Chemosphere* 16:109-116.
- Voznakova Z, Popl M, Berka M. 1978. Recovery of aromatic hydrocarbons from water. *J Chromatogr Sci* 16:123-127.
- Waddell WJ. 2004. Analysis of thresholds for carcinogenicity. *Toxicol Lett* 149(1-3):415-419.
- *Wadden RA, Scheff PA, Franke JE, et al. 1995. VOC emission rates and emission factors for a sheet fed offset printing shop. *Am Ind Hyg Assoc J* 56:368-376.
- *Wade OL, Bishop JM, Donald KW. 1962. *Cardiac output and regional blood flow*. Oxford: Blackwell Scientific Publications, 86-107.
- *Wakeham SG, Davis AC, Karas JL. 1983. Mesocosm experiments to determine the fate and persistence of volatile organic compound in coastal seawater. *Environ Sci Technol* 17:611-617.
- *Wallace L, Pellizzari E, Hartwell T, et al. 1986. Concentrations of 20 volatile organic compounds in the air and drinking water of 350 residents of New Jersey compared with concentrations in their exhaled breath. *J Occup Med* 28:603-608.
- *Wallace L, Pellizzari E, Hartwell TD, et al. 1987c. Exposures to benzene and other volatile compounds from active and passive smoking. *Arch Environ Health* 42:272-279.
- *Wallace L, Zweidinger R, Erickson M, et al. 1982. Monitoring individual exposure measurements of volatile organic compounds in breathing-zone air, drinking water, and exhaled breath. *Environ Int* 8:269-282.

9. REFERENCES

- *Wallace LA. 1986. Personal exposures, indoor and outdoor air concentrations, and exhaled breath concentrations of selected volatile organic compounds measured for 600 residents of New Jersey, North Dakota, North Carolina and California. *Toxicol Environ Chem* 12:215-236.
- Wallace LA, Pellizzari ED, Hartwell TD, et al. 1985. Personal exposures, indoor-outdoor relationships, and breath levels of toxic air pollutants measured for 335 persons in New Jersey. *Atmos Environ* 19:1651-1661.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1987a. The TEAM study: Personal exposures to toxic substances in air, drinking water, and breath of 400 residents of New Jersey, North Carolina, and North Dakota. *Environ Res* 43:290-307.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1989. The influence of personal activities on exposure to volatile organic compounds 1.2. *Environ Res* 50(1):37-55.
- *Wallace LA, Pellizzari E, Leaderer B, et al. 1987b. Emissions of volatile organic compounds from building materials and consumer products. *Atmos Environ* 21:385-393.
- Wasik SP, Miller MM, Tewari YB, et al. 1983. Determination of the vapor pressure, aqueous solubility, and octanol/water partition coefficient of hydrophobic substances by coupled generator column/liquid chromatographic methods. *Residue Rev* 85:29-42.
- Weast RC, ed. 1988. *CRC Handbook of chemistry and physics*. 69th ed. Boca Raton, FL: CRC Press, Inc., C-269.
- Welch VA, Fallon KJ, Gelbke H-P. 2005. Ethylbenzene. *Ullmann's encyclopedia of industrial chemistry*. Weinheim: VCH Verlag GmbH & Co.
http://www.mrw.interscience.wiley.com/emrw/9783527306732/ueic/article/a10_035/current/pdf. March 29, 2007.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediat* 32:10-18.
- *Whitehead LW, Ball GL, Fine LJ, et al. 1984. Solvent vapor exposures in booth spray painting and spray glueing, and associated operations. *Am Ind Hyg Assoc J* 45:767-772.
- WHO. 1996. *Guidelines for drinking-water quality*. Vol. 2. Health criteria and other supporting information. 2nd ed. Geneva: World Health Organization.
- *WHO. 2000. *Air quality guidelines*. 2nd ed. Geneva, Switzerland: World Health Organization.
<http://www.euro.who.int/Document/AIQ/AirQualRepMtg.pdf>. March 08, 2006.
- *WHO. 2004. *Guidelines for drinking-water quality*. Vol. 1. Recommendations. 3rd ed. Geneva, Switzerland: World Health Organization. http://www.who.int/water_sanitation_health/dwq/gdwq3/en/. March 08, 2006.
- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. *Mineral metabolism: An advanced treatise*. Volume II: The elements Part A. New York: Academic Press, 1-247.

9. REFERENCES

- Wiesmuller GA, Van Thriel C, Steup A, et al. 2002. Nasal function in self-reported chemically intolerant individuals. *Arch Environ Health* 57(3):247-254.
- *Wilson BH, Smith GB, Rees JF. 1986. Biotransformations of selected alkylbenzenes and halogenated aliphatic hydrocarbons in methanogenic aquifer material: A microcosm study. *Environ Sci Technol* 20:997-1002.
- Witt KL, Knapton A, Wehr CM, et al. 2000. Micronucleated erythrocyte frequency to peripheral blood of B6C3F1 mice from short-term, prechronic, and chronic studies of the NTP carcinogenesis bioassay program. *Environ Mol Mutagen* 36(3):163-194.
- +*Wolf MA, Rowe VK, McCollister DD, et al. 1956. Toxicological studies of certain alkylated benzenes and benzene: Experiments on laboratory animals. *AMA Arch Ind Health* 14:387-398.
- +*Wolff MS. 1976. Evidence for existence in human tissues of monomers for plastics and rubber manufacture. *Environ Health Perspect* 17:183-187.
- +*Wolff MS, Daum SM, Lorimer WV, et al. 1977. Styrene and related hydrocarbons in subcutaneous fat from polymerization workers. *J Toxicol Environ Health* 2:997-1005.
- +Wrbitzky R, Goen T, Letzel S, et al. 1995. Internal exposure of waste incineration workers to organic and inorganic substances. *Int Arch Occup Environ Health* 68(1):13-21.
- *Yadav JS, Reddy CA. 1993. Degradation of benzene, toluene, ethylbenzene, and xylenes (BTEX) by the lignin-degrading basidiomycete *Phanerochaete chrysosporium*. *Appl Environ Microbiol* 59(3):756-762.
- *Yalkowsky SH, Valvani SC. 1976. Partition coefficients and surface areas of some alkylbenzenes. *J Med Chem* 19:727-728.
- Yamamoto RK, Cook W A. 1968. Determination of ethyl benzene and styrene in air by ultraviolet spectrophotometry. *Am Ind Hyg Assoc* 238-241.
- +*Yamasaki Y. 1984. [The determination of urinary metabolites of ethylbenzene by high- performance liquid chromatography]. *Okayama Igakkai Zasshi* 96:531-535. (Japanese)
- *Yanagihara S, Shimada I, Shinoyama E, et al. 1977. Photochemical reactivities of hydrocarbons. In: Kasuga S, eds. *Proceedings of the 4th International Clean Air Congress*. Tokyo: Japanese Union of Air Pollution Prevention Associations, 472-477.
- +*Yant WP, Schrenk HH, Waite CP, et al. 1930. Acute response of guinea pigs to vapors of some new commercial organic compounds. II. Ethylbenzene. *Pub Health Rep* 45:1241-1250.
- Yaws CL. 1975. Toluene, ethylbenzene, and cumene. *Chem Eng* 82:73-81.
- Yerushalmi L, Guiot SR. 1998. Kinetics of biodegradation of gasoline and its hydrocarbon constituents. *Appl Microbiol Biotechnol* 49(4):475-481.
- Young P, Parker A. 1984. Vapors, odors, and toxic gases from landfills. *ASTM Spec Tech Publ* 851:24-41.

9. REFERENCES

- +Yuan W, Cawley GF, Eyer CS, et al. 1994. Induction of P450 3A by ethylbenzene without altering RNA levels. *Biochem Biophys Res Commun* 202(3):1259-1265.
- Yuan W, Sequeira DJ, Cawley GF, et al. 1997a. Time course for the modulation of hepatic cytochrome p450 after administration of ethylbenzene and its correlation with toluene metabolism. *Arch Biochem Biophys* 339(1):55-63.
- Yuan W, Serron SC, Haddican MM, et al. 1997b. Ethylbenzene modulates the expression of different cytochrome p-450 isozymes by discrete multistep processes. *Biochim Biophys Acta* 1334(2-3):361-72.
- +Yuan W, White T B, White J W, et al. 1995. Relationship between hydrocarbon structure and induction of P450: Effect on RNA levels. *Xenobiotica* 25(1):9-16.
- *Zappi ME, Rogers BA, Teeter CL, et al. 1996. Bioslurry treatment of a soil contaminated with low concentration of total petroleum hydrocarbons. *J Hazard Mater* 46:1-12.
- Zarth MOF, Smith RG, Schroeder ED, et al. 1984. Removal of toxic organics by overland flow. *Vom Wasser* 63:281-197.
- Zhang S, Cowley GF, Eyer CS, et al. 2002. Altered ethylbenzene-mediated hepatic CYP2E1 expression in growth hormone-deficient dwarf rats. *Toxicol Appl Pharmacol* 179(1):74-82.
- Zhao J, Ye M, Ou C, et al. 2003. The combined toxicity of several main pollutant compounds in indoor air. *Toxicology* 191(1):23.
- *Ziegler EE, Edwards BB, Jensen RL et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12:29-34.
- *Zielinska B, Sagebiel JC, Harshfield G, et al. 1996. Volatile organic compounds up to C20 emitted from motor vehicles; measurement methods. *Atmos Environ* 30(12):2269-2286.
- Zoeteman BCJ, Degreef E, Brinkman FJJ. 1981. Persistency of organic contaminants in groundwater, lessons from soil pollution incidents in the Netherlands. *Sci Total Environ* 21:187-202.
- *Zweidinger RB, Sigsby JE, Tejada SB, et al. 1988. Detailed hydrocarbon and aldehyde mobile source emissions from roadway studies. *Environ Sci Technol* 22:956-962.