

References

- Alcoholics Anonymous (2001). *Alcoholics Anonymous*, 4th ed. New York: Alcoholics Anonymous World Services.
- Alcoholics Anonymous (2001). The promises. In *Alcoholics Anonymous*, 4th ed. (pp. 83–84). New York: Alcoholics Anonymous World Services. Retrieved April 18, 2005, from: <http://www.aa-uk.org.uk/publications/promises.htm>
- American Indian Training Institute (2003). Introduction to Red Road concepts – Part 3. *Red Voices*, 14(6), 4.
- American Psychiatric Association (1994). *Diagnostic and statistical manual of mental disorders (DSM-IV)*, 4th ed. Washington, DC: American Psychiatric Association.
- American Society of Addiction Medicine (2004). *Public policy statement on the rights and responsibilities of healthcare professionals in the use of opioids for the treatment of pain*. Adopted by the American Society of Addiction Medicine April 1997; revised April 2004. Retrieved on April 1, 2005 from: <http://www.asam.org/ppol/opioids.htm>
- Anthony, W. (2000). A recovery-oriented service system: Setting some system level standards. *Psychiatric Rehabilitation Journal*, 24(2), 159–169. Retrieved March 11, 2005 from: <http://www.bu.edu/prj/fall2000/Anthony2000-PRJv24n2.pdf>
- Ash, M. (1993). *The zen of recovery*. New York: Jeremy P. Tarcher/Putnam.
- Atkinson, R.M. (2004). Late onset problem drinking in older adults. *International Journal of Geriatric Psychiatry*, 9(4), 321–326.
- Backer, T. (1995). Assessing and enhancing readiness for change: Implications for technology transfer. *NIDA Research Monograph*, 155, 21–41.
- Baker, P. (2000). I didn't know: Discoveries and identity transformation of women addicts in treatment. *Journal of Drug Issues*, 30(4), 863–880.
- Bandura, A.J. (1977). *Social learning theory*. Englewood Cliffs, NJ: Prentice Hall.
- Bandura, A.J. (1997). *Self-efficacy: The exercise of control*. New York: W.H. Freeman.
- Bandura, A. (1999). A sociocognitive analysis of substance abuse: An agentic perspective. *Psychological Science*, 10(3), 214–217.

- Bedzek, M., Croy, C., Spicer, P., & ALSUPERPFP Team (2004). Documenting natural recovery in American-Indian drinking behavior: A coding scheme. *Journal of Studies on Alcohol*, 65(4), 428–433.
- Benard, B. *The foundations of the resiliency framework: From research to practice*. Retrieved May 4, 2005 from: <http://www.resiliency.com/htm/research.htm>
- Bernacki, P. (1986). *Pathways from heroin addiction: Recovery without treatment*. Philadelphia: Temple University Press.
- Billings, A.G., & Moos, R.H. (1983). Psychosocial processes of recovery among alcoholics and their families: Implications for clinicians and program evaluators. *Addictive Behavior*, 8(3), 205–218.
- Bischof, G., Rumpf, J., Meyer, U., Hapke, U., & John, U. (2005). Influence of psychiatric comorbidity in alcohol-dependent subjects in a representative survey on treatment utilization and natural recovery. *Addiction*, 100(3), 405.
- Blume, S. (1977). Role of the recovered alcoholic in the treatment of alcoholism. In B. Kissin & H. Beglieter (Eds.), *The biology of alcoholism, vol. 5: Treatment and rehabilitation of the chronic alcoholic* (pp. 545–565). New York: Plenum Press.
- Borkman, T. (1976). Experiential knowledge: A new concept for the analysis of self-help groups. *Social Service Review*, 50, 445–456.
- Borkman, T. (1998). Is recovery planning any different from treatment planning? *Journal of Substance Abuse Treatment*, 15(1), 37–42.
- Brennan, P.L., & Moos, R.H. (1996.) Late-life drinking behavior: The influence of personal characteristics, life context and treatment. *Alcohol Health & Research World*, 20(3), 197–201.
- Brigham, G. (2003). 12-step participation as a pathway to recovery: The Maryhaven experience and implications for treatment and research. *NIDA Science and Clinical Practice Perspectives*, 2(1), 43–51.
- Brown, J.M. (2004). The effectiveness of treatment. In N. Heather & T. Stockwell (Eds.), *The essential handbook of treatment and prevention of alcohol problems* (pp. 9–20). New York: Wiley & Sons.

- Brown, S. (1985). *Treating the alcoholic: A developmental model of recovery*. New York: Wiley & Sons.
- Brown, S.A. (1993). Recovery patterns in adolescent substance abuse. In J.S. Baer, G.A. Marlatt, & J. McMahon (Eds.), *Addictive behaviors across the life span: Prevention, treatment, and policy issues* (pp. 161–183). Newbury Park, CA: Sage Publications.
- Brown, S.A. (2001). Facilitating change for adolescent alcohol problems: A multiple options approach. In E.F. Wagner & H.B. Waldron (Eds.), *Innovations in adolescent substance abuse intervention* (pp. 169–187). New York: Pergamon.
- Budney, A., Higgins, S., & Mercer, D. (1998). A community reinforcement approach: Treating cocaine addiction. In National Institutes of Health, *Therapy Manuals for Drug Abuse: Manual 2* (NIH Publication No. 98-4309, pp. 71–94). Rockville, MD: National Institute on Drug Abuse.
- Caldwell, P.E., & Cutter, H.S. (1998). Alcoholics Anonymous affiliation during early recovery. *Journal of Substance Abuse Treatment, 15*(3), 221–228.
- Carise, D., & McLellan, A.T. (1999). *Increasing cultural sensitivity of the Addiction Severity Index (ASI): An example with Native Americans in North Dakota*. [Special report]. Prepared for the U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Treatment. Rockville, MD.
- Carroll, K.M. (2004). Behavioral therapies for co-occurring substance use and mood disorders. *Biological Psychiatry, 56*, 778–784.
- Center for Substance Abuse Treatment. (2004). *Substance abuse treatment and family therapy. Treatment Improvement Protocol (TIPS) Series, No. 39* [DHHS Publication No. (SMA) 04-3957]. Rockville, MD: Substance Abuse and Mental Health Administration.
- Cloud, W., & Granfield, R. (2001). Natural recovery from substance dependency: Lessons for treatment providers. *Journal of Social Work Practice in the Addictions, 1*(1), 83–104.
- Cobb, S. (1976). Social support as a moderator of life stress. *Psychosomatic Medicine, 10*(5), 300–314.
- Covington, S. (2000). Helping women recover: A comprehensive integrated treatment model. *Alcohol Treatment Quarterly, 18*(3), 99–111. Retrieved on April 1, 2005 from: <http://www.stephaniecovington.com/pdfs/art07.pdf>

- Covington, S. (2002). Helping women recover: Creating gender-responsive treatment. In S.L. Straussner & S. Brown (Eds.), *The handbook of addiction treatment for women: Theory and practice* (pp. 52–71). San Francisco: Jossey Bass.
- Cunningham, J. (1999). Resolving alcohol-related problems with and without treatment: The effects of different problem criteria. *Journal of Studies on Alcohol*, *60*, 463–466.
- Cunningham, J. (2000). Remissions from drug dependence: Is treatment a prerequisite? *Drug and Alcohol Dependence*, *59*, 211–213.
- Dawson, D.A., Grant, B.F., Stinson, F.S., Chou, P.S., Huang, B., & Ruan, W.J. (2004). Towards the attainment of low-risk drinking goals: A 10-year progress report. *Alcoholism: Clinical and Experimental Research*, *28*, 1371–1378.
- Dawson, D.A., Grant, B.F., Stinson, F.S., Chou, P.S., Huang, B., & Ruan, W.J. (2005). Recovery from DSM-IV alcohol dependence: United States, 2001–2002. *Addiction*, *100*(3), 281–292.
- Dawson, D.A., Grant, B.F., Stinson, F.S., Chou, P.S., Huang, B., & Ruan, W.J. (2005). Recovery from DSM-IV alcohol dependence: Response to commentaries. *Addiction*, *100*(3), 96–98.
- Dennis, M., Scott, C.K., & Funk, R. (2003). An experimental evaluation of recovery management checkups (RMC) for people with chronic substance use disorders. *Evaluation and Program Planning*, *26*(3), 339–352.
- DiClemente, C.C. (2003). *Addiction and change: How addictions develop and addicted people recover*. New York: Guilford Press.
- DiClemente, C., & Prochaska, J. (1998). Toward a comprehensive, transtheoretical model of change: Stages of change and addictive behaviors. In W.R. Miller & N. Heather (Eds.), *Treating Addictive Behaviors*, 2nd ed. (pp. 3–24). New York: Plenum Press.
- DiClemente, C., & Scott, C. (1997). Stages of change: Interactions with treatment compliance and involvement. Beyond the therapeutic alliance: Keeping the drug dependent individual in treatment. *NIDA Research Monograph*, *165*, 131–156.

- Donovan, D.M., Kadden, R.M., DiClemente, C., & Carroll, K.M. (2002). Client satisfaction with three therapies in the treatment of alcohol dependence: Results from Project MATCH. *American Journal on Addictions, 11*(4), 291–307.
- Donovan, D.M., & Marlatt, G.A. (Eds.) (1988). *Assessment of addictive behaviors*. New York: Guilford Press.
- Engel, G. (1977). The need for a new medical model. *Science, 196*, 129–136.
- Falicov, C.J. (1995). Training to think culturally: A multidimensional comparative framework. *Family Process, 34*(4), 373–388.
- Farmer, P. (2003). *Pathologies of power: Health, human rights, and the new war on the poor*. Berkeley: University of California Press.
- Farris, K.L., & Fisher, M. (2003). Twelve-step recovery and community service. *Health & Social Work, 28*(2), 137–145.
- Finch, A. (2005). *Starting a recovery school: A how-to blue print*. Center City, MN: Hazelden.
- Flannery, B.A., Roberts, A.J., Cooney, N., Swift, R.M., Anton, R.F., & Rohsenaw, D.J. (2001). The role of craving in alcohol use, dependence, and treatment. *Alcoholism: Clinical and Experimental Research, 25*, 299–308.
- Francis, R.J., & Miller, S. (Eds.) (1998). *Clinical textbook of addictive disorders, 2nd ed.* New York: Guilford Press.
- Franken, I.H. (2003). Drug craving and addiction: Integrating psychological and neuropsychopharmacological approaches. *Progress in Neuro-Psychopharmacology & Biological Psychiatry, 27*(4), 563–579.
- Galanter, M. (1993). *Network therapy for alcohol and drug abuse: A new approach in practice*. New York: Basic Books.
- Glantz, M.D., & Pickens, R.W. (1996). *Vulnerability to drug abuse*. Washington, DC: American Psychological Association.
- Glazer, S.S., Galanter, M., Megwinoff, O., Dermatis, H., & Keller, D.S. (2003). The role of therapeutic alliance in network therapy: A family and peer support-based treatment for cocaine abuse. *Substance Abuse, 24*(2), 93-100.
- Glide Memorial Church. (n.d.). Web site: <http://www.glide.org/ourwork/recovery.asp>

- Goldstein, A. (2001). *Addiction: From biology to drug policy*, 2nd ed. New York: Oxford University Press.
- Gordon, S.M. (2003). *Relapse & recovery: Behavioral strategies for change*. [Report] Caron Foundation. Retrieved November 20, 2004 from:
http://www.caron.org/pdfs/2516_relapse_report.pdf
- Gorski, T.T. (2000). The CENAPS model of relapse prevention therapy (CMRPT). In J.J. Boren, L.S. Onken, & K.M. Carroll (Eds.), *Approaches to Drug Abuse Counseling* (pp. 21–24). Bethesda, MD: National Institute on Drug Abuse. Retrieved April 20, 2005 from:
<http://www.drugabuse.gov/ADAC/ADAC4.html>
- Graham, K., & Schmidt, G. (1999). Alcohol use and psychosocial well-being among older adults. *Journal of Studies on Alcohol*, 60(3), 345–351.
- Granfield, R., & Cloud, W. (1996). The elephant that no one sees: Natural recovery among middle-class addicts. *Journal of Drug Issues*, 26(1), 45–61.
- Granfield, R., & Cloud, W. (1999). *Coming clean: Overcoming addiction without treatment*. New York: New York University Press.
- Greenfield, S.F., Hufford, M.R., Vagge, L.M., Muenz, L.R., Costello, M.E., & Weiss, R.D. (2000). The relationship of self-efficacy expectancies to relapse among alcohol dependent men and women: A prospective study. *Journal of Studies on Alcohol*, 61, 345–351.
- Hanson, B.S. (1994). Social network, social support and heavy drinking in elderly men—a population study of men born in 1913, Malmö, Sweden. *Addiction*, 89(6), 725–732.
- Hanson, G.R. (2002). New insights into relapse. *NIDA Notes*, 17(3). Retrieved April 20, 2005 from: www.drugabuse.gov/NIDA_notes/NNVol17N3/DirRepVol17N3.html
- Harrison, P., & Beck, J. (2005). *Prison and jail inmates at midyear 2004*. [Report.] Washington, DC: Department of Justice. Retrieved April 20, 2005, from:
www.ojp.usdoj.gov/bjs/abstract/pjim04.htm
- Havermans, R.C., & Jansen, A.T.M. (2003). Increasing the efficacy of cue exposure treatment in preventing relapse of addictive behavior. *Addictive Behaviors*, 28(5), 989–994.

- Health Canada (2001). *Best practices – Treatment and rehabilitation for youth with substance use problems*. Ottawa: Minister of Public Works and Government Services Canada. Cat. No. H49-154/2001E).
- Helgoe, R.S. (2002). *Hierarchy of recovery: From abstinence to self-actualization*. Center City, MN: Hazelden Foundation.
- Hoffman, M.A., Levy-Shiff, R., & Ushpiz, V. (1993). Moderating effects of adolescent social orientation: The relation between social support and self-esteem. *Journal of Youth and Adolescence*, 22, 23–31.
- Hoffman, N.G., DeHart, S.S., & Fulkerson, J.A. (1993). Medical care utilization as a function of recovery status following chemical addiction treatment. *Journal of Addictive Diseases*, 12, 97–108.
- Horvath, A.T., & Velten, E. (2000). Smart recovery: Addiction recovery support from a cognitive-behavioral perspective. *Journal of Rational-Emotive and Cognitive-Behavior Therapy*, 18(3), 181–191.
- Hubble, M.A., Duncan, B.L., & Miller, S.D. (Eds.) (2004). *The heart and soul of change: What works in therapy*. Washington, DC: American Psychological Association.
- Humphreys, K. (2004). *Circles of recovery: Self-help organizations for addictions*. New York: Cambridge University Press.
- Humphreys, K., Moos, R.J., & Cohen, C. (1997). Social and community resources and long-term recovery from treated and untreated alcoholism. *Journal of Studies on Alcohol*, 58, 231–238.
- Jacobson, J. (2004). Place and attrition from substance abuse. *Journal of Drug Issues*, 34(1), 23–29. Retrieved May 1, 2005 from:
http://www.findarticles.com/p/articles/mi_qa3733/is_200401/ai_n9345258/
- Jason, L.A., Davis, M.I., Ferrari, J.R., & Bishop, P.D. (2001). Oxford House: A review of research and implications for substance abuse recovery and community research. *Journal of Drug Education*, 31(1), 1–27.
- Jellinek, E.M. (1946). Phases in the drinking history of alcoholics: Analysis of a survey conducted by the official organ of Alcoholics Anonymous. *Quarterly Journal of Studies on Alcohol*, 2, 1–10.
- Jellinek, E.M. (1960). *The disease concept of alcoholism*. New Brunswick, NJ: Hillhouse Press.

- Jellinek, E.M. (n.d.). *Chart: Progressive Symptoms of Alcoholism and Drug Addiction*. Retrieved November 16, 2004 from:
http://www.tgorski.com/clin_mod/atp/jellinek_sumptoms_of_recovery.htm
- Kadden, R., Carroll, K., Donovan, D., Cooney, N., Monti, P., Abrams, D., Litt, M., & Hester, R. (Eds.) (1995). Cognitive-behavioral coping skills therapy manual: A clinical research guide for therapists treating individuals with alcohol abuse and dependence. *National Institute on Alcohol Abuse and Alcoholism Project MATCH Monograph Series, 3*. (NIH Publication No. 94-3724).
- Kaminer, Y., Blitz, C., Burlison, J.A., Kadden, R.M., & Rounsaville, B.J. (1998). Measuring treatment process in cognitive-behavioral therapy and interactional group therapies for adolescent substance abusers. *Journal of Nervous and Mental Disease, 186*(7), 407–413.
- Kasl, C.D. (1992). *Many roads, one journey: Moving beyond the 12 steps*. New York: HarperCollins.
- Kaufman, E. (1999). Family therapy: Other drugs. In M. Galanter & H. Kleber (Eds.), *Textbook of substance abuse treatment, 2nd ed.* (pp. 389–400). Washington, DC: American Psychiatric Press.
- Khantzian, E.J., & Mack, J.E. (1994). How AA works and why it's important for clinicians to understand. *Journal of Substance Abuse Treatment, 11*(2), 77–92.
- Kissin, W., McLeod, C., & McKay, J. (2003). The longitudinal relationship between self-help group attendance and course of recovery. *Evaluation and Program Planning, 26*(3), 311–323.
- Kissman, K., & Torres, O.A. (2004). Incarcerated mothers: Mutual support groups aimed at reducing substance abuse relapse and recidivism. *Contemporary Family Therapy, 26*(2), 217–228.
- Krause, N. (1995). Stress, alcohol use, and depressive symptoms in later life. *The Gerontologist, 35*(3), 296–307.

- Krestan, J. (Ed.) (2003). *Addiction, family therapy, and multicultural treatment*. New York: Free Press.
- Kurtz, E. (1991). *Not God: A history of Alcoholics Anonymous*. Center City, MN: Hazelden.
- Kurtz, E., & Ketchum, K. (1994). *The spirituality of imperfection: Storytelling and the journey to wholeness*. New York: Bantam Publishing.
- LaCour, J. (n.d.). *Rallying the armies of compassion*. Retrieved May 12, 2005 from: <http://www.netinstitute.org/faithbased.htm>
- Landry, M.J. (1994). *Understanding drugs of abuse: The processes of addiction, treatment, and recovery*. Washington, DC: American Psychiatric Press.
- Lanzerotti, L. (2004). *Housing first for families: Research to support the development of a Housing First training curriculum*. [Report]. Washington, DC: National Alliance to End Homelessness.
- Larimer, M.E., Palmer, R.S., & Marlatt, G.A. (1999). Relapse prevention: An overview of Marlatt's cognitive-behavioral model. *Alcohol Research and Health*, 23(2), 151–160.
- Larsen, E. (1985). *Stage II recovery: Life beyond addiction*. San Francisco: HarperSanFrancisco.
- Larsen, E. (1987). *Stage II relationships*. San Francisco: Harper & Row.
- Larsen, E. (2003). *Destination joy: Moving beyond fear, loss, and trauma in recovery*. Center City, MN: Hazelden.
- Laudet, A.B. (2005, April). *Exploring the recovery process: Patterns, supports, challenges and future directions*. Presented at the Seminar Series of the Division of Epidemiology, Services and Prevention Research (DESPR), conducted at the National Institute on Drug Abuse, Center for the Study of Addiction and Recovery.
- Laudet, A.B., Magura, S., Vogel, H.S., & Knight, E. (2000). Recovery challenges among dually diagnosed individuals. *Journal of Substance Abuse Treatment*, 18(4), 321–329.
- Lemanski, M. (2001). *A history of addiction and recovery in the United States*. Tucson, AZ: See Sharp Press.
- Leshner, A. (1997). Addiction is a brain disease, and it matters. *Science*, 278, 45–47.
- Leshner, A. (2003). *Oops: How casual drug use leads to addiction*. Retrieved April 2, 2005 from: http://www.drugabuse.gov/Published_Articles.Oops.html

- Levin, J.D. (1991). *Treatment of alcoholism and other addictions: A self-psychology approach*. Northvale, NJ: James Aronson.
- Liberty, H., Johnson, B., Jainchill, N., Ryder, J., Messina, M., Reynolds, S., & Houssain, M. (1998). Dynamic recovery: Comparative study of therapeutic communities in homeless shelters for men. *Journal of Substance Abuse Treatment, 15*(5), 401–423.
- Little, M. (2005). *Spiritual foundation knowledge packet*. Washington, DC: Samaritan Inns.
- Longabaugh, R., Wurtz, P.W., Zweben, A., & Stout, R. (1998). Network support for drinking: Alcoholics Anonymous and long-term matching effects. *Addiction, 93*(9), 1313–1333.
- Majer, L.A., & Olson, B.D. (2004). Optimism, abstinence, self-efficacy, and self mastery: A comparative analysis of cognitive resources. *Assessment, 11*(1), 57–63.
- Maracle, B. (1994). *Crazywater: Native voices on addiction and recovery*. New York: Penguin Books.
- Margolis, R.M., Kilpatrick, A., & Mooney, B. (2000). A retrospective look at long-term adolescent recovery: Clinicians talk to researchers. *Journal of Psychoactive Drugs, 32*, 117–125.
- Marlatt, G.A. (1996). Taxonomy of high-risk situations for alcohol relapse: Evolution and development of a cognitive-behavioral model. *Addiction, 91*(Suppl.), 37–50.
- Marlatt, G.A., & Barrett, K. (1994). Relapse prevention. In M. Galanter & H.D. Kleber (Eds.), *The American Psychiatric Press Textbook of Substance Abuse Treatment* (pp. 285–299). Washington, DC: American Psychiatric Press.
- Mathew, R.J., Georgi, J., Wilson, W.H., & Mathew, V.G. (1996). A retrospective study of the concept of spirituality as understood by recovering individuals. *Journal of Substance Abuse Treatment, 13*(1), 67–73.
- May, G.G. (1988). *Addiction and grace: Love and spirituality in the healing of addictions*. San Francisco: HarperSanFrancisco.
- McCay, J.R., Lynch, K.G., Shepard, D.S., Ratichek, S., Morrison, R., Koppenhaver, J., et al. (2004). The effectiveness of telephone-based continuing care in the clinical management of alcohol and cocaine use disorders: 12-month outcomes. *Journal of Consulting and Clinical Psychology, 72*(6), 967–979.

- McConaughy, E., DiClemente, C., Prochaska, J., & Velicer, W.F. (1989). Stages of change in psychotherapy: A follow-up report. *Psychotherapy*, 26(4), 494–503.
- McLellan, A. (2002). Have we evaluated addiction treatment correctly? Implications from a chronic care perspective. *Addiction*, 88(1), 106–109.
- McLellan, A.T., Hagan, T.A., Levine, M., Gould, F., Meyers, K., Bencivengo, M., et al. (1998). Research report: Supplemental social services improve outcomes in public addiction treatment. *Addiction*, 93(10), 1489–1499.
- McLellan, A.T., Lewis, D.C., O'Brien, C.P., & Kleber, H.D. (2000). Drug dependence, a chronic medical illness. *Journal of the American Medical Association*, 284(13), 1689–1695.
- McLellan, A., McKay, J., Forman, R., Cacciola, J., & Kemp, J. (2005). Reconsidering the evaluation of addiction treatment: From retrospective follow-up to concurrent recovery monitoring. *Addiction*, 100(4), 447–458.
- Mel B., & Bill P. (1999). *The 7 key principles of successful recovery: The basic tools for progress, growth, and happiness*. Center City, MN: Hazelden Publishing and Educational Services.
- Metrik, J., Frissell, K.C., McCarthy, D.M., D'Amico, E.J., & Brown, S.A. (2003). Strategies for reduction and cessation of alcohol use: Adolescent preferences. *Alcoholism: Clinical and Experimental Research*, 27(1), 74–80.
- Meyers, R., & Squires, D. (2001). *The community reinforcement approach*. Retrieved May 3, 2005 from: <http://www.bhrm.org/guidelines/CRAmanual.pdf>
- Millar, G.M., & Stermac, L. (2000). Substance abuse and childhood maltreatment: Conceptualizing the recovery process. *Journal of Substance Abuse Treatment*, 19(2), 175–182.
- Miller, W. (1998). Researching the spiritual dimensions of alcohol and other drug problems. *Addiction*, 93(7), 979–990.
- Miller, W.R., Zweben, A., DiClemente, C.C., & Rychtrik, R.G. (Eds.) (1994). Motivational enhancement therapy manual. *National Institute on Alcohol Abuse and Alcoholism Project MATCH Monograph Series, 2*. (NIH Publication No. 94-3723).

- Miller, W., Meyers, R., & Hiller-Sturmhofel, S. (1999). The community-reinforcement approach. *Alcohol Research & Health, 23*(2), 116–121.
- Miller, W., & C’de Baca, J. (2001). *Quantum change: When epiphanies and sudden insights transform ordinary lives*. New York: Guilford Publications.
- Miller, W.R., & Rollnick, S. (2002). *Motivational interviewing: Preparing people for change*. New York: Guilford Press.
- Molina, M.A. (2001). Community healing among Puerto Ricans: *Espiritismo* as therapy for the soul. In L. Gebert-Paravasini & M. Fernandez Olmons (Eds.), *Healing cultures: Art and religion as curative practices in the Caribbean and its diaspora* (pp. 115–131). New York: St. Martins Press.
- Monti, P., Abrams, D., Binkoff, J., Zwick, W., Liepman, M., Nirenberg, T., & Rohsenow, D. (1990). Communication skills training, communication skills training with family and cognitive behavioral mood management training for alcoholics. *Journal of Studies on Alcohol, 51*(3), 263–270.
- Monti, P.M., Colby, S.M., & O’Leary, T.A. (Eds.) (2001). *Adolescents, alcohol, and substance abuse: Reaching teens through brief interventions*. New York: Guilford Press.
- Mooney, A.J., Eisenberg, A., & Eisenberg, H. (1992). *The recovery book*. New York: Workman Publishing.
- Moos, R.H., & Moos, B.S. (2004). Long-term influence of duration and frequency of participation in Alcoholics Anonymous on individuals with alcohol use disorders. *Journal of Consulting and Clinical Psychology, 72*(1), 81–90.
- Morall, A.R., McCaffrey, D.F., & Ridgeway, G. (2004). Effectiveness of community-based treatment for substance abusing adolescents: 12-month outcomes of youths entering Phoenix Academy or alternative probation dispositions. *Psychology of Addictive Behaviors, 18*(3), 257–268.
- Morell, C. (1996). Radicalizing recovery: Addiction, spirituality, and politics. *Social Work, 41*(3), 306–312.

- Morgenstern, J., Labouvie, E., McCrady, B.S., Kahler, C.W., & Frey, R.M. (1997). Affiliation with Alcoholics Anonymous after treatment: A study of its therapeutic effects and mechanisms of action. *Journal of Consulting and Clinical Psychology, 65*(5), 768–777.
- Morgenstern, J., & Blanchard, K.A., Morgan, T.J., Labouvie, E., & Hayaki, J. (2001). Testing the effectiveness of cognitive-behavioral treatment for substance abuse in a community setting: Within treatment and posttreatment findings. *Journal of Consulting and Clinical Psychology, 69*(6), 1007–1017.
- Munetz, M.R. & Frese, F.J. (2001). Getting ready for recovery: Reconciling mandatory treatment with the recovery vision. *Psychiatric Rehabilitation Journal, 25*(1), 35–42.
- Murphy, J.G., Benson, T.A., Vuchinich, R.E., Deskins, M.M., Eakin, D., Flood, A.M., et al. (2004). A comparison of personalized feedback for college student drinkers delivered with and without a motivational interview. *Journal of Studies on Alcohol, 65*(2), 200–203.
- Najavits, L.M. (2002). *Seeking safety: A treatment manual for PTSD and substance abuse*. New York: Guilford Press.
- Najavits, L.M., Weiss, R.D., & Shaw, S.R. (1977). The link between substance abuse and posttraumatic stress disorder in women: A research review. [Review]. *American Journal on Addictions, 6*(4), 273–283.
- National Institute on Alcohol Abuse and Alcoholism (1998). Alcohol and aging. *Alcohol Alert, 4*(40). Retrieved April 2, 2005 from: <http://www.niaaa.nih.gov/publications/aa40-text.htm>
- National Institute on Alcohol Abuse and Alcoholism (2001). Project MATCH hypotheses: Results and causal chain analyses. *National Institute on Alcohol Abuse and Alcoholism Project MATCH Monograph Series, 8*. (NIH Publication No. 01-4238).
- National Institute on Alcoholism and Alcohol Abuse. (2001). Cognitive impairment and recovery from alcoholism. *Alcohol Alert, 53*(2). Retrieved April 2, 2005 from: <http://www.niaaa.nih.gov/publications/aa53.htm>
- National Institute on Drug Abuse (1997). Beyond the therapeutic alliance: Keeping the drug dependent individual in treatment. *NIDA Research Monograph, 165*, 1–244.
- Nealon-Woods, M., Ferrari, J., & Jason, L. (1995). Twelve-step program use among Oxford House residents: Spirituality or social support for sobriety? *Journal of Substance Abuse, 7*, 311–318.

- Nebelkopf, E., & Phillips, M. (2003). Morning star rising: Healing in Native American communities. *Journal of Psychoactive Drugs*, 35(1), 1–5.
- No author. (1986). *The twelve steps: A healing journey*. Center City, MN: Hazelden.
- Oates, W.E. (1978). Conversion: Sacred and secular. In W.E. Conn (Ed.), *Conversion: Perspectives on personal and social transformation* (pp. 149–168). New York: Alba House.
- O’Gorman, P. (2004). The anatomy of resilience: What makes some clients bounce back better than others? *Counselor*, 5(1), 14–17. Retrieved March 22, 2005 from: <http://www.counselormagazine.com/pfv.asp?aid=feb04Resilience.htm>
- O’Malley, S.S. (1995). Integration of opioid antagonists and psychosocial therapy in the treatment of narcotic and alcohol dependence. *Journal of Clinical Psychiatry*, 56(Suppl. 7), 30–38.
- Ortman, D. (2001). *The dual diagnosis recovery source book: A physical, mental, and spiritual approach to addiction with an emotional disorder*. Lincolnwood, IL: Contemporary Books.
- Oslin, D.W. (2000). Late life addictions: Aspects to consider for the future. *Journal of Geriatric Psychiatry and Neurology*, 13(3), 103–106.
- Owen, P., Slaymaker, V., Tonigan, J.S., McCrady, B.S., Epstein, E.E., Kaskutas, L.A., et al. (2003). Participation in Alcoholics Anonymous: Intended and unintended change mechanisms. *Alcoholism: Clinical and Experimental Research*, 27(3), 524–532.
- Peter D. Hart Research Associates (2004). *Faces and Voices of Recovery public survey: A survey among 801 adults nationwide conducted April 19-22, 2004*. Retrieved November 21, 2004 from: http://facesandvoicesofrecovery.org/ppt/2004-05-24_hart_survey.ppt
- Pettinati, H.M. (2004). Antidepressant treatment of co-occurring depression and alcohol dependence. *Biological Psychiatry*, 56, 785–792.
- Picucci, M. (1998). *The journey toward complete recovery*. Berkeley, CA: North Atlantic Books.
- Project MATCH Research Group (1998). Matching alcoholism treatments to client heterogeneity: Project MATCH three-year drinking outcomes. *Alcoholism: Clinical and Experimental Research*, 22, 1300–1311.
- Prochaska, J., & DiClemente, C. (1982). Transtheoretical therapy: Toward a more integrative model of change. *Psychotherapy: Theory, Research and Practice*, 19(3), 276–287.

- Procshaska, J.O., Norcross, J.C., & DiClemente, C.C. (1994). *Changing for good*. New York: William Morrow.
- Price, A., & Simmel, C. (2002). *Partners' influence on women's addiction and recovery: The connection between substance abuse, trauma, and intimate relationships*. [Report]. Berkeley, CA: National Abandoned Infants Assistance Resource Center, School of Social Welfare, University of California. Retrieved April 2, 2005 from: <http://socrates.berkeley.edu/~aiarc/media/pdf/partners.pdf>
- Quinlan, D. (2001). Peer assistance – Part 2. In S. Foster & M. Callahan (Eds.), *A professional study guide and resource guide for the CRNA* (pp. 476–477). Park Ridge, IL: AANA Publishing.
- Riessman, F. (1990). Restructuring help: A human services paradigm for the 1990s. *American Journal of Community Psychology*, 18, 221–230.
- Ringwald, C.D. (2002). *The soul of recovery: Uncovering the spiritual dimension in the treatment of addictions*. New York: Oxford University Press.
- Salzer, M. (2002). *Best practice guidelines for consumer-delivered services*. Unpublished paper developed for Behavioral Health Recovery Management Project (BHRM). An initiative of Fayette Companies, Peoria, IL; Chestnut Health Systems, Bloomington, IL; and the University of Chicago Center for Psychiatric Rehabilitation. Retrieved December 1, 2004 from: <http://www.bhrm.org/guidelines/mhguidelines.htm>
- Salzer, M. (2002). Consumer-delivered services as a best practice in mental health care delivery and the development of practice guidelines. *Psychiatric Rehabilitation Skills*, 6(3), 355–383.
- Sanders, M. (2002). The response of African American communities to addiction: An opportunity for treatment providers. *Alcoholism Treatment Quarterly*, 20(3/4), 167–174.
- Sapir, E. (1949). *Culture, language and personality: Selected essays*. D.G. Mandelbaum (Ed.) Berkeley, CA: University of California Press.
- Schmid, J., & Brown, S. (2001). Family treatment: Stage-appropriate psychotherapy for the addicted family. In R.H. Coombs (Ed.), *Addiction recovery tools: A practical handbook* (pp. 273–288). Thousand Oaks, CA: Sage Publications.

- Shaw, B.F., Ritvo, P., & Irvine, J. (2005). *Addiction & recovery for dummies*. New York: Wiley Publishing.
- Smith, J.E., Meyers, R.J., & Miller, W.R. (2001). The community reinforcement approach to the treatment of substance use disorders. *American Journal on Addictions, 10*(1 Suppl. 1), 51–59.
- Solarz, A.L. (2001). Investing in children, families, and communities: Challenges for an interdivisional public policy collaboration. *American Journal of Community Psychology, 29*, 1–14.
- Spear, S.F., Ciesla, J.R., Skala, S.Y., & Kania, E.D. (2001). Adolescent issues in relapse and recovery. In F.M. Tims, C.G. Leukefield, & J.J. Platt (Eds.), *Relapse and recovery in addictions* (pp. 228–252). New Haven: Yale University Press.
- Spence, S., & Shepherd, G. (1983). *Developments in social skills training*. Toronto, Canada: Academic Press.
- Spicer, P. (2001). Culture and restoration of self among former American Indian drinkers. *Social Science and Medicine, 53*(2), 227–240.
- Steigerwald, F., & Stone, D. (1999). Cognitive restructuring and the 12-step program of Alcoholics Anonymous. *Journal of Substance Abuse Treatment, 16*(4), 321–327.
- Sterling, R. (2004). Levels of spirituality and treatment outcome. [Unpublished raw data; grant #R21 AA13063]. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism.
- Streeton, C., & Whelan, G. (2001). Naltrexone: A relapse prevention maintenance treatment of alcohol dependence: A meta-analysis of randomized control trials. *Alcohol and Alcoholism, 36*, 544–552.
- Sullivan, E., Mino, M., Nelson, K., & Pope, J. (2002). *Families as a resource in recovery from drug abuse: An evaluation of La Bodega de la Familia*. [Report]. Retrieved November 20, 2004 from: http://www.vera.org/publications/publications_5.asp?publication_id=163
- Tait, R.J., & Hulse, G.K. (2003). A systematic review of the effectiveness of brief interventions with substance using adolescents by type of drug. *Drug and Alcohol Dependence, 22*, 337–346.
- Tallman, K., & Bohart, A.C. (2004). The client as a common factor: Clients as self-healers. H.M. Hubble, B. Duncan, & S. Miller (Eds.), *The heart & soul of change: What works in therapy* (pp. 91–132). Washington, DC: American Psychological Association.

- Tiebout, H.M. (1953). The act of surrender in the therapeutic process. *Quarterly Journal of Studies on Alcohol, 14*, 58–68.
- Tims, F.M., Leukefeld, C.G., & Platt, J.J. (Eds.) (2001). *Relapse and recovery in addictions*. New Haven: Yale University Press.
- Tonigan, J.S., Connors, G.J., & Miller, W. (1998). Special populations in Alcoholics Anonymous. *Alcohol Health and Research World, 57*, 65–72.
- Twerski, A.J. (2000). *The spiritual self: Reflections on recovery and God*. Center City, MN: Hazelden.
- Union Gospel Mission. (n.d.). Retrieved November 20, 2004 from:
<http://www.onecaringperson.org/>
- U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Treatment (2004). *Substance abuse treatment and family therapy. Treatment Improvement Protocol (TIP) Series, No. 39* [DHHS Publication No. (SMA) 04-3957]. Rockville, MD: U.S. Department of Health and Human Services.
- Valiant, G.E. (1995). *The natural history of alcoholism revisited: Causes, patterns, and paths to recovery*. Cambridge, MA: Harvard University Press.
- Valiant, G.E., & Hiller-Sturmhofel, H. (1996). The natural history of alcoholism. *Alcohol Health and Research World, 20*(3), 152–161.
- Vogel, H., Knight, E., Laudet, A., & Magura, S. (1998). Double trouble in recovery: Self-help for people with dual diagnoses. *Psychiatric Rehabilitation Journal, 21*(4), 356–364.
- Volpicelli, J., & Szalavitz, M. (2000). *Recovery options: The complete guide*. New York: Wiley & Sons.
- Waldorf, D. (1983). Natural recovery from opiate addiction: Some social-psychological processes of untreated recovery. *Journal of Drug Issues, 13*, 237–280.
- Wallace, J.M. (1999). The social ecology of addiction: Race, risk and resilience. *Pediatrics, 103*(5 Suppl.), 1122–1127.
- Walsh, F. (2002). A family resilience framework: Innovative practice applications. *Family Relations, 51*(2), 130–138.

- Walters, G. (2000). Spontaneous remission from alcohol, tobacco, and other drug abuse: Seeking quantitative answers to qualitative questions. *American Journal of Drug and Alcohol Abuse*, 26(3), 443-460. Retrieved March 9, 2006 from:
http://www.findarticles.com/p/articles/mi_m0978/is_3_26/ai
- Walton, M. (2001). Diversity in relapse prevention needs: Gender and race comparisons among substance abuse treatment patients – Statistical data included. *American Journal of Drug and Alcohol Abuse*, 27(2), 225–240.
- Warren, R. (n.d.) Eight recovery principles based on the Beatitudes. *Celebrate recovery*. Retrieved May 2, 2005 from: <http://www.celebraterecovery.com/8principles.asp>
- Weingarten, R. (1994). The ongoing processes of recovery. *Psychiatry*, 57, 369–375.
- Weisner, C.G., Ray, T., Mertens, J.R., Satre, D.D., & Moore, C. (2003). Short-term alcohol and drug treatment outcomes predict long-term outcome. *Drug and Alcohol Dependence*, 71(3), 281–294.
- Westerberg, V.S. (2000). Constituents of craving in a clinical alcohol sample. *Journal of Substance Abuse*, 12, 415–423.
- Wesson, D.R., Havassy, B.E., & Smith, D.E. (1986). Theories of relapse and recovery and their implications for drug abuse treatment. *NIDA Research Monograph*, 72, 5–19.
- White Bison, Inc. (2002). *The red road to wellbriety: In the Native American way*. Colorado Springs: White Bison, Inc.
- White, W.L. (1996). *Pathways from the culture of addiction to the culture of recovery: A travel guide for addiction professionals*, 2nd ed. Center City, MN: Hazelden.
- White, W.L. (1998). *Slaying the dragon: The history of addiction treatment and recovery in America*. Bloomington, IL: Chestnut Health Systems.
- White, W.L. (2000). *Toward a new recovery movement: Historical reflections on recovery, treatment, and advocacy*. Unpublished paper, prepared for the Center for Substance Abuse Treatment Recovery Community Support Program Conference: Working Together for Recovery, Washington, DC.
- White, W.L. (2001). A lost vision: Addiction counseling as community organization. *Alcoholism Treatment Quarterly*, 19(4), 1–30.

- White, W. (2002). *An addiction recovery glossary: The languages of American communities of recovery*. Bloomington, IL: Chestnut Health Systems. Retrieved February 20, 2005 from: <http://www.bhrm.org/advocacy/add-rec-glossary.pdf>
- White, W. (2004). *The history and future of peer-based addiction recovery support services*. Unpublished paper prepared for the SAMHSA Consumer and Family Direction Initiative 2004 Summit, March 22–23, Washington, DC.
- White, W. (2005). Recovery across the life cycle. [Under review]. Prepared for *Alcoholism Treatment Quarterly*.
- White, W.L., Dennis, M.L., & Fodley, M.D. (2002). Adolescent substance use disorders: From acute treatment to recovery management. *Reclaiming Children and Youth, 11*(3), 172–175.
- White, W., Boyle, M., & Loveland, D. (2003). A model to transcend the limitations of addiction treatment. *Behavioral Health Management, 23*(3), 38–44. Retrieved November 20, 2004 from: www.behavioral.net
- White, W., & Sanders, M. (2004). *Recovery management and people of color*. Retrieved January 2, 2005 from: <http://www.bhrm.org/papers/peopleofcolor.pdf>
- Whitten, L. (2004). Men and women process cocaine cues differently. *NIDA Notes, 19*(4). Retrieved December 27, 2004 from: www.drugabuse.gov/NIDA_notes/Nnvol19N4/No.html.
- Whitten, L. (2004). “No wrong door” for people with co-occurring disorders. *NIDA Notes, 19*(4). Retrieved December 27, 2004 from: www.drugabuse.gov/NIDA_notes/Nnvol19N4/No.html.
- Williams, C. (1992). *No hiding place: Empowerment and recovery for our troubled communities*. San Francisco: HarperSanFrancisco.
- Williams, R., & Gorski, T. (1997). *Relapse prevention counseling for African Americans: A culturally specific model*. New York: Self Realization Publications.
- Women for Sobriety. (n.d.). *Articles by Jean Kirkpatrick, Ph.D.* Retrieved April 19, 2005 from: <http://www.womenforsobriety.org/>
- Yamishiro, G., & Matsuoka, J. (1997). Help-seeking among Asian and Pacific Americans: A multiple perspective analysis. *Social Work, 42*(2), 176–186.
- Zemore, S.E., & Kaskutas, L.A. (2004). Helping, spirituality and Alcoholics Anonymous in recovery. *Journal of Studies on Alcohol, 65*(3), 383–391.

Zemore, S.E., Kaskutas, L.A., & Ammon, L.N. (2004). In twelve-step groups, helping helps the helper. *Addiction*, *99*, 1015–1023.

Zickler, P. (2002). Family-based treatment programs can reduce adolescent drug abuse. *NIDA Notes*, *17*(4). Retrieved April 20, 2005 from:

www.drugabuse.gov/NIDA_notes/NNVOL17N4/family.html