

Table 1. Predicted Number of New Cancer Cases by Type of Cancer and State, Males, 1999 (continued)

State	Lung			Colorectal			Prostate			Other			Total		
	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*
	Without	With		Without	With		Without	With		Without	With**		Without	With	
East South Central	8,432	8,561	NR	4,596	4,673	NR	10,236	10,915	NR	15,904	16,344	NR	39,169	40,493	NR
Alabama	2,167	2,200	NR	1,081	1,099	NR	3,049	3,251	NR	4,206	4,308	NR	10,503	10,858	NR
Kentucky	2,227	2,261	2,321	1,159	1,178	1,170	2,296	2,448	2,613	3,948	4,067	NR	9,629	9,954	10,213
Mississippi	1,260	1,279	NR	819	833	NR	1,654	1,764	NR	2,457	2,524	NR	6,190	6,399	NR
Tennessee	2,778	2,820	NR	1,538	1,564	NR	3,238	3,453	NR	5,292	5,445	NR	12,847	13,281	NR
West South Central	11,357	11,529	NR	8,745	8,891	NR	13,881	14,802	NR	26,143	26,937	NR	60,127	62,159	NR
Arkansas	1,433	1,455	NR	961	977	NR	1,609	1,716	NR	2,719	2,802	NR	6,722	6,949	NR
Louisiana	2,042	2,073	2,005	1,191	1,211	1,201	2,543	2,712	2,817	4,044	4,157	NR	9,821	10,153	10,111
Oklahoma	1,301	1,321	NR	1,030	1,047	NR	1,640	1,749	NR	3,251	3,348	NR	7,221	7,465	NR
Texas	6,581	6,681	NR	5,563	5,656	NR	8,090	8,626	NR	16,129	16,629	NR	36,363	37,592	NR
Mountain	5,063	5,140	NR	3,813	3,876	NR	11,757	12,536	NR	16,784	17,129	NR	37,416	38,681	NR
Arizona	1,523	1,546	1,643	1,196	1,216	1,166	3,422	3,649	2,525	5,059	5,168	NR	11,200	11,579	9,960
Colorado	1,079	1,095	952	722	734	829	2,820	3,007	2,621	3,798	3,867	NR	8,419	8,704	7,975
Idaho	373	379	361	324	329	271	834	889	828	1,196	1,221	NR	2,726	2,818	2,678
Montana	318	323	327	229	233	266	686	731	684	974	994	NR	2,207	2,282	2,177
Nevada	817	829	NR	529	538	NR	1,397	1,490	NR	2,090	2,141	NR	4,834	4,997	NR
New Mexico	458	465	435	364	370	389	1,014	1,081	1,096	1,589	1,624	NR	3,425	3,541	3,445
Utah	345	350	306	361	367	349	1,179	1,257	1,269	1,584	1,611	NR	3,468	3,585	3,511
Wyoming	151	153	144	88	89	136	405	432	367	494	502	NR	1,138	1,176	1,147
Pacific	12,880	13,075	12,910	10,039	10,207	10,027	26,294	28,038	28,034	40,736	41,669	NR	89,949	92,989	92,413
Alaska	130	132	140	170	173	117	161	172	280	481	497	NR	942	974	996
California	8,863	8,998	8,995	7,153	7,272	7,232	18,589	19,821	19,886	29,233	29,903	NR	63,837	65,995	66,149
San Francisco/Oakland	1,160	1,178	1,172	970	986	1,014	2,534	2,702	2,785	3,948	4,037	NR	8,612	8,903	9,096
San Jose/Monterey	512	520	521	477	485	459	1,131	1,206	1,413	1,950	1,996	NR	4,069	4,207	4,302
Los Angeles	2,093	2,125	2,131	1,858	1,889	1,872	4,820	5,140	5,261	7,465	7,631	NR	16,236	16,785	16,991
Other counties	5,098	5,175	NR	3,848	3,912	NR	10,104	10,774	NR	15,870	16,239	NR	34,920	36,100	NR
Hawaii	402	408	397	343	349	351	742	791	774	1,185	1,215	NR	2,673	2,763	2,736
Oregon	1,366	1,387	1,319	970	986	864	2,653	2,829	2,715	3,816	3,901	NR	8,805	9,103	8,601
Washington	2,119	2,151	2,059	1,403	1,426	1,463	4,150	4,425	4,379	6,020	6,151	NR	13,691	14,154	13,931
Seattle	1,420	1,442	1,436	955	971	965	2,842	3,030	3,026	4,131	4,221	NR	9,348	9,664	9,632

NR = Not Reported

*Source: *United States Cancer Statistics: 1999 Incidence*. Aggregated SEER and NPCR registry counts calculated by summing corresponding rows in table.

**Delay-adjusted count for other cancer calculated by subtracting corresponding counts for lung, colorectal, and prostate cancer from the total delay-adjusted count.

***Registries that report to both the SEER and the NPCR programs were counted as SEER (KY, LA, NJ, CA). Data from Georgia, Michigan, and Washington were split into appropriate categories by county, since some counties are in the SEER system and some are not in these states.

Note: Unshaded rows indicate SEER registries that provided data for model input.

Table 2. Predicted Number of New Cancer Cases by Type of Cancer and State, Females, 1999 (continued)

State	Lung			Colorectal			Breast			Other			Total		
	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*
	Without	With		Without	With		Without	With		Without	With**		Without	With	
East South Central	5,212	5,305	NR	4,622	4,703	NR	11,089	11,341	NR	15,478	16,166	NR	36,401	37,515	NR
Alabama	1,338	1,362	NR	1,117	1,137	NR	2,862	2,927	NR	4,052	4,230	NR	9,369	9,656	NR
Kentucky	1,529	1,557	1,580	1,166	1,186	1,194	2,733	2,795	2,785	3,820	3,993	NR	9,248	9,531	9,579
Mississippi	560	570	NR	735	748	NR	1,707	1,746	NR	2,401	2,506	NR	5,404	5,569	NR
Tennessee	1,785	1,817	NR	1,604	1,632	NR	3,787	3,873	NR	5,204	5,437	NR	12,380	12,759	NR
West South Central	7,024	7,151	NR	8,093	8,235	NR	19,190	19,625	NR	24,072	25,155	NR	58,379	60,165	NR
Arkansas	717	730	NR	871	886	NR	1,875	1,918	NR	2,501	2,613	NR	5,964	6,146	NR
Louisiana	1,207	1,229	1,223	1,125	1,145	1,113	2,807	2,871	2,826	3,809	3,979	NR	8,949	9,223	9,043
Oklahoma	875	891	NR	1,062	1,081	NR	2,437	2,492	NR	3,048	3,184	NR	7,421	7,648	NR
Texas	4,225	4,301	NR	5,035	5,123	NR	12,071	12,345	NR	14,715	15,379	NR	36,045	37,148	NR
Mountain	3,370	3,431	NR	3,286	3,343	NR	11,288	11,545	NR	15,224	15,865	NR	33,169	34,184	NR
Arizona	1,014	1,032	1,254	1,049	1,067	1,053	3,298	3,373	3,099	4,460	4,649	NR	9,821	10,122	9,551
Colorado	760	774	785	673	685	768	2,752	2,814	2,829	3,609	3,760	NR	7,794	8,032	7,818
Idaho	205	209	260	264	269	250	791	809	807	1,108	1,154	NR	2,368	2,440	2,468
Montana	198	202	247	202	206	218	662	677	606	918	957	NR	1,981	2,042	1,927
Nevada	563	573	NR	413	420	NR	1,367	1,398	NR	1,707	1,782	NR	4,049	4,173	NR
New Mexico	338	344	320	298	303	284	1,080	1,105	1,077	1,475	1,537	NR	3,191	3,289	3,174
Utah	178	181	185	307	312	297	1,009	1,032	994	1,490	1,550	NR	2,984	3,075	2,984
Wyoming	114	116	116	80	81	121	329	336	325	457	476	NR	980	1,010	958
Pacific	11,071	11,270	11,053	9,656	9,825	9,707	29,435	30,103	29,871	39,038	40,731	NR	89,199	91,928	90,223
Alaska	154	157	125	160	163	87	363	371	294	426	446	NR	1,103	1,137	907
California	7,761	7,901	7,828	6,887	7,008	7,028	21,165	21,645	21,439	28,260	29,480	NR	64,073	66,034	65,183
San Francisco/Oakland	1,074	1,093	1,104	954	971	1,051	3,094	3,164	3,135	3,789	3,955	NR	8,911	9,184	9,166
San Jose/Monterey	478	487	481	454	462	420	1,518	1,552	1,482	1,910	1,992	NR	4,360	4,493	4,348
Los Angeles	1,806	1,839	1,826	1,818	1,850	1,890	5,414	5,537	5,460	7,823	8,151	NR	16,860	17,376	17,070
Other counties	4,402	4,481	NR	3,661	3,725	NR	11,140	11,393	NR	14,739	15,381	NR	33,942	34,981	NR
Hawaii	272	277	265	314	319	319	815	834	869	1,027	1,071	NR	2,427	2,501	2,544
Oregon	1,132	1,152	1,144	929	945	947	2,722	2,784	2,792	3,543	3,698	NR	8,325	8,580	8,273
Washington	1,753	1,785	1,691	1,366	1,390	1,326	4,369	4,468	4,477	5,783	6,033	NR	13,270	13,676	13,316
Seattle	1,209	1,231	1,248	934	950	927	3,077	3,147	3,109	3,979	4,153	NR	9,199	9,480	9,319

NR = Not Reported

*Source: *United States Cancer Statistics: 1999 Incidence*. Aggregated SEER and NPCR registry counts calculated by summing corresponding rows in table.

**Delay-adjusted count for other cancer calculated by subtracting corresponding counts for lung, colorectal, and breast cancer from the total delay-adjusted count.

***Registries that report to both the SEER and the NPCR programs were counted as SEER (KY, LA, NJ, CA). Data from Georgia, Michigan, and Washington were split into appropriate categories by county, since some counties are in the SEER system and some are not in these states.

Note: Unshaded rows indicate SEER registries that provided data for model input.

Table 3. Predicted Cancer Incidence Rates by Type of Cancer and State, Males, 1999 (continued)

State	Lung			Colorectal			Prostate			Other			Total		
	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*
	Without	With		Without	With		Without	With		Without	With**		Without	With	
East South Central	117.1	118.9	NR	66.2	67.3	NR	142.0	151.4	NR	220.3	NR	NR	545.6	564.1	NR
Alabama	112.3	114.0	NR	58.0	59.0	NR	157.3	167.7	NR	218.7	NR	NR	546.3	564.8	NR
Kentucky	129.0	130.9	135.6	69.8	70.9	71.4	133.0	141.8	155.5	227.8	NR	NR	559.6	578.5	599.9
Mississippi	110.2	111.9	NR	74.0	75.3	NR	145.9	155.6	NR	213.9	NR	NR	544.1	562.4	NR
Tennessee	115.7	117.5	NR	66.5	67.7	NR	134.2	143.1	NR	219.3	NR	NR	535.7	553.8	NR
West South Central	95.9	97.3	NR	75.7	76.9	NR	116.8	124.5	NR	213.6	NR	NR	501.9	518.9	NR
Arkansas	115.1	116.9	NR	79.3	80.6	NR	128.3	136.8	NR	221.1	NR	NR	543.8	562.2	NR
Louisiana	115.9	117.7	114.9	69.9	71.1	70.5	144.6	154.2	163.1	226.5	NR	NR	556.9	575.7	579.6
Oklahoma	85.0	86.3	NR	69.1	70.2	NR	106.4	113.4	NR	212.2	NR	NR	472.5	488.5	NR
Texas	90.2	91.5	NR	77.8	79.1	NR	110.3	117.6	NR	209.5	NR	NR	487.7	504.2	NR
Mountain	69.6	70.6	NR	53.4	54.3	NR	159.2	169.8	NR	224.0	NR	NR	506.2	523.3	NR
Arizona	66.4	67.4	75.8	53.2	54.1	54.7	147.0	156.7	114.4	220.8	NR	NR	487.4	503.8	458.9
Colorado	71.5	72.6	63.2	47.8	48.6	54.8	181.8	193.8	166.7	231.3	NR	NR	532.3	550.3	503.1
Idaho	70.9	72.0	69.0	62.3	63.3	52.2	157.0	167.4	157.4	221.2	NR	NR	511.4	528.7	503.6
Montana	73.7	74.8	76.6	53.9	54.8	63.3	157.8	168.2	157.1	225.6	NR	NR	511.0	528.2	507.2
Nevada	96.4	97.9	NR	65.2	66.3	NR	160.9	171.5	NR	244.0	NR	NR	566.4	585.6	NR
New Mexico	60.9	61.8	60.5	49.3	50.1	53.5	133.1	141.9	148.2	206.7	NR	NR	450.0	465.2	466.6
Utah	50.3	51.0	44.3	53.0	53.9	50.7	169.7	180.9	182.8	213.0	NR	NR	485.9	502.3	490.7
Wyoming	70.9	72.0	68.9	42.5	43.2	65.9	188.1	200.6	172.0	226.9	NR	NR	528.4	546.3	542.1
Pacific	75.0	76.2	74.1	58.8	59.8	58.0	151.7	161.7	159.7	225.9	NR	NR	511.4	528.7	519.1
Alaska	75.1	76.2	77.3	100.8	102.4	67.3	92.8	99.0	155.8	237.2	NR	NR	505.9	523.0	526.8
California	70.7	71.8	70.5	57.4	58.4	57.1	146.8	156.5	154.7	221.0	NR	NR	495.9	512.7	506.3
San Francisco/Oakland	69.6	70.7	68.9	58.1	59.1	60.0	149.2	159.1	162.1	224.9	NR	NR	501.8	518.8	521.1
San Jose/Monterey	62.0	62.9	62.5	57.2	58.2	54.1	133.5	142.3	166.1	214.9	NR	NR	467.6	483.4	490.6
Los Angeles	65.1	66.1	64.1	58.1	59.1	56.8	148.6	158.5	156.6	216.1	NR	NR	488.0	504.5	497.1
Other counties	74.7	75.8	NR	57.0	57.9	NR	146.9	156.6	NR	223.1	NR	NR	501.7	518.6	NR
Hawaii	71.1	72.2	69.1	60.9	61.9	61.8	131.2	139.9	135.5	206.7	NR	NR	469.8	485.7	478.0
Oregon	89.3	90.7	86.1	64.0	65.0	56.7	172.1	183.5	176.2	245.0	NR	NR	570.4	589.7	556.5
Washington	89.4	90.8	86.6	59.5	60.5	62.1	173.1	184.6	182.4	243.0	NR	NR	565.0	584.1	574.9
Seattle	89.3	90.6	90.3	60.1	61.1	61.0	176.1	187.7	187.5	245.8	NR	NR	571.2	590.5	590.0

NR = Not Reported

*Source: *United States Cancer Statistics: 1999 Incidence*. Aggregated SEER registry rates calculated using SEER*Stat databases (SEER 2002). Aggregated NPCR registry rates not available.

**No delay adjustment is available for other cancer rates

***Registries that report to both the SEER and the NPCR programs were counted as SEER (KY, LA, NJ, CA). Data from Georgia, Michigan, and Washington were split into appropriate categories by county, since some counties are in the SEER system and some are not in these states.

Note: Unshaded rows indicate SEER registries that provided data for model input.

Table 4. Predicted Cancer Incidence Rates by Type of Cancer and State, Females, 1999 (continued)

State	Lung			Colorectal			Breast			Other			Total		
	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*	Delay Adjustment		USCS Report*
	Without	With		Without	With		Without	With		Without	With**		Without	With	
East South Central	54.4	55.3	NR	47.1	47.9	NR	118.9	121.6	NR	163.9	NR	NR	384.3	396.0	NR
Alabama	51.6	52.5	NR	42.2	42.9	NR	114.6	117.2	NR	160.0	NR	NR	368.3	379.6	NR
Kentucky	67.7	68.9	70.4	50.3	51.2	52.2	123.7	126.5	126.8	171.1	NR	NR	412.8	425.4	430.4
Mississippi	36.3	36.9	NR	46.4	47.2	NR	114.2	116.8	NR	157.2	NR	NR	354.0	364.8	NR
Tennessee	55.9	56.9	NR	49.2	50.0	NR	121.2	124.0	NR	165.2	NR	NR	391.5	403.5	NR
West South Central	45.8	46.6	NR	51.8	52.7	NR	125.9	128.8	NR	155.7	NR	NR	379.2	390.8	NR
Arkansas	44.8	45.6	NR	52.5	53.4	NR	123.4	126.2	NR	161.1	NR	NR	381.8	393.4	NR
Louisiana	51.5	52.4	52.4	47.4	48.2	47.5	121.9	124.6	123.1	163.3	NR	NR	384.0	395.8	391.0
Oklahoma	44.4	45.1	NR	51.9	52.8	NR	128.7	131.6	NR	157.7	NR	NR	382.5	394.2	NR
Texas	44.9	45.7	NR	52.7	53.7	NR	126.6	129.5	NR	152.5	NR	NR	376.8	388.3	NR
Mountain	38.5	39.2	NR	37.3	37.9	NR	129.6	132.5	NR	173.5	NR	NR	378.9	390.5	NR
Arizona	36.8	37.5	47.7	37.9	38.5	40.0	125.2	128.0	123.6	167.2	NR	NR	367.1	378.3	375.0
Colorado	39.8	40.5	40.7	34.6	35.2	39.4	137.9	141.0	139.4	181.2	NR	NR	393.4	405.4	391.6
Idaho	32.9	33.5	42.0	41.2	42.0	38.7	127.8	130.7	131.4	176.6	NR	NR	378.5	390.1	397.1
Montana	38.9	39.6	48.5	38.3	39.0	41.9	132.8	135.8	122.2	183.1	NR	NR	393.1	405.1	385.4
Nevada	59.7	60.8	NR	45.3	46.1	NR	144.1	147.3	NR	182.4	NR	NR	431.5	444.7	NR
New Mexico	36.8	37.5	36.3	32.4	32.9	32.3	118.1	120.7	122.8	160.9	NR	NR	348.1	358.8	361.4
Utah	21.4	21.7	22.4	36.3	36.9	35.4	119.0	121.7	119.3	169.0	NR	NR	345.5	356.1	349.6
Wyoming	45.6	46.5	46.5	31.5	32.0	48.4	131.1	134.0	131.2	182.3	NR	NR	390.4	402.4	387.8
Pacific	51.0	52.0	50.9	43.7	44.5	43.8	135.8	138.9	138.9	178.0	NR	NR	408.5	421.0	414.8
Alaska	84.0	85.5	69.3	89.9	91.4	49.6	160.9	164.6	127.8	194.7	NR	NR	529.5	545.7	437.5
California	48.5	49.4	48.8	42.4	43.1	42.9	132.5	135.5	135.1	174.4	NR	NR	397.7	409.8	405.3
San Francisco/Oakland	49.4	50.3	49.6	42.8	43.5	45.9	142.4	145.7	143.8	173.2	NR	NR	408.0	420.5	414.1
San Jose/Monterey	45.3	46.1	44.5	42.2	43.0	38.4	139.0	142.2	137.1	174.2	NR	NR	401.0	413.3	398.3
Los Angeles	42.7	43.5	41.5	42.4	43.1	42.2	126.3	129.2	125.5	179.4	NR	NR	391.0	403.0	385.9
Other counties	51.6	52.6	NR	42.3	43.0	NR	132.1	135.1	NR	172.1	NR	NR	398.0	410.2	NR
Hawaii	40.5	41.3	39.5	47.3	48.1	48.0	126.6	129.5	134.0	158.5	NR	NR	373.0	384.4	392.1
Oregon	59.8	60.9	60.8	47.2	48.0	48.4	146.4	149.7	151.5	188.8	NR	NR	442.2	455.7	442.9
Washington	59.6	60.7	58.5	45.0	45.8	44.3	147.4	150.8	153.8	193.7	NR	NR	445.8	459.4	455.2
Seattle	60.7	61.8	63.3	45.5	46.3	45.7	151.8	155.3	156.1	195.4	NR	NR	454.0	467.9	466.0

NR = Not Reported

*Source: *United States Cancer Statistics: 1999 Incidence*. Aggregated SEER registry rates calculated using SEER*Stat databases (SEER 2002). Aggregated NPCR registry rates not available.

**No delay adjustment is available for other cancer rates

***Registries that report to both the SEER and the NPCR programs were counted as SEER (KY, LA, NJ, CA). Data from Georgia, Michigan, and Washington were split into appropriate categories by county, since some counties are in the SEER system and some are not in these states.

Note: Unshaded rows indicate SEER registries that provided data for model input.