



# CO<sub>2</sub> Capture Project



## CCP: Storage Monitoring and Verification Review

**Scott W. Imbus**  
ChevronTexaco ETC  
Bellaire, TX

**Charles A. Christopher**  
BP Americas  
Houston, TX

May 5, 2004










# CO<sub>2</sub> Capture Project

## SMV Program Organization

Four Technical Areas (2000-2003)

- Integrity – Competence of Natural / Engineered Systems
- Optimization – Economic Offsets, Efficiency, Transportation
- Monitoring – Performance and Leak Detection
- Risk Assessment (= Probability x Consequences) - FEPs, Methodologies, Modeling, Mitigation / Remediation

	<b>Christopher (co-lead), <u>Espie</u>, Saunders, Ebrom</b>
<b>ChevronTexaco</b>	<b>Imbus (lead), <u>Woliver</u>, Kieke</b>
	<b>Heidug, Maas</b>
	<b><u>Eide</u>, Bøe</b>
	<b><u>Berger</u></b>
	<b>Caruso</b>
	<b><u>Stachniak</u></b>
	<b>Das</b>




# CO<sub>2</sub> Capture Project

## Integrity – Natural & Industry Analogs

### Natural CO<sub>2</sub> Reservoirs (ARI)

- 3 Large US Accumulations
- Thick Evaporite or Clastic seals
- Lack of Faults or Self-Healing Faults

*St John's Dome Structural Map*



### Leaky Systems (Utah State)

- 3D Structure / Stratigraphy Models
- Fluid Migration Paths & History
- Natural CO<sub>2</sub> Immobilization Rate


*Natural CO<sub>2</sub>-Charged Geyser System in E. Central Utah*



### Natural Gas Storage Industry (GTI)

- Widespread, Decades-Old Industry
- Excellent Safety Record
- Site Selection, Operations, Intervention
- Key Implications for CO<sub>2</sub> Storage

*Gas storage facility elements*






# CO<sub>2</sub> Capture Project

## Integrity – Reservoir & Cap Rock

### Geomechanical Response to CO<sub>2</sub> (ASP)

- Stability of Reservoir / Cap Rocks; Faults
- Tools to Predict Maximum Fluid Pressure
- Development of Stress-Seismic Techniques


*Evaluation of Fault Stability: 2D Failure Plot*



### Rock Response to CO<sub>2</sub> (GFZ-Potsdam)

- Geophysical Attributes; Mineral Stability
- Anomalous Effects: Flow Stability?
- Ions Released: Mineral Dissolution


*Bulk Modulus: Gassmann*



### Reactive Transport Modeling (LLNL)

- Geochemical / Geomechanical Response (Permeability Decrease/ Increase, Resp.)
- Dependency on Reservoir and Influx Parameters
- Abatement of Effects with Time

*Geochemical and geomechanical response to CO<sub>2</sub> injection*






# CO<sub>2</sub> Capture Project

## Integrity – Well Stability


### Well Integrity (SINTEF)

- Testing of Portland Cement
- Degradation Mechanisms and Rate
- New Cements and Sealants
- Well Failure Simulation




Heat Evolution Profile of Hydrating Cement


*Reservoir Simulation: 5 Years*



*Free vs. Dissolved CO<sub>2</sub> With Time*



*A "Worst Case" Scenario*






# CO<sub>2</sub> Capture Project

## Optimization – Hydrocarbon Reservoirs

### CO<sub>2</sub> EOR Record (NMT)

- “Look back” - Permian Basin Survey
- Oil Response & Breakthrough
- Lack of Reservoir Characterization
- Need for Monitoring
- Anecdotal Safety Record


*Survey Results:  
Permian Basin EOR Experience*



### Gas & Condensate Field Storage (TTU)

- Experimental capacity / compatibility
- Phase Behavior; Compressibility (Z)
- “Sequestration Parameter” Screening Tool

*Hydrocarbon Gas Phase Behavior*






# CO<sub>2</sub> Capture Project

## Optimization – Saline Aquifers

### CO<sub>2</sub> Movement & Immobilization (UT)

- Trapping Mechanisms & Timing
- Injection Location in Reservoir
- Petrophysical Sensitivity
- Solubility and Residual Gas Trapping
- Most CO<sub>2</sub> Immobilized by 1000 yr.
- Mineralization Small, 10000 yr.


*Injection Location Effect on CO<sub>2</sub> Dispersion*



### CO<sub>2</sub> Impurities – Subsurface (UT)

- Impure CO<sub>2</sub> Streams (SNOx effects) on Injectivity, Reservoir & EOR
- Unlikely to Affect Injectivity
- MMP and Mobility Ratio Tradeoff in EOR

*Immobilization States of CO<sub>2</sub>*





# CO<sub>2</sub> Capture Project

## Optimization – Transportation

### Materials Selection for Pipelines (IFE)

- New Experimental Data for Carbon Steel (CS) Corrosion at High P
- Existing Models Exaggerate CS Corrosion Rates
- Pipeline Design and Inhibitor Use


### Process Design (Reinertsen Engr.)

- Reevaluate Existing Hydration Pipeline Specifications for Norwegian Offshore Case
- Relaxed From 60 to 600, Perhaps 1300 ppm
- Cost Savings with Process Integration


### Impurities and Surface Equipment (Battelle)

- Acid Gases Likely to Impact Surface Equipment
- Further Work on Gas Phase Behavior Needed


*Corrosion Rates w & w/o Inhibitor*



*Water Solubility on CO<sub>2</sub> (w & w/o CH<sub>4</sub>)*



*Pipeline Operation in 2 phases with Addition of 5% each N<sub>2</sub> and CH<sub>4</sub>*







# CO<sub>2</sub> Capture Project

## Monitoring – General

### Survey of Monitoring Applications (TNO)

- Well Monitoring: P&T, ER, TDT, Microseismic, VSP, Cross well Seismic, fluid sampling
- Surface Geophysical: 4D seismic, Sub-bottom profiling and Sonar (marine), gravity, EM, InSAR, tiltmeters
- Geochemical: GW sampling / analysis, tracer surveys, atmospheric detection, geobotanical hyperspectral
- Applicability matched with FEPs (e.g., casing / cement well failure)
- Seismic modeling

**Suitability of Surface Geophysical Monitoring Techniques by FEPs**

	Base base seismic	Sub-bottom profiling	Sonar	Gravity	EM	Geostatic	InSAR	Tiltmeters
Blank activation (high pressure)	not likely	x	x	x	x	not likely	not likely	when down-hole
Dissolution or deterioration of seal	not likely	x	x	x	x	x	x	x
Casing / cementation failure	x	x	x	x	x	x	x	x
Deterioration cement plug	x	x	x	x	x	x	x	x
Corrosion of casing	x	x	x	x	x	x	x	x
Formation damage due to drilling	not likely	x	x	x	x	x	x	x
Operational well failure	x	x	x	x	x	x	x	x
Fractures seal	possible	x	x	x	x	x	x	x

**Suitability of Geochemical Sampling Monitoring by FEPs**

	Groundwater sampling	(Isotopic) tracers	Atmospheric monitoring network	Geo-botanical monitoring
Cap rock integrity (leakage)	In case of leakage to the surface	Injected CO <sub>2</sub> discrimination	In case of leakage to the surface	In case of leakage to the surface
Ground movements	x	x	x	x
Lateral spreading	x	x	x	x
Verification or mass balance	x	x	x	x



# CO<sub>2</sub> Capture Project


## Monitoring – Geophysical & Geochemical

### Geophysical

#### Novel Geophysical Techniques (LBNL)

- Resolution and Applicability of Seismic and Non-Seismic Geophysical Monitoring
- Seismic Amplitude Analysis and AVO Detect Changes in Water w/ CO<sub>2</sub>
- Gravity, EM, SP Have Variable Resolution but may Offer Significant Cost Saving

*Image Enhancement Using EM*




### Geochemical

#### Noble Gas Tracers & Costs (LLNL)

- Selection: Cost, Availability, Transport, Distinctiveness (Xe)
- Gas Selection and Quantification for Mabee Field

*Distinguishing Gases Using Noble Gas Isotopes*






# CO<sub>2</sub> Capture Project

## Monitoring - Remote

### InSAR Resolution (Stanford)

- Satellite-Based Theoretical Detection of Ground Movement with Model Injection Project
- Pressure Profiles and Deformation Maps
- Sensitivity to Topographical Effects


*Deformation Maps from Pressure Profiles*



### Hyperspectral Geobotanical (LLNL)

- Indirect detection of floral responses
- Mammoth Lake – Satellite Detection of Tree Kills
- Rangely Field – Aerial detection of Long-Term Habitat Redistribution

*Aerial hyperspectral Image of Rangely CO<sub>2</sub> EOR Field, Colorado*






# CO<sub>2</sub> Capture Project

## Monitoring - Atmospheric

### State-of-the-Art Atmospheric (Caltech)

- Available Technologies: Applicability for Time / Length and Costs
- Detectability of 0.01%/year leak
- Spreadsheet Application to Model Detector Applicability Given Point or Diffuse Leaks, Flux, Atmospheric Conditions (>10 ppm Over Background)


*Detectability as a Function of Atmospheric Conditions*



### Eddy Covariance (Penn State)

- Tower-Based Laser Spectrometry
- Established for CO<sub>2</sub> flux; Suitable for CO<sub>2</sub> storage
- Resolution for leak types: 10<sup>-1</sup> to 10<sup>-5</sup> kgm<sup>-2</sup>s<sup>-1</sup> (Well Failure to Fault, resp.)

*Eddy Covariance Concept*






# CO<sub>2</sub> Capture Project

## Risk Assessment – Comprehensive Methodologies

### SAMCARDS (TNO)

- Scenario & FEP Analysis, Quantitative Model Development, Consequence Analysis; Performance Assessment
- Test on Netherlands On-Offshore Aquifer (No Leakage Over 10000 yr.)


*Multicompart-ment Risk Assessment Model*



### Probabilistic (INEL)

- 4 Elements & 6 Functional Constituents Geomechanics Module
- MS Access Prototype Application w/ Monte Carlo Simulation
- Coal Bed Tests: Predictive Modeling for Well Placement & Operation Parameters
- Coal Characterization
- History Matching & Future Injection
- Previous Production Effects

*Represent-ative Seepage Model*






# CO<sub>2</sub> Capture Project

## Risk Assessment – Seepage Modeling, Intervention & Remediation

### Early Detection, Intervention & Remediation (LBNL)

- Early Detection Monitoring Approaches
- Leakage / Seepage Scenarios
- Existing / Needed Intervention and Remediation Technologies from Other Industries
- Site-Specific Contingency Planning


*Leakage and seepage scenarios*



### Flow Simulation (LBNL)

- Leakage / Seepage Coupling
- Flux and Atmospheric Conditions
- Case Studies

*Coupled Subsurface – Surface Dispersion Problem Model*





# CO<sub>2</sub> Capture Project

## Risk Assessment – Environmental / Public Perception

### ▪ HSE Review (LBNL)

- Natural Analogs and Industrial Experience
- Regulatory Framework and HSE Effects
- Magnitude of Hazard & Principal Risks
- Regulatory Paradigms & Risk Assessment

### Nuclear Storage Lessons Learned

- Not Comparable in Hazard Level but Lessons from Technical Assessment and Stakeholder Engagement
- Technical Review of Gas Migration

### Subsurface Ecosystems (Princeton)

- NGO concern for Biodiversity
- CO<sub>2</sub> Affects Microbial Assemblages Which Could In Turn Affect Performance (Gas Generation, Pore Plugging)


*MSDS  
for  
CO<sub>2</sub>*

Appendix B  
**CARBON DIOXIDE**  
UN 1013  
UN 2187  
UN 1845


Shipping Name: UN1013 Carbon dioxide, refrigerated liquid  
UN 2187 Carbon dioxide, refrigerated liquid  
UN 1845 Carbon dioxide, solid or Dry ice

Other Names: Carbonic acid anhydride  
Carbonic anhydride  
Dry ice

*Process  
Influence  
Diagram*



*Microbial  
Power  
Simulation*





# CO<sub>2</sub> Capture Project

## The SMV Contribution to CO<sub>2</sub> Storage -1

### **Establishing the Relevance of Industrial Analogs**

- Could the EOR and NGS analogs (or Sleipner) have passed regulatory muster today?
- A credible industry analogs HES review established “relative” risk of CO<sub>2</sub> storage
- The HES and operational records from these processes were “keyed” to CO<sub>2</sub> storage

### **Systematic Evaluation Process**

- Site evaluation protocols: “Integrity”, “Optimization”, “Monitoring” and “Risk Assessment”
- Development of theory, experiments, models and simulation
- Performance, economics and tradeoffs issues investigated

### **ID of Likely Leakage Modes and their Characterization / Quantify / Avoidance / Remediation**

- Venue quality is predictable using 3D geologic models and fluid history analysis
- Geologic systems offer several mechanisms of CO<sub>2</sub> immobilization, facilitated by operation methods
- Well failure is a greater than most geologic issues; Engineered and remediative solutions available

### **Applicability of Monitoring and Verification Technologies for CO<sub>2</sub> Evaluated**

- Several technologies applied from various vantage points investigated
- Preferred approaches based on level of development, reliability, cost-effectiveness

### **Systematic risk assessment methodologies applicable to CO<sub>2</sub> Storage**

- Independently developed, comprehensive methodologies are available
- Leakage scenarios, flow simulation models, remediation strategies

### **Technical Networking, Stakeholder Engagement Activities**

- Technical workshops with non-CCP participation; Inter-JIP collaboration
- NGO engagement and response to concerns







# CO<sub>2</sub> Capture Project

## The SMV Contribution to CO<sub>2</sub> Storage - 2

*The CCP-SMV effort has developed methodologies for CO<sub>2</sub> storage venue assessment that reduce uncertainty and instill confidence of stakeholders. It has a unique place among related JIPs in that studies comprise a mix of practical industry experience and meticulous academic theory and research. The methodologies employed include those applicable generically and to specific geological storage venue types (e.g., coal, depleted oil and gas, saline aquifers). Networking with other JIPs and NGO engagement has enhanced the program's relevance and increased the likelihood of stakeholder acceptance of CO<sub>2</sub> storage. Continued CCP-SMV efforts will focus on methodology integration, performance / economic issues, networking and development of demonstration projects.*





# CO<sub>2</sub> Capture Project

## Present Technology & Process Gaps / CCP2 Solutions

### Integrity

- Geologic Systems – Analog development
- Engineered Systems – Well material resistance; Failure scenarios

### Optimization

- Storage Venue Characterization – Coupled Geochemical / Geomechanical
- Operations – Injection rate / location; Storage performance
- Economics – EOR strategies
- Abandonment – Performance criteria for liability release

### Monitoring

- Subsurface Imaging – Cost-effective alternatives
- Remote Detection – Direct approaches
- Monitoring Wells – Dual use wells; Compartments and breakthrough prediction

### Risk Assessment

- Existing methodology evaluation and testing
- Quantitative bracketing of risk (probability, consequences) relative to familiar hazards

### Demonstrations

- Test CCP technologies
- Stay “relevant”

