Department of Commerce • National Oceanic & Atmospheric Administration • National Weather Service

## NATIONAL WEATHER SERVICE CENTRAL REGION SUPPLEMENT 01-2006 APPLICABLE TO NWSI 30-2101 January 23, 2006

Maintenance, Logistics and Facilities System Maintenance, NWSPD 30-21 Systems Maintenance Management, NWSI 30-2101

## DATA COLLECTION PLATFORM (DCP) MAINTENANCE

<b>NOTICE</b> : This publication is available at: <a href="http://www.nws.noaa.gov/directives/">http://www.nws.noaa.gov/directives/</a> .				
OPR: W/CR4x1 (V. Capell) Type of Issuance: Initial		Certified by: W/CR4 (T. Schw	vein)	
SUMMARY OF REVISIONS:				
(Signed by)	January 11, 2006			
Gary S. Foltz	Date			
Acting Director, Central Region				

## **DATA COLLECTI**

ON

## PLATFORM (DCP) MAINTENANCE

T 11 CC . .

Table of Contents:		Page	
1.	Introduction	2	
	Scope		
	Maintenance Response Priorities		
	Preventative Maintenance		
5.	Supply Support. Great Lakes DCPs	2	
	Maintenance Reporting		
	Outage Reporting		
	Unauthorized Maintenance and Modification		

- 1. <u>Introduction</u>. This supplement outlines specific maintenance responsibilities and procedures for Central Region supported DCPs, including but not limited to the Great Lakes Marine Project, to achieve maximum responsiveness to the mission of the National Weather Service (NWS). This supplement <u>excludes</u> nationally supported systems (i.e. ASOS).
- 2. <u>Scope</u>. These maintenance requirements apply to NWS-owned DCP sites around the Great Lakes, Colorado, Wyoming, and other NWS-owned DCPs located in Central Region.
- 3. <u>Maintenance Response Priorities</u>. The response priority of maintenance of the Central Region (CR) DCPs is based on seasonal needs of the affected WFOs and the accessibility and safety of the technicians assigned to work on them. The MICs and ESAs will be the final judges of whether maintenance resources will be expended on the DCPs or applied toward higher priority needs.
- 4. <u>Preventative Maintenance</u>. Sites should be visited at least annually more frequently at the discretion of the office MIC or ESA. Pressure sensors can be checked using the existing digital pressure standard. The data logger and power supply should have an annual visual inspection, alignment, and cleaning as required by the manufacturer's specifications. Wind and temperature/dewpoint sensors will be replaced at failure. Batteries should be replaced every two years or at failure. Most outages will be repaired via the "Plug and Play" concept. No benchwork is expected for any of the equipment referenced in this supplement.
- 5. <u>Supply Support</u>. Great Lakes DCPs Should a component need replacing the electronics staff will call CRH W/CR43x2. Parts will be ordered by CRH and sent to the affected WFO. At no time will WFOs order parts directly from the factory.

Other DCPs – Should a component fail that would need replace or repair, the electronics staff will contact the appropriate commercial vendors.

- 6. <u>Maintenance Reporting</u>. Maintenance reporting is accomplished through the Engineering Management Reporting System (EMRS). All field offices will use EMRS to document maintenance activities following NWS Instruction 30-2104, Maintenance Data Documentation guidance. Each ESA will ensure all equipment approved for maintenance is added to the site's equipment inventory listing (TMISC).
- 7. <u>Outage Reporting</u>. CR DCPs outages do not fall under the instructions found in NWSI 30-2112, "Reporting Systems, Equipment, and Communication Outages" so no USOS will be filed for an outage.
- 8. <u>Unauthorized Maintenance and Modification</u>. A change request must be approved by CRH before any change or addition can be made to systems under NWS configuration management including the Great Lakes marine DCPs.