# Bibliography


[1] R. Alcouffe, A. Brandt, J. Dendy, and J. Paiter. The multigrid methods for the diffusion equation with strongly discontinuous coefficients. *SIAM J. Sci. Stat. Comput.*, 2:430–454, 1981.

[2] C. Armstrong, W. Lai, and V. Mow. An analysis of the unconfined compression of articular cartilage. *J. Biomech. Eng.*, 106:165–173, 1984.

[3] D. Arnold and F.Brezzi. Mixed and nonconforming finite element methods: Implementation, postprocessing and error estimates. *RAIRO Model. Math. Anal. Numer.*, 19:7–32, 1985.

[4] O. Axelsson and P. Vassilevski. Algebraic multilevel preconditioning methods. *Numerische Mathematik*, 56:157–177, 1989.

[5] I. Babuška. Error bounds for finite element method. *Numerische Mathematik*, 16:322–333, 1971.

[6] N. Bachvalov. On the convergence rate of a relaxation method with natural constraints on the elliptic operator. *USSR Comput. Math. Math. Phys*, 6:101–135, 1966.

[7] R. Bank and C.Wagner. Multilevel ILU decomposition. *Numerische Mathematik*, 82:543–576, 1999.

[8] M. Berndt, D. Moulton, K. Lipnikov, and M. Shashkov. Convergence of mimetic finite difference discretizations of the diffusion equation. *East-West J. Numer. Anal.*, 9(4):253—284, 2001.

[9] M. Biot. General theory of three-dimensional consolidation. *J. Appl. Phys.*, 12:155–164, 1941.

[10] M. Biot. Theory of elasticity and consolidation for porous anisotropic solid. *J. Appl. Phys.*, 26:182–185, 1955.

[11] M. Biot. Nonlinear and semilinear rheology of porous solids. *J. Geophy. Res.*, 73:4924–4937, 1973.

[12] M. Biot and D. Willis. The elastic coefficients of the theory of consolidation. *J. Appl. Mech.*, 24:594–601, 1957.

[13] D. Braess. *Finite Elements : Theory, Fast Solvers, and Applications in Solid Mechanics*. Cambridge University Press, Cambridge, U.K. ; New York, 1997.

[14] J. H. Bramble, J. E. Pasciak, and J. Xu. Parallel multilevel preconditioners. *Math. Comp.*, 55:1–22, 1990.

[15] M. Brezina, A. Cleary, R. Falgout, V. Henson, J. Jones, T. Manteuffel, S. McCormick, and J. Ruge. Algebraic multigrid based on element interpolation (amge). *SIAM J. Scientific Comput.*, 22(5):1570–1592, 2000.

[16] F. Brezzi. On the existence, uniqueness and approximation of saddle-point problems arising from Lagrange multipliers. *RAIRO Anal. Numer.*, 8:129–151, 1974.

[17] F. Brezzi, J. Douglas, and L. Marini. Two families of mixed finite elements for second order elliptic problems. *Numerische Mathematik*, 47:217–235, 1985.

[18] F. Brezzi and M. Fortin. *Mixed and Hybrid Finite Element Methods*, volume 15 of *Springer Series in Computational Mathematics*. Springer Verlag, Berlin, 1991.

[19] R. Burridge and J. Keller. Poroelasticity equations derived from microstructure. *J. Acoust. Soc. Am.*, 70:1140–1146, 1981.

[20] B. Buzbee, G. Golub, and C. Nielson. On direct methods for solving Poisson's equations. *SIAM J. Numer. Anal.*, 7:627–656, 1970.

[21] J. Campbell and M. Shashkov. A tensor artificial viscosity using a mimetic finite difference algorithm. *J. Comp. Phys.*, 172:739–765, 2001.

[22] H. Chen, R. Ewing, S. Lyons, G. Qin, T. Sun, and D. Yale. Numerical algorithms for single phase fluid flow in elastic porous media. In H. Chen, R. Ewing, and X. Shi, editors, *Lecture Notes in Physics*, volume 552, pages 232–243. Springer-Verlag, New-York, 2000.

[23] P. Ciarlet. Basic error estimates for elliptic problems. In P. Ciarlet and J. Lions, editors, *Handbook of Numerical Analysis*, volume II: Finite Element Methods, pages 17–352. Elsevier/North Holland, Amsterdam, 1991.

[24] C. Cordes and W. Kinzelbach. Comment on "Application of the mixed hybrid finite element approximation in a groundwater flow model: Luxury or necessity?" by R. Mosé, P. Siegal, P. Ackerer, and G. Chavent. *Water Resour. Res.*, 32(6):1905–1909, 1996.

[25] G. Dargush and M. Chopra. Dynamic analysis of axisymmetric foundations on poroelastic media. *J. Engrg. Mech., ASCE*, 122:623–632, 1996.

[26] E. Dean, R. Glowinski, and C. Li. Applications of operator splitting methods to the numerical solution of nonlinear problems in continuum mechanics and physics. In J. Goldstein, S. Rosencrans, and G. Sod, editors, *Mathematics Applied to Science*, pages 13–64. Academic Press, Boston, 1988.

[27] L. Durlofsky. Accuracy of mixed and control volume finite element approximations to Darcy velocity and related quantities. *Water Resour. Res.*, 30(4):965–973, 1994.

[28] J. Dvorkin and A. Nur. Dynamic poroelasticity: a unified model with the squirt and the Biot mechanisms. *Geophysics*, 58(4):524–533, 1993.

[29] R. Fedorenko. A relaxation method for elliptic difference equations. *USSR. Comput. Math. Math. Phys.*, 1:1092–1096, 1961.

[30] R. Fedorenko. The speed of convergence of one iterative process. *USSR. Comput. Math. Math. Phys.*, 4:227–235, 1964.

[31] G. Fichera. *Existence Theorems in Elasticity.* Handbook der Physik VIa/2. Springer, Berlin, 1972.

[32] R. Glowinski and P. L. Tallec. *Augmented Lagrangian and Operator Splitting Methods in Nonlinear Mechanics.* SIAM, Philadelphia, 1989.

[33] R. Glowinski and Q. Tran. Constrained optimization in reflection tomography: the augmented Lagrangian method. *East-West J. Numer. Anal.*, 1:213–234, 1993.

[34] T. Grauschopf, M. Griebel, and H. Regler. Additive multilevel preconditioners based on bilinear interpolation, matrix dependent geometric coarsening and algebraic multigrid coarsening for second order elliptic PDEs. *Applied Numerical Mathematics*, 23:63–96, 1997.

[35] W. Hackbusch. *Multigrid Methods and Applications.* Springer, Berlin, 1985.

[36] J. Hyman and M. Shashkov. Mimetic discretizations for Maxwell's equations and the equations of magnetic diffusion. *Progress in Electromagnetic Research*, 32:89–121, 2001.

[37] J. Hyman, M. Shashkov, and S. Steinberg. The numerical solution of diffusion problems in strongly heterogeneous non-isotropic materials. *J. Comp. Phys.*, 132:130–148, 1997.

[38] J. Hyman, M. Shashkov, and S. Steinberg. Inner products for discrete vector fields and accuracy of mimetic difference methods. Technical Report LA-UR-99-6181, Los Alamos National Laboratory, January 2000.

[39] Y. Iliash, T. Rossi, and J. Toivanen. Two iterative methods for solving the stokes problem. Technical Report 2/93, University of Jyväskylä, Laboratory of Scientific Computing, 1993.

[40] N. Koutsabeloulis. Numerical modeling of soft reservoir behavior during fluid depletion. In A. Anagnostopoulos, F. Schlosser, N. Kalteziotis, and R. Frank, editors, *Geothechnical Engineering of Hard Soils-Soft Rocks*, volume 2, pages 1615–1621. Balkema, Rotterdam, 1993.

[41] Y. Kuznetsov. Numerical method in subspaces. In G. Marchuk, editor, *Vychislitel'nye Processy i Systemy*, volume II, pages 265–350. Nauka, Moscow, 1985.

[42] Y. Kuznetsov. Algebraic multigrid domain decomposition methods. *Sov. J. Numer. Anal. Math. Math. Modelling*, 4(5):351–380, 1989.

[43] Y. Kuznetsov. Efficient iterative solvers for elliptic finite element problems on non-matching grids. *Russian J. Numer. Anal. Math. Modelling*, 10:187–211, 1995.

[44] Y. Kuznetsov. Two-level preconditioners with projectors for unstructured grids. *Russian J. Numer. Anal. Math. Modelling*, 15(3–4):247–256, 2000.

[45] Y. Kuznetsov. Two-level preconditioners with projectors for unstructured grids. *Russian J. Numer. Anal. Math. Modelling*, 15:247–256, 2000.

[46] Y. Kuznetsov. Hybridized methods for poroelastic problems. *private communication*, 2002.

[47] Y. Kuznetsov and K. Lipnikov. An efficient iterative solver for a simplified poroelasticity problem. *East-West J. Numer. Anal.*, 8(3):207–222, 2000.

[48] Y. Kuznetsov and K. Lipnikov. Separable preconditioners for solving mixed-hybrid finite element problems. *in preparation*, 2002.

[49] Y. Kuznetsov and A. Matsokin. On partial solutions of of systems of linear algebraic equations. *Sov. J. Numer. Anal. Math. Math. Modelling*, 4:453–468, 1989.

[50] Y. Kuznetsov and T. Rossi. Fast direct method for solving algebraic systems with separable symmetric band matrices. *East-West J. Numer. Math.*, 7:53–68, 1996.

[51] Y. Kuznetsov and S.Y.Maliassov. Substructuring preconditioners for nonconforming finite element approximations of second order elliptic problems with anisotropy. *Russian J. Numer. Anal. Math. Modelling*, 10:511–533, 1995.

[52] J. Laible, D. Pflaster, B. Simon, Y. Yuan, M. Krag, M. Pope, and L. Haugh. A poroelastic finite element formulation including swelling in soft tissue structures. *J. Biomech. Eng.*, 118:1–9, 1996.

[53] R. Lewis and Y. Sukirman. Finite element modeling of three-phase flow in deforming saturated oil reservoirs. *Int. J. Numer. Anal. Meth. Geomech.*, 17:577–598, 1993.

[54] L. Li. *Theory of poroelastic structures with diffusion in the longitudinal directions.* PhD thesis, Ben-Gurion University, Negev, US, 1997.

[55] G. Marchuk and Y. Kuznetsov. Methodes iteratives et fonctionnelles quadratiques. In J.-L. Lions and G. Marchuk, editors, *Methode Mathematique de l'Informatique*, volume 4. Dunod, Paris, 1974.

[56] S. F. McCormick. *Multilevel Adaptive Methods for Partial Differential Equations.* SIAM, Philadelphia, PA, 1989.

[57] J. E. Morel, R. M. Roberts, and M. J. Shashkov. A local support-operators diffusion discretization scheme. *J. Comp. Phys.*, 144:17–51, 1998.

[58] N. Morita and et al. Rock-property changes during reservoir compaction. *SPEFE*, September:197–205, 1992.

[59] R. Mosé, P. Siegal, P. Ackerer, and G. Chavent. Application of the mixed hybrid finite element approximation in a groundwater flow model: Luxury or necessity? *Water Resour. Res.*, 30(11):3001–3012, 1994.

[60] D. Moulton. *Nodal method: analysis, performance and fast iterative solvers.* PhD thesis, University of British Columbia, 1996.

[61] P. Netti, L. Baxter, Y. Boucher, R. Skalak, and R. Jain. Time dependent behavior of interstitial fluid pressure in solid tumors: Implications for drug delivery. *Cancer Res.*, 55:5451–5458, 1995.

[62] P. Raviart and J.-M. Thomas. A mixed finite element method for second order elliptic problems. In I. Galligani and E. Magenes, editors, *Mathematical Aspects of the Finite Element Method*, pages 292–315, Berlin-Heilderberg-New York, 1977. Springer-Verlag.

[63] J. Rice and M. Cleary. Some basic stress diffusion solutions for fluid-saturated elastic porous media with compressible constituents. *Rev. Geophys. Space Phys.*, 14(2):227–241, 1976.

[64] J. Roberts and J.-M. Thomas. Mixed and hybrid methods. In P. Ciarlet and J. Lions, editors, *Handbook of Numerical Analysis*, volume II: Finite Element Methods, pages 523–639. Elsevier/North Holland, Amsterdam, 1991.

[65] T. Rossi and J. Toivanen. A parallel fast direct solver for block tridiagonal systems with separable matrices of arbitrary dimension. *SIAM J. Sci. Comput.*, 20(5):1778–1796, 1999.

[66] T. Rusten and R. Winther. A preconditioned iterative methods for saddle point problems. *SIAM J. Matrix Anal. Appl.*, 13:887–904, 1992.

[67] M. Shashkov. *Conservative Finite-Difference Methods on General Grids.* CRC Press, Boca Raton, 1996.

[68] M. Shashkov and S. Steinberg. Solving diffusion equations with rough coefficients in rough grids. *J. Comp. Phys.*, 129:383–405, 1996.

[69] J. Shen. Mixed finite element methods on distorted rectangular grids. Technical Report ISC-94-13-MATH, Institute for Scientific Computation, Texas A&M University, July 1994.

[70] K. Stüben. Algebraic multigrid (AMG): experiences and comparisons. *Appl. Math. Comput.*, 13:419–452, 1983.

[71] J. Thomas. *Sur l'analyse numérique des méthods d'éléments finis hybrides et mixtes.* PhD thesis, Université Pierre et Marie Curie, Paris, 1977.

[72] R. van Nooyen. An improved accuracy version of the mixed finite-element method for a second-order elliptic equation. *J. Comp. Appl. Math.*, 47:11–33, 1993.

[73] P. Vaněk, J. Mandel, and M. Brezina. Algebraic multigrid by smooth aggregation for second and fourth order elliptic problems. *Computing*, 56:179–196, 1996.

[74] P. Vassilevski. Fast algorithm for solving a linear algebraic problem with separable variables. *C. R. Acad. Bulgare Sci.*, 37:305–308, 1984.

[75] J. Wang and T. Mathew. Mixed finite element methods over quadrilaterals. In I. Dimov, B. Sedov, and P. Vassilevski, editors, *Third International Conference on Advances in Numerical Methods and Applications*, pages 203–214. World Scientific, 1994.

[76] J. Xu. Iterative methods by space decomposition ans subspace correction: A unifying approach. *SIAM Review*, 34:581–613, 1992.

[77] M. Yang and L. Taber. The possible role of poroelasticity in the apparent viscoelastic behavior of passive cardiac muscle. *J. Biomech.*, 24:587–597, 1991.

[78] M. Yang, L. Taber, and E. Clark. A nonlinear poroelastic model for the trabecular embryonic heart. *J. Biomech. Eng.*, 116:213–223, 1994.

[79] O. Zienkiewicz. Basic formulation of static and dynamic behavior of soil and other porous media. In J. Martins, editor, *Numerical Methods in Geomechanics*, volume 92, pages 39–55. Springer-Verlag, Boston, 1982.