

BIBLIOGRAPHY

- Anderson, J.W., J.M. Neff, B.A. Cox, H.E. Tatem, and G.H. Hightower. 1974. Characteristics of dispersions and water-soluble extracts of crude and refined oils and their toxicity to estuarine crustaceans and fish. *Mar. Biol.* 27:75-88.
- Anonymous. 1979. Test 6: *Mysidopsis bahia* life cycle. *Federal Register* 44(53):16291.
- ASTM. 1990. Standard guide for conducting life cycle toxicity tests with salt water mysids. ASTM E1191-90. American Society for Testing and Materials, Philadelphia, PA.
- Battelle. 1988. A robust statistical method for estimating effects concentrations in short-term fathead minnow toxicity tests. Battelle Washington Environmental Program Office, Washington, DC.
- Bay, S.M., P.S. Oshida, and K.D. Jenkins. 1983. A simple new bioassay based on echinochrome synthesis by larval sea urchins. *Mar. Environ. Res.* 8:29-39.
- Beck, A.D., and D.A. Bengtson. 1982. International study on *Artemia* XXII: Nutrition in aquatic toxicology - Diet quality of geographical strains of the brine shrimp, *Artemia*. In: Pearson, J.G., R.B. Foster, and W.E. Bishop, eds., ASTM STP 766, American Society for Testing and Materials, Philadelphia, PA. pp. 161-169.
- Beck, A.D., D.A. Bengtson, and W.H. Howell. 1980. International study on *Artemia*. V. Nutritional value of five geographical strains of *Artemia*: Effects of survival and growth of larval Atlantic silversides, *Menidia menidia*. In: Persoone, G., P. Sorgeloos, D.A. Roels, and E. Jaspers. eds., *The brine shrimp, Artemia*. Vol. 3, Ecology, culturing, use in aquaculture. Universal Press, Wetteren, Belgium. pp. 249-259.
- Beckett, D.C., and P.A. Lewis. 1982. An efficient procedure for slide mounting of larval chironomids. *Trans. Amer. Fish. Soc.* 101(1):96-99.

- Bengtson, D.A. 1984. Resource partitioning by *Menidia menidia* and *Menidia beryllina* (Osteichthyes: Atherinidae). Mar. Ecol. Prog. Ser. 18:21-32.
- Bengtson, D.A.S., A.D. Beck, S.M. Lussier, D. Migneault, and C.E. Olney. 1984. International study on *Artemia*. XXXI. Nutritional effects in toxicity tests: use of different *Artemia* geographical strains. In: Persoone, G., E. Jaspers, and C. Claus, eds., Ecotoxicological testing for the marine environment, Vol. 2. State Univ. Ghent and Inst. Mar. Sci. Res., Bredene, Belgium. pp. 399-417.
- Bidwell, J.P., and S. Spotte. 1985. Artificial Seawaters: formulas and methods. Jones and Barlett, Publ., Boston, MA. 349 pp.
- Bigelow, H.B., and W.C. Schroeder. 1953. Fishes of the Gulf of Maine. U.S. Fish Wildl. Serv., Fish. Bull. 53:1-577.
- Birge, W.J., J.A. Black, and A.G. Westerman. 1979. Evaluation of aquatic pollutants using fish and amphibian eggs as bioassay organisms. National Academy of Sciences, Washington, DC, p. 108-118.
- Birge, W.J., J.A., Black, A.G., Westerman, and B.A. Ramey. 1983. Fish and amphibian embryos - A model system for evaluating teratogenicity. Fundam. Appl. Toxicol. 3:237-242.
- Black, J.A., W.J. Birge, A.G. Westerman, and P.C. Francis. 1983. Comparative aquatic toxicology of aromatic hydrocarbons. Fundam. Appl. Toxicol. 3:353-358.
- Blaxter, J.H.S., F.S. Russell, and M. Yonge, eds. 1980. The biology of mysids and euphausiids. Part 1. The biology of the mysids. Adv. Mar. Biol. 18:1-319.
- Borthwick, P.W., J.M. Patrick, Jr., and D.P. Middaugh. 1985. Comparative acute sensitivities of early life stages of atherinid fishes to chlorpyrifos and thiobencarb. Arch. Environm. Contam. Toxicol. 14:465-473.
- Breteler, R.J., J.W. Williams, and R.L. Buhl. 1982. Measurement of chronic toxicity using the opossum shrimp *Mysidopsis bahia*. Hydrobiol. 93:189-194.

- Buikema, A.L., Jr., B.R. Niederlehner, and J. Cairns, Jr. 1981. The effects of simulated refinery effluent and its components on the estuarine crustacean, *Mysidopsis bahia*. Arch. Environm. Contam. Toxicol. 10:231-240.
- Buikema, A.L., B.R. Niederlehner, and J. Cairns. 1982. Biological monitoring. Part IV. Toxicity Testing. Water Res. 16:239-262.
- Chernoff, B., J.V. Conner, and C.F. Byran. 1981. Systematics of the *Menidia beryllina* complex (Pisces:Atherinidae) from the Gulf of Mexico and its tributaries. Copeia 2:319-335.
- Cripe, G.M., D.R. Nimmo, and T.L. Hamaker. 1981. Effects of two organophosphate pesticides on swimming stamina of the mysid *Mysidopsis bahia*. In: Vernberg, F.J., A. Calabrese, F.P. Thurberg, and W.B. Vernberg, eds., Biological monitoring of marine pollutants. Academic Press, NY, NY, pp 21-36.
- Davey, E.W., J.H. Gentile, S.J. Erickson, and P. Betzer. 1970. Removal of trace metals from marine culture media. Limnol. Oceanogr. 15:486-488.
- DeGraeve, G.M., J.D. Cooney, T.L. Pollock, N.G. Reichenbach, J.H. Dean, M.D. Marcus, and D.O. McIntyre. 1989. Fathead minnow 7-day test: round robin study. Intra- and interlaboratory study to determine the reproducibility of the seven-day fathead minnow larval survival and growth test. Battelle Columbus Division, Columbus, OH.
- DeGraeve, G.M., W.H. Clement, and M.F. Arthur. 1989. A method for conducting laboratory toxicity degradation evaluations of complex effluents. Battelle Columbus Division, Columbus, OH. 22 pp.
- Dinnel, P., Q. Stober, J. Link, M. Letourneau, W. Roberts, S. Felton, and R. Nakatani. 1983. Methodology and validation of a sperm cell toxicity test for testing toxic substances in marine waters. Final Report. Grant R/TOX. FRI-UW-83. University of Washington Sea Grant Program in cooperation with U. S. Environmental Protection Agency. 208 pp.

- Dorn, P.B., and J.H. Rogers. 1989. Variability associated with identification of toxics in National Pollutant Discharge Elimination System (NPDES) effluent toxicity tests. *Environ. Toxicol. Chem.* 8:893-902.
- Downs, T.R., and W.W. Wilfinger. 1983. Fluorometric quantification of DNA in cells and tissue. *Anal. Biochem.* 131: 538-547.
- Draper, N.R., and J.A. John. 1981. Influential observations and outliers in regression. *Technometrics* 23:21-26.
- Dye, J. E. 1980. The production and efficient use of freshly hatched brine shrimp nauplii (*Artemia*) in the larval rearing of marine fish at the hatcheries of the British White Fish Authority. *In: Persoone, G., P. Sorgeloos, D.A. Roels, and E. Jaspers. eds., The brine shrimp, Artemia. Vol. 3, Ecology, culturing, use in aquaculture. Universal Press, Wetteren, Belgium. pp. 271-276.*
- Farrell, D.H. 1979. Guide to the shallow-water mysids from Florida. *Fla. Dept. Environ. Reg., Techn. Ser.* 4(1):1-69.
- Finney, D.J. 1948. The Fisher-Yates test of significance in 2X2 contingency tables. *Biometrika* 35:145-156.
- Finney, D.J. 1985. The median lethal dose and its estimation. *Arch. Toxicol.* 56:215-218.
- Fotheringham, N., and S.L. Brunenmeister. 1975. Common marine invertebrates of the northwestern Gulf coast. *Gulf Publ. Co., Houston, TX.*
- Fujita, S., T. Watanabe, and C. Kitajima. 1980. Nutritional quality of *Artemia* from different localities as a living feed for marine fish from the viewpoint of essential fatty acids. *In: Persoone, G., P. Sorgeloos, D.A. Roels, and E. Jaspers. eds., The brine shrimp, Artemia. Vol. 3, Ecology, culturing, use in aquaculture. Universal Press, Wetteren, Belgium. pp. 277-290.*
- Gast, M.H., and W.A. Brungs. 1973. A procedure for separating eggs of the fathead minnow. *Prog. Fish. Cult.* 35:54.

- Gentile, J.H., S.M. Gentile, N.G. Hairston, Jr., and B.K. Sullivan. 1982. The use of life-tables for evaluating the chronic toxicity of pollutants to *Mysidopsis bahia*. *Hydrobiol.* 93:179-187.
- Gentile, S.M., J.H. Gentile, J. Walker, and J.F. Heltshe. 1982. Chronic effects of cadmium on two species of mysid shrimp: *Mysidopsis bahia* and *M. bigelowi*. *Hydrobiol.* 93:195-204.
- Goodman, L.R., D.J. Hansen, D.P. Middaugh, G.M. Cripe, and J.C. Moore. 1985. Method for early life-stage toxicity tests using three atherinid fishes and results with chloropyrifos. In: Cardwell, R.D., R. Purdy, and R.C. Bahner, eds., *Aquatic Toxicology and Hazard Evaluation*, ASTM STP 854, American Society for Testing and Materials, Philadelphia, PA. pp. 145-154.
- Hall, W.S., J.B. Patoczka, R.J. Mirenda, B.A. Porter, and E. Miller. 1989. Acute toxicity of industrial surfactants to *Mysidopsis bahia*. *Arch. Environ. Contam. Toxicol.* 18:765-772.
- Heard, R.W. 1982. Guide to the common tidal marsh invertebrates of the northeastern Gulf of Mexico. Publ. No. MASGP-79-004, Mississippi-Alabama Sea Grant Consortium, Ocean Springs, MS.
- Hildebrand, S.F. 1922. Notes on habits and development of eggs and larvae of the silversides *Menidia menidia* and *Menidia beryllina*. *Bull. U.S. Bur. Fish.* 38:113-120.
- Hildebrand, S.F., and W.C. Schroeder. 1928. Fishes of Chesapeake Bay. *Bull. U. S. Fish.* 43(1):366pp.
- Hutton, C.H., P.F. DeLisle, M.H. Roberts, and D.A. Hepworth. 1986. *Chrysaora quinquecirrha*: a predator on mysids (*Mysidopsis bahia*) in culture. *Progr. Fish-Cult.* 48:154-155.
- Jackim, E., and D. Nacci. 1986. Improved sea urchin DNA-based embryo growth toxicity test. *Environ. Toxicol. Chem.* 5:561-565.
- Jensen, J. P. 1958. The relation between body size and number of eggs in marine malacostrakes. *Meddr. Danm. Fisk.-og Havunders* 2:1-25.

- Jensen, A. 1984a. Marine ecotoxicological tests with seaweeds. In: Personne, G., E. Jaspers, and C. Claus, eds., Ecotoxicological testing for the marine environment. Vol. 1. State University of Ghent and Institute for Marine Scientific Research, Bredene, Belgium. pp. 181-193.
- Jensen, A. 1984b. Marine ecotoxicological tests with phytoplankton. In: Personne, G., E. Jaspers, and C. Claus, eds., Ecotoxicological testing for the marine environment. Vol. 1. State University of Ghent and Institute for Marine Scientific Research, Bredene, Belgium. pp. 195-213.
- Johns, D.M., W.J. Berry, and W. Walton. 1981. International study on *Artemia*. XVI. Survival, growth and reproductive potential of the mysid *Mysidopsis bahia* Molenock fed various geographical strains of the brine shrimp *Artemia*. J. Exp. Mar. Biol. Ecol. 53:209-219.
- Johns, D.M., M.E. Peters, and A.D. Beck. 1980. International study on *Artemia*. VI. Nutritional value of geographical and temporal strains of *Artemia*: effects on survival and growth of two species of Brachyuran larvae. In: Persoone, G., P. Sorgeloos, D.A. Roels, and E. Jaspers. eds., The brine shrimp, *Artemia*. Vol. 3, Ecology, culturing, use in aquaculture. Universal Press, Wetteren, Belgium. pp. 291-304.
- Jop, K.M., J.H. Rogers, Jr., P.B. Dorn, and K.L. Dickson. 1986. Use of hexavalent chromium as a reference toxicant in aquatic toxicity tests. In: T.M. Poston, and R. Purdy, eds., Aquatic Toxicology and Environmental Fate, ASTM STP 921, American Society for Testing and Materials, Philadelphia, PA. pp. 390-403.
- Kenaga, E.E. 1982. The use of environmental toxicology and chemistry data in hazard assessment: Progress, needs, challenges. Environ. Toxicol. Chem. 1:69-79.
- Kenaga, E.E., and R.J. Moolenaar. 1976. Fish and *Daphnia* toxicity as surrogates for aquatic vascular plants and algae. Environ. Sci. Technol. 13:1479-1480.

- Kester, D.R., I.W. Dredall, D.N. Connors, and R.M. Pytokowicz. 1967. Preparation of artificial seawater. *Limnol. Oceanogr.* 12:176-179.
- Klein-MacPhee, G., W.H. Howell, and A.D. Beck. 1980. International study on *Artemia*. VII. Nutritional value of five geographical strains of *Artemia* to winter flounder *Pseudopleuronectes americanus* larvae. In: Persoone, G., P. Sorgeloos, D.A. Roels, and E. Jaspers. eds., *The brine shrimp, Artemia*. Vol. 3, Ecology, culturing, use in aquaculture. Universal Press, Wetteren, Belgium. pp. 305-312.
- Klein-MacPhee, G., W.H. Howell, and A.D. Beck. 1982. International study on *Artemia*. XX. Comparison of a reference and four geographical strains of *Artemia* as food for winter flounder (*Pseudopleuronectes americanus*) larvae. *Aquacult.* 29:279-288.
- Kuntz, A. 1916. Notes on the embryology and larval development of five species of teleostean fishes. *Bull. U.S. Bur. Fish.* 34(831):409-429.
- Lawler, A.R., and S.L. Shepard. 1978. Procedures for eradication of hydrozoan pests in closed-system mysid culture. *Gulf Res. Rept.* 6:177-178.
- Leger, P., and P. Sorgeloos. 1982. Automation in stock-culture maintenance and juvenile separation of the mysid *Mysidopsis bahia* (Molenock). *Aquacult. Eng.* 1:45-53.
- Mauchline, J., and M. Murano. 1977. World list of the Mysidacea, Crustacea. *J. Tokyo Univ. Fish.* 64:39-88.
- Middaugh, D.P., and T. Takita. 1983. Tidal and diurnal spawning cues in the Atlantic Silverside, *Menidia menidia*. *Environ. Biol. Fish.* 8(2):97-104.
- Middaugh, D.P., and M.J. Hemmer. 1984. Spawning of the tidewater silverside, *Menidia peninsulae* (Goode and Bean) in response to tidal and lighting schedules in the laboratory. *Estuaries* 7:137-146.
- Middaugh, D.P., M.J. Hemmer, and Y. Lamadrid-Rose. 1986. Laboratory spawning cues in *Menidia beryllina* and *M.*

- pennisulae* (Pices: Atherinidae) with notes on survival and growth of larvae at different salinities. Environ. Biol. Fish. 15(2):107-117.
- Molenock, J. 1969. *Mysidopsis bahia*, a new species of mysid (Crustacea: Mysidacea) from Galveston Bay, Texas. Tulane Stud. Zool. Bot. 15(3):113-116.
- Morgan, M.D. 1982. The ecology of Mysidacea. Developments in hydrobiology 10. W. Junk, Publ., The Hague, Netherlands. 232 pp.
- Nacci, D., E. Jackim, and R. Walsh. 1986. Comparative evaluation of three rapid marine toxicity tests: Sea urchin early embryo growth test, sea urchin sperm cell toxicity test and Microtox. Environ. Toxicol. Chem. 5:521-525.
- Nimmo, D.R., L.H. Bahner, R.A. Rigby, J.M. Sheppard, and A.J. Wilson, Jr. 1977. *Mysidopsis bahia*: an estuarine species suitable for life-cycle toxicity tests to determine the effects of a pollutant. In: Mayer, F.L., and J.L. Hamelin, eds., Aquatic Toxicology and Hazard Evaluation. ASTM STP 634, American Society for Testing and Materials, Philadelphia, PA. pp. 109-116.
- Nimmo, D.R., and T.L. Hamaker. 1982. Mysids in toxicity testing - a review. Hydrobiol. 93:171-178.
- Nimmo, D.R., T.L. Hamaker, J.C. Moore, and C.A. Sommers. 1979. Effect of diflubenzuron on an estuarine crustacean. Bull. Environm. Contam. Toxicol. 22:767-770.
- Nimmo, D.R., T.L. Hamaker, E. Matthews, and J.C. Moore. 1981. An overview of the acute and chronic effects of first and second generation pesticides on an estuarine mysid. In: Vernberg, F.J., A. Calabrese, F.P. Thurberg, and W.B. Vernberg, eds., Biological Monitoring of Marine Pollutants. Academic Press, NY. pp. 3-19.
- Nimmo, D.R., T.L. Hamaker, E. Matthews, and W.T. Young. 1982. The long-term effects of suspended particulates on survival and reproduction of the mysid shrimp, *Mysidopsis bahia*, in the

- laboratory. In: Mayer, G.F., ed., Ecological Stress and the New York Bight: Science and Management. Estuarine Res. Found., Columbia, SC. pp. 41-50.
- Nimmo, D.R., T.L. Hamaker, J.C. Moore, and R.A. Wood. 1980. Acute and chronic effects of Dimilin on survival and reproduction of *Mysidopsis bahia*. In: Eaton, J.G., P.R. Parrish, and A.C. Hendricks, eds., ASTM STP 707, American Society for Testing and Materials, Philadelphia, PA. pp. 366-376.
- Nimmo, D.R., T.L. Hamaker, and C.A. Sommers. 1978a. Culturing the mysid (*Mysidopsis bahia*) in flowing seawater or a static system. In: Bioassay Procedures for the Ocean Disposal Permit Program, U. S. Environmental Protection Agency, Environmental Research Laboratory, Gulf Breeze, FL 332561. EPA/600/9-78/010. pp. 59-60.
- Nimmo, D.R., T.L. Hamaker, and C.A. Sommers. 1978b. Entire life cycle toxicity test using mysids (*Mysidopsis bahia*) in flowing water. In: Bioassay Procedures for the Ocean Disposal Permit Program, U. S. Environmental Protection Agency, Environmental Research Laboratory, Gulf Breeze, FL 32561. EPA/600/9-78/010. pp. 64-68.
- Nimmo, D.R., and E.S. Iley, Jr. 1982. Culturing and chronic toxicity of *Mysidopsis bahia* using artificial seawater. Office of Toxic Substances, U.S. Environmental Protection Agency, Washington, DC 20460. Publ. PA 902.
- Nimmo, D.R., R.A. Rigby, L.H. Bahner, and J.M. Sheppard. 1978. The acute and chronic effects of cadmium on the estuarine mysid, *Mysidopsis bahia*. Bull. Environm. Contam. Toxicol. 19(1):80-85.
- Pearson, E.S., and T.O. Hartley. 1962. Biometrika tables for statisticians. Vol. 1. Cambridge Univ. Press, England. pp. 65-70.
- Persoone, G., E. Jaspers, and C. Claus, eds. 1980. Ecotoxicological testing for the marine environment. Vol. 1. State University of Ghent and Institute for Marine Scientific Research, Bredene, Belgium.

- Persoone, G., P. Sorgeloos, O. Roels, and E. Jaspers. eds. 1980a. The brine shrimp *Artemia*. Vol. 1. Morphology, genetics, radiobiology, toxicology. Proceedings of the International Symposium on the brine shrimp *Artemia salina*, Corpus Christi, Texas, 1979. Universal Press, Wetteren, Belgium. 318 pp.
- Persoone, G., P. Sorgeloos, O. Roels, and E. Jaspers. eds. 1980b. The brine shrimp *Artemia*. Vol. 2. Physiology, biochemistry, molecular biology. Proceedings of the International Symposium on the brine shrimp *Artemia salina*, Corpus Christi, Texas, 1979. Universal Press, Wetteren, Belgium. 636 pp.
- Persoone, G., P. Sorgeloos, O. Roels, and E. Jaspers. eds. 1980c. The brine shrimp *Artemia*. Vol. 3. Ecology, culturing, use in aquaculture. Proceedings of the International Symposium on the brine shrimp *Artemia salina*, Corpus Christi, Texas, 1979. Universal Press, Wetteren, Belgium. 428 pp.
- Price, W.W. 1982. Key to the shallow water Mysidacea of the Texas coast with notes on their ecology. *Hydrobiol.* 93(1/2):9-21.
- Price, W.W. 1978. Occurrence of *Mysidopsis almyra* Bowman, *M. bahia* Molenock, and *Bowmaniella brasiliensis* Bacescu (Crustacea, Mysidacea) from the eastern coast of Mexico. *Gulf Res. Repts.* 6:173-175.
- Rand, G.M., and S.R. Petrocelli. 1985. Fundamentals of aquatic toxicology. Hemisphere Publ. Corp., New York. 66 pp.
- Reitsema, L.A. 1981. The growth, respiration, and energetics of *Mysidopsis almyra* (Crustacea; Mysidacea) in relation to temperature, salinity, and hydrocarbon exposure. Ph.D. thesis, Texas A & M University, College Station, TX.
- Reitsema, L.A., and J.M. Neff. 1980. A recirculating artificial seawater system for the laboratory culture of *Mysidopsis almyra* (Crustacea; Pericaridea). *Estuaries* 3:321-323.
- Rodgers, J.H., Jr., P.B. Dorn, T. Duke, R. Parrish, and B. Venables (rapporteur). 1986. *Mysidopsis* sp.: life history and culture. A report from a workshop held at Gulf Breeze, Florida, October 15-16, 1986. American Petroleum Institute, Washington, DC.

- Sorgeloos, P. 1980. Life history of the brine shrimp *Artemia*. In: Persoone, G., P. Sorgeloos, D.A. Roels, and E. Jaspers. eds., The brine shrimp, *Artemia*. Vol. 1. Morphology, genetics, radiobiology, toxicology. Proceedings of the International Symposium on the brine shrimp *Artemia salina*, Corpus Christi, Texas, 1979. Universal Press, Wetteren, Belgium. pp. ixx-xxii.
- Spehar, R.L., D.K. Tanner, and B.R. Nordling. 1983. Toxicity of the synthetic pyrethroids, permethrin, AC-222, 705, and their accumulation in early life stages of fathead minnows and snails. *Aquat. Toxicol.* 3:171-182.
- Sprague, J.B. 1969. Measurement of pollutant toxicity to fish. I. Bioassay methods for acute toxicity. *Water Res.* 3:793-821.
- Steel, R.G., and J.H. Torrie. 1960. Principles and procedures of statistics with special reference to biological sciences. McGraw-Hill Publ., NY, NY.
- Steele, R.L., and M.D. Hanisak. 1978. Sensitivity of some brown algal reproductive stages to oil pollution. In: Jensen, A. and J. R. Stein, eds., Proceedings of the Ninth International Seaweed Symposium, Vol. 9, Science Press, Princeton, NJ. pp. 181-190.
- Steele, R.L., and G.B. Thursby. 1983. A toxicity test using life stages of *Champi parvula* (Rhodophyta). In: Bishop, W.E., R.D. Cardwell, and B.B. Heidolph, eds., Aquatic Toxicology and Hazard Assessment: Sixth Symposium. STP 802, American Society for Testing and Materials, Philadelphia, PA. pp. 73-89.
- Stuck, K.C., H.M. Perry, and R.W. Heard. 1979. An annotated key to the Mysidacea of the North Central Gulf of Mexico. *Gulf Res. Rept.* 6(3):225-238.
- Stuck, K.C., H.M. Perry, and R.W. Heard. 1979a. An annotated key to the Mysidacea of the North Central Gulf of Mexico. *Gulf Res. Rept.* 6(3):225-238.
- Stuck, K.C., H.M. Perry, and R.W. Heard. 1979b. Records and range extensions of Mysidacea from coastal and shelf water of the Eastern Gulf of Mexico. *Gulf Res. Rept.* 6(3):239-248.

- Tagatz, M.E., and D.L. Dudley. 1961. Seasonal occurrence of marine fishes in four shore habitats near Beaufort, N.C., 1957-1960. U.S. Fish. Wildl. Serv. Sc. Rept. Fish. 390. 19 pp.
- Tarzwel, C.M. 1971. Bioassays to determine allowable waste concentrations in the aquatic environment. In: Cole, H.A. (Organizer), A discussion on biological effects of pollution in the sea. Proc. Roy. Soc. Lond. B 177(1048):279-285.
- Tattersall, W.M., and O.S. Tattersall. 1951. The British Mysidacea. Royal Soc., London, England. 460 pp.
- Theilacker, G.H., and M.F. McMaster. 1971. Mass culture of the rotifer *Brachionus plicatilis* and its evaluation as a food for larval anchovies. Mar. Biol. 10:183-188.
- Thompson, R.S., and E.M. Burrows. 1984. The toxicity of copper, zinc, and mercury to the brown macroalga *Laminaria saccharina*. In: Persoone, G., E. Jaspers, and C. Claus, eds., Ecotoxicological testing for the marine environment, Vol. 2, State University of Ghent and Institute for Marine Scientific Research, Bredene, Belgium. pp. 259-269.
- Thursby, G.B., and R.L. Steele. 1984. Toxicity of arsenite and arsenate to the marine macroalga *Champia parvula*. Environ. Toxicol. Chem. 3:391-397.
- Thursby, G.B., and R.L. Steele. 1986. Comparison of short- and long-term sexual reproduction tests with the marine red alga *Champia parvula*. Environ. Toxicol. Chem. 5:1013-1018.
- Thursby, G.B., R.L. Steele, and M.E. Kane. 1985. Effect of organic chemicals on growth and reproduction in the marine red alga *Champia parvula*. Environ. Toxicol. Chem. 4:797-805.
- USEPA. 1977. Occupational health and safety manual. Office of Planning and Management, U. S. Environmental Protection Agency, Washington, DC 20460.
- USEPA. 1978. Life-cycle toxicity test using sheepshead minnows (*Cyprinodon variegatus*). Hansen, D.J., P.R. Parrish, S.C. Schimmel, and L.R. Goodman. In: Bioassay procedures for the ocean disposal permit program, U. S. Environmental Protection

Agency, Environmental Research Laboratory, Gulf Breeze, FL 32561. EPA/600/9-78/010. pp. 109-117.

USEPA. 1978. Methods for measuring the acute toxicity of effluents to aquatic organisms. Second edition. Peltier, W., Environmental Monitoring and Support Laboratory - Cincinnati, U. S. Environmental Protection Agency, Cincinnati, OH 45268. EPA/600/4-78/012.

USEPA. 1979c. Interim NPDES compliance biomonitoring inspection manual. Office of Water Enforcement, U. S. Environmental Protection Agency, Washington, DC 20460. (MCD-62).

USEPA. 1981a. Acute toxicity test standard using mysid shrimp in static and flow-through systems. Toxic Substances Control Act, Section 4. U. S. Environmental Protection Agency, Office of Toxic Substances, Health and Environmental Review Division, Washington, DC 20460.

USEPA. 1981b. Chronic toxicity test standard using mysid shrimp in a flow-through system. Toxic Substances Control Act, Section 4. U. S. Environmental Protection Agency, Office of Toxic Substances, Health and Environmental Review Division, Washington, DC 20460.

USEPA. 1981c. Technical support document for using mysid shrimp in acute and chronic toxicity tests. Toxic Substances Control Act, Section 4. U. S. Environmental Protection Agency, Office of Toxic Substances, Health and Environmental Review Division, Washington, DC 20460.

USEPA. 1981d. Effluent toxicity screening test using *Daphnia* and mysid shrimp. Weber, C.I., and W.H. Peltier. Environmental Monitoring and Support Laboratory, U. S. Environmental Protection Agency, Cincinnati, OH 45268.

USEPA. 1984. Development of water quality-based permit limitations for toxic pollutants: National Policy. Fed. Reg. 49:9016-9019.

USEPA. 1985a. Technical support document for water quality-based control. Office of Water, U. S. Environmental Protection Agency, Washington, DC 20460.

- USEPA. 1985b. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to freshwater organisms. Horning, W.B., and C.I. Weber (eds). Second edition. Environmental Monitoring and Support Laboratory, U. S. Environmental Protection Agency, Cincinnati, OH 45268. EPA/600/4-85/014.
- USEPA. 1985b. Ambient water quality criteria for ammonia - 1984. Office of Water Regulations and Standards, Office of Water, U. S. Environmental Protection Agency, Washington, DC 20460. EPA/440/5-85/001.
- USEPA. 1985c. Ambient water quality criteria for ammonia - 1984. Office of Water Regulations and Standards, Office of Water, U. S. Environmental Protection Agency, Washington, DC 20460. EPA/440/5-85/001.
- USEPA. 1985d. Hazard evaluation division: Standard evaluation procedure: Acute toxicity test for estuarine and marine organisms (shrimp 96-hour acute toxicity test). Rieder, D., Office of Pesticides Programs, U. S. Environmental Protection Agency, Washington, DC 20460. EPA/540/9-85/010.
- USEPA. 1987d. Guidance manual for conducting seven day mysid survival/growth/reproduction study using the estuarine mysid, *Mysidopsis bahia*. Contribution No. X106. Lussier, S.M., A. Kuhn, and J. Sewall. In: Schimmel, S. C., ed. Users guide to the conduct and interpretation of complex effluent toxicity tests at estuarine/marine sites. Environmental Research Laboratory, U. S. Environmental Protection Agency, Narragansett, RI 02882. Contribution No. 796., 265 pp.
- USEPA. 1988a. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to marine and estuarine organisms. Weber, C.I., W.B. Horning, II, D.J. Klemm, T.W. Neiheisel, P.A. Lewis, E.L. Robinson, J. Menkedick, and F. Kessler (eds.). Environmental Monitoring and Support Laboratory, U. S. Environmental Protection Agency, Cincinnati, OH 45268. EPA/600/4-87/028.
- USEPA. 1989a. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to freshwater organisms. Second Edition. Weber, C.I., W.H. Peltier, T.J. Norberg-King, W.B. Horning, II, F.A. Kessler, J.R. Menkedick,

- T.W. Neiheisel, P.A. Lewis, D.J. Klemm, Q.H. Pickering, E.L. Robinson, J.M. Lazorchak, L.J. Wymer, and R.W. Freyberg (eds.). Environmental Monitoring Systems Laboratory, U. S. Environmental Protection Agency, Cincinnati, OH 45268. EPA/600/4-89/001.
- Usher, R.R., and D.A. Bengtson. 1981. Survival and growth of sheepshead minnow larvae and juveniles on diet of *Artemia nauplii*. Prog. Fish-Cult. 43(2):102-105.
- Vanhaecke, P., and P. Sorgeloos. 1983. International study on *Artemia*. XIX. Hatching data for ten commercial sources of brine shrimp cysts and re-evaluation of the "hatching efficiency" concept. Aquacult. 30:43-52.
- Walsh, G.E., L.H. Bahner, and W.B. Horning. 1980. Toxicity of textile mill effluents to freshwater and estuarine algae, crustaceans, and fishes. Environ. Pollut. (Ser. A.) 21:169-179.
- Ward, S.H. 1984. A system for laboratory rearing of the mysid, *Mysidopsis bahia* Molenock. Progr. Fish-Cult. 46(3):170-175.
- Ward, S.H. 1987. Feeding response of the mysid *Mysidopsis bahia* reared on *Artemia*. Prog. Fish-Cult. 49:29-33.
- Ward, S.H. 1990. Procedures for toxicant testing and culture of the marine macroalga, *Champia parvula*. Technical Report, U. S. Environmental Protection Agency, Region 2, New York, NY 20278.
- Welch, P.S. 1948. Limnological methods. McGraw-Hill Book Company, New York, NY.
- Zarogian, G.E., G. Pesch, and G. Morrison. 1969. Formulation of an artificial seawater media suitable for oyster larvae development. Amer. Zool. 9:1141.
- Zillioux, E.J., H.R. Foulk, J.C. Prager, and J.A. Cardin. 1973. Using *Artemia* to assay oil dispersant toxicities. JWPCF 45:2389-2396.