




*Environmental Programs*  
P.O. Box 1663, MS M991  
Los Alamos, New Mexico 87545  
(505) 606-2337/FAX (505) 665-1812

*National Nuclear Security Administration*  
Los Alamos Site Office, MS A316  
Environmental Restoration Program  
Los Alamos, New Mexico 87544  
(505) 667-4255/FAX (505) 606-2132

Date: November 30, 2007  
Refer To: EP2007-0749

James P. Bearzi, Bureau Chief  
Hazardous Waste Bureau  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, NM 87505-6303



**Subject: Submittal of Well R-12 Rehabilitation and Conversion Summary Report**

Dear Mr. Bearzi:

Enclosed please find two hard copies with electronic files of the "Well R-12 Rehabilitation and Conversion Summary Report."

All redevelopment and rehabilitation activities were completed, with the exception of installing the permanent sampling system, which is expected to arrive from the manufacturer today or early next week. Per discussions with your staff on November 5, 2007, we will submit a revision to the report, including an as-built diagram of the well, as soon as the sampling system is installed.

If you have questions, please contact Ardyth Simmons at (505) 665-3935 (asimmons@lanl.gov) or Mat Johansen at (505) 665-5046 (mjohansen@doeal.gov).

Sincerely,

Susan G. Stiger, Associate Director  
Environmental Programs  
Los Alamos National Laboratory

Sincerely,

David R. Gregory, Project Director  
Environmental Operations  
Los Alamos Site Office

SGS/DRG/ASM:sm

Enclosures: Two hard copies with electronic files - "Well R-12 Rehabilitation and Conversion Summary Report" (EP2007-0749)

Cy: (w/enc.)

Neil Weber, San Ildefonso Pueblo  
Mathew Johansen, DOE-LASO, MS A316  
Ardyth Simmons, EP-LWSP, MS M992  
Steve Pearson, ERSS-RS, MS K497  
RPF, MS M707 (with two CDs)  
Public Reading Room, MS M992

Cy: (Letter and CD only)

Laurie King, EPA Region 6, Dallas, TX  
Steve Yanicak, NMED-OB, White Rock, NM  
Paul Huber, EP-LWSP, MS M992  
Mike Alexander, ERSS-RS, MS K497  
Matt Riggs, EP-LWSP, MS M992  
Peggy Reneau, EP-ERSS, MS M992  
EP-LWSP File, MS M992

Cy: (w/o enc.)

Tom Skibitski, NMED-OB, Santa Fe, NM  
Bonita Eichorst, DOE-LASO (date-stamped copy emailed)  
Susan G. Stiger, ADEP, MS J591  
Carolyn A. Mangeng, ADEP, MS J591  
Tina Behr-Andres, EP-LWSP, MS M992  
Alison M. Dorries, ERSS-DO, MS M992  
IRM-RMMSO, MS A150

LA-UR-07-7879  
November 2007  
EP2007-0749

# Well R-12 Rehabilitation and Conversion Summary Report

Prepared by the Environmental Programs Directorate

Los Alamos National Laboratory, operated by Los Alamos National Security, LLC, for the U.S. Department of Energy under Contract No. DE-AC52-06NA25396, has prepared this document pursuant to the Compliance Order on Consent, signed March 1, 2005. The Compliance Order on Consent contains requirements for the investigation and cleanup, including corrective action, of contamination at Los Alamos National Laboratory. The U.S. government has rights to use, reproduce, and distribute this document. The public may copy and use this document without charge, provided that this notice and any statement of authorship are reproduced on all copies.

# Well R-12 Rehabilitation and Conversion Summary Report

November 2007


Responsible project leader:

Ardyth Simmons		Project Leader	Environmental Programs	11/28/07
Printed Name	Signature	Title	Organization	Date

Responsible LANS representative:

Susan G. Stiger		Associate Director	Environmental Programs	
Printed Name	Signature	Title	Organization	Date

Responsible DOE representative:

David R. Gregory		Project Director	DOE-LASO	11/30/07
Printed Name	Signature	Title	Organization	Date



## CONTENTS

<b>1.0</b>	<b>INTRODUCTION .....</b>	<b>1</b>
<b>2.0</b>	<b>REHABILITATION ACTIVITIES .....</b>	<b>1</b>
2.1	Vault Removal .....	1
2.2	Inflatable Packers .....	1
2.3	Redevelopment of Screen 1 .....	2
2.4	Screen Abandonment .....	2
2.5	Specific Capacity Testing .....	3
2.6	Sample System Installation and Well Conversion .....	4
2.7	Water Quality .....	4
2.7.1	Sample Collection, Field Preparation, and Analytical Techniques .....	4
2.7.2	Field Parameters .....	5
2.7.3	Analytical Results .....	5
2.7.4	Well Screen Analysis .....	7
2.7.5	Geochemical Comparison of Westbay and Pumping Test Samples .....	8
<b>3.0</b>	<b>DEVIATIONS FROM R-12 REHABILITATION AND CONVERSION WORKPLAN .....</b>	<b>9</b>
<b>4.0</b>	<b>CONCLUSIONS .....</b>	<b>9</b>
<b>5.0</b>	<b>REFERENCES .....</b>	<b>11</b>

### Figures

Figure 2.4-1	Abandonment and rehabilitation specifications regional well R-12 .....	13
Figure 2.7-1	Field parameters measured at R-12 screen 1 on October 28 and 29, 2007 .....	14
Figure 2.7-2	Turbidity (NTU) versus concentrations of iron (Fe), aluminum (Al), and zinc (Zn) in nonfiltered samples collected at R-12 screen 1 on October 28 and 29, 2007 .....	15
Figure 2.7-3	Sample sequence versus TOC and dissolved concentrations of sodium (Na), calcium (Ca), chloride (Cl), sulfate (SO <sub>4</sub> ), and nitrate(N) (NO <sub>3</sub> -N) at R-12 screen 1 sampled on October 28 and 29, 2007 .....	16
Figure 2.7-4	Sample sequence versus dissolved concentrations of sodium (Na), chloride (Cl), and sulfate (SO <sub>4</sub> ) during characterization sampling using Westbay equipment and pumping tests conducted in September 2006 and October 2007 at R-12 screen 1 .....	17
Figure 2.7-5	Sample sequence versus dissolved and total concentrations of iron (Fe) and manganese (Mn) during characterization sampling using Westbay equipment and pumping tests conducted in September 2006 and October 2007 at R-12 screen 1 .....	17

### Tables

Table 2.4-1	Specific Capacity Test Data .....	19
Table 2.7-1	Sampling for the R-12 Well Rehabilitation and Conversion Project .....	20
Table 2.7-2	Field Parameters Measured at R-12 Screen 1 on October 28 and 29, 2007 .....	21

**Appendixes**

Appendix A Analytical Data Results

Appendix B Evaluation of Water Quality Using Well Screen Analysis Methodology



## 1.0 INTRODUCTION

This report provides a summary of the work performed and the results of rehabilitating and converting well R-12 to a dual-screen well. Plans for R-12 conversion were presented in the "Work Plan for R-Well Rehabilitation and Replacement, Revision 2" (LANL 2007, 098119) that was approved by the New Mexico Environment Department (NMED) on August 20, 2007 (NMED 2007, 098182). The R-12 borehole was drilled to a total depth (TD) of 886 ft by using fluid-assisted air-rotary and conventional mud-rotary techniques and was completed with three screened intervals: screen 1 from 459 to 467.5 ft, screen 2 from 504.5 to 508 ft, and screen 3 from 801 to 839 ft. The top two screens are completed in the vadose zone and screen 3 is completed in the regional aquifer. A dedicated Westbay sampling system was installed in the well after completion.

The results of the well screen analysis for R-12 (LANL 2007, 096330) indicated that after the rehabilitation pilot study (LANL 2007, 095889), screen 1 passed 60%–80% of the assessment tests, screen 2 passed 80%–90% of the assessment tests, and screen 3 passed 80%–90% of the assessment tests. Following Westbay packer deflation and during rehabilitation activities, a significant volume of screen 2 water was introduced to screen 3. Therefore, the well screen analysis of screen 3 water was deemed to be unrepresentative of screen 3 chemistry. Because of the difficulty of maintaining the integrity of screen 3 water chemistry (large volumes of screen 2 water could not be prevented from entering screen 3 and the volumes were so large that purging was unfeasible), the decision was made to abandon screen 3 and drill a new single-screen well (designated R-36) nearby that would be screened at the same depth in basalt as screen 3 in R-12 (NMED 2007, 095394). Two pumps (one Bennett and one submersible) will be installed for long-term sampling of the uppermost screens (screens 1 and 2) at R-12.

## 2.0 REHABILITATION ACTIVITIES

The activities performed as part of the R-12 rehabilitation and conversion included demolition of the concrete vault around the wellhead, the removal and subsequent replacement of inflatable isolation packers, redevelopment of screen 1 by means of jetting, abandonment of screen 3, hydraulic testing to measure the specific capacity of screen 1, and collection of water samples for laboratory analysis in accordance with the work plan approved by the New Mexico Environment Department (NMED) (LANL 2007, 098119; NMED 2007, 095394). Dedicated sample system installation is pending. These activities are described in the following subsections.

### 2.1 Vault Removal

An aboveground reinforced concrete vault previously protected the wellhead at R-12. The vault made service work at R-12 difficult and had served its purpose of protecting the well from flash floods after the Cerro Grande fire. Demolition of the vault was included in this rehabilitation and conversion program. The vault was demolished on October 21, 2007. The concrete surface pad and 10-in. steel protective casing were left in place and undisturbed.

### 2.2 Inflatable Packers

The dedicated Westbay sampling system in R-12 was removed during the 2006–2007 pilot well rehabilitation study (LANL 2007, 095889) and was not reinstalled. The well screens were left in an isolated state with two inflatable packers to isolate the screen intervals. The packers were deflated and removed from the well on October 23, 2007. After redevelopment, abandonment and testing activities were completed and a single inflatable packer was temporarily reinstalled between screens 1 and 2 on

October 31, 2007. The drop pipe and packers were decontaminated by high-pressure washing and staged at a designated Los Alamos National Laboratory (LANL or the Laboratory) location. The decontamination water was containerized and stored on-site for waste characterization.

No video logging was conducted at R-12 during this time period because logging was conducted during the rehabilitation pilot study (LANL 2007, 095889).

### **2.3 Redevelopment of Screen 1**

Well development of screen 1 consisted of three activities: high velocity jetting, swabbing, and final purge pumping. Jetting was performed before plugging and abandoning screen 3, while swabbing and purging were performed afterward.

High velocity jetting was done through a jetting tool designed with four 1/4-in. horizontal jets for cleaning the screen plus an additional downward-oriented 5/16-in. jet included for balancing the flow and allowing pass-through of any sediment that might be in the piping system. The nozzles in the jetting tool were sized to match the output of the pump while maintaining approximately 200 psi jetting pressure. Jetting consisted of pumping a total of about 4400 gal. of potable water through the jetting tool while raising, lowering, and rotating it within screen 1. The flow rate maintained during the jetting process was approximately 110 to 120 gallons per minute (gal./min), resulting in a jetting velocity of about 130 to 140 ft/s.

Following plugging and abandonment of screen 3 (section 2.4), screen 1 was swabbed using a surge block built by sandwiching a 4-in. outer diameter nylon disc between two metal plates. The surge block was connected to a heavy weight so that effective swabbing was accomplished in both the upward and downward directions. Swabbing consisted of running the tool both upward and downward approximately 75 round trips through screen 1.

Purging was performed using a shrouded 3-in. submersible pump that also was used for test pumping activities. The pump was set and operated at multiple depths in the well to ensure removing the stagnant water above screen 1 as well as water within the sump beneath screen 2. Complete purging of screen 1 was performed before hydraulic testing and sampling. Final purging of screen 2 was deferred until after the screen 1 testing and sampling activities had been completed.

### **2.4 Screen Abandonment**

Abandonment of screen 3 at R-12 was conducted between October 23 and 27, 2007. Details of abandonment materials and placement are presented in Figure 2.4-1. Filter-grade 10/20 silica sand was used as the primary backfill material through the screen interval. The 10/20 sand was installed from the TD of the well at 869 to 779 ft below ground surface (bgs). Finer 20/40 filter-grade silica sand was installed above the 10/20 sand from 746.9 to 779 ft bgs. The finer 20/40 sand serves as a transition interval to keep the cement from flowing into the coarser 10/20 sand. All of the backfill sand was installed with a tremie pipe while running a small volume of potable water to carry the sand into place. A Portland cement seal was installed above the fine transition sand from 736.7 to 746.9 ft bgs. Cement was emplaced using a wireline dump bailer. The dump bailer allowed discrete placement of a calculated volume of cement while minimizing impacts to the well screen by fugitive cement. The cement was allowed to cure overnight (approximately 24 h) before proceeding with the next sand interval. A second interval of 10/20 sand was installed as a buffer above the cement from 542.4 to 736.7 ft bgs.

## 2.5 Specific Capacity Testing

Hydraulic testing of screen 1 was performed by installing the shrouded 3-in. submersible pump with an underlying inflatable packer for temporary exclusion of screen 2 water contribution. A pressure transducer was installed between the pump shroud and packer to collect water-level data for specific capacity determination.

A corollary benefit of the effort was collection of a data set that could support hydraulic analysis of the perched zone in which screen 1 is placed. A detailed hydraulic analysis of the data was beyond the scope of the work plan. The current discussion is limited to presenting the specific capacity results. However, the data are archived and will be available for examination if a rigorous analysis of site hydraulics is desired.

The collection of hydraulic pumping data coincided with water sampling activities at screen 1. Two sampling events were undertaken at screen 1. On October 28, screen 1 was pumped at 2.10 gal./min for 330 min from 1:00 p.m. until 6:30 p.m. The resulting drawdown was 20.0 ft, making the specific capacity 0.105 gal./min/ft of drawdown. On October 29, the zone was pumped at 2.55 gal./min for 630 min from 7:50 a.m. until 6:20 p.m. The resulting drawdown was 24.2 ft, again revealing a specific capacity 0.105 gal./min/ft. These specific capacity results are summarized in Table 2.4-1.

Also shown in the table are the results of specific capacity testing of screen 1 over a year earlier on September 20, 2006. Testing at that time showed a pumping rate of 1.16 gal./min with 12.8 ft of drawdown, for a specific capacity of 0.091 gal./min/ft. The current specific capacity of 0.105 gal./min/ft corresponds to an increase of about 15%, attributable to the redevelopment activities. Of note is that the current tests were performed at nearly double the pumping rate used in 2006. The greater flow rates can induce greater turbulent flow, potentially biasing the specific capacity downward somewhat. Thus, the observed improvement in specific capacity may have been slightly greater if the specific capacity tests had been conducted at the same pumping rate.

Following testing and sampling of screen 1, the packer was deflated and pumping was performed to complete the purge cleanup of screen 2. Water-level data continued to be collected during this task. With both screens 1 and 2 open, the measured discharge rate was 3.45 gal./min with a drawdown of 2.12 ft. The resulting combined specific capacity of the two zones was 1.63 gal./min/ft as shown in Table 2.4-1.

Based on the specific capacity of screen 1, its estimated contribution during the simultaneous purging of both zones was about 0.22 gal./min. Thus, the yield contribution of screen 2 was  $3.45 - 0.22 = 3.23$  gal./min. As shown in Table 2.4-1, this made the specific capacity of screen 2 approximately 1.52 gal./min/ft. Testing a year earlier, on October 1, 2006, had shown a specific capacity for screen 2 of 0.99 gal./min/ft. Thus, the current capacity is more than 50% greater than that observed before the rehabilitation work.

Even though specific, deliberate redevelopment procedures were not applied directly to screen 2, it is apparent that the swabbing performed in screen 1 had a beneficial effect on the capacity of screen 2. Raising and lowering the surge block through screen 1 had the effect of forcing water in and out of the screen openings in screen 2, achieving effective development. In fact, the order of magnitude greater yield of screen 2, compared with that of screen 1, meant that swabbing actually caused a greater volume of water to move back and forth through screen 2 than screen 1 throughout the operation.

Because of the downward gradient in R-12, the composite water level has always fallen below both screens 1 and 2 whenever the well was open. This condition precluded any vigorous development of screen 2 in the past. The swabbing action imposed on screen 2 during redevelopment of screen 1 probably represents the first development action ever applied to screen 2 other than simple purging. Thus, the observed increase in screen 2 yield as a result of the rehabilitation procedures is not surprising.

## 2.6 Sample System Installation and Well Conversion

R-12 will be outfitted with a submersible pump for screen 2 and a Bennett pump for screen 1. The submersible pump will be an environmentally retrofitted 4-in. Grundfos Model 10S30-34. The Bennett pump will be a 1.8-in. pneumatically operated submersible piston pump. This unit will discharge through flexible tubing that will be banded to the 1-in. stainless pump column. Both pumps will be hung on the lower submersible pump's 1-in. stainless pump column. An inflatable packer will be installed between the two sampling intervals. The 1-in. drop pipe will consist of threaded schedule 40 Type 304 nonannealed pipe meeting the requirements of American Society for Testing and Materials Standard A 554 for welded stainless steel mechanical tubing. The thread design will be API 10 Round Non-Upset Casing Threads. Two dedicated 1-in. polyvinyl chloride (PVC) transducer tubes will be installed with and banded to the pump column. This activity will be completed when the materials arrive from the manufacturer, with an expected delivery date of November 30, 2007.

## 2.7 Water Quality

Table 2.7-1 shows the sample collection objectives for R-12 screen 1 during the hydraulic testing and the constituents that were measured in the field and laboratory.

### 2.7.1 Sample Collection, Field Preparation, and Analytical Techniques

A total of 29 groundwater samples were collected during a pumping or aquifer performance test conducted at R-12 screen 1 on October 28 (16 samples) and October 29, 2007 (13 samples). Field parameters consisting of pH, turbidity, dissolved oxygen (DO), temperature, specific conductance (SC), and oxidation-reduction potential (ORP) were measured using a flow-through cell (Geotech) during sample collection. Measurements for the different field parameters recorded during the pumping test are provided in Table 2.7-2. Field pH and temperature were measured using a Beckman (Model 255) meter and DO was measured using a WTW (Model OXI-330I) dissolved oxygen meter. Specific conductance and ORP were measured using a HACH Sension-5 meter and a Thermoelectron Corp. (Russell RL 060P Model) instrument, respectively. Two equipment blanks and one field blank were collected at the beginning of the pumping test. On October 28, 2007, groundwater samples were generally collected every 5 min during the initial 30 min of the pumping test (Table 2.7-1). The frequency of sample collection decreased to every 10 min from 30 to 60 min during the test, every 30 min from 60 to 180 min, and one sample was collected at 240 min (4.0 h). On October 29, 2007, groundwater samples were collected every 60 min during the remainder of the pumping test (9.5 h). Groundwater samples were collected using a submersible pump consisting of a mild-steel discharge pipe equipped with a standard retrofitted submersible pump. The discharge rate varied from 2.13 to 2.90 gal./min during the aquifer performance test.

Twenty-nine groundwater samples (including two duplicates) were filtered before analyses for metals, trace elements, and major cations and anions. Aliquots of samples collected from R-12 screen 1 were filtered through 0.45- $\mu$ m Geotech disposable filters. Twenty-nine nonfiltered samples were also analyzed for sulfide, total organic carbon (TOC), major cations, trace elements, and metals. Samples were acidified with analytical-grade nitric acid to a pH of 2.0 or less for metal and major cation analyses. Nonfiltered samples collected for total sulfide analysis were preserved with a buffer consisting of sodium hydroxide, ethylenediaminetetraacetic acid (EDTA), and ascorbic acid. Samples collected for TOC analysis were not filtered or acidified.

Chemical analyses of screening-groundwater samples were performed at the Laboratory's Earth and Environmental Sciences Group 6 (EES-6) laboratory. Groundwater samples were analyzed by EES-6 using techniques specified in the U.S. Environmental Protection Agency SW-846 manual. Total carbonate

alkalinity was measured using standard titration techniques. Ion chromatography was the analytical method for bromide, chloride, fluoride, nitrate, nitrite, oxalate, chlorate, perchlorate, phosphate, and sulfate. The instrument detection limits for perchlorate were 0.005, 0.001, and 0.0005 parts per million (ppm). Total sulfide was determined by ion selective electrode (ISE), with a detection limit of 0.006 ppm. Inductively coupled (argon) plasma optical emission spectroscopy (ICPOES) was used for analyses of calcium, magnesium, potassium, silica, and sodium. Aluminum, antimony, arsenic, barium, beryllium, boron, cadmium, cesium, chromium, cobalt, copper, iron, lead, lithium, manganese, mercury, molybdenum, nickel, rubidium, selenium, silver, thallium, thorium, tin, vanadium, uranium, and zinc were analyzed by inductively coupled (argon) plasma mass spectrometry (ICPMS). The precision limits (analytical error) for major ions and trace elements were generally less than  $\pm 10\%$  using ICPOES and ICPMS. Total organic carbon was measured using a total carbon-organic carbon analyzer.

### 2.7.2 Field Parameters

Field parameters were measured on 36 groundwater samples and results are provided in Table 2.7-2 and Table A-1 and are shown in Figure 2.7-1. Field pH varied from 7.72 to 8.31; temperature varied from 14.7 C to 23.2°C during the pumping test conducted at R-12 screen 1. The lowest temperature reading was recorded during the continuation of the pumping test on the morning of October 29, 2007, when the submersible pump was reactivated. (Note the temporary change, or “blip,” shown on many figures at the same time.) Specific conductance generally increased from 285 to 371 microSiemens per centimeter ( $\mu\text{S}/\text{cm}$ ) and DO increased from 0.19 to 1.41 mg/L. Thirty-three of the 36 turbidity measurements were greater than 5 nephelometric turbidity units (NTUs) (Table 2.7-2, Figure 2.7-1). Turbidity values generally decreased during pumping (Table 2.7-2, Figure 2.7-1). As shown in Figure 2.7-2, suspended particles of iron, generated either from the corroded discharge pipe or possibly from the Cerros del Rio basalt, influence turbidity to a greater extent than do total aluminum and zinc, which play a role in turbidity values in some wells. The results presented in Figure 2.7-2 show a moderate correlation between turbidity and nonfiltered iron. Noncorrected ORP measurements varied from  $-232$  to  $+48$  millivolts (mV) during the pumping test. Gas bubbles were noted during several ORP measurements, rendering some of the readings not reliable and not indicative of in situ groundwater conditions. Strongly negative ORP measurements less than  $-160$  mV occurred on the morning of October 29, 2007, as stagnant groundwater was initially pumped. Near the end of the pumping test, ORP measurements varied between positive and negative readings, showing instability with the platinum-reference electrode.

### 2.7.3 Analytical Results

Analytical results for groundwater samples collected during well screen performance testing at R-12 screen 1 are provided in Appendix A, Table A-1. Charge balance errors for dissolved cations and anions were generally less than  $\pm 6\%$ . Figure 2.7-3 shows concentration trends of several solutes and TOC during pumping of the perched intermediate zone (screen 1) at R-12. Calcium is the dominant cation present in the perched intermediate zone at R-12 screen 1 (Table A-2). Dissolved concentrations of calcium exceed the maximum background of 16.5 mg/L for perched intermediate groundwater (LANL 2007, 095817). Dissolved concentrations of calcium increased from 27.1 to 42.3 ppm or mg/L during pumping. Dissolved concentrations of chloride increasing from 21.7 to 33.4 ppm also exceed the maximum background of 6.43 mg/L (LANL 2007, 095817). Dissolved concentrations of calcium and chloride correlate well with each other during the pumping test (Figure 2.7-3). Dissolved concentrations of sodium generally decreased from 33.0 to 18.1 ppm during the pumping test. This solute exceeds the maximum background for perched intermediate groundwater of 11.1 mg/L (LANL 2007, 095817). Concentrations of total carbonate alkalinity varied from 138 to 156 mg  $\text{CaCO}_3/\text{L}$ , exceeding the maximum background of 52 mg  $\text{CaCO}_3/\text{L}$  (LANL 2007, 095817). Dissolved concentrations of sulfate varied from 19.1 to 25.9 ppm during the pumping test (Figure 2.7-3, Table A-2), which exceed the maximum

background concentration of 4.48 mg/L (LANL 2007, 095817). Concentrations of total sulfide were less than detection (0.006 ppm), suggesting that sulfate reduction was not significant during the pumping test. Noncorrected ORP and DO measurements also suggest that the groundwater is not sufficiently reduced to enhance stability of dissolved sulfide species at R-12 screen 1.

Concentrations of TOC decreased from 36.0 to 1.84 mgC/L during the pumping test (Figure 2.7-3). The dominant sources of TOC probably include residual EZ-MUD, consisting of a polyacrylamide and polyacrylate high-molecular weight copolymer, used during emplacement of bentonite seals as part of well construction. The addition of EZ-MUD decreases the rate of hydration (coagulation) of bentonite, allowing more control for stabilizing the material above the filter packs for the three screens at R-12. Concentrations of ammonia and total Kjeldahl nitrogen (TKN) measured in groundwater samples collected from screen 1 (Table A-2) also provide evidence for the presence of residual EZ-MUD. Longmire (2002, 072800) provides a discussion on the organic nitrogen functional groups present in EZ-MUD and redox reactions associated with the drilling fluid.

Another potential source of TOC at R-12 screen 1 consists of soluble organic acids derived from ash associated with the Cerro Grande fire of May 2000. Hydrophobic and hydrophilic organic acids dominate in dissolved organic carbon (DOC) (5 mgC/L) measured in a groundwater sample collected from screen 1 during 2001 (Longmire 2002, 072800), providing evidence for presence of ash-derived organic carbon. During 2002 and 2003, concentrations of TOC measured at perched intermediate wells completed within the Cerros del Rio basalt at the Los Alamos Canyon low-head weir ranged from 4.5 to 375 mgC/L (Stone et al. 2004, 087379). Concentration increases of calcium, sodium, magnesium, and potassium occurred within the perched intermediate zones at this site after the Cerro Grande fire (Stone et al. 2004, 087379).

Dissolved concentrations of nitrate(N) increased from 1.21 to 3.15 ppm during the pumping test (Figure 2.7-3, Table A-2). Concentrations of nitrate(N) at R-12 screen 1 are considered to be influenced by predrilling site conditions, including migration of treated sewage effluent from Sandia, Los Alamos, and/or Pueblo Canyons. The nitrate(N) concentration in a borehole sample collected during drilling was 5.46 ppm within this perched zone at 464 ft bgs (Broxton et al. 2001, 071252). Drilling fluids were not used during the initial drilling of R-12 when this perched zone was encountered. The average stable isotope ratio of nitrogen-15/nitrogen-14 ( $\delta^{15}\text{N}$ ) for the borehole water sample (two analyses) was +21.3 per mil, suggesting that the fractionated nitrate was derived from sewage effluent (Broxton et al. 2001, 071252).

Increasing concentrations of calcium and chloride measured during the pumping test (Figure 2.7-3) suggest that these solutes occur within the Cerros del Rio basalt before drilling and are not due to residual drilling-well completion effects from the dissociation of EZ-MUD copolymer.

The concentration of total carbonate alkalinity in the borehole water sample collected during drilling was 142 ppm  $\text{CaCO}_3/\text{L}$  (Broxton et al. 2001, 071252), which is similar to results obtained during this pumping test. Total carbonate alkalinity is associated with treated sewage effluent that occurs in alluvial and perched intermediate groundwater within Sandia and Pueblo Canyons. Dissolved concentrations of calcium, sodium, chloride, and sulfate within the R-12 borehole at 464 ft bgs were 23.5, 186, 197, and 191 ppm, respectively (Broxton et al. 2001, 071252).

Bentonite seals were placed several times in the open borehole across unfractured basalt intervals to test for perching conditions. Water samples were collected from specific saturated zones during this process (Broxton et al. 2001, 071252). It is likely that exchangeable ions (sodium and sulfate) derived from bentonite were initially present in the borehole water sample. Concentrations of calcium, sodium, chloride, and sulfate have decreased since the borehole sampling of R-12 (LANL 2007, 096330). An additional

source of sodium and chloride in Sandia and Los Alamos Canyons is from dissolution of road salt characterized by equal equivalents of sodium and chloride in groundwater samples (see Table A-2).

Dissolved concentrations of barium, ranging from 0.036 to 0.047 ppm, at R-12 screen 1 are within background distributions for perched intermediate groundwater (0.0014 to 0.070 mg/L) (LANL 2007, 095817). Dissolved concentrations of uranium range from 0.0022 to 0.0058 ppm (Table A-2), exceeding the maximum background of 0.0006 mg/L (LANL 2007, 095817). Uranium(VI) for the most part is the stable oxidation state of this actinide at R-12 screen 1, based on similar concentrations of uranium in sample pairs for filtered and nonfiltered aliquots. The elevated above background concentrations of uranium measured during the pumping test are considered to be the result of contaminant migration, possibly from Los Alamos Canyon, and not from desorption processes with bentonite. Uranium(VI) complexes including  $\text{UO}_2(\text{CO}_3)_2^{2-}$  and  $\text{UO}_2(\text{CO}_3)_3^{4-}$  are mobile in oxidizing groundwater under basic pH conditions (Langmuir 1997, 056037) characteristic of R-12 screen 1.

Chemical and hydrologic data support a hydrologic connection between the perched intermediate zone within the Cerros del Rio basalt at the low-head weir and R-12 screen 1. Elevated above background concentrations of tritium, uranium, nitrate, and perchlorate at R-12 screen 1 may be derived from past industrial discharges at TA-21 and treated sewage effluent released to Los Alamos and Pueblo Canyons. Hydrologic data indicate that groundwater flow between R-9i and R-12 screen 1 occurs within the Cerros del Rio basalt, based on delayed recharge responses occurring at R-12 screen 1 during snow melt and summer storm events originating within the Los Alamos Canyon watershed (Reid et al. 2006, 099023).

During the October 2007 pumping test, dissolved concentrations of manganese and iron measured in groundwater samples collected from R-12 screen 1 range from 0.069 to 0.148 ppm and from 0.15 to 1.46 ppm (Table A-2), respectively. These two solutes exceed upper background values for manganese (0.016 mg/L) and iron (0.102 mg/L) (LANL 2007, 095817). Iron concentrations in nonfiltered samples are greater than those in filtered samples collected from R-12 screen 1 (Table A-2), resulting either from pipe corrosion early in the sampling (see below) and/or presence of particulate hydrous ferric oxide (HFO) within the perched intermediate zone. Reductive dissolution of manganese dioxide has taken place within the aquifer, based on very similar concentrations of manganese in filtered and nonfiltered samples (Figure 2.7-5, Table A-2). The negative uncorrected ORP measurements provided in Table A-1 support instability of manganese(IV) oxides.

Two rinseate blanks collected from the pump, consisting of hardened steel, and discharge pipe, consisting of mild steel, have concentrations of total manganese and iron of 0.235 and 0.012 ppm and 6.11 and 4.07 ppm, respectively, in nonfiltered samples (Table A-2). Other metals and trace elements detected in the rinseate blanks include aluminum, barium, boron, chromium, copper, lead, nickel, strontium, titanium, vanadium, and zinc (Table A-2). Total concentrations of barium, nickel, strontium, and uranium in the rinseate samples were less than 0.010 ppm. Total concentrations of several metals/trace elements exceeded 0.010 ppm, including aluminum (0.060 and 0.018 ppm), boron (0.013 ppm), copper (0.147 ppm), lead (0.019 ppm), vanadium (0.617 ppm), and zinc (0.617 ppm) (Table A-2).

#### 2.7.4 Well Screen Analysis

##### **Previous Results**

Analytical results obtained from sampling of well R-12 screen 1 were evaluated for representativeness and reliability, following geochemical protocols established by the Laboratory (2007, 096330) and approved by the New Mexico Environment Department (2007, 098182). Groundwater samples were collected from this Westbay-equipped well from 2000 to 2006 during 10 sampling events, and results of the Laboratory well screen analysis are provided in Table B-1. Groundwater samples previously collected

from screen 1 have scores ranging from 46% to 67%, with an average score of 60% (LANL 2007, 096330). Groundwater samples collected during well rehabilitation conducted in September 2006 contributed to a test score of 73% (Table B-1) (LANL 2007, 096330). The test scores for the 2000 to 2006 samples generally improved over time with 9 to 14 analytes or general indicators per sampling event failing the geochemical criteria, consisting of 23 to 33 individual tests. Analytes that did not meet the well screen criteria during one or more sampling rounds included pH, ORP, turbidity, magnesium, total carbonate alkalinity, acetone, sulfate, phosphate, TKN, iron, chromium, TOC, ammonia, perchlorate, nitrate(N), strontium, uranium, molybdenum, fluoride, manganese, calcium, and sodium (Table B-1) (LANL 2007, 096330).

### **Updated Well Screen Analysis**

Results of the Laboratory well screen analysis using analytical results obtained during this pumping test are provided in Table B-1. Groundwater samples analyzed from well R-12 screen 1 during the 2007 pumping test have scores ranging from 67% to 81%, consisting of 21 criteria (Table B-1) for 29 samples. The average well screen test score for the 2007 pumping test is 72%, which is essentially the same as the previous score achieved during the 2006 pumping test. Negative ORP values (25 measurements), turbidity values greater than 5 NTUs (26 measurements), DO concentrations less than 2 mg/L (29 measurements), excessive concentrations of TOC (29 samples), and dissolved iron and manganese (29 samples) exceeding Laboratory background contributed to samples failing several criteria of the well screen analysis (Table B-1).

Well screen tests for 13 criteria were not applicable in the updated analysis because

- groundwater samples were not analyzed for acetone, TKN, and ammonia;
- selected tests were not applicable due to predrilling conditions (Table B-2); and
- analytical detection limitation for perchlorate.

Analytes considered to be associated with predrilling conditions include dissolved calcium, sodium, magnesium, strontium, uranium, nitrate, chloride, total carbonate alkalinity, and sulfate. Well R-12 screen 1 is downgradient of discharges of treated sewage effluent at Technical Area (TA) 03 since the early 1950s. Well R-12 screen 1 is crossgradient but possibly hydrologically connected to Los Alamos and Pueblo Canyons that contain industrial and municipal discharges. Based on chemical (source term) and hydrologic data collected in Los Alamos, Pueblo, and Sandia Canyons discussed above, it is likely that elevated above background concentrations of several solutes result from leachate migration and not from residual drilling affects. Perchlorate was analyzed by using the ion chromatography method, which has a method detection limit (MDL) greater than 0.001 ppm. Perchlorate, therefore, was not included in the updated well screen analysis.

### **2.7.5 Geochemical Comparison of Westbay and Pumping Test Samples**

A geochemical comparison of selected analytes and pH was performed on the R-12 screen 1 samples to evaluate sampling methodologies used the passive Westbay sampling system and a submersible pump (allowing active purging). This comparison included analytical results for 10 previous sampling events, conducted from September 18, 2000, to July 11, 2006, using the Westbay system, and two pumping tests conducted on September 29, 2006, and October 28–October 29, 2007. Concentrations of total carbonate alkalinity, TOC, and dissolved calcium, chloride, iron, magnesium, manganese, nitrate(N), sulfate, chromium, nickel, strontium, uranium, vanadium, and zinc were generally lower in samples using Westbay equipment in comparison to those collected during the two pumping tests (Table B-1). Energetic purging or pumping of screen 1 allowed groundwater outside of the filter pack to be sampled, providing



more representative groundwater samples. Excess TOC is most likely derived from residual EZ-MUD associated with emplacement of the bentonite seal (Figure 2.7-3).

Figure 2.7-4 shows dissolved concentrations of chloride, sodium, and sulfate during 10 characterization sampling events using Westbay equipment and the two pumping tests. Higher dissolved concentrations of chloride were measured during the 2006 pumping test than during the most recent pumping test. Dissolved concentrations of sodium in samples collected on October 28, 2007, however, exceed those measured during the previous pumping test (Figure 2.7-4). Dissolved concentrations of sulfate were slightly higher in samples collected during the 2006 pumping test than in the most recent samples but were low in samples collected using the Westbay system, suggesting sulfate-reducing conditions during the time of its use. Higher pH values were recorded using Westbay equipment where measurements were taken under atmospheric conditions in comparison to those measured using a flow-through cell during the pumping tests.

Figure 2.7-5 shows concentrations of iron and manganese in filtered and nonfiltered samples collected from R-12 screen 1 during characterization sampling (2000–2005) and the two pumping tests conducted in 2006 and 2007. Higher total and dissolved concentrations of iron were measured during the 2007 pumping test than during the previous test. Dissolved concentrations of iron and an ample source of organic carbon mainly result from partial reductive dissolution of HFO present in the Cerros del Rio basalt, based on elevated concentrations of dissolved iron measured during characterization sampling from 2000 to 2005 and the 2006 and 2007 pumping tests. Reductive dissolution of manganese dioxide has taken place within the aquifer, based on very similar concentrations of manganese in filtered and nonfiltered samples collected during the two pumping tests (Table A-2 and Figure 2.7-5). Lower concentrations of sulfate and dissolved iron from Westbay samples point to sulfate-reducing conditions and possible precipitation of sulfide solid phases maintaining low iron in groundwater.

### **3.0 DEVIATIONS FROM R-12 REHABILITATION AND CONVERSION WORK PLAN**

The pumps and sampling system are awaiting delivery and therefore have not yet been installed.

All activities associated with well rehabilitation and conversion, with the exception of pump installation, have been completed.

### **4.0 CONCLUSIONS**

- Screen 3 was isolated from screens 1 and 2 successfully.
- The specific capacity of screen 1 increased by at least 15% over specific capacity measurements during the pilot well rehabilitation study of 2006. The increase may actually have been higher, but in order to make this determination, the same pumping rates would have to have been used for both tests.
- Likewise, the specific capacity of screen 2 increased by at least 50% over that measured in October 2006. Even though no redevelopment techniques were performed at screen 2, it is likely that swabbing at screen 1 during the time that the two screens were in communication had a beneficial effect on screen 2.
- Screen 1 turbidity values stabilized between 4.0–6.53 NTUs, with an average of 5.6 NTUs during the last 8 h of pumping. Higher values during the first round of pumping are attributed to particulates in the aquifer that were loosened by the development processes with perhaps some corrosion of the discharge pipe.

- Major cations and anions such as Ca, Cl, Na, and SO<sub>4</sub> exceed background values established for perched intermediate groundwater (applicable to screen 1); this is partly attributed to natural contributions from the Cerros del Rio basalt and partly to contamination. Increasing concentrations of Ca and Cl measured during the pumping test (Figure 2.7-3) suggest that these solutes occur within the Cerros del Rio basalt before drilling and are not due to residual drilling-well completion effects from the dissociation of EZ-MUD copolymer.
- Taken together, the concentrations of TOC, TKN, and ammonia suggest the lingering presence of EZ-MUD that was used during well construction. TOC concentrations may also reflect the continued presence of recalcitrant organic material remaining from the Cerro Grande fire or may reflect a local elevated background attributed to municipal discharges in the Cerros del Rio basalt.
- Concentrations of nitrate(N) at R-12 screen 1 are considered to be influenced by predrilling site conditions, including migration of treated sewage effluent from Sandia, Los Alamos, and/or Pueblo Canyons.
- The elevated above background concentrations of uranium measured during the pumping test are considered to be the result of contaminant migration and elevated alkalinity, possibly from Los Alamos Canyon and not from desorption processes with bentonite.
- During the October 2007 pumping test, dissolved concentrations of manganese and iron measured in groundwater samples collected from R-12 screen 1 ranged from 0.069 to 0.148 ppm and from 0.15 to 1.46 ppm (Table A-2), respectively. These two solutes exceed upper background values for manganese (0.016 mg/L) and iron (0.102 mg/L) (LANL 2007, 095817). Iron concentrations in nonfiltered samples are greater than those in filtered samples collected from R-12 screen 1 (Table A-2), resulting from pipe corrosion and/or presence of particulate HFO within the perched intermediate zone. Reductive dissolution of manganese dioxide has taken place within the aquifer, based on very similar concentrations of manganese in filtered and nonfiltered samples (Table A-2). The negative uncorrected ORP measurements provided in Table A-1 support instability of manganese(IV) oxides.
- Groundwater samples analyzed from well R-12 screen 1 during the 2007 pumping test have an average score of 72%, ranging from 67% to 81%. The well screen score for the 2006 pumping test was 73%. Negative ORP values (25 measurements), turbidity values greater than 5 NTUs (26 measurements), DO concentrations less than 2 mg/L (29 measurements), and excessive concentrations of TOC (29 samples) and dissolved iron and manganese (29 samples) exceeding Laboratory background contributed to samples failing several criteria of the 2007 well screen analysis.
- Analytes considered to be associated with predrilling or site conditions include dissolved calcium, sodium, magnesium, strontium, uranium, nitrate, chloride, total carbonate alkalinity, and sulfate. Well R-12 screen 1 is downgradient of active sewage discharges in TA-03 released since the early 1950s and crossgradient but is likely hydrologically connected to Los Alamos and Pueblo Canyons containing industrial and municipal discharges.
- A geochemical comparison of selected analytes and pH was performed on the R-12 screen 1 samples to compare sampling methodologies used Westbay equipment and a submersible pump. Concentrations of total carbonate alkalinity, TOC, and dissolved calcium, chloride, iron, magnesium, manganese, nitrate(N), sulfate, chromium, nickel, strontium, uranium, vanadium, and zinc were generally lower in samples using Westbay equipment in comparison to those collected during the two pumping tests conducted in 2006 and 2007. Energetic purging or pumping of screen 1 allowed groundwater outside of the filter pack to be sampled, providing more representative groundwater samples. Excess TOC is most likely derived from residual EZ-MUD associated with emplacement of the bentonite seal for screen 1 and organic acids produced from the Cerro Grande fire in May 2000.

- The overall conclusion at this time is that redevelopment activities improved the specific capacity at both screens 1 and 2 but did not improve the water quality of screen 1 over that of October 2006, when seen only by results of the well screen analysis. This condition can be attributed to a number of factors including predrilling site conditions and the presence of residual organic drilling fluids. However, the 2007 redevelopment did improve the chemistry to the extent that sulfate can now be detected, whereas previously it was not detected because of sulfide-reducing conditions. The effects of redevelopment will not be observed in full for about another 6 months when conditions will have stabilized to a greater extent and when samples are collected with the Baski system that allows purging.
- All planned activities were completed successfully with the exception of installation of the pumps and sampling system. These activities will take place when the materials arrive, estimated to be on or around November 30, 2007.

## 5.0 REFERENCES

*The following list includes all documents cited in this report. Parenthetical information following each reference provides the author(s), publication date, and ER ID number. This information is also included in text citations. ER ID numbers are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the master reference set.*

*Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau; the U.S. Department of Energy—Los Alamos Site Office; the U.S. Environmental Protection Agency, Region 6; and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.*

Broxton, D., R. Warren, A. Crowder, M. Everett, R. Gilkeson, P. Longmire, and J. Marin, May 2001.

“Characterization Well R-12 Completion Report,” Los Alamos National Laboratory report LA-13822-MS, Los Alamos, New Mexico. (Broxton et al. 2001, 071252)

Langmuir, D., 1997. *Aqueous Environmental Geochemistry*, Prentice Hall, Inc., Upper Saddle River, New Jersey. (Langmuir 1997, 056037)

LANL (Los Alamos National Laboratory), May 2007. “Groundwater Background Investigation Report, Revision 3,” Los Alamos National Laboratory document LA-UR-07-2853, Los Alamos, New Mexico. (LANL 2007, 095817)

LANL (Los Alamos National Laboratory), March 2007. “Pilot Well Rehabilitation Study Summary Report,” Los Alamos National Laboratory document LA-UR-07-1640, Los Alamos National Laboratory. (LANL 2007, 095889)

LANL (Los Alamos National Laboratory), May 2007. “Well Screen Analysis Report, Revision 2,” Los Alamos National Laboratory document LA-UR-07-2852, Los Alamos, New Mexico. (LANL 2007, 096330)

LANL (Los Alamos National Laboratory), July 2007. “Work Plan for R-Well Rehabilitation and Replacement, Revision 2,” Los Alamos National Laboratory document LA-UR-07-5087, Los Alamos, New Mexico. (LANL 2007, 098119)

Longmire, P., June 2002. “Characterization Well R-12 Geochemistry Report,” Los Alamos National Laboratory report LA-13952-MS, Los Alamos, New Mexico. (Longmire 2002, 072800)

NMED (New Mexico Environment Department), April 5, 2007. "Well Evaluations for Intermediate and Regional Wells," New Mexico Environment Department letter to D. Gregory (DOE LASO) and D. McInroy (LANL) from J.P. Bearzi (NMED-HWB), Santa Fe, New Mexico. (NMED 2007, 095394)

NMED (New Mexico Environment Department), August 20, 2007. "Approval of the Workplan for R-Well Rehabilitation and Replacement, Revision 2," New Mexico Environment Department letter to D. Gregory (DOE LASO) and D. McInroy (LANL) from J.P. Bearzi (NMED HWB), Santa Fe, New Mexico. (NMED 2007, 098182)

Reid, K.D., A.R. Groffman, R.J. Koch, and D.D. Hickmott, December 2006. "Hydrologic Linkage Between Alluvial, Intermediate, and Regional Groundwater on the Pajarito Plateau, North Central New Mexico," poster presented at the December 11-15, 2006 Meeting of the American Geophysical Union, San Francisco, California. (Reid et al. 2006, 099023)

Stone, W., D. Levitt, P. Stauffer, D. Wykoff, P. Longmire, D. Newell, Jr., C. Jones, A. Groffman, and R. Roback, March 2004. "Results of Monitoring at the Los Alamos Canyon Low-Head Weir, 2002–2003," Los Alamos National Laboratory report LA-14103-MS, Los Alamos, New Mexico. (Stone et al. 2004, 087379)




Figure 2.4-1 Abandonment and rehabilitation specifications regional well R-12





Figure 2.7-1 Field parameters measured at R-12 screen 1 on October 28 and 29, 2007




Figure 2.7-2 Turbidity (NTU) versus concentrations of iron (Fe), aluminum (Al), and zinc (Zn) in nonfiltered samples collected at R-12 screen 1 on October 28 and 29, 2007






Figure 2.7-3 Sample sequence versus TOC and dissolved concentrations of sodium (Na), calcium (Ca), chloride (Cl), sulfate (SO<sub>4</sub>), and nitrate(N) (NO<sub>3</sub>-N) at R-12 screen 1 sampled on October 28 and 29, 2007





**Figure 2.7-4** Sample sequence versus dissolved concentrations of sodium (Na), chloride (Cl), and sulfate (SO<sub>4</sub>) during characterization sampling using Westbay equipment and pumping tests conducted in September 2006 and October 2007 at R-12 screen 1



**Figure 2.7-5** Sample sequence versus dissolved and total concentrations of iron (Fe) and manganese (Mn) during characterization sampling using Westbay equipment and pumping tests conducted in September 2006 and October 2007 at R-12 screen 1



**Table 2.4-1  
Specific Capacity Test Data**

Date	Zone	Pumping Rate (gal./min)	Drawdown (ft)	Pumping Time (min)	Specific Capacity (gal./min/ft)
<b><i>Baseline Data from 2006</i></b>					
9/29/2006	Screen 1	1.16	12.80	720	0.091
10/1/2006	Screen 2	3.3	3.34	720	0.99
<b><i>Post-Development Data from 2007</i></b>					
10/28/2007	Screen 1	2.10	20.0	330	0.105
10/29/2007	Screen 1	2.55	24.2	630	0.105
10/30/2007	Screens 1 & 2	3.45	2.12	600	1.63
	Screen 1 Share	3.23	2.12	600	1.52
	Screen 2 Share	0.22	2.12	600	0.105

**Table 2.7-1  
Sampling for the R-12 Well Rehabilitation and Conversion Project**

Process/Step	Purpose	Sample Collection	Field Parameters	Frequency/Number of Samples
Remove packer isolation string	Prepare well for rehabilitation	None	None	None
Jet screen #1	Redevelop screen #1	None	None	None
Abandon screen #3	To isolate and abandon screen #3	None	None	None
Swab screen #1	Redevelopment	None	None	None
Pump screen #1 and evaluate chemistry	Measure specific capacity and assess water quality during sustained pumping	Performance suite (see definitions below).	pH, ORP, T, electrical conductivity (EC), DO, turbidity	Every 5 min for first 30 min; 10 min for next 30 min; 30 min for minimum 3 h; each hour till end of specific capacity test(25 samples total)
Install Baski dual pump sample system	Long-term sampling	None	None	None
Performance measurement, <i>after</i> submersible pump installment.	Test effects of rehabilitation	Sample 1 month after installation; full suite analysis. Followed by semiannual, per Interim Facility-wide Groundwater Monitoring Plan 2007 requirements and schedule	pH, ORP, T, EC, DO, turbidity	One filtered/nonfiltered pair.
Performance measurement <i>after</i> submersible pump installment.	Test effects of rehabilitation	Semiannual per watershed requirements and schedule	pH, ORP, T, EC, DO, turbidity	One filtered/nonfiltered pair.

Performance suite: Sulfide, TOC, metals, alkalinity, anions (including perchlorate) and cations from the EES-6 laboratory.

Full analytical suite: Volatile organic compound, semivolatile organic compound, general inorganic chemicals (including alkalinity), metals, stable isotopes of hydrogen, oxygen, and nitrogen (only during initial and final sampling of each screen).

**Table 2.7-2**  
**Field Parameters Measured at R-12 Screen 1 on October 28 and 29, 2007**

Time (yr-mo-d-h)	pH (SU)*	Temperature (°C)	Specific Conductance (µS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	ORP (mV)
0710281303	8.16	22.1	320	0.94	12.6	+48
0710281337	8.16	21.3	304	0.49	29.3	-17
0710281342	8.15	21.4	307	0.61	33.1	-6
0710281347	8.14	21.4	310	0.64	27.3	-27
0710281352	8.15	21.7	310	0.64	25.3	-17
0710281357	8.15	21.8	311	0.61	21.9	-8
0710281402	8.14	22.0	310	0.62	16.0	-3
0710281407	8.14	22.0	309	0.61	29.1	-5
0710281417	8.15	22.1	303	0.61	11.2	-19
0710281427	8.14	22.1	301	0.63	9.55	-7
0710281437	8.13	22.1	301	0.64	9.76	-33
0710281510	8.12	22.0	285	0.71	8.67	-32
0710281540	8.11	21.9	292	0.77	9.08	-23
0710281610	8.10	22.4	292	0.78	7.60	-25
0710281640	8.09	21.7	290	0.85	7.68	-33
0710281740	8.08	21.1	320	0.96	8.16	-70
0710290755	7.72	14.7	362	1.21	39.4	-167
0710290825	8.31	18.0	347	0.19	47.8	-232
0710290855	8.14	19.6	337	0.20	52.0	-185
0710290925	8.12	21.0	338	0.73	4.01	-19
0710290955	8.11	21.5	332	1.03	4.21	+12
0710291025	8.10	21.5	345	1.14	4.89	+10
0710291055	8.09	21.4	341	1.07	5.06	+8
0710291125	8.09	21.9	352	1.28	5.29	+9
0710291155	8.09	22.7	350	1.31	5.40	+48
0710291225	8.07	22.0	360	1.24	5.69	-12
0710291255	8.07	22.0	356	1.30	5.94	-38
0710291325	8.08	21.3	359	1.37	6.11	-31
0710291355	8.07	22.0	365	1.50	6.53	-12
0710291425	8.06	22.1	362	1.55	6.27	+10
0710291455	8.06	22.0	363	1.43	6.04	-46
0710291525	8.05	22.1	368	1.57	6.26	+14
0710291555	8.05	21.4	363	1.45	5.76	-31
0710291625	8.05	22.0	371	1.59	5.83	-18
0710291655	8.05	21.5	363	1.63	5.85	+13
0710291725	8.04	20.8	363	1.75	6.35	-10

\*SU = Standard unit.



# **Appendix A**

---

*Analytical Data Results*





**Table A-1**  
**Field Measurements Taken during Hydraulic Testing**

Well R-12 Rehabilitation and Conversion Summary Report

Sampling Sequence	Date	Time	pH	Temp (°C)	EC (µS/cm)	at R-12 Screen 1, October 2007			Q (gal/min)	COC ID	Comment
						DO (mg/L)	Turb (NTU)	ORP (mV)			
1	10/28/07	8:40								8097	EQB off of pump shroud
2	10/28/07	8:45								8098	EQB off of drop pipe
3	10/28/07	10:30									Pump on
4	10/28/07	10:40					363		2.61		Bottoms up
5	10/28/07	11:10					69.2				remove bore water
6	10/28/07	11:40					23.2		2.13		remove bore water
7	10/28/07	12:00					19.6				remove bore water
8	10/28/07	12:15									pump off
9	10/28/07	13:00								8157	Collect colloid sample, did not submit
10	10/28/07	13:03	8.16	22.1	320	0.94	12.6	148	2.17		Pump on
11	10/28/07	13:37	8.16	21.3	304	0.49	29.3	-17		8104	
12	10/28/07	13:42	8.15	21.4	307	0.61	33.1	-6		8105	
13	10/28/07	13:47	8.14	21.4	310	0.64	27.3	-27		8106	
14	10/28/07	13:52	8.15	21.7	310	0.64	25.3	-17		8107	
15	10/28/07	13:57	8.15	21.8	311	0.61	21.9	-8		8108	
16	10/28/07	14:02	8.14	22.0	310	0.62	16	-3		8109	
17	10/28/07	14:07	8.14	22.0	309	0.61	29.1	-5		8110	
18	10/28/07	14:17	8.15	22.1	303	0.61	11.2	-19		8111	
19	10/28/07	14:27	8.14	22.1	301	0.63	9.55	-7		8112	
20	10/28/07	14:37	8.13	22.1	301	0.64	9.76	-33		8099	Duplicate
21	10/28/07	15:10	8.12	22.0	285	0.71	8.67	-32		8113	
22	10/28/07	15:40	8.11	21.9	292	0.77	9.08	-23	2.13	8114	
23	10/28/07	16:10	8.10	22.4	292	0.78	7.6	-25		8115	
24	10/28/07	16:40	8.09	21.7	290	0.85	7.68	-33		8116	
25	10/28/07	17:40	8.08	21.1	320	0.96	8.16	-70	2.13	8117	Removed 599 gal since 13:00 hrs
26	10/29/07	7:20									Pump on
27	10/29/07	7:50								8157	Collect colloid sample
28	10/29/07	7:55	7.72	14.7	362	1.21	39.4	-167		8118	Companion sample to colloid sample
29	10/29/07	8:25	8.31	18.0	347	0.19	47.8	-232	2.9	8119	
30	10/29/07	8:55	8.14	19.6	337	0.2	52	-185	2.56		
31	10/29/07	9:25	8.12	21.0	338	0.73	4.01	-19		8100	Duplicate
32	10/29/07	9:55	8.11	21.5	332	1.03	4.21	12			
33	10/29/07	10:25	8.10	21.5	345	1.14	4.89	10		8120	
34	10/29/07	10:55	8.09	21.4	341	1.07	5.06	8			
35	10/29/07	11:25	8.09	21.9	352	1.28	5.29	9	2.54	8121	
36	10/29/07	11:55	8.09	22.7	350	1.31	5.4	48			
37	10/29/07	12:25	8.07	22.0	360	1.24	5.69	-12	2.54	8122	
38	10/29/07	12:55	8.07	22.0	356	1.3	5.94	-38	2.54		
39	10/29/07	13:25	8.08	21.3	359	1.37	6.11	-31		8123	
40	10/29/07	13:55	8.07	22.0	365	1.5	6.53	-12			
41	10/29/07	14:25	8.06	22.1	362	1.55	6.27	10		8124	
42	10/29/07	14:55	8.06	22.0	363	1.43	6.04	-46	2.52		
43	10/29/07	15:25	8.05	22.1	368	1.57	6.26	14		8125	
44	10/29/07	15:55	8.05	21.4	363	1.45	5.76	-31			
45	10/29/07	16:25	8.05	22.0	371	1.59	5.83	-18	2.44	8101	Duplicate
46	10/29/07	16:55	8.05	21.5	363	1.63	5.85	13			
47	10/29/07	17:25	8.04	20.8	363	1.75	6.35	10		8126	1466 gal removed throughout day



Table A-2  
 Laboratory-Measured Analytical Results

SAMPLE ID	DATE RECEIVED	ER/RRES-WQH	Ag rslt	stdev (Ag)	Al rslt	stdev (Al)	As rslt	stdev (As)	B rslt	stdev (B)	Ba rslt	stdev (Ba)
EU07100G12R101-SSEQB	10/28/2007	WG-08097-EE	0.001		0.060	0.003	0.0002		0.013	0.000	0.008	0.000
EU07100G12R102-SSEQB	10/28/2007	WG-08098-EE	0.001		0.018	0.002	0.0002		0.002	0.000	0.003	0.000
EU07100G12R101-SS-FB	10/28/2007	WG-08099-EE	0.001		0.001		0.0002		0.002		0.001	
EF07100G12R167	10/28/2007	WG-08104-EE	0.001		0.003	0.000	0.0012	0.0000	0.036	0.000	0.034	0.000
EU07100G12R167	10/28/2007	WG-08104-EE	0.001		0.072	0.000	0.0016	0.0000	0.036	0.000	0.039	0.000
EF07100G12R168	10/28/2007	WG-08105-EE	0.001		0.003	0.000	0.0012	0.0000	0.097	0.001	0.034	0.000
EU07100G12R168	10/28/2007	WG-08105-EE	0.001		0.084	0.001	0.0014	0.0001	0.079	0.001	0.039	0.000
EF07100G12R169	10/28/2007	WG-08106-EE	0.001		0.003	0.000	0.0014	0.0000	0.071	0.000	0.035	0.000
EU07100G12R169	10/28/2007	WG-08106-EE	0.001		0.096	0.004	0.0015	0.0000	0.070	0.000	0.040	0.000
EF07100G12R170	10/28/2007	WG-08107-EE	0.001		0.004	0.000	0.0013	0.0001	0.066	0.000	0.036	0.000
EU07100G12R170	10/28/2007	WG-08107-EE	0.001		0.088	0.001	0.0015	0.0000	0.067	0.001	0.040	0.000
EF07100G12R171	10/28/2007	WG-08108-EE	0.001		0.002	0.000	0.0014	0.0000	0.067	0.000	0.037	0.000
EU07100G12R171	10/28/2007	WG-08108-EE	0.001		0.078	0.002	0.0015	0.0000	0.065	0.001	0.040	0.000
EF07100G12R172	10/28/2007	WG-08109-EE	0.001		0.002	0.000	0.0013	0.0000	0.065	0.000	0.036	0.000
EU07100G12R172	10/28/2007	WG-08109-EE	0.001		0.069	0.002	0.0016	0.0000	0.065	0.001	0.039	0.000
EF07100G12R173	10/28/2007	WG-08110-EE	0.001		0.002	0.000	0.0013	0.0000	0.100	0.001	0.036	0.000
EU07100G12R173	10/28/2007	WG-08110-EE	0.001		0.053	0.001	0.0014	0.0000	0.079	0.001	0.040	0.000
EF07100G12R174	10/28/2007	WG-08111-EE	0.001		0.009	0.000	0.0013	0.0000	0.069	0.001	0.035	0.000
EU07100G12R174	10/28/2007	WG-08111-EE	0.001		0.069	0.005	0.0016	0.0001	0.065	0.001	0.037	0.000
EF07100G12R175	10/28/2007	WG-08112-EE	0.001		0.004	0.001	0.0017	0.0003	0.074	0.002	0.040	0.001
EU07100G12R175	10/28/2007	WG-08112-EE	0.001		0.069	0.013	0.0017	0.0003	0.064	0.001	0.038	0.000
EF07100G12R162	10/28/2007	WG-08099-EE	0.001		0.003	0.000	0.0013	0.0000	0.052	0.000	0.038	0.000
EU07100G12R162	10/28/2007	WG-08099-EE	0.001		0.052	0.002	0.0015	0.0000	0.047	0.001	0.040	0.000
EF07100G12R171	10/28/2007	WG-08099-EE	0.001		0.004	0.000	0.0013	0.0000	0.048	0.000	0.039	0.000
EU07100G12R171	10/28/2007	WG-08099-EE	0.001		0.052	0.001	0.0016	0.0000	0.045	0.000	0.041	0.000
EF07100G12R176	10/28/2007	WG-08113-EE	0.001		0.006	0.001	0.0012	0.0000	0.072	0.000	0.041	0.000
EU07100G12R176	10/28/2007	WG-08113-EE	0.001		0.070	0.010	0.0017	0.0003	0.067	0.001	0.041	0.001
EF07100G12R177	10/28/2007	WG-08114-EE	0.001		0.009	0.003	0.0013	0.0003	0.065	0.000	0.037	0.000
EU07100G12R177	10/28/2007	WG-08114-EE	0.001		0.039	0.000	0.0013	0.0000	0.069	0.000	0.043	0.000
EF07100G12R178	10/28/2007	WG-08115-EE	0.001		0.004	0.001	0.0012	0.0002	0.105	0.002	0.039	0.000
EU07100G12R178	10/28/2007	WG-08115-EE	0.001		0.054	0.014	0.0019	0.0006	0.087	0.000	0.043	0.000
EF07100G12R179	10/28/2007	WG-08116-EE	0.001		0.003	0.001	0.0012	0.0002	0.078	0.001	0.041	0.000
EU07100G12R179	10/28/2007	WG-08116-EE	0.001		0.043	0.002	0.0015	0.0000	0.076	0.002	0.047	0.001
EF07100G12R180	10/28/2007	WG-08117-EE	0.001		0.007	0.000	0.0009	0.0000	0.069	0.000	0.042	0.000
EU07100G12R180	10/28/2007	WG-08117-EE	0.001		0.039	0.001	0.0012	0.0000	0.065	0.001	0.044	0.001
EF07100G12R181	10/29/2007	WG-08118-EE	0.001		0.004	0.000	0.0006	0.0000	0.059	0.001	0.041	0.000
EU07100G12R181	10/29/2007	WG-08118-EE	0.001		0.060	0.000	0.0014	0.0000	0.061	0.001	0.053	0.001
EF07100G12R182	10/29/2007	WG-08119-EE	0.001		0.007	0.001	0.0008	0.0000	0.061	0.001	0.044	0.000
EU07100G12R182	10/29/2007	WG-08119-EE	0.001		0.054	0.004	0.0011	0.0000	0.056	0.001	0.056	0.001
EF07100G12R163	10/29/2007	WG-08100-EE	0.001		0.002	0.001	0.0011	0.0000	0.060	0.001	0.044	0.000
EU07100G12R163	10/29/2007	WG-08100-EE	0.001		0.026	0.002	0.0016	0.0001	0.128	0.003	0.054	0.001
EF07100G12R172	10/29/2007	WG-08100-EE	0.001		0.001		0.0013	0.0000	0.087	0.000	0.047	0.000
EU07100G12R172	10/29/2007	WG-08100-EE	0.001		0.031	0.000	0.0015	0.0000	0.081	0.000	0.048	0.000
EF07100G12R183	10/29/2007	WG-08120-EE	0.001		0.002	0.000	0.0011	0.0001	0.065	0.001	0.042	0.000
EU07100G12R183	10/29/2007	WG-08120-EE	0.001		0.019	0.000	0.0013	0.0000	0.062	0.001	0.046	0.000
EF07100G12R184	10/29/2007	WG-08121-EE	0.001		0.002	0.000	0.0009	0.0000	0.058	0.001	0.042	0.000
EU07100G12R184	10/29/2007	WG-08121-EE	0.001		0.021	0.000	0.0011	0.0000	0.053	0.001	0.043	0.001
EF07100G12R185	10/29/2007	WG-08122-EE	0.001		0.002	0.000	0.0010	0.0003	0.045	0.001	0.038	0.001
EU07100G12R185	10/29/2007	WG-08122-EE	0.001		0.020	0.001	0.0012	0.0000	0.057	0.001	0.045	0.000
EF07100G12R186	10/29/2007	WG-08123-EE	0.001		0.002	0.000	0.0009	0.0000	0.053	0.001	0.040	0.000
EU07100G12R186	10/29/2007	WG-08123-EE	0.001		0.022	0.001	0.0012	0.0000	0.049	0.000	0.041	0.000
EF07100G12R187	10/29/2007	WG-08124-EE	0.001		0.017	0.001	0.0011	0.0000	0.053	0.000	0.043	0.000
EU07100G12R187	10/29/2007	WG-08124-EE	0.001		0.016	0.000	0.0011	0.0000	0.114	0.001	0.041	0.000
EF07100G12R188	10/29/2007	WG-08125-EE	0.001		0.003	0.000	0.0010	0.0001	0.118	0.002	0.046	0.001
EU07100G12R188	10/29/2007	WG-08125-EE	0.001		0.019	0.001	0.0013	0.0002	0.099	0.001	0.044	0.000
EF07100G12R164	10/29/2007	WG-08101-EE	0.001		0.003	0.000	0.0009	0.0001	0.093	0.000	0.040	0.000
EU07100G12R164	10/29/2007	WG-08101-EE	0.001		0.022	0.004	0.0016	0.0003	0.089	0.002	0.042	0.001
EF07100G12R173	10/29/2007	WG-08101-EE	0.001		0.005	0.002	0.0014	0.0003	0.080	0.001	0.036	0.001
EU07100G12R173	10/29/2007	WG-08101-EE	0.001		0.015	0.001	0.0011	0.0000	0.096	0.002	0.047	0.001
EF07100G12R189	10/29/2007	WG-08126-EE	0.001		0.002	0.000	0.0009	0.0000	0.087	0.001	0.040	0.000
EU07100G12R189	10/29/2007	WG-08126-EE	0.001		0.016	0.001	0.0011	0.0001	0.087	0.001	0.043	0.000

Table A-2  
Laboratory-Measured Analytical Results

Be rsit	stdev (Be)	Br(-) ppm	Br(-) (U)	TOC rsit	TOC (U)	Ca rsit	stdev (Ca)	Cd rsit	stdev (Cd)	Cl(-) ppm	Cl(-) (U)	ClO4(-) ppm	ClO4(-) (U)
0.001		0.01	U	0.58		0.82	0.01	0.001		0.10		0.0005	U
0.001		0.01	U	0.27		0.34	0.01	0.001		0.08		0.0005	U
0.001		0.02		0.20	U	0.01		0.001				0.0005	U
0.001		0.19				27.1	0.1	0.001		21.7		0.005	U
0.001				31.2		27.0	0.1	0.001					
0.001		0.22				27.4	0.2	0.001		22.2		0.005	U
0.001				36.0		27.8	0.0	0.001					
0.001		0.20				28.3	0.1	0.001		22.7		0.005	U
0.001				32.2		28.5	0.2	0.001					
0.001		0.19				28.4	0.3	0.001		23.3		0.005	U
0.001				29.9		28.4	0.2	0.001					
0.001		0.10				28.1	0.1	0.001		23.5		0.005	U
0.001				28.5		28.3	0.2	0.001					
0.001		0.14				28.2	0.1	0.001		23.8		0.005	U
0.001				26.5		28.6	0.2	0.001					
0.001		0.11				28.7	0.2	0.001		24.0		0.005	U
0.001				24.4		28.3	0.1	0.001					
0.001		0.12				29.4	0.0	0.001		24.7		0.005	U
0.001				21.6		29.1	0.0	0.001					
0.001		0.11				29.5	0.1	0.001		24.8		0.005	U
0.001				19.0		29.1	0.1	0.001					
0.001		0.11				30.7	0.2	0.001		25.6		0.001	U
0.001				15.9		30.3	0.1	0.001					
0.001		0.11				30.8	0.1	0.001		25.3		0.001	U
0.001				15.9		30.6	0.1	0.001		0.01			
0.001		0.13				31.5	0.2	0.001		26.9		0.005	U
0.001				11.5		31.3	0.1	0.001					
0.001		0.13				32.6	0.0	0.001		27.8		0.005	U
0.001				11.0		32.7	0.3	0.001					
0.001		0.26				33.3	0.1	0.001		28.7		0.005	U
0.001				9.13		33.7	0.3	0.001					
0.001		0.14				34.8	0.0	0.001		29.3		0.005	U
0.001				7.91		36.6	0.1	0.001					
0.001		0.15				36.6	0.2	0.001		30.4		0.005	U
0.001				5.39		38.3	0.4	0.001					
0.001		0.10				38.1	0.1	0.001		30.2		0.005	U
0.001				4.18		38.2	0.1	0.001					
0.001		0.10				34.3	0.0	0.001		28.1		0.005	U
0.001				3.65		35.0	0.1	0.001					
0.001		0.11				38.8	0.0	0.001		30.2		0.005	U
0.001				3.44		38.1	0.1	0.001					
0.001		0.11				37.0	0.2	0.001		30.2		0.005	U
0.001				3.48		37.1	0.1	0.001					
0.001		0.11				38.2	0.0	0.001		31.1		0.005	U
0.001				5.60		37.9	0.2	0.001					
0.001		0.12				38.5	0.2	0.001		31.6		0.005	U
0.001				4.95		38.9	0.1	0.001					
0.001		0.12				39.7	0.0	0.001		32.2		0.005	U
0.001				3.57		38.8	0.2	0.001					
0.001		0.13				39.9	0.0	0.001		32.6		0.005	U
0.001				2.85		39.4	0.1	0.001					
0.001		0.12				40.4	0.1	0.001		32.6		0.005	U
0.001				2.34		40.6	0.2	0.001					
0.001		0.13				40.8	0.0	0.001		32.8		0.005	U
0.001				2.08		41.6	0.1	0.001					
0.001		0.12				41.3	0.3	0.001		33.0		0.005	U
0.001				2.04		41.9	0.1	0.001					
0.001		0.12				42.3	0.3	0.001		32.9		0.005	U
0.001				1.90		41.6	0.1	0.001					
0.001		0.13				42.2	0.3	0.001		33.4		0.005	U
0.001				1.84		41.8	0.1	0.001					

Table A-2  
Laboratory-Measured Analytical Results

Co rslt	stdev (Co)	Alk-CO3 rslt	ALK-CO3 (U)	Cr rslt	stdev (Cr )	Cs rslt	stdev (Cs)	Cu rslt	stdev (Cu)	F(-) ppm	F(-) (U)	Fe rslt	stdev (Fe)
0.001				0.002	0.000	0.001		0.147	0.007	0.01	U	6.11	0.07
0.001				0.001		0.001		0.001		0.01	U	4.07	0.02
0.001		0.8	U	0.001		0.001		0.002	0.000			0.01	
0.002	0.000	0.8	U	0.001	0.000	0.001		0.001	0.000	0.67		0.35	0.00
0.001		0.8	U	0.002	0.000	0.001		0.007	0.000			2.38	0.04
0.001		0.8	U	0.002	0.000	0.001		0.002	0.000	0.72		0.32	0.00
0.001		0.8	U	0.002	0.000	0.001		0.007	0.000			2.10	0.01
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000	0.69		0.21	0.00
0.001		0.8	U	0.003	0.000	0.001		0.006	0.000			1.66	0.02
0.001	0.000	0.8	U	0.002	0.000	0.001		0.001	0.000	0.72		0.32	0.00
0.001		0.8	U	0.002	0.000	0.001		0.004	0.000			1.31	0.01
0.001		0.8	U	0.002	0.000	0.001		0.002	0.000	0.68		0.27	0.00
0.001		0.8	U	0.002	0.000	0.001		0.003	0.000			1.25	0.01
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000	0.70		0.24	0.00
0.001		0.8	U	0.002	0.000	0.001		0.003	0.000			1.21	0.01
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000	0.67		0.31	0.00
0.001		0.8	U	0.002	0.000	0.001		0.003	0.000			1.14	0.02
0.001		0.8	U	0.001	0.000	0.001		0.004	0.000	0.68		0.25	0.00
0.001		0.8	U	0.002	0.000	0.001		0.006	0.000			1.01	0.01
0.001	0.000	0.8	U	0.002	0.001	0.001		0.001	0.000	0.65		0.28	0.00
0.001		0.8	U	0.003	0.001	0.001		0.004	0.001			1.05	0.00
0.001	0.000	0.8	U	0.002	0.000	0.001		0.001		0.65		0.43	0.00
0.001		0.8	U	0.002	0.000	0.001		0.002	0.000			1.08	0.01
0.002	0.000	0.8	U	0.002	0.000	0.001		0.001	0.000	0.64		0.35	0.00
0.001		0.8	U	0.003	0.000	0.001		0.002	0.000	0.01	U	1.09	0.01
0.001		0.8	U	0.002	0.000	0.001		0.003	0.000	0.65		0.25	0.00
0.001		0.8	U	0.003	0.000	0.001		0.007	0.001			1.05	0.01
0.001		0.8	U	0.002	0.001	0.001		0.001	0.000	0.63		0.32	0.00
0.001		0.8	U	0.002	0.000	0.001		0.002	0.000			1.09	0.00
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000	0.65		0.19	0.00
0.001		0.8	U	0.004	0.001	0.001		0.002	0.001			1.10	0.00
0.001		0.8	U	0.002	0.001	0.001		0.001	0.000	0.64		0.15	0.00
0.001		0.8	U	0.002	0.000	0.001		0.003	0.000			1.15	0.02
0.001		0.8	U	0.002	0.000	0.001		0.001		0.63		0.15	0.00
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000			1.08	0.01
0.001		0.8	U	0.002	0.000	0.001		0.001		0.54		0.80	0.01
0.001		0.8	U	0.007	0.000	0.001		0.172	0.002			5.51	0.04
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000	0.53		1.46	0.02
0.001		0.8	U	0.003	0.000	0.001		0.004	0.000			5.45	0.03
0.001		0.8	U	0.001	0.000	0.001		0.001		0.56		0.18	0.00
0.001		0.8	U	0.001	0.000	0.001		0.001	0.000			0.71	0.01
0.001		0.8	U	0.001		0.001		0.001		0.55		0.26	0.00
0.001		0.8	U	0.001	0.000	0.001		0.002	0.000			0.66	0.00
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000	0.56		0.27	0.00
0.001		0.8	U	0.002	0.000	0.001		0.005	0.000			0.82	0.00
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000	0.55		0.25	0.00
0.001		0.8	U	0.002	0.000	0.001		0.003	0.000			0.90	0.01
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000	0.55		0.19	0.00
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000			1.05	0.01
0.002	0.000	0.8	U	0.001	0.000	0.001		0.001		0.60		0.21	0.00
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000			1.03	0.00
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000	0.55		1.11	0.00
0.001		0.8	U	0.002	0.000	0.001		0.002	0.000			1.05	0.01
0.001	0.000	0.8	U	0.002	0.000	0.001		0.001	0.000	0.54		0.26	0.00
0.002	0.000	0.8	U	0.002	0.000	0.001		0.003	0.000			1.15	0.01
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000	0.54		0.26	0.00
0.001		0.8	U	0.003	0.001	0.001		0.002	0.000			1.09	0.01
0.001	0.000	0.8	U	0.004	0.001	0.001		0.005	0.001	0.53		0.19	0.00
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000			1.21	0.01
0.002	0.000	0.8	U	0.002	0.000	0.001		0.001		0.58		0.34	0.00
0.001		0.8	U	0.002	0.000	0.001		0.001	0.000			1.11	0.01

Table A-2  
Laboratory-Measured Analytical Results

Alk-CO3+HCO3 rslt	ALK-CO3+HCO3 (U)	Hg rslt	stdev (Hg)	K rslt	stdev (K)	Li rslt	stdev (Li)	Mg rslt	stdev (Mg)	Mn rslt	stdev (Mn)	Mo rslt	stdev (Mo)
		0.00005		0.01		0.001		0.07	0.00	0.235	0.003	0.001	
		0.00005		0.01		0.001	0.000	0.04	0.00	0.012	0.000	0.001	
0	U	0.00005		0.01		0.001		0.00		0.000		0.001	
149		0.00005		3.36	0.00	0.034	0.001	7.40	0.01	0.124	0.000	0.002	0.000
149		0.00005		3.45	0.02	0.035	0.001	7.48	0.06	0.141	0.001	0.002	0.000
150		0.00005		3.64	0.00	0.037	0.000	7.44	0.03	0.127	0.000	0.002	0.000
150		0.00005		3.66	0.01	0.035	0.001	7.63	0.03	0.153	0.000	0.002	0.000
150		0.00005		3.54	0.00	0.036	0.001	7.66	0.01	0.118	0.000	0.002	0.000
150		0.00005		3.70	0.02	0.037	0.000	7.83	0.02	0.142	0.001	0.002	0.000
152		0.00005		3.51	0.03	0.033	0.001	7.68	0.04	0.116	0.001	0.002	0.000
152		0.00005		3.64	0.03	0.035	0.000	7.95	0.09	0.130	0.001	0.002	0.000
151		0.00005		3.57	0.01	0.037	0.001	7.93	0.04	0.116	0.001	0.002	0.000
151		0.00005		3.63	0.04	0.036	0.000	7.93	0.06	0.125	0.001	0.002	0.000
148		0.00005		3.53	0.01	0.038	0.001	7.96	0.02	0.112	0.001	0.002	0.000
148		0.00005		3.61	0.05	0.034	0.000	7.97	0.04	0.122	0.001	0.002	0.000
144		0.00005		3.63	0.03	0.037	0.000	7.91	0.04	0.111	0.001	0.002	0.000
144		0.00005		3.70	0.03	0.033	0.001	8.25	0.06	0.119	0.001	0.002	0.000
146		0.00005		3.40	0.04	0.035	0.000	7.76	0.12	0.102	0.001	0.002	0.000
146		0.00005		3.38	0.04	0.041	0.002	7.62	0.03	0.107	0.001	0.002	0.000
144		0.00005		3.87	0.11	0.052	0.010	8.96	0.15	0.116	0.002	0.002	0.000
144		0.00005		3.39	0.03	0.046	0.007	7.85	0.04	0.109	0.000	0.002	0.000
147		0.00005		3.38	0.01	0.039	0.001	8.27	0.01	0.111	0.000	0.002	0.000
147		0.00005		3.37	0.01	0.038	0.001	8.17	0.02	0.112	0.000	0.002	0.000
144		0.00005		3.43	0.02	0.039	0.001	8.45	0.05	0.114	0.000	0.002	0.000
144		0.00005		3.42	0.02	0.039	0.001	8.27	0.03	0.114	0.001	0.002	0.000
147		0.00005		3.57	0.01	0.039	0.003	8.96	0.05	0.108	0.000	0.002	0.000
147		0.00005		3.43	0.05	0.051	0.008	8.50	0.05	0.109	0.001	0.002	0.000
144		0.00005		3.12	0.02	0.049	0.010	8.29	0.05	0.096	0.001	0.002	0.000
144		0.00005		3.39	0.01	0.041	0.002	8.93	0.02	0.109	0.000	0.002	0.000
147		0.00005		3.40	0.03	0.045	0.008	8.91	0.06	0.099	0.001	0.002	0.000
147		0.00005		3.41	0.01	0.058	0.015	9.13	0.04	0.107	0.001	0.002	0.000
148		0.00005		3.26	0.01	0.044	0.007	9.10	0.06	0.096	0.001	0.002	0.000
148		0.00005		3.62	0.09	0.043	0.003	9.96	0.23	0.108	0.003	0.002	0.000
148		0.00005		3.19	0.02	0.040	0.000	9.54	0.04	0.092	0.000	0.002	0.000
148		0.00005		3.19	0.04	0.041	0.000	9.38	0.08	0.094	0.001	0.002	0.000
151		0.00005		3.01	0.04	0.041	0.000	9.37	0.11	0.112	0.001	0.002	0.000
151		0.00005		3.11	0.05	0.038	0.001	9.76	0.13	0.201	0.003	0.002	0.000
138		0.00006	0.00000	3.31	0.05	0.040	0.002	8.99	0.10	0.148	0.002	0.002	0.000
138		0.00005		3.10	0.03	0.034	0.000	8.96	0.08	0.142	0.002	0.002	0.000
152		0.00005		2.96	0.03	0.040	0.000	9.53	0.05	0.090	0.001	0.002	0.000
152		0.00005		3.79	0.08	0.039	0.002	11.19	0.12	0.111	0.002	0.002	0.000
148		0.00005		3.17	0.01	0.036	0.000	9.74	0.04	0.096	0.000	0.002	0.000
148		0.00005		3.19	0.01	0.040	0.001	9.77	0.05	0.099	0.000	0.002	0.000
153		0.00005		3.05	0.01	0.038	0.004	9.90	0.04	0.086	0.001	0.002	0.000
153		0.00005		3.23	0.01	0.039	0.000	10.57	0.05	0.094	0.000	0.002	0.000
155		0.00005		3.16	0.04	0.037	0.001	10.70	0.06	0.083	0.000	0.002	0.000
155		0.00005		3.05	0.04	0.036	0.001	10.36	0.11	0.083	0.001	0.002	0.000
154		0.00005		2.83	0.07	0.046	0.006	9.80	0.16	0.070	0.001	0.002	0.000
154		0.00005		3.20	0.04	0.038	0.001	11.21	0.14	0.083	0.001	0.002	0.000
155		0.00005		3.07	0.02	0.038	0.002	11.01	0.10	0.076	0.000	0.002	0.000
155		0.00005		2.92	0.01	0.040	0.001	10.51	0.02	0.074	0.000	0.002	0.000
155		0.00005		3.07	0.01	0.035	0.000	11.14	0.04	0.074	0.000	0.002	0.000
155		0.00005		3.17	0.02	0.037	0.001	10.42	0.02	0.071	0.000	0.002	0.000
156		0.00005		3.70	0.07	0.043	0.005	12.82	0.16	0.081	0.001	0.002	0.000
156		0.00005		3.36	0.04	0.039	0.004	11.56	0.12	0.075	0.000	0.002	0.000
156		0.00005		3.20	0.01	0.042	0.005	11.38	0.08	0.068	0.000	0.002	0.000
156		0.00005		3.19	0.05	0.050	0.010	11.24	0.14	0.070	0.001	0.002	0.000
155		0.00005		2.93	0.05	0.064	0.018	10.26	0.21	0.061	0.001	0.002	0.000
155		0.00005		3.52	0.04	0.037	0.000	12.36	0.15	0.077	0.001	0.002	0.000
155		0.00005		3.20	0.02	0.037	0.001	11.57	0.10	0.069	0.000	0.002	0.000
155		0.00005		3.18	0.01	0.038	0.000	11.54	0.02	0.069	0.000	0.003	0.000

Table A-2  
Laboratory-Measured Analytical Results

Na rslt	stdev (Na)	Ni rslt	stdev (Ni)	NO2(ppm)	NO2-N rslt	NO2-N (U)	NO-3 ppm	NO-3-N rslt	NO-3-N (U)	C2O4 rslt	C2O4 (U)	Pb rslt	stdev (Pb)
0.30	0.01	0.004	0.000	0.04	0.014		0.11	0.024		0.01	U	0.0191	0.0007
0.22	0.00	0.001		0.03	0.009		0.09	0.021		0.01	U	0.0002	
0.00		0.000		0.01	0.003	U	0.01	0.002	U	0.01	U	0.0002	
31.37	0.05	0.003	0.000	0.01	0.003	U	5.34	1.205		0.01	U	0.0002	
31.68	0.15	0.005	0.000									0.0013	0.0000
33.00	0.05	0.004	0.000	0.01	0.003	U	5.38	1.215		0.01	U	0.0002	
33.64	0.15	0.004	0.000									0.0015	0.0001
31.81	0.08	0.003	0.000	0.01	0.003	U	5.71	1.290		0.01	U	0.0002	
33.01	0.25	0.004	0.000									0.0012	0.0001
31.00	0.24	0.004	0.000	0.01	0.003	U	6.05	1.365		0.01	U	0.0002	
31.94	0.29	0.004	0.000									0.0010	0.0000
31.31	0.22	0.004	0.000	0.01	0.003	U	6.14	1.386		0.01	U	0.0002	
31.67	0.34	0.004	0.000									0.0010	0.0000
30.33	0.13	0.004	0.000	0.01	0.003	U	6.38	1.440		0.01	U	0.0002	
30.86	0.32	0.004	0.000									0.0008	0.0000
28.61	0.17	0.004	0.000	0.01	0.003	U	6.61	1.492		0.01	U	0.0002	
30.88	0.40	0.004	0.000									0.0006	0.0000
27.04	0.35	0.014	0.000	0.01	0.003	U	7.02	1.586		0.01	U	0.0026	0.0000
27.13	0.21	0.017	0.001									0.0039	0.0001
30.11	0.52	0.005	0.001	0.01	0.003	U	7.15	1.614		0.01	U	0.0002	
26.33	0.35	0.005	0.001									0.0011	0.0001
26.32	0.02	0.004	0.000	0.01	0.003	U	7.65	1.727		0.01	U	0.0002	
26.44	0.10	0.005	0.000									0.0005	0.0000
26.65	0.07	0.004	0.000	0.01	0.003	U	7.53	1.699		0.01	U	0.0002	
26.48	0.23	0.005	0.000									0.0002	
24.97	0.06	0.008	0.000	0.01	0.003	U	8.55	1.930		0.01	U	0.0012	0.0001
23.99	0.20	0.016	0.002									0.0035	0.0007
21.82	0.18	0.006	0.001	0.01	0.003	U	9.26	2.091		0.01	U	0.0002	
23.64	0.10	0.005	0.000									0.0004	0.0000
22.29	0.06	0.005	0.001	0.01	0.003	U	10.00	2.258		0.01	U	0.0002	
22.80	0.02	0.009	0.002									0.0005	0.0002
22.03	0.01	0.009	0.002	0.01	0.003	U	10.30	2.326		0.01	U	0.0002	
24.30	0.45	0.007	0.000									0.0004	0.0000
20.92	0.12	0.005	0.000	0.01	0.003	U	11.11	2.509		0.01	U	0.0002	
20.91	0.33	0.005	0.000									0.0003	0.0000
19.40	0.28	0.005	0.000	0.01	0.003	U	10.75	2.427		0.01	U	0.0002	
19.95	0.21	0.008	0.000									0.2539	0.0118
19.15	0.12	0.005	0.000	0.55	0.166		7.11	1.605		0.01	U	0.0003	0.0000
18.97	0.24	0.006	0.000									0.0009	0.0000
19.12	0.25	0.005	0.000	0.01	0.003	U	10.99	2.482		0.01	U	0.0002	
22.55	0.28	0.006	0.000									0.0003	0.0000
19.61	0.09	0.005	0.000	0.01	0.003	U	10.94	2.471		0.01	U	0.0002	
19.74	0.15	0.006	0.000									0.0011	0.0000
19.86	0.23	0.005	0.000	0.01	0.003	U	11.89	2.685		0.01	U	0.0002	
21.13	0.04	0.006	0.000									0.0015	0.0000
20.79	0.21	0.005	0.000	0.01	0.003	U	12.39	2.798		0.01	U	0.0002	
20.23	0.20	0.005	0.000									0.0002	
18.58	0.33	0.006	0.001	0.01	0.003	U	12.86	2.905		0.01	U	0.0002	
21.02	0.22	0.005	0.000									0.0002	
20.04	0.10	0.005	0.000	0.01	0.003	U	13.24	2.990		0.01	U	0.0002	
18.95	0.07	0.006	0.000									0.0002	0.0000
19.73	0.05	0.005	0.000	0.01	0.003	U	13.35	3.014		0.01	U	0.0002	0.0000
18.78	0.07	0.006	0.000									0.0003	0.0000
22.33	0.35	0.007	0.001	0.01	0.003	U	13.47	3.042		0.01	U	0.0002	
20.61	0.20	0.006	0.001									0.0004	0.0000
19.60	0.07	0.006	0.000	0.01	0.003	U	13.67	3.087		0.01	U	0.0002	
19.49	0.31	0.009	0.002									0.0002	
18.08	0.29	0.011	0.003	0.01	0.003	U	13.60	3.071		0.01	U	0.0002	
21.54	0.26	0.005	0.000									0.0002	
19.65	0.15	0.006	0.000	0.01	0.003	U	13.94	3.148		0.01	U	0.0002	
19.51	0.05	0.006	0.000									0.0002	

Table A-2  
Laboratory-Measured Analytical Results

pH (Lab)	PO4(-3) rsit	PO4(-3) (U)	Rb rsit	stdev (Rb)	S2- rsit	S2- (U)	Sb rsit	stdev (Sb)	Se rsit	stdev (Se)	Si rsit	stdev (Si)	SiO2 rsit
	0.01	U	0.001				0.001		0.001		0.54	0.01	1.17
	0.01	U	0.001				0.001		0.001		0.53	0.00	1.14
5.55	0.01	U	0.001		0.009	U	0.001		0.001		0.01		0.02
8.00	0.02		0.005	0.000			0.001		0.001		23.52	0.12	50.33
8.00			0.005	0.000	0.009	U	0.001		0.001		24.37	0.08	52.14
8.01	0.01	U	0.005	0.000			0.001		0.001		23.54	0.09	50.37
8.01			0.005	0.000	0.009	U	0.001		0.001		24.70	0.17	52.85
8.03	0.02		0.005	0.000			0.001		0.001		24.04	0.09	51.44
8.03			0.005	0.000	0.009	U	0.001		0.001		25.38	0.23	54.32
8.01	0.02		0.005	0.000			0.001		0.001		23.82	0.09	50.98
8.01			0.005	0.000	0.009	U	0.001		0.001		25.21	0.26	53.96
8.03	0.03		0.005	0.000			0.001		0.001		24.45	0.12	52.32
8.03			0.005	0.000	0.009	U	0.001		0.001		24.93	0.30	53.34
8.02	0.02		0.005	0.000			0.001		0.001		24.27	0.09	51.94
8.02			0.005	0.000	0.009	U	0.001		0.001		24.88	0.09	53.25
8.05	0.03		0.005	0.000			0.001		0.001		23.79	0.11	50.92
8.05			0.005	0.000	0.009	U	0.001		0.001		25.54	0.40	54.65
8.04	0.02		0.005	0.000			0.001		0.001		23.40	0.22	50.08
8.04			0.005	0.000	0.009	U	0.001		0.001	0.000	23.20	0.29	49.66
8.06	0.03		0.006	0.001			0.001		0.002	0.001	26.26	0.66	56.20
8.06			0.006	0.001	0.009	U	0.001		0.001	0.000	23.67	0.13	50.66
8.07	0.01	U	0.005	0.000			0.001		0.001		24.23	0.17	51.86
8.07			0.005	0.000	0.009	U	0.001		0.001		24.29	0.05	51.99
8.02	0.02		0.005	0.000			0.001		0.001		24.60	0.24	52.65
8.02			0.005	0.000	0.009	U	0.001		0.001		24.77	0.08	53.00
8.06	0.02		0.005	0.001			0.001		0.001	0.000	24.90	0.01	53.30
8.06			0.007	0.001	0.009	U	0.001		0.002	0.000	24.01	0.35	51.38
8.07	0.02		0.007	0.001			0.001		0.001	0.001	21.90	0.20	46.87
8.07			0.006	0.000	0.009	U	0.001		0.001	0.000	23.98	0.08	51.32
8.06	0.01		0.006	0.001			0.001		0.001	0.000	22.76	0.20	48.71
8.06			0.008	0.003	0.009	U	0.001		0.002	0.001	23.75	0.15	50.83
8.08	0.02		0.006	0.001			0.001		0.001	0.000	22.95	0.05	49.11
8.08			0.006	0.000	0.009	U	0.001		0.001	0.000	25.43	0.57	54.43
8.08	0.01		0.006	0.000			0.001		0.001	0.000	23.10	0.07	49.44
8.08			0.006	0.000	0.009	U	0.001		0.001	0.000	22.94	0.24	49.08
8.02	0.01	U	0.006	0.000			0.001		0.001	0.000	19.09	0.20	40.84
8.02			0.005	0.000	0.009	U	0.001		0.001	0.000	21.49	0.32	45.99
7.95	0.01	U	0.006	0.000			0.001		0.001	0.000	19.79	0.19	42.34
7.95			0.006	0.000	0.009	U	0.001		0.001	0.000	18.88	0.15	40.40
8.05	0.01		0.006	0.000			0.001		0.001	0.000	21.90	0.14	46.87
8.05			0.006	0.000	0.009	U	0.001		0.001	0.000	25.77	0.48	55.14
8.07	0.01		0.006	0.000			0.001		0.001	0.000	22.55	0.01	48.25
8.07			0.006	0.000	0.009	U	0.001		0.001	0.000	22.76	0.18	48.72
7.87	0.01	U	0.005	0.000			0.001		0.001	0.000	22.31	0.22	47.74
7.87			0.006	0.000	0.009	U	0.001		0.001	0.000	23.91	0.13	51.17
7.96	0.01	U	0.006	0.000			0.001		0.001	0.000	23.53	0.14	50.35
7.96			0.005	0.000	0.009	U	0.001		0.001	0.000	22.91	0.18	49.04
8.00	0.01	U	0.007	0.001			0.001		0.002	0.000	21.24	0.47	45.46
8.00			0.006	0.000	0.009	U	0.001		0.001	0.000	24.44	0.44	52.31
8.00	0.01	U	0.006	0.000			0.001		0.001	0.000	23.29	0.16	49.84
8.00			0.006	0.000	0.009	U	0.001		0.001	0.000	22.70	0.05	48.57
8.01	0.01	U	0.006	0.000			0.001		0.001	0.000	23.79	0.12	50.91
8.01			0.006	0.000	0.009	U	0.001		0.001	0.000	22.37	0.15	47.87
8.07	0.01	U	0.007	0.001			0.001		0.002	0.000	26.80	0.45	57.36
8.07			0.006	0.000	0.009	U	0.001		0.001	0.000	24.73	0.07	52.92
8.06	0.01	U	0.006	0.001			0.001		0.002	0.000	23.53	0.12	50.36
8.06			0.008	0.002	0.009	U	0.001		0.002	0.001	23.70	0.24	50.72
8.05	0.01	U	0.010	0.003			0.001		0.003	0.001	21.31	0.43	45.61
8.05			0.006	0.000	0.009	U	0.001		0.001	0.000	25.98	0.20	55.59
8.07	0.01	U	0.006	0.000			0.001		0.001	0.000	23.72	0.18	50.75
8.07			0.006	0.000	0.009	U	0.001		0.001	0.000	24.12	0.12	51.63



Table A-2  
Laboratory-Measured Analytical Results

stdev (SiO2)	Sn rslt	stdev (Sn)	SO4(-2) rslt	SO4(-2) (U)	Sr rslt	stdev (Sr)	Th rslt	stdev (Th)	Ti rslt	stdev (Ti)	TI rslt	stdev (TI)	U rslt
0.02	0.001		0.23		0.003	0.000	0.001		0.003	0.000	0.001		0.0002
0.01	0.001		0.16		0.001		0.001		0.001	0.000	0.001		0.0002
	0.001		0.05		0.001		0.001		0.002		0.001		0.0002
0.25	0.001		24.5		0.115	0.000	0.001		0.002		0.001		0.0050
0.17	0.001				0.117	0.001	0.001		0.005	0.000	0.001		0.0068
0.19	0.001		25.9		0.116	0.000	0.001		0.002		0.001		0.0050
0.37	0.001				0.118	0.001	0.001		0.006	0.000	0.001		0.0060
0.20	0.001		24.9		0.118	0.000	0.001		0.002		0.001		0.0056
0.50	0.001				0.122	0.001	0.001		0.006	0.000	0.001		0.0067
0.20	0.001		24.7		0.117	0.001	0.001		0.002		0.001		0.0056
0.55	0.001				0.122	0.001	0.001		0.006	0.000	0.001		0.0064
0.26	0.001		24.2		0.122	0.000	0.001		0.002		0.001		0.0058
0.65	0.001				0.122	0.001	0.001		0.006	0.000	0.001		0.0063
0.18	0.001		23.9		0.121	0.001	0.001		0.002		0.001		0.0055
0.19	0.001				0.122	0.001	0.001		0.005	0.000	0.001		0.0060
0.24	0.001		23.1		0.121	0.001	0.001		0.002		0.001		0.0020
0.86	0.001				0.128	0.001	0.001		0.005	0.000	0.001		0.0022
0.46	0.001		22.7		0.121	0.001	0.001		0.002		0.001		0.0022
0.62	0.001				0.119	0.001	0.001		0.004	0.000	0.001		0.0024
1.41	0.001		22.2		0.139	0.002	0.001		0.002		0.001		0.0031
0.28	0.001				0.121	0.001	0.001		0.004	0.000	0.001		0.0029
0.37	0.001		21.8		0.125	0.001	0.001		0.002		0.001		0.0055
0.11	0.001				0.124	0.001	0.001		0.004	0.000	0.001		0.0063
0.52	0.001		21.5		0.128	0.000	0.001		0.002		0.001		0.0060
0.18	0.001				0.126	0.001	0.001		0.004	0.000	0.001		0.0068
0.02	0.001		21.4		0.136	0.000	0.001		0.002		0.001		0.0026
0.75	0.001				0.129	0.002	0.001		0.004	0.001	0.001		0.0032
0.44	0.001		21.9		0.124	0.001	0.001		0.002		0.001		0.0032
0.18	0.001				0.136	0.000	0.001		0.003	0.000	0.001		0.0026
0.42	0.001		21.9		0.135	0.001	0.001		0.002		0.001		0.0031
0.33	0.001				0.140	0.001	0.001		0.004	0.000	0.001		0.0041
0.11	0.001		21.9		0.137	0.001	0.001		0.002		0.001		0.0031
1.21	0.001				0.151	0.004	0.001		0.002		0.001		0.0030
0.15	0.001		22.0		0.143	0.001	0.001		0.002		0.001		0.0028
0.50	0.001				0.140	0.001	0.001		0.002		0.001		0.0029
0.43	0.001		20.9		0.139	0.001	0.001		0.002		0.001		0.0021
0.68	0.002				0.145	0.002	0.001		0.003	0.000	0.001		0.0024
0.41	0.001		19.1		0.138	0.001	0.001		0.002		0.001		0.0020
0.32	0.001				0.140	0.002	0.001		0.002	0.000	0.001		0.0018
0.31	0.001		21.0		0.138	0.001	0.001		0.002		0.001		0.0029
1.03	0.001				0.163	0.002	0.001		0.002		0.001		0.0029
0.03	0.001		20.9		0.143	0.000	0.001		0.002		0.001		0.0028
0.38	0.001				0.143	0.001	0.001		0.002		0.001		0.0028
0.47	0.001		22.0		0.144	0.000	0.001		0.002		0.001		0.0028
0.27	0.001				0.155	0.001	0.001		0.002		0.001		0.0027
0.30	0.001		22.0		0.154	0.002	0.001		0.002		0.001		0.0027
0.38	0.001				0.149	0.001	0.001		0.002		0.001		0.0027
1.00	0.001		22.2		0.141	0.002	0.001		0.002		0.001		0.0033
0.94	0.001				0.160	0.002	0.001		0.002		0.001		0.0029
0.35	0.001		22.2		0.156	0.001	0.001		0.002		0.001		0.0028
0.10	0.001				0.149	0.001	0.001		0.002		0.001		0.0028
0.26	0.001		22.1		0.161	0.001	0.001		0.002		0.001		0.0028
0.32	0.001				0.150	0.001	0.001		0.002		0.001		0.0028
0.96	0.001		22.2		0.183	0.003	0.001		0.002		0.001		0.0032
0.14	0.001				0.168	0.002	0.001		0.002		0.001		0.0031
0.26	0.001		22.3		0.161	0.001	0.001		0.002		0.001		0.0033
0.52	0.001				0.161	0.003	0.001		0.002		0.001		0.0040
0.93	0.001		22.2		0.146	0.003	0.001		0.002		0.001		0.0050
0.43	0.001				0.178	0.002	0.001		0.002		0.001		0.0028
0.38	0.001		22.4		0.164	0.001	0.001		0.002		0.001		0.0028
0.26	0.001				0.166	0.001	0.001		0.002		0.001		0.0028

Table A-2  
Laboratory-Measured Analytical Results

stdev (U)	V rsit	stdev (V)	Zn rsit	stdev (Zn)	TDS (ppm)	Cations	Anions	Balance
	0.617	0.015	0.643	0.004	11			
	0.009	0.000	0.009	0.000	6			
	0.001		0.001		1			
0.0002	0.018	0.001	0.018	0.001	323	3.42	3.72	-0.04
0.0001	0.089	0.001	0.089	0.001	275	---	---	---
0.0001	0.018	0.000	0.018	0.000	328	3.52	3.79	-0.04
0.0002	0.098	0.002	0.098	0.002	279	---	---	---
0.0001	0.015	0.000	0.015	0.000	329	3.53	3.78	-0.03
0.0000	0.075	0.002	0.075	0.002	281	---	---	---
0.0001	0.017	0.000	0.017	0.000	330	3.50	3.83	-0.04
0.0000	0.057	0.000	0.057	0.000	280	---	---	---
0.0000	0.015	0.000	0.015	0.000	330	3.52	3.80	-0.04
0.0001	0.054	0.002	0.054	0.002	278	---	---	---
0.0001	0.019	0.005	0.019	0.005	327	3.48	3.77	-0.04
0.0002	0.050	0.000	0.050	0.000	275	---	---	---
0.0000	0.005	0.000	0.016	0.000	319	3.43	3.69	-0.04
0.0000	0.005	0.000	0.043	0.000	272	---	---	---
0.0000	0.004	0.000	0.055	0.001	320	3.38	3.74	-0.05
0.0001	0.006	0.001	0.100	0.006	265	---	---	---
0.0006	0.007	0.001	0.019	0.003	329	3.63	3.70	-0.01
0.0005	0.007	0.001	0.062	0.010	264	---	---	---
0.0001	0.018	0.001	0.018	0.001	325	3.46	3.78	-0.04
0.0000	0.039	0.000	0.039	0.000	270	---	---	---
0.0000	0.016	0.000	0.016	0.000	323	3.49	3.71	-0.03
0.0001	0.040	0.000	0.040	0.000	268	---	---	---
0.0002	0.005	0.000	0.033	0.002	328	3.50	3.82	-0.04
0.0005	0.007	0.001	0.104	0.013	268	---	---	---
0.0007	0.005	0.001	0.021	0.004	318	3.35	3.82	-0.06
0.0001	0.005	0.000	0.041	0.000	267	---	---	---
0.0005	0.006	0.001	0.015	0.002	327	3.47	3.90	-0.06
0.0012	0.008	0.002	0.061	0.018	269	---	---	---
0.0006	0.006	0.001	0.019	0.003	330	3.54	3.94	-0.05
0.0001	0.006	0.000	0.047	0.002	279	---	---	---
0.0000	0.004	0.000	0.010	0.000	334	3.61	3.99	-0.05
0.0000	0.005	0.000	0.039	0.000	272	---	---	---
0.0000	0.002	0.000	0.026	0.000	326	3.61	3.99	-0.05
0.0001	0.005	0.000	0.822	0.010	276	---	---	---
0.0001	0.003	0.000	0.093	0.005	305	3.39	3.64	-0.04
0.0001	0.004	0.000	0.213	0.005	252	---	---	---
0.0001	0.003	0.000	0.020	0.000	334	3.64	4.02	-0.05
0.0001	0.004	0.000	0.043	0.001	285	---	---	---
0.0000	0.003	0.000	0.021	0.000	330	3.59	3.96	-0.05
0.0000	0.004	0.000	0.043	0.001	269	---	---	---
0.0002	0.005	0.000	0.017	0.001	339	3.68	4.09	-0.05
0.0000	0.005	0.000	0.037	0.001	279	---	---	---
0.0003	0.003	0.000	0.013	0.000	346	3.80	4.14	-0.04
0.0000	0.004	0.000	0.032	0.001	278	---	---	---
0.0007	0.004	0.001	0.012	0.002	340	3.68	4.16	-0.06
0.0001	0.004	0.000	0.033	0.001	283	---	---	---
0.0000	0.003	0.000	0.010	0.000	349	3.86	4.20	-0.04
0.0000	0.004	0.000	0.033	0.000	278	---	---	---
0.0001	0.003	0.000	0.029	0.001	352	3.88	4.20	-0.04
0.0000	0.004	0.000	0.029	0.000	278	---	---	---
0.0005	0.003	0.000	0.011	0.001	364	4.17	4.22	-0.01
0.0002	0.004	0.000	0.031	0.002	289	---	---	---
0.0004	0.003	0.000	0.012	0.001	353	3.94	4.23	-0.04
0.0008	0.006	0.001	0.037	0.007	285	---	---	---
0.0016	0.008	0.002	0.018	0.005	345	3.83	4.20	-0.05
0.0001	0.003	0.000	0.026	0.000	292	---	---	---
0.0000	0.003	0.000	0.012	0.000	354	4.01	4.23	-0.03
0.0000	0.004	0.000	0.026	0.000	285	---	---	---

## **Appendix B**

---

*Evaluation of Water Quality Using Well Screen Analysis  
Methodology*



Table B-1  
 Results of Well Screen Analysis for R-12 (screen 1)  
 During the 2007 Pumping Test Conducted on October 28 and 29, 2007

Well	Port depth (ft)	Scr #	Sample collection date	Event	Tritium (pCi/L)	Modern water?	3H plume?	Field pH	Low pH?	High pH?	Test Gen-1	Alkalinity (mg/L CaCO3)	Test Gen-2	Test Gen-2	Turbidity (NTU)	Test Gen-3	Acetone (ug/L)	Lab Qual Code	Test B1	NH3-N (mg/L)	Lab Qual Code	Test B2	TKN (mg/L)	Lab Qual Code	Test B3	TOC (mg/L)	Lab Qual Code	Test B4	Ba ug/L	Test D3	Test E1	Ca mg/L	Test E2a	Test E2b	Test E2	Test A2				
						pCi/L	pCi/L		SU	SU			mg/L	mg/L		NTU			ug/L			mg/L			mg/L		mg/L		mg/L	mg/L			mg/L	mg/L			mg/L	mg/L	Within range	mg/L
						>UL	>UL		>LL	<UL			<UL	<UL		<UL			<UL			<UL			<UL		<UL		>LL	<UL			>LL	<UL			>LL	<UL		18
						1	17		6.1	8.8			52	52		5			5			0.05			0.35			1.1		1.4	72									
R-12	468	1	18-Sep-00	1	192	Yes	Yes	8.01	Yes	Yes	P	170	CL	Fail	3.3	P	<	30	U	DL	1.1	Fail	0.91	Fail	7.7	Fail	38.0	P	P	30	Yes	No	Fail							
R-12	468	1	14-Mar-01	2	189	Yes	Yes	6.91	Yes	Yes	P	120	CL	Fail	4.4	P	—		ND	1.6	Fail	2.1	Fail	8.9	Fail	48.0	P	P	15	Yes	Yes	P								
R-12	468	1	13-Jun-01	3	187	Yes	Yes	8.63	Yes	Yes	P	36	Fld	P	—	ND	—		ND	3.1	Fail	3.3	Fail	12	Fail	31.0	P	P	4.8	Yes	Yes	P								
R-12	468	1	7-Sep-01	4	181	Yes	Yes	8.96	Yes	No	Fail	0.053	CL	Err	13	Fail	<	7.2	B	Fail	3.12	Fail	3.9	Fail	9.99	Fail	22.3	P	P	3.0	No	Yes	Fail							
R-12	468	1	31-Jul-02	5	161	Yes	Yes	9.2	Yes	No	Fail	40	Fld	P	3.37	P	—		ND	2.09	Fail	—	ND	8.22	Fail	38.6	UF	P	P	3.8	UF	No	Yes	Fail						
R-12	468	1	2-Feb-04	6	149	Yes	Yes	9.17	Yes	No	Fail	46	CL	P	1.8	P	—		ND	1.66	Fail	—	ND	5.30	Fail	43.3	UF	P	P	3.6	UF	No	Yes	Fail						
R-12	468	1	2-Jun-04	7	-	ND	ND	8.85	Yes	No	Fail	34	CL	P	1.6	P	<	5	U	P	—	ND	—	ND	—	ND	33.7	UF	P	P	3.6	UF	No	Yes	Fail					
R-12	468	1	16-Jun-05	8	-	ND	ND	8.93	Yes	No	Fail	43	CL	P	1.2	FN	P	<	5	U	P	1.40	Fail	1.54	Fail	—	ND	34.0	P	P	4.0	No	Yes	Fail						
R-12	468	1	2-Feb-06	9	121	Yes	Yes	8.96	Yes	No	Fail	34	Fld	P	0.9	P	2.15	J	P	1.37	Fail	1.49	Fail	—	ND	37.5	P	P	3.5	No	Yes	Fail								
R-12	468	1	11-Jul-06	10	105	Yes	Yes	9.03	Yes	No	Fail	40	CL	P	1.1	P	1.59	J	P	1.24	Fail	1.27	Fail	3.50	Fail	37.1	P	P	3.6	No	Yes	Fail								
R-12	468	1	29-Sep-06	11	118	Yes	Yes	7.88	Yes	Yes	P	169	Fld	Fail	1.8	P	8.86		Fail	<	0.039	J	P	<	0.01	U	P	46.1	P	P	47.6	Yes	No	Fail						
R-12	468	1	28-Oct-07	67	ND	ND	ND	8.16	Fld	Yes	Yes	P	149	UF	No	Plm	29.3	Fail	ND	ND	ND	ND	ND	ND	31.2	UF	Fail	33.8	P	P	27.1	Yes	No	Plm						
R-12	468	1	28-Oct-07	68	ND	ND	ND	8.15	Fld	Yes	Yes	P	150	UF	No	Plm	33.1	Fail	ND	ND	ND	ND	ND	ND	36.0	UF	Fail	33.9	P	P	27.4	Yes	No	Plm						
R-12	468	1	28-Oct-07	69	ND	ND	ND	8.14	Fld	Yes	Yes	P	150	UF	No	Plm	27.3	Fail	ND	ND	ND	ND	ND	ND	32.2	UF	Fail	35.5	P	P	28.3	Yes	No	Plm						
R-12	468	1	28-Oct-07	70	ND	ND	ND	8.15	Fld	Yes	Yes	P	152	UF	No	Plm	25.3	Fail	ND	ND	ND	ND	ND	ND	29.9	UF	Fail	35.8	P	P	28.4	Yes	No	Plm						
R-12	468	1	28-Oct-07	71	ND	ND	ND	8.15	Fld	Yes	Yes	P	151	UF	No	Plm	21.9	Fail	ND	ND	ND	ND	ND	ND	28.5	UF	Fail	36.6	P	P	28.1	Yes	No	Plm						
R-12	468	1	28-Oct-07	72	ND	ND	ND	8.14	Fld	Yes	Yes	P	148	UF	No	Plm	16	Fail	ND	ND	ND	ND	ND	ND	26.5	UF	Fail	36.0	P	P	28.2	Yes	No	Plm						
R-12	468	1	28-Oct-07	73	ND	ND	ND	8.14	Fld	Yes	Yes	P	144	UF	No	Plm	29.1	Fail	ND	ND	ND	ND	ND	ND	24.4	UF	Fail	36.2	P	P	28.7	Yes	No	Plm						
R-12	468	1	28-Oct-07	74	ND	ND	ND	8.15	Fld	Yes	Yes	P	146	UF	No	Plm	11.2	Fail	ND	ND	ND	ND	ND	ND	21.6	UF	Fail	35.3	P	P	29.4	Yes	No	Plm						
R-12	468	1	28-Oct-07	75	ND	ND	ND	8.14	Fld	Yes	Yes	P	144	UF	No	Plm	9.55	Fail	ND	ND	ND	ND	ND	ND	19.0	UF	Fail	39.8	P	P	29.5	Yes	No	Plm						
R-12	468	1	28-Oct-07	62	ND	ND	ND	8.13	Fld	Yes	Yes	P	147	UF	No	Plm	9.76	Fail	ND	ND	ND	ND	ND	ND	15.9	UF	Fail	38.5	P	P	30.7	Yes	No	Plm						
R-12	468	1	28-Oct-07	71	ND	ND	ND	8.13	Fld	Yes	Yes	P	144	UF	No	Plm	9.76	Fail	ND	ND	ND	ND	ND	ND	15.9	UF	Fail	38.9	P	P	30.8	Yes	No	Plm						
R-12	468	1	28-Oct-07	76	ND	ND	ND	8.12	Fld	Yes	Yes	P	147	UF	No	Plm	8.67	Fail	ND	ND	ND	ND	ND	ND	11.5	UF	Fail	40.6	P	P	31.5	Yes	No	Plm						
R-12	468	1	28-Oct-07	77	ND	ND	ND	8.11	Fld	Yes	Yes	P	144	UF	No	Plm	9.08	Fail	ND	ND	ND	ND	ND	ND	11.0	UF	Fail	37.1	P	P	32.6	Yes	No	Plm						
R-12	468	1	28-Oct-07	78	ND	ND	ND	8.10	Fld	Yes	Yes	P	147	UF	No	Plm	7.6	Fail	ND	ND	ND	ND	ND	ND	9.13	UF	Fail	39.3	P	P	33.3	Yes	No	Plm						
R-12	468	1	28-Oct-07	79	ND	ND	ND	8.09	Fld	Yes	Yes	P	148	UF	No	Plm	7.68	Fail	ND	ND	ND	ND	ND	ND	7.91	UF	Fail	40.9	P	P	34.8	Yes	No	Plm						
R-12	468	1	28-Oct-07	80	ND	ND	ND	8.08	Fld	Yes	Yes	P	148	UF	No	Plm	8.16	Fail	ND	ND	ND	ND	ND	ND	5.39	UF	Fail	42.3	P	P	36.6	Yes	No	Plm						
R-12	468	1	29-Oct-07	81	ND	ND	ND	7.72	Fld	Yes	Yes	P	151	UF	No	Plm	39.4	Fail	ND	ND	ND	ND	ND	ND	4.18	UF	Fail	40.7	P	P	38.1	Yes	No	Plm						
R-12	468	1	29-Oct-07	82	ND	ND	ND	8.31	Fld	Yes	Yes	P	138	UF	No	Plm	47.8	Fail	ND	ND	ND	ND	ND	ND	3.65	UF	Fail	44.3	P	P	34.3	Yes	No	Plm						
R-12	468	1	29-Oct-07	63	ND	ND	ND	8.12	Fld	Yes	Yes	P	152	UF	No	Plm	4.01	P	ND	ND	ND	ND	ND	ND	3.44	UF	Fail	44.5	P	P	38.8	Yes	No	Plm						
R-12	468	1	29-Oct-07	72	ND	ND	ND	8.12	Fld	Yes	Yes	P	148	UF	No	Plm	4.21	P	ND	ND	ND	ND	ND	ND	3.48	UF	Fail	46.8	P	P	37.0	Yes	No	Plm						
R-12	468	1	29-Oct-07	83	ND	ND	ND	8.10	Fld	Yes	Yes	P	153	UF	No	Plm	4.89	P	ND	ND	ND	ND	ND	ND	5.60	UF	Fail	41.7	P	P	38.2	Yes	No	Plm						
R-12	468	1	29-Oct-07	84	ND	ND	ND	8.09	Fld	Yes	Yes	P	155	UF	No	Plm	5.29	Fail	ND	ND	ND	ND	ND	ND	4.95	UF	Fail	42.0	P	P	38.5	Yes	No	Plm						
R-12	468	1	29-Oct-07	85	ND	ND	ND	8.07	Fld	Yes	Yes	P	154	UF	No	Plm	5.69	Fail	ND	ND	ND	ND	ND	ND	3.57	UF	Fail	37.5	P	P	39.7	Yes	No	Plm						
R-12	468	1	29-Oct-07	86/83?	ND	ND	ND	8.08	Fld	Yes	Yes	P	155	UF	No	Plm	6.11	Fail	ND	ND	ND	ND	ND	ND	2.85	UF	Fail	40.3	P	P	39.9	Yes	No	Plm						
R-12	468	1	29-Oct-07	87	ND	ND	ND	8.06	Fld	Yes	Yes	P	155	UF	No	Plm	6.27	Fail	ND	ND	ND	ND	ND	ND	2.34	UF	Fail	42.8	P	P	40.4	Yes	No	Plm						
R-12	468	1	29-Oct-07	88	ND	ND	ND	8.05	Fld	Yes	Yes	P	156	UF	No	Plm	6.26	Fail	ND	ND	ND	ND	ND	ND	2.08	UF	Fail	46.5	P	P	40.8	Yes	No	Plm						
R-12	468	1	29-Oct-07	64	ND	ND	ND	8.05	Fld	Yes	Yes	P	156	UF	No	Plm	5.83	Fail	ND	ND	ND	ND	ND	ND	2.04	UF	Fail	40.1	P	P	41.3	Yes	No	Plm						
R-12	468	1	29-Oct-07	73	ND	ND	ND	8.05	Fld	Yes	Yes	P	155	UF	No	Plm	5.83	Fail	ND	ND	ND	ND	ND	ND	1.90	UF	Fail	36.2	P	P	42.3	Yes	No	Plm						
R-12	468	1	29-Oct-07	89	ND	ND	ND	8.04	Fld	Yes	Yes	P	155	UF	No	Plm	6.35	Fail	ND	ND	ND	ND	ND	ND	1.84	UF	Fail	39.6	P	P	42.2	Yes	No	Plm						

Table B-1

Results of Well Screen Analysis for R-12 (screen 1)  
During the 2007 Pumping Test Conducted on October 28 and 29, 2007

Well	Port depth (ft)	Scr #	Sample collection date	Event	Cl mg/L	Test A1 mg/L	F mg/L	Lab Qual Code	Test A2 mg/L	Mg mg/L	Test E3 mg/L	Test E3 mg/L	NO3-N mg/L	Lab Qual Code	Test Gen-5 mg/L	Test C10 mg/L	Test C11 mg/L	ORP	Comment	Test C3 mV	DO	Test C11 mg/L	ClO4 ug/L	Lab Qual Code	Test Gen-4	Test C7 ug/L	PO4-P	Lab Qual Code	UOM	Test A6 mg/L P	Na mg/L	Molar ratio Na/Cl	Test A4 mg/L	SO4 mg/L	Lab Qual Code	Test C1 mg/L	Test A5 mg/L	Sulfide	Test C2 mg/L								
						<UL			<UL		<UL	<UL			<UL	>LL	<UL					>LL			<UL	>LL	as			<UL			<UL							>LL	<UL			<UL			
						3.6			0.23		6.2	6.2			2.7	0.22	2.7				0					0.5	0.22	0.250		0.08										1.1	4.3			0.01			
R-12	468	1	18-Sep-00	1	16.0	Plm	0.52		Plm	9.0	Fail		< 0.10	U	P	Fail			ND		ND			< 1.04	U	DL	DL		< 0.05	U	P	26.0	2.5	Plm?		3.6		P	P					ND			
R-12	468	1	14-Mar-01	2	13.0	Plm	0.68		Plm	4.3	P		0.23		P	P			ND		ND			< 0.958	U	DL	DL		< 0.05	U	P	23.0	2.7	Plm?		1.0	U	Fail	P					ND			
R-12	468	1	13-Jun-01	3	12.0	Plm	0.51		Plm	1.2	P		< 0.05	U	P	Fail			ND		ND			< 0.958	U	DL	DL		0.44	N*	Fail	21.0	2.7	Plm?		1.0	U	Fail	P					ND			
R-12	468	1	7-Sep-01	4	11.2	Plm	0.56		Plm	0.6	P		0.03	J	P	Fail			ND		ND					ND	ND		0.44			Fail	25.6	3.5	Plm?		0.3		Fail	P					ND		
R-12	468	1	31-Jul-02	5	10.8	Plm	0.69		Plm	0.6	P		0.04	J	P	Fail		-153	Fail	3.3	FLD	P		< 1.45	U	DL	DL		0.21			Fail	24.9	3.6	Plm?		0.2	U	Fail	P					ND		
R-12	468	1	2-Feb-04	6	9.9	Plm	0.65		Plm	0.5	P		< 0.01	U	P	Fail			ND		ND			< 4	U	DL	DL				ND	20.3	3.2	Plm?		0.4	J	Fail	P					ND			
R-12	468	1	2-Jun-04	7	10.3	Plm	0.66		Plm	0.5	P		< 0.01	U	P	Fail			ND		ND			< 0.05	U	P	Fail				ND	20.8	3.1	Plm?		0.2	U	Fail	P					ND			
R-12	468	1	16-Jun-05	8	10.1	Plm	0.67		Plm	0.5	P		< 0	U	P	Fail		91	WBH	P	4.8	FLD	P		< 0.05	U	P	Fail		0.324		Fail	20.6	3.1	Plm?		1.3		P	P					ND		
R-12	468	1	2-Feb-06	9	9.5	Plm	0.62		Plm	0.4	P		< 0.02	U	P	Fail			ND		ND		3.1	FLD	P		< 0.05	U	P	Fail		0.367		Fail	19.1	3.1	Plm?		1.3		P	P					ND
R-12	468	1	11-Jul-06	10	9.5	Plm	0.60		Plm	0.4	P		< 0.01	U	P	Fail			ND		ND			< 0.05	U	P	Fail		0.194		Fail	17.2	2.8	Plm?		1.6		P	P					ND			
R-12	468	1	29-Sep-06	11	34.2	Plm	0.34		Plm	13.5	Fail		4.20		Plm	P				134		P		1.49		Fail	P		< 0.059	J-	P	18.8	0.8	Plm?		22.3		P	Plm		<0.003	E6	P				
R-12	468	1	28-Oct-07	67	21.7	Plm	0.67		Plm	7.4		Plm	1.21		No	Yes	Plm	-17		Fail	0.49		Fail		< 5	U	DL	DL		0.02	mg/L as PC	P	31.4	2.2	Plm?		24.5		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	68	22.2	Plm	0.72		Plm	7.4		Plm	1.21		No	Yes	Plm	-6		Fail	0.61		Fail		< 5	U	DL	DL		< 0.01	U μg/L as PC	P	33.0	2.3	Plm?		25.9		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	69	22.7	Plm	0.69		Plm	7.7		Plm	1.29		No	Yes	Plm	-27		Fail	0.64		Fail		< 5	U	DL	DL		0.02	mg/L as PC	P	31.8	2.2	Plm?		24.9		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	70	23.3	Plm	0.72		Plm	7.7		Plm	1.37		No	Yes	Plm	-17		Fail	0.64		Fail		< 5	U	DL	DL		0.02	mg/L as PC	P	31.0	2.0	Plm?		24.7		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	71	23.5	Plm	0.68		Plm	7.9		Plm	1.39		No	Yes	Plm	-8		Fail	0.61		Fail		< 5	U	DL	DL		0.03	mg/L as PC	P	31.3	2.1	Plm?		24.2		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	72	23.8	Plm	0.70		Plm	8.0		Plm	1.44		No	Yes	Plm	-3		Fail	0.62		Fail		< 5	U	DL	DL		0.02	mg/L as PC	P	30.3	2.0	Plm?		23.9		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	73	24.0	Plm	0.67		Plm	7.9		Plm	1.49		No	Yes	Plm	-5		Fail	0.61		Fail		< 5	U	DL	DL		0.03	mg/L as PC	P	28.6	1.8	Plm?		23.1		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	74	24.7	Plm	0.68		Plm	7.8		Plm	1.59		No	Yes	Plm	-19		Fail	0.61		Fail		< 5	U	DL	DL		0.02	mg/L as PC	P	27.0	1.7	Plm?		22.7		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	75	24.8	Plm	0.65		Plm	9.0		Plm	1.61		No	Yes	Plm	-7		Fail	0.63		Fail		< 5	U	DL	DL		0.03	mg/L as PC	P	30.1	1.9	Plm?		22.2		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	62	25.6	Plm	0.65		Plm	8.3		Plm	1.73		No	Yes	Plm	-33		Fail	0.64		Fail		< 5	U	DL	DL		< 0.01	U μg/L as PC	P	26.3	1.6	Plm?		21.8		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	71	25.3	Plm	0.64		Plm	8.4		Plm	1.70		No	Yes	Plm	-33		Fail	0.64		Fail		< 5	U	DL	DL		0.02	mg/L as PC	P	26.7	1.6	Plm?		21.5		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	76	26.9	Plm	0.65		Plm	9.0		Plm	1.93		No	Yes	Plm	-32		Fail	0.71		Fail		< 5	U	DL	DL		0.02	mg/L as PC	P	25.0	1.4	Plm?		21.4		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	77	27.8	Plm	0.63		Plm	8.3		Plm	2.09		No	Yes	Plm	-23		Fail	0.77		Fail		< 5	U	DL	DL		0.02	mg/L as PC	P	21.8	1.2	Plm?		21.9		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	78	28.7	Plm	0.65		Plm	8.9		Plm	2.26		No	Yes	Plm	-25		Fail	0.78		Fail		< 5	U	DL	DL		0.01	mg/L as PC	P	22.3	1.2	Plm?		21.9		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	79	29.3	Plm	0.64		Plm	9.1		Plm	2.33		No	Yes	Plm	-33		Fail	0.85		Fail		< 5	U	DL	DL		0.02	mg/L as PC	P	22.0	1.2	Plm?		21.9		P	Plm		0.009	U	P			
R-12	468	1	28-Oct-07	80	30.4	Plm	0.63		Plm	9.5		Plm	2.51		No	Yes	Plm	-70		Fail	0.96		Fail		< 5	U	DL	DL		0.01	mg/L as PC	P	20.9	1.1	Plm?		22.0		P	Plm		0.009	U	P			
R-12	468	1	29-Oct-07	81	30.2	Plm	0.54		Plm	9.4		Plm	2.43		No	Yes	Plm	-167		Fail	1.21		Fail		< 5	U	DL	DL		< 0.01	U μg/L as PC	P	19.4	1.0	Plm?		20.9		P	Plm		0.009	U	P			
R-12	468	1	29-Oct-07	82	28.1	Plm	0.53		Plm	9.0		Plm	1.60		No	Yes	Plm	-232		Fail	0.19		Fail		< 5	U	DL	DL		< 0.01	U μg/L as PC	P	19.2	1.1	Plm?		19.1		P	Plm		0.009	U	P			
R-12	468	1	29-Oct-07	63	30.2	Plm	0.56		Plm	9.5		Plm	2.48		No	Yes	Plm	-19		Fail	0.73		Fail		< 5	U	DL	DL		0.01	mg/L as PC	P	19.1	1.0	Plm?		21.0		P	Plm		0.009	U	P			
R-12	468	1	29-Oct-07	72	30.2	Plm	0.55		Plm	9.7		Plm	2.47		No	Yes	Plm	-19		Fail	0.73		Fail		< 5	U	DL	DL		0.01	mg/L as PC	P	19.6	1.0	Plm?		20.9		P	Plm		0.009	U	P			
R-12	468	1	29-Oct-07	83	31.1	Plm	0.56		Plm	9.9		Plm	2.69		No	Yes	Plm	10		P	1.14		Fail		< 5	U	DL	DL		< 0.01	U μg																

Table B-1  
 Results of Well Screen Analysis for R-12 (screen 1)  
 During the 2007 Pumping Test Conducted on October 28 and 29, 2007

Well	Port depth (ft)	Scr #	Sample collection date	Event	B ug/L	Lab Qual Code	Test A1	Cr (F) ug/L	Lab Qual Code	Test Gen-6	Test C9	Cr (NF) ug/L	Lab Qual Code	Test F3	Ratio Cr (NF/F)	Test F4	Fe (F) ug/L	Lab Qual Code	Test C5	Fe (NF) ug/L	Lab Qual Code	Test F1	Ratio Fe(NF/F)	Test F2	Mn (F) ug/L	Lab Qual Code	Test C6	Ni (F) ug/L	Lab Qual Code	Test F5	Sr ug/L	Test D2	Test E3	Test E3	U ug/L	Lab Qual Code	Test C8	Test D1	Test E5	Test E5																							
							<UL			<UL	>LL			<UL		Ratio				<UL			<UL				<UL			<UL																																	
							16			2.4	0.5			10	5				103			500					14			50			>LL	<UL	<UL																												
R-12	468	1	18-Sep-00	1	96	B	Plm	< 0.3	U	P	Fail	< 0.33	U	P	1	NA	< 160		Fail	1200	No	7.5	P	860		Fail	5.1	B	P	130	P	P			0.86			P	P	Fail																							
R-12	468	1	14-Mar-01	2	< 110		Plm	< 0.3	U	P	Fail	< 0.34	U	P	1	NA	< 600		Fail	1400	No	2.3	P	720		Fail	0.91	B	P	71	P	P			0.06	BE		Fail	Red	P																							
R-12	468	1	13-Jun-01	3	120		Plm	< 0.2	U	P	Fail	< 2	B	P	10	NA	< 150		Fail	610	No	4.1	P	200		Fail	< 1.9	B	P	25	P	P			0.03	B		Fail	Red	P																							
R-12	468	1	7-Sep-01	4	122		Plm	< 0.6	U	P	DL	6.33		P	11	NA	109		Fail	521	No	4.8	P	54.8		Fail	2.34	B	P	13.9	Red	P			< 0	U		Fail	Red	P																							
R-12	468	1	31-Jul-02	5	108		Plm	1.8	UF	P	DL	1.83	B	P	—	NA	350		Fail	350	Yes	—	NA	108		UF	< 3.35	B	UF	P	16.8	UF	Red	P			< 15.6	U	UF	DL	DL	DL																					
R-12	468	1	2-Feb-04	6	75.7		Plm	6.0	JN-	UF	P	6.03	JN-	P	—	NA	209		UF	Fail	209	Yes	—	NA	95.2		UF	4.97	B	UF	P	15.4	UF	Red	P			< 0.16	B	UF	P	DL	P																				
R-12	468	1	2-Jun-04	7	77		Plm	0.5	B	U	P	0.528	B	P	—	NA	205		UF	Fail	205	Yes	—	NA	68.1		UF	< 2.28	B	UF	P	17.4	UF	Red	P			0.03	B	UF	Fail	Red	P																				
R-12	468	1	16-Jun-05	8	74		Plm	< 1.0	U		P	DL	< 1	U	P	1	NA	113	*	Fail	107	Yes	0.9	NA	54.3		Fail	1.4	J	P	19.9		P	P			< 0.05	U		Fail	Red	P																					
R-12	468	1	2-Feb-06	9	67.6		Plm	< 1.2	J		P	< 1	J	P	1	NA	54.1	J	P	260	Yes	4.8	NA	35.8		Fail	1.5	J	P	14.9	Red	P			< 0.07	J		Fail	Red	P																							
R-12	468	1	11-Jul-06	10	67.9		Plm	< 1.0	U		P	DL	< 1	U	P	1	NA	58.6	J	P	106	Yes	1.8	NA	37.2		Fail	1.3	J	P	15.2	Red	P			< 0.05	U		Fail	Red	P																						
R-12	468	1	29-Sep-06	11	103		Plm	< 1.1	J		P	P	< 4.8	P	4	NA	62.3	J	P	578	No	9.3	P	109		Fail	6.3		P	180	P	Fail			3.4		P	P	Fail																								
R-12	468	1	28-Oct-07	67	36		Plm	1.5		P	P	2.4		P	1.6	NA	351		Fail	2382	No	6.8	P	124		Fail	3.4		P	115	Yes	No	Plm			5.0		P	P	No	Plm																						
R-12	468	1	28-Oct-07	68	97		Plm	1.5		P	P	2.1		P	1.4	NA	317		Fail	2101	No	6.6	P	127		Fail	3.5		P	116	Yes	No	Plm			5.0		P	P	No	Plm																						
R-12	468	1	28-Oct-07	69	71		Plm	1.7		P	P	2.5		P	1.5	NA	205		Fail	1665	No	8.1	P	118		Fail	3.4		P	118	Yes	No	Plm			5.6		P	P	No	Plm																						
R-12	468	1	28-Oct-07	70	66		Plm	1.5		P	P	2.5		P	1.6	NA	325		Fail	1308	No	4.0	P	116		Fail	3.7		P	117	Yes	No	Plm			5.6		P	P	No	Plm																						
R-12	468	1	28-Oct-07	71	67		Plm	1.7		P	P	2.3		P	1.3	NA	275		Fail	1247	No	4.5	P	116		Fail	3.8		P	122	Yes	No	Plm			5.8		P	P	No	Plm																						
R-12	468	1	28-Oct-07	72	65		Plm	1.7		P	P	2.4		P	1.4	NA	242		Fail	1208	No	5.0	P	112		Fail	3.8		P	121	Yes	No	Plm			5.5		P	P	No	Plm																						
R-12	468	1	28-Oct-07	73	100		Plm	1.8		P	P	1.8		P	1.0	NA	307		Fail	1140	No	3.7	P	111		Fail	3.8		P	121	Yes	No	Plm			2.0		P	P	No	Plm																						
R-12	468	1	28-Oct-07	74	69		Plm	1.4		P	P	2.3		P	1.7	NA	252		Fail	1012	No	4.0	P	102		Fail	13.7		P	121	Yes	No	Plm			2.2		P	P	No	Plm																						
R-12	468	1	28-Oct-07	75	74		Plm	2.5		Fail	P	2.9		P	1.2	NA	277		Fail	1054	No	3.8	P	116		Fail	5.3		P	139	Yes	No	Plm			3.1		P	P	No	Plm																						
R-12	468	1	28-Oct-07	62	52		Plm	1.6		P	P	2.2		P	1.4	NA	429		Fail	1084	No	2.5	P	111		Fail	4.4		P	125	Yes	No	Plm			5.5		P	P	No	Plm																						
R-12	468	1	28-Oct-07	71	48		Plm	1.9		P	P	2.6		P	1.4	NA	351		Fail	1094	No	3.1	P	114		Fail	4.5		P	128	Yes	No	Plm			6.0		P	P	No	Plm																						
R-12	468	1	28-Oct-07	76	72		Plm	1.8		P	P	2.8		P	1.5	NA	247		Fail	1055	No	4.3	P	108		Fail	7.9		P	136	Yes	No	Plm			2.6		P	P	No	Plm																						
R-12	468	1	28-Oct-07	77	65		Plm	2.3		P	P	2.3		P	1.0	NA	318		Fail	1092	No	3.4	P	96		Fail	5.6		P	124	Yes	No	Plm			3.2		P	P	No	Plm																						
R-12	468	1	28-Oct-07	78	105		Plm	2.3		P	P	3.7		P	1.6	NA	191		Fail	1095	No	5.7	P	99		Fail	5.5		P	135	Yes	No	Plm			3.1		P	P	No	Plm																						
R-12	468	1	28-Oct-07	79	78		Plm	2.4		P	P	2.4		P	1.0	NA	150		Fail	1154	No	7.7	P	96		Fail	8.7		P	137	Yes	No	Plm			3.1		P	P	No	Plm																						
R-12	468	1	28-Oct-07	80	69		Plm	1.7		P	P	2.4		P	1.4	NA	154		Fail	1075	No	7.0	P	92		Fail	5.2		P	143	Yes	No	Plm			2.8		P	P	No	Plm																						
R-12	468	1	29-Oct-07	81	59		Plm	1.8		P	P	6.9		P	3.9	NA	795		Fail	5512	No	6.9	P	112		Fail	5.3		P	139	Yes	No	Plm			2.1		P	P	No	Plm																						
R-12	468	1	29-Oct-07	82	61		Plm	2.0		P	P	2.6		P	1.3	NA	1459		Fail	5451	No	3.7	P	148		Fail	5.3		P	138	Yes	No	Plm			2.0		P	P	No	Plm																						
R-12	468	1	29-Oct-07	63	60		Plm	1.5		P	P	1.2		P																																																	





Table B-1  
Results of Well Screen Analysis for R-12 (screen 1)  
During the 2007 Pumping Test Conducted on October 28 and 29, 2007

Well	Port depth (ft)	Scr #	Sample collection date	Event	General Indicators						Category A Inorganic Indicators						Category B Organic Indicators				Category C1 Redox (SO4)			Category C2 Redox (Fe/Mn)					Category C3 Redox (NO3)		Category D Adsorption					
					Gen-1 In pH	Gen-2 Alk	Gen-3 Turb	Gen-4 ClO4	Gen-5 NO3-N	Gen-6 Cr	A1 B	A2 Cl	A3 Na	A4 SO4	A5 F	A6 PO4	B1 Ace	B2 NH3	B3 TKN	B4 TOC	C1 SO4	C2 S	C3 ORP	C4 V	C5 Fe	C6 Mn	C7 ClO4	C8 U	C9 Cr	C10 NO3-N	C11 DO	D1 U	D2 Sr	D3 Ba	D4 Zn	
					range	UL=52	UL=5	UL=0.5	UL=2.6	UL=2.4	UL=16	UL=3.6	UL=13	UL=4	UL=0.23	UL=0.08	5	0.05	0.35	1.1	LL=1.1	UL=0.010	LL=0	LL=0.5	UL=103	UL=14	LL=0.22	LL=0.1	LL=0.5	LL=0.22	LL=2	LL=0.1	LL=19	LL=1.4	LL=0.5	
R-12	468	1	18-Sep-00	1	P	Fail	P	DL	P	P	Plm	Plm	Plm?	P	Plm	P	DL	Fail	Fail	Fail	P	-ND-	-ND-	Fail	Fail	Fail	DL	P	Fail	Fail	P	Fail	Fail	P	P	P
R-12	468	1	14-Mar-01	2	P	Fail	P	DL	P	P	Plm	Plm	Plm?	P	Plm	P	-ND-	Fail	Fail	Fail	Fail	-ND-	-ND-	Fail	Fail	Fail	DL	Fail	Fail	P	-ND-	Red	P	P	P	
R-12	468	1	13-Jun-01	3	P	P	ND	DL	P	P	Plm	Plm	Plm?	P	Plm	Fail	-ND-	Fail	Fail	Fail	Fail	-ND-	-ND-	Fail	Fail	Fail	DL	Fail	Fail	Fail	-ND-	Red	P	P	Fail	
R-12	468	1	7-Sep-01	4	Fail	Err	Fail	ND	P	P	Plm	Plm	Plm?	P	Plm	Fail	Fail	Fail	Fail	Fail	Fail	-ND-	-ND-	Fail	Fail	Fail	ND	Fail	DL	Fail	-ND-	Red	Red	P	P	
R-12	468	1	31-Jul-02	5	Fail	P	P	DL	P	P	Plm	Plm	Plm?	P	Plm	Fail	-ND-	Fail	-ND-	Fail	Fail	-ND-	Fail	P	Fail	Fail	DL	DL	P	Fail	P	DL	Red	P	UF	
R-12	468	1	2-Jun-04	6	Fail	P	P	DL	P	UF	Plm	Plm	Plm?	P	Plm	ND	-ND-	Fail	-ND-	Fail	Fail	-ND-	-ND-	Fail	Fail	Fail	DL	P	P	Fail	-ND-	P	Red	P	UF	
R-12	468	1	2-Jun-04	7	Fail	P	P	P	P	P	Plm	Plm	Plm?	P	Plm	ND	P	-ND-	-ND-	ND	Fail	-ND-	-ND-	Fail	Fail	Fail	Fail	Fail	P	Fail	-ND-	Red	Red	P	UF	
R-12	468	1	16-Jun-05	8	Fail	P	P	P	P	P	Plm	Plm	Plm?	P	Plm	Fail	P	Fail	Fail	ND	P	-ND-	P	DL	Fail	Fail	Fail	DL	Fail	P	Red	P	P	P		
R-12	468	1	2-Feb-06	9	Fail	P	P	P	P	P	Plm	Plm	Plm?	P	Plm	Fail	P	Fail	Fail	ND	P	-ND-	-ND-	DL	P	Fail	Fail	Fail	P	Fail	P	Red	Red	P	DL	
R-12	468	1	11-Jul-06	10	Fail	P	P	P	P	P	Plm	Plm	Plm?	P	Plm	Fail	P	Fail	Fail	Fail	P	-ND-	-ND-	DL	P	Fail	Fail	Fail	DL	Fail	-ND-	Red	Red	P	P	
R-12	468	1	29-Sep-06	11	P	Fail	P	Fail	Fail	P	Plm	Plm	Plm?	Plm	Plm	P	Fail	P	P	Fail	P	P	P	P	P	Fail	P	P	P	P	P	P	P	P	P	
R-12	468	1	28-Oct-07	67	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	68	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	69	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	70	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	71	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	72	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	73	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	74	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	75	P	Plm	Fail	DL	Plm	Fail	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	62	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	71	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	76	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	77	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	78	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	79	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	28-Oct-07	80	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	29-Oct-07	81	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	29-Oct-07	82	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	29-Oct-07	63	P	Plm	P	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	29-Oct-07	72	P	Plm	P	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	29-Oct-07	83	P	Plm	P	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	P	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	29-Oct-07	84	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	P	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	29-Oct-07	85	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	29-Oct-07	86/83?	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	29-Oct-07	87	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	P	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	29-Oct-07	88	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	P	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	29-Oct-07	64	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	29-Oct-07	73	P	Plm	Fail	DL	Plm	Fail	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	
R-12	468	1	29-Oct-07	89	P	Plm	Fail	DL	Plm	P	Plm	Plm	Plm?	Plm	Plm	P	-ND-	-ND-	-ND-	Fail	P	P	Fail	P	Fail	Fail	DL	P	P	P	Fail	P	P	P	P	

Table B-1  
 Results of Well Screen Analysis for R-12 (screen 1)  
 During the 2007 Pumping Test Conducted on October 28 and 29, 2007

Well	Port depth (ft)	Scr #	Sample collection date	Event	Category E Carbonate mineralogy						Category F Metal corrosion					Categories under which drilling flags are to be assigned						
					E1	E2a	E2b	E2	E3	E4	E5	F1	F2	F3	F4	F5	A	B	C	D	E	F
					Ba	Ca	Ca	Ca	Mg	Sr	U	FeT	FeR	CrT	CrR	Ni						
					UL=72	LL=4.6	UL=1	In range	UL=6.2	UL=155	UL=0.72	UL=500	UL=10	UL=10	UL=5	UL=5						
R-12	468	1	18-Sep-00	1	P	Yes	No	Fail	Fail	P	Fail	No	P	P	NA	P	—	Organics	Fe	—	+Ca, Mg, U?	—
R-12	468	1	14-Mar-01	2	P	Yes	Yes	P	P	P	P	No	P	P	NA	P	—	Organics	SO4	—	—	—
R-12	468	1	13-Jun-01	3	P	Yes	Yes	P	P	P	P	No	P	P	NA	P	PO4	Organics	SO4	Zn	—	—
R-12	468	1	7-Sep-01	4	P	No	Yes	Fail	P	P	P	No	P	P	NA	P	PO4	Organics	SO4	—	-Ca	—
R-12	468	1	31-Jul-02	5	P	No	Yes	Fail	P	P	DL	Yes	NA	P	NA	P	PO4	Organics	SO4	—	-Ca	—
R-12	468	1	2-Feb-04	6	P	No	Yes	Fail	P	P	P	Yes	NA	P	NA	P	—	Organics	SO4	—	-Ca	—
R-12	468	1	2-Jun-04	7	P	No	Yes	Fail	P	P	P	Yes	NA	P	NA	P	—	—	SO4	—	-Ca	—
R-12	468	1	16-Jun-05	8	P	No	Yes	Fail	P	P	P	Yes	NA	P	NA	P	PO4	Organics	Fe	—	-Ca	—
R-12	468	1	2-Feb-06	9	P	No	Yes	Fail	P	P	P	Yes	NA	P	NA	P	PO4	Organics	Mn	—	-Ca	—
R-12	468	1	11-Jul-06	10	P	No	Yes	Fail	P	P	P	Yes	NA	P	NA	P	PO4	Organics	Mn	—	-Ca	—
R-12	468	1	29-Sep-06	11	P	Yes	No	Fail	Fail	Fail	Fail	No	P	P	NA	P	Indeter	Organics	Mn	—	+Ca, Mg, Sr, U?	—
R-12	468	1	28-Oct-07	67	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	68	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	69	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	70	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	71	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	72	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	73	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	74	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	75	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	62	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	71	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	76	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	77	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	78	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	79	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	28-Oct-07	80	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	29-Oct-07	81	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	29-Oct-07	82	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	29-Oct-07	63	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	29-Oct-07	72	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	29-Oct-07	83	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	Fe	—	—	—
R-12	468	1	29-Oct-07	84	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	Fe	—	—	—
R-12	468	1	29-Oct-07	85	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	29-Oct-07	86/83?	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	29-Oct-07	87	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	Fe	—	—	—
R-12	468	1	29-Oct-07	88	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	Fe	—	—	—
R-12	468	1	29-Oct-07	64	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	29-Oct-07	73	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—
R-12	468	1	29-Oct-07	89	P	Yes	No	Plm	Plm	Plm	Plm	No	P	P	NA	P	Indeter	Organics	SO4	—	—	—

**Table B-2**  
**Constituents of Contaminant Plumes Present in LANL Monitoring Wells**

Scr ID	Sat Zone	Well	Port depth (ft)	Scr #	Watershed	Modern water present?	Upgradient source for contaminated discharge?	Plume present?	Plume Constituents														
									Tritium	B	Cl	F	Na	ClO4	Cr	NO3	SO4	U	Ca	Mg	Ni	TOC	Other
33	IP	R-12	468	1	Sandia	Yes	SWSS, Power Plant	X	X	X	X	X	X	X	—	X	X	?	—	—	—	—	—
34	IP	R-12	507	2	Sandia	Yes	SWSS, Power Plant	X	X	X	X	—	X	—	X	X	—	—	—	—	—	—	—
35	RT	R-12	811	3	Sandia	Yes	SWSS, Power Plant	X	X	X	—	—	X	—	X	X	—	—	—	—	—	—	—

IP = intermediate perched aquifer  
 RT = Regional aquifer (top)

X = Yes (present)  
 — = Not known with certainty to be present  
 ? = Likely to be present, but not certain due to inadequate data record

Table B-3

Raw Data

Original row	Sequence of collection	Truncated ID	F/UF	SAMPLE ID	B	Ba	TOC		Ca	Cl	ClO4		Cr	F		Fe	Alk	Mg	Mn	Na	Ni	NO3-N		PO4		S		SO4	Sr	U	V	Zn	Status		
					B rslt	Ba rslt	TOC rslt	TOC (U)	Ca rslt	Cl(-) ppm	ClO4(-) ppm	ClO4 (-) (U)	Cr rslt	F(-) ppm	F(-) (U)	Fe rslt	Alk-HCO3 rslt	Mg rslt	Mn rslt	Na rslt	Ni rslt	NO3-N rslt	NO3-N (U)	pH (Lab)	PO4(-3) rslt	PO4(-3) (U)	S2- rslt	S2- (U)	SO4(-2) rslt	Sr rslt	U rslt	V rslt		Zn rslt	
1	na	na	UF	EU07100G12R101-SSEQB	0.013	0.008	0.58		0.82	0.10	0.0005	U	0.002	0.01	U	6.11		0.07	0.235	0.30	0.004	0.024		0.01	U			0.23	0.003	0.0002	0.617	0.643			
2	na	na	UF	EU07100G12R102-SSEQB	0.002	0.003	0.27		0.34	0.08	0.0005	U	0.001	0.01	U	4.07		0.04	0.012	0.22	0.001	0.021		0.01	U			0.16	0.001	0.0002	0.009	0.009			
3	na	na	UF	EU07100G12R101-SS-FB	0.002	0.001	0.20	U	0.01		0.0005	U	0.001			0.01	0	0.00	0.000	0.00	0.000	0.002	U	5.55	0.01	U	0.009	U	0.05	0.001	0.0002	0.001	0.001		
4	1	67	F	EF07100G12R167	0.036	0.034			27.1	21.7	0.005	U	0.001	0.67		0.35	149	7.40	0.124	31.37	0.003	1.205		8.00	0.02			24.5	0.115	0.0050	0.018	0.018			
6	2	68	F	EF07100G12R168	0.097	0.034			27.4	22.2	0.005	U	0.002	0.72		0.32	149	7.44	0.127	33.00	0.004	1.215		8.00	0.01	U		25.9	0.116	0.0050	0.018	0.018			
8	3	69	F	EF07100G12R169	0.071	0.035			28.3	22.7	0.005	U	0.002	0.69		0.21	149	7.66	0.118	31.81	0.003	1.290		8.00	0.02			24.9	0.118	0.0056	0.015	0.015			
10	4	70	F	EF07100G12R170	0.066	0.036			28.4	23.3	0.005	U	0.002	0.72		0.32	149	7.68	0.116	31.00	0.004	1.365		8.00	0.02			24.7	0.117	0.0056	0.017	0.017			
12	5	71	F	EF07100G12R171	0.067	0.037			28.1	23.5	0.005	U	0.002	0.68		0.27	149	7.93	0.116	31.31	0.004	1.386		8.00	0.03			24.2	0.122	0.0058	0.015	0.015			
14	6	72	F	EF07100G12R172	0.065	0.036			28.2	23.8	0.005	U	0.002	0.70		0.24	149	7.96	0.112	30.33	0.004	1.440		8.00	0.02			23.9	0.121	0.0055	0.019	0.019			
16	7	73	F	EF07100G12R173	0.100	0.036			28.7	24.0	0.005	U	0.002	0.67		0.31	149	7.91	0.111	28.61	0.004	1.492		8.00	0.03			23.1	0.121	0.0020	0.005	0.016			
18	8	74	F	EF07100G12R174	0.069	0.035			29.4	24.7	0.005	U	0.001	0.68		0.25	149	7.76	0.102	27.04	0.014	1.586		8.00	0.02			22.7	0.121	0.0022	0.004	0.055			
20	9	75	F	EF07100G12R175	0.074	0.040			29.5	24.8	0.005	U	0.002	0.65		0.28	149	8.96	0.116	30.11	0.005	1.614		8.00	0.03			22.2	0.139	0.0031	0.007	0.019			
22	10	62	F	EF07100G12R162	0.052	0.038			30.7	25.6	0.001	U	0.002	0.65		0.43	149	8.27	0.111	26.32	0.004	1.727		8.00	0.01	U		21.8	0.125	0.0055	0.018	0.018			
24	11	71	F	EF07100G12R171	0.048	0.039			30.8	25.3	0.001	U	0.002	0.64		0.35	149	8.45	0.114	26.65	0.004	1.699		8.00	0.02			21.5	0.128	0.0060	0.016	0.016			
26	12	76	F	EF07100G12R176	0.072	0.041			31.5	26.9	0.005	U	0.002	0.65		0.25	149	8.96	0.108	24.97	0.008	1.930		8.00	0.02			21.4	0.136	0.0026	0.005	0.033			
28	13	77	F	EF07100G12R177	0.065	0.037			32.6	27.8	0.005	U	0.002	0.63		0.32	149	8.29	0.096	21.82	0.006	2.091		8.00	0.02			21.9	0.124	0.0032	0.005	0.021			
30	14	78	F	EF07100G12R178	0.105	0.039			33.3	28.7	0.005	U	0.002	0.65		0.19	149	8.91	0.099	22.29	0.005	2.258		8.00	0.01			21.9	0.135	0.0031	0.006	0.015			
32	15	79	F	EF07100G12R179	0.078	0.041			34.8	29.3	0.005	U	0.002	0.64		0.15	149	9.10	0.096	22.03	0.009	2.326		8.00	0.02			21.9	0.137	0.0031	0.006	0.019			
34	16	80	F	EF07100G12R180	0.069	0.042			36.6	30.4	0.005	U	0.002	0.63		0.15	149	9.54	0.092	20.92	0.005	2.509		8.00	0.01			22.0	0.143	0.0028	0.004	0.010			
36	17	81	F	EF07100G12R181	0.059	0.041			38.1	30.2	0.005	U	0.002	0.54		0.80	149	9.37	0.112	19.40	0.005	2.427		8.00	0.01	U		20.9	0.139	0.0021	0.002	0.026			
38	18	82	F	EF07100G12R182	0.061	0.044			34.3	28.1	0.005	U	0.002	0.53		1.46	149	8.99	0.148	19.15	0.005	1.605		8.00	0.01	U		19.1	0.138	0.0020	0.003	0.093			
40	19	63	F	EF07100G12R163	0.060	0.044			38.8	30.2	0.005	U	0.001	0.56		0.18	149	9.53	0.090	19.12	0.005	2.482		8.00	0.01			21.0	0.138	0.0029	0.003	0.020			
42	20	72	F	EF07100G12R172	0.087	0.047			37.0	30.2	0.005	U	0.001	0.55		0.26	149	9.74	0.096	19.61	0.005	2.471		8.00	0.01			20.9	0.143	0.0028	0.003	0.021			
44	21	83	F	EF07100G12R183	0.065	0.042			38.2	31.1	0.005	U	0.002	0.56		0.27	149	9.90	0.086	19.86	0.005	2.685		8.00	0.01	U		22.0	0.144	0.0028	0.005	0.017			
46	22	84	F	EF07100G12R184	0.058	0.042			38.5	31.6	0.005	U	0.002	0.55		0.25	149	10.70	0.083	20.79	0.005	2.798		8.00	0.01	U		22.0	0.154	0.0027	0.003	0.013			
48	23	85	F	EF07100G12R185	0.045	0.038			39.7	32.2	0.005	U	0.002	0.55		0.19	149	9.80	0.070	18.58	0.006	2.905		8.00	0.01	U		22.2	0.141	0.0033	0.004	0.012			
50	24	86	F	EF07100G12R186	0.053	0.040			39.9	32.6	0.005	U	0.001	0.60		0.21	149	11.01	0.076	20.04	0.005	2.990		8.00	0.01	U		22.2	0.156	0.0028	0.003	0.010			
52	25	87	F	EF07100G12R187	0.053	0.043			40.4	32.6	0.005	U	0.002	0.55		1.11	149	11.14	0.074	19.73	0.005	3.014		8.00	0.01	U		22.1	0.161	0.0028	0.003	0.029			
54	26	88	F	EF07100G12R188	0.118	0.046			40.8	32.8	0.005	U	0.002	0.54		0.26	149	12.82	0.081	22.33	0.007	3.042		8.00	0.01	U		22.2	0.183	0.0032	0.003	0.011			
56	27	64	F	EF07100G12R164	0.093	0.040			41.3	33.0	0.005	U	0.002	0.54		0.26	149	11.38	0.068	19.60	0.006	3.087		8.00	0.01	U		22.3	0.161	0.0033	0.003	0.012			
58	28	73	F	EF07100G12R173	0.080	0.036			42.3	32.9	0.005	U	0.004	0.53		0.19	149	10.26	0.061	18.08	0.011	3.071		8.00	0.01	U		22.2	0.146	0.0050	0.008	0.018			
60	29	89	F	EF07100G12R189	0.087	0.040			42.2	33.4	0.005	U	0.002	0.58		0.34	149	11.57	0.069	19.65	0.006	3.148		8.00	0.01	U		22.4	0.164	0.0028	0.003	0.012			
5	1	67	UF	EU07100G12R167	0.036	0.039	31.2		27.0				0.002			2.38	149	7.48	0.141	31.68	0.005			8.00					0.009	U		0.117	0.0068	0.089	0.089
7	2	68	UF	EU07100G12R168	0.079	0.039	36.0		27.8				0.002			2.10	150	7.63	0.153	33.64	0.004			8.01					0.009	U		0.118	0.0060	0.098	0.098
9	3	69	UF	EU07100G12R169	0.070	0.040	32.2		28.5				0.003			1.66	150	7.83	0.142	33.01	0.004			8.03					0.009	U		0.122	0.0067	0.075	0.075
11	4	70	UF	EU07100G12R170	0.067	0.040	29.9		28.4				0.002			1.31	152	7.95	0.130	31.94	0.004			8.01					0.009	U		0.122	0.0064	0.057	0.057
13	5	71	UF	EU07100G12R171	0.065	0.040	28.5		28.3				0.002			1.25	151	7.93	0.125	31.67	0.004			8.03					0.009	U		0.122	0.0063	0.054	0.054
15	6	72	UF	EU07100G12R172	0.065	0.039	26.5		28.6				0.002			1.21	148	7.97	0.122	30.86	0.004			8.02					0.009	U		0.122	0.0060	0.050	0.050
17	7	73	UF	EU07100G12R173	0.079	0.040	24.4		28.3				0.002			1.14	144	8.25	0.119	30.88	0.004			8.05					0.009	U		0.128	0.0022	0.005	0.043
19	8	74	UF	EU07100G12R174	0.065	0.037	21.6		29.1				0.002			1.01	146	7.62	0.107	27.13	0.017			8.04					0.009	U		0.119	0.0024	0.006	0.100
21	9	75	UF	EU07100G12R175	0.064	0.038	19.0		29.1				0.003			1.05	144	7.85	0.109	26.33	0.005			8.06					0.009	U		0.121	0.0029	0.007	0.062
23	10	62	UF	EU07100G12R162	0.047	0.040	15.9		30.3				0.002			1.08	147	8.17	0.112	26.44	0.005			8.07					0.009	U		0.124	0		