
Appendix

Instrument Fact Sheets



Index of Fact Sheets

NOTE: Not all instruments (listed below) are linked to an actual fact sheet

A

- Adapted Short Michigan Alcoholism Screening Test (ASMAST) for Fathers (F-SMAST) and Mothers (M-SMAST): 13, 28–29, 127, 135, 137, 142, 160, 175, 186, 237–240
- Adaptive Skills Battery (ASB): 201–202, 204 Addiction Admission Scale (AAS): 13, 27, 29–30, 241–242
- Addiction Potential Scale (APS): 13, 26, 27, 29–30, 243–244
- Addiction Severity Index (ASI): 13, 114, 121, 127, 135, 137, 163–164, 171–174, 177–180, 182, 185, 187–188, 199–200, 214, 230, 245–253
- Addiction Treatment Inventory (ATI): 192, 194, 210
- Adolescent Alcohol Involvement Scale (AAIS): 13, 106–107, 110–112, 120–121, 254–255
- Adolescent Diagnostic Interview (ADI): 13, 107, 110–111, 113, 117, 123, 256–260
- Adolescent Drinking Index: 106
- Adolescent Drug Abuse Diagnosis (ADAD): 107, 110–111, 114, 119
- Adolescent Drug Involvement Scale (ADIS): 112, 121
- Adolescent Obsessive-Compulsive Drinking Scale (A-OCDS): 13, 106–107, 110–111, 119, 261–265
- Adolescent Problem Severity Index (APSI): 114, 121
- Adolescent Relapse Coping Questionnaire (ARCQ): 203–205, 215
- Adolescent Self-Assessment Profile (ASAP): 115, 117

- Adoption of Self-Help Group Beliefs Scale: 205, 207
- Alcohol Abstinence Self-Efficacy Scale (AASE): 13, 127, 135, 137, 152–153, 156–157, 176, 211, 266–270
- Alcohol and Drug Consequences Questionnaire (ADCQ): 127, 135, 137, 140, 142
- Alcohol Beliefs Scale (ABS): 128, 135, 145, 175 Alcohol Craving Questionnaire (ACQ-NOW): 13, 61–62, 65, 67–68, 271–281
- Alcohol Dependence Scale (ADS): 13, 61–62, 65–69, 142, 220–221, 233, 282–286
- Alcohol Effects Questionnaire-Self (AEFS): 128, 135, 137, 144–145
- Alcohol Expectancy Questionnaire (AEQ): 14, 118, 128, 135, 137, 144–145, 147–148, 173, 177, 187, 217, 287–294
- Alcohol Expectancy Questionnaire–Adolescent Form (AEQ-A): 14, 107, 110–111, 116, 295–300
- Alcoholics Anonymous Affiliation Scale (AAAS): 205, 207, 212
- Alcoholics Anonymous Involvement (AAI) Scale: 205–207, 217
- Alcoholism Denial Rating Scale (ADRS): 128, 135, 137–138, 173
- Alcohol-Specific Role Play Test (ASRPT): 201–202, 204
- Alcohol Timeline Followback (TLFB): 4, 11, 14, 78–82, 84, 88–91, 98, 105, 120, 230, 301–310
- Alcohol Use Disorders Identification Test (AUDIT): 10, 14, 26–35, 47, 142, 311–314

- Alcohol Use Inventory (AUI): 14, 129, 135, 137, 141, 153, 164–166, 174, 176, 178–179, 185–186, 315–331
- Assessment of Substance Misuse in Adolescents (ASMA): 107, 110–112, 122
- Assessment of Warning-Signs of Relapse (AWARE): 129, 135, 137, 155

B

Brown-Peterson Recovery Progress Inventory (B-PRPI): 205–207, 210

C

- CAGE Questionnaire: 14, 25–27, 29–33, 332–334 Chemical Dependency Assessment Profile
 - (CDAP): 115, 129, 135, 137, 166–167
- Circumstances, Motivation, Readiness, and Suitability (CMRS) Scales: 107, 110–111, 116, 119
- Client Assessment Inventory (CAI): 200, 213
- Clinical Institute Withdrawal Assessment (CIWA-AD): 14, 61–62, 65–66, 68–69, 335–336
- Cognitive Lifetime Drinking History (CLDH): 14, 84, 97, 337–339
- College Alcohol Problem Scale–Revised (CAPS-r): 14, 340–342
- Community-Oriented Programs Environment Scale (COPES): 194, 196, 198, 215
- COMPASS: 169-170, 175
- Composite International Diagnostic Interview (CIDI core) Version 2.1: 14, 61–62, 65–66, 68, 343–345
- Composite Quantity Frequency Index: 86, 88 Comprehensive Addiction Severity Index for Adolescents (CASI-A): 107, 110–111, 114, 117, 121
- Comprehensive Adolescent Severity Inventory (CASI): 15, 346–348
- Comprehensive Drinker Profile (CDP): 97, 129, 135, 137, 166, 183
- Comprehensive Effects of Alcohol (CEOA) Scale: 146, 177
- Computerized Lifestyle Assessment (CLA): 26–27, 29–30

- Concordia Lifetime Drinking Questionnaire (CLDQ): 84, 86
- Coping Behaviours Inventory (CBI): 154–157, 161, 203–204
- Counselor Treatment Approaches: 197
- Customary Drinking and Drug Use Record (CDDR): 15, 108, 110–111, 114, 117–118, 349–350

D

- Decisional Balance Scale: 116
- Diagnostic Interview for Children and Adolescents (DICA): 113, 121–122
- Diagnostic Interview Schedule for Children (DISC): 113, 117, 119, 121–122
- Diagnostic Interview Schedule (DIS-IV) Alcohol Module: 15, 61–62, 65–69, 351–353
- Drinker Inventory of Consequences (DrInC): 15, 61–62, 65, 67–69, 142, 222, 232, 354–358
- Drinking Context Scale (DCS): 15, 359-362
- Drinking Expectancy Questionnaire (DEQ): 15, 130, 135, 137, 145, 154, 157, 188, 363–368
- Drinking Problems Index (DPI): 15, 61–62, 65, 67–69, 369–372
- Drinking Refusal Self-Efficacy Questionnaire (DRSEQ): 15, 130, 135, 137, 153, 157, 373–379
- Drinking-Related Internal-External Locus of Control Scale (DRIE): 15, 130, 135, 137, 158–159, 380–384
- Drinking Self-Monitoring Log (DSML): 15, 78–80, 82–83, 385–389
- Drug Abuse Screening Test for Adolescents (DAST-A): 108, 110–112, 120
- Drug and Alcohol Problem (DAP) Quick Screen: 108, 110–111, 121
- Drug and Alcohol Program Structure Inventory (DAPSI): 192–193, 197
- Drug and Alcohol Program Treatment Inventory (DAPTI): 196–197, 217
- Drug-Taking Confidence Questionnaire (DTCQ): 15, 216, 390–392
- Drug Use Screening Inventory (revised) (DUSI-R): 15, 26, 27, 29–30, 108, 110–112, 393–402

 \mathbf{E} J Juvenile Automated Substance Abuse Evaluation Effectiveness of Coping Behaviours Inventory (JASAE): 115, 118 (ECBI): 154, 156 Effects of Drinking Alcohol (EDA) Scale: K 146-147 Khavari Alcohol Test: 86-87, 96 Ethanol Dependence Syndrome (EDS) Scale: 15, 61, 63, 65, 67, 69, 222, 232, 403–406 \mathbf{L} \mathbf{F} Leeds Dependence Questionnaire (LDQ): 16, 446-449 Family History-Research Diagnostic Criteria Lifetime Drinking History (LDH): 78–80, 83–84, (FH-RDC): 159-160, 177 86, 88, 98 Family Tree Questionnaire (FTQ) for Assessing Family History of Alcohol Problems: 16, 131, \mathbf{M} 135, 137, 159–160, 181, 407–410 MacAndrew Alcoholism Scale (Mac): 16, 27, Five-Shot Questionnaire: 16, 26–27, 29–30, 32, 29-30, 450-451 35, 411–413 Michigan Alcoholism Screening Test (MAST): Form 90: 16, 78–82, 90, 97, 99, 221, 230, 233, 16, 25–26, 28–33, 35, 98, 154, 452–453 414-416 Minnesota Substance Abuse Problems Scale (MSAPS): 131, 135, 137, 167, 188 G Motivational Structure Questionnaire (MSQ): 16, 132, 135, 137, 149, 175, 180, 454–468 Global Appraisal of Individual Needs (GAIN): 16, 108, 110–111, 115, 119, 417–422 N Graduated-Frequency (GF) Measure: 86, 88-91 Negative Alcohol Expectancy Questionnaire (NAEQ): 17, 132, 135, 137, 147-148, 179, H 182–183, 469–472 Helping Alliance Questionnaire: 191, 211 National Drug Abuse Treatment System Survey Hilson Adolescent Profile (HAP): 115 (NDATSS): 192-193 National Drug and Alcoholism Treatment Unit Survey (NDATUS): 192-193, 215 NIAAA Quantity Frequency: 86–87 Impaired Control Scale (ICS): 16, 61, 63, 65, 67-68, 423-428 $\mathbf{0}$ Important People and Activities Instrument (IPA): 16, 131, 135, 137, 162, 174, 181, 429–442 Obsessive Compulsive Drinking Scale (OCDS): Individualized Self-Efficacy Survey (ISS): 156 17, 473–481 Organizational Readiness for Change (ORC): 198 Interactive voice response (IVR) [system or procedurel: 90-91 Interpersonal Situations Test (IST): 201 Inventory of Drinking Situations (IDS): 11, 131, 135, Penn Alcohol Craving Scale (PACS): 17, 482–486 137, 150–152, 155–157, 172, 174, 179, 187 Perceived Benefit of Drinking Scale (PBDS): 108, Inventory of Drug-Taking Situations (IDTS): 16, 110, 116, 121 Personal Concerns Inventory (PCI): 17, 487–510 443-445

- Personal Experience Inventory (PEI): 17, 108, 110–111, 115–117, 122, 123, 511–514
- Personal Experience Inventory for Adults (PEI-A): 17, 61, 63, 65, 67–69, 132, 135, 137, 167, 515–518
- Personal Experience Screening Questionnaire (PESQ): 17, 108, 110–112, 519–521
- Problem Oriented Screening Instrument for Teenagers (POSIT): 109–112, 119, 120–121
- Problem Recognition Questionnaire (PRQ): 17, 109–111, 116, 522–525
- Problem Situation Inventory (PSI): 201–202, 204 Processes of Change Questionnaire (POC): 203–205
- Psychiatric Research Interview for Substance and Mental Disorders (PRISM): 17, 61, 63, 65–66, 68–69, 526–528

O

- Quantity-Frequency (QF) Methods: 17, 76–92, 229–230, 529–531
- Quantity-Frequency Variability (QFV) Index: 85–87
- Questionnaire of Twelve Steps Completion: 205, 212 Quick Drinking Screen (QDS): 90, 98
- Quitting Time for Alcohol Questionnaire (QTAQ): 17, 532–534

R

- Rand Quantity Frequency: 86–88
- Rapid Alcohol Problems Screen (RAPS4): 17, 26, 28–30, 32, 34, 535–538
- Readiness To Change Questionnaire (RTCQ): 133, 136–137, 139–141, 148, 174, 177–178, 183
- Readiness To Change Questionnaire Treatment Version (RTCQ-TV): 18, 133, 136–137, 140, 539–542
- Reasons for Drinking Questionnaire (RFDQ): 133, 136–137, 155, 188
- Recovery Attitude and Treatment Evaluator (RAATE) Clinical Evaluation (RAATE-CE) and Questionnaire I (RAATE-QI): 18, 133, 136, 137, 168–169, 183–184, 186, 543–554
- Relapse Precipitants Inventory (RPI): 154, 156–157

- Research Institute on Addictions Self Inventory (RIASI): 33–34
- Residential Substance Abuse and Psychiatric Programs Inventory (RESPPI): 192, 194
- Rutgers Alcohol Problem Index (RAPI): 18, 106, 109–111, 555–559

S

- Schedule for Affective Disorders and Schizophrenia for School-Aged Children (K-SADS): 113, 121
- Schedule for Clinical Assessment in Neuropsychiatry (SCAN): 66, 72–73
- Self-Administered Alcoholism Screening Test (SAAST): 18, 26, 28–31, 560–564
- Self-Help Group Participation Scale: 205, 207
- Semi-Structured Assessment for the Genetics of Alcoholism (SSAGA-II): 18, 61, 63, 65–69, 72, 565–567
- Service Delivery Unit Questionnaire: 195
- Severity of Alcohol Dependence Questionnaire (SADQ): 18, 61, 63, 65–66, 68–69, 568–572
- Short Alcohol Dependence Data (SADD): 18, 61, 64–66, 68–69, 573–575
- Short Michigan Alcoholism Screening Test (SMAST): 28–29, 35, 142, 160, 186
- Significant-Other Behavior Questionnaire (SBQ): 162–163, 181
- Situational Competency Test (SCT): 201–202, 204
- Situational Confidence Questionnaire (SCQ or SCQ-39): 134, 136–137, 151–152, 155–157, 172–173, 183, 185, 209–210
- Social Model Philosophy Scale (SMPS): 196, 198 Spirituality Questionnaire: 205, 206
- Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES): 18, 134, 136–137, 141–142, 181, 183–184, 576–582
- Steps Questionnaire: 18, 205–206, 208, 212, 583–586
- Structured Clinical Interview for the DSM (SCID) Substance Use Disorders Module–Adapted for Adolescents: 19, 61, 66, 113, 120, 122, 587–588
- Structured Clinical Interview for the DSM Substance Use Disorders Module (SCID SUDM): 109–111, 113

Substance Abuse Module (SAM) Version 4.1: 19, 61, 64–68, 589–590

Substance Abuse Relapse Assessment (SARA): 156, 186

Substance Abuse Subtle Screening Inventory (SASSI): 19, 26, 28–30, 121, 591–595

Substance Abuse Subtle Screening Inventory for Adolescents (SASSI-A): 109–112, 591–595

Substance Dependence Severity Scale (SDSS): 19, 61, 64–68, 596–597

Substance Use Disorders Diagnostic Schedule (SUDDS-IV): 19, 61, 64–66, 68, 598–617

Surrender Scale: 19, 618-621

Survey of Essential Elements Questionnaire (SEEQ): 196–198, 200

T

T-ACE: 25–26, 28–30, 32
Teen Addiction Severity Index (T-ASI): 19, 109–111, 114–115, 117, 120, 622–635
Teen-Treatment Services Review (T-TSR): 19, 109–111, 115, 120, 200, 213, 636–640
Temptation and Restraint Inventory (TRI): 19, 61, 64–65, 67–68, 158, 641–645
Timeline Followback (TLFB): 4, 11, 14, 78–82,

84, 88–91, 98, 105, 122, 230, 301–310 Treatment Services Review (TSR): 19, 164, 177, 182, 199–200, 214, 646–648 TWEAK: 19, 25–26, 28–32, 649–652 Two-item conjoint screen (TICS): 32

U

Understanding of Alcoholism Scale (UAS): 199, 212

University of Rhode Island Change Assessment Scale (URICA): 19, 134, 136–137, 140–141, 165, 653–659

\mathbf{V}

Volume-Pattern Index: 86–88 Volume-Variability (VV) Index: 86–87

\mathbf{W}

Ward Atmosphere Scale (WAS): 196, 198, 215

Y

Your Workplace (YWP): 19, 134, 136, 137, 161–162, 173, 185, 660–665

Copies of actual sample instruments are not included in this online version. For printed copies, please contact the source listed on each fact sheet.