



Lactose or Dairy Intolerance

Milk helps build strong bones and teeth. But what can you do if you are having trouble digesting milk or milk products?



What is lactose intolerance?

Lactose is the natural sugar in milk. Some people can not digest lactose well. When lactose does not get digested you may have **gas, bloating, cramps, or diarrhea**. This happens 30 minutes to two hours after eating or drinking foods that have lactose. If you have these problems, your doctor can do a simple test to see if you are lactose intolerant.

Is milk allergy the same as lactose intolerance?

Milk allergy is not the same as lactose intolerance. People with milk allergy are allergic to the protein in milk. Milk allergy is very rare. Most children with a milk allergy outgrow it before the age of 3. The possible symptoms include: skin rash, diarrhea and/or constipation, bronchitis, and blood in the stool. Diagnosis must be made by a doctor.


Why do I need dairy products?

Dairy products are a major source of calcium, though calcium can be found in other foods. Your body needs calcium for healthy bones and teeth. In later life, a lack of calcium may lead to thin and weak bones. Everyone needs to get plenty of food high in calcium to build strong bones.

Non-dairy sources of calcium

Good sources of calcium:

- ▲ soybeans
- ▲ tofu
- ▲ collard greens
- ▲ salmon
- ▲ refried beans
- ▲ baked beans



Fair sources of calcium:

- ▲ clams and oysters
- ▲ bean sprouts
- ▲ mustard or turnip greens
- ▲ almonds
- ▲ oranges
- ▲ corn tortillas





What can I do if I am lactose intolerant?



- ▲ Eat or drink small amounts of dairy products more often.
- ▲ Eat or drink dairy products along with other foods at a meal or snack.
- ▲ Use foods that contain less lactose, such as lactose-reduced milk, hard cheeses, cottage cheese, yogurt with **active cultures**, and ice cream.
- ▲ Buy foods labeled **low lactose** or **lactose free**.
- ▲ Look for **acidophilus milk** or **lactose-reduced milk** in the dairy section in the supermarket. They taste good and are easier to digest if you have lactose intolerance. Ask the WIC staff about these types of milk if you would like to buy them with a WIC check.
- ▲ Ask your pharmacist or doctor for special drops or tablets (**lactase enzymes**) that help you digest milk. You can add drops to regular whole milk, 2% milk, 1% milk or non fat milk to make your own lactose-reduced milk.

Lactose in dairy foods

High



Milk

Medium



Ice cream

Medium-Low



Yogurt

Low



Cottage
Cheese

Very Low



Hard
Cheese



Dear Colleague,

The Washington State Department of Health (DOH) is pleased to provide camera-ready art for printing this educational material. To ensure that the original quality of the piece is maintained, please read and follow the instructions below and the specifications included for professional printing.

- **Use the latest version.** DOH materials are developed using the most current information available, are checked for clinical accuracy, and are field tested with the intended audience to ensure they are clear and readable. DOH programs make periodic revisions to educational materials, so please check this web site to be sure you have the latest version. DOH assumes no responsibility for the use of this material or for any errors or omissions.
- **Do not alter.** We are providing this artwork with the understanding that it will be printed without alterations and copies will be free to the public. Do not edit the text or use illustrations or photographs for other purposes without first contacting us. Please do not alter or remove the DOH logo, publication number or revision date. If you want to use a part of this publication for other purposes, contact the Office of Health Promotion first.
- **For quality reproduction:** Low resolution PDF files are intended for black and white or color desktop printers. They work best if you are making only one or two copies. High resolution PDF files are intended for reproducing large quantities and are set up for use by professional offset print shops. The high resolution files also include detailed printing specifications. Please match them as closely as possible and insist on the best possible quality for all reproductions.

If you have questions, contact:
Office of Health Promotion
P.O. Box 47833 Olympia, WA 98504-7833
(360) 236-3736

Sincerely,
Health Education Resource Exchange Web Team

P R I N T I N G S P E C I F I C A T I O N S

Title: Lactose or Dairy Intolerance

Size: 5.5 x 9

Paper stock: 60# text Sterling gloss white

Ink color: 4-color process

Special instructions: Prints 2 sides

DOH Pub #: 961-197