

required information to the U.S. Senate, the U.S. House of Representatives, and the Comptroller General of the United States prior to publication of the rule in the **Federal Register**. This rule is not a “major rule” as defined by 5 U.S.C. 804(2).

#### List of Subjects in 40 CFR Part 799

Environmental protection, Chemicals, Hazardous substances, Reporting and recordkeeping requirements.

Dated: December 4, 2006.

#### James B. Gulliford,

*Assistant Administrator, Office of Prevention, Pesticides and Toxic Substances.*

- Therefore, 40 CFR chapter I is amended as follows:

#### PART 799—AMENDED

- 1. The authority citation for part 799 continues to read as follows:

**Authority:** 15 U.S.C. 2603, 2611, 2625.

#### § 799.5085 [Amended]

- 2. By removing the entry “CAS No. 65996–78–3, Light oil (coal), coke-oven, in Table 2 of paragraph (j) in § 799.5085.

[FR Doc. E6–20908 Filed 12–7–06; 8:45 am]

**BILLING CODE 6560–50–S**

#### DEPARTMENT OF HEALTH AND HUMAN SERVICES

#### Centers for Medicare & Medicaid Services

#### 42 CFR Parts 405, 410, 411, 414, 415, and 424

CMS–1321–CN

RIN 0938–AN84

#### Medicare Program; Revisions to Payment Policies, Five-Year Review of Work Relative Value Units, and Changes to the Practice Expense Methodology Under the Physician Fee Schedule, and Other Changes to Payment Under Part B; Corrections

**AGENCY:** Centers for Medicare & Medicaid Services (CMS), HHS.

**ACTION:** Correction.

**SUMMARY:** This correction document corrects a limited number of technical and typographical errors in the final rule with comment period that appeared in the December 1, 2006 **Federal Register** (71 FR 69624). The final rule with comment period addressed Medicare Part B payment policy, including the physician fee schedule (PFS) that is applicable for calendar year (CY) 2007, finalized the CY 2006

interim relative value units (RVUs), and established interim RVUs for new and revised procedure codes for CY 2007.

**EFFECTIVE DATE:** This correction notice is effective January 1, 2007.

#### FOR FURTHER INFORMATION CONTACT:

Diane Milstead, (410) 786–3355.

#### SUPPLEMENTARY INFORMATION:

##### I. Background

In FR Doc. 06–9086 (71 FR 69624), the final rule with comment period entitled “Medicare Program; Revisions to Payment Policies, Five-Year Review of Work Relative Value Units, and Changes to the Practice Expense Methodology Under the Physician Fee Schedule, and Other Changes to Payment Under Part B; Revisions to the Payment Policies of Ambulance Services Under the Fee Schedule for Ambulance Services; Ambulance Inflation Factor Update for CY 2007” (hereinafter referred to as the CY 2007 final rule with comment period), there were technical and typographical errors that are identified and corrected in this correction notice. The provisions of this correction notice are effective January 1, 2007.

##### II. Summary of Errors

###### A. Preamble

In the preamble of the CY 2007 final rule with comment period, there were a number of technical errors and omissions.

On page 69634, in step 8 of the Practice Expense (PE) methodology calculation, we erroneously stated in the parenthetical note that unadjusted work RVUs are used to calculate the service level allocators for indirect practice expenses (PEs) in this final rule.

On pages 69636 and 69637, in Table 1, “Calculation of PE RVUs under Methodology For Selected Codes”, we found numerous errors that include amounts and row headings.

On page 69640, under the discussion titled, “(4) Indirect PE RVUs Methodology” in the last sentence of the first response concerning the use of budget-neutralized work RVUs, we erroneously stated that we did not use the budget-neutralized work RVUs to calculate indirect PE.

On page 69646, clarifying language was inadvertently omitted from the response.

On page 69654, in Table 6, “Practice Expense Equipment Item Additions for CY 2007”, one of the equipment items is misspelled.

On page 69692, the word “a” was inadvertently omitted from a response.

On page 69694, the word “receiving” was erroneously omitted from a response.

On pages 69741 through 69743, in Table 15, “AMA RUC and HCPAC recommendations and CMS’ Decisions for New and Revised 2007 CPT Codes,” the title of the last column “2006 work RVUs” is incorrect.

On page 69744, in Table 16, “AMA RUC Anesthesia Recommendations and CMS Decisions for New and Revised CPT codes”, the RUC-recommended base value for CPT code 00626 is incorrect.

On page 69744, under section E, “Discussion of Codes for Which There Were No RUC recommendations or For Which the RUC Recommendations Were Not Accepted”, we inadvertently omitted the discussion related to CPT code 15830.

On page 69747, we incorrectly stated that pricing information for an item was not provided.

On page 69760, in section B “Anesthesia Fee Schedule Conversion Factor,” the discussion concerning the adjustment factor in Table 32 did not address all the included adjustments. In addition, Table 32 did not reflect the additional adjustment.

On page 69768, in Table 35, a footnote was inadvertently omitted.

On page 69770, in Table 36, a footnote was inadvertently omitted.

These corrections are reflected in section III.A. of this correction notice.

##### B. Addenda

The following errors in Addenda B and C are revised under this correction notice. These addenda will not appear in the Code of Federal Regulations.

In Addendum B, pages 69796 through 70011, we are making the following corrections:

(1) An indicator “+” denoting that the published RVUs are not used was omitted from the following Physicians’ Current Procedural Terminology (CPT) or alphanumeric Healthcare Procedure Coding System (HCPCS) codes:

- 11000: 11975, 11977;
- 15000: 15850;
- 37000: 37216;
- 38000: 38204, 38207, 38208, 38209, 38210, 38211, 38212, 38213, 38214, 38215;
- 43000: 43842;
- 58000: 58300;
- 61000: 61630, 61635, 61640, 61641, 61642;
- 72000: 72159, 72159–TC, 72159–26;
- 73000: 73225, 73225–TC, 73225–26;
- 76000: 76390, 76390–TC, 76390–26;
- 78000: 78350, 78350–TC, 78350–26, 78351, 78890, 78890–TC, 78890–26, 78891, 78891–TC, 78891–26;
- 90000: 90875, 90876, 90885, 90887, 90918, 90919, 90920, 90921, 90922, 90923, 90924, 90925;

- 92000: 92015, 92310, 92314, 92340, 92341, 92342, 92352, 92353, 92354, 92355, 92358, 92370, 92371, 92551;
- 93000: 93668, 93740, 93740-TC, 93740-26, 93770, 93770-TC, 93770-26;
- 94000: 94005, 94150, 94150-TC, 94150-26;
- 96000: 96040, 96155, 96902;
- 97000: 97010, 97014, 97810, 97811, 97813, 97814;
- 98000: 98943, 98960, 98961, 98962;
- 99000: 99091, 99173, 99339, 99340, 99358, 99359, 99360, 99363, 99364, 99374, 99375, 99377, 99378, 99379, 99380, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99420;
- G codes: G0122, G0122-TC, G0122-26, G0252-26, G0337.

(2) Incorrect RVUs were listed for the following CPT codes: 38207, 38210, 38211, 38212, 38213, 38214, and 38215.

(3) Incorrect practice expense RVUs were listed for the following CPT and HCPCS codes: 73223, 73323-TC, 76775, 76775-TC, 76775-26, 95060, 95065, G0389, G0389-TC, G0389-26, G0392, and G0393.

(4) Incorrect status indicators and RVUs were listed for CPT codes 93235, 93624, and 93624-TC.

In Addendum C, page 70015, an indicator “+” denoting that the published RVUs are not used was omitted from the following Physicians' Current Procedural Terminology (CPT) or alphanumeric Healthcare Procedure Coding System (HCPCS) codes:

- 90000: 94005, 96040, 99363, and 99364.

These corrections are reflected in section III.B. of this correction notice.

### III. Correction of Errors

#### A. Correction of Errors in the Preamble

1. On page 69634, in the 2nd column, in the 8th full paragraph, lines 11 through 13, in step 8 of the PE methodology calculation, the sentence “In this final rule, unadjusted work RVUs are used” is removed.

2. On pages 69636 through 69637, in Table 1: Calculation of PE RVUs under Methodology for Selected Codes, the table is corrected to read as follows:

**BILLING CODE 4120-01-P**

**TABLE 1: Calculation of PE RVUs under Proposed Methodology for Selected Codes**

			99213	33533	71020	71020TC	93000	93005	93010
			Office visit, est	CABG, arterial, single	Chest x-ray	Chest x-ray	ECG, complete	ECG, tracing	ECG, report
	Step	Source	Formula	Nonfacility Facility	Nonfacility	Nonfacility	Nonfacility	Nonfacility	Nonfacility
(1)	Labor cost (Lab)	Step 1	AMA	\$ 13.33	\$ 77.59	\$ 5.74	\$ -	\$ 6.13	\$ -
(2)	Supply cost (Sup)	Step 1	AMA	\$ 2.99	\$ 7.35	\$ 3.39	\$ -	\$ 1.20	\$ -
(3)	Equipment cost (Eq)	Step 1	AMA	\$ 0.19	\$ 0.65	\$ 8.18	\$ -	\$ 0.12	\$ -
(4)	Direct cost (Dir)	Step 1	$= (1) + (2) + (3)$ )	\$ 16.51	\$ 85.59	\$ 17.32	\$ -	\$ 7.44	\$ -
(5)	Direct adjustment (Dir Adj)	See footnote*		0.606	0.606	0.606	0.606	0.606	0.606
(6)	Adjusted labor	Steps 2-4	$= \text{Lab}^* \text{Dir Adj}$ $= \text{Lab}^* \text{Dir Adj}$ $= (1)^* (5)$	\$ 8.07	\$ 46.99	\$ 3.48	\$ -	\$ 3.71	\$ -
(7)	Adjusted supplies	Steps 2-4	$= \text{Sup}^* \text{Dir Adj}$ $= (2)^* (5)$	\$ 1.81	\$ 4.45	\$ 2.06	\$ -	\$ 0.72	\$ -
(8)	Adjusted equipment	Steps 2-4	$= \text{Eq}^* \text{Dir Adj}$ $= (3)^* (5)$	\$ 0.12	\$ 0.40	\$ 4.95	\$ -	\$ 0.07	\$ -
(9)	Adjusted direct	Steps 2-4	$= (6) + (7) + (8)$ )	\$ 10.00	\$ 51.84	\$ 10.49	\$ -	\$ 4.51	\$ -
(10)	Conversion Factor (CF)	Step 5	MFS	\$ 35.9048	\$ 35.9848	\$ 35.9848	\$ 35.9848	\$ 35.9848	\$ 35.9848
(11)	Adj. labor cost converted	Step 5	$= (\text{Lab}^* \text{Dir Adj}) / \text{CF}$ $= (6) / (10)$	0.22	1.31	0.10	0.10	0.10	0.10
(12)	Adj. supply cost converted	Step 5	$= (\text{Sup}^* \text{Dir Adj}) / \text{CF}$ $= (7) / (10)$	0.05	0.12	0.06	0.06	0.02	0.02
(13)	Adj. equip cost converted	Step 5	$= (\text{Eq}^* \text{Dir Adj}) / \text{CF}$ $= (8) / (10)$	0.00	0.01	0.14	0.14	0.00	0.00
(14)	Adj. direct cost converted	Step 5	$= (11) + (12)$ + (13)	0.28	1.44	0.29	-	0.13	0.13
(15)	Wk RVU* Wk Scaler	Setup File	MFS	0.83	30.26	0.20	-	0.15	-
(16)	Dir_pct	Steps 6, Surveys		33.9%	32.5%	38.0%	38.0%	37.6%	37.6%
(17)	Ind_pct	Steps 6, Surveys		66.1%	67.5%	62.0%	62.0%	62.4%	62.4%
(18)	Ind Alloc. formula (1st part)	Step 8	See Step 8	$((14) / (16))^*$ (17)					
(19)	Ind Alloc. (1st part)	Step 8	See (18)	0.54	2.99	0.48	-	0.21	-
(20)	Ind Alloc. formulas (2nd part)	Step 8	See Step 8	(15)	(15)+(11)	(11)	(15)+(11)	(11)	(15)
(21)	Ind Alloc. (2nd part)	Step 8	See (20)	0.83	30.26	0.30	0.10	0.25	0.10
(22)	Indirect Allocator (1st+2nd)	Step 8	$= (19) + (21)$	1.37	33.25	0.77	0.57	0.46	0.31

			99213	33533 CABG, arterial, single	71020	71020TC	7102026	93000	93005	93000	93010
			Office visit; est	Chest x-ray	Chest x-ray	Chest x-ray	Chest x-ray	ECG, complete	ECG, tracing	ECG, report	
	Step	Source	Nonfacility	Nonfacility	Nonfacility	Nonfacility	Nonfacility	Nonfacility	Nonfacility	Nonfacility	Nonfacility
(23)	Indirect Adjustment (Ind Adj)	Steps 9- 11 See footnote**	0.349	0.349	0.349	0.349	0.349	0.349	0.349	0.349	0.349
(24)	Adjusted Indirect Allocator	Steps 9- 11 =Ind Alloc * Ind Adj	0.48	11.61	0.27	0.20	0.07	0.16	0.11	0.05	
(25)	Ind Practice Cost Index (PCI)	Steps 12- 16 See Steps 12- 16	0.970	0.931	0.869	0.869	0.869	1.300	1.300	1.300	
(26)	Adjusted Indirect	Step 17 = Adj. Ind Alloc*PCI	= (24)*(25)	0.47	10.81	0.23	0.17	0.06	0.21	0.14	0.07
(27)	PE RVU	Steps 18-19 =(Adj Dir+Adj Ind)*budn	=((14)+(26) )*budn	0.74	12.26	0.53	0.47	0.06	0.33	0.27	0.07

\* The direct adj = [current pe rvus \* CF \* avg dir pct] / [sum direct inputs] = [Step 2] / [Step 3].  
 \*\* The indirect adj = [current pe rvus \* avg ind pct] / [sum of ind allocators] = [Step 9] / [Step 10].

3. On page 69640, in the 2nd column, the 1st full paragraph, the response beginning with the phrase "As discussed in section III.D.3. of this final rule with comment period \* \* \*" and ending with the phrase "\* \* \* budget-neutralized work RVUs to calculate indirect PE" is corrected to read as follows:

"As discussed elsewhere in this rule, we do not believe it would be appropriate to allow the increases in work RVUs for certain services as a result of the 5-Year Review to reduce aggregate payments for PEs and professional liability under the Medicare PFS. Our final policy to use the budget-neutralized work RVUs in the calculation of indirect PEs appropriately maintains the current relationships between the work, PE, and professional liability (malpractice insurance expense) components of the PFS. We also believe it is important to apply the revised, budget-neutralized work RVUs consistently within the PFS framework. It would not be consistent to apply one set of work RVUs for work payments, but a different set for purposes of calculating indirect PEs. Therefore, we will base the calculation of both the work payments and the indirect PEs on the revised, budget-neutralized work RVUs adopted as part of this final rule, and maintain the overall current relationships between work, PE, and professional liability. The PE RVUs in Addendum B and throughout the rest of this rule reflect this policy."

4. On page 69646, in the 2nd column, the 4th full paragraph, the response "We will implement these changes for CY 2007" is corrected to read as follows: "We are implementing these changes for CY 2007. Because we are implementing the bottom-up methodology, which utilizes the direct inputs to determine the PE RVUs for CY 2007, a separate payment for the contrast media used in various imaging procedures will be available. In addition to the CPT code representing the imaging procedure, providers are instructed to use the appropriate HCPCS Q-code, Q9942 through Q9964, to separately bill for the contrast medium utilized in performing the service."

5. On page 69654, in Table 6, Practice Expense Equipment Item Additions for CY 2007, column 2, line 16, the word "Acerine" is corrected to read "Aerocrine."

6. On page 69692, in the 3rd column, 1st paragraph, line 10, the phrase "verified in large trial" is corrected to read as "verified in a large trial."

7. On page 69694, in the 3rd column, 3rd paragraph, lines 8 through 9, the phrase "may also be FDA-approved" is corrected to read "may also be receiving FDA-approved."

8. On pages 69741 through 69743, in Table 15, "AMA RUC and HCPAC recommendations and CMS" Decisions for New and Revised 2007 CPT Codes", last column, the column heading, "2006 work RVU" is corrected to read "2007 work RVU".

9. On page 69744, in Table 16: AMA RUC Anesthesia Recommendations and CMS Decisions for New and Revised CPT Codes, column 3 (RUC-recommendation), line 2 (CPT code 00626), the value "13.00" is corrected to read "15.00."

10. On page 69744, in the 1st column, after the 2nd full paragraph following the table, after the sentence "This summary refers only to work RVUs" and before the sentence beginning "For CPT code 22857 \* \* \*" the following paragraph is added to read as follows:

"For CPT code 15830, *Excision, excessive skin and subcutaneous tissue (includes lipectomy); abdomen, infraumbilical panniculectomy*, the RUC recommended 15.60 work RVUs. We reviewed the summary of recommendations for an add-on procedure to CPT code 15830, CPT code 15847, *Excision, excessive skin and subcutaneous tissue (includes lipectomy); abdomen (eg, abdominoplasty) (includes umbilical transposition and fascial pilculation (List separately in addition to code for primary procedure)*, in which the RUC and the specialty society recommended that this code be carrier-priced to reduce the potential for abuse. In order to reduce the potential for abuse, we believe that, payment for CPT code 15830 should be similarly restricted and medical necessity should be established prior to payment. Therefore, we have

assigned a status indicator of "R" (Restricted) to this code."

11. On page 69747, in the 3rd column, 1st paragraph, lines 2 through 5, the sentence "We were not able to include a price for the pedigree software equipment as it was not provided with the PE inputs" is corrected to read as "We included a price of \$950 for the pedigree software desktop version as the typical equipment used in a physician office."

12. On page 69760,

a. In the 3rd column, 1st full paragraph, lines 10 through 12, the sentence "The adjustment factor in Table 32 includes the combined effect of the PE adjustment and the BN adjustment" is corrected to read "The adjustment factor in Table 32 includes the combined effect of the PE adjustment, the BN adjustment and the adjustment to anesthesia work to account for the increase in the work of the E/M codes."

b. In the 3rd column, Table 32 is corrected as follows:

TABLE 32

2006 Anesthesia Conversion Factor.	\$17.7663
2007 Update .....	- 5.0 percent (0.94953) 0.9110
2007 Combined Adjustment PE and BN.	
2007 Anesthesia Conversion Factor.	\$15.3682

13. On page 69768, Table 35 is corrected by adding a footnote to read as follows:

"\*\*\*Components may not sum due to rounding error."

14. On page 69770, Table 36 is corrected by adding a footnote to read as follows:

"Note: When applying the 0.8994 work adjuster to the work relative values printed in Addendum B, you must round the product to two decimal places."

#### B. Addenda

1. On pages 69796 through 70011, in Addendum B: Relative Value Units (RVUs) And Related Information the following entries are corrected to read as follows:

## ADDENDUM B.—RELATIVE VALUE UNITS (RVUS) AND RELATED INFORMATION—CORRECTIONS

CPT <sup>1</sup> / HCPCS <sup>2</sup>	Mod	Status	Description	Physician work RVUs <sup>3</sup>	Fully implemented non-facility PE RVUs	Year 2007 transition non-facility PE RVUs	Fully implemented facility PE RVUs	Year 2007 transitional facility PE RVUs	Fully implemented non-facility total	Year 2007 transitional non-facility total	Fully implemented facility total	Year 2007 transitional facility total	Global
11975		N	Insert contraceptive cap .....	1.48+	1.52	1.45	0.34	0.51	0.17	3.17	3.10	1.99	2.16
11977		N	Removal/reinsert contra cap .....	3.30+	1.97	2.20	0.76	1.14	0.37	5.64	5.87	4.43	4.81
15850		B	Removal of sutures .....	0.78+	1.19	1.47	0.18	0.27	0.05	2.02	2.30	1.01	1.10
37216		N	Transcath stent, cca w/o eps .....	18.85+	NA	NA	5.75	8.05	1.04	NA	25.64	27.94	0.90
38204		B	Bt donor search management .....	2.00+	0.91	0.91	0.91	0.91	0.06	2.97	2.97	2.97	2.97
38207		-	Cryopreserve stem cells .....	0.89+	0.41	0.41	0.41	0.41	0.01	1.31	1.31	1.31	1.31
38208		-	Thaw preserved stem cells .....	0.56+	0.25	0.25	0.25	0.25	0.02	0.83	0.83	0.83	0.83
38209		-	Wash harvest stem cells .....	0.24+	0.11	0.11	0.11	0.11	0.01	0.36	0.36	0.36	0.36
38210		-	T-cell depletion of harvest .....	1.57+	0.72	0.72	0.72	0.72	0.03	2.32	2.32	2.32	2.32
38211		-	Tumor cell deplete of harvest .....	1.42+	0.65	0.65	0.65	0.65	0.02	2.09	2.09	2.09	2.09
38212		-	Rbc depletion of harvest .....	0.94+	0.43	0.43	0.43	0.43	0.02	1.39	1.39	1.39	1.39
38213		-	Platelet depleted of harvest .....	0.24+	0.11	0.11	0.11	0.11	0.01	0.36	0.36	0.36	0.36
38214		-	Volume depleted of harvest .....	0.81+	0.37	0.37	0.37	0.37	0.01	1.19	1.19	1.19	1.19
38215		-	Harvest stem cell concentrate .....	0.94+	0.43	0.43	0.43	0.43	0.02	1.39	1.39	1.39	1.39
43842		-	V-band gastroplasty .....	20.90+	NA	NA	6.75	7.53	NA	NA	30.10	30.88	0.90
58300		-	Insert intrauterine device .....	1.01+	0.62	1.22	0.23	0.34	0.12	2.35	2.35	1.36	1.47
61630		-	Intracran angioplasty .....	22.07+	NA	NA	6.44	10.98	0.20	NA	30.53	35.07	0.90
61635		-	Intracran angioplasty w/stant .....	24.29+	NA	NA	6.95	11.89	0.21	NA	33.44	38.38	0.90
61640		-	Dilate ic vasospasm, init .....	12.32+	NA	NA	2.85	2.85	0.71	NA	15.88	15.88	0.00
61641		-	Dilate ic vasospasm add-on .....	4.33+	NA	NA	1.00	1.00	0.25	NA	5.58	5.58	0.00
61642		-	Dilate ic vasospasm add-on .....	8.66+	NA	NA	2.00	2.00	0.50	NA	11.16	11.16	0.00
72159		N	Mr angio spine w/o&w/dye .....	1.80+	14.49	13.31	NA	NA	0.74	17.03	15.85	NA	NA
72159		TC	Mr angio spine w/o&w/dye .....	0.00+	14.07	12.69	NA	NA	0.64	14.71	13.33	NA	NA
72159		26	Mr angio spine w/o&w/dye .....	1.80+	0.42	0.62	0.42	0.62	0.10	2.32	2.32	2.32	2.32
73223		A	Mri joint upr extx w/o&w/dye .....	2.15	16.74	23.38	NA	NA	0.94	19.83	26.47	NA	NA
73223		26	Mri joint upr extx w/o&w/dye .....	2.15	0.61	0.69	0.61	0.69	0.10	2.86	2.94	NA	NA
73225		N	Mri angio upr extx w/o&w/dye .....	1.73+	14.47	12.38	NA	NA	0.69	16.89	14.80	NA	NA
73225		TC	Mri angio upr extx w/o&w/dye .....	0.00+	14.07	11.78	NA	NA	0.59	14.66	12.37	NA	NA
73225		26	Mri angio upr extx w/o&w/dye .....	1.73+	0.40	0.60	0.40	0.60	0.10	2.23	2.23	2.23	2.23
76390		N	Mri spectroscopy .....	1.40+	9.31	10.94	NA	NA	0.66	11.37	13.00	NA	NA
76390		TC	Mri spectroscopy .....	0.00+	8.99	10.51	NA	NA	0.59	9.58	11.10	NA	NA
76390		26	Mri spectroscopy .....	1.40+	0.32	0.43	0.32	0.43	0.07	1.79	1.90	NA	NA
76775		A	Us exam abdo back wall, lim .....	0.58	2.23	1.77	NA	NA	0.11	2.92	2.46	NA	NA
76775		TC	Us exam abdo back wall, lim .....	0.00	2.06	1.58	NA	NA	0.08	2.14	1.66	NA	NA
76775		26	Us exam abdo back wall, lim .....	0.58	0.17	0.19	0.17	0.19	0.03	0.78	0.80	0.78	0.80
78850		N	Bone mineral, single photon .....	0.22+	0.00	0.82	NA	NA	0.06	0.28	1.10	NA	NA
78850		TC	Bone mineral, single photon .....	0.00+	0.00	0.75	NA	NA	0.05	0.05	0.80	NA	NA
78850		26	Bone mineral, single photon .....	0.22+	0.00	0.07	0.00	0.07	0.01	0.23	0.30	0.23	0.30
78851		N	Bone mineral, dual photon .....	0.30+	NA	NA	0.07	0.11	0.01	NA	NA	0.38	0.42
78890		B	Nuclear medicine data proc .....	0.05+	0.38	1.10	NA	NA	0.07	0.50	1.22	NA	NA
78890		TC	Nuclear medicine data proc .....	0.00+	0.37	1.08	NA	NA	0.06	0.43	1.14	NA	NA
78890		26	Nuclear medicine data proc .....	0.05+	0.01	0.02	0.01	0.02	0.01	0.07	0.08	0.07	0.08
78891		B	Nuclear medicine data proc .....	0.10+	0.86	2.22	NA	NA	0.14	1.10	2.46	NA	NA
78891		TC	Nuclear medicine data proc .....	0.00+	0.84	2.18	NA	NA	0.13	0.97	2.31	NA	NA
78891		26	Nuclear medicine data proc .....	0.10+	0.02	0.04	0.02	0.04	0.01	0.13	0.13	0.15	0.15
90875		N	Psychophysiological therapy .....	1.20+	0.52	0.81	0.28	0.42	0.04	1.76	2.05	1.52	1.66
90876		N	Psychophysiological therapy .....	1.90+	0.67	1.04	0.44	0.66	0.05	2.62	2.99	2.39	2.61
90885		B	Psy evaluation of records .....	0.97+	0.22	0.33	0.22	0.33	0.02	1.21	1.32	1.32	1.32
90887		B	Consultation with family .....	1.48+	0.61	0.77	0.34	0.51	0.04	2.13	2.29	1.86	2.03
90918		B	ESRD related services, month .....	11.16+	4.68	5.75	3.74	5.52	0.36	16.20	17.27	15.26	17.04
90919		-	ESRD related services, month .....	8.53+	3.02	3.76	2.55	3.64	0.29	11.84	12.58	11.37	12.46
90920		-	ESRD related services, month .....	7.26+	2.73	3.50	2.27	3.38	0.23	10.22	10.99	9.76	10.87
90921		-	ESRD related services, day .....	4.46+	1.70	2.26	1.61	2.23	0.14	6.30	6.86	6.21	6.83
90922		-	Esrd related services, day .....	0.37+	0.16	0.20	0.12	0.19	0.01	0.54	0.58	0.50	0.57
90923		-	Esrd related services, day .....	0.28+	0.10	0.12	0.08	0.12	0.01	0.39	0.41	0.37	0.41
90924		-	Esrd related services, day .....	0.24+	0.09	0.11	0.08	0.11	0.01	0.34	0.36	0.33	0.36

## ADDENDUM B.—RELATIVE VALUE UNITS (RVUS) AND RELATED INFORMATION—CORRECTIONS—Continued

CPT <sup>1</sup> /HCPCS <sup>2</sup>	Mod	Status	Description	Physician work RVUs <sup>3</sup>	Fully implemented non-facility PE RVUs	Year 2007 transitional non-facility PE RVUs	Fully implemented facility PE RVUs	Year 2007 transitional non-facility total	Fully implemented non-facility total	Year 2007 transitional facility total	Global
90925			Erd related services, day	0.15+	0.05	0.07	0.05	0.07	0.01	0.21	0.23
92015		N	Refraction	0.38+	0.10	1.14	0.09	0.14	0.49	1.53	0.48
92310		N	Contact lens fitting	1.17+	1.05	1.10	0.27	0.41	0.04	2.26	1.48
92314		N	Prescription of contact lens	0.69+	1.13	0.99	0.16	0.24	0.01	1.83	1.31
92340		N	Fitting of spectacles	0.37+	0.44	0.64	0.08	0.13	0.01	0.82	1.69
92341		N	Fitting of spectacles	0.47+	0.46	0.67	0.11	0.16	0.01	0.94	1.02
92342		N	Fitting of spectacles	0.53+	0.48	0.69	0.12	0.19	0.01	1.23	0.66
92352		B	Special spectacles fitting	0.37+	0.56	0.65	0.08	0.13	0.01	0.94	1.03
92353		B	Special spectacles fitting	0.50+	0.59	0.70	0.12	0.17	0.02	1.11	1.22
92354		B	Special spectacles fitting	0.00+	0.28	6.72	NA	NA	0.10	0.38	6.82
92355		B	Special spectacles fitting	0.00+	0.44	3.36	NA	NA	0.01	0.45	3.37
92358		B	Eye prosthesis service	0.00+	0.23	0.79	NA	NA	0.05	0.28	0.84
92370		N	Repair & adjust spectacles	0.32+	0.39	0.51	0.07	0.12	0.02	0.73	0.85
92371		B	Repair & adjust spectacles	0.00+	0.24	0.53	NA	NA	0.02	0.26	0.55
92551		N	Pure tone hearing test, air	0.00+	0.25	0.25	NA	NA	0.01	0.26	0.26
93235		C	ECG monitor/report, 24 hrs	0.00	0.00	0.00	NA	NA	0.00	0.00	NA
93624		C	Electrophysiologic evaluation	0.00	0.00	0.00	NA	NA	0.00	0.00	0.00
93624		TC	Electrophysiologic evaluation	0.00	0.00	0.00	NA	NA	0.00	0.00	0.00
93668		N	Peripheral vascular rehab	0.00+	0.40	0.40	NA	NA	0.01	0.41	0.46
93740		B	Temperature gradient studies	0.16+	0.04	0.15	NA	NA	0.02	0.33	NA
93740		TC	Temperature gradient studies	0.00+	0.00	0.11	NA	NA	0.01	0.12	NA
93740		B	Temperature gradient studies	0.16+	0.04	0.04	NA	NA	0.01	0.21	0.21
93770		B	Measure venous pressure	0.16+	0.04	0.07	NA	NA	0.02	0.22	0.25
93770		TC	Measure venous pressure	0.00+	0.00	0.02	NA	NA	0.01	0.03	NA
93770		B	Measure venous pressure	0.16+	0.04	0.05	NA	NA	0.01	0.05	0.21
94005		B	Home vent mgmt supervision	1.50+	0.69	0.69	NA	NA	0.06	2.25	2.25
94150		B	Vital capacity test	0.07+	0.48	NA	NA	NA	0.02	0.57	0.57
94150		TC	Vital capacity test	0.00+	0.46	0.45	NA	NA	0.01	0.47	0.46
94150		B	Vital capacity test	0.07+	0.02	0.03	0.02	0.03	0.01	0.10	0.11
95060		A	Eye allergy tests	0.00	0.00	0.72	0.44	0.72	0.02	0.74	0.46
95065		A	Nose allergy test	0.00	0.65	0.31	0.65	0.31	0.01	0.66	0.32
96040		B	Genetic counseling, 30 min	0.00+	0.97	0.97	NA	NA	0.01	0.98	0.98
96155		N	Interv hth/bhav fam no pt	0.44+	0.10	0.16	0.10	0.15	0.02	0.56	0.62
96902		B	Trichogram	0.41+	0.11	0.16	0.10	0.15	0.01	0.53	0.58
97010		B	Hot or cold packs therapy	0.06+	0.07	0.06	NA	NA	0.01	0.14	0.13
97014		—	Electric stimulation therapy	0.18+	0.18	0.19	NA	NA	0.01	0.37	0.38
97810		N	Acupuncture w/o stimul addl 15 min	0.60+	0.26	0.35	0.14	0.21	0.03	0.89	0.98
97811		N	Acupuncture w/o stimul addl 15 min	0.50+	0.15	0.23	0.12	0.17	0.03	0.68	0.76
97813		N	Acupuncture w/stimul 15 min	0.65+	0.27	0.37	0.15	0.23	0.03	0.95	1.05
97814		N	Chiropractic manipulation	0.55+	0.19	0.27	0.13	0.19	0.03	0.77	0.85
98843		N	Self-mgmt educ & train, 1 pt	0.40+	0.17	0.22	0.09	0.14	0.01	0.58	0.63
98860		B	Domicil/r-home care supervis	0.00+	0.48	0.48	0.00	0.00	0.01	0.49	0.49
98861		B	Self-mgmt educ/rain, 2-4 pt	0.00+	0.23	0.23	0.00	0.00	0.01	0.24	0.24
98862		B	Self-mgmt educ/rain, 5-8 pt	0.00+	0.17	0.17	0.00	0.00	0.01	0.18	0.18
99091		B	Collect/review data from pt	1.10+	0.25	0.25	NA	NA	0.04	1.39	NA
99173		N	Visual acuity screen	0.00+	0.06	0.06	NA	NA	0.01	0.07	0.07
99339		B	Prolonged serv, w/o contact	2.10+	0.00	0.26	0.26	0.26	0.04	1.30	1.30
99340		B	Physician standby services	1.20+	0.00	0.00	0.00	0.00	0.05	1.25	1.25
99358		B	Anticoag mgmt, init	1.65+	0.58	0.58	NA	NA	0.06	1.89	NA
99360		B	Home health care supervision	1.10+	0.54	0.66	0.25	0.38	0.04	2.63	2.63
99364		B	Home health care supervision	1.73+	0.75	1.35	0.40	0.40	0.05	1.81	1.81
99374		B	Hospice care supervision	1.10+	0.54	0.66	0.25	0.38	0.05	2.20	2.20
99375		B	Hospice care supervision	1.73+	0.75	1.35	0.40	0.40	0.05	1.53	1.53
99377		B	Hospice care supervision	1.10+	0.54	0.66	0.25	0.38	0.05	1.69	1.69

99378	.....	1	1.73+	0.75	1.64	0.40	1.56	0.07	3.36	XXX
99379	.....	B	1.10+	0.54	0.66	0.25	0.38	0.04	1.39	XXX
99380	.....	B	1.73+	0.75	0.93	0.40	0.60	0.06	2.39	XXX
99381	.....	N	1.19+	0.99	1.37	0.27	0.41	0.05	1.65	XXX
99382	.....	N	1.36+	1.03	1.41	0.31	0.47	0.05	2.44	2.20
99383	.....	N	1.36+	1.02	1.37	0.31	0.47	0.05	2.43	3.44
99384	.....	N	1.53+	1.06	1.43	0.35	0.53	0.06	2.65	2.20
99385	.....	N	1.53+	1.06	1.43	0.35	0.53	0.06	2.65	3.02
99386	.....	N	1.88+	1.14	1.59	0.43	0.65	0.07	3.09	3.02
99387	.....	N	2.06+	1.27	1.72	0.48	0.71	0.07	3.40	2.12
99389	.....	N	1.02+	0.86	0.98	0.24	0.35	0.04	1.92	1.94
99390	.....	N	1.19+	0.89	1.04	0.27	0.41	0.05	2.13	2.12
99393	.....	N	1.19+	0.89	1.02	0.27	0.41	0.05	2.13	2.12
99394	.....	N	1.36+	0.93	1.08	0.31	0.47	0.05	2.34	2.38
99395	.....	N	1.36+	0.93	1.10	0.31	0.47	0.05	2.34	2.60
99396	.....	N	1.53+	0.97	1.18	0.35	0.53	0.06	2.56	2.60
99397	.....	N	1.71+	1.11	1.30	0.40	0.60	0.06	2.88	2.77
99401	.....	N	0.48+	0.36	0.56	0.11	0.17	0.01	0.85	1.05
99402	.....	N	0.98+	0.47	0.77	0.23	0.34	0.02	1.47	1.72
99403	.....	N	1.46+	0.58	0.96	0.34	0.51	0.04	2.08	1.88
99404	.....	N	1.95+	0.70	1.17	0.45	0.68	0.05	2.70	2.77
99411	.....	N	0.15+	0.22	0.19	0.03	0.05	0.01	0.38	0.35
99412	.....	N	0.25+	0.24	0.25	0.06	0.09	0.01	0.50	0.51
99420	.....	N	0.00+	0.22	0.22	NA	NA	0.01	0.23	1.34
G0122	.....	N	0.99+	5.58	3.32	NA	NA	0.18	6.75	2.20
G0122	TC	N	0.00+	5.35	2.98	NA	NA	0.13	5.48	2.12
G0122	26	N	0.99+	0.23	0.34	0.23	0.34	0.05	1.27	1.38
G0252	26	N	1.50+	0.00	0.60	0.00	0.60	0.04	1.54	2.14
G0327	.....	X	1.34+	0.31	0.46	0.31	0.46	0.09	1.74	1.89
G0389	.....	A	0.58	2.23	1.77	NA	NA	0.11	2.92	2.46
G0389	TC	A	0.00	2.06	1.58	NA	NA	0.08	2.14	1.66
G0389	26	A	0.58	0.17	0.19	0.17	0.19	0.03	0.78	0.80
G0392	.....	A	9.48	47.48	53.95	3.25	3.48	0.62	64.05	13.35
G0393	....	A	6.03	35.61	42.45	1.97	2.26	0.34	41.98	8.34

<sup>1</sup>CPT codes and descriptions only are copyright 2006 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.<sup>2</sup>Copyright 2006 American Dental Association. All rights reserved.<sup>3+</sup> Indicates RVUs are not used for Medicare payment.

- 2. On page 70015, in Addendum C:  
Codes with Interim RVUs the following  
entries are corrected to read as follows:

## ADDENDUM C.—CODES WITH INTERIM RVUs—CORRECTIONS

CPT <sup>1</sup> / HCPCS <sup>2</sup>	Mod	Status	Description	Physician work RVUs <sup>3</sup>	Fully im- plement- ed non- facility RVUs	Year 2007 transi- tional PE RVUs	Fully im- plement- ed facility PE RVUs	Year 2007 transi- tional non-facil- ity total	Fully im- plement- ed non- facility total	Year 2007 transi- tional non-facil- ity total	Fully im- plement- ed facility total	Year 2007 transi- tional fa- cility total	Global
94005 ...	.....	B	Home vent mgmt supervision .....	1.50+	0.69	NA	NA	0.06	2.25	NA	NA	NA	XXX
96040 ...	.....	B	Genetic counseling, 30 min .....	0.00+	0.97	NA	NA	0.01	0.98	NA	NA	NA	XXX
99363 ...	.....	B	Anticoag mgmt, init .....	1.65+	1.29	0.38	0.38	0.07	3.01	2.10	2.10	2.10	XXX
99364 ...	.....	B	Anticoag mgmt, subsequ .....	0.63+	0.38	0.15	0.15	0.04	1.05	0.82	0.82	0.82	XXX

<sup>1</sup>CPT codes and descriptions only are copyright 2006 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.<sup>2</sup>Copyright 2006 American Dental Association. All rights reserved.<sup>3</sup>+ Indicates RVUs are not used for Medicare payment.

#### IV. Waiver of Proposed Rulemaking and Delay in Effective Date

We ordinarily publish a notice of proposed rulemaking in the **Federal Register** to provide a period for public comment before the provisions of a rule take effect in accordance with section 553(b) of the Administrative Procedure Act (APA) (5 U.S.C. 553(b)). However, we can waive the notice and comment procedures if the Secretary finds, for good cause, that the notice and comment process is impracticable, unnecessary or contrary to the public interest, and incorporates a statement of the finding and the reasons therefore in the rule.

Section 553(d) for the APA ordinarily requires a 30-day delay in effective date of final rules after the date of their publication. This 30-day delay in effective date can be waived, however, if an agency finds for good cause that the delay is impracticable, unnecessary, or contrary to the public interest, and the agency incorporates a statement of the findings and its reasons in the rule issued.

This correction notice addresses technical errors and omissions made in FR Doc. 06-9086, entitled “Medicare Program; Revisions to Payment Policies, Five-Year Review of Work Relative Value Units, and changes to the Practice Expense Methodology Under the Physician Fee Schedule, and Other Changes to Payment Under Part B; Revisions to the Payment Policies of Ambulance Services Under the Fee Schedule for Ambulance Services; Ambulance Inflation Factor Update for CY 2007,” which appeared in the December 1, 2006 **Federal Register** (71 FR 69624), and is effective January 1, 2007. The provisions of this final rule with comment period have been previously subjected to notice and comment procedures. These corrections are consistent with the discussion and text of the final rule with comment period, and do not make substantive changes to the CY 2007 published rule. As such, this correction notice is intended to ensure the CY 2007 final rule with comment period accurately reflects the policies adopted in that rule. Therefore, we find that undertaking further notice and comment procedures to incorporate these corrections into the final rule with comment is unnecessary and contrary to the public interest.

For the same reasons, we are also waiving the 30-day delay in effective date for this correction notice. We believe that it is in the public interest to ensure that the CY 2007 final rule with comment period accurately states our policies relating to the PFS and

other Part B payment policies. Therefore, delaying the effective date of these corrections beyond the January 1, 2007 effective date of the final rule with comment period would be contrary to the public interest. In so doing, we find good cause to waive the 30-day delay in the effective date.

(Catalog of Federal Domestic Assistance Program No. 93.774, Medicare—Supplementary Medical Insurance Program)

Dated: November 30, 2006.

**Ann C. Agnew,**

*Executive Secretary to the Department.*

[FR Doc. 06-9550 Filed 12-4-06; 9:46 am]

BILLING CODE 4120-01-M

#### DEPARTMENT OF DEFENSE

##### Defense Acquisition Regulations System

##### 48 CFR Parts 212, 222, and 252

RIN 0750-AF11

##### Defense Federal Acquisition Regulation Supplement; Combating Trafficking in Persons

[DFARS Case 2004-D017]

**AGENCY:** Defense Acquisition Regulations System, Department of Defense (DoD).

**ACTION:** Interim rule; extension of comment period.

**SUMMARY:** DoD is extending the comment period for the interim rule published at 71 FR 62560 on October 26, 2006. The rule amended the Defense Federal Acquisition Regulation Supplement (DFARS) to address the prohibition on DoD contractor activities that support or promote trafficking in persons. The comment period is extended to provide additional time for interested parties to review the DFARS changes.

**DATES:** The ending date for submission of comments is extended to January 25, 2007.

**FOR FURTHER INFORMATION CONTACT:** Ms. Felisha Hitt, Defense Acquisition Regulations System, OUSD (AT&L) DPAP (DARS), IMD 3C132, 3062 Defense Pentagon, Washington, DC 20301-3062. Telephone (703) 602-0310; facsimile (703) 602-0350. Please cite DFARS Case 2004-D017.

**Michele P. Peterson,**

*Editor, Defense Acquisition Regulations System.*

[FR Doc. E6-20891 Filed 12-7-06; 8:45 am]

BILLING CODE 5001-08-P

#### NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

##### 48 CFR Parts 1802, 1805, 1819, 1825, 1827, 1828, and 1852

RIN 2700-31

##### NASA FAR Supplement Administrative Changes

**AGENCY:** National Aeronautics and Space Administration.

**ACTION:** Final rule.

**SUMMARY:** This final rule makes administrative changes to the NASA FAR Supplement (NFS) to update dollar thresholds, correct a document title, and delete an obsolete clause.

**EFFECTIVE DATE:** This rule is effective December 8, 2006.

**FOR FURTHER INFORMATION CONTACT:** Tom O'Toole, NASA, Office of Procurement, Contract Management Division (Suite 5J86); (202) 358-0478; e-mail: [thomas.otoole@nasa.gov](mailto:thomas.otoole@nasa.gov).

##### SUPPLEMENTARY INFORMATION:

###### A. Background

This final rule makes several administrative changes to the NFS. The dollar thresholds in 1805.303(a)(i), 1819.7103, 1819.7219(a)(2), 1825.400(b), and 1828.103-70(a)(2) are revised to reflect the recent FAR changes made by Federal Acquisition Circular 2005-13 to adjust acquisition-related thresholds for inflation, in accordance with 41 U.S.C. 431a as added by section 807 of the Ronald W. Reagan National Defense Authorization Act for Fiscal Year 2005 (Pub. L. 108-375).

This rule deletes NFS Subpart 1827.6, Foreign License and Technical Assistance Agreements, and the clause at NFS 1852.227-87, Transfer of Technical Data Under Space Station International Agreements. This subpart and clause were developed for the Space Station Freedom Program, which was cancelled in 1993. In February 2000, the related subject matter was addressed for all NASA programs and projects (including the International Space Station Program) in the clause at 1852.225-70, Export Licenses, and its associated guidance at 1825.1103-70. The subject coverage was thus rendered obsolete, but its deletion was overlooked.

This rule also revises the “Head of the contracting activity” definition in 1802.101 to reflect an organizational change.

This rule corrects the outdated address for the Center for AeroSpace Information in the clauses at 1852.235-70, Center for AeroSpace Information,