FACILITY NAME AND PERMIT NUMBER:

Form Approved 1/14/99 OMB Number 2040-0086

FORM 2A NPDES

NPDES FORM 2A APPLICATION OVERVIEW

APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - 2. Any other industrial user that:
 - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

FACI	LITY NAME AND PERMIT NUMBER:		Form Approved 1/14/99 OMB Number 2040-0086
ВА	SIC APPLICATION INFORMATION		
PAR	TA. BASIC APPLICATION INFORMATION FOR ALL APPLICAL	NTS:	
All tr	eatment works must complete questions A.1 through A.8 of this Basic	Application Information packet.	
A.1.	Facility Information.		
	Facility name		
	Mailing Address		
	Contact person		
	Title		
	Telephone number		
	Facility Address		
	(not P.O. Box)		
A.2.	Applicant Information. If the applicant is different from the above, provide	e the following:	
	Applicant name		
	Mailing Address		
	Contact person		
	Title		
	Telephone number		
	Is the applicant the owner or operator (or both) of the treatment work	s?	
	owner operator		
	Indicate whether correspondence regarding this permit should be directed	to the facility or the applicant.	
	facility applicant		
A.3.	Existing Environmental Permits. Provide the permit number of any exis works (include state-issued permits).	ting environmental permits that have be	en issued to the treatment
	NPDES	PSD	
	UIC	Other	
	RCRA	Other	
A.4.	Collection System Information. Provide information on municipalities an each entity and, if known, provide information on the type of collection systetc.).		
	Name Population Served Type	e of Collection System Own	ership
			_
	Total population served		

FAC	ILITY NAME AND PERMIT NUMBER:				Approved 1/14/99 Number 2040-0086
A.5.	Indian Country.				
	a. Is the treatment works located in Indian C	ountry?			
	Yes No	•			
	b. Does the treatment works discharge to a through) Indian Country?	receiving water that is either i	n Indian Country or that	is upstream from (and	eventually flows
	Yes No				
A.6.	Flow. Indicate the design flow rate of the trea average daily flow rate and maximum daily flo period with the 12th month of "this year" occur	w rate for each of the last thr	ee years. Each year's d	ata must be based on	
	a. Design flow rate mgd				
		Two Years Ago	Last Year	This Year	
	b. Annual average daily flow rate				mgd
	c. Maximum daily flow rate				mgd
A.7.	Collection System. Indicate the type(s) of contribution (by miles) of each.	ollection system(s) used by th	e treatment plant. Chec	k all that apply. Also	estimate the percent
	Separate sanitary sewer				%
	Combined storm and sanitary sewer				%
A.8.	Discharges and Other Disposal Methods.				
	a. Does the treatment works discharge efflue	ent to waters of the U.S.?		Yes	No
	If yes, list how many of each of the followi	ng types of discharge points	the treatment works use:	 s:	
	i. Discharges of treated effluent				
	ii. Discharges of untreated or partially tre	eated effluent			• • •
	iii. Combined sewer overflow points				
	iv. Constructed emergency overflows (pr	ior to the headworks)			
	v. Other	,			
	b. Does the treatment works discharge efflue	ent to basins, ponds, or other	surface		
	impoundments that do not have outlets fo	r discharge to waters of the U	.S.?	Yes	No
	If yes, provide the following for each surfa Location:	ce impoundment:			
	Annual average daily volume discharged t	o surface impoundment(s)	<u> </u>		mgd
	Is discharge continuous or	intermittent?			
	c. Does the treatment works land-apply treat	ed wastewater?	_	Yes	No
	If yes, provide the following for each land	application site:			
	Location:				
	Number of acres:				
	Annual average daily volume applied to si	te:	Mgd		
	Is land application continue	ous or intermit	tent?		
	 Does the treatment works discharge or tra treatment works? 	nsport treated or untreated w	astewater to another	Yes	No

FACILIT	Y NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
	If yes, describe the mean(s) by which the wastewater from the treatment works (e.g., tank truck, pipe).	nt works is discharged or transported to the other treatment
	If transport is by a party other than the applicant, provide:	
	Transporter name:	
	Mailing Address:	
	Contact person:	
	Title:	
	Telephone number:	
	For each treatment works that receives this discharge, provide the followards: Name: Mailing Address:	
	Contact person:	
	Title:	
	Telephone number:	
	If known, provide the NPDES permit number of the treatment works that	
	Provide the average daily flow rate from the treatment works into the re-	
e.	Does the treatment works discharge or dispose of its wastewater in a m A.8.a through A.8.d above (e.g., underground percolation, well injection	nanner not included in 1)? Yes No
	If yes, provide the following for each disposal method:	
	Description of method (including location and size of site(s) if applicable	e):
	Annual daily volume disposed of by this method: Is disposal through this method continuous or	intermittent?

FACILIT	TY NAME AND PERMIT	NUMBER:			Form Approved 1/14/99 OMB Number 2040-0086
If yo	ch effluent is discharged	question A.8.a, complete ques	n combined sewer overflo	ws in this sectio	itfall (including bypass points) through on. If you answered "no" to question an or Equal to 0:1 mgd."
A.9. D	escription of Outfall.				
a.	Outfall number				
b.	Location	(City or town, if applicable)			Zin Codo\
					Zip Code)
		(County)			State)
		(Latitude)		(Longitude)
C.	Distance from shore (if applicable)		— ^{ft.}	
d.	Depth below surface (if applicable)		ft.	
e.	Average daily flow rate	е		mgd	
f.	Does this outfall have periodic discharge?	either an intermittent or a	Yes		No (go to A.9.g.)
	If yes, provide the follo	owing information:			_
	Number of times per y	year discharge occurs:			
	Average duration of ea	ach discharge:			<u> </u>
	Average flow per disc	harge:	**************************************		mgd
	Months in which disch	arge occurs:			
g.	Is outfall equipped wit	h a diffuser?	Yes		No
A.10. De	escription of Receiving	y Waters.			
a.	Name of receiving wa	ter		###	
b.	Name of watershed (if	known)			
	United States Soil Con	nservation Service 14-digit wate	ershed code (if known):		
c.	Name of State Manag	ement/River Basin (if known):			
	United States Geologi	ical Survey 8-digit hydrologic ca	ataloging unit code (if know	wn):	
d.	Critical low flow of rec	eiving stream (if applicable): cfs	chronic	cfs	
e.		eiving stream at critical low flow			of CaCO ₃

FACILITY	Y NAME AND P	ERMIT NUM	/IBER:							m Approved 1/14/99 B Number 2040-0086	
A.11. De	scription of Tre	eatment.	•							Add to the total and the total	
a.	What levels of	treatment a	re provided?	Check all tha	at apply.						
		imary			condary						
	Ac	lvanced		Otl	her. Describe:						
b.	Indicate the fol	llowing remo	val rates (as	applicable):							
	Design BOD ₅ i		•	. ,					%		
	Design SS ren		3	5					 %		
	Design P remo								^ %		
	_					,					
	Design N remo	ovai							%		
	Other								%		
c.	What type of d	isinfection is	used for the	effluent fror	n this outfall? If	disinfection	varies by se	ason, pl	ease describe.		
	If disinfection i	s by chlorina	ation, is dech	orination use	ed for this outfal	1?		Yes		No No	
d.	Does the treat	ment plant h	ave post aera	ation?				Yes		No	
rec CF hal	R Part 136. At If years apart.	0 CFR Part a minimum	136 and oth	er appropri	ate QA/QC requirest be based of	iirements f	or standard	methodes and r	ds for analytes must be no mo	not addressed by 40 ore than four and one-	
	PARAMET	ER III.		MAXIMUM :	DAILY VALUE	d specific		AVER/	AGE DAILY VA	LUE	
				Value	Units		Value		Units	Number of Samples	
pH (Minir	mum)				s.u.						
pH (Maxi	imum)				s.u.						
Flow Rat	te										_
Tempera	ture (Winter)							-			
	ture (Summer) or pH please re	nort a minim	um and a ma	vimum daily	value						
	POLLUTANT	- I I I	Conditional Control of	UM DAILY	Kali - introducija i ja	GE DAILY	DISCHARG	E	ANALYTICAL	ML/MDL	
			DISC	HARGE		1			METHOD		
			Conc.	Units	Conc.	Uni		ber of			
					199 10. 10. 10. 10.						4
	TIONAL AND N		NTIONAL CO	MPOUNDS.							
	IICAL OXYGEN	BOD-5	·					-			
	(Report one)	CBOD-5				-					
FECAL CO			····	 		-					_
TOTAL SU	JSPENDED SOL	IDS (TSS)									
REFE	R TO THE	APPLI	CATION	OVERV	END OF PA IEW TO DI DU MUST (ETERMI	C-0.1-200-01-1400-01-0488-11-1203-5	сн о	THER PA	RTS OF FORM	ĺ

FAC	ILIT	Y NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
ВА	SI	C APPLICATION INFORMATION	
PAR	et e	. ADDITIONAL APPLICATION INFORMATION FOR APPLI EQUAL TO 0.1 MGD (100,000 gallons per day).	CANTS WITH A DESIGN FLOW GREATER THAN OR
Alla	pplic	ants with a design flow rate \geq 0.1 mgd must answer questions B.1 thro	ugh B.6. All others go to Part C (Certification).
B.1.	Inf	flow and Infiltration. Estimate the average number of gallons per day	that flow into the treatment works from inflow and/or infiltration.
	D-4	efly explain any steps underway or planned to minimize inflow and infili	ration
	ы	eny explant any steps underway or planned to minimize minow and mini	rauon.
B.2.	Th	pographic Map. Attach to this application a topographic map of the ar is map must show the outline of the facility and the following information e entire area.)	
	a.	The area surrounding the treatment plant, including all unit processes	
	b.	The major pipes or other structures through which wastewater enters treated wastewater is discharged from the treatment plant. Include ou	
	c.	Each well where wastewater from the treatment plant is injected under	rground.
	d.	Wells, springs, other surface water bodies, and drinking water wells the works, and 2) listed in public record or otherwise known to the application.	
	e.	Any areas where the sewage sludge produced by the treatment works	s is stored, treated, or disposed.
	f.	If the treatment works receives waste that is classified as hazardous utruck, rail, or special pipe, show on the map where that hazardous wat and/or disposed.	
B.3.	bac chlc	cess Flow Diagram or Schematic. Provide a diagram showing the pr kup power sources or redundancy in the system. Also provide a water orination and dechlorination). The water balance must show daily avera rates between treatment units. Include a brief narrative description of	balance showing all treatment units, including disinfection (e.g, ge flow rates at influent and discharge points and approximate daily
B.4.	Оре	eration/Maintenance Performed by Contractor(s).	
		any operational or maintenance aspects (related to wastewater treatmontractor?YesNo	ent and effluent quality) of the treatment works the responsibility of
		es, list the name, address, telephone number, and status of each contra es if necessary).	actor and describe the contractor's responsibilities (attach additional
	Nan	ne:	to describe the second of the
	Mai	ling Address:	
	Tele	ephone Number:	
	Res	ponsibilities of Contractor:	
	unc	neduled Improvements and Schedules of Implementation. Provide ompleted plans for improvements that will affect the wastewater treatmetreatment works has several different implementation schedules or is pation B.5 for each. (If none, go to question B.6.)	ent, effluent quality, or design capacity of the treatment works. If
	a.	List the outfall number (assigned in question A.9) for each outfall that	is covered by this implementation schedule.
	h	Indicate whether the planned improvements or implementation and	alo are required by local. State, or Endered appraisa
	b.	Indicate whether the planned improvements or implementation scheduling Yes No.	ле аге гединей by юсаг, этате, ог гедегат agencies.

c. If the answer to 8.5.b is "Yes," briefly describe, including new maximum daily inflow rate (if applicable). d. Provide dates imposed by any compliance schedule or any actual dates of completion for the implementation steps listed below, as applicable. For improvements planned independently of local, State, or Federal agencies, indicate planned or actual completion dates applicable. Indicate dates as accurately as possible. Schedule Actual Completion Implementation Stage MM / DD / YYYYY MM / DD / YYYYY - Begin construction	c If th							Form App OMB Nur	mber 2040-0086
applicable. For improvements planned independently of local, State, or Federal agencies, indicate planned or actual completion dates applicable. Indicate dates as accurately as possible. Schedule Actual Completion Implementation Stage MM / DD / YYYY MM / DD / YYYY - Begin construction / / / /		ne answer to B.5.	b is "Yes," brie	fly describe, inc	kimum daily inflow	rate (if applica	ble).		
Implementation Stage	app	olicable. For imp	rovements plan	ned independe	ntly of local, St	dates of complet ate, or Federal ag	ion for the imple encies, indicate	ementation steps liste planned or actual co	ed below, as mpletion dates, as
Begin construction				Schedule		Actual Completic	n		
- End construction	Imp	olementation Stag	ge	MM / DD /	YYYY	MM / DD / YYYY			
- Begin discharge - Attain operational level - Have appropriate permits/clearances concerning other Federal/State requirements been obtained?	– B	egin construction	1	//					
e. Have appropriate permits/clearances concerning other Federal/State requirements been obtained?YesNo Describe briefly:	- E	nd construction		//					
e. Have appropriate permits/clearances concerning other Federal/State requirements been obtained?	– B	egin discharge		//					
Describe briefly: Content	- A	ttain operational	level	//		//			
Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 1 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old. Outfall Number: POLLUTANT MAXIMUM DAILY DISCHARGE Conc. Units Conc. Units Number of ANALYTICAL METHOD DINVENTIONAL AND NONCONVENTIONAL COMPOUNDS. MMONIA (as N) HLORINE (TOTAL ESIDUAL, TRC) SSOLVED OXYGEN DTAL KJELDAHL TROGEN (TKN) TRATE PLUS NITRITE TROGEN L and GREASE HOSPHORUS (Total) DTAL DISSOLVED DLIDS (TDS)	e. Hav	ve appropriate pe	ermits/clearance	es concerning o	ther Federal/St	ate requirements	been obtained?	Yes	_No
Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 1 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old. Outfall Number: POLLUTANT MAXIMUM DAILY DISCHARGE Conc. Units AVERAGE DAILY DISCHARGE Conc. Units Number of ANALYTICAL ML / MDI ONVENTIONAL AND NONCONVENTIONAL COMPOUNDS. MMONIA (as N) HLORINE (TOTAL ESIDUAL, TRC) ISSOLVED OXYGEN DTAL KJELDAHL ITROGEN (TIKN) ITRATE PLUS NITRITE TROGEN IL and GREASE HOSPHORUS (Total) DTAL DISSOLVED DLIDS (TDS)	Des	scribe briefly:							
Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 1 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old. Outfall Number: POLLUTANT MAXIMUM DAILY DISCHARGE Conc. Units Conc. Units Number of ANALYTICAL ML / MDI ONVENTIONAL AND NONCONVENTIONAL COMPOUNDS. MMONIA (as N) HILORINE (TOTAL ESIDUAL, TRC) ISSOLVED OXYGEN DTAL KJELDAHL ITROGEN (TKN) ITRATE PLUS NITRITE TROGEN IL and GREASE HOSPHORUS (Total) DTAL DISSOLVED DUIDS (TDS)									
Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 1 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old. Outfall Number: POLLUTANT MAXIMUM DAILY DISCHARGE Conc. Units Conc. Units Number of Samples METHOD ONVENTIONAL AND NONCONVENTIONAL COMPOUNDS. MMONIA (as N) H-LORINE (TOTAL ESIDUAL, TRC) SSOLVED OXYGEN DTAL KJELDAHL TROGEN (TKN) TRATE PLUS NITRITE TRATE PLUS NITRITE TRATE PLUS NITRITE TRAGES HOSPHORUS (Total) DTAL DISSOLVED DLIDS (TDS)									
Samples METHOD DIVENTIONAL AND NONCONVENTIONAL COMPOUNDS. MMONIA (as N) HLORINE (TOTAL ESIDUAL, TRC) SSOLVED OXYGEN DITAL KJELDAHL TROGEN (TKN) TRATE PLUS NITRITE TROGEN L and GREASE HOSPHORUS (Total) DITAL DISSOLVED DUIDS (TDS)		it course and mac	it be no more a	ian iour and on	e-nair years oid				110001 111100
MMONIA (as N) HLORINE (TOTAL ESIDUAL, TRC) ISSOLVED OXYGEN DTAL KJELDAHL ITROGEN (TKN) ITRATE PLUS NITRITE ITROGEN IL and GREASE HOSPHORUS (Total) DTAL DISSOLVED DLIDS (TDS)	pollutan Outfall I	Number:	MAXIMU	M DAILY			HARGE 5		
HLORINE (TOTAL ESIDUAL, TRC) SSOLVED OXYGEN DTAL KJELDAHL TROGEN (TKN) TRATE PLUS NITRITE TROGEN IL and GREASE HOSPHORUS (Total) DTAL DISSOLVED DLIDS (TDS)	pollutan Outfall I	Number:	MAXIMU DISCH	M DAILY IARGE	AVER	AGE DAILY DISC	Number of		ML/ MDL
SSOLVED OXYGEN DTAL KJELDAHL TROGEN (TKN) TRATE PLUS NITRITE TROGEN L and GREASE HOSPHORUS (Total) DTAL DISSOLVED DUIDS (TDS)	pollutan Outfall I POLLU	Number:	MAXIMU DISCF Conc.	M DAILY IARGE Units	AVER	AGE DAILY DISC	Number of		
DTAL KJELDAHL ITROGEN (TKN) TRATE PLUS NITRITE ITROGEN IL and GREASE HOSPHORUS (Total) DTAL DISSOLVED DLIDS (TDS)	pollutan Outfall I POLLL ONVENTION	Number:	MAXIMU DISCF Conc.	M DAILY IARGE Units	AVER	AGE DAILY DISC	Number of		
TROGEN (TKN) TRATE PLUS NITRITE TROGEN L and GREASE HOSPHORUS (Total) DTAL DISSOLVED DLIDS (TDS)	pollutan Outfall I POLLL ONVENTION MMONIA (as	Number:	MAXIMU DISCF Conc.	M DAILY IARGE Units	AVER	AGE DAILY DISC	Number of		
IL and GREASE HOSPHORUS (Total) OTAL DISSOLVED OLIDS (TDS)	pollutan Outfall I POLLL ONVENTION MMONIA (as HLORINE (T ESIDUAL, TI	Number:	MAXIMU DISCF Conc.	M DAILY IARGE Units - COMPOUNDS	AVER	AGE DAILY DISC	Number of		
HOSPHORUS (Total) OTAL DISSOLVED OLIDS (TDS)	pollutan Outfall I POLLL POLLL ONVENTION MMONIA (as HLORINE (T ESIDUAL, TI SSOLVED C OTAL KJELC ITROGEN (T	Number:	MAXIMU DISCF Conc.	M DAILY IARGE Units - COMPOUNDS	AVER	AGE DAILY DISC	Number of		
DTAL DISSOLVED DLIDS (TDS)	pollutan Outfall I POLLL ONVENTION MMONIA (as HLORINE (T ESIDUAL, TI SSOLVED C OTAL KJELL TROGEN (T TRATE PLU TROGEN	Number:	MAXIMU DISCF Conc.	M DAILY IARGE Units - COMPOUNDS	AVER	AGE DAILY DISC	Number of		
	pollutan Outfall I POLLL POLLL DIVENTION MMONIA (as HLORINE (T ESIDUAL, TI SSOLVED C DTAL KJELD TROGEN (T TRATE PLU TROGEN L and GREA	Number:	MAXIMU DISCF Conc.	M DAILY IARGE Units - COMPOUNDS	AVER	AGE DAILY DISC	Number of		
······	pollutan Outfall I POLLL POLLL ONVENTION MMONIA (as HLORINE (T ESIDUAL, TF ISSOLVED (C OTAL KJELD ITROGEN (T ITRATE PLU ITROGEN IL and GREA HOSPHORU OTAL DISSO	Number:	MAXIMU DISCF Conc.	M DAILY IARGE Units - COMPOUNDS	AVER	AGE DAILY DISC	Number of		
	pollutan Outfall I POLLL POLLL ONVENTION MMONIA (as HLORINE (T ESIDUAL, TI ISSOLVED (C DITAL KJELL ITROGEN (T ITRATE PLU ITROGEN IL and GREA HOSPHORU OTAL DISSO OLIDS (TDS)	Number:	MAXIMU DISCF Conc.	M DAILY IARGE Units - COMPOUNDS	AVER	AGE DAILY DISC	Number of		

FACILITY NAME AND PERMIT NUMBER:		Form Approved 1/14/99 OMB Number 2040-0086
BASIC APPLICATION INFORMAT	ION	
PART C CERTIFICATION		
applicants must complete all applicable sections of F	orm 2A, as explained in the Accertification statement, applic	ermine who is an officer for the purposes of this certification. All application Overview. Indicate below which parts of Form 2A you ants confirm that they have reviewed Form 2A and have completed
Indicate which parts of Form 2A you have co	mpleted and are submitting	j :
Basic Application Information packet	Supplemental Application	Information packet:
	Part D (Expanded	l Effluent Testing Data)
	Part E (Toxicity T	esting: Biomonitoring Data)
	Part F (Industrial	User Discharges and RCRA/CERCLA Wastes)
	Part G (Combined	d Sewer Systems)
ALL APPLICANTS MUST COMPLETE THE FOLLO	WING CERTIFICATION.	
designed to assure that qualified personnel properly who manage the system or those persons directly re-	gather and evaluate the inforr sponsible for gathering the inf	d under my direction or supervision in accordance with a system nation submitted. Based on my inquiry of the person or persons formation, the information is, to the best of my knowledge and is for submitting false information, including the possibility of fine
Name and official title		
Signature		
Telephone number		
Date signed		
Upon request of the permitting authority, you must su treatment works or identify appropriate permitting req		ecessary to assess wastewater treatment practices at the

SEND COMPLETED FORMS TO:

FACILITY NAME AND PERMIT N	NUMBER	ł:									roved 1/14/99 aber 2040-0086
SUPPLEMENTAL API	PLIC/	\TIOI	N INF	ORMA	ATION						
PART D. EXPANDED EFFLU	JENT T	ESTIN	G DAT/	A	. + 1 - <u>11-</u>		11 far 525 - 5 - 1 - 11 - 12 - 13 - 14				
Refer to the directions on the c	over pag	je to de	termine	whethe	r this se	ction a	pplies to	the tr	eatment wo	rks.	
Effluent Testing: 1.0 mgd and in has (or is required to have) a pret testing data for the following pollu authority for each outfall through vinformation reported must be base comply with QA/QC requirements by 40 CFR Part 136. Indicate in timinimum, effluent testing data must be controlled in the co	reatment tants. P which eff ed on da of 40 Ct he blank ust be ba	t progra- rovide ti luent is Ita collect FR Part rows prosed on	m, or is on the indication discharge cted through 136 and rovided by at least the control of the	otherwise hted efflu ged. Do pugh anal other ap below any three pol	e required lent testir not includ lyses cor opropriate y data yo lutant sca	d by the ng inforn de inforr ducted e QA/Q0 u may hans and	permitti nation ar mation or using 40 require nave on p must be	ng auth nd any on n comb) CFR F ements to pollutan e no mo	ority to provi other informatined sewer of Part 136 met for standard its not specifier than four	ide the data, then pration required by the overflows in this sech hods. In addition, the methods for analyte fically listed in this for and one-half years of the properties of the sech and one-half years of the properties of the properties of the properties the pr	rovide effluent e permitting tion. All nese data must es not addressed orm. At a
Outfall number:POLLUTANT		MAXIML	JM DAIL'				effluent t E DAILY		s of the Unit	ed States.)	Description
	Conc.	DISCI Units	HARGE Mass	Units	Conc.	Units	Mass	Units	Number of	ANALYTICAL METHOD	ML/ MDL
METALS (TOTAL RECOVERABLE), C	YANIDE,	PHENO	LS, AND I	HARDNES	SS.	-916-151119 -32 Fr - 156-			Samples		
ANTIMONY											
ARSENIC											
BERYLLIUM											
CADMIUM											
CHROMIUM											
COPPER											
LEAD											
MERCURY											
NICKEL											
SELENIUM											
SILVER											
THALLIUM											
ZINC											
CYANIDE											
TOTAL PHENOLIC COMPOUNDS											
HARDNESS (AS CaCO ₃)											
Use this space (or a separate sheet) to p	provide inf	ormation	on other	metals red	uested by	the pern	nit writer.			,	
		—		ļ		 					

FACILITY NAME AND PERMIT	NUMBER	: :									roved 1/14/99 nber 2040-0086
Outfall number:	(Comp	lete on	ce for ea	ch outfa	II dischar	ging effl	uent to v	waters o	of the United	States.)	
POLLUTANT	1		JM DAIL	Y	Α)	/ERAG	E DAILY	DISCH	IARGE		
	Conc.	Units	HARGE Mass	Units	Conc.	Units	Mass	Units	Number of	ANALYTICAL METHOD	ML/ MDL
VOLATILE ORGANIC COMPOUNDS.									Samples		
ACROLEIN											
ACRYLONITRILE											
BENZENE											
BROMOFORM										-	
CARBON TETRACHLORIDE											
CLOROBENZENE											
CHLORODIBROMO-METHANE											
CHLOROETHANE											
2-CHLORO-ETHYLVINYL ETHER											
CHLOROFORM											
DICHLOROBROMO-METHANE											
1,1-DICHLOROETHANE											
1,2-DICHLOROETHANE											
TRANS-1,2-DICHLORO-ETHYLENE											
1,1-DICHLOROETHYLENE											
1,2-DICHLOROPROPANE					,						
1,3-DICHLORO-PROPYLENE											
ETHYLBENZENE											
METHYL BROMIDE											
METHYL CHLORIDE											
METHYLENE CHLORIDE											
1,1,2,2-TETRACHLORO-ETHANE											
TETRACHLORO-ETHYLENE											
TOLUENE											

FACILITY NAME AND PERMIT NUMBER:							Form Approved 1/14/99 OMB Number 2040-0086					
Outfall number:	(Comp	olete on	ce for ea	ch outfal	II dischar	ging effi	uent to v	waters c	of the United	States.)		
POLLUTANT		MAXIMU	JM DAIL				E DAILY					
	Conc.		HARGE Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL	
1,1,1-TRICHLOROETHANE							2000	0112411	The second secon			
1,1,2-TRICHLOROETHANE												
TRICHLORETHYLENE												
VINYL CHLORIDE							<u> </u>					
Use this space (or a separate sheet) to	provide in	formation	n on other	volatile or	rganic com	pounds r	requested	by the pe	ermit writer.		<u></u>	
ACID-EXTRACTABLE COMPOUNDS		<u></u>										
	T	T	T	1				T			T	
P-CHLORO-M-CRESOL				ļ								
2-CHLOROPHENOL												
2,4-DICHLOROPHENOL			<u> </u>									
2,4-DIMETHYLPHENOL												
4,6-DINITRO-O-CRESOL												
2,4-DINITROPHENOL												
2-NITROPHENOL												
4-NITROPHENOL												
PENTACHLOROPHENOL			i									
PHENOL										WA 4		
2,4,6-TRICHLOROPHENOL												
Use this space (or a separate sheet) to	provide inf	formation	on other	acid-extra	ctable con	npounds	requested	by the p	ermit writer.		1	
BASE-NEUTRAL COMPOUNDS.	1	1		-	_	-					1	
ACENAPHTHENE									l			
ACENAPHTHYLENE												
ANTHRACENE												
BENZIDINE												
BENZO(A)ANTHRACENE												
BENZO(A)PYRENE												

FACILITY NAME AND PERMIT N	FACILITY NAME AND PERMIT NUMBER:								Form Approved 1/14/99 OMB Number 2040-0086				
Outfall number:	(Comp	lete on	ce for ea	ch outfal	Il dischar	ging effl	uent to v	vaters o	of the United	States.)			
POLLUTANT			JM DAIL HARGE	Υ	A)	/ERAGI	E DAILY	DISCH	ARGE				
	Conc.		Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL		
3,4 BENZO-FLUORANTHENE													
BENZO(GHI)PERYLENE													
BENZO(K)FLUORANTHENE													
BIS (2-CHLOROETHOXY) METHANE													
BIS (2-CHLOROETHYL)-ETHER											, , , , , , , , , , , , , , , , , , , ,		
BIS (2-CHLOROISO-PROPYL) ETHER													
BIS (2-ETHYLHEXYL) PHTHALATE													
4-BROMOPHENYL PHENYL ETHER													
BUTYL BENZYL PHTHALATE													
2-CHLORONAPHTHALENE													
4-CHLORPHENYL PHENYL ETHER													
CHRYSENE													
DI-N-BUTYL PHTHALATE							-						
DI-N-OCTYL PHTHALATE													
DIBENZO(A,H) ANTHRACENE													
1,2-DICHLOROBENZENE													
1,3-DICHLOROBENZENE													
1,4-DICHLOROBENZENE													
3,3-DICHLOROBENZIDINE													
DIETHYL PHTHALATE													
DIMETHYL PHTHALATE													
2,4-DINITROTOLUENE													
2,6-DINITROTOLUENE													
1,2-DIPHENYLHYDRAZINE													

Outfall number: POLLUTANT POLLUTANT FLUORANTHENE		MAXIMU	JM DAIL			J					
LUORANTHENE	Conc.	DISCH		Υ	A۱	/ERAGI	fluent to waters of the United S E DAILY DISCHARGE			rengamentos amendos Alto	t to program out with
:LUORANTHENE		Units	HARGE Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
									oampica	mander vall End on the order	
FLUORENE											
HEXACHLOROBENZENE											
HEXACHLOROBUTADIENE											
HEXACHLOROCYCLO- PENTADIENE											
HEXACHLOROETHANE											
NDENO(1,2,3-CD)PYRENE											
SOPHORONE							·				
NAPHTHALENE											
NITROBENZENE											
N-NITROSODI-N-PROPYLAMINE											
N-NITROSODI- METHYLAMINE											
N-NITROSODI-PHENYLAMINE											
PHENANTHRENE											
PYRENE											
,2,4-TRICHLOROBENZENE											-
Jse this space (or a separate sheet) to	provide inf	formation	on other	base-neu	tral compo	unds req	uested by	the pern	nit writer.		
Use this space (or a separate sheet) to	provide inf	formation	on other	pollutants	(e.g., pes	ticides) re	equested I	by the pe	rmit writer.		****
	T										

FACILITY NAME AND PERMIT NUMBER	R:		Form Approved 1/14/99 OMB Number 2040-0086			
SUPPLEMENTAL APPLICATION INFORMATION						
PART E. TOXICITY TESTING DATA						
POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters. • At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. • In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted. • If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information overview for directions on which other sections of the form to complete.						
E.1. Required Tests.						
Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years. chronicacute E.2. Individual Test Data. Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. Allow						
	ecies constitutes a test). Copy this p	page if more than three tests are being	reported.			
	Test number:	Test number:	Test number:			
a. Test information.						
Test species & test method number		,				
Age at initiation of test						
Outfall number						
Dates sample collected						
Date test started						
Duration						
b. Give toxicity test methods follow	red.					
Manual title						
Edition number and year of publication						
Page number(s)						
c. Give the sample collection method(s) used. For multiple grab samples, indicate the number of grab samples used.						
24-Hour composite						
Grab						
d. Indicate where the sample was taken in relation to disinfection. (Check all that apply for each)						
Before disinfection						
After disinfection						
After dechlorination						

FACILITY NAME AND PERMIT NUMBE	R:			Form Approved 1/14/99 OMB Number 2040-0086				
	Test number:		Test number:	Test number:				
e. Describe the point in the treatment process at which the sample was collected.								
Sample was collected:								
f. For each test, include whether the test was intended to assess chronic toxicity, acute toxicity, or both.								
Chronic toxicity								
Acute toxicity								
g. Provide the type of test performed.								
Static								
Static-renewal								
Flow-through								
h. Source of dilution water. If labo	ratory water, specify type; if receiving	g wat	er, specify source.					
Laboratory water								
Receiving water								
i. Type of dilution water. It salt wa	i. Type of dilution water. It salt water, specify "natural" or type of artificial sea salts or brine used.							
Fresh water								
Salt water								
	j. Give the percentage effluent used for all concentrations in the test series.							
k. Parameters measured during the	e test. (State whether parameter mee	ets te	est method specifications)					
рН								
Salinity								
Temperature								
Ammonia								
Dissolved oxygen								
I. Test Results.								
Acute:								
Percent survival in 100% effluent	%		%	%				
LC ₅₀								
95% C.I.	%		%	%				
Control percent survival	%		%	%				
Other (describe)								

FACILITY NAME AND PERMIT NUMBER	₹:	Form Approved 1/14/99 OMB Number 2040-0086					
Chronic:							
NOEC	%		%	%			
IC ₂₅	%		%	%			
Control percent survival	%		%	%			
Other (describe)							
m. Quality Control/Quality Assuran	ce.						
Is reference toxicant data available?							
Was reference toxicant test within acceptable bounds?							
What date was reference toxicant test run (MM/DD/YYYY)?							
Other (describe)	Other (describe)						
E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation?							
END OF PART E. REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM							

2A YOU MUST COMPLETE.

FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
SUPPLEMENTAL APPLICATION INFORMATION	ON .
PART F. INDUSTRIAL USER DISCHARGES AND RC All treatment works receiving discharges from significant industria must complete Part F.	
GENERAL INFORMATION:	
F.1. Pretreatment Program. Does the treatment works have, or is it s	subject to, an approved pretreatment program?
YesNo	
F.2. Number of Significant Industrial Users (SIUs) and Categorica of industrial users that discharge to the treatment works.	I Industrial Users (CIUs). Provide the number of each of the following types
a. Number of non-categorical SIUs.	
b. Number of CIUs.	
SIGNIFICANT INDUSTRIAL USER INFORMATION:	
Supply the following information for each SIU. If more than one SI	U discharges to the treatment works, copy questions F.3 through F.8
F.3. Significant Industrial User Information. Provide the name and pages as necessary. Name:	address of each SIU discharging to the treatment works. Submit additional
Mailing Address:	
Ividining Address.	
F.4. Industrial Processes. Describe all of the industrial processes th	at affect or contribute to the SIU's discharge.
F.5. Principal Product(s) and Raw Material(s). Describe all of the p discharge.	rincipal processes and raw materials that affect or contribute to the SIU's
Principal product(s):	
Raw material(s):	
F.6. Flow Rate.	
 Process wastewater flow rate. Indicate the average daily volu per day (gpd) and whether the discharge is continuous or inter 	me of process wastewater discharged into the collection system in gallons mittent.
gpd (continuous orintermit	tent)
 Non-process wastewater flow rate. Indicate the average daily system in gallons per day (gpd) and whether the discharge is 	volume of non-process wastewater flow discharged into the collection continuous or intermittent.
gpd (continuous orintermit	tent)
F.7. Pretreatment Standards. Indicate whether the SIU is subject to t	the following:
a. Local limitsYesNo	To tollowing.
b. Categorical pretreatment standardsYesNo	
If subject to categorical pretreatment standards, which category a	nd subcategory?
, , , , , , , , , , , , , , , , , , , ,	

FACI	LITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086					
F.8.	F.8. Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years?						
	YesNo If yes, describe each episode.						
		<u> </u>					
	A HAZARDOUS WASTE RECEIVED BY TRUCK, RAIL, OR DEDIC RCRA Waste. Does the treatment works receive or has it in the past three						
1 .5.	pipe?YesNo (go to F.12.)	years received from hazardods waste by track, rail, or dedicated					
F.10.	Waste Transport. Method by which RCRA waste is received (check all the	at apply):					
	TruckRailDedicated Pipe						
F.11.	Waste Description. Give EPA hazardous waste number and amount (volu	ime or mass, specify units).					
	EPA Hazardous Waste Number Amount	<u>Units</u>					
	CLA (SUPERFUND) WASTEWATER, RCRA REMEDIATION/COR ION WASTEWATER, AND OTHER REMEDIAL ACTIVITY WASTE						
F.12.	Remediation Waste. Does the treatment works currently (or has it been n	otified that it will) receive waste from remedial activities?					
	Yes (complete F.13 through F.15.)No	and the state of t					
	Provide a list of sites and the requested information (F.13 - F.15.) for each current and future site.						
F.13.	Waste Origin. Describe the site and type of facility at which the CERCLA/ originate in the next five years).	RCRA/or other remedial waste originates (or is expected to					
F.14.	Pollutants. List the hazardous constituents that are received (or are expecting known. (Attach additional sheets if necessary).	ted to be received). Include data on volume and concentration, if					
F.15.	Waste Treatment.						
	a. Is this waste treated (or will it be treated) prior to entering the treatment	works?					
	YesNo If yes, describe the treatment (provide information about the removal ef	iciency):					
	b. Is the discharge (or will the discharge be) continuous or intermittent?						
	ContinuousIntermittent If intermittent, d	escribe discharge schedule.					
	END OF PAR						
RE	FER TO THE APPLICATION OVERVIEW TO DET	ERMINE WHICH OTHER PARTS OF FORM					
	2A YOU MUST CC	MPLETE IN THE STATE OF THE STAT					

FAC	ILIT	Y NAME AND PERMIT	NUMBER:		Form Approved 1/14/99 OMB Number 2040-0086			
su	PP	LEMENTAL AP	PPLICATION INFORMATION					
PAI	RT (G. COMBINED SE	WER SYSTEMS					
			ombined sewer system, complete Part G.					
G.1.	Sy	stem Map. Provide a m	nap indicating the following: (may be included w	ith Basic Application Information)				
	a.	All CSO discharge poir	nts.					
		 b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters). 						
	C.	Waters that support the	reatened and endangered species potentially a	iffected by CSOs.				
G.2.		stem Diagram. Provide at includes the following in	e a diagram, either in the map provided in G.1. oinformation:	or on a separate drawing, of the com	bined sewer collection system			
	a.	Locations of major sev	wer trunk lines, both combined and separate sa	nitary.				
	b.	Locations of points who	ere separate sanitary sewers feed into the com	ibined sewer system.				
	C.		d off-line storage structures.					
	d.	Locations of flow-regula						
	e.	Locations of pump stat	ions.					
csc) OI	UTFALLS:						
Com	ıplet	e questions G.3 throu	gh G.6 once for each CSO discharge point.					
G.3.	Des	scription of Outfall.						
	a.	Outfall number						
	G.	Oddan namoon						
l	b.	Location	(City or town, if applicable)	(Zip Code)				
			(ony or com, in approache,	(any cons)				
			(County)	(State)				
			(Latitude)	(Longitude)				
	c.	Distance from shore (if	f applicable)	ft.				
	d.	Depth below surface (if		ft.				
	e.	Which of the following	were monitored during the last year for this CS	0?				
		Rainfall	CSO pollutant concentrations	CSO frequency				
		CSO flow volume	 ·	<u> </u>				
	f.	How many storm event	ts were monitored during the last year?					
G.4.	CSC	O Events.						
	•	Give the number of CS	SO events in the last year.					
	a.		actual or approx.)					
	b.	Give the average durati						
	٥.	Olvo the dverage data.	ion por coc ovene.					

actual or

approx.)

hours (_

FACILITY	NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
с. (Give the average volume per CSO event.	
-	million gallons (actual or approx.)	
d. (Give the minimum rainfall that caused a CSO event in the last year.	
	inches of rainfall	
G.5. Desc	cription of Receiving Waters.	
a. 1	Name of receiving water:	
b. 1	Name of watershed/river/stream system:	
!	United States Soil Conservation Service 14-digit watershed code (if known	wn):
c. 1	Name of State Management/River Basin:	
,	United States Geological Survey 8-digit hydrologic cataloging unit code	(if known):
G.6. CSO	Operations.	
perm	cribe any known water quality impacts on the receiving water caused by manent or intermittent shell fish bed closings, fish kills, fish advisories, of lity standard).	
	END OF PAR	F.G
REFEF	R TO THE APPLICATION OVERVIEW TO DETI	보면 44의 - 12의 British - 그는 사람 전에 가장 전에 가장 하는 경우가 있었다. 부모스의 등 기본 등 전 등에 가장 하는 것이다.