

# Stock Items — Off Our Shelves To Yours





Try Out Our New
Customer Supply Center (CSC)

# Quick Order On-Line Form

fss.gsa.gov/csc

Click on "Quick Order with Credit Card or Activity Address Code (AAC)"



Although this order form is not data base connected and will not be able to provide inventory availability and current price information, etc., it is a fast on-line vehicle to place your CSC order using your credit card or AAC. Once your order is received, an order confirmation will be sent to you via e-mail. Thank you for trying our new CSC on-line Quick Order Form.



Or, call the CSC to place your order on 1-800-525-8027 or FAX 1-800-856-7057.

SOAR WITH

GSA Customer Supply Center

### 2002 PLANNERS & CALENDARS FOR SCHEDULING YOUR DAY

Manage your time more efficiently with a GSA planner. Crisp, large-sized calendars and accessories help keep busy professionals on top of their activities. The best-known brands of planners and calendars for pocket, attache case or desktop –

Daymax, Dayrunner and Franklin Covey —are available at discount prices with all the refills and accessories to stay organized. Available soon on GSA *Advantage!* ™ at www.gsaAdvantage.GOV.

Calendar Pad, Type I Flipover Desk Pad UNICOR	Size: 3" x 3-5/8"	NSN 7510-01-450-5411 (Replaces NSN 7510-01-450-5401)	U/I – EA	Price \$1.58
Calendar Pad, Type II Flipover Desktop Pad	Size 3-5/8" x 5-7/8"	NSN 7510-01-450-5462 (Replaces NSN 7510-01-450-5455)	U/I - EA	Price \$1.89
Pocket Planner Set & Refill	(Pocket size)	NSN 7510-01-450-5435 (Replaces NSN 7510-01-450-5428)	U/I – SE	Price \$3.73
Loose-leaf Appointment Boo	k Refill	NSN 7530-01-450-5417 (Replaces 7530-01-450-5408; refill for NSN 7510-00-285-1765)	U/I - EA	Price \$2.81
Wall Calendar UNICOR	11-5/8" x 8-7/8"	NSN 7510-01-450-5466 (Replaces NSN 7510-01-450-5459)	U/I – PG (10)	Price \$3.73
Activity Schedule UNICOR	(OF 67, 8-1/2" x 11")	NSN 7540-01-450-5427 (Replaces NSN 7540-01-450-5429)	U/I – PG (10)	Price \$3.60
Weekly Appointment Book UNICOR	(Compact Guide, 8-1/2" x 11	")NSN 7530-01-450-5446 (Replaces NSN 7530-01-450-5445)	U/I - EA	Price \$2.19
Calendar (Blotter Pad Type) UNICOR For use with desk pad holder		NSN 7510-01-450-5472 (Replaces NSN 7510-01-450-5465) NSN 7520-00-224-7238	U/I - EA	Price \$2.20



#### Belt Sander NSN: 5130-00-889-8986 Selling Price: \$249.01 (EA)

Electromagnetic interference-suppressed tool. Belt is 3" wide and 24" long and has an 1100 to 1700' per minute no-load speed. Seven minimum rated amps. Portable sander has an attached dust-collecting system that includes a fan, vacuum duct and removable dust bag. Replace belts and adjust tension easily. Has a closed-grip handle on rear and a front-grip knob. Electric motor operates at 115v AC/DC, with an on/off trigger switch and a three-wire plug. UL approved. IAW CID 3092.

#### Rivet Shaver NSN: 5130-00-621-2647 Selling Price: \$559.84 (EA)

Portable pneumatic single rotation rivet shaver cleanly and precisely shaves aluminum, aluminum alloy, copper, brass and mild steel rivets with diameters up to 3/4". Shaver has a pistol-grip handle and



stabilizer. Skirt and cutter size capacities are 5/16 to 3/4". Depth of cut adjustments are in increments of 0.001". Operating pressure is 90 psig and air inlet connection is 1/4" NPT. Furnished with seven cutters and seven skirts in the following sizes: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8 and 3/4". Carrying case and operating maintenance instructions are included. A-A-58066.

#### Circular Saw NSN: 5130-01-087-6842 Selling Price: \$472.13 (EA)

Motor armature axis is parallel to blade spindle axis. Has minimum no-load speed of 3800 rpm, 1-1/8 hp, a rated current of 15 amp and a 5/8" diameter arbor hole. Minimum cut at 90° is 3-



3/8"; maximum cut at 45° is 2-1/4". No EMI. Size No. 10. Portable electric circular saw features adjustable metal base for depth and angle of cut adjustment, adjustable rip fence, position indicator, round arbor, dust blower, trigger switch in a comfortable handle and antikick-back clutch. Saw operates on 120v AC/DC. Furnished in a carrying case with one blade, arbor nut wrenches and operating instructions.

#### Sheet-Metal Cutters NSN: 5130-01-087-6839 Selling Price: \$726.04 (EA)

15" long, size 3 cuts sheet steel up to 12-gauge (0.105") thick.



Minimum cutting radius is 2-1/2". Lightweight shears make straight or contour cuts on ferrous and nonferrous materials. Portable and hand-held tool has single-shear action, with one stationary and one reciprocating blade. Shears are fungus treated with a closed-grip handle. Cutting rate is 15' per minute. Shears operate on 115v AC/DC and have a grounded three-wire plug.

#### Sprinkler Hose NSN: 3750-00-541-4157 Selling Price: \$ 7.05 (LG)

50 foot length covers 1250 square feet. Contains a female threaded coupling with a washer on one end, and a removable end closure on the other end.



Perforated PVC plastic or rubber soaker hose. Non-adjustable. Protective coating. Dual tubes provide a flat base to alleviate twisting during use. Spray holes are distributed evenly throughout the length. Stays flexible at temperatures as low as 32°.

#### Lawn Sprinkler NSN: 3750-00-959-3490 Selling Price: \$7.02 (LG)

Rated coverage of 2400 square feet.



The sprinkler is designed to spray water in a backward and forward motion over a rectangular pattern. The sprinkler is equipped with a control knob for adjusting the spray from a full sweep pattern to partial left or right pattern. The spray bar is constructed from corrosion resistant metal and designed with brass jets for directing the spray. The base is of a rectangular sled design with two runners, constructed from corrosion resistant metal or molded reinforced plastic.

#### Lawn Sprinkler NSN: 3750-00-203-3933 Selling Price: \$8.43 (EA)

ps designed ling action.

Has nonadjustable spray tips designed to spray water with a whirling action.

The sprinkler is designed to spray water in a backward and forward motion, over a rectangular pattern. The sprinkler is equipped with a control knob for adjusting the spray from a full sweep pattern to a partial left or partial right pattern. The spray bar is constructed from corrosion resistant metal and has brass jets for directing the spray. The base is of a rectangular sled design with two runners, constructed from corrosion resistant metal or molded reinforced plastic.

#### Garden Hoe NSN: 3750-00-223-8867 Selling Price: \$11.24 (EA)

Blade is 4-1/4 to 4-3/4" deep by 6" wide. Size 1. The hoe that has a forged steel blade and a beveled edge suitable for sharpening. The socket for the handle is welded onto a gooseneck shank. The hardwood handle is 50 to 61"



long and securely fastened into a tapered socket.

#### Soaker Hose

NSN: 3750-00-289-9025 Selling Price: \$ 14.73 (LG)

100 foot length covers 2500 square feet. Contains a female threaded coupling with a washer on one end, and a removable end closure on the other end. Perforated PVC



plastic or rubber soaker hose. Non-adjustable. Protective coating. Dual tubes provide a flat base to alleviate twisting during use. Spray holes are distributed evenly throughout the length. Stays flexible at temperatures as low as 32°.

#### Pruning Shears NSN: 3750-00-641-1197 Selling Price: \$17.36 (EA)

27" long heavy-duty lopping shears have a convex blade and a concave



hook. Used for pruning plants, bushes and tree limbs up to 1-1/2" in diameter. For two-handed use, shears have hardwood handles and a safety stop to protect operator.

#### Hand Pruning Shears NSN: 3750-00-641-5587 Selling Price: \$ 7.74 (PR)

8" long hook-jaw shears have long-lasting cutting edges and a catch to lock blades shut. Rose and garden shears for thinning plants or shaping small shrubbery. For one-handed use, shears have high-carbon steel blades and a metal handle.

#### Lawn Sprinkler NSN: 3750-00-679-0753 Selling Price: \$7.50 (EA)

Description: The sprinkler is furnished with a removable, metal impulse head. The head is adjustable to spray water in a



full or partial circular pattern. The head is equipped with an adjustable break-up spring loaded device to regulate the radius of coverage. The base is made of corrosion resistant metal or plastic of equal strength. 90 square foot coverage.

#### Hedge Clippers NSN: 3750-00-951-1585 Selling Price: \$15.73 (EA)

8" long cutting edge. 9" long handles. Trim hedges and small shrub-



bery with these hardwood-handled clippers. Serrated blades are ground, sharpened and notched near the pivot points for cutting heavy canes and branches with ease.

#### **Multi-Tool**

NSN: 5110-01-474-0894

**Selling Price:** \$59.95 (EA) 5-1/2 " long, open, 4" long, Leatherman P/ N 68010201 or equal. Stainless steel finish. Black nylon



sheath. Weight: 6 ounces. Crunch model multipurpose tool, made of 100% stainless steel, and designed with blade locking, one-hand opening characteristics. The tool includes: locking pliers, wire cutters, hard-wire cutters, serrated knife, metal/wood file, ruler (inch/metric), bottle opener, small screwdriver, medium screwdriver, large screwdriver, philips screwdriver (#1/#2), hex bit driver, wire stripper, and lanyard attachment.

#### **Multi-Tool**

NSN: 5110-01-474-0895 Selling Price: \$59.95 (EA)

Leatherman part number 68010101 or equal. Same as above only with Leather sheath.



## Pocket Survival Tool with Cap Crimper NSN: 5110-01-430-5053 Selling Price: \$44.99 (EA)

4" long closed Leatherman Part Number 61030101. Stainless steel finish. Leather sheath. This multipurpose tool opens up to reveal the following components: a bottle opener, can opener, punch blade, needle nose



and regular pliers, wire and hard wire cutters, clip-point knife blade, metal/wood file, ruler, small screwdriver, medium screwdriver, large screwdriver, Phillips screwdriver, and cap crimper.

#### Tap and Die Set NSN: 5136-00-357-7508 Selling Price: \$471.30 (SE)

Set consists of one plug tap and one round split die in the following nominal sizes: 2mm - 0.45, 2.5mm - 0.45, 3mm - 0.60, 3.5mm - 0.60, 4mm - 0.75, 4.5mm - 0.75, 5mm - 0.90, 6mm - 1.00, 7mm -



1.00, 8mm - 1.25, 9mm - 1.25, 10mm - 1.50, 12mm - 1.75, 14mm - 2.00, 16mm - 2.00, 18mm - 2.50, 20mm - 2.50, 22mm - 2.50 and 24mm - 3.00. Without diestock. Comes with a metal or wooden case. The tap and die set is used for cutting screw threads in iron or steel plates or rods. Set is made of high-speed steel. UNC is Unified Coarse threads, UNF is Unified Fine threads and UNS is Unified Special threads.

#### Thread Cutter NSN: 5136-00-555-8912 Selling Price: \$619.10 (EA)

Adjustable model is self-contained and has ratcheting action. Measures 25 to 60" long with a 1.000-11-1/2 NPT & 1-1/4-11-1/2 NPT & 1-1/2-11-1/2 NPT & 2-



11-1/2NPT. For cutting American Standard taper pipe (NPT) right-hand threads on iron and steel pipe. Consists of die head, handle (diestock) and renewable, receding, segmental, taper pipe dies. Hand-operated tool is designed to provide leverage for turning dies on piece to be threaded. Includes a wooden or metal carrying case.

#### Thread Cutter NSN: 5136-00-596-1227 Selling Price: \$367.72 (SE)

With five renewable dies: 1/8-27, 1/4-18, 3/8-11, 1/2-14 and 3/4-14 NPT. Nonadjustable, segmental drop-head model has ratcheting action. For cutting American Standard taper pipe



(NPT) right-hand threads on iron and steel pipe. Consists of die head, handle (diestock) and renewable, receding, segmental, taper pipe dies. Hand-operated tool is designed to provide leverage for turning dies on piece to be threaded. Includes a wooden or metal carrying case.

#### Thread Cutter NSN: 5136-00-826-1125 Selling Price: \$ 467.06 (SE)

With six renewable dies: 1/2-14, 3/4-14, 1-11-1/2, 1-1/4-11-1/2, 1-1/2-11-1/2 and 2-11-1/2 NPT. Nonadjustable, segmental drop-head model has ratcheting action.



For cutting American Standard taper pipe (NPT) right-hand threads on iron and steel pipe. Consists of die head, handle (diestock) and renewable, receding, segmental, taper pipe dies. Hand-operated tool is designed to provide leverage for turning dies on piece to be threaded. Includes a wooden or metal carrying case.

#### Nonflaming, Fire Protective Coating NSN: 8010-01-208-7777 Selling Price: \$135.50 (CN)

White 27880 Type I - Nonintumescent, nonflaming, Class 1 - Surface ship, general usage, Application A - Steel and Application B - Aluminum. Use these nonflaming and fire-resistant paints. Formulated for use where a coating is needed that will not become actively involved



in a fire or contribute to fire propagation. Whenever possible, apply the coating over a surface that has been degreased, sand-blasted and primed to promote adhesion. This coating is suitable for general use on interior ship surfaces. It is resistant to water and hydrocarbons. Maximum VOC 250 g/L. MIL-PRF-24596 (formerly DOD-C-24596). 12-Month maximum shelf life (Extendable) NESHAPs compliant; Low-VOC Item; Lead-Free Item According to ATSM/EPA Test Methods; CFC-Free Item; Chromate-Free Item According to ATSM/EPA Test Methods; ODS-Free Item.

#### Aerosol Enamel NSN: 8010-01-350-5259 Selling Price: \$7.58 (PT)

Red 11136 Acrylic latex enamel. Type II. VOC: 65% Fast-drying, general-purpose interior and exterior enamel is for coating small objects or areas. Apply on metal, wood, plaster, masonry, stone, glass, leather, fiber and previously painted



surfaces. Packaged in an aerosol can that sprays easily without sputtering, using moderate finger pressure. Hand shake for one minute before using. Complies with the Volatile Organic Compound requirements of California Code of Regulations. A-A-2787. 24-Month maximum shelf life (Extendable) JWOD/NIB Mandatory Source; Low-VOC Item; Lead-Free Item According to ATSM/EPA Test Methods; CFC-Free Item; Chromate-Free Item According to ATSM/EPA Test Methods; Hexavalent-Chromium Free Item According to ATSM/EPA Test Methods.

#### **Heat Resistant Paint** NSN: 8010-01-235-4164 Selling Price: \$66.70 (GL)

Green 34094 paint has a ceramic-silicone resin base and is intended for exterior use on prepared surfaces subject to temperatures up to 1400°F. Also for use on mufflers, mani-



folds and stacks, this paint provides excellent protection against corrosion and chemical attack. Resistant to water, weather and 100 hours of salt spray. Application by brush or spray; may be baked. Dries to a flat finish. Maximum VOC 420 g/L. MIL-P-14105. 12-Month maximum shelf life (Extendable) Low-VOC Item; Lead-Free Item According to ATSM/EPA Test Methods; CFC-Free Item; Chromate-Free Item According to ATSM/EPA Test Methods.

#### Polyurethane Unicoat NSN: 8010-01-344-3222 Selling Price - \$128.56 (KT)

Gray 36118 total volume 2 gallon dries to a flat finish. Unicoat is a self-priming polyurethane topcoat for exterior use on aircraft, weapons systems and other sur-



faces. Use in lieu of standard primer/topcoat systems. Promotes protection of metallic and polymeric substrates. Suitable for both electrostatic and nonelectrostatic applications. Maximum VOC 420 g/L. TT-P-2756A; QPL-TT-P-2756-1 24-Month maximum shelf-life (Extendable) NESHAPs compliant; Low-VOC Item; Lead-Free Item according to ATSM/EPA Test Methods; CFC-Free Item; Chromate-Free Item according to ATSM/EPA Test Methods.

#### Circulating Fan NSN: 4140-00-851-9319 Selling Price: \$35.99 (EA)

16" blade diameter minimum 2000 cfm air flow. Keep cool with this three-speed oscillating fan, featuring push-button controls for low, medium and high speeds. Wall or



desk mount, oscillates 80°, converts from wall to desk with no tools. Made with three plastic blades and a three-wire 8' electrical cord. Operates on 115v AC, 60-Hz, single-phase power. Conforms to UL standards. In accordance with CID A-A-1939.


#### Circulating Fan NSN: 4140-00-961-5480 Selling Price: \$ 36.46 (EA)

Beat the heat with this high-velocity, twospeed fan. Use on the floor, desk or wall as an air circulator. It may also be used in the window for exhaust or intake purposes.



The plastic blades circulate up to 2500 cfm of air in any direction at a 180° tilt. The tubular frame has a safety guard. This fan is free from radio interference. Operates on 110 to 120v AC 60-cycle power and has a 10'-long three-conductor cord and plug. Conforms to UL standards. In accordance with A-A 1943B.

#### Circulating Fan NSN: 4140-00-256-9912 Selling Price: \$ 29.89 (EA)





for low, medium and high speeds. Wall or desk mount, oscillates 80°, converts from wall to desk with no tools. Made with three plastic blades and a three-wire 8' electrical cord. Operates on 115v AC, 60-Hz, single-phase power. Conforms to UL standards. In accordance with CID A-A-1939.

#### Circulating Fan NSN: 4140-00-203-3807 Selling Price: \$67.61 (EA)

Designed to improve air circulation at floor level. Two-speed hassock fan includes a rotary switch to select low or



high speed, a 10' two-wire electrical cord and a polished three-blade assembly (12" diameter). Circulates 2300 CFM minimum. Continuous-duty electric motor operates on 120v AC, 60-Hz, single-phase power. Conforms to UL standards. A-A-1942.

#### Circulating Fan NSN: 4140-01-278-3874 Selling Price: \$227.10 (EA)

24" blade diameter oscillates a minimum of 80° and can be locked at any point on that oscillation range. 3925/5350 cfm air flow. A-A-3008. Stay cool with this column-mounted, two-speed (minimum) pedestal fan that adjusts to heights up to 96". Head of fan tilts 5° below and 15° above horizontal. A safety guard completely covers the metal or rigid plastic blade assembly. Fan operates on 115v AC, 60-Hz power and has a three-conductor 10' power cord. Conforms to UL standards.



#### Circulating Fan NSN: 4140-01-278-1527 Selling Price: \$244.98 (EA)

30" blade diameter oscillates a minimum of 80° and can be locked at any point on that oscillation range. 5000/7300 cfm air flow. A-A-3008. Stay cool with this column-mounted, two-speed (minimum) pedestal fan that adjusts to heights up to 96". Head of fan tilts 5° below and 15° above horizontal. A safety guard completely covers the metal or rigid



plastic blade assembly. Fan operates on 115v AC, 60-Hz power and has a three-conductor 10' power cord. Conforms to UL standards.

#### Office Water Cooler NSN: 4110-00-782-5125 Selling Price: \$289.26 (EA)

19" W x 19" D x 33" H for attaching to walls. Fresh water at your fingertips. Bubbler-style drinking water dispenser gives a stream of water that arches from the outlet to the drain pan. Attaches to normal, pressurized



water supply pipe. Produces 9-1/2 gal per hour draw off capacity. Electrically cooled unit has a self-closing faucet and is encased in a steel cabinet. With corrosion-resistant fittings and a three-wire cord. Operates on 110 to 120v AC, 60-Hz power. Meets UL and industry standards. Certified lead free by the manufacturer. Unit has an air-cooled condenser. Lead-Free Item According to ATSM/EPA Test Methods.

#### Office Water Cooler NSN: 4110-00-255-8760 Selling Price: \$260.81 (EA)

12" W x 12" D x 41-1/2" H free standing unit. Fresh water at your fingertips. Bubbler-style drinking water dispenser gives a stream of water that arches from the outlet to the drain pan. Attaches to normal, pressurized water supply pipe. Produces 9-1/2 gal per hour draw off capacity. Electrically cooled unit has a self-closing faucet and is encased in a steel cabinet. With corrosion-resistant fittings and a three-wire cord. Operates on



110 to 120v AC, 60-Hz power. Meets UL and industry standards. Certified lead free by the manufacturer. Unit has an air-cooled condenser. Lead-Free Item According to ATSM/EPA Test Methods.

#### Office Water Cooler NSN: 4110-01-280-0178 Selling Price: \$325.39 (EA)

19" W x 19" D x 21-1/2" H mechanically cooled 50°F water fountain mounts on the wall. This barrier-free unit uses a single valve to control flow of water so that it may be consumed



directly from fountain without glasses or cups with pushbar front operated. Unit complies with Americans With Disabilities Act when properly installed and is lead free. The dispenser uses bubbler-type pressure to produce 6 gal per hour. Compressor runs on 115v, 60-Hz, single-phase power. A-A-2590. Lead-Free Item According to ATSM/EPA Test Methods.

#### Torque Wrench (Micrometer) NSN: 5120-01-113-9564 Selling Price: \$337.26 (EA)

40 inches nominal Micrometer Torque Wrench. Setting torque wrench, graduated, ratcheting, right and left hand torqueing, Capacity: 100.0 foot-pounds to 600.0 foot-pounds maximum, Graduation: 10.0 foot-pounds, Drive Size: 0.750 inch, square, male, Signal Method: audible; Features: rubber handle, reversible ratchet, case. ASME B107.14M.

#### Highway Safety Tool Kit NSN: 5180-01-441-6698 Selling Price: \$67.29 (KT)

Highway safety tool kit consists of the following components: 1 thermal reflective blanket; 1 - 12 ft. battery booster cable; 1 utility cutter; 1 D-cell size flashlight; 1 pair cotton gloves; 2 yellow chemical light sticks; 1 inflatable pillow; 1 - 8" slip joint pliers; 2 highway warning reflectors; 1 phillips and flattip screwdriver. This Highway Safety Tool Kit contains essential highway safety items in a slim plastic storage box. The tool kit is designed to fit in car trunks, under van and utility vehicle seats, and behind the seat of most pickup trucks.

### REINTRODUCING A POPULAR STOCK ITEM! ABSORBENT MATERIAL FOR OIL AND PETROLEUM-BASED LIQUID SPILLS

GSA now stocks loose clay absorbent material for oil and petroleum based liquid spills in a 44-pound fiberboard container with a plastic liner. This means less chance of tearing and content spillage, which may occur when shipped and stored in bags. The absorbent material is designed to clean up a wide range of liquid and semi-liquid spills in a variety of areas. However, it is not suitable for aggressive liquids such as acids. This material is for use in motor pools or aircraft repair facilities where fuel, oil, hydraulic and transmission fluids are used. It can be used on any concrete, asphalt, tile or linoleum surface without damage. As an added plus, this material is heavier than many other absorbents and can be used outdoors on all hard surfaces in windy conditions.

<u>Description</u>	National Stock Number	Unit of Issue	<b>Price</b>
Absorbent Material	7930-00-269-1272	CO	\$16.53

Order using FEDSTRIP/MILSTRIP, MUFFIN or GSA Advantage! ™ at www.gsaAdvantage.GOV

For more information, please contact:

Contact: Customer Assistance Phone: 817-978-2051

DSN: 874-3697 or 874-3698

Fax: 817-978-2605

E-Mail: RP&C.gpc@gsa.gov



NEWS FLASI

#### 2001 MarkeTips Advertising Specifications

We will be happy to send you a copy of our specifications. Send us an e-mail at: gsa.marketips@gsa.gov. Please include your name and fax number.

Note: MarkeTips reserves the right to determine placement of ads and make any and all changes that are deemed necessary.







We realize you may have questions about GSAs supply operations. Much has been reported in the news, and you may have heard other accounts from various sources. We want you to know as much as possible and appreciate how and why we are changing.

Please read the Questions and Answers below. Feel free to contact your Customer Service Director if you need more detailed information. To identify that local GSA contact, visit us on the web at www.fss.gsa.gov and click on the "customer service" icon, or call our National Customer Service Center at 1-800-488-3111.

### First things first: GSA is changing to serve you better.

GSA will consolidate its warehouse operations early in fiscal year 2002. This will enable us to operate much more efficiently. As we reduce our operating costs, we intend to pass along these savings to our customers.

We are also using the resources freed up by this consolidation to develop even better and more innovative supply solutions to serve you tomorrow. Our new efforts will focus on full service solutions that will be easier and faster than any we have offered you before. We are eager to tell you more as our new solutions develop over the next few months.

### If anyone says otherwise, remember: GSA is NOT going out of business.

We want to respond to your expectations and offer you the best solutions using the best practices in the marketplace. And, as always, we will do so based on our special understanding of your particular Federal needs and on our devotion, like yours, to serving our government proudly and well. Just like you, we are willing to change and determined to do things better!

### What about the warehouse closings that were in the news recently?

GSA is going to consolidate its supply warehouse operations into two locations after September 30, 2001. GSA will then close existing distribution centers in Chicago, Denver, Franconia, VA and Auburn WA. Larger warehouses in Palmetto, GA and Ft. Worth, TX, will also be closed.

### What does that mean for agencies that order from GSA?

Nothing will change. All of the existing warehouses continue to ship product and will continue to do so through the end of this fiscal year. Agencies can continue to place orders via phone, fax or Internet.

Phone Orders: (800) 525-8027 Fax Orders: (800) 856-7057

Web Orders: www.gsaAdvantage.gov

#### What happens after October 1?

The remaining GSA warehouses in Burlington, NJ and Stockton, CA are large facilities capable of storing a diverse inventory. They are staffed with professionals eager to meet your supply needs. You may continue to place your orders with GSA and receive product shipped from these two facilities in FY 2002 and beyond.

### What will the impact be on delivery speed?

Depending on your location and your proximity to an existing warehouse, you may see a modest increase in the delivery time for a GSA order, but you should also see improvements in other service levels. As we prepare for this transition, we will be working closely with our commercial shipping partners to minimize any time increase by using the best commercial practices to expedite customer orders. With our consolidated inventory, you can also expect more "single shipment" deliveries, so there will be an improvement in convenience and reconciliation, too.

### Is this just a phased closing of the entire CSC program?

No. GSA is committed to serving the supply needs of our domestic and international customers. Many customers look to GSA for "full service" supply solutions that minimize the task of procurement and enable agencies to focus on their mission. We plan to satisfy those customer needs and will update you as we move closer to the implementation of these changes. Because we are "remodeling" our business, our "look" and "names" may change – but we think you will like what you see when the "dust settles."

#### What does this mean for GSA Advantage?

GSA Advantage! continues to provide government buyers with access to 1.3 million products 24 hours a day. GSA Advantage! will continue to offer easy access to the 6,000 items in the Customer Supply Center inventory as well as the million-plus items available from GSA Schedule vendors. New features will be added to GSA Advantage!, our premier on-line resource for Federal buyers. Visit us at www.gsaAdvantage.gov for the latest in government e-commerce.

### Does the warehouse consolidation affect GSA Schedules at all?

No. GSA continues to negotiate Schedule contracts for millions of products and a growing number of professional services. Our Schedules E-Library contains the most current listing of GSA contracts and contractors. Find it on the main menu of GSA Advantage! or via the FSS home page at www.fss.gsa.gov.



# It's a piece of cake.

With GSA's Federal Supply Service, the choice is yours with over 2,500 companies supplying over 500,000 products and services on the IT Federal Supply Schedule. FSS provides the very latest and best hardware, software and professional services, including wireless technology, information assurance, desktop management and financial services software. You also have the added convenience of our streamlined acquisition procedures making it easier than ever before to procure the products and services you need right now.

Everything you need to satisfy your high-tech appetite.

