

## References

- Abraham JL, McEuen DD [1986]. Inorganic particulates associated with pulmonary alveolar proteinosis: SEM and X-ray microanalysis results. *Appl Pathol* 4:138–146.
- Abraham JL, Wiesenfeld SL [1997]. Two cases of fatal PMF in an ongoing epidemic of accelerated silicosis in oilfield sandblasters: Lung pathology and mineralogy. *Ann Occup Hyg* 41(Suppl 1):440–447.
- ACGIH [2001]. 2001 TLVs and BEIs: Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- Adamson IYR, Prieditis H [1998]. Silica deposition in the lung during epithelial injury potentiates fibrosis and increases particle translocation to lymph nodes. *Exp Lung Res* 24(3):293–306.
- Agarwal R, Vasan RS, Singh RR, Saxena SP, Bhadoria DP, Srivastava AK, Verma A, Tiwari SC, Malaviya AN [1987]. Trigeminal and peripheral neuropathy in a patient with systemic sclerosis and silicosis. *Clin Exp Rheumatol* 5(4):375–376.
- Agius RM, Love RG, Davies LST, Hutchison PA, Cherrie JW, Robertson A, Cowie HA, Hurley JF, Seaton A, Soutar CA [1992]. Epidemiological studies of respiratory health and dust exposure in hard rock quarry workers and ex-workers. Edinburgh, Scotland: Institute of Occupational Medicine, Report No. TM/92/10; HSE Contract No. 1/LMD/126/146/88.
- Al-Kassimi FA, Hawass NED, Mahmoud K, Al-Majed SAA, Al-Hajjaj MS [1991]. Silicosis of the lung in Saudi Arabia—role of traditional occupations and environmental factors. *Saudi Med J* 12(5):384–388.
- Allison AC, Hart PD [1968]. Potentiation by silica of the growth of *Mycobacterium tuberculosis* in macrophage cultures. *Br J Exp Pathol* 49:465–476.
- Althouse RB [1998]. E-mail messages on September 22 and 23, 1998 from R. Althouse to Faye L. Rice.
- Althouse RB, Bang KM, Castellan RM [1995]. Tuberculosis comorbidity with silicosis—United States, 1979–1991. *Appl Occup Environ Hyg* 10(12):1037–1041.
- Altieri A, Sperduto B, Verdel U, Porceli D [1984]. Identification of cristobalite and quartz in the production of silicon carbide. *Riv Infort Mal Prof* 71(1–2):131–135.
- Amandus HE, Shy C, Wing S, Blair A, Heineman EF [1991]. Silicosis and lung cancer in North Carolina dusty trades workers. *Am J Ind Med* 20:57–70.
- Amandus HE, Castellan RM, Shy C, Heineman EF, Blair A [1992]. Reevaluation of silicosis and lung cancer in North Carolina dusty trades workers. *Am J Ind Med* 22:147–153.
- Amandus HE, Shy C, Castellan RM, Blair A, Neineman EF [1995]. Silicosis and lung cancer among workers in North Carolina dusty trades. *Scand J Work Environ Health* 21(Suppl 2):81–83.
- Ambrus JL, Sridhar NR [1997]. Immunologic aspects of renal disease. *J Am Med Assoc* 278(22):1938–1945.
- Ampian SG, Virta RL [1992]. Crystalline silica overview: Occurrence and analysis. Washington, DC: U.S. Department of the Interior, Bureau of Mines, Information Circular IC 9317.
- Anandan S, Othman M, Cheong I, Chin GL [1995]. Scleroderma secondary to silica exposure—a case report. *Singapore Med J* 36:559–561.
- Anthonisen NR, Wright EC, Hodgkin JE, Hopewell PC, Levin DC, Stevens PM [1986]. Prognosis in chronic obstructive pulmonary disease. *Am Rev Respir Dis* 133: 14–20.
- Aoki A, Sirai A, Sakamoto H, Igarashi T, Matsunaga K, Ishigatsubo Y, Tani K, Okubo T [1988]. A case of silicosis associated with polymyositis and benign monoclonal gammopathy. *Ryumachi* 28(5):373–378.

- Archer C, Gordon DA [1996]. Silica and progressive systemic sclerosis (scleroderma): Evidence for workers' compensation policy. *Am J Ind Med* 29:533–538.
- Arnalich F, Lahoz C, Picazo ML, Monereo A, Arribas JR, Martinez Ara J, Vázquez JJ [1989]. Polyarteritis nodosa and necrotizing glomerulonephritis associated with long-standing silicosis. *Nephron* 51(4):544–547.
- Ashe HB, Bergstrom DE [1964]. Twenty-six years' experience with dust control in the Vermont granite industry. *Ind Med Surg* 33(1):73–78.
- ATS (American Thoracic Society) [1987]. Standards for the diagnosis and care of patients with chronic obstructive pulmonary disease (COPD) and asthma. *Am Rev Respir Dis* 136:225–244.
- ATS (American Thoracic Society) [1995]. Standards for the diagnosis and care of patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 152(5):S77–S121.
- ATS (American Thoracic Society) [1997]. Adverse effects of crystalline silica exposure. *Am J Respir Crit Care Med* 155:761–768.
- Balmes J [1990]. Silica exposure and tuberculosis: An old problem with some new twists (editorial). *J Occup Med* 32(2):114–115.
- Bang KM, Althouse RB, Kim JH, Game SR, Castellan RM [1995]. Silicosis mortality surveillance in the United States, 1968–1990. *Appl Occup Environ Hyg* 10(12):1070–1074.
- Banks DE [1996]. Clinical features of silicosis. In: Castranova V, Vallyathan V, Wallace WE, eds. *Silica and silica-induced lung diseases*. Boca Raton, FL: CRC Press, Inc., pp. 23–37.
- Banks DE, Milutinovic J, Desnick RJ, Grabowski GA, Lapp NL, Boehlecke BA [1983]. Silicon nephropathy mimicking Fabry's disease. *Am J Nephrol* 3(5):279–284.
- Barnhart S [1994]. Irritant bronchitis. In: Rosenstock L, Cullen MR, eds. *Textbook of clinical occupational and environmental medicine*. Philadelphia, PA: W.B. Saunders Co., pp. 224–232.
- Baron PA [2001]. E-mail message on February 15, 2001, from Paul A. Baron to Ralph D. Zumwalde, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services.
- Bartley DL, Chen C-C, Song RS, Fischbach TJ [1994]. Respirable aerosol sampler performance testing. *Am Ind Hyg Assoc J* 55(11):1036–1046.
- Beadle DG, Bradley AA [1970]. The composition of airborne dust in South African gold mines. In: Shapiro HA, ed. *Pneumoconiosis: Proceedings of the International Conference*. Capetown, South Africa: Oxford University Press, pp. 462–466.
- Beaumont JJ, Goldsmith DF, Morrin LA, Schenker MB [1995]. Mortality in agricultural workers after compensation claims for respiratory disease, pesticide illness, and injury. *J Occup Environ Med* 37(2):160–169.
- Becklake MR [1985]. Chronic airflow limitation: Its relationship to work in dusty occupations. *Chest* 88(4):608–617.
- Becklake MR [1992]. Occupational exposures and chronic airways disease. In: Rom WN, ed. *Environmental and occupational medicine*. 2nd ed. Boston, MA: Little, Brown and Company, pp. 453–463.
- Becklake MR, Irwig L, Kielkowski D, Webster I, De Beer M, Landau S [1987]. The predictors of emphysema in South African gold miners. *Am Rev Respir Dis* 135:1234–1241.
- Belli S, Comba P, Germani D, Grignoli M, Lagorio S, Paganoni R, Ronchin M [1989]. Mortality study among lead-zinc Italian (Val Seriana) miners (in Italian). *Med Lav* 80(6):467–478.
- Bernard AM, Gonzalez-Lorenzo JM, Siles E, Trujillano G, Lauwerys R [1994]. Early decrease of serum Clara cell protein in silica-exposed workers. *Eur Respir J* 7:1932–1937.
- Bernardini P, Iannaccone A [1982]. Pulmonary silicosis associated with systemic lupus erythematosus. *Lav Um* 30:8–16.
- Bhaskar R, Li J, Xu L [1994]. A comparative study of particle size dependency of IR and XRD methods for quartz analysis. *Am Ind Hyg Assoc J* 55(7):605–609.
- Blair A, Zahm SH [1991]. Cancer among farmers. *Occup Med: State of the Art Rev* 6(3):335–354.
- Bolsaitis PP, Wallace WE [1996]. The structure of silica surfaces in relation to cytotoxicity. In: Castranova V,

- Vallyathan V, Wallace WE, eds. Silica and silica-induced lung diseases. Boca Raton, FL: CRC Press, Inc., pp. 79–89.
- Bolton WK, Suratt PM, Sturgill BC [1981]. Rapidly progressive silicon nephropathy. *Am J Med* 71:823–828.
- BOM [1992]. Crystalline silica primer. Washington, DC: U.S. Department of the Interior, U.S. Bureau of Mines.
- BOM [1994]. Mineral commodity summaries, 1994. Washington, DC: U.S. Department of the Interior, U.S. Bureau of Mines, pp. 137, 144–147.
- Bonnin A, Mousson C, Justrabo E, Tanter Y, Chalopin JM, Rifle G [1987]. Silicosis associated with crescentic IgA mesangial nephropathy [letter to the editor]. *Nephron* 47(3):229–230.
- Borm PJA, Bast A, Wouters EFM, Slangen JJ, Swaen GMH, de Boorder T [1986]. Red blood cell anti-oxidant parameters in silicosis. *Int Arch Occup Environ Health* 58:235–244.
- Boujemaa W, Lauwerys R, Bernard A [1994]. Early indicators of renal dysfunction in silicotic workers. *Scand J Work Environ Health* 20(3):180–183.
- Bovenzi M, Barbone F, Betta A, Tommasini M, Versini W [1995]. Scleroderma and occupational exposure. *Scand J Work Environ Health* 21:289–292.
- Bramwell B [1914]. Diffuse sclerodermia: Its frequency; its occurrence in stonemasons; its treatment by fibrolysin—elevations of temperature due to fibrolysin injections. *Edinburgh Med J* 12:387–401.
- Brandt-Rauf PW, Smith S, Hemminki K, Koskinen H, Vainio H, Niman H, Ford J [1992]. Serum oncoproteins and growth factors in asbestosis and silicosis patients. *Int J Cancer* 50:881–885.
- Bravo MP, Del Rey Calero J, Conde M [1987]. Silice y cáncer de vejiga en varones. *Arch Esp de Urol* 40(9):635–637.
- Brown DP, Kaplan SD, Zumwalde RD, Kaplowitz M, Archer VE [1986]. Retrospective cohort mortality study of underground gold mine workers. In: Goldsmith DF, Winn DM, Shy CM, eds. Silica, silicosis, and cancer. Controversy in occupational medicine, Cancer Research Monographs, Vol. 2. New York: Praeger Publishers, pp. 335–350.
- Brown LM, Gridley G, Olsen JH, Mellekjær L, Linet MS, Fraumeni JF Jr. [1997]. Cancer risk and mortality patterns among silicotic men in Sweden and Denmark. *J Occup Environ Med* 39(7):633–638.
- Bureau of the Census [1986]. County business patterns, 1986 (state files and public use data tapes). Washington, DC: U.S. Department of Commerce.
- Bureau of the Census [1993]. County business patterns, 1993 (state files and public use data tapes). Washington, DC: U.S. Department of Commerce, Bureau of the Census.
- Bureau of the Census [1997]. Statistical abstract of the United States, 1997, 117th ed. Washington, DC: U.S. Department of Commerce. Government Printing Office, Table No. 645, pp. 410–412.
- Burgess GL, Turner S, McDonald JC, Cherry NM [1997]. Cohort mortality study of Staffordshire pottery workers: (I) Radiographic validation of an exposure matrix for respirable crystalline silica. *Ann Occup Hyg* 41(Suppl 1):403–407.
- Burns CJ, Laing TJ, Gillespie BW, Heeringa SG, Alcer KH, Mayes MD, Wasko MCM, Cooper BC, Garabrant DH, Schottenfeld D [1996]. The epidemiology of scleroderma among women: Assessment of risk from exposure to silicone and silica. *J Rheumatol* 23(11):1904–1911.
- Burrows B [1986]. Pulmonary function testing. In: Merchant JA, Boehlecke BA, Taylor G, Pickett-Harner M, eds. Occupational respiratory diseases. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 86–102, p. 162.
- Calhoun WJ, Christman JW, Ershler WB, Graham WGB, Davis GS [1986]. Raised immunoglobulin concentrations in bronchoalveolar lavage fluid of healthy granite workers. *Thorax* 41:266–273.
- Calvert GM, Steenland K [1997]. Occupational exposure to silica and end-stage renal disease [letter to the editor]. *J Am Med Assoc* 278(7):547.
- Calvert GM, Steenland K, Palu S [1997]. End-stage renal disease among silica-exposed gold miners: A new method for assessing incidence among epidemiologic cohorts. *J Am Med Assoc* 277(15):1219–1223.

- Canessa PA, Torraca A, Lavecchia MA, Patelli M, Poletti V [1990]. Pneumoconiosis (silicosis) in the confectionery industry. *Sarcoidosis* 7(1):75–77.
- Cantwell MF, McKenna MT, McCray E, Onorato IM [1998]. Tuberculosis and race/ethnicity in the United States: Impact of socioeconomic status. *Am J Respir Crit Care Med* 157:1016–1020.
- Carel RS, Salman H, Bar-Ziv J [1994]. “Souvenir” casting silicosis. *Chest* 106(4):1272–1274.
- Carta P, Cocco PL, Casula D [1991]. Mortality from lung cancer among Sardinian patients with silicosis. *Br J Ind Med* 48(2):122–129.
- Castranova V, Dalal NS, Vallyathan V [1996]. Role of surface free radicals in the pathogenicity of silica. In: Castranova V, Vallyathan V, Wallace WE, eds. *Silica and silica-induced lung diseases*. Boca Raton, FL: CRC Press, Inc., pp. 91–105.
- Castranova V, Vallyathan V, Ramsey DM, McLaurin JL, Pack D, Leonard S, Barger MW, Ma JYC, Dalal NS, Teass A [1997]. Augmentation of pulmonary reactions to quartz inhalation by trace amounts of iron-containing particles. *Environ Health Perspect* 105(Suppl 5):1319–1324.
- Caux F, Chosidow O, De Cremoux H, Roujeau JC, Revuz J [1991]. The dental prosthetist, a person at risk of silicosis-associated scleroderma: A case. *Ann Dermatol Venereol* 118:301–304.
- CDC (Centers for Disease Control and Prevention) [1995]. Proportionate mortality from pulmonary tuberculosis associated with occupations—28 states, 1979–1990. *MMWR* 44(1):14–19.
- CDC (Centers for Disease Control and Prevention) [1998a]. Silicosis deaths among young adults—United States, 1968–1994. *MMWR* 47(16):331–335.
- CDC (Centers for Disease Control and Prevention) [1998b]. Silicosis deaths among young adults—United States, 1968–1994. *J Am Med Assoc* 280(1):13–15.
- CDC (Centers for Disease Control and Prevention) [1998c]. Recommendations for prevention and control of tuberculosis among foreign-born persons: Report of the working group on tuberculosis among foreign-born persons. *MMWR* 47(RR-16):1–29.
- CFR. Code of Federal regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.
- Chan-Yeung M [1994]. Asthma. In: Rosenstock L, Cullen MR, eds. *Textbook of clinical, occupational, and environmental medicine*. Philadelphia, PA: W.B. Saunders Co., pp. 197–209.
- Chatgidakis CB [1963]. Silicosis in South African white gold miners: A comparative study of the disease in its different stages. *South Afr J Adv Med Sci* 9:383–392.
- Checkoway H [1995]. Methodological considerations relevant to epidemiology studies of silica and lung cancer. *Appl Occup Environ Hyg* 10(12):1049–1055.
- Checkoway H, Rice CH [1992]. Time-weighted averages, peaks, and other indices of exposure in occupational epidemiology. *Am J Ind Med* 21:25–33.
- Checkoway H, Pearce N, Crawford-Brown DJ [1989]. *Monographs in epidemiology and biostatistics: Research methods in occupational epidemiology*. Vol. 13. New York: Oxford University Press.
- Checkoway H, Heyer NJ, Demers PA, Breslow NE [1993]. Mortality among workers in the diatomaceous earth industry. *Br J Ind Med* 50:586–597.
- Checkoway H, Heyer NJ, Demers PA, Gibbs GW [1996]. Reanalysis of mortality from lung cancer among diatomaceous earth industry workers, with consideration of potential confounding by asbestos exposure. *Occup Environ Med* 53:645–647.
- Checkoway H, Heyer NJ, Seixas NS, Welp EAE, Demers PA, Hughes JM, Weill H [1997]. Dose-response associations of silica with nonmalignant respiratory disease and lung cancer mortality in the diatomaceous earth industry. *Am J Epidemiol* 145(8):680–688.
- Checkoway H, Hughes JM, Weill H, Seixas NS, Demers PA [1999]. Crystalline silica exposure, radiological silicosis, and lung cancer mortality in diatomaceous earth industry workers. *Thorax* 54(1):56–59.
- Chen J, McLaughlin JK, Zhang J-Y, Stone BJ, Luo J, Chen R-A, Dosemeci M, Rexing SH, Wu Z, Hearl FJ, McCawley MA, Blot WJ [1992]. Mortality among dust-exposed Chinese mine and pottery workers. *J Occup Med* 34(3):311–316.
- Chen GX, Burnett CA, Cameron LL, Alterman T, Lalich NR, Tanaka S, Althouse RB [1997]. Tuberculosis

- mortality and silica exposure: A case-control study based on a national mortality database for the years 1983–1992. *Int J Occup Environ Health* 3(3):163–170.
- Cherry N, Burgess G, McNamee R, Turner S, McDonald C [1995]. Initial findings from a cohort mortality study of British pottery workers. *Appl Occup Environ Hyg* 10(12):1042–1045.
- Cherry NM, Burgess GL, Turner S, McDonald JC [1997]. Cohort study of Staffordshire pottery workers: (II) Nested case referent analysis of lung cancer. *Ann Occup Hyg* 41(Suppl 1):408–411.
- Cherry NM, Burgess GL, Turner S, McDonald JC [1998]. Crystalline silica and risk of lung cancer in the potteries. *Occup Environ Med* 55:779–785.
- Clark TC, Harrington VA, Asta J, Morgan WKC, Sargent EN [1980]. Respiratory effects of exposure to dust in taconite mining and processing. *Am Rev Respir Dis* 121:959–966.
- Cledes J, Herve JP, Youinou P, Clavier J [1982]. Pulmonary silicosis and disseminated lupus erythematosus lupus with nephropathy [letter to the editor]. *Nouv Presse Med* 11(19):1498.
- Clements P, Høegholm A, Pedersen C [1986]. Hepatic silicosis. *Ugeskr Laeger* 148(10):587–588.
- Cocco P, Ward MH, Buiatti E [1996]. Occupational risk factors for gastric cancer: An overview. *Epidemiol Rev* 18(2):218–234.
- Cointrel C, Tillie-Leblond I, Lamblin C, Furon D, Tonnel A-B, Wallaert B [1997]. Erasmus syndrome: Clinical characteristics, computer tomography, respiratory function and bronchoalveolar lavage findings. *Rev Mal Respir* 14:21–26.
- Committee on Biological Markers of the National Research Council [1987]. Biological markers in environmental health research. *Environ Health Perspect* 74:3–9.
- Corbett EL, Churchyard GJ, Clayton T, Herselman P, Williams B, Hayes R, Mulder D, De Cock KM [1999]. Risk factors for pulmonary mycobacterial disease in South African gold miners. *Am J Respir Crit Care Med* 159:94–99.
- Corn JK [1980]. Historical aspects of industrial hygiene. II. Silicosis. *Am Ind Hyg Assoc J* 41(2):125–133.
- Costello J [1983]. Mortality of metal miners—a retrospective cohort and case-control study. In: Wagner WL, Rom WN, Merchant JA, eds. *Health issues related to metal and nonmetallic mining*. Boston, MA: Butterworth Publishers, pp. 226–240.
- Costello J, Graham WGB [1988]. Vermont granite workers' mortality study. *Am J Ind Med* 13:483–497.
- Costello J, Castellan RM, Swecker GS, Kullman GJ [1995]. Mortality of a cohort of U.S. workers employed in the crushed stone industry, 1940–1980. *Am J Ind Med* 27:625–640.
- Cowie RL [1987]. Silica-dust-exposed mine workers with scleroderma (systemic sclerosis). *Chest* 92(2):260–262.
- Cowie RL [1994]. The epidemiology of tuberculosis in gold miners with silicosis. *Am J Respir Crit Care Med* 150:1460–1462.
- Cowie RL, Mabena SK [1991]. Silicosis, chronic air-flow limitation, and chronic bronchitis in South African gold miners. *Am Rev Respir Dis* 143:80–84.
- Cowie RL, Hay M, Thomas RG [1993]. Association of silicosis, lung dysfunction, and emphysema in gold miners. *Thorax* 48:746–749.
- Coyle TD [1982]. Silica. In: Grayson M, Eckroth D, eds. *Kirk-Othmer encyclopedia of chemical technology*. 3rd ed. Vol. 20. New York: Wiley-Interscience Publishers, pp. 748–766.
- Craighead J [1996]. Pathogenic considerations regarding disease related to silica dust exposure. In: Castranova V, Vallyathan V, Wallace WE, eds. *Silica and silica-induced lung diseases*. Boca Raton, FL: CRC Press, Inc., pp. 3–6.
- Crapo RO [1994]. Pulmonary-function testing. *N Engl J Med* 331(1):25–30.
- CSTE [1996]. Adding silicosis as a condition reportable to the National Public Health Surveillance system (NPHSS). Council of State and Territorial Epidemiologists, Position Statement No. 2.
- Dagle GE, Wehner AP, Clark ML, Buschbom RL [1986]. Chronic inhalation exposure of rats to quartz. In: Goldsmith DF, Winn DM, Shy CM, eds. *Silica, silicosis, and cancer. Controversy in occupational medicine, cancer research monographs*. Vol. 2. New York: Praeger, pp. 255–266.

- Daniel LN, Mao Y, Saffiotti U [1993]. Oxidative DNA damage by crystalline silica. *Free Radic Biol Med* 14:463–472.
- Daniel LN, Mao Y, Wang T-CL, Markey CJ, Markey SP, Shi X, Saffiotti U [1995]. DNA strand breakage, thymine glycol production, and hydroxyl radical generation induced by different samples of crystalline silica in vitro. *Environ Res* 71:60–73.
- Davis GS [1991]. Immunologic aspects of pneumoconioses in asbestosis and silicosis. In: Lynch JP III, DeRemee RA, eds. *Immunologically mediated pulmonary diseases*. Philadelphia, PA: J.B. Lippincott Company, pp. 111–155.
- Davis GS [1996]. Silica. In: Harber P, Schenker MB, Balmes JR, eds. *Occupational and environmental respiratory disease*. 1st ed. St. Louis, MO: Mosby—Year Book, Inc., pp. 373–399.
- Davis LK, Wegman DH, Monson RR, Froines J [1983]. Mortality experience of Vermont granite workers. *Am J Ind Med* 4:705–723.
- de Bandt M, Meyer O, Palazzo E, Belmatoug N, Kahn MF [1991]. Erasmus syndrome and evolutive atheromatosis of great trunks. *Revue du Rhumatisme* 58(12):893–894.
- de Barros Hatem EJ, Cavalcanti FMTB [1990]. Silicosis in pit diggers in Serra da Ibiapaba, Ceara, Brazil. *Proceedings of the VIIth International Pneumoconioses Conference*. Part II. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 90–108, Part II, pp. 1316–1319.
- Decoufle P, Wood DJ [1979]. Mortality patterns among workers in a gray iron foundry. *Am J Epidemiol* 109(6):667–675.
- de Klerk NH, Musk AW [1998]. Silica, compensated silicosis, and lung cancer in Western Australian goldminers. *Occup Environ Med* 55:243–248.
- DHHS [1985]. Chapter 8—Silica-exposed workers. In: *The health consequences of smoking—cancer and chronic lung disease in the workplace: A report of the Surgeon General*. Rockville, MD: U.S. Department of Health and Human Services, Public Health Service, Office on Smoking and Health, pp. 317–354.
- Dockery DW, Speizer FE, Ferris BG Jr., Ware JH, Louis TA, Spiro A III [1988]. Cumulative and reversible effects of lifetime smoking on simple tests of lung function in adults. *Am Rev Respir Dis* 137:286–292.
- DOL [1996]. Press release on joint campaign on silicosis prevention: Labor Secretary calls for an end to silicosis. Washington, DC: Department of Labor, Office of Public Affairs, October 31.
- DOL, NIOSH [1997]. *A guide to working safely with silica*. Washington, DC: U.S. Government Printing Office, Document 550–561/60917.
- Donaldson K, Borm PJA [1998]. The quartz hazard: A variable entity. *Ann Occup Hyg* 42(5):287–294.
- Dong D, Xu G, Sun Y, Hu P [1995]. Lung cancer among workers exposed to silica dust in Chinese refractory plants. *Scand J Work Environ Health* 21(Suppl 2):69–72.
- Dracon M, Noël C, Wallaert BP, Dequiedt P, Lelièvre G, Tacquet A [1990]. Rapidly progressive glomerulonephritis in silicotic coal miners. *Nephrologie* 11:61–65.
- Drew RT, Kutzman RS [1984a]. Final report on a study of Fischer 344 rats exposed to silica dust for six months at concentrations of 0, 2, 10 or 20 mg/m<sup>3</sup>, then maintained for six months prior to assessment. Report No. BNL 35735. Upton, NY: Brookhaven National Laboratory, Interagency Agreement No. 222–Y01–ES–9–0043.
- Drew RT, Kutzman RS [1984b]. Final report on a study of Fischer-344 rats exposed to silica dust for six months at concentrations of 0, 2, 10 or 20 mg/m<sup>3</sup>. Report No. BNL 34617. Upton, NY: Brookhaven National Laboratory, Interagency Agreement No. 222–Y01–ES–9–0043.
- Driscoll KE [1996]. The role of interleukin-1 and tumor necrosis factor  $\alpha$  in the lung's response to silica. In: Castranova V, Vallyathan V, Wallace WE, eds. *Silica and silica-induced lung diseases*. Boca Raton, FL: CRC Press, Inc., pp. 163–184.
- Driscoll KE, Deyo LC, Howard BW, Poynter J, Carter JM [1995]. Characterizing mutagenesis in the hprt gene of rat alveolar epithelial cells. *Exp Lung Res* 21:941–956.
- Driscoll KE, Deyo LC, Carter JM, Howard BW, Hassenbein DG, Bertram TA [1997]. Effects of particle exposure and particle-elicited inflammatory cells on

- mutation in rat alveolar epithelial cells. *Carcinogenesis* 18(2):423–430.
- Dubrow R, Gute DM [1987]. Cause-specific mortality among Rhode Island jewelry workers. *Am J Ind Med* 12:579–593.
- Ducatman BS, Cox-Ganser J, Dosemeci M, Duce G, Erren T, Hubbs AF, Jacobsen M, McCawley M, Morfeld P, Ong T-M, Otten H, Piekarski C, Rothman N, Saffiotti U, Schulz H, Vallyathan V [1997]. A new way to look at old questions of silica carcinogenicity. *Appl Occup Environ Hyg* 12(12):919–923.
- Dufresne A, Bégin R, Dion C, Jagirdar J, Rom WN, Loosereewanich P, Muir DCF, Ritchie AC, Perrault G [1998]. Angular and fibrous particles in lung in relation to silica-induced diseases. *Int Arch Occup Environ Health* 71:263–269.
- Dynnik VI, Khizhnyakova LN, Baranenko AA, Makotchenko VM, Oksenyuk IM, Shcheynin BY, Kondratayeva EA, Guzeeva AM [1981]. Silicosis in tractor drivers working on sandy soils in forestries. *Gig Trud Prof Zabol* (12):26–28.
- Ebihara I [1982]. Clinical study on autoimmune diseases associated with pneumoconiosis. *Allergy* 31(3):189–199.
- Eisen EA, Wegman DH, Louis TA [1983]. Effects of selection in a prospective study of forced expiratory volume in Vermont granite workers. *Am Rev Respir Dis* 128:587–591.
- Eisen EA, Wegman DH, Louis TA, Smith TJ, Peters JM [1995]. Healthy worker effect in a longitudinal study of one-second forced expiratory volume (FEV<sub>1</sub>) and chronic exposure to granite dust. *Int J Epidemiol* 24(6):1154–1162.
- Eller PM, Key-Schwartz RJ, Song RS, Edwards SL, Schlecht PC [1999a]. Silica method modifications for improved interlaboratory precision. *Synergist*, November:23–24.
- Eller PM, Feng HA, Song RS, Key-Schwartz RJ, Esche CA, Groff JH [1999b]. Proficiency analytical testing (PAT) silica variability, 1990–1998. *Am Ind Hyg Assoc J* 60(July/August):533–539.
- Elmes PC [1994]. Inorganic dusts. In: Raffle PAB, Adams PH, Baxter PJ, Lee WR, eds. *Hunter's diseases of occupations*. 8th ed. London: Edward Arnold Publishers, pp. 410–457.
- EPA [1996]. Ambient levels and noncancer health effects of inhaled crystalline and amorphous silica: Health issue assessment. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment, Publication No. EPA/600/R-95/115.
- Erasmus LD [1957]. Scleroderma in gold-miners on the Witwatersrand with particular reference to pulmonary manifestations. *South African J Lab Clin Med* 3(3):209–231.
- Erdogdu G, Hasirci V [1998]. An overview of the role of mineral solubility in silicosis and asbestosis. *Environ Res* 78:38–42.
- European Standardization Committee (CEN) [1993]. Workplace atmospheres—size fraction definitions for measurement of airborne particles. Brussels, Belgium: European Standardization Committee (CEN), BS EN 481.
- Fairfax R [1998]. Exposures to respirable silica during relining of furnaces for molten metals. *Appl Occup Environ Hyg* 13(7):508–510.
- Fanburg BL [1992]. Sarcoidosis. In: Wyngaarden JB, Smith LH Jr., Bennett JC, eds. *Cecil textbook of medicine*. 19th ed. Vol. 1. Philadelphia, PA: W.B. Saunders Company, pp. 430–435.
- 54 Fed. Reg. 2521 [1989]. Occupational Safety and Health Administration: Air contaminants; final rule; silica, crystalline-quartz. (Codified at 29 CFR 1910.)
- Fennerty A, Hunter AM, Smith AP, Pooley FD [1983]. Silicosis in a Pakistani farmer. *Br Med J* 287:648–649.
- Finkelstein M, Kusiak R, Suranyi G [1982]. Mortality among miners receiving workmen's compensation for silicosis in Ontario: 1940–1975. *J Occup Med* 24(9):663–667.
- Forastiere F, Lagorio S, Michelozzi P, Perucci CA, Axelson O [1989]. Mortality pattern of silicotic subjects in the Latium region, Italy. *Br J Ind Med* 46(12):877–880.
- Foxman B, Higgins ITT, Oh MS [1986]. The effects of occupation and smoking on respiratory disease mortality. *Am Rev Respir Dis* 134:649–652.
- Freeman CS, Grossman EA [1995]. Silica exposures in the United States between 1980 and 1992. *Scand J Work Environ Health* 21(Suppl 2):47–49.

- Froines JR, Wegman DH, Dellenbaugh CA [1986]. An approach to the characterization of silica exposure in U.S. industry. *Am J Ind Med* 10(4):345–361.
- Frommel D, Ayranci B, Pfeifer HR, Sanchez A, Frommel A, Mengistu G [1993]. Podoconiosis in the Ethiopian Rift Valley: Role of beryllium and zirconium. *Trop Geogr Med* 45(4):165–167.
- Fubini B [1997]. Surface reactivity in the pathogenic response to particulates. *Environ Health Perspect* 105(Suppl 5):1013–1020.
- Fubini B [1998]. Surface chemistry and quartz hazard. *Ann Occup Hyg* 42(8):521–530.
- Fukata S, Matsubayashi S, Nagato H, Sakai K, Ohishi S, Yasuda M, Tamai H, Nakagawa T [1983]. Study on monoclonal gammopathies associated with silicosis. *Rinsho Ketsueki* 24(1):9–17.
- Fukata S, Tamai H, Nagai K, Matsubayashi S, Nagato H, Tashiro T, Yasuda M, Kumagai LF [1987]. A patient with hereditary spherocytosis and silicosis who developed an IgA(lambda) monoclonal gammopathy. *Jpn J Med* 26(1):81–83.
- Fulekar MH, Alam Khan MM [1995]. Occupational exposure to dust in slate pencil manufacture. *Ann Occup Hyg* 39(1):107–114.
- Fyfe NCM, Price EW [1985]. The effects of silica on lymph nodes and vessels: A possible mechanism in the pathogenesis of non-filarial endemic elephantiasis. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 79:645–651.
- Gáliková E [1982]. Immunoglobulin levels in colliers and miners in central Slovakia. *Prac Léč* 34(3):83–85.
- Gao H, Brick J, Ong S, Miller M, Whong W-Z, Ong T [1997]. Selective hyperexpression of *c-jun* oncoprotein by glass fiber- and silica-transformed BALB/c-3T3 cells. *Cancer Lett* 112:65–69.
- Giles RD, Sturgill BC, Suratt PM, Bolton WK [1978]. Massive proteinuria and acute renal failure in a patient with acute silicoproteinosis. *Am J Med* 64:336–342.
- Goldsmith DF [1994a]. Health effects of silica dust exposure. In: Heaney PJ, Prewitt CT, Gibbs GV, eds. *Reviews in mineralogy. Silica: Physical behavior, geochemistry, and materials applications*. Vol. 29. Washington, DC: Mineralogical Society of America, pp. 545–606.
- Goldsmith DF [1994b]. Silica exposure and pulmonary cancer. In: Samet JM, ed. *Epidemiology of lung cancer*. New York: Marcel Dekker, Inc., pp. 245–298.
- Goldsmith DF [1998]. Uses of workers' compensation data in epidemiology research. *Occup Med: State of the Art Rev* 13(2):389–415.
- Goldsmith DF, Guidotti TL, Johnston DR [1982]. Does occupational exposure to silica cause lung cancer? *Am J Ind Med* 3:423–440.
- Goldsmith DF, Winn DM, Shy CM, eds. [1986]. *Silica, silicosis, and cancer: Controversy in occupational medicine*. New York: Praeger Publishers.
- Goldsmith DF, Beaumont JJ, Morrin LA, Schenker MB [1995]. Respiratory cancer and other chronic disease mortality among silicotics in California. *Am J Ind Med* 28(4):459–467.
- Goldstein B, Webster I [1976]. The obligations of medical practitioners in relation to the New Mines and Works Act. *S Afr Med J* 50:975–977.
- Gordon RL, Franklin RE [1956]. Gasses, liquids, and disordered structures. *Br J Appl Physics* 7:389–394.
- Graham WGB [1992]. Silicosis. *Clin Chest Med* 13(2):253–267.
- Graham WGB [1998]. Quartz and silicosis. In: Banks DE, Parker JE, eds. *Occupational lung disease*. London: Chapman & Hall, pp. 191–212.
- Graham WGB, O'Grady RV, Dubuc B [1981]. Pulmonary function loss in Vermont granite workers: A long-term follow-up and critical reappraisal. *Am Rev Respir Dis* 123:25–28.
- Graham WGB, Ashikaga T, Hemenway D, Weaver S, O'Grady RV [1991]. Radiographic abnormalities in Vermont granite workers exposed to low levels of granite dust. *Chest* 100(6):1507–1514.
- Graham WGB, Weaver S, Ashikaga T, O'Grady RV [1994]. Longitudinal pulmonary function losses in Vermont granite workers: A reevaluation. *Chest* 106(1):125–130.
- Graham WGB, Muir DC, Morgan WK, Vacek P, Sisco-Cheng B [1998]. Radiographic abnormalities on retired Vermont granite workers and the permissible exposure limits for crystalline silica [Abstract]. *Chest* 114(4S):282.



- Green FHY, Vallyathan V [1996]. Pathologic responses to inhaled silica. In: Castranova V, Vallyathan V, Wallace WE eds. *Silica and silica-induced lung diseases*. Boca Raton, FL: CRC Press, pp. 39–59.
- Greskevitch MF, Turk AR, Dieffenbach AL, Roman JM, Groce DW, Hearl FJ [1992]. Quartz analyses of the bulk dust samples collected by the National Occupational Health Survey of Mining. *Appl Occup Environ Hyg* 7(8):527–531.
- Groth DH, Stettler LE, Platek SF, Lal JB, Burg JR [1986]. Lung tumors in rats treated with quartz by intratracheal instillation. In: Goldsmith DF, Winn DM, Shy CM, eds. *Silica, silicosis, and cancer: Controversy in occupational medicine*. Cancer Research Monographs, Vol. 2. New York: Praeger, pp. 243–253.
- Gu Z-W, Ong T [1996]. Potential mechanisms of silica-induced cancer. In: Castranova V, Vallyathan V, Wallace WE, eds. *Silica and silica-induced lung diseases*. Boca Raton, FL: CRC Press, pp. 397–406.
- Gualde N, De Leobardy J, Serizay B, Malinvaud G [1977]. HL-A and silicosis. *Am Rev Respir Dis* 116:334–336.
- Guénel P, Højberg G, Lyng E [1989]. Cancer incidence among Danish stone workers. *Scand J Work Environ Health* 15:265–270.
- Guseva NG [1991]. Induced scleroderma. *Revmatologiya* 0(1):33–37.
- Guthrie GD Jr. [1997]. Mineral properties and their contributions to particle toxicity. *Environ Health Perspect* 105(Suppl 5):1003–1011.
- Guthrie GD Jr., Heaney PJ [1995]. Mineralogical characteristics of silica polymorphs in relation to their biological activities. *Scand J Work Environ Health* 21(Suppl 2):5–8.
- Haslam PL [1994]. Basic immunology and immunopathology. In: Parkes WR, ed. *Occupational lung disorders*. 3rd ed. London: Butterworth-Heinemann Publishers, pp. 50–99.
- Hatron P-Y, Plouvier B, Francois M, Baclet J-L, Deconninck P, Devulder B [1982]. Association of lupus erythematosus and silicosis. *Rev Med Interne* 3(3):245–246.
- Hauglustaine D, Van Damme B, Daenens P, Michielsen P [1980]. Silicon nephropathy: A possible occupational hazard. *Nephron* 26:219–224.
- Haustein U-F [1998]. Silica-induced lupus erythematosus [letter to the editor]. *Acta Derm Venereol (Stockh)* 78:73–74.
- Haustein U-F, Anderegg U [1998]. Silica induced scleroderma—clinical and experimental aspects. *J Rheumatol* 25(10):1917–1926.
- Haustein U-F, Ziegler V, Herrmann K, Mehlhorn J, Schmidt C [1990]. Silica-induced scleroderma. *J Am Acad Dermatol* 22(3):444–448.
- Haustein U-F, Ziegler V, Herrmann K [1992]. Chemically induced scleroderma. *Der Hautarzt* 43:464–474.
- Hayes RB, Dosemeci M, Riscigno M, Blair A [1993]. Cancer mortality among jewelry workers. *Am J Ind Med* 24:743–751.
- Hayhurst MD, Flenley DC, McLean A, Wightman AJA, MacNee W, Wright D, Lamb D, Best J [1984]. Diagnosis of pulmonary emphysema by computerised tomography. *Lancet* 8398:320–322.
- Heaney PJ [1994]. Structure and chemistry of the low-pressure silica polymorphs. In: Heaney PJ, Prewitt CT, Gibbs GV, eds. *Silica: Physical behavior, geochemistry, and materials applications*. Reviews in mineralogy. Vol. 29. Washington, DC: Mineralogical Society of America, pp.1–40.
- Hearl FJ [1996]. Guidelines and limits for occupational exposure to crystalline silica. In: Castranova V, Vallyathan V, Wallace WE eds. *Silica and silica-induced lung diseases*. Boca Raton, FL: CRC Press, Inc., pp. 15–22.
- Hemley RJ, Prewitt CT, Kingma KJ [1994]. High-pressure behavior of silica. In: Heaney PJ, Prewitt CT, Gibbs GV, eds. *Silica: Physical behavior, geochemistry, and materials applications*. Reviews in mineralogy. Vol. 29. Washington, DC: Mineralogical Society of America, pp. 41–81.
- Heppleston AG [1984]. Pulmonary toxicology of silica, coal and asbestos. *Environ Health Perspect* 55:111–127.
- Heppleston AG [1994]. Pathogenesis of mineral pneumoconioses. In: Parkes WR, ed. *Occupational lung disorders*. 3rd ed. London: Butterworth-Heinemann Publishers, pp. 100–134.

- Hessel PA, Sluis-Cremer GK, Hnizdo E, Faure MH, Thomas RG, Wiles FJ [1988]. Progression of silicosis in relation to silica dust exposure. *Ann Occup Hyg* 32(Suppl 1):689–696.
- Hesterberg TW, Barrett JC [1984]. Dependence of asbestos- and mineral dust-induced transformation of mammalian cells in culture on fiber dimension. *Cancer Res* 44:2170–2180.
- Hesterberg TW, Oshimura M, Brody AR, Barrett JC [1986]. Asbestos and silica induce morphological transformation of mammalian cells in culture: A possible mechanism. In: Goldsmith DF, Winn DM, Shy CM, eds. *Silica, silicosis, and cancer: Controversy in occupational medicine. Cancer Research Monographs. Vol. 2.* New York: Praeger Publishers, pp. 177–190.
- Hnizdo E [1992]. Loss of lung function associated with exposure to silica dust and with smoking and its relation to disability and mortality in South African gold miners. *Br J Ind Med* 49:472–479.
- Hnizdo E [1995]. Risk of silicosis: Comparison of South African and Canadian miners [letter to the editor]. *Am J Ind Med* 27:619–622.
- Hnizdo E, Murray J [1998]. Risk of pulmonary tuberculosis relative to silicosis and exposure to silica dust in South African gold miners. *Occup Environ Med* 55:496–502.
- Hnizdo E, Murray J [1999]. Risk of pulmonary tuberculosis relative to silicosis and exposure to silica dust in South African gold miners [correction]. *Occup Environ Med* 56:215–216.
- Hnizdo E, Sluis-Cremer GK [1991]. Silica exposure, silicosis, and lung cancer: A mortality study of South African gold miners. *Br J Ind Med* 48:53–60.
- Hnizdo E, Sluis-Cremer GK [1993]. Risk of silicosis in a cohort of white South African gold miners. *Am J Ind Med* 24:447–457.
- Hnizdo E, Sluis-Cremer GK, Abramowitz JA [1991]. Emphysema type in relation to silica dust exposure in South African gold miners. *Am Rev Respir Dis* 143:1241–1247.
- Hnizdo E, Murray J, Sluis-Cremer GK, Thomas RG [1993]. Correlation between radiological and pathological diagnosis of silicosis: An autopsy population based study. *Am J Ind Med* 24:427–445.
- Hnizdo E, Sluis-Cremer GK, Baskind E, Murray J [1994]. Emphysema and airway obstruction in non-smoking South African gold miners with long exposure to silica dust. *Occup Environ Med* 51:557–563.
- Hnizdo E, Murray J, Klempman S [1997]. Lung cancer in relation to exposure to silica dust, silicosis and uranium production in South African gold miners. *Thorax* 52:271–275.
- Holland LM [1995]. Animal studies of crystalline silica: Results and uncertainties. *Appl Occup Environ Hyg* 10(12):1099–1103.
- Holland LM, Gonzales M, Wilson JS, Tillery MI [1983]. Pulmonary effects of shale dusts in experimental animals. In: Wagner WL, Rom WN, Merchant JA, eds. *Health issues related to metal and nonmetallic mining.* Boston, MA: Butterworth Publishers, pp. 485–496.
- Holland LM, Wilson JS, Tillery MI, Smith DM [1986]. Lung cancer in rats exposed to fibrogenic dusts. In: Goldsmith DF, Winn DM, Shy CM, eds. *Silica, silicosis, and cancer: Controversy in occupational medicine, Cancer Research Monographs. Vol. 2.* New York: Praeger, pp. 267–279.
- Holman CDJ, Psaila-Savona P, Roberts M, McNulty JC [1987]. Determinants of chronic bronchitis and lung dysfunction in Western Australian gold miners. *Br J Ind Med* 44:810–818.
- Honda K, Kimura A, Dong R-P, Tamai H, Nagato H, Nishimura Y, Sasazuki T [1993]. Immunogenetic analysis of silicosis in Japan. *Am J Respir Cell Mol Biol* 8(1):106–111.
- Hook GER, Viviano CJ [1996]. Acute silicosis and the activation of alveolar type II cells. In: Castranova V, Vallyathan V, Wallace WE eds. *Silica and silica-induced lung diseases.* Boca Raton, FL: CRC Press, Inc., pp. 229–242.
- Hosey AD, Trasko VM, Ashe HB [1957]. Control of silicosis in Vermont granite industry: Progress report. Washington, DC: U.S. Department of Health, Education, and Welfare, Public Health Service, Bureau of State Services, Division of Special Health Services, Occupational Health Program, Public Health Service Publication No. 557.
- Hotz P, Gonzalez-Lorenzo J, Siles E, Trujillano G, Lauwerys R, Bernard A [1995]. Subclinical signs of kidney dysfunction following short exposure to silica in the absence of silicosis. *Nephron* 70:438–442.

- HSE [1984]. Quartz in respirable airborne dusts: Laboratory method using infra-red spectroscopy (KBr disc technique): MDHS 38. In: Methods for the determination of hazardous substances. London: Health and Safety Executive.
- HSE [1987]. Quartz in respirable airborne dusts: Laboratory method using infra-red spectroscopy (direct method): MDHS 37. In: Methods for the determination of hazardous substances. London: Health and Safety Executive.
- HSE [1988]. Quartz in respirable airborne dusts: Laboratory method using X-ray diffraction (direct method): MDHS 51/2. In: Methods for the determination of hazardous substances. London: Health and Safety Executive.
- Hua F, Xipeng J, Shunzhang Y, Xueqi G, Kaiguo W, Jian Y, Shenghua Q [1992]. Quantitative risk assessment for lung cancer from exposure to metal ore dust. *Biomed Environ Sci* 5:221–228.
- Hughes JM [1995]. Radiographic evidence of silicosis in relation to silica exposure. *Appl Occup Environ Hyg* 10(12):1064–1069.
- Hughes JM, Weill H [1995]. Silicosis risk: Canadian and South African miners [letter to the editor]. *Am J Ind Med* 27:617–618.
- Hughes JM, Weill H, Checkoway H, Jones RN, Henry MM, Heyer NJ, Seixas NS, Demers PA [1998]. Radiographic evidence of silicosis risk in the diatomaceous earth industry. *Am J Respir Crit Care Med* 158:807–814.
- Husgafvel-Pursiainen K, Kannio A, Oksa P, Saitiala T, Koskinen H, Partanen R, Hemminki K, Smith S, Rosenstock-Leibu R, Brandt-Rauf PW [1997]. Mutation, tissue accumulations, and serum levels of p53 in patients with occupational cancers from asbestos and silica exposure. *Environ Mol Mutagen* 30:224–230.
- Hurst VJ, Schroeder PA, Styron RW [1997]. Accurate quantification of quartz and other phases by powder X-ray diffractometry. *Anal Chim Acta* 337:233–252.
- IARC [1987]. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans: Silica and some silicates. Vol. 42. Lyon, France: World Health Organization, International Agency for Research on Cancer.
- IARC [1997]. IARC monographs on the evaluation of carcinogenic risks to humans: Silica, some silicates, coal dust and para-aramid fibrils. Vol 68. Lyon, France: World Health Organization, International Agency for Research on Cancer.
- Iler RK [1979]. The chemistry of silica: Solubility, polymerization, colloid and surface properties, and biochemistry. New York: Wiley-Interscience Publishers.
- ILO [1980]. Guidelines for the use of ILO international classification of radiographs of pneumoconioses. Rev. ed. Geneva, Switzerland: International Labour Office, Occupational Safety and Health Series No. 22, 48 pp.
- ILO [1991]. Occupational lung diseases: Prevention and control. Geneva, Switzerland: International Labour Office, Occupational Safety and Health Series No. 67, 85 pp.
- International Organization for Standardization (ISO) [1995]. Air quality: Particle size fraction definitions for health-related sampling. Geneva, Switzerland: International Organization for Standardization, ISO 7708.
- Iyer R, Holian A [1996]. Immunological aspects of silicosis. In: Castranova V, Vallyathan V, Wallace WE eds. Silica and silica-induced lung diseases. Boca Raton, FL: CRC Press, Inc., pp. 253–267.
- Jain SM, Sepaha GC, Khare KC, Dubey VS [1977]. Silicosis in slate pencil workers: A clinicoradiologic study. *Chest* 71(3):423–426.
- Jones RN, Turner-Warwick M, Ziskind M, Weill H [1976]. High prevalence of antinuclear antibodies in sandblasters' silicosis. *Am Rev Respir Dis* 113:393–395.
- Kallenberg CGM [1995]. Renal disease—another effect of silica exposure? *Nephrol Dial Transplant* 10:1117–1119.
- Kane AB [1996]. Questions and controversies about the pathogenesis of silicosis. In: Castranova V, Vallyathan V, Wallace WE, eds. Silica and silica-induced lung diseases. Boca Raton, FL: CRC Press, Inc., pp. 121–136.
- Kanta J, Horský J, Kovářová H, Tilšer I, Korolenko TA, Bartoš F [1986]. Formation of granulomas in liver of silica-treated rats. *Br J Exp Pathol* 67(6):889–899.

- Karnik AB, Saiyed HN, Nigam SK [1990]. Humoral immunologic dysfunction in silicosis. *Indian J Med Res [B]* 92:440–442.
- Katsnelson BA, Mokronosova KA [1979]. Non-fibrous mineral dusts and malignant tumors. *J Occup Med* 21(1):15–20.
- Kauppinen T, Partanen T, Degerth R, Ojajärvi A [1995]. Pancreatic cancer and occupational exposures. *Epidemiology* 6(5):498–502.
- Kenny LC, Gussman RA [1997]. Characterization and modeling of a family of cyclone aerosol preseparator. *J Aerosol Sci* 28(4):677–688.
- King EJ [1937]. Solubility of silica dusts. *Nature* 140:320.
- King EJ, McGeorge M [1938]. The biochemistry of silicic acid: Parts V and VI: *Biochem J* 32:417–432.
- Klein C, Hurlbut CS Jr. [1993]. Systematic mineralogy: Part IV: Silicates. In: Klein C, Hurlbut CS Jr., eds. *Manual of mineralogy*. 21st ed. New York: John Wiley & Sons, Inc., pp. 440–531.
- Kleinschmidt I, Churchyard G [1997]. Variation in incidences of tuberculosis in subgroups of South African gold miners. *Occup Environ Med* 54:636–641.
- Klockars M, Koskela R-S, Järvinen E, Kolari PJ, Rossi A [1987]. Silica exposure and rheumatoid arthritis: A follow up study of granite workers, 1940–1981. *Br Med J* 294:997–1000.
- Koeger AC, Alcaix D, Rozenberg S, Bourgeois P [1991]. Occupational exposure to silica and dermatopolymyositis: Three cases. *Ann Med Interne* 142(6):409–413.
- Koeger AC, Marre JP, Rozenberg S, Gutmann L, Bourgeois P [1992]. Autoimmune diseases after long-term occupational exposure to unusual sources of silica or silicone. *Ann Med Interne* 143(3):165–170.
- Koeger AC, Lang T, Alcaix D, Milleron B, Rozenberg S, Chaibi P, Arnaud J, Mayaud C, Camus J-P, Bourgeois P [1995]. Silica-associated connective tissue disease: A study of 24 cases. *Medicine* 74(5):221–237.
- Koeger AC, Alcaix D, Rozenberg S, Bourgeois P [1996]. Graves' disease after silica dust exposure [letter to the editor]. *J Rheumatol* 68(11):202.
- Koskinen H, Tiilikainen A, Nordman H [1983]. Increased prevalence of HLA-Aw19 and of the phenotype Aw19, B18 in advanced silicosis. *Chest* 83(6):848–852.
- Kreiss K, Zhen B [1996]. Risk of silicosis in a Colorado mining community. *Am J Ind Med* 30:529–539.
- Kreiss K, Danilovs J, Newman LS [1989a]. Histocompatibility antigens in a population based silicosis series. *Br J Ind Med* 46:364–369.
- Kreiss K, Greenberg LM, Kogut SJH, Lezotte DC, Irvin CG, Cherniack RM [1989b]. Hard-rock mining exposures affect smokers and nonsmokers differently: Results of a community prevalence study. *Am Rev Respir Dis* 139:1487–1493.
- Kuchemann K, Holm R [1979]. Unusual silica granulomas of the skin with massive involvement of axillary lymph nodes. *Pathol Res Pract* 164(2):198–206.
- Kurppa K, Gudbergsson H, Hannunkari I, Koskinen H, Hernberg S, Koskela R-S, Ahlman K [1986]. Lung cancer among silicotics in Finland. In: Goldsmith DF, Winn DM, Shy CM, eds. *Silica, silicosis, and cancer: Controversy in occupational medicine*. Cancer Research Monographs. Vol. 2. New York: Praeger, pp. 311–319.
- Kusiak R, Liss GM, Gailitis MM [1993a]. Cor pulmonale and pneumoconiotic lung disease: An investigation using hospital discharge data. *Am J Ind Med* 24:161–173.
- Kusiak R, Ritchie AC, Springer J, Muller J [1993b]. Mortality from stomach cancer in Ontario miners. *Br J Ind Med* 50:117–126.
- Lacey JV, Laing TJ, Gillespie BW, Schottenfeld D [1997]. Epidemiology of scleroderma among women: Assessment of risk from exposure to silicone and silica [reply to letter to the editor]. *J Rheumatol* 24(9):1854–1855.
- Lapp NL, Castranova V [1993]. How silicosis and coal workers' pneumoconiosis develop: A cellular assessment. *Occup Med: State of the Art Rev* 8(1):35–56.
- Last JM [1988]. *A dictionary of epidemiology*. New York: Oxford University Press.
- Laurell C-B, Eriksson S [1963]. The electrophoretic  $\alpha_1$ -globulin pattern of serum in  $\alpha_1$ -antitrypsin deficiency. *Scand J Clin Lab Invest* 15:132–140.

- Lawler AB, Mandel JS, Schuman LM, Lubin JH [1985]. A retrospective cohort mortality study of iron ore (hematite) miners in Minnesota. *J Occup Med* 27(7):507–517.
- Lilienfeld DE, Stolley PD [1994]. *Foundations of epidemiology*. 3rd ed. New York: Oxford University Press.
- Linch KD, Miller WE, Althouse RB, Groce DW, Hale JM [1998]. Surveillance of respirable crystalline silica dust using OSHA compliance data (1979–1995). *Am J Ind Med* 34:547–558.
- Liu X, Keane MJ, Zhong B-Z, Ong T, Wallace WE [1996]. Micronucleus formation in V79 cells treated with respirable silica dispersed in medium and in simulated pulmonary surfactant. *Mutat Res* 361:89–94.
- Liu X, Keane MJ, Harrison JC, Cilento EV, Ong T, Wallace WE [1998]. Phospholipid surfactant adsorption by respirable quartz and in vitro expression of cytotoxicity and DNA damage. *Toxicol Lett* 96,97:77–84.
- Liu YC, Tomaszewski J Jr., McMahan JT, Petrelli M [1991]. Mineral-associated hepatic injury: A report of seven cases with X-ray microanalysis. *Hum Pathol* 22:1120–1127.
- Lorberau CD, Carsey TP, Fischbach TJ [1990]. Evaluation of direct-on-filter methods for the determination of respirable  $\alpha$ -quartz. *Appl Occup Environ Hyg* 5(1):27–35.
- Lucas AD, Salisbury SA [1992]. Industrial hygiene survey in a university art department. *J Environ Pathol, Toxicol Oncol* 11(1):21–27.
- Madsen FA, Rose MC, Cee R [1995]. Review of quartz analytical methodologies: Present and future needs. *Appl Occup Environ Hyg* 10(12):991–1002.
- Malik SK, Behera D, Awasthi GK, Singh JP [1985]. Pulmonary silicosis in emery polish workers. *Indian J Chest Dis All Sci* 27(2):116–121.
- Masson C, Audran M, Pascaretti C, Chevailler A, Subra J-F, Tuchais E, Kahn M-F [1997]. Silica-associated systemic erythematous lupus or mineral dust lupus? *Lupus* 6:1–3.
- Masuda K [1981]. Chronic thyroiditis observed in patients with silicosis as an adjuvant disease of man (in Japanese). *Shikoku Acta Med* 37(1):119–129.
- McCunney RJ, Godefroi R [1989]. Pulmonary alveolar proteinosis and cement dust: A case report. *J Occup Med* 31(3):233–237.
- McCunney RJ, Russo PK, Doyle JR [1987]. Occupational illness in the arts. *Am Fam Physician* 36(5):145–153.
- McDonald C [1995]. Silica, silicosis, and lung cancer: An epidemiological update. *Appl Occup Environ Hyg* 10(12):1056–1063.
- McDonald JC [1989]. Silica, silicosis, and lung cancer [editorial]. *Br J Ind Med* 46:289–291.
- McDonald JC [1996]. Silica and lung cancer. In: Castranova V, Vallyathan V, Wallace WE, eds. *Silica and silica-induced lung diseases*. Boca Raton, FL: CRC Press, Inc., pp. 383–396.
- McDonald JC, Cherry N, McNamee R, Burgess G, Turner S [1995]. Preliminary analysis of proportional mortality in a cohort of British pottery workers exposed to crystalline silica. *Scand J Work Environ Health* 21(Suppl 2):63–65.
- McDonald JC, Burgess GL, Turner S, Cherry NM [1997]. Cohort study of Staffordshire pottery workers: III. Lung cancer, radiographic changes, silica exposure and smoking habit. *Ann Occup Hyg* 41(Suppl 1):412–414.
- McLaughlin JK, Jing-Qiong C, Dosemeci M, Rong-An C, Rexing SH, Zhien W, Hearl FJ, McCawley MA, Blot WJ [1992]. A nested case-control study of lung cancer among silica exposed workers in China. *Br J Ind Med* 49:167–171.
- Mehlhorn J [1984]. Progressive scleroderma without silicosis an occupational disease? *Z Erkr Atmungsorgane* 163:65–69.
- Mehlhorn J, Gerlach C [1990]. The coincidence of silicosis and lupus erythematoses (in German). *Z Erkr Atmungsorgane* 175:38–41.
- Mehlhorn J, Gerlach C, Ziegler V [1990a]. Occupationally dependent progressive systemic scleroderma due to a scouring powder containing quartz. *Derm* 38(6):180–184.
- Mehlhorn J, Ziegler V, Keyn J, Vetter J [1990b]. Quartz crystals in the skin as cause of progressive systemic scleroderma. *Z Gesamte Inn Med* 45(6):149–154.

- Merlo F, Costantini M, Reggiardo G, Ceppi M, Puntoni R [1991]. Lung cancer risk among refractory brick workers exposed to crystalline silica: A retrospective cohort study. *Epidemiology* 2(4):299–305.
- Meyniel D, Mayaud C, Chatelet F, Cohen-Solal A, R Pieron [1981]. Cortico-sensitive asphyxiating pneumopathy found with disseminated acute erythematous lupus in a patient suffering from silicosis (in French). *La Revue de Med Interne* 2(4):431–432.
- Miller AB, Scarpelli D, Weiss NS [1987]. Report of the scientific panel on “mortality from cancer among Ontario gold miners, 1955–1977.” Appendix C of the Industrial Disease Standards Panel report to the Workers’ Compensation Board of the Ontario gold mining industry. Toronto, Ontario, Canada: Ministry of Labour, pp. 64–86.
- Miller BG, Hagen S, Love RG, Soutar CA, Cowie HA, Kidd MW, Robertson A [1998]. Risks of silicosis in coalworkers exposed to unusual concentrations of respirable quartz. *Occup Environ Med* 55:52–58.
- Miranda RN, McMillan PN, Pricolo VE, Finkelstein SD [1996]. Peritoneal silicosis. *Arch Pathol Lab Med* 120:300–302.
- Morgan WKC [1978]. Industrial bronchitis. *Br J Ind Med* 35:285–291.
- Morgan WKC, Reger RB [1995]. Occupational lung cancer. In: Morgan WKC, Seaton A, eds. *Occupational lung diseases*. 3rd ed. Philadelphia, PA: W.B. Saunders Co., pp. 624–642.
- Mossman BT, Churg A [1998]. Mechanisms in the pathogenesis of asbestosis and silicosis. *Am J Respir Crit Care Med* 157:1666–1680.
- Mowry RG, Sams M Jr., Caulfield JB [1991]. A rare entity or rarely diagnosed? Report of two cases with review of the literature. *Arch Dermatol* 127:692–694.
- MSHA [1994]. Infrared determination of quartz in respirable coal mine dust: Method P-7. Pittsburgh, PA: U.S. Department of Labor, Mine Safety and Health Administration.
- MSHA [1999]. X-ray diffraction determination of quartz and cristobalite in respirable mine dust: Method P-2. Pittsburgh, PA: U.S. Department of Labor, Mine Safety and Health Administration.
- Muhle H, Takenaka S, Mohr U, Dasenbrock C, Mermelstein R [1989]. Lung tumor induction upon long-term low-level inhalation of crystalline silica. *Am J Ind Med* 15(3):343–346.
- Muir DCF [1991]. Correction in cumulative risk in silicosis exposure assessment [letter to the editor]. *Am J Ind Med* 19:555.
- Muir DCF, Shannon HS, Julian JA, Verma DK, Sebestyen A, Bernholz CD [1989a]. Silica exposure and silicosis among Ontario hardrock miners: I. Methodology. *Am J Ind Med* 16:5–11.
- Muir DCF, Shannon HS, Julian JA, Verma DK, Sebestyen A, Bernholz CD [1989b]. Silica exposure and silicosis among Ontario hardrock miners: III. Analysis and risk estimates. *Am J Ind Med* 16:29–43.
- Muller J, Wheeler WC, Gentleman JF, Suranyi G, Kusiak RA [1983]. Study of mortality of Ontario miners: 1955–1977. Part I. Toronto, Ontario, Canada: Ontario Ministry of Labour, Ontario Workers’ Compensation Board, Atomic Energy Control Board of Canada, NTIS Document No. DE88703584
- Mulrow CD [1994]. Rationale for systematic reviews. *Br Med J* 309:597–599.
- Mur J-M, Meyer-Bisch C, Pham QT, Massin N, Moulin JJ, Cavelier C, Sadoul P [1987]. Risk of lung cancer among iron ore miners: A proportional mortality study of 1,075 deceased miners in Lorraine, France. *J Occup Med* 29(9):762–788.
- Muramatsu K, Yamamoto T, Hasegawa A, et al. [1989]. A case of autoimmune hemolytic anemia associated with silicosis. *Jpn J Chest Dis* 48(1):45–50.
- Murphy M, Wiehe P, Barnes L [1997]. Silica granuloma: Another cause of tennis elbow [letter to the editor]. *Br J Dermatol* 137:467–484.
- Murray J, Reid G, Kielkowski D, de Beer M [1993]. Cor pulmonale and silicosis: A necropsy based case-control study. *Br J Ind Med* 50:544–548.
- Nagalakshmi R, Nath J, Ong T, Whong W-Z [1995]. Silica-induced micronuclei and chromosomal aberrations in Chinese hamster lung (V79) and human lung (Hel 299) cells. *Mutat Res* 335:27–33.
- Navrotsky A [1994]. Thermochemistry of crystalline and amorphous silica. In: Heaney PJ, Prewitt CT, Gibbs GV, eds. *Reviews in mineralogy*. Vol. 29. Silica:

- Physical behavior, geochemistry, and materials applications. Washington, DC: Mineralogical Society of America, pp. 309–329.
- Nemery B, Van Kerckhoven W, Verbeke EK, Dinsdale D, Demedts M [1993]. An unexpected risk of pneumoconiosis in breweries. In: Hurych J, Lesage M, David A, eds. Proceedings of the Eighth International Conference on Occupational Lung Diseases, September 14–17, 1992. Prague, Czechoslovakia: Czech Medical Society, pp. 658–663.
- Neuberger M, Kundi M [1990]. Occupational dust exposure and cancer mortality—results of a prospective cohort study. In: Simonato L, Fletcher AC, Saracci R, Thomas TL, eds. Occupational exposure to silica and cancer risk. Lyon, France: International Agency for Research on Cancer, Scientific Publications No. 97:65–73.
- Neyer U, Woss E, Neuweiler J [1994]. Case report: Wegener's granulomatosis associated with silicosis. *Nephrol Dial Transplant* 9(5):559–561.
- Ng TP, Chan SL [1991]. Factors associated with massive fibrosis in silicosis. *Thorax* 46(4):229–232.
- Ng TP, Chan SL [1994]. Quantitative relations between silica exposure and development of radiological small opacities in granite workers. *Ann Occup Hyg* 38(Suppl 1):857–863.
- Ng TP, Chan SL, Lam KP [1987]. Radiological progression and lung function in silicosis: A ten year follow up study. *Br Med J* 295:164–168.
- Ng TP, Ng YL, Lee HS, Chia KS, Ong HY [1992a]. A study of silica nephrotoxicity in exposed silicotic and non-silicotic workers. *Br J Ind Med* 49:35–37.
- Ng TP, Phoon WH, Lee HS, Ng YL, Tan KT [1992b]. An epidemiological survey of respiratory morbidity among granite quarry workers in Singapore: Chronic bronchitis and lung function impairment. *Ann Acad Med Singapore* 21(3):312–317.
- Ng TP, Lee HS, Phoon WH [1993]. Further evidence of human silica nephrotoxicity in occupationally exposed workers. *Br J Ind Med* 50:907–912.
- NIOSH [1974]. Criteria for a recommended standard: Occupational exposure to crystalline silica. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Health Services and Mental Health Administration, National Institute for Occupational Safety and Health, DHEW (NIOSH) Publication No. 75–120.
- NIOSH [1979a]. Crystalline silica. In: Hutchison M, Kusnetz S, eds. A guide to the work-relatedness of disease. Rev. ed. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, DHEW (NIOSH) Publication No. 79–116, pp. 155–167.
- NIOSH [1979b]. Free silica (quartz, cristobalite, tridymite) in airborne dust: Method P&CAM 259. In: NIOSH manual of analytical methods. 2nd ed., Vol. 5. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHEW (NIOSH) Publication No. 79–41.
- NIOSH [1983a]. Review of the literature on crystalline silica. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, NTIS PB83–238–733.
- NIOSH [1983b]. National occupational exposure survey (NOES), 1981–83. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Division of Surveillance, Hazard Evaluations, and Field Studies, Surveillance Branch. Unpublished data.
- NIOSH [1988]. National occupational exposure survey field guidelines. Vol. I. Seta JA, Sundin DS, Pedersen DH, eds. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 88–106.
- NIOSH [1991]. Work-related lung disease surveillance report. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 91–113, Table 23, p. 38.
- NIOSH [1992a]. NIOSH alert: Request for assistance in preventing silicosis and deaths from sandblasting. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 92–102.
- NIOSH [1992b]. NIOSH alert: Request for assistance in preventing silicosis and deaths in rock drillers. Cincinnati, OH: U.S. Department of Health and Human

Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 92–107.

NIOSH [1994a]. Silica, crystalline by IR: Method 7602. In: NIOSH manual of analytical methods, 4th rev. ed. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 94–113.

NIOSH [1994b]. Silica, crystalline by vis: Method 7601. In: NIOSH manual of analytical methods, 4th rev. ed. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 94–113.

NIOSH [1994c]. Silica, crystalline in coal mine dust, by IR: Method 7603. In: NIOSH manual of analytical methods, 4th rev. ed. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 94–113.

NIOSH [1994d]. Work-related lung disease surveillance report. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, Division of Respiratory Disease Studies, DHHS (NIOSH) Publication No. 94–120.

NIOSH [1995a]. Criteria for a recommended standard: Occupational exposure to respirable coal mine dust. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 95–106.

NIOSH [1995b]. Guidelines for air sampling and analytical method development and evaluation. Cincinnati, Ohio: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 95–117.

NIOSH [1996a]. Work-related lung disease surveillance report. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for

Occupational Safety and Health, DHHS (NIOSH) Publication No. 96–134.

NIOSH [1996b]. NIOSH alert: Request for assistance in preventing silicosis and deaths in construction workers. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 96–112.

NIOSH [1996c]. NIOSH technical report: Results from the National Occupational Health Survey of Mining (NOHSM). Greskevitch MF, Bajpayee SS, Hale JM, Groce DW, Hearl FJ, eds. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 96–136.

NIOSH [1998]. Silica, crystalline, by XRD: Method 7500. In: NIOSH manual of analytical methods, 4th rev. ed., 2nd suppl. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 98–119.

NIOSH [2000]. Worker Health Chartbook, 2000. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 2000–127.

NIOSH, BOM [1983]. Collaborative tests of two methods for determining free silica in airborne dust. Cincinnati, Ohio: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health; U.S. Department of the Interior, Bureau of Mines, DHHS (NIOSH) Publication No. 83–124.

Nuyts GD, Van Vlem E, De Vos A, Daelemans RA, Rorive G, Elseviers MM, Schurgers M, Segaert M, D'Haese PC, De Broe ME [1995]. Wegener granulomatosis is associated to exposure to silicon compounds: A case-control study. *Nephrol Dial Transplant* 10:1162–1165.

Okrouhlík B, Hykeš P [1983]. Symptomatic hepatic porphyria in workers exposed to free silicon dioxide [medical proceedings]. *Sb Lek* 85(6):170–172.



- OSHA [1996]. Quartz and cristobalite in workplace atmospheres: Method ID-142. Salt Lake City, UT: U.S. Department of Labor, Occupational Safety and Health Administration.
- Oshimura M, Hesterberg TW, Tsutsui T, Barrett JC [1984]. Correlation of asbestos-induced cytogenetic effects with cell transformation of Syrian hamster embryo cells in culture. *Cancer Res* 44:5017–5022.
- Osorio AM, Thun MJ, Novak RF, Van Cura J, Avner ED [1987]. Silica and glomerulonephritis: Case report and review of the literature. *Am J Kidney Dis* 9(3):224–230.
- Oswald P, Filippi de la Palavesa MM, Uhl G, Ghnassia JP, Doffoel M, Dietemann JL [1995]. Silicose hépatosplénique (in French). *J Radiol* 76(8):513–516.
- Otsuki T, Sakaguchi H, Tomokuni A, Aikoh T, Matsuki T, Kawakami Y, Kusaka M, Ueki H, Kita S, Ueki A [1998]. Soluble Fas mRNA is dominantly expressed in cases with silicosis. *Immunology* 94:258–262.
- Owens MW, Kinasewitz GT, Gonzalez E [1988]. Case report: Sandblaster's lung with mycobacterial infection. *Am J Med Sci* 295(6):554–557.
- Oxman AD, Muir DCF, Shannon HS, Stock SR, Hnizdo E, Lange HJ [1993]. Occupational dust exposure and chronic obstructive pulmonary disease: A systematic overview of the evidence. *Am Rev Respir Dis* 148:38–48.
- Özoran K, Uçan H, Tutkak H, Caner N, Yücel M [1997]. Systemic lupus erythematosus arising in a patient with chronic silicosis [letter to the editor]. *Rheumatol Int* 16:217–218.
- Pairon JC, Jaurand MC, Kheuang L, Janson X, Brochard P, Bignon J [1990]. Sister chromatid exchanges in human lymphocytes treated with silica. *Br J Ind Med* 47:110–115.
- Pan G, Takahashi K, Feng Y, Liu L, Liu T, Zhang S, Liu N, Okubo T, Goldsmith DF [1999]. Nested case-control study of esophageal cancer in relation to occupational exposure to silica and other dusts. *Am J Ind Med* 35:272–280.
- Parent M-É, Siemiatycki J, Fritschi L [1998]. Occupational exposures and gastric cancer. *Epidemiology* 9(1):48–55.
- Parker JE [1994]. Silicosis. In: Rakel RE, ed. *Conn's current therapy*. Philadelphia, PA: W.B. Saunders, pp. 207–210.
- Parker JE, Wagner GR [1998]. Silicosis. In: Stellman JM, ed. *Encyclopaedia of occupational health and safety*. 4th ed. Geneva, Switzerland: International Labour Office, pp. 10.43–10.46.
- Parkes WR, ed. [1982]. *Occupational lung disorders*. 2nd ed. London: Butterworths, pp. 222–237.
- Parkes WR, ed. [1994]. Chronic bronchitis, airflow obstruction and emphysema. In: *Occupational lung disorders*. 3rd ed. London: Butterworth Heinemann, Ltd., pp. 222–237.
- Partanen T, Pukkala E, Vainio H, Kurppa K, Koskinen H [1994]. Increased incidence of lung and skin cancer in Finnish silicotic patients. *J Occup Med* 36(6):616–622.
- Pelmeur PL, Roos JO, Maehle WM [1992]. Occupationally-induced scleroderma. *J Occup Med* 34(1):20–25.
- Perez Perez AJ, Sobrado J, Cigarran S, Courel M, Gonzalez L, Fernandez R, Villanueva JP [1986]. Renal vasculitis, diffuse pulmonary hemorrhage and silicosis: An analysis of two cases. *Med Clin (Barcelona)* 87(20):858–860.
- Peters JM [1986]. Silicosis. In: Merchant JA, Boehlecke BA, Taylor G, Pickett-Harner M, eds. *Occupational respiratory diseases*. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 86–102, pp. 219–237.
- Petersen PE, Henmar P [1988]. Oral conditions among workers in the Danish granite industry. *Scand J Work Environ Health* 14:328–331.
- Pevnitskiy LA, Fedrunova VS, Nazarova EK, Levin AI, Garkavenko OS, Erisman FF [1978]. Some immunogenetic indexes in silicosis. *Gig Trud Prof Zabol* (5):52–54.
- Pike S [1992]. Art and artists. In: Sullivan JB Jr., Krieger GR, eds. *Hazardous materials toxicology. Clinical principles of environmental health*. Baltimore, MD: Williams and Wilkins, pp. 690–696.

- Pouthier D, Duhoux P, Van Damme B [1991]. Pulmonary silicosis and glomerular nephropathy: A case. *Nephrologie* 12(1):8–11.
- Price EW, Henderson WJ [1981]. Endemic elephantiasis of the lower legs in the United Cameroon Republic. *Trop Geogr Med* 33:23–29.
- Price-Jones MJ, Gubbings G, Chamberlain M [1980]. The genetic effects of crocidolite asbestos: Comparison of chromosome abnormalities and sister-chromatid exchanges. *Mutat Res* 79:331–336.
- Puntoni R, Goldsmith DG, Valerio F, Vercelli M, Bonassi S, Di Giorgio F, Ceppi M, Stagnaro E, Filiberti R, Santi L, Merlo F [1988]. A cohort study of workers employed in a refractory brick plant. *Tumori* 74:27–33.
- Rabovsky J [1995]. Biogenic amorphous silica. *Scand J Work Environ Health* 21(Suppl 2):108–110.
- Radford EP, St. Clair Renard KG [1984]. Lung cancer in Swedish iron miners exposed to low doses of radon daughters. *New Engl J Med* 310(23):1485–1494.
- Rafnsson V, Gunnarsdóttir H [1997]. Lung cancer incidence among an Icelandic cohort exposed to diatomaceous earth and cristobalite. *Scand J Work Environ Health* 23:187–192.
- Rafnsson V, Ingimarsson O, Hjalmarsson I, Gunnarsdóttir H [1998]. Association between exposure to crystalline silica and risk of sarcoidosis. *Occup Environ Med* 55:657–660.
- Rastogi SK, Gupta BN, Chandra H, Mathur N, Mahendra PN, Husain T [1991]. A study of the prevalence of respiratory morbidity among agate workers. *Int Arch Occup Environ Health* 63:21–26.
- Redmond CK, Weiland HS, Rockette HE, Sass R, Weinberg G [1981]. Long-term mortality experience of steelworkers. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Publication No. 81–120.
- Rice FL, Stayner LT [1995]. Assessment of silicosis risk for occupational exposure to crystalline silica. *Scand J Work Environ Health* 21(Suppl 2):87–90.
- Rice CH, Harris RL Jr., Checkoway H, Symons MJ [1986]. Dose-response relationships for silicosis from a case-control study of North Carolina dusty trades workers. In: Goldsmith DF, Winn DM, Shy CM, eds. *Silica, silicosis, and cancer: Controversy in occupational medicine*, Cancer Research Monographs. Vol. 2. New York: Praeger, pp. 77–86.
- Rispal P, Wen L, De Precigout V, Aparicio M [1991]. Nephropathy with silica in a dental technician. *Presse Med* 20(4):176.
- Robbins SL [1974]. *Pathologic basis of disease*. Philadelphia, PA: W.B. Saunders Co., pp. 239–240.
- Rodriguez J, Delgado O, Ibarra E, Valdivieso J [1985]. Pneumoconiosis in kaolin workers. *Bol Med Trab* 1(2): 99–109.
- Roeslin N, Lassabe-Roth C, Morand G, Batzenschlager A [1980]. La silico-protéinoase aiguë. *Arch Mal Prof* 41(1):15–18.
- Roperto F, Troncone A, Tranquillo A, Galati P [1995]. Extrapulmonary silicosis in two water buffaloes. *J Comp Pathol* 112:97–103.
- Rosenman KD, Zhu Z [1995]. Pneumoconiosis and associated medical conditions. *Am J Ind Med* 27:107–113.
- Rosenman KD, Stanbury MJ, Reilly MJ [1995]. Mortality among persons with silicosis reported to disease surveillance systems in Michigan and New Jersey in the United States. *Scand J Work Environ Health* 21(Suppl 2):73–76.
- Rosenman KD, Reilly MJ, Rice C, Hertzberg V, Tseng C-Y, Anderson HA [1996]. Silicosis among foundry workers: Implication for the need to revise the OSHA standard. *Am J Epidemiol* 144(9):890–900.
- Rosenstock L [1994]. Introduction: The chest radiograph and pulmonary function testing. In: Rosenstock L, Cullen MR, eds. *Textbook of clinical, occupational and environmental medicine*. Philadelphia, PA: W.B. Saunders Co., pp. 194–197.
- Saffiotti U, Ahmed N [1995]. Neoplastic transformation by quartz in the BALB/3T3/A31–1–1 cell line and the effects of associated minerals. *Teratog Carcinog Mutagen* 15(6):339–356.
- Saffiotti U, Daniel LN, Mao Y, Williams AO, Kaighn ME, Ahmed N, Knapton AD [1993]. Biological studies on the carcinogenic mechanisms of quartz. In: Guthrie GD Jr., Mossman BT, eds. *Reviews in mineralogy*:

- Health effects of mineral dusts. Vol. 28. Washington, DC: Mineralogical Society of America, pp. 523–544.
- Saffiotti U, Daniel LN, Mao Y, Shi X, Williams AO, Kaighn ME [1994]. Mechanisms of carcinogenesis by crystalline silica in relation to oxygen radicals. *Environ Health Perspect* 102(Suppl 10):159–163.
- Saffiotti U, Williams AO, Daniel LN, Kaighn ME, Mao Y, Shi X [1996]. Carcinogenesis by crystalline silica: Animal, cellular, and molecular studies. In: Castranova V, Vallyathan V, Wallace WE, eds. *Silica and silica-induced lung diseases*. Boca Raton, FL: CRC Press, Inc., pp. 345–381.
- Saita G, Zavaglia O [1951]. Kidney function in silicotics. *Med Lav* 42(2):41–48.
- Samet JM, Young RA, Morgan MV, Humble CG, Epler GR, McCloud TC [1984]. Prevalence survey of respiratory abnormalities in New Mexico uranium miners. *Health Phys* 46(2):361–370.
- Sanchez-Roman J, Wichmann I, Salaberri J, Varela JM, Nuñez-Roldan A [1993]. Multiple clinical and biological autoimmune manifestations in 50 workers after occupational exposure to silica. *Ann Rheum Dis* 52:534–538.
- Schulte PA [1995]. Opportunities for the development and use of biomarkers. *Toxicol Lett* 77(1–3):25–29.
- Seaton A [1995]. Silicosis. In: Morgan WKC, Seaton A, eds. *Occupational lung diseases*. 3rd ed. Philadelphia, PA: W.B. Saunders Co., pp. 222–267.
- Seitz B, Gaucher P, Reverdy C [1982]. Case of silicosis in a cleaning and dyeing employee. *Arch Mal Prof* 43(6):477–478.
- Seixas NS, Heyer NJ, Welp EAE, Checkoway H [1997]. Quantification of historical dust exposures in the diatomaceous earth industry. *Ann Occup Hyg* 41(5):591–604.
- Shannon H, Heller JG, Pron G, Gallina P, MacRae J [1987]. Report of the Special Panel on the Ontario gold mining industry. Appendix A of Industrial Disease Standards Panel report to the Workers' Compensation Board of the Ontario gold mining industry. Toronto, Ontario, Canada: Ministry of Labour, pp. 11–55.
- Sherson D, Jørgensen F [1989]. Rapidly progressive crescentic glomerulonephritis in a sandblaster with silicosis. *Br J Ind Med* 46:675–676.
- Sherson D, Lander F [1990]. Morbidity of pulmonary tuberculosis among silicotic and nonsilicotic foundry workers in Denmark. *J Occup Med* 32(2):110–113.
- Shi X, Mao Y, Daniel LN, Saffiotti U, Dalal NS, Vallyathan V [1994]. Silica radical-induced DNA damage and lipid peroxidation. *Environ Health Persp* 102(Suppl 10):149–154.
- Shi X, Castranova V, Halliwell B, Vallyathan V [1998]. Reactive oxygen species and silica-induced carcinogenesis. *J Toxicol Environ Health, Part B*, 1:181–197.
- Shulman SA, Groff JH, Abel MT [1992]. Performance of laboratories measuring silica in the Proficiency Analytical Testing Program. *Am Ind Hyg Assoc J* 53(1):49–56.
- Siebels M, Schulz V, Andrassy K [1995]. Systemic lupus erythematoses and silicosis (in German). *Dtsch Med Wochenschr* 120(7):214–218.
- Siemiatycki J, Wacholder S, Dewar R, Wald L, Bégin D, Richardson L, Rosenman K, Gérin M [1988]. Smoking and degree of occupational exposure: Are internal analyses in cohort studies likely to be confounded by smoking status? *Am J Ind Med* 13:59–69.
- Silicosis and Silicate Disease Committee [1988]. Diseases associated with exposure to silica and nonfibrous silicate minerals. *Arch Pathol Lab Med* 112:673–720.
- Silverstein M, Maizlish N, Park R, Silverstein B, Brodsky L, Mirer F [1986]. Mortality among ferrous foundry workers. *Am J Ind Med* 10(1):27–43.
- Slavin RE, Swedo JL, Brandes D, Gonzalez-Vitale JC, Osornio-Vargas A [1985]. Extrapulmonary silicosis: A clinical, morphologic, and ultrastructural study. *Hum Pathol a clinicopathologic quarterly* 16(4):393–412.
- Sluis-Cremer GK, Maier G [1984]. Notes and miscellanea: HLA antigens of the A and B locus in relation to the development of silicosis. *Br J Ind Med* 41:417–418.
- Sluis-Cremer GK, Walters LG, Sichel HS [1967]. Chronic bronchitis in miners and non-miners: An epidemiological survey of a community in the gold-mining area in the Transvaal. *Br J Ind Med* 24:1–12.
- Sluis-Cremer GK, Hessel PA, Hnizdo E, Churchill AR, Zeiss EA [1985]. Silica, silicosis, and progressive systemic sclerosis. *Br J Ind Med* 42:838–843.

- Sluis-Cremer GK, Hessel PA, Hnizdo E, Churchill AR [1986]. Relationship between silicosis and rheumatoid arthritis. *Thorax* 41:596–601.
- Smith AH, Lopipero PA, Barroga VR [1995]. Meta-analysis of studies of lung cancer among silicotics. *Epidemiology* 6(6):617–624.
- Smith DK [1997]. Evaluation of the detectability and quantification of respirable crystalline silica by X-ray powder diffraction methods. *Powder Diffraction* 12(4):200–227.
- Snider GL [1989]. 1. Changes in COPD occurrence: Chronic obstructive pulmonary disease; a definition and implications of structural determinants of airflow obstruction for epidemiology. *Am Rev Respir Dis* 140(3 Part 2):S3–S8.
- Sobti RC, Bhardwaj DK [1991]. Cytogenetic damage and occupational exposure: I. Exposure to stone dust. *Environ Res* 56:25–30.
- Sparks PJ, Wegman DH [1980]. Cause of death among jewelry workers. *J Occup Med* 22(11):733–736.
- Spiethoff A, Wesch H, Wegener K, Klimisch H-J [1992]. The effects of thorotrast and quartz on the induction of lung tumors in rats. *Health Phys* 63(1):101–110.
- Steenland K [1997]. E-mail message on March 5, 1997, from Kyle Steenland to Faye L. Rice, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services.
- Steenland K [1998]. E-mail message on October 30, 1998, from Kyle Steenland to Faye L. Rice, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services.
- Steenland K, Beaumont J [1986]. A proportionate mortality study of granite cutters. *Am J Ind Med* 9:189–201.
- Steenland K, Brown D [1995a]. Silicosis among gold miners: Exposure-response analyses and risk assessment. *Am J Public Health* 85(10):1372–1377.
- Steenland K, Brown D [1995b]. Mortality study of gold miners exposed to silica and nonasbestiform amphibole minerals: An update with 14 more years of follow-up. *Am J Ind Med* 27:217–229.
- Steenland K, Goldsmith DF [1995]. Silica exposure and autoimmune diseases. *Am J Ind Med* 28:603–608.
- Steenland K, Stayner L [1997]. Silica, asbestos, man-made mineral fibers, and cancer. *Cancer Causes Control* 8:491–503.
- Steenland NK, Thun MJ, Ferguson CW, Port FK [1990]. Occupational and other exposures associated with male end-stage renal disease: A case/control study. *Am J Public Health* 80(2):153–159.
- Steenland K, Nowlin S, Ryan B, Adams S [1992]. Use of multiple-cause mortality data in epidemiologic analyses: US rate and proportion files developed by the National Institute for Occupational Safety and Health and the National Cancer Institute. *Am J Epidemiol* 136(7):855–862.
- Stubbs HA, Harris J, Spear RC [1984]. A proportionate mortality analysis of California agricultural workers, 1978–1979. *Am J Ind Med* 6:305–320.
- Stulbarg MS, Zimmerman L [1996]. Chronic obstructive pulmonary disease. In: Harber P, Schenker MB, Balmes JR, eds. *Occupational and environmental respiratory disease*. St. Louis, MO: Mosby, pp. 228–242.
- Suratt PM, Winn WC, Brody AR, Bolton WK, Giles RD [1977]. Acute silicosis in tombstone sandblasters. *Am Rev Respir Dis* 115:521–529.
- Suskovic T, Mose J, Vucicevic Z [1990]. Pulmonary silicosis complicated by systemic vasculitis. *Plucne Bolesti* 42(1–2):77–79.
- Sweeney TD, Brain JD [1996]. Lavagable biomarkers of exposure to fibrogenic dusts. In: Castranova V, Vallyathan V, Wallace WE eds. *Silica and silica-induced lung diseases*. Boca Raton, FL: CRC Press, Inc., pp. 197–207.
- Talini D, Paggiaro PL, Falaschi F, Battolla L, Carrara M, Petrozzino M, Begliomini E, Bartolozzi C, Giuntini C [1995]. Chest radiography and high resolution computed tomography in the evaluation of workers exposed to silica dust: Relation with functional findings. *Occup Environ Med* 52:262–267.
- Talvitie NA [1951]. Determination of quartz in the presence of silicates using phosphoric acid. *Anal Chem* 23:623–626.
- Talvitie NA [1964]. Determination of free silica: Gravimetric and spectrophotometric procedures applicable to

- air-borne and settled dusts. *Am Ind Hyg Assoc J* 25: 169–178.
- Talvitie NA, Hyslop F [1958]. Colorimetric determination of siliceous atmospheric contaminants. *Am Ind Hyg Assoc J* 19:54–58.
- Theriault GP, Burgess WA, DiBerardinis LJ, Peters JM [1974a]. Dust exposure in the Vermont granite sheds. *Arch Environ Health* 28:12–17.
- Theriault GP, Peters JM, Fine LJ [1974b]. Pulmonary function in granite shed workers of Vermont. *Arch Environ Health* 28:18–22.
- Thomas TL [1990]. Lung cancer mortality among pottery workers in the United States. In: Simonato L, Fletcher AC, Saracci R, Thomas TL, eds. Occupational exposure to silica and cancer risk. Lyon, France: International Agency for Research on Cancer, pp. 75–81.
- Thomas TL, Stewart PA [1987]. Mortality from lung cancer and respiratory disease among pottery workers exposed to silica and talc. *Am J Epidemiol* 125(1):35–43.
- Thoreux PH, Delaval PH, Leprince V, Ramee MP, Bouget J, Chretien J [1990]. Pulmonary silicosis due to working with exotic woods. *La Presse Med* 19(21): 1011.
- Tockman MS, Comstock GW [1989]. Respiratory risk factors and mortality: Longitudinal studies in Washington County, Maryland. *Am Rev Respir Dis* 140:S56–S63.
- Tokumaru Y, Hirayama K, Kita K, Kawamura M, Katayama K [1990]. Two cases of ataxic sensory neuropathy associated with silicosis. *Clin Neurol* 30:933–938.
- Tschopp JM, Rossini MJ, Richon CA, Letovanec N, Joris F, Frey JG, Kaelin RM [1992]. Retroperitoneal silicosis mimicking pancreatic carcinoma in an Alpine miner with chronic lung silicosis. *Thorax* 47:480–481.
- Tsuda T, Babazono A, Yamamoto E, Mino Y, Matsuoka H [1997]. A meta-analysis on the relationship between pneumoconiosis and lung cancer. *J Occup Health* 39: 285–294.
- Vallyathan V, Castranova V, Pack D, Leonard S, Shumaker J, Hubbs AF, Shoemaker DA, Ramsey DM, Pretty JR, McLaurin JL, Khan A, Teass A [1995]. Freshly fractured quartz inhalation leads to enhanced lung injury and inflammation. *Am J Respir Crit Care Med* 152:1003–1009.
- NN, Frash VN, Kogan FM [1985]. Use of the micronucleus test as a rapid method of detecting the potential carcinogenicity of asbestos-containing and other mineral fibers. *Gig Trud Prof Zabol* (6):45–48.
- Van den Heever DJ [1994]. Quantification of bypass leakage in two different filter cassettes during welding fume sampling. *Am Ind Hyg Assoc J* 55(10):966–969.
- Verma DK, Sebestyen A, Julian JA, Muir DCF, Schmidt H, Bernholz CD, Shannon HS [1989]. Silica exposure and silicosis among Ontario hardrock miners: II. Exposure estimates. *Am J Ind Med* 16:13–28.
- Vigliani EC, Mottura G [1948]. Diatomaceous earth silicosis. *Br J Ind Med* 5:148–160.
- Vigliani EC, Pernis B [1958]. Immunological factors in the pathogenesis of the hyaline tissue of silicosis. *Br J Ind Med* 15:8–14.
- Virta RL [1993]. Crystalline silica: What it is—and isn't. *Minerals Today*, October:12–16.
- Wagner GR [1994]. Mineral dusts. In: Rosenstock L, Cullen MR, eds. Textbook of clinical occupational and environmental medicine. Philadelphia, PA: W.B. Saunders Co., pp. 825–837.
- Wagner GR [1995]. The inexcusable persistence of silicosis [editorial]. *Am J Public Health* 85(10):1346–1347.
- Wagner GR [1997]. Occupational medicine: Asbestosis and silicosis. *Lancet* 349:1311–1315.
- Watanabe S, Shirakami A, Takeichi T, Ohara T, Saito S [1987]. Alterations in lymphocyte subsets and serum immunoglobulin levels in patients with silicosis. *J Clin Lab Immunol* 23:45–51.
- Weber SL, Banks DE [1994]. Silicosis. In: Rosenstock L, Cullen MR, eds. Textbook of clinical occupational and environmental medicine. Philadelphia, PA: W.B. Saunders Co., pp. 264–274.
- Webster DL [1982]. Steel production. In: Cralley LV, Cralley LJ, eds. Industrial Hygiene Aspects of Plant Operations, Vol. 1. Process flows. Macmillan Publishing Co., Inc., pp. 457–486.

- Weill H, McDonald JC [1996]. Exposure to crystalline silica and risk of lung cancer: The epidemiological evidence. *Thorax* 51:97–102.
- Weill H, Jones RN, Parkes WR [1994]. Silicosis and related diseases. In: Parkes WR, ed. *Occupational lung disorders*. 3rd ed. London: Butterworth-Heinemann Ltd., pp. 285–339.
- Weissman DN, Ma JKH, Rojanasakul Y, Hubbs AF [1996]. Immune dysfunction in silicosis: A hypothesis. *Appl Occup Environ Hyg* 11(7):962–965.
- Westerholm P [1980]. Silicosis: Observations on a case register. *Scand J Work Environ Health* 6(Suppl 2):5–86.
- Westerholm P, Ahlmark A, Maasing R, Segelberg I [1986]. Silicosis and risk of lung cancer or lung tuberculosis: A cohort study. *Environ Res* 41:339–350.
- Wiles FJ, Hnizdo E [1991]. Relevance of airflow obstruction and mucus hypersecretion to mortality. *Resp Med* 85(1):27–35.
- WHO [1977]. *Manual of the international statistical classification of diseases, injuries, and causes of death, based on the recommendations of the Ninth Revision Conference, 1975*. Geneva, Switzerland: World Health Organization.
- WHO [1986]. *Recommended health-based limits in occupational exposure to selected mineral dusts (silica, coal)*. Geneva, Switzerland: World Health Organization, Technical Report Series 734.
- WHO [1993]. *WHO calls for medical surveillance of workers exposed to mineral dusts*. Geneva, Switzerland: World Health Organization, Press release WHO/73, September 23.
- WHO [1996]. *Groups at risk: WHO report on the tuberculosis epidemic, 1996*. Geneva, Switzerland: World Health Organization.
- Wiecek E [1988]. Experimental silicosis: The effect of the actual structure of quartz and cristobalite on the fibrosing action of these minerals. *Med Prac* 39(2):149–152.
- Wiles FJ, Faure MH [1977]. Chronic obstructive lung disease in gold miners. In: Walton WH, ed. *Inhaled particles, IV, Part 2*. Oxford, England: Pergamon Press, pp. 727–735.
- Wilke RA [1997]. Occupational exposure to silica and end-stage renal disease [letter to the editor]. *J Am Med Assoc* 278(7):546–547.
- Wilke RA, Salisbury S, Abdel-Rahman E, Brazy PC [1996]. Case report. Lupus-like autoimmune disease associated with silicosis. *Nephrol Dial Transplant* 11: 1835–1838.
- Wilt JL, Parker JE, Banks DE [1998]. The diagnosis of pneumoconiosis and novel therapies. In: Banks DE, Parker JE, eds. *Occupational lung disease*. London: Chapman & Hall, pp. 119–138.
- Xu X, Dockery DW, Ware JH, Speizer FE, Ferris BG [1992]. Effects of cigarette smoking on rate of loss of pulmonary function in adults: A longitudinal assessment. *Am Rev Respir Dis* 146:1345–1348.
- Xu Z, Pan G-W, Liu L-M, Brown LM, Gaun D-X, Xiu Q, Sheng J-H, Stone BJ, Dosemeci M, Fraumeni JF Jr., Blot WJ [1996]. Cancer risks among iron and steel workers in Anshan, China: Part I. Proportional mortality ratio analysis. *Am J Ind Med* 30:1–6.
- Yamamoto T, Furuse Y, Katayama I, Nishioka K [1994]. Nodular scleroderma in a worker using a silica-containing abrasive. *J Dermatol* 21(10):751–754.
- Yanez Diaz S, Moran M, Unamuno P, Armijo M [1992]. Silica and trichloroethylene-induced progressive systemic sclerosis. *Dermatology* 184:98–102.
- Zahm SH, Blair A [1993]. Cancer among migrant and seasonal farmworkers: An epidemiologic review and research agenda. *Am J Ind Med* 24:753–766.
- Zheng W, Shu XO, Ji BT, Gao YT [1996]. Diet and other risk factors for cancer of the salivary glands: A population-based case-control study. *Int J Cancer* 67:194–198.
- Zhong B, Whong W, Ong T [1997]. Detection of mineral-dust-induced DNA damage in two mammalian cell lines using the alkaline single cell gel/comet assay. *Mutat Res* 393:181–187.
- Ziegler V, Haustein U-F [1992]. Systemic scleroderma—a silica induced occupational disease? Epidemiological, clinical, immunological, mineralogical, animal and cell culture investigations. *Dermatol Monatsschr* 178:34–43.
- Ziskind M, Jones RN, Weill H [1976]. Silicosis. *Am Rev Respir Dis* 113:643–665.

Zoubek V, Kordac V [1986]. Free silicon dioxide as a factor in symptomatic manifestation of hepatic porphyria. *Prakt Lek* 66:492–493.

Zumwalde RD, Ludwig HR, Dement JM [1981]. Industrial hygiene report: Homestake Mining Company, Lead,

South Dakota. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Division of Surveillance, Hazard Evaluations and Field Studies, Industrial Hygiene Section, Industrywide Studies Branch.