EMERGENCY FOURDMENT RENTAL AGREEMENT

Dago	1	of
Page		01

							ge 1 of	
1. ORDERING OFFICE (name and address) Phones:			AGREEMENT NUMBER MUST APPEAR ON ALL PAPERS RELATING TO THIS AGREEMENT					
i nones.		2. AGREEMENT NUMBER:						
			2. AGREEME	ENT NUMBER.				
			3. EFFECTIV	/E DATES				
			a. Beginning			b. Ending		
4. CONTRACTOR a. name and address		5. POINT OF HIRE (location when hired)						
Name of Heavy Equipment	t/Transport Com	ipany	Location a	at Time of Hire				
				K RATE IS BASED ON		3		
EIN/SSN:								
EMAIL Address: DUNS	•:		X CONTRACTOR GOVERNMENT					
c. Telephone number (day)	d. Telephone number (r	night)		R FURNISHED BY				
			X contractor 🔲 government					
8. TYPE OF CONTRACTOR ("X" APPROP				VETERAN/DISABLED VE				
9. ITEM DESCRIPTIO		10. NUMBER	- 11. WORK 0		12. SPECIAL		13.	
(include make, model, year, serial numb		OF	TI. WORK O		12. SPECIAL		GUARANTEE	
		OPERATORS (Per shift)					(8 or more hours)	
		(1 01 01.11.1)	a. rate	b. unit	a. rate	b. unit		
a. EQUIPMENT TYPE (), (Ye	ar, make, model,							
accessories, License #, VIN # or S		1	\$	1 Operational period per day	N/A	N/A	N/A	
*See helpful hints for descriptions of accessories.		1	\$	2 Operational periods per day	1011		1011	
b. TRANSPORT (TR-)				(See 14. b.)				
Truck tractor: (Year, make, model, License #,		1	\$	1 Operational period per day				
VIN #)	,,				N/A	N/A	N/A	
,		1	\$	2 Operational periods per day				
Trailer: (Year, make, model, tona	ige, type, License			(See 14. b.)				
#, VIN #)								
TRUCK TRACTOR, (Year, ma	ke, model,							
License #, VIN #)		1	\$	Mile, roundtrip	\$	Hour (See 14 c.)	\$	
	`					(See 14 C.)		
(Used for hauling vans, refers, etc 14. SPECIAL PROVISIONS	.)							
(a.) The General Clauses along with replac	ement clauses are attach	ed and incorporate	ed herein. See a	ttached Federal Acquisi	tion Regulations	(FAR) clauses, NR	CG	
Supplemental Terms and Conditions to the	General Clauses of the	Emergency Equip	ment Rental Ag	reement, OF-294, and F	Register of Wage	Determination Uno	ler the Service	
Contract Act. (b.) When a transport and another piece of	heavy equipment such a	as a dozer are ord	ered with a sing	le operator to operate B	OTH pieces of e	auinment the doze	r will be paid at	
the daily rate, and the transport rate will be	e reduced by \$350 for a (One Operational P	eriod and by \$6	00 for a Two Operation	al Periods.	* * ·	•	
(c.) A Special Rate will apply when wait ti segments. This must be documented on th			or unloading pe	riod. Rate will be effect	tive after the firs	t hour and prorated	by 15-minute	
(d.) When required by state law, cost for p			eimbursed by th	he government upon pre	sentation of invo	oice or receipt.		
(e.) Daily rate for heavy equipment include	es contractor provided su	port truck for fu	el and maintena	nce of contractor's equi	pment and opera	tor transportation.		
(f.) This Emergency Equipment R						e Order or Numb		
15. CONTRACTOR'S OR AUTHORIZED A	GENT'S SIGNATURE	16. DATE	17. CONTRA	CTING OFFICER'S SIG	NATURE		18. DATE	
19. PRINT NAME AND TITLE			20. PRINT NAME AND TITLE					
			Phone No.		Fax No.			
			Thome into.					

OPTIONAL FORM 294 (REV. 8-90) USDA/USDI

HINTS AND HELPS:

- Transport: a truck tractor with trailer(s). Trailers may be an enclosed van, flatbed, or lowboy type for hauling heavy equipment.
- **Tonnage** of trailer determines rate.
- ◆ Additional information on heavy equipment found at: www.fs.fed.us/r1/fire/nrcg under Chapter 20
- GBL (Government Bill of Lading): Federal agencies should use a GBL when transporting between tariff locations by a licensed common carrier, shipments and payments should be according to the appropriate established tariff. EERA's should only be used for <u>short hauls</u> if using a licensed commercial carrier.

Contracting Information

- * Equipment description (See template).
- * Copy of workmen's comp coverage, or certification of exemption from state.
- * Liability insurance coverage.

* Proof of completion of Standards for Survival and any other training that may be required for the type of equipment being signed up.

- * Proof of physical fitness test, administered by whom and when, if applicable.
- * Tax ID Number (Federal ID or Employer SSN), Duns number, and email address
- *Copy of CCR registration
- Vehicle History: Check <u>www.safesys.org</u> or <u>http://ai.volpe.dot.gov/SafeStat/SafeStatMain.asp</u>? for vehicle driving and safety report. File in EERA folder.

Heavy equipment with No transport: delete clauses:

- (b.) When a transport and another piece of heavy equipment, such as a dozer, are provided with a single operator to operate BOTH pieces of equipment, the dozer will be paid at the daily rate, and the transport rate will be reduced by \$350 for a One Operational Period and by \$600 for a Two Operational Periods.
- (c.) A Special Rate will apply when wait time exceeds one (1) hour for each loading or unloading period. Rate will be effective after the first hour and prorated by 15-minute segments. This must be documented on the Emergency Shift Ticket.
- (d.) When required by state law, cost for pilot vehicles and overload permits will be reimbursed by the government upon presentation of invoice or receipt.
- Remove part of clause On a case-by-case basis, Transport operators may need Standards for Survival, but are **required** to have Standards for Survival if they are **assigned** to the incident.
- Renumber clauses in block 14
- Heavy equipment operator does not have proof of workman's comp: Add the following clauses:
 - The fully operated rate **has been reduced** by \$434.00 for one operational period and \$744 for two operational periods. The contractor designated operator will be hired separately at AD-4 pay rate.
 - Re-number clauses in block 14.
- Dozers/Skidders/Skidgines/Pumper Cat/Graders/Excavators shall have brush guards and falling object protection that protect the operator.
- Pilot/flag vehicles: (MT DOT Handbook Reference 18.8.511A, 18.8.510 ARM) I will get copies of MT, ID and WY rules and give to the NRCG Business Committee to post on their website. Copies can be faxed to other Agencies upon request. Contractors will try to have you pay for their flag/pilot vehicles, make sure they qualify first, before paying the EERA Invoice.
- Truck Tractor: Rate is negotiated for round trip mileage, special rate (unload/load) and guarantee.
 - other clauses/statement/etc that can be used according to the negotiations:
 - -Delivery of Fire Cache trailers
 - -Used for hauling cache vans, refers, etc.
 - -See attached list of truck tractors, dated
 - -\$_____ delivery or retrieval fee if within ______ city limits. For positioning outside city limits delivery or retrieval will be paid per daily rate listed in Block 9.

-Used in conjunction with one of the tractors listed below.

- -if ONLY a truck tractor is being signed up. Delete clauses:
 - (b.) When a transport and another piece of heavy equipment, such as a dozer, are provided with a single operator to operate BOTH pieces of equipment, the dozer will be paid at the daily rate, and the transport rate will be reduced by \$350 for a One Operational Period and by \$600 for a Two Operational Periods.
 - o Operators for heavy equipment must meet the Northern Rockies Personnel Requirements for Technical Specialists and Contract Equipment.
- If equipment is *signed up without operator*, reduce the fully operated daily rate, one operational period, by \$434; reduce fully operated, daily rate, two operational periods by \$744. Change Block 7 to "X Government"
- Searching Class type by model and serial number: Be careful, if you don't find the exact information in the blue pages, call the company or go onto their website. Companies reissue Model numbers after several years, and they reissue to equipment with different HP ratings. Don't just trust the contractor to give you the HP rating, they either guess or exaggerate. Case Western Applied Machinery 406-259-5500, Caterpillar Tractor & Engine 406-656-0202, Champion www.jadeequipment.com or 1-800-663-0715 (Volvo/Ranger), Komatsu Modern Machiner 406-252-2158
- Dozers: Add blade width and capacity (cu. yd.) in description. Add to the description if has rear mounted grapple or logging or towing winch with cable and 1 or 2 chokers.
- Agriculture Tractors, with gangplows, do not have developed rates. Use skidder rates and flywheel horsepower as a guide. Depending on
 ground conditions, additional compensation may be necessary for excessive wear and tear on gangplows.

- Backhoes: Add digging depth to description.
- Excavators: Add max. reach in feet, digging depth in feet, operating weight, thumb, bucket size, if tracked vehicle, and if rotates 360 degrees..
 -If excavator is <u>signed up without</u> a thumb; adjust the rate in block 11a and insert clause in Block 14. "Excavator does not have a thumb; daily rate <u>has been decreased</u> by \$60 for one operational period and \$100 for two operational periods". Renumber clauses.
 -If excavator is signed up with a thumb but <u>ordered</u> without a thumb: in 14b, add clause "For excavators ordered without a thumb, deduct \$60 from daily rate for one operational period and \$100 for two operational periods.
 -Must have brush guards.
- Refrigerated Trucks...if only equipment hired, be sure to modify/delete all clauses and blocks 6 & 7 accordingly. Example: X Government (Refrigerated Trailers).

-Operating supplies for the Refrigerated trailer provided by Agency.

-Pickup and delivery rates may be negotiated in addition to the undelivered daily rate. Usually paid by round trip or per mileage rate. -Daily rate; without operator

- Skidgines Pumper cats (Hard track Dozer engine)
 - Add page 2 Certification for Skidgines & Pumper Cats and Page 3 Checklist for Skidgines & Pumper Cats

-No fiberglass or plastic tanks will be accepted on skidgines or pumper cats.

-SK class shall meet the S class for skidders (Skidgines), TDC class must meet the same T class for dozers (Pumper cats) -All tanks must be certified and baffled in compliance with NFPA or American Society of Mechanical Engineers standards or other accepted engineering standards. Additional gallons are acceptable, but must meet all standards.

-All equipment **modified to transport water**, such as skidgines & pumper cats, shall have a certification by a professional mechanical engineer or other expert in the field of design engineering, establishing the fact that design limits have not been compromised. **Water tank** shall be certified as to actual size and have adequate baffles.

-Skidgine or Pumper tank and operator must be accompanied at all times by agency personnel qualified at or above the Firefighter Level 1 -Not required to have rear-mounted grapples or logging or towing winches with cable and one or two chockers, but if it has gapples, they must be safely secured to vehicle to prevent working hazards.

-All pumps shall have pressure gauges that meet the minimum pump pressure rating.

-Formula for daily rates for models not listed: Use formula listed in Chapter 20.

-Pumper cats – are "hard track" machines or units built from traditional dozers; "soft track" machines, such as FMC or KMC, are still a negotiated rate.

- Skigines and Skidders are required to have tire chains.
- Front end loaders- Dealerships feel it would be classified as a grader, since it fits the current rental rates in area.
- Note:
 - All rubber tired equipment shall have tire chains available, if needed. Chains must be produced at time of preseason inspection.
 - All heavy equipment shall have **cab protectors**, such as, brush guards.
 - Equipment not required on the lists in Chapter 20 are carried at the contractor's own risk, compensation will not be given for additional items. Items are to be listed on the back of the equipment checklist.

EERA

PRESEASON <u>CERTIFICATION FOR SKIDGINES & PUMPER CATS</u>

This certification is incorporated in and made part of Emergency Equipment Rental Agreement No. ______. The equipment listed herein meets all of the minimum requirements for the

equipment type.

EQUIPMENT TYPE

SERIAL NO.

ENGINEERING CERTIFICATION (attach Exhibit 21)

The following individuals meet all the personnel and training requirements for the position listed.

NAME

POSITION

The personnel listed above shall be provided with the equipment, in the numbers required by the agreement and equipment typing configurations. The personnel and equipment qualifications are in accordance with NRCG Supplement to Chapter 20 of the Interagency Incident Business Management Handbook.

A copy of the Emergency Equipment Rental Agreement, along with this certification, shall be provided to the Finance/Administration Section Chief or their designated representative immediately upon arrival at the incident.

Failure to provide equipment meeting the typing configurations or the above named personnel shall void the payment schedule listed in Blocks 11, 12 and 13 of the agreement.

I certify that the above listed equipment meets the minimum typing standards for the type listed. I also certify that the above listed personnel meet all of the qualification requirements for the position(s) listed.

Government Representative (Signature)

Name and Title (Printed)

Home Unit

Phone No.

Contractor Representative (Signature)

Contractor Name (Printed)

Address

City, State

Date

Date

EERA

PRESEASON CHECKLIST FOR SKIDGINES & PUMPER CATS

Equipment Type	
Serial No.	
Engineering Certification	
1. Pump Capacity (GPM/PSI)	
2. Tank Capacity (Gallons)	
3. Meets Personnel Standards	

4. Complement Requirements	Yes	No
2 each, 1 inch NPSH nozzles—must do both fog and straight stream		
combination and shutoff (Plastic is acceptable)		
1 Pulaski		
1 shovel, size 0		
1 First Aid Kit (5 person)		
1 fire extinguisher (4BC or Better)		
1 spanner wrench, combination 1 inch to 1 ¹ / ₂ inches		
1 each reducer 1 ¹ / ₂ inches NH Female to 1 inches NPSH Male		
1 each reducer 1 inch NPSH Female to ³ / ₄ inches garden hose male		
1 each adapter 1 inch NH Female to 1 inches NPSH Male		
1 each adapter 1 inch NPSH Female to 1 inch NH Male		
1 each 1 inch double male NPSH		
1 each 1 inch double female NPSH		
1 each hose clamp		
5 gallons of fuel to operate pump for 12 hours		
1 each, pump for filling tank with water or have drafting capabilities. If		
drafting, need 20 ft of hard-line suction hose with strainer or screened foot		
valve.		
1 each ¹ / ₄ turn adaptor to 1 inch NPSH (1 female and 1 male each)		
Must have a 1 inch male NPSH tee for soft line attachment.		
Must have pressure relief and by pass valve in plumbing system.		
Tanks shall have a 4 inch minimum fill pipe		
Tank shall have a minimum 3-inch dump valve.		
Hose – Minimum Standard for Type – See Matrix		

NOTE: Equipment not required by this list is carried at the contractors' own risk, compensation will not be given for additional items. List additional items on the back of this form.

CONFIGURED AS ABOVE THIS UNIT IS CLASSIFIED A TYPE _____ SKIDGINE.

.