

WAUS43 KKCI 260845

WA3S

CHIS WA 260845

AIRMET SIERRA UPDT 2 FOR IFR AND MTN OBSCN VALID UNTIL 261500

.  
AIRMET IFR...ND SD NE MN IA MO WI LS  
FROM 30N INL TO 70W YQT TO 30W RHI TO 30ENE PWE TO 60S OBH TO  
30SSW ANW TO 40NW BFF TO 50NNW ISN TO 30N INL  
CIG BLW 010/VIS BLW 3SM PCPN/BR/FG. CONDS CONTG BYD 15Z THRU 21Z.

.  
AIRMET IFR...NE KS MO OK TX AR LA MS  
FROM 30SE MCK TO 50ENE MCI TO 30ESE BUM TO 60W ARG TO 50NE TXK  
TO 40SSE MLU TO 60SSW BTR TO 50SW LCH TO 20SE CRP TO BRO TO  
20WSW LRD TO 20W DLF TO 60W TTT TO 30NE CDS TO 30SE MCK  
CIG BLW 010/VIS BLW 3SM BR/FG. CONDS CONTG BYD 15Z ENDG 18-21Z.

.  
AIRMET IFR...IA MO WI LM MI LH IL IN KY  
FROM 30SSW TVC TO 50SW YVV TO 30SE ECK TO DXO TO FWA TO CVG TO  
50SW PXV TO 30WSW FAM TO 20SW COU TO 30WNW IRK TO 40E DBQ TO  
30SSW TVC  
CIG BLW 010/VIS BLW 3SM BR/FG. CONDS CONTG BYD 15Z THRU 21Z.

.  
AIRMET MTN OBSCN...KY TN  
FROM HNN TO HMV TO GQO TO 50WSW LOZ TO HNN  
MTNS OCNL OBSC BY CLDS. CONDS CONTG BYD 15Z THRU 21Z.

.  
OTLK VALID 1500-2100Z...IFR ND SD NE KS MN IA MO WI LM LS MI IL  
BOUNDED BY 30N INL-YQT-30NE SAW-40SSE GRB-40SE BDF-30NNE FAM-  
30SSW MCI-50WNW PWE-60SSW OBH-40SSW ANW-30NW BFF-50NNW ISN-30N  
INL  
CIG BLW 010/VIS BLW 3SM PCPN/BR/FG. CONDS CONTG THRU 21Z.

....  
WAUS43 KKCI 260845

WA3T

CHIT WA 260845

AIRMET TANGO UPDT 1 FOR TURB VALID UNTIL 261500

.  
AIRMET TURB...ND SD NE MN WI LM LS MI LH  
FROM 30N INL TO YQT TO SSM TO YVV TO 20NW MBS TO 20WSW RHI TO  
20ENE RWF TO FSD TO 60SSE PIR TO 70SW RAP TO 50NNW ISN TO 30N INL  
MOD TURB BTN FL300 AND FL400. CONDS CONTG BYD 15Z THRU 21Z.

.  
AIRMET TURB...ND SD NE KS MN IA MO OK TX AR  
FROM 30SW BRD TO IRK TO TXK TO 40SW TTT TO INK TO 30ESE TBE TO  
50W LBL TO 50E SNY TO 50SSW BFF TO 70SW RAP TO 80SW DIK TO 30SW  
BRD  
MOD TURB BLW 120. CONDS CONTG BYD 15Z THRU 21Z.

.  
AIRMET TURB...SD NE KS IA MO IL IN KY OK TX AR TN  
FROM 70SW RAP TO 50SE IOW TO TTH TO 40ESE DYR TO 50S SGF TO 50W  
LBL TO GLD TO SNY TO BFF TO 70SW RAP  
MOD TURB BTN FL200 AND FL390. CONDS CONTG BYD 15Z THRU 21Z.

.  
OTLK VALID 1500-2100Z  
AREA 1...TURB ND SD NE MN IA WI LM LS MI LH  
BOUNDED BY 30N INL-YQT-SSM-YVV-ASP-20E TVC-FOD-70ENE BFF-40SSE

RAP-50NNW ISN-30N INL  
MOD TURB BTN FL300 AND FL400. CONDS CONTG THRU 21Z.

.  
AREA 2...TURB ND SD NE KS MN IA MO WI LM MI IL IN KY OK TX AR TN  
LA  
BOUNDED BY BRD-RHI-MKG-DYR-20SSW EIC-40SSW TTT-60WSW LBB-50W LBL-  
50ESE SNY-50SSW BFF-70SW RAP-BRD  
MOD TURB BLW 120. CONDS CONTG THRU 21Z.

.  
AREA 3...TURB NE KS IA MO IL IN KY OK TX AR TN  
BOUNDED BY FOD-JOT-TTH-20WSW BNA-60W ARG-TTT-60SSW TXO-30ESE TBE-  
50W LBL-GLD-SNY-BFF-70ENE BFF-FOD  
MOD TURB BTN FL180 AND FL410. CONDS CONTG THRU 21Z.

....

WAUS43 KPCI 260845  
WA3Z  
CHIZ WA 260845  
AIRMET ZULU UPDT 1 FOR ICE AND FRZLVL VALID UNTIL 261500

.  
AIRMET ICE...SD NE MN IA WI LM MI IL IN  
FROM 40SSW SAW TO 30SW PMM TO 30SSE JOT TO 40SSE IOW TO OVR TO  
40S ANW TO 30ESE SNY TO 50SSW BFF TO 70SW RAP TO 20ESE RWF TO  
30NNW EAU TO 40SSW SAW  
MOD ICE BTN FRZLVL AND FL200. FRZLVL SFC-075. CONDS CONTG BYD 15Z  
THRU 21Z.

.  
AIRMET ICE...ND SD MN WI LM LS MI LH  
FROM 30N INL TO YQT TO SSM TO 20ESE YVV TO 40SSW SAW TO 30NNW EAU  
TO 20ESE RWF TO 70SW RAP TO 80SW DIK TO 50NNW ISN TO 30N INL  
MOD ICE BLW FL180. CONDS CONTG BYD 15Z THRU 21Z.

.  
AIRMET ICE...NE KS IA MO IL IN KY  
FROM 40S ANW TO OVR TO 40SSE IOW TO 30S JOT TO FWA TO CVG TO 70SW  
HNN TO BWG TO STL TO BUM TO 30SE PWE TO SLN TO 50ESE LBF TO 40S  
ANW  
MOD ICE BTN FRZLVL AND FL200. FRZLVL 075-100. CONDS CONTG BYD 15Z  
THRU 21Z.

.  
OTLK VALID 1500-2100Z  
AREA 1...ICE ND SD NE MN IA WI LM LS MI LH  
BOUNDED BY 70NNW ISN-30N INL-YQT-SSM-20ESE YVV-OBH-BFF-70NNW ISN  
MOD ICE BLW FL180. CONDS CONTG THRU 21Z.

.  
AREA 2...ICE NE MN IA WI LM MI LH IL IN  
BOUNDED BY 40SE TVC-DXO-FWA-OBH-40SE TVC  
MOD ICE BTN FRZLVL AND FL200. FRZLVL SFC-080. CONDS CONTG THRU  
21Z.

.  
FRZLVL...RANGING FROM SFC-120 ACRS AREA  
MULT FRZLVL BLW 075 BOUNDED BY 50SSE SSM-YVV-30SE ECK-20SE  
DXO-60SW DXO-30E GIJ-30SSW MKG-30E IOW-20S OVR-30NNE OBH-  
50SE SNY-40WSW BFF-20SSW RAP-40SE ABR-40E RHI-50SSE SSM  
SFC ALG SNY-50ENE OBH-20E IOW-20SW DXO  
040 ALG 50SSE ANW-40WSW IOW-40NE FWA  
080 ALG 40NNW GLD-60SSW OBH-20W DEC-20NNW TTH-20N CVG-40ESE  
CVG-30NNE VXV

....

WAUS43 KKCI 261409 AAA  
WA3Z  
CHIZ WA 261409 AMD  
AIRMET ZULU UPDT 2 FOR ICE AND FRZLVL VALID UNTIL 261500

.  
...SEE SIGMET VICTOR SERIES...UPDT

.  
AIRMET ICE...SD NE MN IA WI LM MI IL IN  
FROM 40SSW SAW TO 30SW PMM TO 30SSE JOT TO 40SSE IOW TO OVR TO  
40S ANW TO 30ESE SNY TO 50SSW BFF TO 70SW RAP TO 20ESE RWF TO  
30NNW EAU TO 40SSW SAW  
MOD ICE BTN FRZLVL AND FL200. FRZLVL SFC-075. CONDS CONTG BYD 15Z  
THRU 21Z.

.  
AIRMET ICE...ND SD MN WI LM LS MI LH  
FROM 30N INL TO YQT TO SSM TO 20ESE YVV TO 40SSW SAW TO 30NNW EAU  
TO 20ESE RWF TO 70SW RAP TO 80SW DIK TO 50NNW ISN TO 30N INL  
MOD ICE BLW FL180. CONDS CONTG BYD 15Z THRU 21Z.

.  
AIRMET ICE...NE KS IA MO IL IN KY  
FROM 40S ANW TO OVR TO 40SSE IOW TO 30S JOT TO FWA TO CVG TO 70SW  
HNN TO BWG TO STL TO BUM TO 30SE PWE TO SLN TO 50ESE LBF TO 40S  
ANW  
MOD ICE BTN FRZLVL AND FL200. FRZLVL 075-100. CONDS CONTG BYD 15Z  
THRU 21Z.

.  
OTLK VALID 1500-2100Z  
AREA 1...ICE ND SD NE MN IA WI LM LS MI LH  
BOUNDED BY 70NNW ISN-30N INL-YQT-SSM-20ESE YVV-OBH-BFF-70NNW ISN  
MOD ICE BLW FL180. CONDS CONTG THRU 21Z.

.  
AREA 2...ICE NE MN IA WI LM MI LH IL IN  
BOUNDED BY 40SE TVC-DXO-FWA-OBH-40SE TVC  
MOD ICE BTN FRZLVL AND FL200. FRZLVL SFC-080. CONDS CONTG THRU  
21Z.

.  
FRZLVL...RANGING FROM SFC-120 ACRS AREA  
MULT FRZLVL BLW 075 BOUNDED BY 50SSE SSM-YVV-30SE ECK-20SE  
DXO-60SW DXO-30E GIJ-30SSW MKG-30E IOW-20S OVR-30NNE OBH-  
50SE SNY-40WSW BFF-20SSW RAP-40SE ABR-40E RHI-50SSE SSM  
SFC ALG SNY-50ENE OBH-20E IOW-20SW DXO  
040 ALG 50SSE ANW-40WSW IOW-40NE FWA  
080 ALG 40NNW GLD-60SSW OBH-20W DEC-20NNW TTH-20N CVG-40ESE  
CVG-30NNE VXV

....