Making the "Minimum Data Set" Compliant with Health Information Technology Standards

ATTACHMENT D:

ADDITIONAL ITEM MATCHES FOR SAMPLED MDSv3

Additional Term Matches for Sampled MDSv3

Key:

- --Broadest
- -- More Specific/direct child of Broadest
- -- Most Specific/direct child of More Specific
- ** Indentation also denotes increasingly specific hierarchical relationships

SECTION .AA - The Basic Assessment Tracking Form

| Best Match Term | Best Match Term Namespace |
|---|---------------------------|
| Administrative information (administrative concept) | SNOMED CT |

Section AA2 (GENDER)

Female

| Best Match Term | Best Match Term Namespace |
|------------------|---------------------------|
| Female (10384) | HL7V3 |
| Female (finding) | SNOMED CT |

Male

| Best Match Term | Best Match Term Namespace |
|-----------------|---------------------------|
| Male (10383) | HL7V3 |
| Male (finding) | SNOMED CT |

SECTION .AB, AC, AD - Background (Face Sheet)

Information at Admission Form

| Best Match Term | Best Match Term Namespace |
|---|---------------------------|
| Administrative information (administrative concept) | SNOMED CT |

Section AB7 (Education)

No schooling

| Best Match Term | Best Match Term Namespace |
|--------------------------------------|------------------------------|
| No formal education (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Not receiving an education (finding) | SNOMED CT |

Section AB10 (CONDITIONS RELATED TO MR/DD STATUS)

MR/DD with organic condition

| Broader Match Term | Broader Match Term Namespace |
|--|-------------------------------------|
| Developmental mental disorder (disorder) | SNOMED CT |

AB10e Other organic condition related to MR/DD

| Partial Match Term | Partial Match Term Namespace |
|---------------------------------------|------------------------------|
| Developmental disorder NOS (disorder) | SNOMED CT |

Section A-Q - Clinical Assessment

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| NO_SNOMED_BEST_MATCH | MDS |

Section E1 (INDICATORS OF DEPRESSION, ANXIETY, SAD MOOD)

1.VERBAL EXPRESSIONS OF DISTRESS

| Broader Match Term | Broader Match Term Namespace |
|--|------------------------------|
| Signs/symptoms-mental/emotional surveillance | SNOMED CT |
| (regime/therapy) | |
| Partial Match Term | Partial Match Term Namespace |
| Distress (finding) | SNOMED CT |

HOPELESSNESS

| Best Match Term | Best Match Term Namespace |
|----------------------------|---------------------------|
| Feeling hopeless (finding) | SNOMED CT |

HELPLESSNESS

| Best Match Term | Best Match Term Namespace |
|-----------------------------|---------------------------|
| Feeling powerless (finding) | SNOMED CT |

WORTHLESSNESS

| WORTHEBBSIVESS | |
|-----------------------------|--------------------|
| Partial Match Term | Partial Match Term |
| | Namespace |
| Poor self-esteem (finding) | SNOMED CT |
| Poor self-image (finding) | SNOMED CT |
| Self-depreciation (finding) | SNOMED CT |

SADNESS

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| Depression (finding) | SNOMED CT |

IRRITABILITY

| Best Match Term | Best Match Term Namespace |
|-----------------------------|----------------------------------|
| Feeling irritable (finding) | SNOMED CT |

Pervasive ANXIETY OR PANIC

| Best Match Term | Best Match Term Namespace |
|----------------------------------|------------------------------|
| Severe anxiety (panic) (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Chronic anxiety (finding) | SNOMED CT |
| Panic (finding) | SNOMED CT |

ANHEDONIA

| Best Match Term | Best Match Term Namespace |
|---------------------|---------------------------|
| Anhedonia (finding) | SNOMED CT |

2.DISTRESS MAY ALSO BE EXPRESSED NON-VERBALLY AND IDENTIFIED THROUGH OBSERVATION OF THE RESIDENT IN THE FOLLOWING AREAS DURING USUAL DAILY ROUTINES:

| Broader Match Term | Broader Match Term Namespace |
|---|------------------------------|
| Emotional state finding (finding) | SNOMED CT |
| Signs/symptoms-mental/emotional surveillance (regime/therapy) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Distress (finding) | SNOMED CT |

2.1.SLEEP-CYCLE ISSUES

| Best Match Term | Best Match Term Namespace |
|---|-------------------------------------|
| Sleep pattern disturbance (finding) | SNOMED CT |
| Broader Match Term | Broader Match Term Namespace |
| Finding of sleep rest pattern (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Sleeping out (finding) | SNOMED CT |

INSOMNIA or change in usual sleep pattern

| Best Match Term | Best Match Term Namespace | |
|---|-------------------------------------|--|
| Dyssomnia (disorder) | SNOMED CT | |
| Broader Match Term | Broader Match Term Namespace | |
| Sleep pattern finding (finding) | SNOMED CT | |
| Partial Match Term | Partial Match Term Namespace | |
| Insomnia (disorder) | SNOMED CT | |
| Poor sleep pattern (finding) | SNOMED CT | |
| Sleep-wake schedule disorder (disorder) | SNOMED CT | |

2.2.SAD, APATHETIC, ANXIOUS APPEARANCE

| Broader Match Term | Broader Match Term Namespace |
|---|-------------------------------------|
| Personal appearance, function (observable entity) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Indifference (finding) | SNOMED CT |
| Level of anxiety (observable entity) | SNOMED CT |

2.3.LOSS OF INTEREST

| Best Match Term | Best Match Term Namespace |
|----------------------------|---------------------------|
| Loss of interest (finding) | SNOMED CT |

Section I1 (DISEASES)

1.ENDOCRINE/METABOLIC/ NUTRITIONAL

| Best Match Term | Best Match Term |
|--|--------------------|
| | Namespace |
| ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS [240-279.99] | ICD-9-CM |
| Partial Match Term | Partial Match Term |
| | Namespace |
| DISEASES OF OTHER ENDOCRINE GLANDS [250-259.99] | ICD-9-CM |
| Disorder of endocrine system (disorder) | SNOMED CT |
| DISORDERS OF THYROID GLAND [240-246.99] | ICD-9-CM |
| ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND | |
| IMMUNITY DISORDERS [240-279.99] | ICD-9-CM |
| Metabolic disease (disorder) | SNOMED CT |
| NUTRITIONAL DEFICIENCIES [260-269.99] | ICD-9-CM |
| Nutritional disorder (disorder) | SNOMED CT |
| OTHER METABOLIC AND IMMUNITY DISORDERS [270-279.99] | ICD-9-CM |

2.HEART/CIRCULATION

| Best Match Term | Best Match Term Namespace |
|--|---------------------------|
| DISEASES OF THE CIRCULATORY SYSTEM [390- | ICD-9-CM |
| 459.99] | |

3.MUSCULOSKELETAL

| Best Match Term | Best Match Term Namespace |
|--|----------------------------------|
| Disorder of musculoskeletal system (disorder) | SNOMED CT |
| NO_ICD9_BEST_MATCH | MDS |
| Partial Match Term | Partial Match Term |
| | Namespace |
| Disorder of bone and cartilage, unspecified [733.90] | ICD-9-CM |

5.NEUROLOGICAL

| Best Match Term | Best Match Term Namespace |
|--|---------------------------|
| DISEASES OF THE NERVOUS SYSTEM AND SENSE | ICD-9-CM |
| ORGANS [320-389.99] | SNOMED CT |
| Disorder of nervous system (disorder) | |

6.PSYCHIATRIC/MOOD

| Best Match Term | Best Match Term Namespace |
|--|-------------------------------------|
| Mental disorder (disorder) | SNOMED CT |
| MENTAL DISORDERS [290-319.99] | ICD-9-CM |
| Broader Match Term | Broader Match Term Namespace |
| Anxiety states [300.0] | ICD-9-CM |
| Partial Match Term | Partial Match Term Namespace |
| History of - psychiatric disorder (context-dependent | SNOMED CT |
| category) | SNOMED CT |
| Mood disorder (disorder) | |

7.PULMONARY

| Best Match Term | Best Match Term Namespace |
|-----------------------------|----------------------------------|
| Disorder of lung (disorder) | SNOMED CT |

8.SENSORY

| Best Match Term | Best Match Term Namespace |
|--|----------------------------------|
| DISEASES OF THE NERVOUS SYSTEM AND SENSE | ICD-9-CM |
| ORGANS [320-389.99] | SNOMED CT |
| Sensory disorder (disorder) | |

9.0THER (diseases)

| Best Match Term | Best Match Term |
|---|--------------------|
| | Namespace |
| Personal history of unspecified disease [V13.9] | ICD-9-CM |
| Unspecified conditions (disorder) | SNOMED CT |
| Partial Match Term | Partial Match Term |
| | Namespace |
| Other disease/injury (disorder) | SNOMED CT |

SECTION J. HEALTH CONDITIONS (non v2)

| Best Match Term | Best Match Term Namespace |
|---|------------------------------|
| EXEMPT_FROM_MATCHING | MDS |
| Partial Match Term | Partial Match Term Namespace |
| Clinical history and observation findings (finding) | |

Check all problems present in last 7 days unless other time frame is indicated)

| Partial Match Term | Partial Match Term Namespace |
|---|------------------------------|
| Assessment of past history (regime/therapy) | SNOMED CT |
| In the past (qualifier value) | SNOMED CT |
| Disease (disorder) | SNOMED CT |

Unsteady gait

| Best Match Term | Best Match Term Namespace |
|-------------------------|---------------------------|
| Unsteady gait (finding) | SNOMED CT |

BALANCE

| Best Match Term | Best Match Term Namespace |
|---|---------------------------|
| Ability to balance (observable entity) | SNOMED CT |
| Finding related to ability to balance (finding) | SNOMED CT |

Unsteady gait subitems

| Best Match Term | Best Match Term Namespace |
|---------------------------------|------------------------------|
| Unsteady gait (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Unsteady when walking (finding) | SNOMED CT |

Balance while walking (including change in direction)

| Best Match Term | Best Match Term Namespace |
|---|---------------------------|
| Finding of turning balance when walking (finding) | SNOMED CT |

Balance with transition sit to stand

| Best Match Term | Best Match Term Namespace |
|--|---------------------------|
| Finding related to ability to stand from sitting (finding) | SNOMED CT |

Dizziness/vertigo/light-headed or Fainting

| Best Match Term | Best Match Term Namespace |
|-----------------------------------|------------------------------|
| Dizziness and giddiness (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Dizziness (finding) | SNOMED CT |
| Syncope (disorder) | SNOMED CT |
| Vertigo (finding) | SNOMED CT |

CARDIAC/PULMONARY (v3)

| Partial Match Term | Partial Match Term Namespace |
|--|------------------------------|
| Disorder of cardiovascular system (disorder) | SNOMED CT |
| Disorder of respiratory system (disorder) | SNOMED CT |

J1d Chest pain/pressure on exertion

| Best Match Term | Best Match Term Namespace |
|----------------------------------|------------------------------|
| Chest pain on exertion (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Chest pain on exertion (finding) | SNOMED CT |
| Tight chest (finding) | SNOMED CT |

J1e Chest pain/pressure at rest

| Best Match Term | Best Match Term Namespace |
|------------------------------|---------------------------|
| Chest pain at rest (finding) | SNOMED CT |

FLUID STATUS

| Best Match Term | Best Match Term Namespace |
|--|---------------------------|
| Fluid balance observable (observable entity) | SNOMED CT |

INDICATORS OF FLUID STATUS

| Best Match Term | Best Match Term Namespace |
|---|---------------------------|
| Fluid balance observable (observable entity) | SNOMED CT |
| Hydration status regulation assessment (regime/therapy) | SNOMED CT |

Vomiting (w/ weight loss and fever?)

| Partial Match Term | Partial Match Term Namespace |
|---------------------|------------------------------|
| Vomiting (disorder) | SNOMED CT |

Dehydration

| Best Match Term | Best Match Term Namespace |
|------------------------|----------------------------------|
| Dehydration (disorder) | SNOMED CT |

Needs assistance and/or prompting to access fluids

| Best Match Term | Best Match Term Namespace |
|---|---------------------------|
| Fluid intake encouragement (regime/therapy) | SNOMED CT |

RESPIRATORY CONDITIONS

| Best Match Term | Best Match Term Namespace |
|-------------------------------|---------------------------|
| Respiratory finding (finding) | SNOMED CT |

J1k Recurrent lung aspirations in last 90 days

| Partial Match Term | Partial Match Term Namespace |
|---|------------------------------|
| Aspiration into respiratory tract (finding) | SNOMED CT |
| Pulmonary aspiration (finding) | SNOMED CT |
| Recurrent (qualifier value) | SNOMED CT |

J1p Shortness of breath with exertion (e.g. taking a bath)

| Best Match Term | Best Match Term Namespace |
|-------------------------------|---------------------------|
| Dyspnea on exertion (finding) | SNOMED CT |

J1q Shortness of breath at rest

| Best Match Term | Best Match Term Namespace |
|---------------------------|---------------------------|
| Dyspnea at rest (finding) | SNOMED CT |

J1r Difficulty coughing and clearing airway

| Best Match Term | Best Match Term Namespace |
|--|---------------------------|
| Difficulty expectorating (finding) | SNOMED CT |
| Ineffective airway clearance (finding) | SNOMED CT |

OTHER (v3)

| Best Match Term | Best Match Term Namespace |
|-------------------------|----------------------------------|
| Other (qualifier value) | SNOMED CT |

OTHER (health conditions)

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| NO_SNOMED_BEST_MATCH | MDS |

Fractures (from any source)

| Best Match Term | Best Match Term Namespace |
|-----------------------------|---------------------------|
| Fracture of bone (disorder) | SNOMED CT |

AGGREGATE severity [and alterability? Timeframe?]

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| NO SNOMED BEST MATCH | MDS |

Easily altered

| Partial Match Term | Partial Match Term Namespace |
|---|------------------------------|
| Compliance behavior (observable entity) | SNOMED CT |

Not easily altered, does cause distress to resident, staff or others

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| NO_SNOMED_BEST_MATCH | MDS |

VERBALLY AGGRESSIVE BEHAVIORAL SYMPTOMS

| Best Match Term | Best Match Term |
|---|------------------------|
| | Namespace |
| Verbal aggression (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term |
| | Namespace |
| Screaming attack (finding) | SNOMED CT |
| Verbally abusive behavior (finding) | SNOMED CT |
| Verbally threatening behavior (finding) | SNOMED CT |

PHYSICALLY AGGRESSIVE BEHAVIORAL SYMPTOMS

| Best Match Term | Best Match Term |
|---|---------------------------|
| | Namespace |
| Fighting (finding) | SNOMED CT |
| Broader Match Term | Broader Match Term |
| | Namespace |
| Aggressive behavior (finding) | SNOMED CT |
| Physical aggression (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term |
| | Namespace |
| Grabbing hold of other person (finding) | SNOMED CT |
| Hitting other person (finding) | SNOMED CT |
| Pushing other person (finding) | SNOMED CT |
| Scratching other person (finding) | SNOMED CT |
| Sexually abusive behavior (finding) | SNOMED CT |
| Violent acts towards others (finding) | SNOMED CT |

NON-AGGRESSIVE BEHAVIORAL SYMPTOMS

| Broader Match Term | Broader Match Term Namespace |
|--|------------------------------|
| Finding relating to complex and social behaviors | SNOMED CT |
| (finding) | |
| Partial Match Term | Partial Match Term Namespace |
| Problem behavior (finding) | SNOMED CT |

Delirium

| 2 000 00000 | |
|---|------------------------------|
| Best Match Term | Best Match Term Namespace |
| Delirium (disorder) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Delirium due to conditions classified elsewhere | ICD-9-CM |
| [293.0] | ICD-9-CM |
| Presenile dementia with delirium [290.11] | |

No

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| No (qualifier value) | SNOMED CT |

Yes

| Best Match Term | Best Match Term Namespace |
|-----------------------|----------------------------------|
| Yes (qualifier value) | SNOMED CT |

<u>Is there evidence of an acute change in mental status from the patients</u> baseline

| Best Match Term | Best Match Term Namespace |
|-----------------------------------|------------------------------|
| NO_SNOMED_BEST_MATCH | MDS |
| Partial Match Term | Partial Match Term Namespace |
| Abnormal mental state (finding) | SNOMED CT |
| Mental state finding (finding) | SNOMED CT |
| Baseline state (finding) | SNOMED CT |
| Changed status (qualifier value) | SNOMED CT |
| Unstable status (qualifier value) | SNOMED CT |

<u>Did the (abnormal) thinking fluctuate during the day, that is, tend to come</u> and go or increase and decrease in severity?

| Partial Match Term | Partial Match Term Namespace |
|---|------------------------------|
| Delirium (disorder) | SNOMED CT |
| Disturbance in content of thought (finding) | SNOMED CT |
| Fluctuation (finding) | SNOMED CT |

Did the patient have difficulty focusing or paying attention, for example being easily distractible (or distracted) or having difficulty keeping track of what was being said?

| Best Match Term | Best Match Term Namespace |
|------------------------------------|------------------------------|
| Disturbance of attention (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Easily distracted (finding) | SNOMED CT |

Would you rate this resident as lethargic?

| Partial Match Term | Partial Match Term Namespace |
|----------------------------------|------------------------------|
| Evaluation procedure (procedure) | SNOMED CT |
| Lethargy (finding) | SNOMED CT |

<u>Does the resident show evidence of new onset of agitation or inappropriate behavior?</u>

| Best Match Term | Best Match Term Namespace |
|--|------------------------------|
| Acute onset (qualifier value) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Adult dyssocial behavior (finding) | SNOMED CT |
| On examination - agitated (context-dependent | SNOMED CT |
| category) | |

Hallucinations/Delusions

| Partial Match Term | Partial Match Term Namespace |
|--------------------------|------------------------------|
| Delusions (finding) | SNOMED CT |
| Hallucinations (finding) | SNOMED CT |

Check if problem present in last 7 days

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| NO_SNOMED_BEST_MATCH | MDS |

Hallucinations (abnormal experiences of sounds, vision or touch)

| Best Match Term | Best Match Term Namespace |
|--------------------------|---------------------------|
| Hallucinations (finding) | SNOMED CT |

PAIN ASSESSMENT (v3)

| Best Match Term | Best Match Term Namespace |
|----------------------------------|---------------------------|
| Pain assessment (regime/therapy) | SNOMED CT |

Time Period for Pain Assessment and Pain Management

| Partial Match Term | Partial Match Term |
|-------------------------------------|--------------------|
| | Namespace |
| Pain assessment (regime/therapy) | SNOMED CT |
| Pain control management (procedure) | SNOMED CT |
| Pain management (procedure) | SNOMED CT |
| Time periods (qualifier value) | SNOMED CT |

Pain Presence

| Best Match Term | Best Match Term Namespace |
|-----------------|---------------------------|
| Pain (finding) | SNOMED CT |

Does the resident report pain?

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| NO_SNOMED_BEST_MATCH | MDS |

<u>0</u>

| Best Match Term | Best Match Term Namespace |
|---------------------|---------------------------|
| 0 (qualifier value) | SNOMED CT |

<u>**No**</u>

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| No (qualifier value) | SNOMED CT |

<u>1</u>

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| +1 (qualifier value) | SNOMED CT |

<u>Yes</u>

| Best Match Term | Best Match Term Namespace |
|-----------------------|---------------------------|
| Yes (qualifier value) | SNOMED CT |

<u>2</u>

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| +2 (qualifier value) | SNOMED CT |

Unable to report

| Partial Match Term | Partial Match Term Namespace |
|-------------------------|------------------------------|
| Report status (finding) | SNOMED CT |

Does pain interfere with residents normal activities?

| Broader Match Term | Broader Match Term Namespace |
|---|------------------------------|
| Finding related to ability to perform activities of | SNOMED CT |
| everyday life (finding) | |

0

| Best Match Term | Best Match Term Namespace |
|---------------------|----------------------------------|
| 0 (qualifier value) | SNOMED CT |

<u>**No**</u>

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| No (qualifier value) | SNOMED CT |

<u>1</u>

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| +1 (qualifier value) | SNOMED CT |

<u>Yes</u>

| Best Match Term | Best Match Term Namespace |
|-----------------------|---------------------------|
| Yes (qualifier value) | SNOMED CT |

<u>2</u>

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| +2 (qualifier value) | SNOMED CT |

Unable to report

| Partial Match Term | Partial Match Term Namespace |
|-------------------------|------------------------------|
| Report status (finding) | SNOMED CT |

Pain Assessment (separate intensity and duration items)

| Broader Match Term | Broader Match Term Namespace |
|---|-------------------------------------|
| Feature of present pain intensity (observable entity) | SNOMED CT |
| Finding of present pain intensity (finding) | SNOMED CT |
| Pain intensity (observable entity) | SNOMED CT |

MDS manual definition of pain - (Manual definition matching exercise) [Draft]

acute pain [Draft]

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| Acute pain (finding) | SNOMED CT |

chronic pain [Draft]

| Best Match Term | Best Match Term Namespace |
|------------------------|---------------------------|
| Chronic pain (finding) | SNOMED CT |

continuous pain [Draft]

| Best Match Term | Best Match Term Namespace |
|------------------------------------|------------------------------|
| Chronic intractable pain (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Continuous (qualifier value) | SNOMED CT |
| Pain (finding) | SNOMED CT |

generalized pain [Draft]

| Best Match Term | Best Match Term Namespace |
|---|---------------------------|
| [D]Pain, generalized (context-dependent category) | SNOMED CT |
| Generalized aches and pains (finding) | SNOMED CT |

pain at rest [Draft]

| Best Match Term | Best Match Term Namespace |
|---------------------|---------------------------|
| Rest pain (finding) | SNOMED CT |

pain finding [Draft]

| Best Match Term | Best Match Term Namespace |
|-----------------|---------------------------|
| Pain (finding) | SNOMED CT |

pain with movement [Draft]

| Best Match Term | Best Match Term Namespace |
|----------------------------------|----------------------------------|
| Pain on joint movement (finding) | SNOMED CT |

physical discomfort [Draft]

| Best Match Term | Best Match Term Namespace |
|----------------------------|------------------------------|
| Discomfort (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Physical (qualifier value) | SNOMED CT |

physical pain [Draft]

| Best Match Term | Best Match Term Namespace |
|---|------------------------------|
| Sympathetically maintained pain (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Characteristic of pain at anatomical site (observable | SNOMED CT |
| entity) | |

<u>Determine the intensity of pain at its worst using a standardized pain intensity scale</u>

| Partial Match Term | Partial Match Term Namespace |
|------------------------------------|------------------------------|
| Pain intensity (observable entity) | SNOMED CT |

Mild pain (1-3 NRS; Face #2; Mild VDS; Slight/mild PT)

| Best Match Term | Best Match Term Namespace |
|---------------------|---------------------------|
| Mild pain (finding) | SNOMED CT |

Moderate pain (4-5 NRS; Face #3; Moderate VDS; Moderate PT)

| Best Match Term | Best Match Term Namespace |
|-------------------------|---------------------------|
| Moderate pain (finding) | SNOMED CT |

Severe pain (6-7 on NRS; Face #4; Severe VDS; Severe PT)

| Best Match Term | Best Match Term Namespace |
|-----------------------|---------------------------|
| Severe pain (finding) | SNOMED CT |

<u>Very severe; horrible pain (80 on NRS; Face #5#6; Very severe/Worst possible pain VDS; Extreme/Bad as Can Be PT)</u>

| Best Match Term | Best Match Term Namespace |
|---------------------------------|------------------------------|
| Horrible present pain (finding) | SNOMED CT |
| Broader Match Term | Broader Match Term Namespace |
| Severe pain (finding) | SNOMED CT |

Pain Assessment (report duration/frequency for each level of pain)

| Broader Match Term | Broader Match Term Namespace |
|----------------------------------|------------------------------|
| Frequency (attribute) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Pain assessment (regime/therapy) | SNOMED CT |
| Duration (attribute) | SNOMED CT |

0

| Best Match Term | Best Match Term Namespace |
|---------------------|---------------------------|
| 0 (qualifier value) | SNOMED CT |

Did not occur

| Broader Match Term | Broader Match Term Namespace |
|----------------------------|-------------------------------------|
| Failed encounter (finding) | SNOMED CT |

<u>1</u>

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| +1 (qualifier value) | SNOMED CT |

Breakthrough pain

| Partial Match Term | Partial Match Term Namespace |
|--------------------------------|------------------------------|
| Breakthrough (qualifier value) | SNOMED CT |
| Pain (finding) | SNOMED CT |

2

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| +2 (qualifier value) | SNOMED CT |

Comes and goes

| Best Match Term | Best Match Term Namespace |
|--------------------------------|---------------------------|
| Intermittent (qualifier value) | SNOMED CT |

Constant/persistent

| Broader Match Term | Broader Match Term Namespace |
|------------------------------------|------------------------------|
| Other chronic pain (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Chronic intractable pain (finding) | SNOMED CT |

Does the resident show nonverbal signs of pain?

| Broader Match Term | Broader Match Term Namespace |
|--|------------------------------|
| Finding relating to non-verbal communication (finding) Non-verbal communication observable (observable entity) | SNOMED CT SNOMED CT |

<u>0</u>

| Best Match Term | Best Match Term Namespace |
|---------------------|---------------------------|
| 0 (qualifier value) | SNOMED CT |

<u>No</u>

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| No (qualifier value) | SNOMED CT |

| 1 | |
|----------------------|----------------------------------|
| Best Match Term | Best Match Term Namespace |
| +1 (qualifier value) | SNOMED CT |

Yes

| Best Match Term | Best Match Term Namespace |
|-----------------------|---------------------------|
| Yes (qualifier value) | SNOMED CT |

If resident exhibits pain behaviors, check all that apply:

| Broader Match Term | Broader Match Term Namespace |
|--|-------------------------------------|
| Finding related to pain control behavior (finding) | SNOMED CT |

1. Non-verbal sounds (crying, whining, moaning, groaning)

| Broader Match Term | Broader Match Term Namespace |
|--|------------------------------|
| Non-verbal communication observable (observable entity) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Pain and sensation symptom findings (context-dependent category) | SNOMED CT |

2. Facial expressions - grimaces, winces, wrinkled forehead, furrowed brow, clenched teeth and jaw, rapid blinking

| Best Match Term | Best Match Term Namespace |
|--|------------------------------|
| Finding of facial expression (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Clenching teeth (finding) | SNOMED CT |
| Facial expression (observable entity) | SNOMED CT |
| Facial grimacing (finding) | SNOMED CT |
| Finding of facial expression (finding) | SNOMED CT |

3. Bracing, guarding, rubbing, massaging a body part/area,

| Partial Match Term | Partial Match Term Namespace |
|--|------------------------------|
| Repetitive rubbing of body parts (finding) | SNOMED CT |

4. Restlessness, agitation, combativeness, fidgeting, pacing, withdrawn

| The state of the s | | |
|--|-------------------------------------|--|
| Best Match Term | Best Match Term Namespace | |
| Behavior showing increased motor activity (finding) | SNOMED CT | |
| Broader Match Term | Broader Match Term Namespace | |
| Mental state finding (finding) | SNOMED CT | |
| Partial Match Term | Partial Match Term Namespace | |
| Feeling agitated (finding) | SNOMED CT | |
| Fidgeting (finding) | SNOMED CT | |
| Fighting (finding) | SNOMED CT | |
| Patient paced (finding) | SNOMED CT | |
| Restlessness and agitation (finding) | SNOMED CT | |
| Withdrawn (finding) | SNOMED CT | |

5. Mental status changes-confusion, distress,

| Best Match Term | Best Match Term Namespace | |
|---------------------------------|---------------------------|--|
| NO_SNOMED_BEST_MATCH | MDS | |
| Partial Match Term | Partial Match Term | |
| | Namespace | |
| Acute confusion (finding) | SNOMED CT | |
| Mental distress (finding) | SNOMED CT | |
| Mental state finding (finding) | SNOMED CT | |
| Abnormal mental state (finding) | SNOMED CT | |

6. Change in interpersonal interactions

| Broader Match Term | Broader Match Term Namespace | |
|--|------------------------------|--|
| Interpersonal relationship finding (finding) | SNOMED CT | |
| Partial Match Term | Partial Match Term Namespace | |
| Socialization alteration (finding) | SNOMED CT | |

PAIN MANAGEMENT

| Best Match Term | Best Match Term Namespace |
|-----------------------------|---------------------------|
| Pain management (procedure) | SNOMED CT |

Time Period for Pain Assessment and Pain Management

| Time I create jor I will I is beginned with I will in it is a second control of the control of t | | |
|--|--------------------|--|
| Partial Match Term | Partial Match Term | |
| | Namespace | |
| Pain assessment (regime/therapy) | SNOMED CT | |
| Pain control management (procedure) | SNOMED CT | |
| Pain management (procedure) | SNOMED CT | |
| Time periods (qualifier value) | SNOMED CT | |

Is resident on pain management regimen?

| Broader Match Term | Broader Match Term Namespace |
|--|-------------------------------------|
| Medical regimen orders assessment (regime/therapy) | SNOMED CT |

<u>0</u>

| Best Match Term | Best Match Term Namespace |
|---------------------|---------------------------|
| 0 (qualifier value) | SNOMED CT |

No

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| No (qualifier value) | SNOMED CT |

<u>1</u>

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| +1 (qualifier value) | SNOMED CT |

Yes, PRN regimen only

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| NO_SNOMED_BEST_MATCH | MDS |

<u>2</u>

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| +2 (qualifier value) | SNOMED CT |

Yes, scheduled pain medication

| Partial Match Term | Partial Match Term Namespace |
|-------------------------------------|------------------------------|
| Pain control management (procedure) | SNOMED CT |

Yes, scheduled pain medications and other pain therapy modalities

| Broader Match Term | Broader Match |
|--|----------------|
| | Term Namespace |
| Pain management (procedure) | SNOMED CT |
| Procedure related to management of drug administration (procedure) | SNOMED CT |

J4 FALLS

| Best Match Term | Best Match Term Namespace |
|-------------------------------------|------------------------------|
| Falls assessment (regime/therapy) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Number of falls (observable entity) | SNOMED CT |

Number & Classification of Falls

| Best Match Term | Best Match Term Namespace |
|-----------------------------------|-------------------------------------|
| Falls assessment (regime/therapy) | SNOMED CT |
| Broader Match Term | Broader Match Term Namespace |
| Falls assessment (regime/therapy) | SNOMED CT |

Number and Type of Falls

| Partial Match Term | Partial Match Term Namespace |
|--|------------------------------|
| Frequency of falls (observable entity) | SNOMED CT |

0

| Best | Match Term | Best Match Term Namespace |
|--------|----------------|---------------------------|
| 0 (qua | alifier value) | SNOMED CT |

<u>1</u>

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| +1 (qualifier value) | SNOMED CT |

<u>2</u>

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| +2 (qualifier value) | SNOMED CT |

<u>3+</u>

| Best Match Term | Best Match Term Namespace |
|-------------------------|------------------------------|
| NO_SNOMED_BEST_MATCH | MDS |
| Partial Match Term | Partial Match Term Namespace |
| +3 (qualifier value) | SNOMED CT |
| Three (qualifier value) | SNOMED CT |

a. No Injury-No evidence of any injury is noted during physical assessment by the nurse or primary care provider. No complaints of pain or injury are given by the resident. No change in residents behavior is noted

| Partial Match Term | Partial Match Term Namespace |
|--|------------------------------|
| Injury (disorder) | SNOMED CT |
| No evidence of (contextual qualifier) (qualifier | SNOMED CT |
| value) | |

b. Minor or moderate injury e.g. skin tears, abrasions or lacerations, superficial bruises or hematomas, sprains

| Best Match Term | Best Match Term Namespace |
|--|------------------------------|
| Minor injury (morphologic abnormality) | SNOMED CT |
| Broader Match Term | Broader Match Term Namespace |
| Falling injury (finding) | SNOMED CT |
| Finding related to falls (finding) | SNOMED CT |

c. Major injury e.g. bone fractures, joint dislocations, closed head injuries with altered consciousness

| Best Match Term | Best Match Term Namespace |
|--|-------------------------------------|
| Major injury (morphologic abnormality) | SNOMED CT |
| Broader Match Term | Broader Match Term Namespace |
| Falling injury (finding) | SNOMED CT |

Number of Falls

| Best Match Term | Best Match Term Namespace |
|-------------------------------------|---------------------------|
| Number of falls (observable entity) | SNOMED CT |

<u>0</u>

| Best Match Term | Best Match Term Namespace |
|---------------------|---------------------------|
| 0 (qualifier value) | SNOMED CT |

<u>1</u>

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| +1 (qualifier value) | SNOMED CT |

<u>2</u>

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| +2 (qualifier value) | SNOMED CT |

3+

| Best Match Term | Best Match Term Namespace |
|-------------------------|------------------------------|
| NO_SNOMED_BEST_MATCH | MDS |
| Partial Match Term | Partial Match Term Namespace |
| +3 (qualifier value) | SNOMED CT |
| Three (qualifier value) | SNOMED CT |

Steady, maintains position

| Best Match Term | Best Match Term Namespace |
|---------------------------------------|----------------------------------|
| Able to maintain a position (finding) | SNOMED CT |

Section P1 (SPECIAL TREATMENTS, PROCEDURES, AND PROGRAMS) PROGRAMS

| Broader Match Term | Broader Match Term Namespace |
|---------------------------------------|-------------------------------------|
| Intervention regimes (regime/therapy) | SNOMED CT |

Training in skills required to return to the community

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| NO_SNOMED_BEST_MATCH | MDS |

.TREATMENTS

| Best Match Term | Best Match Term Namespace |
|-----------------------------------|----------------------------------|
| General treatment (procedure) | SNOMED CT |
| Therapeutic procedure (procedure) | SNOMED CT |

Section P3 (NURSING REHABILITATION/RESTORATIVE CARE) TRAINING AND SKILL PRACTICE IN:

| Best Match Term | Best Match Term Namespace |
|----------------------------------|------------------------------|
| Skills training (regime/therapy) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Training (regime/therapy) | SNOMED CT |

MDS ROOT

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Project Phase I

All MDS Included Items

Additional Items Responses

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Behavioral Symptom frequency in the last 7 days (non MDS2 version)

| Partial Match Term | Partial Match Term |
|---|--------------------|
| | Namespace |
| Symptom findings in relation to time lasts (context-dependent category) | SNOMED CT |
| Symptom frequency (context-dependent category) | SNOMED CT |

Behavior not exhibited in last 7 days

| Benefit of the Control of the Contro | |
|--|------------------------------|
| Best Match Term | Best Match Term Namespace |
| NO_SNOMED_BEST_MATCH | MDS |
| Broader Match Term | Broader Match Term |
| | Namespace |
| Absence findings (qualifier value) | SNOMED CT |
| Frequency per week (qualifier value) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Absent (qualifier value) | SNOMED CT |
| None (qualifier value) | SNOMED CT |
| Not detected (qualifier value) | SNOMED CT |
| Not seen (qualifier value) | SNOMED CT |

Behavior of this type occurred 1 to 3 days in last 7 days

| Broader Match Term | Broader Match Term |
|--|---------------------------|
| | Namespace |
| Frequency per week (qualifier value) | SNOMED CT |
| Symptom frequency (context-dependent category) | SNOMED CT |
| Symptom pattern (context-dependent category) | SNOMED CT |
| Partial Match Term | Partial Match Term |
| | Namespace |
| Once a week (qualifier value) | SNOMED CT |
| Three times weekly (qualifier value) | SNOMED CT |

Behavior of this type occurred daily or almost daily (4-7 days)

| Partial Match Term | Partial Match Term Namespace |
|-------------------------|------------------------------|
| Daily (qualifier value) | SNOMED CT |

Not expressed or demonstrated

| Best Match Term | Best Match Term Namespace |
|---|---------------------------|
| No evidence of (contextual qualifier) (qualifier value) | SNOMED CT |

Expressed or demonstrated up to four days a week

| Partial Match Term | Partial Match Term Namespace |
|--|------------------------------|
| Four times weekly (qualifier value) | SNOMED CT |
| Symptom frequency (context-dependent category) | SNOMED CT |

Expressed or demonstrated daily or almost daily

| Partial Match Term | Partial Match Term Namespace |
|--|------------------------------|
| Daily (qualifier value) | SNOMED CT |
| Symptom frequency (context-dependent category) | SNOMED CT |

Unsteady, but rebalances self

| Partial Match Term | Partial Match Term Namespace |
|---------------------------------|------------------------------|
| Unsteady gait (finding) | SNOMED CT |
| Unsteady when walking (finding) | SNOMED CT |

Partial support required

| Partial Match Term | Partial Match Term Namespace |
|--------------------------|------------------------------|
| Support (regime/therapy) | SNOMED CT |

Full support required or does not do without help

| Broader Match Term | Broader Match Term Namespace |
|--|-------------------------------------|
| Finding of functional performance and activity (finding) | SNOMED CT |

Activity did not occur (resident confined to bed)

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| NO_SNOMED_BEST_MATCH | MDS |

Responses

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

MDS Response

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| EXEMPT_FROM_MATCHING | MDS |

check (Response type)

| Best Match Term | Best Match Term Namespace |
|---|---------------------------|
| If pain present, check all sites that apply inlast 7 days | MDS |
| NO SNOMED BEST MATCH | MDS |

NONE OF ABOVE

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| NO_SNOMED_BEST_MATCH | MDS |

Terminology Matching Source (CHI groups)

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Metadata

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Diagnosis / Problem List Entries

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Drug Classifications

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Drug Dose Form

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Drug Product

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Immunizations

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

intermittant pain [Draft]

| Best Match Term | Best Match Term Namespace |
|-----------------------------|---------------------------|
| Intermittent pain (finding) | SNOMED CT |

Laboratory Result Contents

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Laboratory Result Names

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Laboratory Test Names

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| EXEMPT_FROM_MATCHING | MDS |

localized pain [Draft]

| Best Match Term | Best Match Term Namespace |
|--------------------------|---------------------------|
| Localized pain (finding) | SNOMED CT |

Medication Ingredients

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Medication Package

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Medications (Clinical Drug)

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

No Match flavors

| Best Match Term | Best Match Term Namespace |
|------------------------------------|-------------------------------------|
| EXEMPT_FROM_MATCHING | MDS |
| Broader Match Term | Broader Match Term Namespace |
| Absence findings (qualifier value) | SNOMED CT |

Non-laboratory Interventions and Procedures

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT FROM MATCHING | MDS |

Nursing Terms

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| EXEMPT FROM MATCHING | MDS |

Resident Anatomy

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Resident Demographics

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT FROM MATCHING | MDS |

Units of Measure

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Test Concepts Antimicrobials

| Best Match Term | Best Match Term Namespace |
|--|------------------------------|
| [AM000] ANTIMICROBIALS | NDF-RT |
| [AM550] METHENAMINE SALTS ANTIMICROBIALS | NDF-RT |
| Partial Match Term | Partial Match Term Namespace |
| | |
| [AM600] NITROFURANS ANTIMICROBIALS | NDF-RT |

THORAZINE [TEST CONCEPT]

| Best Match Term | Best Match Term Namespace |
|----------------------------|---------------------------|
| CHLORPROMAZINE PREPARATION | NDF-RT |

Questions / Main Tree

Questions/Main Tree

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

MDS emerging v3 items

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Active Diagnoses (from additional items)

| Best Match Term | Best Match Term Namespace | |
|--|-------------------------------------|--|
| NO_SNOMED_BEST_MATCH | MDS | |
| Broader Match Term | Broader Match Term Namespace | |
| Disease (disorder) | SNOMED CT | |
| Partial Match Term | Partial Match Term Namespace | |
| Active problem (qualifier value) | SNOMED CT | |
| Principal diagnosis (contextual qualifier) (qualifier value) | SNOMED CT | |
| Working diagnosis (contextual qualifier) (qualifier value) | SNOMED CT | |

Thyroid disorder

| Best Match Term | Best Match Term Namespace |
|---|------------------------------|
| Disorder of thyroid gland (disorder) | SNOMED CT |
| DISORDERS OF THYROID GLAND [240-246.99] | ICD-9-CM |

Atherosclerotic heart disease

| Best Match Term | Best Match Term Namespace |
|--------------------------------------|---------------------------|
| Coronary arteriosclerosis (disorder) | SNOMED CT |
| Coronary atherosclerosis [414.0] | ICD-9-CM |

Acute MI in the preceding 30 days

| Best Match Term | Best Match Term Namespace |
|--|---------------------------|
| Acute myocardial infarction (disorder) | SNOMED CT |
| Acute myocardial infarction [410] | ICD-9-CM |

HIV disease

| Best Match Term | Best Match Term |
|---|-----------------|
| | Namespace |
| HUMAN IMMUNODEFICIENCY VIRUS [HIV] INFECTION [042-042.99] | ICD-9-CM |
| Human immunodeficiency virus infection (disorder) | SNOMED CT |

I2a Antibiotic resistant infection

| Best Match Term | Best Match |
|--|------------|
| | Term |
| | Namespace |
| Infection due to antimicrobial resistant bacteria (disorder) | SNOMED CT |
| Infection with drug-resistant microorganisms [V09] | ICD-9-CM |
| Infection with microorganisms resistant to other specified antimycobacterial agents, without mention of resistance to multiple antimycobacterial agents [V09.70] | ICD-9-CM |
| Broader Match Term | Broader |
| | Match Term |
| | Namespace |
| Infection due to resistant organism (disorder) | SNOMED CT |
| Infection with drug-resistant microorganisms, unspecified [V09.9] | ICD-9-CM |

Hemiplegia

| Best Match Term | Best Match Term Namespace |
|---------------------------------|---------------------------|
| Hemiparesis (disorder) | SNOMED CT |
| Hemiplegia (disorder) | SNOMED CT |
| Hemiplegia, unspecified [342.9] | ICD-9-CM |

Huntingtons Chorea

| Best Match Term | Best Match Term Namespace |
|--------------------------------|---------------------------|
| Huntington's chorea (disorder) | SNOMED CT |
| Huntington's chorea [333.4] | ICD-9-CM |

Fracture

| Best Match Term | Best Match Term Namespace |
|-----------------------------|---------------------------|
| Fracture of bone (disorder) | SNOMED CT |
| FRACTURES [800-829.99] | ICD-9-CM |

Dementia/organic psychotic conditions

| Best Match Term | Best Match Term |
|--|--------------------|
| | Namespace |
| ORGANIC PSYCHOTIC CONDITIONS [290-294.99] | ICD-9-CM |
| Senile and presenile organic psychotic conditions (disorder) | SNOMED CT |
| Partial Match Term | Partial Match Term |
| | Namespace |
| Dementia (disorder) | SNOMED CT |
| Organic psychotic condition (disorder) | SNOMED CT |

Paranoid states/delusional disorders

| Best Match Term | Best Match Term |
|--|--------------------|
| | Namespace |
| Delusional disorder (disorder) | SNOMED CT |
| Paranoid states (Delusional disorders) [297] | ICD-9-CM |
| Partial Match Term | Partial Match Term |
| | Namespace |
| Paranoid disorder (disorder) | SNOMED CT |
| Paranoid states (Delusional disorders) [297] | ICD-9-CM |

COPD & Pulmonary conditions

| Best Match Term | Best Match Term Namespace |
|---|------------------------------|
| DISEASES OF THE RESPIRATORY SYSTEM [460-519.99] | ICD-9-CM |
| Broader Match Term | Broader Match Term Namespace |
| Disorder of respiratory system (disorder) | SNOMED CT |
| | |
| Partial Match Term | Partial Match Term Namespace |
| Chronic obstructive lung disease (disorder) | SNOMED CT |

GI bleeding

| Best Match Term | Best Match Term Namespace |
|--|---------------------------|
| Gastrointestinal hemorrhage (disorder) | SNOMED CT |
| Gastrointestinal hemorrhage [578] | ICD-9-CM |

Nutritional deficiency

| Best Match Term | Best Match Term Namespace |
|---------------------------------------|------------------------------|
| NUTRITIONAL DEFICIENCIES [260-269.99] | ICD-9-CM |
| Nutritional deficiency (finding) | SNOMED CT |

Behavioral & Psychotic Symptoms

| Best Match Term | Best Match Term Namespace |
|---|---------------------------|
| Mental state, behavior / psychosocial function observable | SNOMED CT |
| (observable entity) | |

Behavioral Patterns

| Best Match Term | Best Match Term Namespace |
|-----------------|----------------------------------|
| Habit (finding) | SNOMED CT |

Behavioral Symptom

| Best Match Term | Best Match Term Namespace |
|----------------------------|---------------------------|
| Behavior finding (finding) | SNOMED CT |

Goals for Remainder of Stay

| Partial Match Term | Partial Match Term Namespace |
|--|------------------------------|
| Discharge planning including patient and support | SNOMED CT |
| person (procedure) | SNOMED CT |
| Goal context (qualifier value) | SNOMED CT |
| Mutual goal setting (regime/therapy) | |

1. Resident's goal for remainder of stay Coding: Select one

| Broader Match Term | Broader Match Term Namespace |
|--|------------------------------|
| Discharge planning including patient and support | SNOMED CT |
| person (procedure) | |
| Partial Match Term | Partial Match Term Namespace |
| Discharge planning including patient and support | SNOMED CT |
| person (procedure) | |

a. Short term medical rehabilitation with goal to return home

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| NO_SNOMED_BEST_MATCH | MDS |

b. Long-term care for medical, functional, and/or cognitive impairments

| Best Match Term | Best Match Term Namespace |
|--|------------------------------|
| NO_SNOMED_BEST_MATCH | MDS |
| Partial Match Term | Partial Match Term Namespace |
| Admission for long-term care (procedure) | SNOMED CT |

c. End of life care

| Best Match Term | Best Match Term Namespace |
|-----------------------------|---------------------------|
| Dying care (regime/therapy) | SNOMED CT |

Unknown

| Best Match Term | Best Match Term Namespace |
|---------------------------|---------------------------|
| Unknown (qualifier value) | SNOMED CT |

2. Family's goal for remainder of stay

| Broader Match Term | Broader Match Term |
|---|---------------------------|
| | Namespace |
| Discharge planning including patient and support person (procedure) | SNOMED CT |
| Identifying goals (procedure) | SNOMED CT |
| Partial Match Term | Partial Match Term |
| | Namespace |
| Discharge planning including patient and support person (procedure) | SNOMED CT |

a. Short term medical rehabilitation with goal to return home

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| NO SNOMED BEST MATCH | MDS |

b. Long-term care for medical, functional, and/or cognitive impairments

| or Long term care for medically functionally areas or cognitive impairments | |
|---|------------------------------|
| Best Match Term | Best Match Term Namespace |
| NO_SNOMED_BEST_MATCH | MDS |
| Partial Match Term | Partial Match Term Namespace |
| Admission for long-term care (procedure) | SNOMED CT |

c. End of life care

| Best Match Term | Best Match Term Namespace |
|-----------------------------|---------------------------|
| Dying care (regime/therapy) | SNOMED CT |

Prognosis

| Best Match Term | Best Match Term Namespace |
|---------------------------------------|---------------------------|
| Prognosis/outlook (observable entity) | SNOMED CT |
| Prognosis/outlook finding (finding) | SNOMED CT |

Very poor: further decline is imminent

| Best Match Term | Best Match Term Namespace |
|-------------------------|---------------------------|
| Prognosis bad (finding) | SNOMED CT |

<u>Unstable: residents cognitive/ADL, mood or behavior patterns unstable</u> but stabilization is possible

| Partial Match Term | Partial Match Term Namespace |
|--|------------------------------|
| Patient's condition unstable (finding) | SNOMED CT |

Fair: Little recovery is expected but resident stable

| Best Match Term | Best Match Term Namespace |
|---|------------------------------|
| Fair prognosis (finding) | SNOMED CT |
| Partial Match Term | Partial Match Term Namespace |
| Expected to be stable (qualifier value) | SNOMED CT |

Good: Partial recovery is expected

| Best Match Term | Best Match Term Namespace |
|--------------------------|---------------------------|
| Prognosis good (finding) | SNOMED CT |

Excellent: Full or almost full recovery is expected

| Partial Match Term | Partial Match Term Namespace |
|---|------------------------------|
| Expected to be stable (qualifier value) | SNOMED CT |
| Prognosis good (finding) | SNOMED CT |

Unknown

| Best Match Term | Best Match Term Namespace |
|---------------------------|---------------------------|
| Unknown (qualifier value) | SNOMED CT |

MDS V2.0 Question Sections

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| EXEMPT_FROM_MATCHING | MDS |

Section T Supplement

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| NO_SNOMED_BEST_MATCH | MDS |

MDS V3.0 Questions

| Best Match Term | Best Match Term Namespace |
|----------------------|----------------------------------|
| EXEMPT_FROM_MATCHING | MDS |

<u>???</u>

EXEMPT_FROM_MATCHING

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

MDS Response

| Best Match Term | Best Match Term Namespace |
|---|----------------------------------|
| Times when pain is horrible or excruciating | MDS |

MDS RULES OF THUMB (ROT)

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |

<u>NO_SNOMED_BEST_MATCH</u>

| Best Match Term | Best Match Term Namespace |
|---------------------------------------|---------------------------|
| EXEMPT_FROM_MATCHING | MDS |
| Intervention regimes (regime/therapy) | SNOMED CT |

SEVERELY IMPAIRED (r)

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| NO_SNOMED_BEST_MATCH | MDS |

Source of Inclusion

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| NO_SNOMED_BEST_MATCH | MDS |

Unassigned Questions

| Best Match Term | Best Match Term Namespace |
|----------------------|---------------------------|
| NO_SNOMED_BEST_MATCH | MDS |

MAKING THE "MINIMUM DATA SET" COMPLIANT WITH HEALTH INFORMATION TECHNOLOGY STANDARDS

PDF Files Available for This Report

Main Report http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT.pdf

ATTACHMENT A: BIPA, Sec. 545. Development of Patient Assessment Instruments

http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-A.pdf

ATTACHMENT B: Encoding Nursing Home Resident MDS Observation and Assessment Data: Do HL7 Messaging Standards Support its Transmission? http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-B.pdf

ATTACHMENT C: Side-by-side depiction of MDSv2 and Content Matching Results

http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-C.pdf

ATTACHMENT D: Additional Item Matching (emerging MDSv3 items)

http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-D.pdf

ATTACHMENT E: NLM/UMLS to Maintain Links between LOINC coded Assessment Question and Answers and Codeable Vocabularies -- An Alternative

http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-E.pdf

ATTACHMENT F: The specific vocabulary codes that correspond with each of the standardized vocabulary matches identified in Attachments C and D http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-F.pdf

This Attachment is also available as an **Excel** file at:

http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-F.xls

This full report and links are also available in **HTML** format at: http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT.htm