

# Index

## A

- AAS, *see* Atomic absorption spectrometry
- Acanthes lanceolata*, 138
- Acenaphthylene, 60, 448
- Acetaldehyde, 740
- Acetanilides, 436
- Acetic acid, 740
- Acetone, 261, 740
- Acid
  - extractable organics, 249
  - handling, 271
  - mine drainage, 74
  - precipitation, 74
  - storage cabinets, 738
  - volatile sulfides (AVS), 108, 117, 198, 254, 275, 325
- Acoustic flowmeters, 358
- Acoustic velocity meters, 377
- Acrylic acid, 744
- Acrylonitrile, 740
- Acylation agents, 746
- Adenosine triphosphate (ATP), 418
- Aerococcus viridans*, 487
- Aeromonas*
  - hydriphila*, 818
  - spp., 819
- Agriculture, 4, 5, 47
- AHs, *see* Aliphatic hydrocarbons
- AIDS patients, 625
- Air pollution
  - monitoring equipment, 312
  - sources, 475
- Air transportation, 187
- Alabama hog sucker, 706
- Alachlor, 60
- Alder, 667
- Alderflies, 52
- Aldicarb, 436
- Aldrin, 448
- Alewife, 414, 702
- Algae
  - attached, 128, 133
  - blooms, 114, 211
  - communities, nutrient availability and, 406
  - filamentous, 129, 133, 677
  - freshwater, 519
  - green, 518, 520
  - growth(s)
    - effect of outfall on, 205
    - excessive, 27
  - mats, 27
  - planktonic, 493
  - survival, 151
- Algicides, 5, 6
- Aliphatic hydrocarbons (AHs), 78, 480
- Alkalinity, 424, 445, 773
- Alkylating agents, 745
- Allergens, working with, 743
- Alligator gar, 702
- Allowable error, 232
- Alosa pseudoharengus*, 414
- Ambient toxicity testing, 665
- Ambloplites
  - cavifrons*, 707
  - constellatus*, 707
  - rupestris*, 414, 707
- Amebiasis, 621
- American eel, 704
- Ammocrypta* sp., 707
- Ammonia, 806
  - criteria, 813
  - nitrogen, 146, 158, 397
  - /potassium ratios, 474
- Ammonification, 326
- Ammonium hydroxide, 740
- Ampelisca abdita*, 527
- Amphipods, 135, 151, 165, 520, 529
- Aniline, 740
- Animal husbandry, 185
- Anion-cation balance, 252
- Anionic surfactants, 471, *see also* Detergents
- Anisoptera, 688

- Annelida, 688
- Anodic stripping voltammetric (ASV), 459, 778
- ANOVA test, 580, 599
- Anthracene, 61, 448, 480, 801
- Antibody, *Giardia*-specific, 489
- Anticake compound, 7
- Ants, bioturbation by, 394
- Apartment complex, stormwater pond adding value to, 25
- Aphanizomenon flos aquae f. gracile*, 175
- Aplodinotus grunniens*, 415
- Applied statistics, 576
- Aquarium air stone, suction using, 329
- Aquatic assessments, most commonly used biological groups in, 116
- Aquatic biota, flow requirements for, 350
- Aquatic ecosystem assessment parameters, 108
- Aquatic insects, food types of, 495
- Aquatic life
  - effects of copper on, 824
  - habitat, maintaining quality, 618
  - use impairments, receiving water investigation assessing, 445–446
- Aquatic macroinvertebrates, effects of suspended solids on, 73
- Aquatic microfauna, 73
- Aquatic organism food availability, 143, 149
- Aquatic toxicity testing, 712
- Aqueous phase testing, useful species and life stages for, 520
- Arachnoidea, 688
- Arbacua punctulata*, 523
- Arctic char, 706
- Arctic cisco, 705
- Arctic grayling, 706
- Arizona trout, 705
- Aromatic samplers, 224
- Arsenic, 132
- Arthropoda, 688
- Artificial drainage systems, 351
- Artificial sediments, 534
- Artificial substrate
  - analysis of, 683
  - macroinvertebrate colonization tests, 121
- Artificial tracer, 362, 364
- Asphalt degradation, 457
- Assessment problem formulation, 101–221
  - assessment tools, 107
  - beginning of assessment, 108–119
    - data quality objectives and quality assurance issues, 118–119
    - formulation of conceptual framework, 113
    - historical site data, 112–113
    - initial site assessment and problem identification, 110–112
    - selection of optimal assessment parameters, 113–118
    - specific study objectives and goals, 110
  - case studies of previous receiving water evaluations, 123–213
    - current, ongoing, stormwater projects, 181–205
    - longitudinal experimental design, 124–139
    - long-term trend experimental design, 169–181
    - outlines of hypothetical case studies, 205–213
    - parallel creeks experimental design, 139–168
  - example outline of comprehensive runoff effect study, 119–123
    - confirmatory assessment, 122
    - data evaluation, 122
    - decision on problem formulation, 119–120
    - project conclusions, 123
    - project design, 120–121
    - project implementation, 121–122
    - question, 119
  - rationale for integrated approach to assessing receiving water problems, 102–103
  - study design, 107–108
  - typical recommended study plans, 213–218
    - components of typical receiving water investigations, 213
    - example receiving water investigations, 213–218
    - watershed indicators of biological receiving water problems, 103–107
- Assessment score sheet, preliminary, 672
- Asterionella*, 175
- ASTM standards on toxicity testing, 712
- ASV, *see* Anodic stripping voltammetric
- Atlantic salmon, 414, 706
- Atmospheric contributions, sampling of, 310
  - cold-vapor, 777
  - electrothermal, 777
  - graphite furnace, 778
- Atomic absorption spectrometry (AAS), 774
- ATP, *see* Adenosine triphosphate
- Atrazine, 6, 60, 436
- Automatic sampler(s), 259
  - flow-weighted, 288
  - line flushing, 282
  - refrigerated, 280
- Automatic sampling, advantages of manual sampling compared to, 260
- Automatic source area samplers, 299
- Automobile
  - dealers, 187
  - emissions, particulate lead from, 312
  - exhaust, 457
  - repair, 187
  - service areas, 5

- Autosampler, XYZ, 449  
 AVS, *see* Acid volatile sulfides  
*Awaous stamineus*, 707  
 Aziridines, 745
- B**
- Bacteria, 63, 188, 491  
 analysis, 433  
 biotypes, isolations of, 86  
 coliform, 83, 277  
 criteria, water-contact recreation, 820  
 die-off, 84, 205  
 fecal coliform, as indicators of inappropriate discharges of sanitary, 464  
 Gram-negative, 90  
 older, 84  
 populations, interstitial water, 203  
 presence of in stormwater runoff, 465  
 protozoan cropping of, 494  
 reagent, 731  
 reproduction, 73  
 respiration, 523  
 sampling, 281  
 sources  
   dry-weather, 466  
   urban, 82  
 tests, 433  
 wet-weather flow, 203
- Bacteriological criteria, development of bathing beach, 816
- Bandfin shiner, 706
- Bank(s)  
 erosion, 648, 649  
 false, 649  
 instability, 28  
 soils, clayey, 618  
 stability, 7, 661  
 unstable, 55  
 vegetative stability, 662
- Banzoghiperylene, 801
- Barium, 806
- Baseflow water quality, 160
- BASINS  
 assessment tools, 859  
 base cartographic data, 860  
 environmental background data, 861  
 environmental monitoring data, 861  
 point source/loading data, 862
- Basswood, 667
- Bathing beach bacteriological criteria, 816
- Beach debris, land-based sources of, 68
- Bedded solids, 71
- Bedload  
 samplers, 295, 296, 410  
 sediment, 409
- Benchmarks, 612, 613
- Benthic community assessment, 665–692  
 agencies that have developed tolerance classifications and/or biotic indices, 687  
 Ohio EPA invertebrate community index approach, 681–687  
 field methods, 681–682  
 laboratory methods, 682–683  
 macroinvertebrate data analysis, 683–687
- Rapid Bioassessment Protocol, 665–681  
 data analysis techniques, 669–681  
 sample collection, 666–667  
 sample sorting and identification, 667–669
- Benthic invertebrates, 63, 348
- Benthic macroinvertebrate(s), 116  
 equipment and supplies, 685–686  
 field data sheet, 668  
 laboratory bench sheet, 670, 671  
 sample log-in sheet, 669
- Benthic organisms, 151
- Benzaldehyde, 740
- Benzene, 6, 38, 61, 740
- Benzidine, 801
- Benzo(a)anthracene, 424, 480
- Benzo(b)fluoroanthene, 61
- Benzylbutyl phthalate, 262
- Bering cisco, 705
- Best management practice (BMP), 111, 462
- Bias, 233
- Bigeye chub, 702, 706
- Bigeye shiner, 703, 706
- Bigmouth buffalo, 703
- Bigmouth shiner, 703
- Bioaccumulation testing, *see* Toxicity and bioaccumulation testing
- Bioassessment approach, flowchart of, 674
- Biochemical oxygen demand (BOD), 73, 108, 325  
 analyses, stormwater, 75  
 decomposition rate, 18  
 point source discharges of, 11
- Bioconcentration factors, 49
- Biofiltration, in parking area, 59
- Biological degradation, 617
- Biological endpoints, selection of for monitoring, 115
- Biological impairment benchmarks, categories of, 613
- Biological integrity, definition of, 347
- Biological life objectives, 610
- Biological toxicity fractionations, 537
- Biosurveys, 337
- Biotic Condition Index, 679

Biotic indices, agencies having developed, 687  
 Biotransformation, 78, 79, 80, 81  
 Bioturbation  
   by ants, 394  
   benthic invertebrate, 348  
 Birch, 667  
 Bird droppings, 83  
 Bis(2-ethylhexyl) phthalate, 6, 424  
 Bivalve tissue residues, 114  
 Blackberry vines, as shade for stream aquatic life,  
   145  
 Black buffalo, 703  
 Black bullhead, 703  
 Black crappie, 415, 704  
 Black jumprock, 706  
 Black madtom, 707  
 Black redhorse, 70, 703  
 Blackchin shiner, 703, 706  
 Blacknose dace, 702, 706  
 Blacknose shiner, 703, 706  
 Blackside dace, 706  
 Blackstripe topminnow, 704  
 Blacktail redhorse, 706  
 Blank(s), 447  
   calibration, 248  
   equipment, 248  
   instrument, 248  
   method, 248  
   reagent, 250  
   trip, 248  
   use of to minimize and identify errors, 248  
 Bleeding shiner, 706  
 Bloater, 705  
 Bluebreast darter, 705  
 Blue catfish, 703  
 Bluegill, 135, 415, 520, 536, 704  
 Blue-green algal blooms, 114  
 Blue sucker, 703  
 Bluntnose darter, 707  
 Bluntnose minnow, 703  
 BMP, *see* Best management practice  
 Boat electrofishing unit, 504  
 BOD, *see* Biochemical oxygen demand  
 Bonferroni *t*-test, 591  
 Bottom  
   -dwelling organisms, 491  
   sediments, scour of, 408  
   sourcing and deposition, 661  
   substrate, 660  
 Bowfin, 702  
 Box plots, 375, 848  
 Brassy minnow, 703  
 Bridge construction, 4  
 Brighteners, optical, 440  
 Brindled madtom, 704, 707

Bromine, 740  
 Brook silverside, 704  
 Brook stickleback, 705  
 Brook trout, 74, 414, 520, 536, 702, 706  
 Brown bullhead, 134, 414, 703  
 Brown madtom, 707  
 Brown trout, 414, 536, 702, 706  
 Bryozoa, 683, 688  
 Bubble sensor depth indicators, 377  
 Budget restrictions, 181  
 Buffalo fish, 414  
 Bug picking, from substrate samples, 498  
 Building evacuation procedures, 759  
 Bulk density, estimation of, 394  
 Bullhead minnow, 703  
 Bull trout, 706  
 Burbot, 704  
 Butane, 740  
 Butyl benzyl phthalate, 6, 38, 80, 424  
 Butyraldehyde, 740

## C

Caddisflies, 52, 152  
 Calcium hypochlorite, 740  
 Calibration blank, 248  
*Campylobacter*, 88  
 Campylobacteriosis, 621  
 Cancer, 625, 745  
 Candidate critical sources, ranking of, 187  
 Canopy cover, 660  
 Capital costs, 431  
 Carbamates, 249, 436  
 Carbazole, 448  
 Carbon  
   disulfide, 740  
   fixation, 149  
   sulfide, 744  
   tetrachloride, 740, 800  
 Carcinogen(s), 747, 765, 827  
 Carcinogenicity, 507  
 Carcinogenic RaPID Assay, 435  
 Carp, 74, 414, 536, 701, 702  
 Catchbasin(s)  
   cleaning, 71, 630, 631  
   floatable material in, 70  
   sediment accumulations, 162  
   use, 632  
 Cation exchange capacity (CEC), 325  
*Catostomus commersoni*, 414  
 Cattail plant segments, 129  
 Cattle feces contamination, 89  
 CCC, *see* Criterion continuous concentration

- CDC, *see* Centers for Disease Control  
 CEC, *see* Cation exchange capacity  
 Cedar swamps, 52  
 Cell from hell, 89  
 Centers for Disease Control (CDC), 620  
 Central mudminnow, 702  
 Central silvery minnow, 703  
 Central stoneroller, 703  
 Centrifugation, 317  
*Ceriodaphnia dubia*, 108, 208, 335, 502, 513, 515, 546, 714, 718  
 Chain-of-custody  
   forms, 273, 274  
   seal, 271  
 Chain pickerel, 702  
 Channel  
   alteration, 661  
   banks, erosion of, 56  
   bottoms, shifting of, 56  
   conditions, stream flow-altering, 405  
   geomorphology, 144  
   lined, 55  
   morphology, 64, 648, 661  
 Channel catfish, 134, 414, 520, 536, 703  
 Channel darter, 704  
 Channelization, 4, 7, 142, 349, 404, 406  
 CHEMetrics copper test kit, 773  
 Chemical(s)  
   deactivation, 761  
   endpoints, selection of for monitoring, 116  
   exposure hazards, 423  
   fingerprinting, 483  
   manufacturing, 187  
   mass balance equations, 476, 478  
   neutralization, 761  
   oxygen demand (COD), 73, 191, 325, 587, 851  
   speciation, 78  
   storage  
     laboratory, 737  
     requirements, 423  
   waste  
     disposal of down sink, 761  
     disposal program, 760  
     inorganic, 762  
     organic, 762  
     removal, 763  
     water-reactive, 755  
 Chemical Response Unit, 758  
 Chewers, 495  
 Chinook salmon, 152, 414, 701, 702, 705  
 Chironomids, 165, 491  
 Chironomus  
   *riparius*, 268, 520, 527  
   *tentans*, 212, 268, 335, 520, 605, 718, 723, 727, 728  
 Chiselmouth, 701  
 Chi-square goodness of fit test, 586  
 Chlordane, 6, 38, 60, 122, 424, 436, 803  
 Chlorine, 740  
 Chloroacetone, 740  
 Chloroethane, 800  
 Chloroform, 6, 38, 61, 261, 440, 740, 801  
 3-Chlorophenol, 809  
 Chlorophyll *a* observations, 174  
 Chlorpyrifos, 6, 20, 436  
 Cholera, 621  
 Cholinesterases, 436  
 Chromic acid, 740  
 Chromium, 6, 823, 824  
 Chrysene, 6, 61, 448, 480, 802  
*Chrysochromulina*, 175  
 Chum salmon, 414, 705  
 Churn splitter, 272  
 Cisco, 414  
*Citrobacter*, 485  
 Cladophora  
   *dubia*, 48  
   *glomerata*, 48  
   sp., 133  
 Clean Water Act (CWA), 3, 8  
 Clear View rain gauge, 378  
*Clinostomus elongatus*, 706  
 Club moss, 362  
 Cluster sampling, 225  
 CMC, *see* Criterion maximum concentration  
 Coal mining, 4  
 Coarse particulate organic matter (CPOM), 666  
   component, sampling of, 666  
   sample, 669, 679  
 Cocconeis  
   *pediculus*, 138  
   *placentula*, 138  
 COD, *see* Chemical oxygen demand  
 Coefficient of variation (COV), 232, 244–245, 466  
   control sample, 732  
   values, 467  
 Coelenterata, 688  
 Coho embryo salmon, 154  
 Coho salmon, 414, 520, 702  
 Coincidence, 455  
 Cold-vapor atomic absorption spectrometry, 777  
 Coleoptera, 495, 689  
 Coliform bacteria, 83, 277  
 Collection methods, *see* Sampling effort and collection methods  
 Collectors, 410  
 Color comparator, 442  
 Combined sewer overflows (CSOs), 5, 15, 34, 68  
   capture and control device, 363  
   controls, effectiveness of, 106  
   EPA-required, 69

- Combustion products, 157
  - diesel fuel, 167
  - obsolete versions of enhanced, 577
- Common carp, 414, 701, 702
- Common shiner, 703
- Community Loss Index, 673, 678
- Community Similarity Index, 678, 684
- Community structure, 411
- Comparison tests, 580
- Component–ecosystem interactions, 348
- Compost
  - amended soils, 397
  - ion-exchange capacity of, 398
- Compressed gas cylinders, 757
- Computer
  - models, 106
  - simulation, 351
- Concentration-addition model, 516
- Condition quality indicators, 106
- Conductivity
  - meters, 430
  - probe calibration, 783
- Confidence intervals, need for, 245
- Confirmatory assessment, 193
- Confirmatory studies, 616
- Conifers, 667
- Construction site(s)
  - erosion
    - characterization, 32
    - controls, 28, 628
    - rate of, 32
  - inspections, 277
  - runoff water quality, monitoring study of, 33
  - soil erosion from, 31
- Consumptive fisheries, 22, 124
- Contact recreation areas, human health
  - considerations associated with potentially contaminated, 124
- Contaminant
  - bioavailability, 254, 314, 327
  - peaks, 315
  - sources, characterizing, 539
- Contamination
  - data evaluation methods to indicate sources of, 468
  - detergents as indicators of, 470
  - negative indicators implying, 468
  - sources, distance-dependent association between health effects and, 624
  - use of fecal sterol compounds as tracers of, 477
- Control
  - charts, 250
  - programs, effectiveness of, 12–13
- Coosa shiner, 706
- Copper, 6
  - effects of on aquatic life, 824
  - human health criteria for, 825
  - national aquatic life criteria for, 825
- Coprostanol, use of as tracers of contamination by sanitary sewage, 477
- Coregonus
  - artedii*, 414
  - clupeaformis*, 414
- Core-port suction, 327
- Corer samplers, 289, 323
- Correlation
  - matrices, 592
  - tests, 470
- Corrosives, 752
  - examples of, 752
  - first aid for, 754
  - health effects associated with, 753
  - use and storage of, 753
- Cottus* sp., 707
- Coulter Multisizer method, 455
- COV, *see* Coefficient of variation
- CPOM, *see* Coarse particulate organic matter
- Crane flies, 52
- Crayfish, 129, 133, 134, 481
- Creek
  - blowout, 55
  - effects of erosion on, 156
  - flows, salmon fisheries affected by, 155
  - interstitial water quality, 147
  - sedimentation, 143, 156
  - sediment quality, 155
  - system, dry-weather pollutants from, 56
  - tributary flow rates, 174
- Creek chub, 702
- Creek chubsucker, 703
- Creosote, 7
- Cricotopus*, 677
- Criterion continuous concentration (CCC), 815
- Criterion maximum concentration (CMC), 799
- Croplands, erosion rate of, 32
- Crop production, 4
- Cryptosporidium*, 88, 89, 197, 486
- Crystal darter, 705
- CSOs, *see* Combined sewer overflows
- Curb-and-gutter drainage systems, 35
- Current
  - measurements, example calculation for, 360
  - meter, 361
    - flow monitoring, 360
    - method, 357
- Cutlips minnow, 706
- Cutthroat trout, 74, 153, 154, 414, 701, 705
- CWA, *see* Clean Water Act
- Cyanazine, 60, 436

Cyclodienes, 436  
 Cyclohexane, 740  
 Cyclohexanone, 261  
*Cymatopleura solea*, 138  
*Cymbella* sp., 138  
 Cypress darter, 707  
*Cyprinus carpio*, 414, 830

## D

2,4-D, 118, 159  
 Dam construction, 4  
 Daphnia  
   *magna*, 208, 268, 502, 528, 824  
   *pulex*, 268, 502, 715  
 Darters, 508, 697, 707  
 Data  
   analysis  
     exploratory, 606  
     techniques, 669, 694  
   associations, 591  
   dendrogram of, 596  
   mining, 576  
   plots, basic, 583  
   quality objectives (DQO), 109, 118, 119, 247  
     descriptions of, 337  
     quantification of habitat effects useful to meet,  
       401  
     sample integrity and, 314  
     survival, 604  
 Data interpretation, 609–640  
   evaluating biological stream impairments using  
     weight-of-evidence approach, 611–619  
     benchmarks, 612–615  
     comments pertaining to habitat problems and  
       increases in stream flow, 617–619  
     process, 611–612  
     ranking and confirmatory studies, 615–617  
   evaluating human health impairments using risk  
     assessment approach, 619–626  
     deterministic approach, 619  
     example risk assessment for human exposure  
       to stormwater pathogens, 620–626  
     probabilistic approach, 619–620  
   identifying and prioritizing critical stormwater  
     sources, 626–636  
     case study, 628–629  
     sources of urban stormwater contaminants,  
       626–628  
     use of SLAMM to identify pollutant sources  
       and to evaluate control programs,  
       629–636  
   problem, 609–610  
 DCA, *see* Detrended correspondence analysis  
 DDT, 20, 436  
 Debris piles, 403  
 Decision making, errors in, 233  
 Deep sea sewage sludge disposal areas, 482  
 Deepwater sculpin, 705  
 Degraded cysts, 490  
 Deionized water, 783  
 Demeton, 806  
 Denitrification, 326  
*Denticula elegans*, 138  
 Deoxygenation, 328  
 Deployment setup procedure, 785  
 Depth  
   -integrated sediment sampler, 292, 294  
   sensor, 428  
 Dermatitis, 621  
 Design rainfall, 245  
 Detection limits, reporting results affected by, 253  
 Detention pond(s), 26, 630  
   dry, 209  
   outfall, dry, 211  
   side stream, 210  
   wet, effect of, 211  
 Detergent(s), 471  
   analyses, 472  
   compounds, 484  
   concentration, 442  
   as indicators of contamination, 470  
   test kit, 441  
   whitener filter sets, 483  
 Detrended correspondence analysis (DCA), 694  
*Diatoma vulgare*, 138  
 Diazinon, 6, 20, 60, 159  
 Dibenzo(a,h)anthracene, 448  
 Dibenzyl ether, 740  
 Dibutyl phthalate, 740  
 Di-N-butyl phthalate, 6, 38  
 Dicamba, 60  
 1,3-Dichlorobenzene, 424  
 1,2-Dichloroethane, 38  
 Dieldrin, 6, 38  
 Diesel fuel combustion products, 167  
 Diethanolamine, 740  
 Diethyl ether, 740  
 Diethyl phthalate, 38, 80, 262, 448  
 Digidot plot, 586  
 Dilution water, 717, 718, 719  
 2,4-Dimethylphenol, 262  
 Dimethyl sulfoxide, 740, 744  
 Dinitrophenols, 806  
*Diploneis* sp., 138  
 Dip net sampling, 498  
 Dipper samplers, 290, 453  
 Diptera, 495, 689

- Discharge(s)
    - hillside, 199
    - inappropriate, 461
    - industrial wastewater, 598
    - litter, 297, 399
    - point source, 278
    - pollutant, 353, 356
    - sources, identifying inappropriate, 464
    - stream, 349, 660
  - Disinfection by-products, 62
  - Dissolved metals, conversion factors for, 813
  - Dissolved organic carbon (DOC), 326
  - Dissolved organic matter (DOM), 677
  - Dissolved oxygen (DO), 17, 20, 417, 657, 720
    - conditions, calculation of, 418
    - curve, 201
    - data, 420
    - deficits, 49, 75
    - levels, wet-weather, 75
    - meters, 118, 430, 440
    - probe calibration, 784
    - problems, 428
    - reading, elevated, 291
    - receiving water levels, 85
  - Dissolved solids, 71, 158
    - aquatic life criteria for, 823
    - classification of, 72
    - human health criteria for, 822
  - Distributed Routing Rainfall Runoff Model, 854
  - Disturbance, definition of, 347
  - Diuron, 118
  - DNA
    - fingerprinting, 537
    - profiling, 484
  - DO, *see* Dissolved oxygen
  - DOC, *see* Dissolved organic carbon
  - Dolly varden, 706
  - DOM, *see* Dissolved organic matter
  - Doppler flowmeter, 374
  - Doppler velocity sensors, 375
  - Dorosoma petenense*, 414
  - DOS, 578
  - Dose–response restrictions, 604
  - Double-ring infiltration tests, 229
  - Downstream sampling stations, 361
  - DQO, *see* Data quality objectives
  - Drainage
    - design studies, 850
    - grass swale, 240, 632
    - paths, 240
    - systems
      - artificial, 351
      - man-made, 463
  - Dredge
    - Ekman, 321
    - Ponar, 320, 321
    - sampler, 315
  - Dredging, 4, 7, 323, 403, 521
  - Drift
    - method, 357
    - organisms, 498
  - Drill auger, mixing sediment with, 325
  - Drinking water supply, 104
  - Drought, 125
  - Drowning, 67, 193
  - Dry detention basins, use of in controlling urban runoff discharges, 164
  - Dry detention pond, 209, 211
  - Dry sampling, 301
  - Dry-weather bacteria sources, 466
  - Dry-weather base flows, 34
  - Dry-weather flows, 10
    - continuous, 460
    - pollutants in, 463
  - Dry-weather outfall flow rates, highly irregular, 470
  - Dtech Immunoassay test kit, 435
  - Duckweed, 518
  - Duncan’s multiple range test, 591
  - Dunner’s test, 591
  - Durbin–Watson test, 598
  - Dusky darter, 704
  - Duskystripe shiner, 706
  - Dustfall, 310, 311
  - Dye
    - continuous release rates of, 367
    - dilution ratio of, 368
    - injection current measurements, notation for mass balance calculations for, 367
    - testing, 376
    - tracers, 362, 364
- ## E
- Early life stages of fish (ELS), 815
  - Earthworm test, 519
  - Eastern banded killifish, 704
  - Eastern sand darter, 705
  - Ecoregions, 402
  - Ecosystem(s)
    - characterization, 113
    - complexities, 103
    - degradation, assessment of, 4
    - energetics, 346
    - enhancement, 123
    - quality
      - degradation, 404
      - stressors of, 400
    - running water, 492



- Ecosystem component characterization, 345–573
- aesthetics, litter, and safety, 398–400
    - aesthetics, litter/floatables, and other debris, 398–400
    - safety characteristics, 398
  - benthos sampling and evaluation in urban streams, 491–501
    - macroinvertebrate sampling, 494–501
    - periphyton sampling, 493–494
    - protozoan sampling, 494
  - ecosystem structure and integrity, chaos and disturbance, 346–349
  - fish sampling, 502–506
  - flow and rainfall monitoring, 349–388
    - flow monitoring methods, 357–377
    - flow requirements for aquatic biota, 350–351
    - pollutant transport, 356–357
    - rainfall monitoring, 377–388
    - urban hydrology, 351–356
  - habitat, 400–423
    - channelization, 404–406
    - dissolved oxygen, 417–423
    - factors affecting habitat quality, 403–404
    - field habitat assessments, 410
    - riparian habitats, 409–410
    - substrate, 406–409
    - temperature, 410–413
    - turbidity, 413–417
  - microorganisms in stormwater and urban receiving waters, 485–491
  - soil evaluations, 388–398
    - case study to measure infiltration rates in disturbed urban soils, 389–394
    - observations of infiltration rates in disturbed urban soils, 394–397
    - water quality and quantity effects of amending soils with compost, 397–398
  - toxicity and bioaccumulation, 507–546
    - bioaccumulation, 534–536
    - emerging tools for toxicity testing, 536–546
    - in situ* toxicity testing, 530–534
    - measuring effects of toxicant mixtures in organisms, 515–517
    - pulse exposures, 514–515
    - reason to evaluation toxicity, 507–512
    - standard sediment testing protocols, 527–530
    - standard water testing protocols, 517–527
    - stormwater toxicity, 513–514
  - water and sediment analytes and methods, 423–485
    - conventional laboratory analyses, 447–459
    - hydrocarbon fingerprinting for investigating sources of hydrocarbons, 483–485
    - selection of analytical methods, 423–425
    - use of field methods for water quality evaluations, 425–447
    - use of tracers to identify sources of inappropriate discharges to storm drainage and receiving waters, 459–483
    - zooplankton sampling, 502
- Ecotones, definition of, 347
- Ecotoxicological endpoints, 115
- Ecotoxicology, 347
- Ecowatch for Windows, 370
- EDA, *see* Exploratory data analysis
- Edge habitat, 405
- Effects characterization, 11
- Ekman dredge, 321
- Electrical safety, 743
- Electrofishing, 106, 503, 505
- Electrophilic alkenes, 745
- Electroshocking, 129
- Electrothermal atomic absorption spectrometry, 777
- Elegant madtom, 707
- ELISA, *see* Enzyme-linked immunosorbent assay
- ELS, *see* Early life stages of fish
- Elutriate testing, 275
- Embankment, lined, 55
- Embeddedness, 646, 650, 660
- Embryotoxins, working with, 744
- EMC, *see* Event mean concentration
- Emerald shiner, 414, 702
- Emergency procedures, 758
- Empirical model, 227
- Endocrine disruption, 507
- Endosulfan, 159, 827
- Endosulfan sulfate, 38
- Endrin, 38, 803
- Endron ketone, 262
- Enterobacter*, 485
- Enterococcus*
  - faecalis*, 487
  - faecium*, 487
- Environmental studies, principles for designing successful, 110
- Environment Canada Biological Test Method Development Program, 711
- Enzyme-linked immunosorbent assay (ELISA), 436, 479
- Eohaustorius estuarius*, 527
- EPA, *see* U.S. Environmental Protection Agency
- Ephemeroptera, 491, 495
- Ephemeroptera, Plecoptera, and Trichoptera (EPT), 669, 673
- Epibenthic invertebrates, bioturbation by, 348
- Epoxides, 745
- EPT, *see* Ephemeroptera, Plecoptera, and Trichoptera
- Equilibrium partitioning guidelines, 836

- Equipment blank, 248
- Erosion, 311
- bank, 648, 649
  - channel bank, 56
  - control(s)
    - construction site, 28, 628
    - on-site, 452
    - practices, 246
  - effects of on creek, 156
  - stream bed, 143, 155
  - watershed, 659
- Error(s)
- allowable, 232
  - decision making, 233
  - particle sampling, 282
  - rainfall monitoring, 381
  - runoff volume, 383
  - sampling, 233, 251
  - use of blanks to minimize and identify, 248
  - watershed rain depth, 383
  - wind-induced, during rainfall monitoring, 386
- Escherichia coli*, 82, 194, 195, 333, 433, 622, 817, 821
- Esox
- americanus vermiculatus*, 414
  - masquinongy*, 414
- Estradiol, 744
- Estuary(ies)
- biological integrity of, 104
  - eutrophication conditions, 104
  - pollutants and sources affecting, 19
  - pristine, 123
- Etheostoma
- chlorosomun*, 707
  - fusiforme*, 707
  - gracile*, 707
  - nigrum*, 707
  - proeliare*, 707
  - sp., 707
  - spectabile*, 707
- Ethyl acetate, 740
- Ethylene dichloride, 740
- Ethylene glycol, 740
- Ethylene trichloride, 740
- Eutrophication, 49
- accelerated, 830
  - conditions, estuarine, 104
  - problems, majority of nation's, 831
  - processes, role of elevated turbidity levels in, 415
  - transparency-associated, 180
- Event
- mean concentration (EMC), 198, 213, 255
  - plots, 371
- Exoglossum maxillingua*, 706
- Expendable costs, 431
- Experimental design, 109, 237
- Exploratory data analysis (EDA), 583
- Explosion hazard data, 765
- Exposure
- assessment, 113, 623
  - characterization, 11
  - effects interactions, 613
  - response relationship, 539
- Extraction, solid-phase, 537
- Extremely hazardous chemicals, 746
- ## F
- Fabricated metal products, 187
- Factorial design, fractional, 231
- Factorial experimental designs, major advantage of, 227
- False banks, 649
- Family Biotic Index (FBI), 680
- Family-level index, 675
- Family-level tolerance classification, 680
- Farming district, 247
- Fathead minnow, 135, 520, 529, 703
- FBI, *see* Family Biotic Index
- FBM, *see* Flow Balancing Method
- Fecal coliform(s), 39, 42, 114, 191, 195
- bacteria, as indicators of inappropriate discharges of sanitary sewage, 464
  - concentrations of at highway runoff site, 83
  - to fecal streptococci bacteria ratios, 83
- Fecal indicators, in stormwater runoff, 82
- Fecal pathogens, 120
- Fecal sterol compounds, use of as tracers of contamination by sanitary sewage, 477
- Fecal streptococci (FS), 39, 84, 818
- Feeding measures, 676
- Feedlot drainage, 83
- Fenarimol, 436
- Ferric chloride precipitation, removal of phosphorus by, 180
- Fertilizer(s)
- application, roadside, 7
  - lawn, 206
  - nitrate leached from, 59
- Fiberglass
- reinforced epoxy material, 261
  - window screening, 262
- Field
- analytical methods, comparisons of laboratory and, 425
  - classification, 668
  - habitat assessments, 410
  - manometer, 335

- methods
  - heavy metal, 437
  - use of for water quality evaluations, 425
- observation sheet, 392
- sampling crew, 644
- test kits, 429, 767
  - analysis of organic compounds using, 434
  - assembling appropriate set of, 432
  - biggest difficulty with, 430
  - evaluation of, 768–772
  - selection of appropriate, 443
- titration equipment, 444
- Filamentous algae, 129, 133, 677
- Fine particulate organic carbon, 146, 147
- Fine particulate organic material (FPOM), 677
- Fingerprinting, indication of contamination sources through, 475
- Fire hazard data, 765
- First-flush phenomenon, 285, 356
- Fish, 128, 133, 152, *see also* specific species
  - abundance, 699
  - advisory, 30
  - ammonia acutely toxic to, 814
  - bioassay tests, side-stream, 54
  - biomass
    - seasonal trends of, 154
    - total, 700
  - community, 611
  - consumption advisories, 51, 104
  - death of from toxic material spills, 166
  - disease surveys, 48
  - eating organisms, 116
  - effects of suspended solids on, 74
  - field collection data sheet, 695
  - freshwater, 519
  - gill damage, 154
  - kills, 49, 211
    - elevated nutrient loading and, 49
    - massive, 53, 165
    - sources associated with, 50
  - populations
    - characterizing, 122
    - indices of, 504
  - sampling, 502, 505
  - seining, 504
  - spawning conditions, deteriorating, 148
  - species
    - diversity, 144
    - preferred temperature of some, 414–415
    - total number of, 697
    - trophic guilds used to categorize, 503
  - surveys, 107
  - tissue
    - residues, 114
    - sampling of, 122
- Fish community assessment, 693–708
  - data analysis techniques, 694–707
    - fish abundance and condition metrics, 699–707
    - species richness and diversity, 697–698
    - trophic composition metrics, 698–699
  - sample processing, 694
- Fisher's LDS, 591
- Fishery(ies)
  - consumptive, 22
  - warm-water, 27
- Fitted regression model, 597
- Flagfin shiner, 706
- Flammables, health effects associated with, 750
- Flammable solvents, 749, 760
- Flash point, 749
- Flathead catfish, 704
- Floatable litter
  - characteristics, 71, 399
  - sampling, 296
  - wet-weather flows and, 68
- Floatable(s), 398
  - material sampling, 224
  - matter, 469
  - pollution, 70
- Floating booms, litter controlled behind, 27
- Flood
  - control, 126
  - and-drought conditions, 64
  - potential, 411
  - prevention, 10, 26, 610
- Floodplain, 652
  - change factor, 111
  - condition of, 652
  - quality, 649
- Florisol cleanup, 781
- Floatable trash, 29
- Flow
  - Balancing Method (FBM), 169, 170, 180
    - flow pattern in, 172
    - in-lake tanks, 171
    - system, 178
  - calibration, 373
  - component identification, 471
  - measurement(s)
    - equipment vendors, 374
    - example calculation for, 360
    - instruments, comparisons of available, 377
    - methods for, 358
    - subsurface, 394
  - metering equipment, calibration of, 366
  - monitoring
    - current meter, 360
    - methods, 357, 376
    - use of tracers in, 361
  - recurrence interval, 246

- Flowmeters  
 acoustic, 358  
 Doppler, 374  
 magnetic, 358  
 Flow-weighted automatic samplers, 288  
 Flow-weighted composite sampling, 283, 285  
 Fluoranthene, 61, 161, 448, 480  
 Fluorene, 448, 802  
 Fluorescein, 363  
 Fluorescent dyes, water tracing using, 364  
 Fluorescent measurement instrumentation, 365  
 Fluorescent whitening agents (FWAs), 480  
 Fluoride, 441, 740  
 Fluorometers, calibration of, 366  
 Food web  
 contamination, 123  
 models, 620  
 Forest management, 4  
 Formaldehyde, 740  
 Formic acid, 740  
 Fortran-coded programs, 843  
 Fossil fuel combustion, 36  
 FPOM, *see* Fine particulate organic material  
 Fractional factorial design, 231  
 Frecklebelly madtom, 707  
 Freckled madtom, 704  
 Freeware, 575  
 Freeze core sampler, 316  
 Freeze-dried reagent, 487  
 Freezing core samplers, 322  
 Freshwater, 799  
 algae, 519  
 aquatic communities, biotic integrity of, 497  
 drum, 415  
 ecosystems, sediment quality guidelines for, 837  
 fish, 519  
 organisms, chronic toxicity data for, 814  
 Friction slope, 359  
 FS, *see* Fecal streptococci  
 Fuel leakages, 167  
 Fume hoods, 741  
 Fumigant, 6  
 FWAs, *see* Fluorescent whitening agents
- G**
- Gambusia affinis*, 133  
*Gammarus* sp., 531  
 Garden store rain gauges, 388  
 Gas analyzer, portable, 468  
 Gas chromatograph with electron capture detector (GC/ECD), 523  
 Gas chromatograph with mass selective detector (GC/MSD), 459, 523  
 Gasoline, 167  
 Gastroenteritis, 621  
 Gastrointestinal illness, 816, 817  
 Gaussian distribution, 238  
 GC/ECD, *see* Gas chromatograph with electron capture detector  
 GC/MSD, *see* Gas chromatograph with mass selective detector  
 Geographical information system (GIS), 844, 857  
 Geomorphology, 411  
 GFAA, *see* Graphite furnace-equipped atomic absorption spectrophotometer  
 Ghost shiner, 703  
*Giardia*, 197, 486  
 cysts, degradation plot of, 489  
*lamblia*, 622  
 -specific antibody, 489  
 Giardiasis, 621  
 Gilt darter, 704  
 GIS, *see* Geographical information system  
 Gizzard shad, 702  
 Glazed tile, 25  
 Glide habitats, 646  
 Glove materials, chemical resistance of, 740  
 Glycerol, 740  
 Golden redhorse, 703  
 Golden shiner, 74, 702  
 Golden trout, 705  
 Goldeye, 702  
 Goldfish, 701, 702  
 Golf courses, 185  
*Gomphonema* sp., 138  
*Gomphosphaeria*, 175  
 Gophers, bioturbation by, 394  
 Grab samplers, 315, 496, 685  
 Graphite furnace atomic absorption spectrometry, 778  
 Graphite furnace-equipped atomic absorption spectrophotometer (GFAA), 523  
 Grass carp, 703  
 Grass pickerel, 414, 702  
 Grass swales, 58, 629, 630, 631  
 Gravel chub, 702  
 Gravity corers, 317  
 Gray redhorse, 706  
 Great redhorse, 703  
 Green algae, 518, 520  
 Greenside darter, 705  
 Green sunfish, 135, 414, 508, 698, 704  
 Groundwater(s)  
 -associated biota, 326  
 contamination  
 phosphorus, 59  
 potential sources of, 460  
 problems, 57  
 detection of viruses in, 61

- flows, tipping bucket flow measurement device
  - for measuring, 390
- hardness of, 826
- movement, piezometer measures of, 616
- MTBE contamination, 58
- pesticide contamination of, 60
- recharge, 126
  - basin, 57
  - decreases in, 28
- surface water interactions, 326
- table, decreases in, 64
- upwelling, 326
- urbanization affecting, 31
- Group comparison tests, comparing multiple sets of data with, 588
- Guthion, 806
  
- H**
  
- Habitat
  - alterations, 16
  - aquatic life, 618
  - assessment(s), 277
    - approach, generic, 653
    - field, 410
    - matrix, 653
    - procedure for performing, 662
  - characteristics, 405, 645
  - definition of, 400
  - degradation, 165
  - designations, modified warm water, 112
  - destruction, 28, 114, 214
  - diversity, 405
  - edge, 405
  - evaluation index, qualitative, 404
  - glide, 646
  - goals, 549
  - modifications, 63
  - pool, 646
  - problems, 617
  - protection, major component of, 65
  - quality, 103, 402, 403
  - Quality Index, 401
  - quantification, 114
  - relationship between biological condition and, 400
  - restoration, 276
  - riffle, 645
  - riparian, 409
  - run, 645
  - Suitability Indices (HSI), 401
  - surveys, 106, 107, 121
- Habitat characterization, 643–663
- Qualitative Habitat Evaluation Index, 643–652
  - computing total QHEI score, 650–652
  - geographical information, 643–645
  - pool and glide habitats, 646–650
  - riffle and run habitats, 645
  - stream map, 652
- USEPA habitat assessment for rapid
  - bioassessment protocols, 652–662
  - physical characterization, 658–662
  - procedure for performing habitat assessment, 662
  - quality assurance procedures, 662
  - water quality, 656–658
- HACH
  - color test kit, 773
  - detergents test, 471
- Halogenated aliphatics, 6, 161
- Halogenated solvents, 760
- Haphazard sampling, 225
- Harbor facilities, 185
- Harelip sucker, 703
- Hazard
  - assessments, 348
  - identification, 11, 113, 620
  - primary, 737
- Hazardous waste
  - elimination of nonhazardous waste from, 761
  - sites, toxicity evaluation categories for, 519
- HCGI, *see* Highly credible gastrointestinal
- Headwater streams, removal of riparian vegetation
  - in, 403
- Health hazard data, 765
- Heat sealing unit, 434
- Heavy metal(s), 189
  - analyses, 774
  - emerging analytical methods for, 438
  - field methods, 437
  - in stormwater runoff, 76
  - urban runoff, 79
- Hemiptera, 495, 688
- Heptachlor epoxide, 803
- Herbicides, 118, 159, 249, 267
- Herbivores, 495
- Hester–Dendy samplers, 129
- Hexachlorobenzene, 448, 744, 802
- Hexachloroethane, 262
- Hexagenia
  - bilineata*, 520
  - limbata*, 520
- Hexane, 740
- Hierarchical cluster analyses, 592
- Highfin carpsucker, 703
- Highly credible gastrointestinal (HCGI), 817
- Highway runoff
  - constituents, 7
  - site, concentrations of fecal coliforms at, 83

- Hillside discharge, 199  
 HIS, *see* Habitat Suitability Indices  
 Hitch, 53, 134, 135  
 Homogeneity tests, 177  
 Honest significant difference (HSD) test, 604  
 Horizontal water sampler, 291  
 Horneyhead chub, 702  
 Household garbage, 142  
 HPLC technology, organic analyses using, 459  
 HSD test, *see* Honest significant difference test  
 Human health  
   criteria, 614  
   impairments, evaluation of using risk assessment approach, 619  
   problems, inappropriate discharges and, 461  
   protection, 102  
 Humpback whitefish, 705  
*Hyalella azteca*, 52, 135, 210, 335, 527, 546, 605, 722, 725, 726  
*Hybopsis amblops*, 706  
 Hydrobromic acid, 740  
 Hydrocarbons, 483, 826  
 Hydrofluoric acid, 740, 753, 778  
 Hydrogen peroxide, 740  
 Hydrological Simulation Program-FORTRAN, 854  
 Hydrologic change factor, 111  
 Hydrology, 349, 351, 411  
 Hydromodification, 4, 5  
 Hypentelium  
   *etowanum*, 706  
   *nigricans*, 706  
   *roanokense*, 706  
 Hyporheic sampling, 326
- I**
- IAI, *see* Indicator Assemblage Index  
 IBDU, *see* Isobutyldiene diurea  
 IBI, *see* Index of Biotic Integrity  
 ICI, *see* Invertebrate Community Index  
 ICP, *see* Inductively coupled plasma emission spectrometry  
 Ictalurus  
   *nebulosus*, 414  
   *punctatus*, 414, 520, 536  
*Ictiobus* sp., 414  
 IDL, *see* Instrument detection limit  
 IFIM, *see* Instream Flow Incremental Methodology  
 Imidachloprid, 436  
 Immunoassay kits, 444  
 Impaction, 311  
 Inconnu, 706  
 Incubator, 434  
 Index of Biotic Integrity (IBI), 112, 402, 683, 694  
   metrics, regional variations of, 508–509  
   steps in calculating, 696  
 Index of clumping, 235  
 Index of Well Being (IWB), 506, 694  
 Indicator Assemblage Index (IAI), 678  
 Inductively coupled plasma emission spectrometry (ICP), 774  
 Industrial wastewater discharge, 598  
 Infectious hepatitis, 621  
 Infiltration  
   devices, 630  
   rate measurements, 391  
   test(s)  
     apparatus, 389  
     double-ring, 229  
   trench, stormwater infiltration through, 59  
 In-lake flow balancing method, 180  
 In-lake tanks, FBM, 171  
 Inorganic chemicals, 762  
 In-place pollutants, 4  
 Insecta, 688  
 Insecticides, 6, 159  
 Insectivorous cyprinids, 509, 699  
 Insects, food types of aquatic, 495  
*In situ* peepers, 327, 331  
*In situ* testing, advantages of, 531  
 In-stream cover, 647  
 In-stream embryo bioassays, 154  
 Instream Flow Incremental Methodology (IFIM), 350  
 In-stream temperature, 75  
 In-stream toxicity tests, 168  
 Instrument detection limit (IDL), 253, 583  
 Internal to external isomer ratio (I/E), 480  
 Interstitial water  
   bacteria populations, 203  
   chemistry, 203  
   collection methods, 318  
   degradation of, 202  
   immediate collection and analysis of, 328  
   isolation of, 329  
   measurements, 202, 327  
   quality, 371  
   sampler selection guidelines, 317  
   sampling, 326  
 Intolerant species, 508, 698  
 Invertebrate Community Index (ICI), 112, 683  
 Iodine, 740  
 Ion chromatograph, 449  
 Ion selective electrode (ISE), 426, 443  
 Iowa darter, 705  
 Iprodione, 436  
 I/R, *see* Internal to external isomer ratio

- Irrigation  
  return flows, 464  
  water, 474
- ISE, *see* Ion selective electrode
- Isobutyldiene diurea (IBDU), 59
- Isohyetal(s)  
  method, 379  
  preparation of for single rainfall, 380
- Isophorone, 38, 448
- Isoproturon, 436
- IWB, *see* Index of Well Being
- J**
- Jaccard Coefficient of Community Similarity, 678
- Johnny darter, 705, 707
- Judgment sampling, 225
- Jussiaea* sp., 136
- K**
- Karst geology, 57
- Kiyi, 705
- Klebsiella*, 485, 487
- Kolmogorov–Smirnov one-sample test, 586
- Kuderna–Danish method, 781
- Kurskal–Wallis ANOVA on ranks test, 588, 591
- L**
- La Motte Potassium Reagent Set, 442
- LAB, *see* Linear alkylbenzenes
- Laboratory  
  analyses, conventional, 447  
  analytical methods, comparisons of field and, 425  
  chemical storage, 737  
  information management systems (LIMs), 250  
  personnel, selection of, 275
- Laboratory safety, waste disposal, and chemical analyses methods, 735–786  
  basic rules and procedures for working with chemicals, 738–743  
    avoidance of routine exposure, 741  
    choice of chemicals, 742  
    electrical safety, 743  
    equipment and glassware, 742  
    fume hoods, 741–742  
    housekeeping, 739  
    labels and signs, 742–743  
    laboratory protocol, 738  
    personal safety practices, 738–739  
    protective eyewear, 739  
    protective gloves, 739–741  
    protective clothing, 741  
    unattended operations, 743  
  calibration and deployment setup procedure for YSI 6000upg water quality monitoring sonde, 782–785  
  chemical waste disposal program, 760–763  
    chemical substitution, 761  
    chemical waste containers, 760  
    disposal of chemicals down the sink or sanitary sewer system, 761  
    elimination of nonhazardous waste from hazardous waste, 761–762  
    neutralization and deactivation, 761  
    waste disposal, 762–763  
    waste minimization, 760–761  
  comments pertaining to heavy metal analyses, 774–778  
  emergency procedures, 758–759  
    building evacuation procedures, 759  
    mercury spills, 759  
    minor spills, 759  
    primary emergency procedures for fires, spills, and accidents, 758–759  
  field test kits, 767–774  
  fundamentals of laboratory safety, 737–738  
    distribution of chemicals, 737  
    laboratory chemical storage, 737  
    procurement of chemicals, 737  
    storage cabinets, 738  
  Material Safety Data Sheets, 763–767  
    fire and explosion hazard data, 765  
    hazardous ingredients/identity information, 764  
    health hazard data, 765–766  
    physical/chemical characteristics, 764  
    product name and identification, 764  
    reactivity data, 765  
    specific HACH MSDS information, 766–767  
  procedures for specific classes of hazardous materials, 748–758  
    compressed gas cylinders, 757–758  
    corrosives, 752–754  
    flammable solvents, 749–750  
    oxidizers, 750–752  
    reactives, 754–757  
  stormwater sample extractions for EPA methods 608 and 625, 779–781  
  use and storage of chemicals in laboratory, 743–748  
    chemical storage, 747–748  
    procurement of chemicals, 743

- transportation, 748
- working with allergens, 743
- working with chemicals of moderate or high acute toxicity or high chronic toxicity, 744–747
- working with embryotoxins, 744
- LAF, *see* Laser atomic fluorescence
- Lagoon runoff, 7
- Lag plots, 598
- Lake(s)
  - hydraulic detention time of, 174
  - hydraulic flushing rates, 178
  - low elevation, 134
  - phosphorus concentrations, 179
  - pollutants and sources affecting U.S., 18
  - sediment sampling in ice-covered, 336
  - swimming restriction in urban, 28
- Lake chubsucker, 703
- Lake herring, 702
- Lake sturgeon, 702
- Lake trout, 414, 702, 706
- Lake whitefish, 414, 702
- Land
  - disposal, 4, 5
  - use
    - category, 241
    - monitoring, 239, 601
    - predominant surrounding, 659
    - waste disposal sources, 7
- Landfill(s)
  - runoff, 7
  - sanitary, 4
- Largemouth bass, 74, 415, 536, 704
- Large organic debris (LOD), 618
- Largescale stoneroller, 706
- Largescale sucker, 701
- Large woody debris (LWD), 408, 618
- LAS, *see* Linear alkylbenzene sulfonates
- Laser atomic fluorescence (LAF), 438
- Laundry
  - detergent samples, 483
  - wastewaters, 461
- Lawn fertilizers, 206
- LC50, *see* Lethal concentration 50
- LD50, *see* Lethal dose 50
- LDV, *see* Less than detection values
- Lead, 6, 132
  - aquatic life summary for, 827
  - bioaccumulation of, 133
  - concentrations, dissolved, 145
  - human health criteria for, 828
  - reduction benefits, 636
- Leaded gas, 6
- Leaf
  - core catcher, 323
  - packs, 666
  - shredding organisms, 150
- Least brook lamprey, 701
- Least madtom, 707
- Leather products, 187
- Lentipes concolor*, 707
- Leopard dace, 701
- Lepidoptera, 495, 688
- Lepomis
  - cyanellus*, 414
  - gibbosus*, 415, 536
  - macrochirus*, 415, 520, 536
  - megalotis*
  - Leptocheirus plumulosus*, 527
- Less than detection values (LDV), 583
- Lethal concentration 50 (LC50), 764
- Lethal dose 50 (LD50), 764
- Life cycle measures, 676
- Light–dark bottle method, 72
- Light transmissivity, 188
- Limestone quarry, 73
- LIMs, *see* Laboratory information management systems
- Lindane, 6, 60, 159, 424, 803, 827
- Linear alkylbenzenes (LAB), 479
- Linear alkylbenzene sulfonates (LAS), 479
- Liquid
  - flash point of, 749
  - liquid separatory funnel technique, 779
- Litter, 398
  - characteristics of floatable, 399
  - control, 24, 27
  - discharges, 297
  - fast-processing, 667
  - loose, 399
  - material categories, discharged, 399
  - slow-processing, 667
- Livestock
  - production, 4
  - trampling, 649
  - trucks, feces debris falling from, 83
- LOD, *see* Large organic debris
- LOEC, *see* Lowest Observed Effect Concentration
- Log dragging, 73
- Log-normal probability distribution, 253, 584
- Logperch, 704
- Longear sunfish, 704, 707
- Longnose dace, 701, 702
- Longnose gar, 702
- Longnose sucker, 703
- Lowest Observed Effect Concentration (LOEC), 604
- Lumbriculus variegatus*, 114, 120, 535, 724
- LWD, *see* Large woody debris
- Lycopodium*, 362



**M**

- Macrofaunal toxicity tests, 523
- Macroinvertebrate(s)
- colonization tests, artificial substrate, 121
  - counts, 682
  - diversities, reduction of in urban streams, 51
  - listing, phylogenetic order for, 688
  - qualitative samples of, 681
  - sampling, 494, 497
  - surveys, 107
  - taxonomy, 689
- Macrophytes, 63, 257
- Magnetic flowmeters, 358
- Mailing lists, 578
- Malathion, 60, 159, 806
- Manholes, 162
- Man-made drainage systems, 463
- Manning's equation, 12, 361, 373
- Manning's roughness coefficient, 359
- Mann-Kendall test, 175, 176, 582, 602
- Mann-Whitney signed rank test, 590
- Mann-Whitney U tests, 470, 475
- Manual pump samplers, 292
- Manual samplers, selection of materials for, 261
- Manual sampling
- advantages of compared to automatic sampling, 260
  - procedures, 289
- Manual sheetflow samplers, 298
- Manure-laden runoff, 89
- Map gradient, 650
- Maples, 667
- Marginal benefit analysis, 242, 847
- Margined madtom, 707
- Marina facilities, 185
- Marine debris, 104
- Mass emission
- drainage monitoring stations, 184
  - stations, 183
- Material Safety Data Sheets (MSDS), 743, 763
- Maximum Contaminant Level (MCL), 823
- Mayflies, 52, 520
- MBAS, *see* Methylene blue active substance
- MCL, *see* Maximum Contaminant Level
- MCTT, *see* Multichambered treatment train
- MDL, *see* Method detection limit
- Means quality control chart, 251
- Meat packing wastes, 83
- Mechanistic model, 227
- Megaloptera, 688
- Meio-microfaunal interactions, 531
- Melosira*, 138, 175
- Mercury
- compounds, 744
  - spills, 759
- Metal(s)
- analysis methods, attributes of, 777
  - conversion factors for dissolved, 813
  - corrosion, 5
  - optimal concentration ranges of in samples, 776
  - plating, 7
  - sample preparation procedures for identifying, 458
  - speciation, 314
  - screening approach for in rivers, 544-545
- Metalaxyl, 436
- Metallic priority pollutants, 140
- Methanogenesis, 326
- Methemoglobinemia, 829
- Method blank, 248
- Method detection limit (MDL), 189, 249, 423, 583
- Methoprene acid, 436
- Methoxychlor, 38, 262
- Methyl bromide, 801
- Methyl cellosolve, 740
- Methyl chloride, 6, 740, 801
- Methylene blue active substance (MBAS), 479
- Methylene chloride, 6, 38, 61, 740
- Methylene urea, 59
- Methylphenanthrene, 480
- Metolachlor, 60
- MFO, *see* Mixed function oxidase
- Microbial activity tests, 523
- Microbial-meiofaunal communities, 314
- Microbiological sampling, 289
- Microorganism(s)
- evaluations, sampling for, 487
  - measurements, 549
  - urban receiving water, 485
- Micropterus
- dolomieu*, 74, 415, 536
  - punctulatus*, 415
  - salmoides*, 74, 415, 536
- Microtox
- osmotic adjusting solution (MOAS), 733
  - screening test, 121, 445, 513, 730
- MID, *see* Minimal infective dose
- Midges, 520
- Mimic shiner, 703, 706
- Mineral scrapers, 495
- Miners, 495
- Minimal infective dose (MID), 621
- Mini-piezometers, 334
- Minytrema melanops*, 706
- Mirex, 806
- Mississippi silverside, 134
- Mississippi silvery minnow, 703
- mIWB, *see* Modified Index of Well-Being
- Mixed function oxidase (MFO), 515
- MOAS, *see* Microtox osmotic adjusting solution
- Mobile homes, 185

Model building, data associations and, 582

Model(s)

- calibration and validation, 11–12
- capabilities, evaluation of, 855
- concentration-addition, 516
- Distributed Routing Rainfall Runoff empirical, 227
- fitted regression, 597
- food web, 620
- mechanistic, 227
- Monte Carlo, 363, 476
- nonpoint source, 862
- non-urban runoff, 856
- pulse exposure, 614
- rainfall–runoff, 382
- receiving water, 843, 846, 855
- receptor, 475
- regression, 599
- Source Loading and Management, 854
- Storage, Treatment, Overflow Runoff, 854
- straight-line, 241
- stream

- non-toxic constituents in, 864
- predicting pollutant fates using, 544

Urban Catchment, 854

urban, 856

- washoff equation used in stormwater, 307
- watershed, 843, 846

Modified Family Biotic Index, 675

Modified Index of Well-Being (mIWB), 403

Mollusca, 689

Mollusks, 128

Monitoring

- initiation, 243
- program, personnel needed to carry out, 275

Monocyclic aromatics, 161

Monoethanolamine, 740

Monte Carlo analyses, 253

Monte Carlo mixing model, 363

Monte Carlo model, 476

Monte Carlo sampling routines, 577

Mooneye, 702

Morisita's Index, 679

Morone

- americana*, 414
- chrysops*, 414
- saxatilis*, 414, 536

Morpholine, 740

Mosquito control, 6

Mosquitofish, 53, 135, 137, 704

Motor freight, 187

Motor vehicle activity, 167

Mountain brook lamprey, 701

Mountain madtom, 704, 707

Mountain sucker, 701

Mountain whitefish, 701, 705

Moxostoma

- anisurum*, 706
- cervinum*, 706
- congestum*, 706
- duquesnei*, 706
- hamiltoni*, 706
- lachneri*, 706
- poecilurum*, 706
- rhothoecum*, 707
- rupiscartes*, 707
- valenciennesi*, 707

MSDS, *see* Material Safety Data Sheets

Multichambered treatment train (MCTT), 525

Multidimensional scaling, 612

Multistage sampling, 225

Municipal point sources, 16

Municipal wastewater, 624

Muskellunge, 414, 702

Mussel populations, characterizing, 122

Mutagenicity, 507

## N

Naphthalene, 740, 802

National Ambient Water Quality Monitoring Network (NAWQMN), 681

National Institute of Standards and Technology (NIST), 249

National Pollutant Discharge Elimination System (NPDES), 8, 513, 798

permit compliance, 429

stormwater permit program, 9

National Technical Advisory Committee (NTAC), 817

National Water Quality Assessment (NAWQA), 118

Nationwide Urban Runoff Program (NURP), 34, 307, 615, 629

*Navicula* spp., 138

NAWQA, *see* National Water Quality Assessment

NAWQMN, *see* National Ambient Water Quality Monitoring Network

Net sampling devices, 501

NEXRAD, 388

NIST, *see* National Institute of Standards and Technology

Nitrate, 828

Nitrite, 828

aquatic life criteria, 829

criteria, human health, 829

Nitrobenzene, 809

Nitrogen cycling, 115

N-Nitrosodimethylamine, 38

- Nocomis micropogon*, 706  
 NOEC, *see* No Observed Effect Concentration  
 NOEL, *see* No-observable-effects level  
 No exposure incentive, 9  
 Noncarcinogens, 827  
 Nonhazardous waste, 762  
 Nonmetallic minerals, mining of, 187  
 Nonparametric tests, 581  
 Nonpoint runoff receiving water impact research program, 51  
 Nonpoint sources (NPS), 3–4  
   -affected streams, stream assessment factors for, 111  
   assessment, 276  
   hydromodification category of, 7  
   models, input data needs for, 862  
   pollution  
     categories, 4  
     sources of, 4–8  
 Nonpollutant factors, 115  
 Nonspecified chemical waste, 763  
 Non-urban runoff models, 856  
 No-observable-effects level (NOEL), 546  
 No Observed Effect Concentration (NOEC), 604  
 Northern hog sucker, 703, 706  
 Northern madtom, 704  
 Northern pike, 702  
 Northern redbelly dace, 706  
 Northern squawfish, 701  
 Norwalk virus, 621  
 Notropis  
   *ammis*, 706  
   *anogenus*, 706  
   *ardens*, 706  
   *atherinoides*, 414  
   *boops*, 706  
   *emiliae*, 706  
   *galacturus*, 706  
   *heterloepis*, 706  
   *heterodon*, 706  
   *hudsonius*, 706  
   *hypselopterus*, 706  
   *leuciodus*, 706  
   *lutipinnis*, 706  
   *nubilus*, 706  
   *ozarcanus*, 706  
   *photogenis*, 706  
   *pilsbryi*, 706  
   *rubellus*, 706  
   *rubricroceus*, 706  
   *signipinnis*, 706  
   *telescopus*, 706  
   *topeka*, 706  
   *volucellus*, 706  
   *whipplei*, 706  
   *zaenocephalus*, 706  
   *zonatus*, 706  
   *zonistius*, 706  
 Noturus  
   *albater*, 707  
   *elegans*, 707  
   *eleutherus*, 707  
   *exilis*, 707  
   *flavus*, 707  
   *funebrius*, 707  
   *hildebrandi*, 707  
   *insignis*, 707  
   *laptacanthus*, 707  
   *minutus*, 707  
   *phaeus*, 707  
 NPDES, *see* National Pollutant Discharge Elimination System  
 NPS, *see* Nonpoint sources  
 NTAC, *see* National Technical Advisory Committee  
 NURP, *see* Nationwide Urban Runoff Program  
 Nutrient  
   availability, 406  
   cycling, 347  
   loads, 411  
   tests, most common, 443
- ## O
- Oaks, 667  
 Ocean shorelines, pollutants and sources affecting U.S., 20  
 Odonata, 495, 688  
 Ohio lamprey, 701  
 Oil/gas  
   extraction, 187  
   production, 4  
 Oil in water optics, 426  
 Oligochaetes, 72, 165, 724  
 Omnivores, 108, 509  
 Oncorhynchus  
   *gorbuscha*, 414  
   *keta*, 414  
   *kisutch*, 414, 520  
   *mykiss*, 717, 830  
   *nerka*, 414  
   *tshawytscha*, 414, 830  
 On-site erosion controls, 452  
 On-site wastewater treatment, 4  
 O'opu alamo, 707  
 O'opu nakea, 707  
 O'opu nopili, 707  
 Open vertical water sampler, 291  
 Optical brighteners, 440, 441

Orange-Peel sampler, 316  
 Orangespotted sunfish, 704  
 Orangethroat darter, 705, 707  
 Organic chemicals, 762  
 Organic compounds  
   analysis of using field test kits, 434  
   toxic, 77  
 Organic contaminants, 266  
 Organic-inorganic chelators, 77  
 Organic matter processing, 115  
 Organic scrapers, 495  
 Organic solvent extract, separation of from water  
   sample, 780  
 Organic substrate components, 660  
 Organism(s)  
   availability, 522  
   photosynthetic, 518  
 Organochlorine(s)  
   bioaccumulation of, 212  
   pesticides, 249, 837  
 Organohalogen compounds, 746  
 Organophosphates, 267, 436, 535  
 Organ transplants, 625  
 ORP, *see* Oxidation-reduction potential  
 Orthophosphates, 130, 131, 132  
*Oscillatoria* sp., 175  
*Osmerus mordax*, 414  
 Outfall  
   flow monitoring, 373  
   structures, damage to, 469  
 Overexposure, signs and symptoms of, 766  
 Over-the-glasses safety glasses, 739  
 Overland flow sampling site, 197  
 Oxidation-reduction potential (ORP), 263, 418, 419  
 Oxidizers, 750  
   common, 751  
   first aid for, 752  
   health effects associated with, 751  
   use and storage of, 751  
 Oxygen  
   -depleting substances, 18  
   depletion, 73, 147, 166  
   production, photosynthetic, 421  
 Ozark madtom, 707  
 Ozark minnow, 706  
 Ozark rockbass, 707  
 Ozark shiner, 706  
 Ozonated bromides, 62

## P

*Pacifastacus leniusculus*, 135  
 Paddlefish, 701  
 PAHs, *see* Polycyclic aromatic hydrocarbons

Paired observations, 581  
 Paiute sculpin, 701  
 Pallid shiner, 706  
 Parallel stream analyses, 168  
 Parametric tests, 581  
 Paraquat, 436  
 Parasites, 103, 623  
 Parathion, 436, 807, 827  
 Particle  
   characteristics, visual observations of, 457  
   sampling errors, 282  
   size(s)  
   analysis, automated, 455  
   distribution, 266, 407, 451  
   methods to measure stormwater, 454  
   settling velocity and, 451  
 Particulate(s)  
   -associated toxicity, 19  
   dry-fall, 310  
   lead, automobile emission, 312  
   removal process, 311  
   residue, 39, 310  
   sampling procedures, street surface, 301  
 Patch dynamics, 400  
 Pathogen(s), 78, 103, 610  
   -contaminated waters, 85  
   die-off tests, 200  
   fecal, 120  
   microorganisms, 61  
   monitoring, in stormwater, 29  
   from raw or poorly treated, 86  
   risk assessment for human exposure to  
   stormwater, 620  
   in stormwater, 82  
   survival, 254, 487  
 Paved area(s)  
   drainage, 184  
   sources of pollutants on, 627  
 Pavement  
   temperature monitoring, 412  
   tests, rainfall-runoff responses for, 850  
   wear, 7  
 PCA, *see* Principal component analyses  
 PCB-1260, 38  
 PCP, 267  
 Peamouth, 701  
 Pearl dace, 706  
 Pearson correlation matrix, 593  
 Peeper(s)  
   devices, 532  
   disassembled, 330  
   *in situ*, 327, 331  
   large-volume, 331  
   small-volume, high-resolution, 327  
   wells, 331

- PEL, *see* Permissible exposure limit
- Pentachlorophenol, 6, 7, 36, 38, 81, 262, 424, 448, 614, 801
- Perca flavescens*, 415
- Perchloric acid, 751
- Percina  
  *shumardi*, 707  
  sp., 707
- Periphyton, 254, 257, 258, 500  
  populations, characterizing, 122  
  sampling, 493, 501
- Permissible exposure limit (PEL), 764
- Peroxide-forming materials, 755
- Personal protective equipment, 750
- Perturbation, metric response to increasing, 675, 676
- Pesticide(s), 189, 277, 526  
  carbamate, 249  
  contamination, of groundwater, 60  
  cross-contamination, 60  
  decomposition, 60  
  detection, 436  
  leaching, 60  
  mobility, 60  
  organochlorine, 249, 837  
  organophosphate, 60, 249
- Peterson sampler, 316
- Petite Ponar dredge, 320
- Petroleum refining, 187
- Petrosense hydrocarbon probe, 427
- Pfiesteria*, 29  
  monitoring program, 90  
  *piscicida*, 89
- pH, 832  
  aquatic life effects, 833  
  meters, 430, 439  
  probe calibration, 784
- PHABSIM, *see* Physical Habitat Simulation Model
- Pharmaceuticals, 484
- Phenanthrene, 6, 38, 161, 424, 480
- Phenol, 38
- Phenolics, 39, 161
- Phenoxy acid herbicides, 267
- Phosphate reduction benefits, 636
- Phosphorus, 38  
  budgets, treatment system, 172  
  discharges, 179  
  removal of by ferric chloride precipitation, 180  
  removal rate, 173  
  removal of from stormwater, 169  
  soluble reactive, 146, 147  
  treatment mass balance, 173  
  trends, 177
- Photobacterium phosphoreum*, 520, 730
- Photochemical decay, 364
- Photodegradation times, 525
- Photoinduced toxicity, PAH, 91
- Photolysis, 78, 79, 80, 81
- Photosynthesis, 420  
  organisms, 518  
  oxygen production rate, 422  
  rates, 201, 411, 421  
  test chambers having occurrence of, 419
- Photosynthesis and respiration (P/R), 196, 200  
  rates, 417, 420  
  tests, *in situ*, 204, 440
- Phototoxicity evaluations, 616
- Phoxinus  
  *cumberlandensis*, 706  
  *eos*, 706  
  *erythrogaster*, 706  
  *laevis*, 830
- Phthalate esters, 6, 36, 78, 161, 526
- Physical characterization parameters, 658
- Physical Habitat Simulation Model (PHABSIM), 401
- Phytoplankton, 63
- Piercers, 495
- Pimephales promelas*, 108, 210, 515, 546, 605, 710, 716, 719
- Pink salmon, 414
- Pirate perch, 704
- Plankton, 122, 257
- Plant equipment, corrosion of, 833
- Plasticizers, 6, 78
- Plastic samplers, 333
- Plecoptera, 491, 495, 688
- Plot(s)  
  box, 375, 848  
  data, 583  
  Digidot, 586  
  event, 371  
  lag, 598  
  QA/QC control, 577  
  score, 595  
  soil infiltration test, 390  
  whisker, 587
- Plywood, 262
- Point source discharge, 278
- Poison ivy, 193
- Poisson distribution, 235
- Pollutant(s)  
  discharge(s)  
    changes in from surface runoff and subsurface flows, 397  
    ranking, 185  
  generation, 240  
  in-place, 4  
  loading, 853  
  mass discharges, 356  
  potential sources of, 122

- reduction, 588
  - sensitivity, 116
  - sources of on paved areas, 627
  - surface water, 104
  - tolerant organisms, 51, 52
  - Pollution
    - floatable, 70
    - impacts, 651
    - sensitive species, 116
    - tolerant benthic macroinvertebrates, 314
    - tolerant organisms, 137
  - Polychlorinated biphenyls, 837
  - Polycyclic aromatic hydrocarbons (PAHs), 6, 7, 36, 78, 197, 208, 435, 535, 837
    - contaminated sediments, 48, 540
    - detection of in soil samples, 167
    - photoinduced toxicity, 91, 209, 540
    - sediment quality guidelines for, 838
    - street dirt samples containing, 161
  - Polymerization reactions, 754
  - Polytetrafluoroethylene (PTF), 269, 328
  - Polyvinyl (PVC) samplers, 255
  - Pomoxis
    - annularis*, 415
    - nigromaculatus*, 415, 536
  - Ponar dredge, 320, 321
  - Ponar sampler, 316
  - Pool habitats, 646
  - Popeye shiner, 703
  - Population distribution characteristics, 237
  - Pore water
    - conditions, mini-piezometer measurements of, 334
    - sampling, 313
    - sediment sampling for interstitial, 336
    - squeezer, 329
    - toxicity test, 267
    - type of container and conditions recommended for storing samples of, 266–267
  - Porifera, 688
  - Porosity, calculation of total, 394
  - Porous pavements, 630
  - Potable water, treated, 472
  - Potamogeton pectinatus*, 136
  - PQL, *see* Practical quantification limit
  - P/R, *see* Photosynthesis and respiration
  - Practical quantification limit (PQL), 253, 583
  - Precipitation, 310, 313
  - Predator–prey
    - effects, 534
    - relationships, 22
  - Predators, 103
  - Price meter, 359
  - Prickly sculpin, 53, 701
  - Primary hazard, 737
  - Primary metals, 187
  - Principal component(s)
    - analyses (PCA), 591, 592
    - loadings of, 595
    - score plots of, 595
  - Printing and publishing, 187
  - Priority pollutants, metallic, 140
  - Pristine estuary, 123
  - Probability
    - information, need for, 245
    - plots, 584
    - sampling, 225
  - Procambarus clarkii*, 133, 135, 136
  - Professional organizations, 578
  - Project field staff, 275
  - Prometon, 118
  - Protective eyewear, 739
  - Protozoa, 63, 88, 487
    - parasites, 623
    - sampling, 494
  - Pseudomonas aeruginosa*, 42, 62, 86, 87, 88, 118, 197, 486, 487, 625, 817, 819, 821
  - PTF, *see* Polytetrafluoroethylene
  - Public land records, use of in digital database, 858
  - Public water supplies, 28
  - Pugnose minnow, 702, 706
  - Pugnose shiner, 703, 706
  - Pulse exposure model, 614
  - Pumpkinseed, 134, 415, 704
  - PVC samplers, *see* Polyvinyl samplers
  - Pyrene, 6, 38, 61, 81, 424, 448
  - Pyrethroids, synthetic, 436
- Q**
- QA, *see* Quality assurance
  - QAPP, *see* Quality assurance project plans
  - QA/QC, *see* Quality control/quality assurance
  - QC, *see* Quality control
  - QHEI, *see* Quantitative Habitat Evaluation Index
  - Quality assurance (QA), 4, 118
    - objectives, quantitative, 424
    - procedures, 662
    - project plans (QAPP), 121
  - Quality control (QC), 4
  - Quality control/quality assurance (QA/QC), 224, 247
    - control plots, 577
    - officer, 274
    - problems, visual indications of, 250
    - procedures needed for during sample collection, 109
    - program, 251
    - requirements, 337

Quality prediction methods, data needs for, 863  
 Quantistrip method, for alkalinity, 773  
 Quantitative Habitat Evaluation Index (QHEI), 120,  
 404, 643, 645  
 Quillback, 703

## R

Radar rainfall measurements, 388  
 Railroad transportation, 187  
 Rain, *see also* Rainfall  
   characteristics, 452  
   depth(s), 849  
     errors in watershed, 383  
     probability plots of, 190  
   duration, 307, 308  
   gauge(s), 121, 379  
     calibration, 387  
     Clear View, 378  
     density, 381  
     exposure, 386  
     garden store, 388  
     location, 309  
     network, 380, 386  
     proper placement of, 386  
     recalibrated, 385  
     sampler, 286  
     spacing, 381  
     stormwater monitoring, 378  
     Thiessen polygons for, 380  
     tipping bucket, 387, 388  
   intensity, 308, 309  
   temperature monitoring, 412  
   volume, 308  
   washoff of debris and soil during, 627  
 Rainbow smelt, 414, 702  
 Rainbow trout, 53, 74, 414, 520, 701, 702, 706  
 Rainfall  
   depths, 353  
   design, 245  
   distribution(s), 385  
     characteristics, 354–355  
     urban watershed, 382  
   energy, 33  
   measurements, radar, 388  
   monitoring, 349, 377  
     errors, 381  
     extreme in, 378  
     methods, advantages and disadvantages of,  
     388  
     wind-induced errors during, 386  
 –runoff  
   modeling, 382  
     pattern, 381  
     responses, pavement test, 850  
     variability, 384  
 Randomly amplified polymorphic DNA (RAPD)  
   markers, 537  
 Random sampling, 226  
 Range ratio, 253  
 Rank correlation coefficient, 684  
 RAPD markers, *see* Randomly amplified  
   polymorphic DNA markers  
 Rapid Bioassessment Protocol (RBP), 654, 655, 656,  
 665  
 Rapid Bioassessment Protocol V (RBP V), 693  
 RBP, *see* Rapid Bioassessment Protocol  
 RBP V, *see* Rapid Bioassessment Protocol V  
 Reactives  
   first aid for, 757  
   health hazards associated with, 756  
   use and storage of, 756  
 Reactivity, 763, 765  
 Reagent  
   bacterial, 731  
   blanks, analysis of, 250  
   freeze-dried, 487  
   SPADNS, 441  
   waste, 443  
 Receiving water(s)  
   aquatic organisms, effects of urban runoff on, 91  
   assessment parameters, 114  
   characterization, 187  
   conditions, cause-and-effect relationships  
     between urban runoff and, 30  
   detrimental effects of urban and agricultural  
     runoff on, 47  
   effects, wet weather-related, 548  
   impact(s)  
     monitoring activities to assess, 609  
     studies, 51  
   investigation, 124, 213, 445–446  
   levels, DO, 85  
   microorganisms in urban, 485  
   modeling, *see* Watershed and receiving water  
     modeling  
   models, 843, 846, 855  
   nutrients entering, 76  
   pH of, 364  
   problems  
     important pollutant causing, 416  
     watershed indicators of biological, 103  
   quality, components of integrated approach to  
     assess, 102  
   segment of interest, monitoring cost estimate for  
     single outfall in single, 215  
   swimming areas in urban, 28  
   target factor, 111

- typical urban, 216
- ultra-urban area affecting local, 182
- wet-weather flow impacts on, 15
- Receiving water data, statistical analyses of, 575–607
  - comments on selected statistical analyses
    - frequently applied to receiving water data, 582–605
    - analysis of trends in receiving water investigations, 601–603
    - comparing multiple sets of data with group comparison tests, 588–591
    - data associations, 591–596
    - determination of outliers, 582–583
    - exploratory data analyses, 583–588
    - regression analyses, 596–600
    - specific methods commonly used for
      - evaluation of biological data, 603–605
  - selection of appropriate statistical analysis tools and procedures, 575–582
    - computer software and recommended statistical references to assist in data analysis, 576–580
    - selection of statistical procedures, 580–582
  - statistical elements of concern when conducting receiving water investigation, 605–606
- Receiving water uses, impairments, and sources of stormwater pollutants, 15–45
  - beneficial use impairments, 22–29
    - biological uses, 27–28
    - human health-related uses, 28–29
    - recognized value of human-dominated waterways, 22–26
    - recreation uses, 26–27
    - stormwater conveyance, 26
  - likely causes of receiving water use impairments, 30
  - major urban runoff sources, 31–42
    - construction site erosion characterization, 32–34
    - urban runoff contaminants, 34–42
- Receptor model, 475
- Reconnaissance surveys, 257
- Redear sunfish, 134, 704
- Redfin shiner, 703
- Redox potential, 77
- Red shiner, 703
- Redside dace, 702, 706
- Redside shiner, 701
- Reference watershed, 111
- Reformed seining, 505
- Refrigerant, 6
- Refuge areas, 150, 404
- Regression
  - analyses, 596, 599
  - equation, 600
  - methods, 602
  - model, verifying of, 599
- Regulatory agencies, fines imposed by, 233
- Regulatory program, 8–10
- Relative standard deviation (RSD), 432
- Relative toxicity, calculation of, 732
- Replicate sampling, 665
- Representative qualitative sample, 693
- Reservoirs, man-made, 126
- Residuals, graphical analyses of, 597
- Residue management, 4
- Resource extraction, 4, 5, 7, 16
- Resuspension
  - effects, 521
  - events, 348
  - velocity, 545
- Reverse osmosis (RO), 203, 430
- Rhepoxynius abronius*, 527
- Rhinichthys atratulus*, 706
- Rhodamine B, 363
- Rhodamine WT, 364, 365, 369
- Rhododendrons, 667
- Rhoicosphenia curvata*, 138
- Rhopalodia* spp., 138
- Riffle
  - habitats, 645
  - pool boundary, 409
  - /run
    - quality, 649, 650
    - sample, 666, 674
- Riffle beetles, 52
- Riffle sculpin, 53
- Riparian areas, debris in, 27
- Riparian cover factor, 111
- Riparian habitats, 409
- Riparian vegetation, 150, 618
  - removal of, 75
  - stabilization of stream banks by, 63
- Riparian zone, 648
- Riprapping, 142
- Risk characterization, 11, 113, 619
- River(s)
  - classification system, 652
  - concentration profiles of toxicants in, 547
  - mouth, 409
  - pollutants and sources impairing U.S., 16
  - screening approach for metals in, 544–545
  - sluggish, 134
  - swimming beaches, 84
  - temperature profiles in, 410
- River carpsucker, 703
- River chub, 702, 706
- River darter, 704, 707
- River redhorse, 703, 706
- River shiner, 703
- RO, *see* Reverse osmosis



- Road construction, 4
- Roadside fertilizer application, 7
- Roanoke bass, 707
- Roanoke hog sucker, 706
- Rock bass, 414, 704, 707
- Roof
  - disconnections, 631
  - drainage, 184
  - runoff, 23
- Rooftop temperature data logging, 412
- Rosefin shiner, 703, 706
- Rosyface shiner, 703, 706
- Rotenoning, 505
- Round whitefish, 705
- Rovers, biological integrity of, 104
- RSD, *see* Relative standard deviation
- Run habitats, 645
- Running water ecosystems, characteristics of, 492
- Runoff, *see also* Urban runoff
  - adverse aquatic life effects caused by, 50
  - agricultural, 47
  - calculated total, 283
  - construction site, 43
  - distribution characteristics, 354–355
  - effect assessments, 402
  - events, duration of, 371
  - fecal indicators in stormwater, 82
  - habitat problems caused by, 54
  - heavy metals in stormwater, 76
  - highway, 83
  - long-term aquatic life effects of, 92
  - manure-laden, 89
  - monitoring projects, urban, 36
  - on-site, effect of from industry, 207
  - pollutants, urban, sources of, 157
  - presence of bacteria in stormwater, 465
  - sources, major urban, 31
  - volume, 397
    - errors, 383
    - predicted, 850
    - reduction benefits, cost-effectiveness data for, 635
  - water
    - matrix, 431
    - sources, 157
    - yields, stormwater, 159
- Run–riffle–pool sequence, 404
- Rural Clean Water Program, 601
  
- S**
- Sacramento squawfish, 53
- Sacramento sucker, 53, 134, 135
- Safety glasses, over-the-glasses, 739
- Saffron shiner, 706
- Sailfin shiner, 706
- Salmo
  - clarki*, 74, 414
  - gairdneri*, 74, 414, 520, 536, 706
  - salar*, 414, 706
  - trutta*, 74, 414, 536, 706
- Salmon
  - density, 153
  - effects of sedimentation on stream-living, 154
  - embryos, survival of, 165
  - fishery, 155
- Salmonella*, 83, 86
  - thompson*, 86
  - typhi*, 622
  - typhimurium* var. *copenhagen*, 86
  - typhosa*, 816
- Salmonellosis, 621
- Salt applications, for winter traffic safety, 62
- Salt dilution, 358
- Saltwater, 799
- Salvelinus
  - alpinus*, 706
  - confluentus*, 706
  - fontinalis*, 74, 414, 520, 536, 706, 717
  - malma*, 706
  - namaycush*, 414, 706
- Sample(s)
  - analysis of, 732
  - bottle(s)
    - cleaning, 269
    - options, American Sigma, 279
  - collection, 254, 273
  - concentration variations, determining, 236
  - containers, 269
  - CPOM, 669, 679
  - field processing of, 271
  - fraction of rated as toxic, 524
  - handling and preservation, 730
  - laundry detergent, 483
  - number of needed for comparisons between different sites, 244
  - number of needed to characterize conditions, 231
  - number of needed to identify unusual conditions, 243
  - preservation, 274
  - processing, 694
  - representative qualitative, 693
  - riffle/run, 666, 674
  - setup options, 224
  - shipping of, 272
  - size equations, environmental research, 235
  - sorting, 667
  - transfer, 304

- transportation of to laboratory, 273
- volumes, 263
- Sampler(s)
  - aromatic, 224
  - automatic, 259
    - flow-weighted, 288
    - line flushing, 282
    - refrigerated, 280
    - source area, 299
  - bedload, 295, 296, 410
  - choosing appropriate sediment, 315
  - cleaning of, 270
  - comparison of substrate, 500
  - corer, 289, 323
  - cycle time, 283
  - dipper, 290, 453
  - dredge, 315
  - freezing core, 316, 322
  - grab, 315, 496, 685
  - horizontal water, 291
  - induced pressure waves, 315
  - manual pump, 292
  - manual sheetflow, 298
  - modifications, 224
  - Orange-Peel, 316
  - periphyton, 501
  - Peterson, 316
  - plastic, 333
  - polyvinyl, 255
  - Ponar, 316
  - precipitation, 313
  - rain gauge, 286
  - retrieval of, 681
  - sediment
    - depth-integrated, 294
    - popular, 316
  - semiautomatic, 259, 299
  - settleable solids, 295
  - sheetflow
    - manual, 298
    - semiautomatic, 299
  - Shipek, 316
  - siphon, 287, 288
  - Smith-McIntyre, 317
  - sticky paper fugitive, 312
  - stream-net, 499
  - submerged water, 290
  - suspended particulate, 312
  - tripped vertical water, 291
  - tube, 292
  - Van Veen, 316, 317
  - Vortex, 299
- Sampling
  - artifacts associated with, 531
  - atmospheric contribution, 310
  - automatic, advantages of manual sampling
    - compared to, 260
  - bacteria, 281
  - benthos, 491, 549
  - cluster, 225
  - dip net, 498
  - dry, 301
  - dry-weather, 188
  - effort, marginal benefit associated with
    - increasing, 243
  - error, 233, 251
  - first-flush, 285
  - fish, 502
  - floatable litter, 296
  - floatable material, 224
  - flow-weighted composite, 283, 285
  - haphazard, 225
  - hyporheic, 326
  - judgment, 225
  - lines, losses of particles in, 282
  - locations
    - number of needed to be represented in
      - monitoring program, 238
    - selection of, 256
  - macroinvertebrate, 494
  - manual, 259, 260
  - methods
    - fish, 505
    - macroinvertebrate, 497
  - microbiological, 289
  - for microorganism evaluations, 487
  - multistage, 225
  - path, 652
  - paired, 258
  - periphyton, 493
  - plans, 225
  - pore water, 313
  - probability, 225
  - problems, 347
  - procedures
    - manual, 289
    - street surface particulate, 301
  - program, street dirt, 306
  - protozoan, 494
  - random, 226
  - replicate, 665
  - routines, Monte Carlo, 577
  - safety considerations, 255
  - search, 226
  - sediment, 313
  - soil, source area, 300
  - source area, 278, 297
  - station(s), 284
    - downstream, 361
    - lengths, 693

- stratified random, 225
- strategies, 356
- system, multilocation, 193
- systematic, 225
- time-discrete, 299
- time-weighted composite, 285
- Sampling effort and collection methods, 223–344
  - basic sample collection methods, 336–338
  - data quality objectives and associated QA/QC requirements, 254
    - identifying needed detection limits and selecting appropriate analytical method, 252–254
    - quality control and quality assurance to identify sampling and analysis problems, 247–252
  - experimental design, 224–247
    - determining number of samples needed to identify unusual conditions, 243–244
    - factorial experimental designs, 227–231
    - need for probability information and confidence intervals, 245–247
    - number of samples needed to characterize conditions, 231–243
    - number of samples needed for comparisons between different sites or times, 244–245
    - sampling plans, 225–227
  - general considerations for sample collection, 254–277
    - basic safety considerations when sampling, 255–256
    - personnel requirements, 275–277
    - sampler and other test apparatus materials, 260–263
    - selecting sampling locations, 256–260
    - volumes to be collected, container types, preservatives to be used, and shipping of samples, 263–275
  - receiving water, point source discharge, and source area sampling, 278–313
    - automatic water sampling equipment, 278–289
    - manual sampling procedures, 289–297
    - source area sampling, 297–313
  - sediment and pore water sampling, 313–336
    - interstitial water and hyporheic zone sampling, 326–336
    - sediment sampling procedures, 313–324
- Sand roller, 701
- Sand shiner, 703
- Sandy soil conditions, infiltration rates of, 395
- Sanitary landfills, 4
- Sanitary sewer overflows (SSOs), 195
- SAS Institute, 579
- Sauger, 415, 704
- Scatterplots, 586
- Scioto madtom, 704
- Scorecard Litter Rating (SLR) Program, 399
- Score plots, of principal components, 595
- Sculpins, 707
- Sea lamprey, 701
- Search sampling, 226
- Seasonal Kendall test, 603
- Seattle tests, 398
- Secchi disk, 416
  - transparency data, 175
  - transparency observations, 176
- Sediment
  - artificial, 534
  - bacteria conditions, 17
  - bedload, 409
  - bioaccumulation studies, chambers for conducting, 541
  - bioassay tests, 155
  - characterization, 325
  - chemical analyses, 117
  - collection methods, 327
  - cores, 324
  - criteria, 521
  - deposition, effect of erosion on, 156
  - deposits, 660
  - depth-integrated samples for suspended, 292
  - devices for collecting, 319
  - exposure chamber units, 532
  - feeders, 495
  - guidelines, 837
  - integrity, 323
  - mixing of with drill auger, 325
  - oils, 660
  - oxygen demand (SOD), 117, 196, 204, 417
  - PAH-contaminated, 540
  - particle size, 103
  - phases, used in toxicity tests, 521
  - profiles, devices for obtaining, 320
  - properties, 128
  - quality, 131
    - analyses, 107
    - criterion, 234
    - guidelines, 837, 838
    - triad, 91, 611
  - receiving water problems caused by, 416
  - sampler(s)
    - choosing appropriate, 315
    - depth-integrated, 294
    - guidelines, 317
    - popular, 316
  - scour of bottom, 408
  - shallow stream with contaminated, 336
  - standard testing protocols, 527
  - suspended, impacts associated with, 413

- toxicity tasks, 729
- transport, 143, 408, 618
- traps, 295
- Seed
  - germination, 519
  - pretreatment, 6
- Selenastrum capricornutum*, 108, 114, 206, 268, 517, 520, 546, 721
- Semiautomatic samplers, 259
- Semiautomatic sheetflow samplers, 299
- Semipermeable membrane devices (SPMDs), 212, 333, 536
- Semiquantitative survey, routine initial, 191
- Semivolatile organic compounds, 189
- Semotilus margarita*, 706
- Sen's nonparametric estimator of slope, 603
- Separate sewer overflows (SSOs), 68
  - discharge point, 199
  - evaluation project, 333
- Septic systems, 20
- Septic tank(s)
  - discharge, 472
  - failures, 460
  - suspected failing, 481
- Sequential extraction procedures, 458
- Serratia marcescens*, 487
- Settleable solids samplers, 295
- Settling column tests, 456
- Settling velocity(ies), 545
  - methods to measure stormwater, 454
  - particle size and, 451
  - settling column tests for, 456
- Sewage
  - contaminated waters, 196, 200
  - discharges, into urban streams, 85
  - disposal
    - overboard, 625
    - systems, on-site, 7
  - fecal coliform bacteria as indicators of
    - inappropriate discharges of sanitary, 464
  - pathogens from raw or poorly treated, 86
  - raw, 202
  - treatment of sanitary, 25
  - treatment plant, 419
- Sewerage
  - inlet cleaning, 164
  - maintenance, 12
- Shallow water vibratory core collection, 321
- Shannon index calculations, 506
- Sheetflow sampler, 298
- Shellfish harvesting, 114, 610
- Shigella*, 62, 87, 197, 486, 821
- Shigellosis, 621
- Shipek sampler, 316
- Shipping containers, 272
- Shock-sensitive materials, 756
- Shore zones, 666
- Shorthead redhorse, 703
- Shortnose gar, 702
- Short-term exposure limit (STEL), 764
- Shredder abundance, 667
- Shredders, 410
- Shrubbery, as shade for stream aquatic life, 145
- Sicydium stimpsoni*, 707
- Side stream
  - detention ponds, 210
  - fish bioassay tests, 54
- SIE, *see* Stressor Identification Evaluation
- Sieve analyses, 407, 454
- SigmaPlot, 578
- SigmaStat, 578
- Silver chub, 702
- Silverjaw minnow, 703
- Silver lamprey, 701
- Silver redhorse, 703, 706
- Silver shiner, 706
- Silvex, 159
- Silviculture, 4, 5, 7
- Simazine, 118
- Siphon samplers, 287, 288
- Site
  - assessment, initial, 110
  - topography, 33
- Skimmer boats, 70
- Skipjack herring, 702
- SLAMM, *see* Source Loading and Management Model
- Slaughterhouse wastes, 89
- Slender madtom, 704, 707
- Slimy sculpin, 705
- Slope, Sen's nonparametric estimator of, 603
- Slough darter, 707
- SLR Program, *see* Scorecard Litter Rating Program
- Sludge farm runoff, 7
- Slug discharge test, 368
- Smallmouth bass, 74, 415, 536, 704
- Smallmouth buffalo, 703
- Smith–McIntyre sampler, 317
- Snakes, urban stream corridors as habitat for, 67
- Snowmelt, 34, 626
- Sockeye salmon, 152, 414, 705
- SOD, *see* Sediment oxygen demand
- Sodium
  - adsorption ratio, 526
  - hypochlorite, 740
- Soil
  - age, 391
  - bank, 618
  - characteristics, 300
  - clayey, 396

- column extraction method, 394
- compact sandy, 396
- compaction, 391, 397
- compost-amended, 397
- conditions, infiltration rates of sandy, 395
- erodibility, 33
- erosion, 31, 311
- evaluations, 388
- extraction kits, 436
- infiltration
  - characteristics, importance of field tests of, 396
  - rates, 229
  - test plot, 390
- insects, 390
- measurement of infiltration rates in disturbed urban, 389
- moisture measurements, 392
- noncompact sandy, 396
- samples, detection of PAHs in, 167
- sampling, source area, 300
- studies of depth of pollutant penetration in, 63
- surveys, 549
- texture measurements, 393
- triangle, 393
- type, 452
- urban, infiltration rates in disturbed, 394
- washoff of during rain, 627
- Solar panel, exposure of to vandalism, 374
- Solid(s)
  - bedded, 71
  - dissolved, 71, 158
    - aquatic life criteria for, 823
    - classification of, 72
    - human health criteria for, 822
    - total, 189, 191
  - solution reactions, 329
  - suspended, 71, 103, 131, 352, 446, 612, 834
    - classification of, 72
    - effects of on aquatic macroinvertebrates, 73
    - effects of on fish, 74
    - water quality criteria for, 835
- Soluble reactive phosphorus, 146, 147
- Sorption, 79, 81
- Source area sampling, 278, 297, 300
- Source Loading and Management Model (SLAMM), 353, 629, 854, 858
- Southern redbelly dace, 702, 706
- Soybean farming, 5
- SPADNS reagent, 441
- Spearman's Rank Correlation, 679
- Species
  - intolerant, 698
  - level identifications, 683
  - population number, 612
  - richness, 115, 697
- Speckled chub, 702
- Speckled dace, 701
- Speckled madtom, 707
- Spectrophotometer, 429
- SPMDs, *see* Semipermeable membrane devices
- Spotfin shiner, 703
- Spottail shiner, 703, 706
- Spotted bass, 415, 704
- Spotted gar, 702
- Spotted sucker, 703, 706
- SS, *see* Suspended solids
- SSOs, *see* Separate sewer overflows
- Standards and regulations, compliance with, 13
- Staphylococcus aureus*, 87
- State-discharge curve, 359
- Statistical procedures, selection of, 580
- Statistical reference books, 576
- Statistical software programs, 575, 577
- Statistics, 579
- StatSoft, 579
- StatXact-Turbo, 590
- Steelcolor shiner, 703, 706
- STEL, *see* Short-term exposure limit
- Stenodus leucichthys*, 706
- Sticky paper fugitive dust samplers, 312
- Stizostedion
  - canadense*, 415
  - vitreum*, 415
- Stonecat, 704, 707
- Stoneflies, 152
- Storage, Treatment, Overflow Runoff Model, 854
- Storm drainage
  - identifying inappropriate discharges into, 463, 484
  - sources of inappropriate discharges into, 459
  - systems, 33, 142
- Storm drain outfalls, 127
  - health outcomes for swimming in front of, 194
  - swimming in front of, 820
- Storm event(s)
  - hydrodynamics, 349
  - influence of on chemical element dynamics, 348
  - levels of organic nutrients during, 73
- Storm samples, event-mean concentrations for series of, 239
- Stormwater
  - aesthetic use of, 25
  - assessments, strengths and weaknesses of toxicity tests in, 511
  - BOD analyses, 75
  - characteristics, 43, 190
  - chronic toxicity associated with, 19
  - contamination, potential for, 207
  - conveyance, 26, 166, 610
  - direct pathogen monitoring in, 29
  - event, attributes of, 20

- hardness, 159
  - human health effects of, 85
  - hydrometer analyses of, 456
  - indicator categories, 104
  - infiltration, 25
    - devices, 62
    - groundwater impacts from, 56
  - inlet sediment volumes, 162
  - management
    - planning, 10–11
    - practices, 139, 183
  - microorganisms in, 485
  - models, 12, 307
  - monitoring, rain gauges suitable for, 378
  - organic matter in urban, 76
  - outfall, swimming near, 28
  - pathogens, 82, 620
  - permit program, 849
  - pollutants, sources of, *see* Receiving water uses, impairments, and sources of stormwater pollutants
  - pond, advertising benefits of, 25
  - potentials for extreme heterogeneity in, 22
  - receiving water problems associated with, 22
  - removal of phosphorus from, 169
  - runoff
    - characteristics of, 35
    - effects, 256
    - heavy metals in, 76
    - problem of, 3–4
    - warm weather, 42
    - yields, 159
  - safety concerns with, 66
  - sample(s)
    - analyses priority for automatically collected, 189
    - extractions, 779
  - sources, identifying and prioritizing critical, 626
  - toxicants, potential sources of, 6
  - toxicity, 513
  - treatment system operating cost breakdown, 172
  - typical microscopic view of particles in, 457
- Straight-line model, 241
- Stratified random sampling, 225
- Stream(s)
- alteration, beneficial effect of, 151
  - aquatic life, shade provided for, 145
  - assessment factors, for nonpoint source-affected streams, 111
- bank(s)
- characteristics, 411
  - modification, 4
  - stabilization of by riparian vegetation, 63
- bed
- erosion, 143, 155
  - /sediment monitoring, 410
  - canopy, 206
  - channelized urban, 26
  - characterization, 120, 125, 142
  - depth
    - estimated, 660
    - gauges, 121
  - diagram, 652
  - discharge, 349, 369, 660
  - fishing in urban, 29
  - flow, 617
    - analyses, 107
    - monitoring in, 357
  - friction slope, 350
  - hydraulics, 618
  - hydrologic balance, permanent change of, 65
  - improvement projects, 56
  - inappropriate sanitary sewage discharges into urban, 85
  - map, 652
  - measurements, 651
  - models
    - non-toxic constituents in, 864
    - predicting pollutant fates using, 544
  - monitoring, intermittent, 280
  - parameters, potential effects of sources of alteration on, 21
  - reach factor, 111
  - recovery program, 25
  - stability, protection of, 65
  - staff gauges, 349
  - temperature profiles in, 410
  - type, 657
  - velocity, 360, 660
- Streamline chub, 702
- Stream-net samplers, 499
- Streamside cover, 662
- Street
- cleaning, 631, 632, 633
    - effects of in controlling urban runoff pollutant discharges, 163
    - equipment, 163
    - subsample, 304
  - construction material, 303
  - pavement condition, 305
  - surface particulate sampling procedures, 301
  - texture, 308
- Street dirt
- accumulation
    - measurements of, 305
    - rates, 305
  - contributions of to urban runoff discharge, 161
  - loading, 308
  - samples, PAHs found in, 161
  - sampling program, 306
  - subsample collection, 302
  - washoff, 307

- Streptococcus
  - bovis*, 486
  - faecalis*, 87, 486
- Stress
  - demonstration, 616
  - productivity–predation relationships, 346
- Stressor(s)
  - cause-and-effect relationships between biological impairments and, 637
  - class identification, 616
  - combinations, 103
  - examples of identifying, 538
  - exposures, 533
  - Identification Evaluation (SIE), 91
  - loadings, 207
  - potential sources of, 122
  - reduction, 123
- Stressor categories, effects on humans and ecosystems and, 47–98
  - effects of runoff on receiving waters, 47–63
    - adverse aquatic life effects caused by runoff, 50–54
    - fish kills and advisories, 49–50
    - groundwater impacts from stormwater infiltration, 56–63
    - indicators of receiving water biological effects and analysis methodologies, 48–49
    - observed habitat problems caused by runoff, 54–56
  - receiving water effect summary, 90–92
- stressor categories and effects, 63–90
  - aesthetics, litter/floatingables, and other debris associated with stormwater, 68–71
  - dissolved oxygen, 73–75
  - nutrients, 76
  - pathogens, 78–90
  - safety concerns with stormwater, 66–68
  - solids, 71–72
  - stream flow effects and associated habitat modifications, 63–66
  - temperature, 75–76
  - toxicants, 76–78
- Striped bass, 414, 536, 704
- Striped jumprock, 707
- Striped shiner, 703
- Student current meter, 359
- Student–Newman–Keuls test, 591
- Student's *t*-tests, 589
- Subsample
  - classification of organisms in, 668
  - collection of, 303
  - street cleaning, 304
  - street dirt, 302
- Substrate
  - artificial, 683
  - characterization, 407
  - quality factor, 111
  - samplers, comparison of, 500
  - samples, bug picking from, 498
- Subsurface
  - coal mining, 4
  - flow measurements, 394
- Suburban transit, 187
- Suckermouth minnow, 702
- Sucker species, 508, 698
- Sulfate, 132
- Sulfide-bound metals, 327
- Sulfuric acid, 740
- Sump pump discharges, 461
- Sunfish species, 508, 697
- Superfund sites, 619
- Surface
  - coal mining, 4
  - cover, 33
  - groundwater interaction, 362
- Surface water
  - pollutants, 104
  - quality, 146
  - sampling locations, constituents monitored at, 192
- Surfactant(s)
  - analyses, 472
  - LAS from synthetic, 479
- Surrogate species, laboratory-derived toxicity values for, 614
- Survival data, 604
- Suspended sediment
  - depth-integrated samplers for, 292
  - impacts associated with, 413
  - samples, 224
- Suspended solids (SS), 71, 103, 118, 198, 446, 612, 834
  - classification of, 72
  - effects of on aquatic macroinvertebrates, 73
  - effects of on fish, 74
  - reduction benefits, 635
  - water quality criteria for, 835
- Suspension feeders, 495
- Swallowers, 495
- Swamp darter, 707
- Swamps
  - cedar, 52
  - urban runoff-affected, 52
- Swimmer's ear, 87
- Swimming, 114
  - areas, in urban receiving waters, 28
  - beaches, river, 84
  - in front of storm drain outfalls, 194, 820
- Synedra*, 138, 175
- Synthetic organics, 7
- Synthetic pyrethroids, 436, 535

SYSTAT, 379, 578

Systematic sampling, 225

## T

Tadpole madtom, 704

Taxa richness, 671, 674

TDS, *see* Total dissolved solids

Tebuthiuron, 118

Telecommunications industry, 736

Telemetry equipment, 286

Telescope shiner, 706

Tennessee shiner, 706

Teratogenicity, 507

Termite control, 6

Test(s)

ANOVA, 580, 599

apparatus materials, 260

aqueous phase, 520

artificial substrate macroinvertebrate

colonization, 121

bacteria, 433

bioaccumulation, 269, 616, 724

Bonferroni *t*-, 591

Chi-square goodness of fit, 586

comparing multiple sets of data with group

comparison, 588

comparison, 580

correlation, 470

double-ring infiltration, 229

Duncan's multiple range, 591

Dunner's 591

Durbin-Watson, 598

earthworm, 519

end of, 714, 722

field, 396

fish bioassay, 54

HACH detergents, 471

homogeneity, 177

honest significant difference, 604

infiltration, apparatus, 389

*in situ*, advantages of, 531

in-stream toxicity, 168

kit performance, 430

Kolmogorov-Smirnov one-sample, 586

Kruskal-Wallis ANOVA on ranks, 588, 591

Mann-Kendall, 175, 176, 582, 602

Mann-Whitney signed rank, 590

Mann-Whitney U, 470, 475

microbial activity, 523

Microtox screening, 445, 513, 730

nonparametric, 581

outfall, for optical brighteners, 440

parametric, 581

pathogen die-off, 200

pavement, rainfall-runoff responses for, 850

peeper, 204

photosynthesis/respiration, 440

pore water toxicity, 267

Seasonal Kendall, 603

Seattle, 398

sediment bioassay, 155

settling column, 456

slug discharge, 368

SOD, 122

soil infiltration, 390

Student's *t*-, 589

Student-Newman-Keuls, 591

toxicant reduction, 525

toxicity

ambient, 665

approaches, 512

ASTM standards on, 712

emerging tools for, 536

*in situ*, 530

macrofaunal, 523

sediment phases used in, 521

strengths and weaknesses of in stormwater

assessments, 511

washoff, 306

waters, fluorescence of, 471

whole effluent toxicity, 48, 507, 514

Wilcoxon rank sum, 590

Tetrachloroethylene, 38, 61, 801

Tetrahydrofuran, 261

Textile mills products, 187

Thalidomide, 744

Threadfin shad, 135, 414, 702

Three spine stickleback, 53, 134, 135, 701

Threshold limit value (TLV), 764

*Thymallus oligolepis*, 706

TIE, *see* Toxicity identification evaluation

Time-discrete sampling, 299

Time-of-travel velocity meters, 377

Time-weighted composite sampling, 285

Tippecanoe darter, 705

Tipping bucket rain gauges, 387, 388

Tire wear, 7

TLV, *see* Threshold limit value

TMDL, *see* Total maximum daily load

TOC, *see* Total organic carbon

Tolerance classification(s), 506

agencies having developed, 687

family-level, 680

Toluene, 6, 38, 61, 740, 744, 801

Tonguetied minnow, 702

Topeka shiner, 706

Torrent sculpin, 701



- Torrent sucker, 707
- Total dissolved solids (TDS), 118, 189, 191, 252
- Total Kjeldahl nitrogen, 42, 158, 160
- Total-load stations, 293
- Total maximum daily load (TMDL), 10, 11, 798, 844, 852
- Total organic carbon (TOC), 130, 191, 325
- Total petroleum hydrocarbons (TPH), 191, 435
- Total suspended solids (TSS), 184
- Toxaphene, 803, 827
- Toxicant(s)
- concentration profiles of in rivers, 547
  - food as source of, 620
  - mixtures, measuring effects of in organisms, 515
  - reduction tests, laboratory-scale, 525
  - sources, 629
- Toxicity, 763
- assay considerations, 522
  - assessment, 113
  - identification evaluation (TIE), 116, 122, 208, 514, 729
    - protocol, 538
    - scheme, 458
    - screening, 526
  - particulate-associated, 19
  - testing, 107
    - approaches, 512
    - ASTM standards on, 712
    - emerging tools for, 536
    - in situ*, 530
    - in-stream, 168
    - sediment phases used in, 521
    - strengths and weaknesses of in stormwater assessments, 511
- Toxicity and bioaccumulation testing, 709–734
- general toxicity testing methods, 710
  - in situ* testing using confined organisms, 724–729
  - methods for conducting long-term sediment toxicity tests with *Chironomus tentans*, 718–724
    - collection of egg cases, 719
    - dissolved oxygen, 720–721
    - ending of test, 722–723
    - feeding, 720
    - hatching of eggs, 719–720
    - interpretation of results, 723–724
    - monitoring emergence, 722
    - monitoring survival and growth, 721
    - placing organisms in test chambers, 720
  - methods for conducting long-term sediment toxicity tests with *Hyalomma azteca*, 710–718
    - acclimation, 713
    - ending of test, 714–716
    - feeding, 713
    - interpretation of results, 716–717
    - monitoring of test, 713–714
    - placement of sediment into test chambers, 710
    - placing organisms in test chambers, 713
- Microtox screening test, 730–733
- apparatus, 731
  - calculations, 732–733
  - health and safety information, 733
  - interferences, 730
  - precision and accuracy, 733
  - procedure, 731–732
  - reagents, 731
  - sample handling and preservation, 730
  - scope and application, 730
  - summary of method, 730
  - toxicity identification evaluations, 729
- Toxic unit (TU), 516
- TPH, *see* Total petroleum hydrocarbons
- TRACCS 2000 continuous-flow analyzer, 449
- Tracer(s), 377, 463
- artificial, 362, 364
  - characteristics, of local source flows, 466
  - dye, 362
  - flow monitoring using, 361
  - naturally occurring, 363
- Trailer parks, 185
- Transition zones (TZ), 326
- Transparency, measurement of, 416
- Transportation equipment, 187
- Trash
- boom, 70
  - floatable, 29
  - racks, 67
- Trend(s)
- analyses
    - examples of, 109
    - preliminary evaluations before use of, 601
    - statistical identification of, 601
- Triazines, 436
- Tributyltin, 807
- Trichloroethylene, 61, 740
- 2,4,6-Trichlorophenol, 448
- 3,5,6-Trichloropyridonol, 436
- Trichoptera, 491, 495, 688
- Trihalomethanes, 62
- Trinitrotoluene, 741
- Trip blank, 248
- Tripped vertical water sampler, 291
- Trophic composition metrics, 698
- Trout-perch, 704
- TSS, *see* Total suspended solids
- TU, *see* Toxic unit
- Tube sampler, 292

Tubificids, 52, 137  
 Turbidity, 131, 424, 446, 469, 658, 834  
   excessive, 694  
   probes, 439, 784  
   relationship between *Daphnia magna* toxicity  
     and, 543  
   sensors, 371  
   values, 204  
 TV surveys, 484  
 Typhoid fever, 621  
 TZ, *see* Transition zones

## U

UF, Urea formaldehyde  
 Underground parking garages, 23  
 Underground storage tanks, leaks from, 461  
 Unit area loadings, 845  
 UNIX, 578  
 Upstream–downstream sampling design, 209  
 Upstream flow rate, 367  
 Urban aquatic environments, metal  
   bioaccumulations in, 133  
 Urban area pollutant yields, 37  
 Urban bacteria sources, 82  
 Urban Catchment Model, 854  
 Urban drainage elements, 23  
 Urban fishing, 29  
 Urban hydrology, 351  
 Urbanization, 65  
 Urban models, attributes of, 856  
 Urban planning, initiated, 628  
 Urban runoff  
   assessment of priority pollutant concentration in,  
     131  
   cause-and-effect relationships between receiving  
     water conditions and, 30  
   controls, 163  
   discharge,(s)  
     street dirt contributions to, 161  
     use of dry detention basins in controlling, 164  
   effects of on receiving water aquatic organisms,  
     91  
   hazardous substances observed in, 38  
   heavy metals, 79  
   monitoring, 36, 137  
   pollutant(s)  
     concentrations, 39  
     sources of, 36, 143, 157  
   sources, major, 31  
   total solids in, 167  
   yields, sewerage inlet cleaning effects in  
     reducing, 164

Urban soils  
   infiltration rates in disturbed, 394  
   measurement of infiltration rates in disturbed, 389  
 Urban stormwater  
   contaminants, sources of, 626  
   organic matter in, 76  
 Urban watersheds, rainfall distribution in, 382  
 Urban waterways, stressed, 27  
 Urea formaldehyde (UF), 59  
 U.S. Environmental Protection Agency (EPA), 3  
   CSOs required by, 69  
   multimetric approach used by, 116  
   National Pollutant Discharge Elimination  
     System, 8, 513, 847  
   National Water Quality Inventory released by,  
     78  
   Nationwide Urban Runoff Program, 34, 65, 615,  
     629  
   -sponsored research, on stormwater indicators, 30  
 U.S. Geological Survey (USGS), 139  
 USGS, *see* U.S. Geological Survey

## V

Vacuum  
   cans, reassembling of, 305  
   pump, 742  
   units, 304  
 Vandalism, 374  
 Van Veen sampler, 316, 317  
 Vapor  
   density, 749  
   pressure, 749  
 Variegate darter, 705  
 Vegetation  
   overhanging, 647  
   riparian, 150, 618  
   surrounding outfall, 469  
 Velocity meters, 377  
 Vibratory corers, 316, 324  
 Vibrio  
   *cholerae*, 622  
   *parahemolyticus*, 818  
 Vinyl chloride, 801  
 Viral adsorption, 61  
 Viral gastroenteritis, 621  
 Viruses, 90, 490  
 VOCs, *see* Volatile organic compounds  
 Volatile organic compounds (VOCs), 61, 78  
 Volatile suspended solids (VSS), 118, 131, 198  
 Volatilization, 78, 79, 80  
 Vortex sampler, 299  
 VSS, *see* Volatile suspended solids

**W**

- Walleye, 415, 704
- Warm-water fishery, 27
- Washoff
  - equation, 307
  - street dirt, 307
  - tests, small-scale, 306
- Waste
  - assimilation capacity, 412
  - containers, guidelines for, 760
  - disposal methods, *see* Laboratory safety, waste disposal, and chemical analyses methods
  - load allocations, conventional pollutants model comparison as used in, 865
- Wastewater(s)
  - effluent, treated, 88
  - samples, sampling and handling requirements for, 264–265
  - sanitary, 472, 473
  - treatment, on-site, 4
- Water(s)
  - accelerated eutrophication of, 830
  - anion chromatographic conditions in, 450
  - background fluorescence in, 365
  - balance, treatment system, 173
  - cation chromatographic conditions in, 450
  - chemical analyses, 117
  - clarity, 651
  - collection methods, 533
  - column
    - pollutants, interaction of contaminated sediments and, 201
    - quality, 51
    - surrogate, 528
  - contact recreation, 22, 624, 820
  - creek interstitial, 148
  - deionized, 783
  - dilution, 717, 718, 719
  - fluorescence of test, 471
  - hardness, 825
  - holding capacity, 394
  - interstitial
    - bacteria populations, 203
    - chemistry, 203
    - collection methods, 318
    - degradation of, 202
    - immediate collection and analysis of, 328
    - isolation of, 329
    - measurements, 202, 327
    - quality, 371
    - sampler selection guidelines, 317
  - irrigation, 474
  - moccasin, 256
  - odors, 658
  - pathogen-contaminated, 85
  - pore
    - sampling, 313
    - squeezer, 329
    - toxicity test, 267
    - type of container and conditions recommended for storing samples of, 266–267
  - quality, 128, 216, 656
    - analyses, 107
    - baseflow, 160
    - characteristics, measurement of, 713
    - construction site runoff, 33
    - evaluations, 425, 618
    - indicators, 105
    - in-stream, 143
    - monitoring sonde, 782
    - observations, 585
    - overlying, 724, 725, 727
    - parameters, long-term *in situ* measurements of, 427
    - pollutant constituent monitoring, 105
    - probes, 281
    - riparian zone components possibly affecting, 411
    - violations, 356
  - reactive chemicals, 755
  - receiving, pH of, 364
  - Reverse Osmosis quality, 203
  - runoff, sources, 157
  - sampler(s), 293
    - horizontal, 291
    - open vertical, 291
    - tripped horizontal, 291
    - tripped vertical, 291
  - samples
    - blank, 309
    - sampling and handling requirements for, 264–265
  - sewage-contaminated, 196, 200
  - stable isotope methods for identifying sources of, 481
  - stage, 651
  - standard testing protocols, 517
  - supplies, human health considerations associated with potentially contaminated, 124
  - surface oils, 658
  - tracing, using fluorescent dyes, 364
  - treated potable, 472
- Waterborne diseases, 90
- Waterfront areas, 25
- Water quality criteria, 797–841
  - ammonia, 813–816
  - bacteria, 816–822

- bacteria criteria for water-contact recreation, 820–822
- development of bathing beach bacteriological criteria, 816–820
- chloride, conductivity, and total dissolved solids, 822–823
  - aquatic life criteria for dissolved solids, 823
  - human health criteria for dissolved solids, 822–823
- chromium, 823–824
  - aquatic life effects of Cr<sup>+3</sup>, 823–824
  - human health criteria for chromium, 824
  - national freshwater aquatic life criteria for CR<sup>+3</sup>, 824
- compilation of recommended water quality criteria and EPA's process for deriving new and revised criteria, 799–813
- copper, 824–825
  - effects of copper on aquatic life, 824–825
  - human health criteria for copper, 825
  - national aquatic life criteria for copper, 825
- EPA's water quality criteria and standards plans, 798–799
- hardness, 825–826
- hydrocarbons, 826–827
- lead, 827–828
  - aquatic life summary for lead, 827–828
  - human health criteria for lead, 828
  - national aquatic life criteria for lead, 828
- nitrate and nitrite, 828–830
  - human health nitrate and nitrite criteria, 829
  - nitrate and nitrite aquatic life criteria, 829–830
- nonpriority pollutant, 806–808
- organoleptic effects, 809
- pH, 832–834
- phosphate, 830–832
- priority toxic pollutant, 800–803
- sediment guidelines, 836–838
- suspended solids and turbidity, 834–835
- zinc, 835–836
  - aquatic life criteria for zinc, 835
  - human health criteria for zinc, 836
- Watershed(s)
  - ammonia in, 192
  - areal rainfall accuracies for fast-responding, 384
  - areas, topographical maps used to determine, 120
  - assessment projects, 346
  - average rainfall depth, measurement of, 382
  - characterization, 125, 141, 183, 348, 351
  - chloride in, 192
  - complexity matrix, 123
  - development factor, 111
  - erosion, 659
  - heavily urbanized city, 17
  - illicit problems in typical, 462
  - increasing urbanization in, 179
  - indicators of biological receiving water problems, 103
  - investigation of parallel, 141
  - land uses of, 258
  - lead concentrations in, 192
  - models, 843
  - multi-, 123
  - nitrate in, 192
  - planning, 276
  - rain depth errors, 383
  - rainfall distribution in urban, 382
  - reference, 111
  - scale loading models, 846
  - sensitive species lost from, 507
  - surveys, 398
  - test sites, monitored annual pollutant discharges for, 40
  - total coliforms in, 192
- Watershed and receiving water modeling, 843–874
  - complex models, 852–855
  - geographical information systems, 857–860
  - receiving water models, 855–857
  - simple models, 846–852
  - unit area loadings, 845–846
- Waterways, human-dominated, 22
- Weather station, 390
- Weight-of-evidence (WOE), 610, 611
- Western banded killifish, 704
- Western sand darter, 705
- WET, *see* Whole effluent toxicity
- Wet detention pond(s), 66, 631, 633
  - effect of, 211
  - people living near, 25
  - recommendations to maximize safety near, 67
- Wetland
  - acreage loss, 104
  - health indicators, 116
- Wet-weather
  - discharge characteristics, land use monitoring for, 239
  - quality, 214
- Wet-weather flow(s)
  - analyses, standard and modified methods for, 448
  - bacteria, 203
  - floatable litter associated with, 68
  - use of multiparameter probe to indicate presence of, 370
- Whisker plots, 587
- White bass, 414, 704
- White catfish, 703
- White crappie, 415, 701, 704
- White perch, 414, 704
- White sucker, 414, 703
- Whitetail shiner, 706

Whole effluent toxicity (WET), 507, 514  
  calculations, 517  
  tests, 48, 507  
Whole-sediment manipulations, 542  
Wilcoxon rank sum test, 590  
Wind  
  error, 386  
  -transported materials, 311  
Windows front-ends, 844  
Winkler titration, 440  
WOE, *see* Weight-of-evidence  
Wood  
  preservatives, 5, 6  
  products, 187

**X**

X-ray fluorescence, 778  
Xylene, 61, 436, 744  
XYZ autosampler, 449

**Y**

Yard wastes, 67  
Yellow bass, 704  
Yellow bullhead, 701  
Yellowfin shiner, 706  
Yellow perch, 415, 701, 704  
Yersiniosis, 621

**Z**

Zero runoff increase (ZRI), 64, 65  
Zinc, 6, 132, 809  
  aquatic life criteria for, 835  
  bioaccumulation of, 133  
  human health criteria for, 837  
Zone of common flooding, 374  
Zoogeography, 653  
Zooplankton, 63, 116, 254, 268, 338, 491, 501  
ZRI, *see* Zero runoff increase





