# **10.0** References

#### Section 2.0: Introduction

- 1. NPCC (2007), "Human Population Impacts on Columbia River Basin Fish and Wildlife," ISAB 2007-3, June.
- 2 Pacific Northwest River Basins Commission (1979), *Water—Today and Tomorrow*, Vancouver, Washington.
- 3. NPCC (2000), *Columbia River Basin Fish and Wildlife Program*, Council Document 2000-19.
- 4. BPA, USACE, USBR (2001), *The Columbia River System: Inside Story*, Federal Columbia River Power System, DOE/BP-3372, second edition, April.
- 5. EPA (2006), 2006-2011 EPA Strategic Plan: Charting Our Course, EPA 190-R-06-001.
- 6. EPA (1992), *National Study of Chemical Residues in Fish*, EPA 823-R-92-008a.
- CRITFC (1994), A Fish Consumption Survey of the Umatilla, Nez Perce, Yakama, and Warm Springs Tribes of the Columbia River Basin, Technical report 94-3, Columbia River Inter-Tribal Fish Commission, Portland, Oregon.
- 8. EPA (2002), *Columbia River Basin Fish Contaminant Survey*, 1996-1998, EPA 910-R-02-006.

# Section 3.0: Toxic Contaminants

- 1. Columbia River Toxics Reduction Working Group (2007), Contaminants Subgroup, "Contaminants of Concern."
- 2. Washington Toxics Coalition (2006), Pollution in People: A Study of Toxic Chemicals in Washingtonians, A Toxic-Free Legacy Coalition Report, May.
- 3. Oregon Environmental Council and the Oregon Collaborative for Health and the Environment (2007), *Pollution in People: A Study of Toxic Chemical in Oregonians*, November.
- 4. Nilsen, E.B., R.R. Rosenbauer, E.T. Furlong, M.R. Burkhardt, S.L. Werner, L. Greaser, and M. Noriega (2007), "Pharmaceuticals, personal care products and anthropogenic waste indicators detected in streambed

sediments of the Lower Columbia River and selected tributaries," in *6th International Conference on Pharmaceuticals and Endocrine Disrupting Chemicals in Water*, National Ground Water Association, Costa Mesa, CA; Paper 4483, p 15.

- 5. Buelow, L. (2008), EPA, personal communication, June 2008 e-mail.
- EPA (1987), *National Dioxin Study*, Report to Congress, EPA Office of Solid Waste and Emergency Response, EPA/530-SW-025, Washington, D.C., August.
- 7. EPA (1992), *National Study of Chemical Residues in Fish*, EPA 823-R-92-008a.
- Seiders, K. (2007), Washington State Toxics Monitoring Program: Contaminants in Fish Tissue from Freshwater Environments 2004 - 2005, ECY publication #02-03-65 at <u>http://www.ecy.wa.gov/biblio/0703024.</u> <u>html</u>, Washington Department of Ecology.
- 9. EVS Consultants for EPA (1998), Assessment of Dioxins Furans and PCBs in Fish Tissue from Lake Roosevelt Data from Washington Ecology EIM, http://apps.ecy.wa.gov/eimreporting/Search.asp.
- Henny, C., R.A. Grove, and J.L. Kaiser (2008), "Osprey distribution, abundance, reproductive success and contaminant burdens along the Lower Columbia River, 1997/1998 versus 2004", in *Archives of Environmental Contaminant Toxicology*, 54:525-534.

# Section 4.0: Indicators

- Loge, F.J., M.R. Arkoosh, T.R. Ginn, L.L. Johnson, and T.K. Collier (2005), "Impact of environmental stressors on dynamics of disease transmission," in *Environmental Science and Technology*, 39:7329–7336.
- 2. Mallatt, J., M.G. Barron, and C. McDonough (1986), "Acute toxicity of methyl mercury to the larval lamprey, *Petromyzon marinus*," in *Bulletin of Environmental Contamination and Toxicology*, 37:281-288.
- Haas, J.E. and G. Ichikawa (2007), "Mercury bioaccumulation in Pacific Lamprey Ammocoetes: the roles life history plays," U. S. Fish and Wildlife Service, Sacramento Fish and Wildlife Office, Sacramento, CA. (poster).

# Section 5.0: Status and Trends for Mercury, DDT, PCBs, and PBDEs

# Mercury

- 1. Lorraine Edmond, EPA Region 10, compilation of data from GIS analysis of modeling results documented in ICF 2008, cited below.
- Dwight Atkinson, EPA Office of Water, Washington, D.C., personal communication based on GIS analysis of modeling results documented in ICF 2008, cited below.
- 3. ICF International (2008), *Model-Based Analysis and Tracking of Airborne Mercury Emissions to Assist in Watershed Planning*, prepared for EPA Office of Water, Washington, D.C., final report August 5, 2008, 350 p.
- 4. Dwight Atkinson (2008), "Mercury Deposition Modeling for States & Tribes in Regions 8, 9, and 10," Power Point presentation, August 2008.
- Columbia Riverkeeper (2008), "Columbia River Toxic Discharges Assessment and Mixing Zone Mapping," draft report, based on data reported to Washington Department of Ecology and Oregon Department of Environmental Quality.
- 6. Environment Canada National Pollutant Release Inventory database, data for Teck Cominco smelter at Trail, British Columbia, available online at <a href="http://www.ec.gc.ca/pdb/npri/npri">http://www.ec.gc.ca/pdb/npri/npri</a> home e.cfm.
- 7. ODEQ (2004), *Willamette Basin Mercury Study*. Oregon Department of Environmental Quality, Laboratory Division, Portland, Oregon.
- 8. Oregon Department of Human Services, 1997, *Elevated Levels of Mercury in Sport-Caught Bass and Squawfish from the Willamette River*, issued February 13, 1996.
- Henny, C., R.A. Grove, and J.L. Kaiser (2008), "Osprey distribution, abundance, reproductive success and contaminant burdens along the Lower Columbia River, 1997/1998 versus 2004" in *Archives of Environmental Contaminant Toxicology*, 54:525-534.
- Henny, C.J., J.L Kaiser, and R.A. Grove (2008), "PCDDs, PCDFs, PCBs, OC pesticides and mercury in fish and osprey eggs from Willamette River, Oregon (1993, 2001 and 2006) with calculated biomagnifications factors." in *Ecotoxicology*, <u>http://www.springerlink.com/content/ k63kx77k8117p1x3/fulltext.html</u>.

- Kruse, G.O., and D.L. Scarnecchia (2002), "Assessment of bioaccumulated metal and organochlorine compounds in relation to physiological biomarkers in Kootenai River white sturgeon," in *Journal of Applied Ichthyology*, 18:430-438.
- 12. Kruse, G.O., and D.L. Scarnecchia (2002), "Contaminant uptake and survival of white sturgeon embryos," presented at the American Fisheries Society Symposium, 28:151-160.
- 13. CRITFC (1994), A Fish Consumption Survey of the Umatilla, Nez Perce, Yakama, and Warm Springs Tribes of the Columbia River Basin, technical report 94-3, Columbia River Inter-Tribal Fish Commission, Portland, Oregon.
- Lepla, K.B., and J.A. Chandler (1994), revised edition March 1998, A Survey of White Sturgeon in the Bliss Reach of the Middle Snake River, Idaho, report prepared for Idaho Power Company, Technical Report FERC No. 1975.
- 15. Kruse, G.O., and M.H. Webb (2006), *Upper Columbia River White Sturgeon Contaminant and Deformity Evaluation and Summary*, report prepared for the Upper Columbia River White Sturgeon Recovery Team Contaminants Sub-Committee to the Upper Columbia River White Sturgeon Recovery Team, <u>http://uppercolumbiasturgeon.org/Research/ Research.html</u>.
- 16. Foster, E.P., M.S. Fitzpatrick, G.W. Feist, C.B. Schreck, J. Yates, and J.M. Spitsbergen (2001), "Plasma androgen correlation, EROD induction, reduced condition factor, and the occurrence of organochlorine pollutants in reproductively immature white sturgeon (*Acipenser transmontanus*) from the Columbia River, U.S.A," in *Archives of Environmental Contamination and Toxicology*, 41:182-191.
- Foster, E.P., M.S. Fitzpatrick, G.W. Feist, C.B. Schreck, and J. Yates (2001), "Gonad organochlorine concentrations and plasma steroid levels in white sturgeon (*Acipenser transmontanus*) from the Columbia River, U.S.A.," in *Bulletin of Environmental Contamination and Toxicology*, 67:239-245.
- 18. Feist, G.W., M.A.H. Webb, D.T. Gunderson, E.P. Foster, C.B. Schreck, A.G. Maule, and M.S. Fitzpatrick (2005), "Evidence of detrimental effects

of environmental contaminants on growth and reproductive physiology of white sturgeon in impounded areas of the Columbia River," in *Environmental Health Perspectives*, Vol. 113, No. 12.

- Webb, M.A.H., G.W. Feist, M.S. Fitzpatrick, E.P. Foster, C.B. Schreck, M. Plumlee, C. Wong, and D.T. Gunderson (2005), "Mercury concentrations in gonad, liver and muscle tissue of white sturgeon (*Acipenser transmontanus*) in the Columbia River," in *Archives of Environmental Contamination and Toxicology*, 50:443-451.
- Hill, S. (1975), "Study of mercury and heavy metals pollution in the Jordan Creek drainage," grant number Gy/10816, Student-Originated Studies, National Science Foundation, College of Mines, University of Idaho, Moscow, Idaho.
- Rinella, F.A., W.H. Mullins, and C.A. Schuler (1994), Reconnaissance Investigation of Water Quality, Bottom Sediment, and Biota Associated with Irrigation Drainage in the Owyhee and Vale Projects, Oregon and Idaho, 1990-91, USGS Water-Resources Investigations Report 93 4156.
- 22. EPA (2003), "National Study of Chemical Residues in Lake Fish Tissue 1999 to 2003," <u>http://www.epa.gov/waterscience/fish/study/</u>.
- 23. Seiders, K., C. Deligeannis, and P. Sandvik (2007), Washington Department of Ecology, *Washington State Toxics Monitoring Program: Contaminants in Fish Tissue from Freshwater Environments 2004 and* 2005, Publication No. 07-03-024; June.
- 24. Stone, H. (2006), "Brownlee Reservoir mercury TMDL fish tissue study: results and field summary," Idaho Department of Environmental Quality, June.
- Clark, G.M., and T.R. Maret (1998), Organochlorine Compounds and Trace Elements in Fish Tissue and Bed Sediments in the Lower Snake River Basin, Idaho and Oregon, USGS Water-Resources Investigations Report 98-4103.
- 26. Data shared by T.R. Maret, USGS <u>trmaret@usgs.gov</u>, 2004-2007 data collection.
- 27. EPA (2002), *Columbia River Basin Fish Contaminant Survey*, 1996-1998. EPA Region 10, Seattle, WA. EPA 910/R-02-006, July.
- 28. Large Rivers Idaho Frame EMAP sampling (2006), (unpublished).

29. Idaho Fish Consumption Advisory Program Data, J. Vannoy, Idaho Department of Health, VannoyJ@dhw.idaho.gov.

# DDT

- Fuhrer, G.J., J. Morace, H.M. Johnson, J. Rinella, J.C. Ebbert, S.S. Embrey, I.R. Waite, K.D. Carpenter, D.R. Wise, and C.A. Hughes (2004), "Water Quality in the Yakima River Basin, Washington 1999-2000," USGS Circular 1237.
- 2. USGS Circular 1090, USGS WRIR 98-4113.
- 3. EPA (1992), *National Study of Chemical Residues in Fish*, EPA 823-R-92-008a.
- Johnson, A., B. Era-Miller, and R. Coots (2007), *Chlorinated Pesticides*, *PCBs, and Dioxins in Yakima River Fish in 2006: Data Summary and Comparison to Human Health Criteria*, Washington Department of Ecology, Publication No. 07-03-036, July.
- 5. EPA (2002), *Columbia River Basin Fish Contaminant Survey, 1996-1998*, EPA Region 10, Seattle, Washington, EPA 910/R-02-006, July.
- Foster, E.P., M.S. Fitzpatrick, G.W. Feist, C.B. Schreck, J. Yates, and J.M. Spitsbergen (2001), "Plasma androgen correlation, EROD induction, reduced condition factor, and the occurrence of organochlorine pollutants in reproductively immature white sturgeon (*Acipenser Transmontanus*) from the Columbia River, U.S.A.," in *Archives of Environmental Contamination and Toxicology*, 41, 182-191.
- Feist, G.W., M.A.H. Webb, D.T. Gunderson, E.P. Foster, C.B. Schreck, A.G. Maule, and M.S. Fitzpatrick (2005), "Evidence of detrimental effects of environmental contaminants on growth and reproductive physiology of white sturgeon in impounded areas of the Columbia River," in *Environmental Health Perspectives*, Vol.113, No. 12.
- Foster, E.P., M.S. Fitzpatrick, G.W. Feist, C.B. Schreck, J. Yates, J.M. Spitsbergen, and J. Heidel (2001), "Altered reproductive physiology, EROD induction, reduced condition factor, and the occurrence of organochlorine pollutants in white sturgeon (*Acipenser transmontanus*) from the Columbia River," in *Archives of Environmental Contamination and Toxicology*, 41(2):182-191.

- Foster, E.P., M.S. Fitzpatrick, G.W. Feist, C.B. Schreck, and J. Yates (2001), "Gonad organochlorine concentrations and plasma sex steroid levels in white sturgeon (*Acipenser transmontanus*) from the Columbia River, USA.," in *Bull. Environ. Contam. Toxicol.*, 67:239-245.
- Foster, E.P., M.S. Fitzpatrick, G.W. Feist, C.B. Schreck, J. Yates, J.M. Spitsbergen, and J.R. Heidel (2001), "Plasma androgen correlation, EROD induction, reduced condition factor, and the occurrence of organochlorine pollutants in reproductively immature white sturgeon (*Acipenser transmontanus*) from the Columbia River, USA.," in *Archives* of Environmental Contamination and Toxicology, 41(2):182-91.
- Lepla, K.B., and J.A. Chandler (1994), revised edition March 1998, A Survey of White Sturgeon in the Bliss Reach of the Middle Snake River, Idaho, report prepared for Idaho Power Company, Technical Report FERC No. 1975.
- 12. Kruse, G.O., and M.H. Webb (2006), *Upper Columbia River White Sturgeon Contaminant and Deformity Evaluation and Summary*, report prepared for the Upper Columbia River White Sturgeon Recovery Team Contaminants Sub-Committee to the Upper Columbia River White Sturgeon Recovery Team, <u>http://uppercolumbiasturgeon.org/Research/</u> Research.html.
- Kruse, G.O., and D.L. Scarnecchia (2002), "Assessment of bioaccumulated metal and organochlorine compounds in relation to physiological biomarkers in Kootenai River white sturgeon," in *Journal of Applied Ichthyology*, 18:430-438.
- 14. Anthony, R.G., M.G. Garrett, and C.A. Schuler (1993), "Environmental contaminants in bald eagles in the Columbia River estuary," in *Journal of Wildlife Management*, 57(1): 10-19.
- Buck, J.A., R.G. Anthony, and F.B. Isaacs (1999), *Changes in Productivity* and Environmental Contaminants in Bald Eagles Nesting Along the Lower Columbia River, USFWS and Oregon Cooperative Wildlife Research Unit, Study ID 13420-1130-1F16.
- 16. Buck, J.A., R.G. Anthony, C.A. Schuler, F.B. Isaacs, and D.E. Tillitt (2005), "Changes in productivity and contaminants in bald eagles nesting

along the Lower Columbia River, USA.," in *Environmental Toxicology and Chemistry*, Vol. 24, No. 7, pp. 1779-1792.

- 17. Gabrielson, I.N., and S.G. Jewett (1940), *Birds of Oregon*, Oregon State College Press, Corvallis.
- Henny, C.J., J.A. Collins, and W.J. Deibert (1978), "Osprey distribution, abundance, and status in western North America: II. the Oregon population," *The Murrelet*, 59:14-25.
- 19. Henny, C.J., J.L. Kaiser, and R.A. Grove (2005), "Ospreys in Oregon and the Pacific Northwest," USGS Fact Sheet 153-02 (revised), 4 pp., <u>http://fresc.usgs.gov/products/fs/fs-153-02.pdf</u>.
- Henny, C.J., R.A. Grove, and J.L. Kaiser (2008), "Osprey distribution, abundance, reproductive success and contaminant burdens along the Lower Columbia River, 1997/1998 versus 2004," in *Archives of Environmental Contaminant Toxicology*, 54:525-534.
- Isaacs, F. (2002), "25-Year Study Shows Oregon Bald Eagles Doing Well," unpublished data, OSU, <u>http://oregonstate.edu/dept/ncs/</u> <u>newsarch/2002/Dec02/eagles.htm</u>.

# **PCBs**

- Johnson, A., D. Serdar, and D. Davis (1994), "Results of 1993 Screening Survey on PCBs and Metals in the Spokane River, April 1994," in Washington Department of Ecology Publication No. 94-e24 : July 11, 1994 memo to Carl Nuechterlein from Dale Davis and Dave Serdar with corrections.
- 2. Serdar, D., and A. Johnson (2006), "PCBs, PBDEs and selected metals in Spokane River fish, 2005," Ecology Publication 06-03-025.
- Johnson, A. (1996), "Results on PCBs in Upper Spokane River Fish, Washington Department of Ecology memo to Carl Neuchterlein and Dave Knight," in Washington DOE Publication 97-304, July 8, 1997.
- 4. Johnson, A., (2000), "Results from Analyzing PCBs in 1999 Spokane River Fish and Crayfish Samples, September," in Washington Department of Ecology Publication No. 00-03-040.

COLUMBIA RIVER BASIN: STATE OF THE RIVER REPORT FOR TOXICS

- Seiders, K., C. Deligeannis, and K. Kinney (2006), "Washington State Toxics Monitoring Program: Toxic Contaminants in Fish Tissue and Surface Water from Freshwater Environments, 2003," in Washington State Department of Ecology Publication No. 06-03-019.
- Feist, G.W., M.A.H. Webb, D.T. Gunderson, E.P. Foster, C.B. Schreck, A.G. Maule, and M.S. Fitzpatrick (2005), "Evidence of detrimental effects of environmental contaminants on growth and reproductive physiology of white sturgeon in impounded areas of the Columbia River," in *Environmental Health Perspectives*, Vol.113 No. 12.
- 7. LCREP (Lower Columbia River Estuary Partnership) (2007), *Lower Columbia River Estuary Ecosystem Monitoring: Water Quality and Salmon Sampling Report*, prepared by the Lower Columbia River Estuary Partnership, Portland, Oregon.
- Johnson, L.L., G.M. Ylitalo, C.A. Sloan, B.F. Anulacion, A.N. Kagley, M.R. Arkoosh, R.A. Lundrigan, K. Larson, M. Siipola, and T.K. Collier (2007), "Persistent organic pollutants in outmigrant juvenile chinook salmon from the Lower Columbia Estuary, USA," in *Science of the Total Environment*, 374:342-366.
- Meador, J.P., T.K. Collier, and J.E. Stein (2002), "Use of tissue and sediment-based threshold concentrations of polychlorinated biphenyls (PCBs) to protect juvenile salmonids listed under the US Endangered Species Act," in *Aquatic Conserv: Mar. Freshw. Ecosyst.* 12: 493–516 (2002).
- Johnson, A., and D. Norton (2005), Concentrations of 303(d) Listed Pesticides, PCBs and PAHs, Measured with Passive Samplers Deployed in the Lower Columbia River, Washington Department of Ecology, Publication No. 05-03-006.
- Henny, C.J., R.A. Grove, and O.P. Hedstrom (1996), *Field evaluation of* mink and river otter on the Lower Columbia River and the influence of environmental contaminants, final report submitted to the Lower Columbia River Bi-State Water Quality Program, <u>http://www.lcrep.org/pdfs/44.%20</u> 01538.pdf.

- 12. Henny, C.J., L.J. Blus, S.V. Gregory, and C.J. Stafford (1981), "PCBs and organochlorine pesticides in wild mink and river otters from Oregon," in *Proceedings of the Worldwide Furbearer Conference* 3:1763-780.
- 13. Elliott et al. (1998), "Chlorinated hydrocarbons in livers of American mink (*Mustela vison*) and river otter (*Lontra canadensis*) from the Columbia and Fraser River Basins, 1990-1992," in *Environmental Monitoring and Assessment*, 57: 229-252.
- 14. Grove, R.A., and C.J. Henny (2007), "Environmental contaminants in male river otters from Oregon and Washington, USA, 1994-1999," in *Environmental Monitoring and Assessment*, 145:49-73.
- 15. Buck, J.A., R.G. Anthony, and F.B. Isaacs (1999), "Changes in productivity and environmental contaminants in bald eagles nesting along the Lower Columbia River," USFWS and Oregon Cooperative Wildlife Research Unit. Study ID 13420-1130-1F16.
- Buck, J.A., R.G. Anthony, C.A. Schuler, F.B. Isaacs, and D.E. Tillitt (2005), "Changes in productivity and contaminants in bald eagles nesting along the Lower Columbia River, USA.," in *Environmental Toxicology and Chemistry*, Vol. 24, No. 7, pp. 1779-1792.
- Henny, C.J., R.A. Grove, and J.L. Kaiser (2008), "Osprey distribution, abundance, reproductive success and contaminant burdens along the Lower Columbia River, 1997/1998 versus 2004", in *Archives of Environmental Contaminant Toxicology*, 54:525-534.
- Siipola, M., T. Sherman, R. Abney, D. Ebner, J. Stevens, J. Clarke, and G. Ray (2007), "*Corbicula fluminea*: a potential freshwater bioaccumulative test species," USACE Portland District and the Engineer Research Development Center (poster).

# **PBDEs**

 Samara, F., C. W. Tsai, D. S. Aga (2006) "Determination of potential sources of PCBs and PBDEs in sediments of the Niagara River", in Environmental Pollution 139:3 489-497.

- Hale, R.C., M.J. La Guardia, E.P. Harvey, T.M. Mainor, W.H. Duff, and M.O. Gaylor, (2001), "Polybrominated diphenyl ethers flame retardants in Virginia Freshwater Fishes (USA)," in *Environmental Science and Technology*, 35, 23:4585 – 4591.
- North, K.D., "Tracking Polybrominated Diphenyl Ether (PBDE) Releases in a Wastewater Treatment Plant Effluent, Palo Alto, California, USA" <u>Karin.North@cityofpaloalto.org</u>.
- 4. Song, M., C. Shaogang, J. Letcher, and R. Seth (2006), "Fate, partitioning and mass loading of polybrominated diphenyl ethers (PBDEs) during the treatment processing of municipal waste," in *Environmental Science and Technology*, 40:6241-6246.
- Hale, R.C., M. Alaee, J.B. Manchester-Neesvig, H.M. Stapleton, and M.G. Ikonomou (2003), "Polybrominated diphenyl ethers flame retardants in the North American environment," in *Environmental International*, 29:771–779.
- 6. Watanabe, I., and S. Sakai (2003), "Environmental release and behavior of brominated flame retardants," in *Environmental International*, 29:665-682.
- Rayne, S., M.G. Ikonomou, and B. Antcliffe (2003), "Rapidly increasing brominated diphenyl ethers concentrations in the Columbia River System from 1992 to 2000," in *Environmental Science and Technology*, 37(13): 2847-2854.
- 8. Serdar, D., and A. Johnson (2006), *PCBs, PBDEs and Selected Metals in Spokane River Fish*, 2005, Ecology Publication 06-03-025.
- Johnson, A., K. Seiders, C. Deligeannis, K. Kinney, P. Sandvik, B. Era-Miller, and D. Alkire (2006), *PBDE Flame Retardants in Washington Rivers and Lakes: Concentrations in Fish and Water, 2005-06*, Washington Department of Ecology Publication No. 06-03-027, August, Olympia, Washington.
- Johnson, A., and N. Olson, (2001), "Analysis and Occurrence of Polybrominated Diphenyl Ethers in Washington State Freshwater Fish," in *Archives of Environmental Contamination and Toxicology*, 41:339-344, April.

- 11. LCREP (2007), *Lower Columbia River and Estuary Ecosystem Monitoring: Water Quality and Salmon Sampling Report*, 70 p. Lower Columbia River Estuary Partnership, Portland, Oregon.
- 12. Siipola, M., T. Sherman, R. Abney, D. Ebner, J. Stevens, J. Clarke, and G. Ray (2007), "*Corbicula fluminea*: a potential freshwater bioaccumulative test species," USACE Portland District and the Engineer Research Development Center (poster).

#### Section 6.0: Current and Planned Toxics Reduction Efforts

- 1. ODEQ (2008), Human Health Focus Group Report: Oregon Fish and Shellfish Consumption Rate Project, June.
- 2. EPA Region 8 website, <u>http://epa.gov\region8\superfund\mt\milltowncfr</u>.
- 3. Henny, C.J., R.A. Grove, J.L. Kaiser, and V.R. Bentley (2004), "An evaluation of Osprey eggs to determine spatial residue patterns and effects of contaminants along the lower Columbia River, USA", pp. 369-388, in *Raptors Worldwide*, R.D. Chancellor and B.-U. Meyburg, eds., WWGBP and MME, Budapest, Hungary.
- Fuhrer, G.J., J. Morace, H.M. Johnson, J. Rinella, J.C. Ebbert, S.S. Embrey, I.R. Waite, K.D. Carpenter, D.R. Wise, and C. A. Hughes (2004), "Water Quality in the Yakima River Basin, Washington 1999-2000," USGS Circular 1237.
- Walla Walla Pesticide Stewardship Partnership (2008), Summary Report: Pesticide Monitoring in the Walla Walla Basin 2005-2007 Results, Department of Environmental Quality, Oregon Department of Environmental Quality, September 2007, or <u>http://www.deq.state.or.us/wq/</u> pubs/factsheets/community/pesticide.pdf.
- 6. Idaho State Department of Agriculture, Pesticide Disposal Program, <u>http://</u> www.agri.state.id.us/Categories/Pesticides/pdp/indexdisposalmain.php.
- 7. ODEQ (2008), Environmental Quality Commission, *Mutual Agreement and Order*, July 17, 2008, DEQ no. AQ/V-ER-08-022.
- 8. USGS (2007), http://minerals.usgs.gov/west/projects/nngd.htm.

# COLUMBIA RIVER BASIN: STATE OF THE RIVER REPORT FOR TOXICS

9. Portland General Electric average of 2000-2006 emissions reported for the Boardman, Oregon, plant.

#### Section 8.0: Toxics Reduction Initiatives

1. ODEQ (1996), *Identification of Sources of Pollutants to the Lower Columbia River Basin*, prepared by the Lower Columbia River Bi-State Water Quality Program, T. Rosetta and D. Borys, June.