INSTRUCTIONS FOR THE PREPERATION OF PROPOSAL

PRICE PROPOSAL INSTRUCTIONS

The attached pricing form shall be completed and returned with the Offeror's Proposal. Please submit a fixed price for each line item listed in the Pricing Form (Attachment A) in accordance with the Technical Specification. Prices will be fixed for a two year period.

This section of the proposal shall also include a completed Representations and Certifications form found in Enclosure 6.

TECHNICAL PROPOSAL INSTRUCTIONS

The Offeror's technical proposal shall outline each individual requirement listed in the Technical Specification and indicate how it intends to meet each requirement.

ATTACHMENT A - PRICING FORM SHEILDED WASTE CASK ASSEMBLY PROPSAL PRICING

COI	MPANY NAME DATE:
1.	Concrete Shielded Waste Cask Assembly consisting of the following items specified in the statement of work:
	a. (1) each Concrete Shielded Receiver
	b. (1) each Primary Container – Concrete Cask
	PRICE Per Cask x 20 (minimum) = Total
2.	Shielded Waste Cask Assembly consisting of the following items specified in the statement of work:
	a. (1) each Lead Shielded Receiver Kit
	b. (1) each Primary Container – Lead Cask
	PRICE Per Cask x 12 (minimum) = Total
	TOTAL COST \$
In m	counts based on quantity for each delivery order should not be considered for award. ost cases we will order casks one at a time or a few at a time. However the contract mum quantity is specified to achieve better initial pricing.
Con	crete Shielded Waste Cask Assemblies: minimum of 20 maximum of 40
Lead	d Shielded waste cask Assemblies: minimum of 12 maximum of 28
	The average price for each type of cask will be summed and the sum used to establish the lowest bid.
LEA	D TIME AFTER RECEIPT OF ORDER DAYS
Prov	eror accepts the terms listed above and takes no exception to Battelle's General visions in Enclosure 5 and confirms that proposal meets the technical nirements listed in Enclosure 4.
Item	is shall be delivered FOB Destination with freight included within pricing.
Con	npany:
Sign	ed:
Date	
_	^{**}