

**Table 22D**  
**2007 Pregnancy Nutrition Surveillance** <sup>(1)</sup>

Nation  
**Summary of Trends in Smoking Indicators by Race/Ethnicity**

<b>Summary of Trends in Smoking Indicators by Race/Ethnicity</b> <sup>(2)</sup>											
Race/Ethnicity and Year		Smoking				Quit Smoking By First Prenatal Visit and Stayed Off Cigarettes <sup>(3)</sup>		Smoking in Household			
		3 Months Prior to Pregnancy		Last 3 Months of Pregnancy				Prenatal		Postpartum	
		Number	%	Number	%	Number	%	Number	%	Number	%
White, Not Hispanic	2007	401,109	44.1	341,449	26.6	122,814	30.9	240,510	34.2	233,088	32.4
	2006	373,414	45.2	321,178	27.6	116,204	30.7	214,154	37.1	210,855	34.8
	2005	353,422	45.3	302,174	28.0	111,053	30.0	201,140	40.0	227,692	36.8
	2004	338,670	45.2	286,838	28.4	104,422	29.6	190,386	38.2	224,716	38.1
	2003	317,518	45.9	264,378	29.3	99,471	29.1	164,723	37.6	187,551	36.1
	2002	302,829	47.6	229,692	30.3	85,009	28.3	166,096	39.5	183,554	35.4
	2001	309,023	48.1	237,360	31.5	88,673	26.7	165,677	40.4	187,542	36.5
	2000	313,416	47.8	246,510	31.2	92,284	26.9	162,040	41.8	181,027	38.2
	1999	303,693	49.2	217,617	30.9	79,699	27.1	145,398	42.6	167,433	38.1
	1998	267,358	48.4	185,233	29.0	60,055	27.3	118,254	43.1	127,484	36.8
Black, Not Hispanic	2007	201,379	17.5	155,704	9.1	23,419	46.3	119,715	16.2	100,839	19.6
	2006	189,197	18.1	148,630	9.6	22,669	44.9	109,346	17.0	91,849	20.5
	2005	148,192	18.5	115,251	11.0	18,385	42.0	78,215	19.5	85,873	20.9
	2004	145,343	18.8	112,410	11.4	18,246	42.0	76,797	18.8	86,338	24.1
	2003	147,736	17.4	112,891	11.3	17,114	40.2	64,141	16.6	71,840	20.1
	2002	137,378	17.9	92,214	12.5	14,175	36.4	59,459	17.7	63,392	13.9
	2001	142,011	18.6	95,619	13.1	15,160	34.6	63,036	18.1	66,710	14.2
	2000	143,092	18.7	95,014	13.3	15,230	33.2	61,653	19.7	63,519	16.0
	1999	125,151	20.0	69,965	14.0	11,285	33.2	53,752	21.1	55,360	17.2
	1998	97,794	21.0	54,615	13.1	6,880	29.8	37,953	21.9	32,981	15.9

(1) Reporting period is January 1 through December 31.

(2) Excludes data with errors.

(3) Among women who smoked 3 months prior to pregnancy.

\* Percentages are not calculated if <100 records are available for analysis after exclusions.

**Table 22D**  
**2007 Pregnancy Nutrition Surveillance** <sup>(1)</sup>

**Nation**  
**Summary of Trends in Smoking Indicators by Race/Ethnicity**

<b>Summary of Trends in Smoking Indicators by Race/Ethnicity</b> <sup>(2)</sup>											
Race/Ethnicity and Year		Smoking				Quit Smoking By First Prenatal Visit and Stayed Off Cigarettes (3)		Smoking in Household			
		3 Months Prior to Pregnancy		Last 3 Months of Pregnancy				Prenatal		Postpartum	
		Number	%	Number	%	Number	%	Number	%	Number	%
Hispanic	2007	226,816	7.4	164,987	3.0	9,559	57.4	164,692	8.1	119,153	9.3
	2006	177,198	8.6	129,890	3.7	9,241	56.7	150,972	9.2	111,182	10.2
	2005	129,742	7.7	91,264	3.8	6,342	56.1	80,035	10.3	83,970	9.9
	2004	135,765	5.8	98,877	3.1	4,846	56.8	92,172	7.5	100,398	10.1
	2003	135,295	6.0	95,684	3.4	4,939	56.6	66,099	6.6	73,009	9.1
	2002	118,064	6.1	67,568	2.6	3,188	53.7	58,720	7.2	63,055	6.0
	2001	115,986	6.7	67,657	3.0	3,725	53.2	59,323	8.4	63,273	6.6
	2000	120,896	6.7	73,169	3.0	3,840	53.4	70,034	9.6	70,460	7.9
	1999	80,324	7.3	47,403	3.5	2,675	50.3	39,929	9.4	44,089	7.8
	1998	78,139	7.0	58,102	2.6	2,432	52.9	44,618	11.5	46,266	8.0
American Indian/Alaskan Native	2007	10,551	34.1	8,437	18.2	2,346	33.5	6,119	20.6	5,261	17.8
	2006	8,796	32.9	7,275	17.7	1,990	34.1	4,625	22.2	3,694	20.1
	2005	9,009	36.6	7,919	19.8	2,389	36.3	5,411	25.3	5,542	20.7
	2004	9,774	33.7	9,002	16.3	2,306	36.3	6,432	25.9	7,216	23.4
	2003	8,127	38.7	7,481	17.4	2,165	35.8	4,689	25.5	4,977	21.5
	2002	7,162	39.6	6,515	18.7	1,756	36.3	4,754	29.0	4,924	24.6
	2001	6,864	41.2	6,225	20.8	1,832	33.2	4,119	31.7	4,437	27.0
	2000	7,179	38.9	6,493	22.2	1,920	31.6	4,488	30.5	4,522	26.4
	1999	7,123	41.5	5,398	19.3	1,836	35.6	4,429	32.4	4,570	27.3
	1998	7,636	39.1	5,133	13.7	1,397	38.9	4,693	31.9	4,334	22.3

(1) Reporting period is January 1 through December 31.

(2) Excludes data with errors.

(3) Among women who smoked 3 months prior to pregnancy.

\* Percentages are not calculated if <100 records are available for analysis after exclusions.

**Table 22D**  
**2007 Pregnancy Nutrition Surveillance** (1)

Nation  
**Summary of Trends in Smoking Indicators by Race/Ethnicity**

Summary of Trends in Smoking Indicators by Race/Ethnicity (2)											
Race/Ethnicity and Year		Smoking				Quit Smoking By First Prenatal Visit and Stayed Off Cigarettes (3)		Smoking in Household			
		3 Months Prior to Pregnancy		Last 3 Months of Pregnancy				Prenatal		Postpartum	
		Number	%	Number	%	Number	%	Number	%	Number	%
Asian/Pacific Islander	2007	28,374	5.8	24,289	2.1	1,186	56.6	20,573	7.8	10,287	13.1
	2006	26,501	7.1	24,949	11.2	1,381	51.3	16,214	9.6	9,255	15.2
	2005	17,508	9.4	16,482	15.8	1,187	49.1	8,420	15.1	9,923	15.2
	2004	15,101	9.1	14,201	16.9	963	51.5	7,011	12.9	8,451	17.7
	2003	15,177	8.5	13,866	17.6	949	47.5	5,006	10.4	6,271	15.5
	2002	15,427	12.8	14,086	4.4	1,441	55.9	5,128	12.7	6,133	10.2
	2001	15,497	12.8	14,306	5.3	1,460	56.7	5,199	13.3	6,213	13.1
	2000	16,201	10.3	14,642	5.1	1,241	48.9	5,417	12.8	6,422	13.6
	1999	9,554	7.9	7,084	3.2	363	47.9	4,136	13.5	5,004	11.5
	1998	8,794	7.5	6,334	2.4	285	56.5	3,398	14.6	3,182	12.9
Multiple Races	2007	7,395	37.8	6,409	18.3	1,904	35.1	4,386	22.3	3,121	23.3
	2006	8,220	33.5	7,999	31.1	1,975	38.4	3,405	22.9	2,290	28.6
	2005	3,967	31.5	3,955	44.0	915	38.3	914	37.2	1,227	32.7
	2004	2,953	24.2	3,039	50.4	557	41.8	338	37.0	511	39.5
	2003	1,857	22.7	2,159	63.1	371	34.2	0	*	0	*
	2002	0	*	0	*	0	*	0	*	0	*
	2001	0	*	0	*	0	*	0	*	0	*
	2000	0	*	0	*	0	*	0	*	0	*
	1999	0	*	0	*	0	*	0	*	0	*
	1998	0	*	0	*	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Excludes data with errors.

(3) Among women who smoked 3 months prior to pregnancy.

\* Percentages are not calculated if <100 records are available for analysis after exclusions.

**Table 22D**  
**2007 Pregnancy Nutrition Surveillance** <sup>(1)</sup>

Nation  
**Summary of Trends in Smoking Indicators by Race/Ethnicity**

<b>Summary of Trends in Smoking Indicators by Race/Ethnicity</b> <sup>(2)</sup>											
Race/Ethnicity and Year		Smoking				Quit Smoking By First Prenatal Visit and Stayed Off Cigarettes (3)		Smoking in Household			
		3 Months Prior to Pregnancy		Last 3 Months of Pregnancy				Prenatal		Postpartum	
		Number	%	Number	%	Number	%	Number	%	Number	%
All Other/Unknown	2007	19,603	5.4	15,354	2.0	636	59.0	16,125	4.9	14,887	3.6
	2006	19,512	6.0	15,734	3.3	713	56.5	15,866	4.9	14,826	3.8
	2005	27,036	10.5	19,177	6.2	1,223	41.7	16,476	5.6	15,467	5.0
	2004	27,575	8.5	20,654	5.5	1,277	40.1	20,738	7.7	20,575	6.3
	2003	10,027	16.0	8,461	13.8	1,081	34.3	6,439	16.3	7,208	13.6
	2002	8,395	19.0	5,991	12.0	791	34.4	5,882	17.1	6,943	16.5
	2001	8,087	15.4	5,890	8.8	642	37.7	6,009	15.8	6,743	12.4
	2000	6,357	14.4	4,331	8.8	462	34.2	4,341	15.0	4,777	12.3
	1999	4,777	14.4	3,243	8.3	295	34.9	2,875	14.1	3,404	12.3
	1998	2,401	14.2	1,803	7.1	152	31.6	1,203	11.9	1,448	10.5
Total All Race/Ethnic Groups	2007	895,227	26.6	716,629	15.8	161,864	35.1	572,120	20.9	486,636	22.6
	2006	802,838	28.3	655,655	17.5	154,173	34.8	514,582	22.5	443,951	24.1
	2005	688,876	30.0	556,222	19.4	141,494	33.1	390,611	27.6	429,694	26.5
	2004	675,181	29.0	545,021	19.1	132,617	32.7	393,874	25.0	448,205	27.1
	2003	635,737	29.2	504,920	19.8	126,090	32.0	311,097	25.6	350,856	26.2
	2002	589,255	30.9	416,066	20.5	106,360	30.7	300,039	27.8	328,001	24.6
	2001	597,468	31.6	427,057	21.5	111,492	29.2	303,363	28.5	334,918	25.3
	2000	607,141	31.3	440,159	21.4	114,977	29.0	307,973	29.0	330,727	26.5
	1999	530,622	34.8	350,710	22.9	96,153	28.7	250,519	31.7	279,860	28.2
	1998	462,122	34.5	311,220	20.4	71,201	28.8	210,119	31.6	215,695	26.6

(1) Reporting period is January 1 through December 31.

(2) Excludes data with errors.

(3) Among women who smoked 3 months prior to pregnancy.

\* Percentages are not calculated if <100 records are available for analysis after exclusions.