

Appendix 3. Plants identified within the proposed BLH IPM area

Grass taxa

alkali sacaton (*Sporobolus airoides* (Torr.) Torr.)
annual wheatgrass (*Eremopyrum triticeum* (Gaertn.) Nevski)
barnyard grass (*Echinochloa crus-galli* (L.) Beauv.)
basin wildrye (*Leymus cinereus* (Scribn. & Merr.) A. Löve)
blue grama (*Bouteloua gracilis* (Willd. ex Kunth) Lag. ex Griffiths)
inland salt grass (*Distichlis spicata* (L.) Greene)
needle and thread grass (*Hesperostipa comata* (Trin. & Rupr.) Barkworth ssp. *comata*)
orchard grass (*Dactylis glomerata* L.)
Sandberg bluegrass (*Poa secunda* J. Presl.)
six weeks fescue (*Vulpia octoflora* (Walt.) Rydb.)
smooth brome (*Bromus inermis* Leyss. ssp. *inermis*)
streambank wheatgrass (*Elymus lanceolatus* (Scribn. & J.G. Sm.) Gould ssp. *lanceolatus*)

Forb taxa

alfalfa (*Medicago sativa* L.)
bitter root (*Lewisia rediviva* Pursh)
blue lettuce (*Lactuca tatarica* (L.) C.A. Mey. var. *pulchella* (Pursh) Breitung)
Canadian horseweed (*Conyza canadensis* (L.) Cronq.)
carrotleaf biscuitroot (*Lomatium dissectum* (Nutt.) Mathias & Constance var. *multifidum* (Nutt.) Mathias & Constance)
common dandelion (*Taraxacum officinale* G.H. Weber ex Wiggers)
common plantain (*Plantago major* L.)
common sunflower (*Helianthus annuus* L.)
curly dock (*Rumex crispus* L.)
giant sumpweed (*Cyclachaena xanthifolia* (Nutt.) Fresen.)
maiden blue eyed Mary (*Collinsia parviflora* Lindl.)
northern bedstraw (*Galium boreale* L.)
starry false lily of the valley (*Maianthemum stellatum* (L.) Link)
streambank wild hollyhock (*Iliamna rivularis* (Dougl. ex Hook.) Greene)
veiny dock (*Rumex venosus* Pursh)
western white clematis (*Clematis ligusticifolia* Nutt.)

Shrub taxa

Basin big sagebrush (*Artemisia tridentata* Nutt. ssp. *tridentata*)
Bebb willow (*Salix bebbiana* Sarg.)
broom snakeweed (*Gutierrezia sarothrae* (Pursh) Britt. & Rusby)
field sagewort (*Artemisia campestris* L.)
Gardner's saltbush (*Atriplex gardneri* (Moq.) D. Dietr.)
Geyer's willow (*Salix geyeriana* Anderss.)
greasewood (*Sarcobatus vermiculatus* (Hook.) Torr.)
Rubber rabbitbrush (*Ericameria nauseosa* (Pallas ex Pursh) Nesom & Baird ssp. *nauseosa* var. *nauseosa*)
russet buffaloberry (*Shepherdia canadensis* (L.) Nutt.)
sandbar willow (*Salix interior* Rowlee)
silver buffaloberry (*Shepherdia argentea* (Pursh) Nutt.)
silverberry (*Elaeagnus commutata* Bernh. ex Rydb.)

tumbling saltbush (*Atriplex rosea* L.)
winterfat (*Krascheninnikovia lanata* (Pursh) A.D.J. Meeuse & Smit)
Wood's rose (*Rosa woodsii* Lindl. var. *ultramontana* (S. Wats.) Jepson)

Tree taxa

lanceleaf cottonwood (*Populus angustifolia* James)
Plains cottonwood (*Populus deltoides* Bartr. ex Marsh. ssp. *monilifera* (Ait.) Eckenwalder)
Siberian elm (*Ulmus pumila* L.)

Invasive weeds

alkali swainsonpea (*Sphaerophysa salsula* (Pallas) DC.)
American licorice (*Glycyrrhiza lepidota* Pursh)
annual ragweed (*Ambrosia artemisiifolia* L.)
Bull thistle (*Cirsium vulgare* (Savi) Ten.)
cheatgrass (*Bromus tectorum* L.)
crossflower (*Chorispora tenella* (Pallas) DC.)
halogeton (*Halogeton glomeratus* (Bieb.) C.A. Mey.)
Japanese brome (*Bromus japonicus* Thunb. ex Murr.)
kochia (*Bassia scoparia* (L.) A.J. Scott)
puncture vine (*Tribulus terrestris* L.)
showy milkweed (*Asclepias speciosa* Torr.)

Noxious weeds

Canada thistle (*Cirsium arvense* L.)
field bindweed (*Convolvulus arvensis* L.)
hoary cress (whitetop) (*Cardaria draba* and *Cardaria pubescens* (L.) Desv.)
perennial pepperweed (giant whitetop) (*Lepidium latifolium* L.)
Russian knapweed (*Acroptilon repens* (L.) DC.)
houndstongue (*Cynoglossum officinale* L.)
purple loosestrife (*Lythrum salicaria* L.)
Russian knapweed (*Acroptilon repens* (L.) DC.)
Russian olive (*Elaeagnus angustifolia* L.)
Salt cedar (*Tamarix ramosissima* Ledeb.)