

Bibliography: Seabirds as Indicators

- Abraham, C.L. & Sydeman, W.J. 2004. Ocean Climate, Euphausiids and Auklet Nesting: Inter-Annual Trends and Variation in Phenology, Diet and Growth of a Planktivorous Seabird, *Ptychoramphus Aleuticus*. *Marine Ecology Progress Series* **274**, 235-250.
- Adams, N.J., Seddon, P.J. & Vanheezik, Y.M. 1992. Monitoring of Seabirds in the Benguela Upwelling System - Can Seabirds Be Used as Indicators and Predictors of Change in the Marine-Environment. *South African Journal of Marine Science* **12**, 959-974.
- Ainley, D.G., Clarke, E.D., Arrigo, K., Fraser, W.R., Kato, A., Barton, K.J. & Wilson, P.R. 2005. Decadal-Scale Changes in the Climate and Biota of the Pacific Sector of the Southern Ocean, 1950s to the 1990s. *Antarctic Science* **17**, 171-182.
- Ainley, D. G. and Divoky, G. J. Seabird Responses to Climate Change. Steele, JH, Turekian, KK, and Thorpe, SA eds. *Encyclopedia of Ocean Sciences* 5, 2669-2677. 2001.
- Baillie, S.M. & Jones, I.L. 2004. Response of Atlantic Puffins to a Decline in Capelin Abundance at the Gannet Islands, Labrador. *Waterbirds* **27**, 102-111.
- Baird, P. H. 1990. Influence of Abiotic Factors and Prey Distribution of Diet and Reproductive Success of the Three Seabird Species in Alaska. *Ornis Scandinavia* **21**, 224-235.
- Barbraud, C. & Weimerskirch, H. 2003. Climate and Density Shape Population Dynamics of a Marine Top Predator. *Proceedings of the Royal Society of London Series B-Biological Sciences* **270**, 2111-2116.
- Barbraud, C., Weimerskirch, H., Guinet, C. & Jouventin, P. 2000. Effect of Sea-Ice Extent on Adult Survival of an Antarctic Top Predator: the Snow Petrel *Pagodroma Nivea*. *Oecologia* **125**, 483-488.
- Barret, R. T., Anker-Nilssen, T., Rikardsen, F., Valde, K., Røv, N., and Vader, W. 1987. The Food, Growth and Fledging Success of Norwegian Puffin Chicks *Fratercula arctica* in 1980-1983. *Ornis of Scandinavia* **18**, 73-83.
- Barrett, R.T. 2002. Atlantic Puffin *Fratercula Arctica* and Common Guillemot *Uria Aalge* Chick Diet and Growth as Indicators of Fish Stocks in the Barents Sea. *Marine Ecology-Progress Series* **230**, 275-287.

- Barrett, R.T. & Krasnov, Y.V. 1996. Recent Responses to Changes in Stocks of Prey Species by Seabirds Breeding in the Southern Barents Sea. *Ices Journal of Marine Science* **53**, 713-722.
- Barrett, R.T., Skaare, J.U. & Gabrielsen, G.W. 1996. Recent Changes in Levels of Persistent Organochlorines and Mercury in Eggs of Seabirds From the Barents Sea. *Environmental Pollution* **92**, 13-18.
- Boersma, P. D. 1986. Ingestion of Petroleum by Seabirds can Serve as a Monitor of Water Quality. *Science* **231**[4736], 373-376.
- Bost, C.A. & Lemaho, Y. 1993. Seabirds as Bio-Indicators of Changing Marine Ecosystems - New Perspectives. *Acta Oecologica-International Journal of Ecology* **14**, 463-470.
- Bryant, R., Jones, I. L., and Hipfner, J. M. 1999. Responses to Changes in Prey Availability by Common Murres and Thick-billed Murres at the Gannet Islands, Labrador. *Canadian Journal of Zoology* **77**, 1278-1287.
- Bunce, A. 2004. Do Dietary Changes of Australasian Gannets (*Morus Serrator*) Reflect Variability in Pelagic Fish Stocks? *Wildlife Research* **31**, 383-387.
- Bunce, A., Norman, F.I., Brothers, N. & Gales, R. 2002. Long-Term Trends in the Australasian Gannet (*Morus Serrator*) Population in Australia: the Effect of Climate Change and Commercial Fisheries. *Marine Biology* **141**, 263-269.
- Burger, A. E. and Piatt, J. F. 1990. Flexible Time Budgets in Breeding Common Murres: Buffers Against Variable Prey Abundance. *Studies of Avian Biology* **14**, 71-83.
- Bustnes, J.O., Erikstad, K.E., Skaare, J.U., Bakken, V. & Mehlum, F. 2003. Ecological Effects of Organochlorine Pollutants in the Arctic: a Study of the Glaucous Gull. *Ecological Applications* **13**, 504-515.
- Cairns, D. K. 1992. Bridging the Gap Between Ornithology and Fisheries science: Use of Seabird Data in Stock Assessment Models. *Condor*. **94**[4], 811-824.
- Cairns, D. K. 1988. Seabirds as Indicators of Marine Food Supplies. *Biological Oceanography*. **5**[4], 261-271.
- Camphuysen, K. 1998. Beached Bird Surveys Indicate Decline in Chronic Oil Pollution in the North Sea. *Marine Pollution Bulletin* **36**[7], 519-526.

Carscadden, J.E. 2005. Did Signals From Seabirds Indicate Changes in Capelin Biology During the 1990s? - Comment on Davoren & Montevecchi (2003). *Marine Ecology-Progress Series* **285**, 289-297.

Carscadden, J.E., Montevecchi, W.A., Davoren, G.K. & Nakashima, B.S. 2002. Trophic Relationships Among Capelin (*Mallotus Villosus*) and Seabirds in a Changing Ecosystem. *Ices Journal of Marine Science* **59**, 1027-1033.

Chastel, O., Weimerskirch, H. & Jouventin, P. 1993. High Annual Variability in Reproductive Success and Survival of an Antarctic Seabird, the Snow Petrel *Pagodroma-Nivea* - a 27-Year Study. *Oecologia* **94**, 278-285.

Cherel, Y. and Weimerskirch, H. 1995. Seabirds as Indicators of Marine Resources: Black-browed Albatrosses Feeding on Ommastrephid Squids in Kerguelen Waters. *Marine Ecology Progress Series* **129**[1-3], 295-300.

Cifuentes, J. M., Becker, P. H., Sommer, U., Pacheco, P., and Schlatter, R. 2003. Seabird Eggs as Bioindicators of Chemical Contamination in Chile. *Environmental Pollution* **126**[1], 123-137.

Connan, M., Mayzaud, P., Boutoute, M., Weimerskirch, H. & Cherel, Y. 2005. Lipid Composition of Stomach Oil in a Procellariiform Seabird *Puffinus Tenuirostris*: Implications for Food Web Studies. *Marine Ecology-Progress Series* **290**, 277-290.

Croxall, J.P., Reid, K. & Prince, P.A. 1999. Diet, Provisioning and Productivity Responses of Marine Predators to Differences in Availability of Antarctic Krill. *Marine Ecology-Progress Series* **177**, 115-131.

Croxall, J.P., Trathan, P.N. & Murphy, E.J. 2002. Environmental Change and Antarctic Seabird Populations. *Science* **297**, 1510-1514.

Daunt, F., Peters, G., Scott, B., Gremillet, D. & Wanless, S. 2003. Rapid-Response Recorders Reveal Interplay Between Marine Physics and Seabird Behaviour. *Marine Ecology-Progress Series* **255**, 283-288.

Davoren, G.K. 2000. Variability in Foraging in Response to Changing Prey Distributions in Rhinoceros Auklets. *Marine Ecology-Progress Series* **198**, 283-291.

Davoren, G.K. & Montevecchi, W.A. 2005. Did Signals From Seabirds Indicate Changes in Capelin Biology? - Reply to Carscadden (2004). *Marine Ecology-Progress Series* **285**, 299-309.

- Davoren, G.K. & Montevecchi, W.A. 2003. Signals From Seabirds Indicate Changing Biology of Capelin Stocks. *Marine Ecology-Progress Series* **258**, 253-261.
- Davoren, G.K., Montevecchi, W.A. & Anderson, J.T. 2003. Distributional Patterns of a Marine Bird and Its Prey: Habitat Selection Based on Prey and Conspecific Behaviour. *Marine Ecology-Progress Series* **256**, 229-242.
- Dearborn, D.C., Anders, A.D. & Flint, E.N. 2001. Trends in Reproductive Success of Hawaiian Seabirds: Is Guild Membership a Good Criterion for Choosing Indicator Species? *Biological Conservation* **101**, 97-103.
- Diamond, A. W. and Devlin, C. M. 2003. Seabirds as Indicators of Changes in Marine Ecosystems: Ecological Monitoring on Machias Seal Island. *Environmental Monitoring and Assessment* **88**, 153-175.
- Durant, J.M., Anker-Nilssen, T. & Stenseth, N.C. 2003. Trophic Interactions Under Climate Fluctuations: the Atlantic Puffin as an Example. *Proceedings of the Royal Society of London Series B-Biological Sciences* **270**, 1461-1466.
- Frederiksen, M., Harris, M.P., Daunt, F., Rothery, P. & Wanless, S. 2004. Scale-Dependent Climate Signals Drive Breeding Phenology of Three Seabird Species. *Global Change Biology* **10**, 1214-1221.
- Frederiksen, M., Wanless, S., Rothery, P. & Wilson, L.J. 2004. The Role of Industrial Fisheries and Oceanographic Change in the Decline of North Sea Black-Legged Kittiwakes. *Journal of Applied Ecology* **41**, 1129-1139.
- Furness, R.W. & Barrett, R.T. 1991. Seabirds and Fish Declines. *Research & Exploration* **7**, 82-95.
- Furness, R.W. & Camphuysen, C.J. 1997. Seabirds as Monitors of the Marine Environment. *Ices Journal of Marine Science* **54**, 726-737.
- Furness, R.W. & Tasker, M.L. 2000. Seabird-Fishery Interactions: Quantifying the Sensitivity of Seabirds to Reductions in Sandeel Abundance, and Identification of Key Areas for Sensitive Seabirds in the North Sea. *Marine Ecology Progress Series* **202**, 253-264.

Gaston, A.J., Gilchrist, H.G. & Hipfner, J.M. 2005. Climate Change, Ice Conditions and Reproduction in an Arctic Nesting Marine Bird: Brunnich's Guillemot (*Uria lomvia* L.). *Journal of Animal Ecology* **74**, 832-841.

Gaston, A.J., Gilchrist, H.G. & Mallory, M.L. 2005. Variation in Ice Conditions Has Strong Effects on the Breeding of Marine Birds at Prince Leopold Island, Nunavut. *Ecography* **28**, 331-344.

Gaston, A.J. & Smith, J.L. 2001. Changes in Oceanographic Conditions Off Northern British Columbia (1983-1999) and the Reproduction of a Marine Bird, the Ancient Murrelet (*Synthliboramphus antiquus*). *Canadian Journal of Zoology* **79**, 1735-1742.

Gjerdrum, C., Vallée, A. M. J., St. Clair, C. C., Bertram, D. F., and Ryder, J. L. 2003. Tufted Puffin Reproduction Reveals Ocean Climate Variability. *Ecology* **100**[16], 9377-9382.

Gray, C.M., Phillips, R.A. & Hamer, K.C. 2003. Non-Random Nestling Mortality in Northern Fulmars: Implications for Monitoring Marine Environments. *Journal of Zoology* **259**, 109-113.

Green-Hammond, K. A., Ainley, D. G., Siniff, D. B., and Urquhart, N. S. Selection Criteria and Monitoring Requirements for Indirect Indicators of Changes in the Availability of Antarctic Krill Applied to Some Pinniped and Seabird Information. Meet. Scientific Committee of the Commission for the Conservation of Antarctic Marine Living Resources, (np), 1982. 1983. 1984.

Grosbois, V. & Thompson, P.M. 2005. North Atlantic Climate Variation Influences Survival in Adult Fulmars. *Oikos* **109**, 273-290.

Grémillet, D., Kuntz, G., Delbart, F., Mellet, M., Kato, A., Robin, J.P., Chaillon, P.E., Gendner, J.P., Lorentsen, S.H. & Le Maho, Y. 2004. Linking the Foraging Performance of a Marine Predator to Local Prey Abundance. *Functional Ecology* **18**, 793-801.

Guinet, C., Chastel, O., Koudil, M., Durbec, J.P. & Jouventin, P. 1998. Effects of Warm Sea-Surface Temperature Anomalies on the Blue Petrel at the Kerguelen Islands. *Proceedings of the Royal Society of London Series B-Biological Sciences* **265**, 1001-1006.

Harding, A. M. A., Piatt, J. F., and Hamer, K. C. 2003. Breeding Ecology of Horned Puffins (*Fratercula corniculata*) in Alaska: annual variation and effects of El Niño. *Canadian Journal of Zoology* **81**[6], 1004-1013.

- Harris, M. P., Anker-Nilssen, T., McCleery, R. H., Erikstad, K. E., Shaw, D. N., and Grosbois, V. 2005. Effect of Wintering Area and Climate on the Survival of Adult Atlantic Puffins *Fratercula arctica* in the Eastern Atlantic. *Marine Ecology Progress Series* **297**, 283-296.
- Harris, M. P. and Wanless, S. Breeding Success of British Kittiwakes *Rissa Tridactyla* in 1986-88: Evidence for Changing Conditions in the Northern North Sea. 1990. *Journal of Applied Ecology* **27**, 172-187.
- Hatch, S. A. and Sanger, G. A. 1992. Puffins as Samples of Juvenile Pollock and Other Forage Fish in the Gulf of Alaska. *Marine Ecology Progress Series* **80**, 1-14.
- Hebert, C.E. & Weseloh, D.V.C. 2003. Assessing Temporal Trends in Contaminants From Long-Term Avian Monitoring Programs: the Influence of Sampling Frequency. *Ecotoxicology* **12**, 141-151.
- Hedd, A., Ryder, J.L., Cowen, L.L. & Bertram, D.F. 2002. Inter-Annual Variation in the Diet, Provisioning and Growth of Cassin's Auklet at Triangle Island, British Columbia: Responses to Variation in Ocean Climate. *Marine Ecology-Progress Series* **229**, 221-232.
- Hennicke, J.C. & Culik, B.M. 2005. Foraging Performance and Reproductive Success of Humboldt Penguins in Relation to Prey Availability. *Marine Ecology Progress Series* **296**, 173-181.
- Hislop, J. R. G. and Harris, M. P. 1983. Recent Changes in the Food of Young Puffins *Fratercula arctica* on the Isle of May in relation to fish stocks. *Ibis* **127**, 234-239.
- Houston, A.I. 2000. Prey Size of Single-Prey Loaders as an Indicator of Prey Abundance . *Ecology Letters* **3**, 5-6.
- Hunt, G.L. 1991. Occurrence of Polar Seabirds at Sea in Relation to Prey Concentrations and Oceanographic Factors. *Polar Research* **10**, 553-559.
- Hunt, G.L., Stabeno, P., Walters, G., Sinclair, E., Brodeur, R.D., Napp, J.M. & Bond, N.A. 2002. Climate Change and Control of the Southeastern Bering Sea Pelagic Ecosystem. *Deep-Sea Research Part Ii-Topical Studies in Oceanography* **49**, 5821-5853.
- Hyrenbach, K.D. & Veit, R.R. 2003. Ocean Warming and Seabird Communities of the Southern California Current System (1987-98): Response at Multiple Temporal Scales. *Deep-Sea Research Part Ii-Topical Studies in Oceanography* **50**, 2537-2565.

Inchausti, P., Guinet, C., Koudil, M., Durbec, J.P., Barbraud, C., Weimerskirch, H., Cherel, Y. & Jouventin, P. 2003. Inter-Annual Variability in the Breeding Performance of Seabirds in Relation to Oceanographic Anomalies That Affect the Crozet and the Kerguelen Sectors of the Southern Ocean. *Journal of Avian Biology* **34**, 170-176.

Jenouvrier, S., Barbraud, C., Cazelles, B. & Weimerskirch, H. 2005. Modelling Population Dynamics of Seabirds: Importance of the Effects of Climate Fluctuations on Breeding Proportions. *Oikos* **108**, 511-522.

Jenouvrier, S., Barbraud, C. & Weimerskirch, H. 2003. Effects of Climate Variability on the Temporal Population Dynamics of Southern Fulmars. *Journal of Animal Ecology* **72**, 576-587.

Jenouvrier, S., Weimerskirch, H., Barbraud, C., Park, Y.H. & Cazelles, B. 2005. Evidence of a Shift in the Cyclicity of Antarctic Seabird Dynamics Linked to Climate. *Proceedings of the Royal Society B-Biological Sciences* **272**, 887-895.

Jones, I.L., Hunter, F.M. & Robertson, G.J. 2002. Annual Adult Survival of Least Auklets (Aves, Alcidae) Varies With Large-Scale Climatic Conditions of the North Pacific Ocean. *Oecologia* **133**, 38-44.

Kahle, S. & Becker, P.H. 1999. Bird Blood as Bioindicator for Mercury in the Environment. *Chemosphere* **39**, 2451-2457.

Kaiser, G.W. & Forbes, L.S. 1992. Climatic and Oceanographic Influences on Island Use in 4 Burrow-Nesting Alcids. *Ornis Scandinavica* **23**, 1-6.

Kakela, R., Kakela, A., Kahle, S., Becker, P.H., Kelly, A. & Furness, R.W. 2005. Fatty Acid Signatures in Plasma of Captive Herring Gulls as Indicators of Demersal or Pelagic Fish Diet. *Marine Ecology Progress Series* **293**, 191-200.

Kitaysky, A.S. & Golubova, E.G. 2000. Climate Change Causes Contrasting Trends in Reproductive Performance of Planktivorous and Piscivorous Alcids. *Journal of Animal Ecology* **69**, 248-262.

Kitaysky, A. S., Wingfield, J. C., and Piatt, J. F. 1999. Dynamics of food availability, body condition and physiological stress response in breeding Black-legged kittiwakes. *Functional Ecology* **13**, 577-584..

- Kushlan, J.A. 1993. Colonial Waterbirds as Bioindicators of Environmental-Change. *Colonial Waterbirds* **16**, 223-251.
- Lanctot, R. B., Hatch, S. A., and Gill, V. A. Eens M. 2003. Are Corticosterone Levels a Good Indicator of Food Availability and Reproductive Performance in a Kittiwake Colony? *Hormones and Behavior* **43**, 489-502.
- Le Corre, M. & Jaquemet, S. 2005. Assessment of the Seabird Community of the Mozambique Channel and Its Potential Use as an Indicator of Tuna Abundance. *Estuarine Coastal and Shelf Science* **63**, 421-428.
- Lemaho, Y., Gendner, J.P., Challet, E., Bost, C.A., Gilles, J., Verdon, C., Plumere, C., Robin, J.P. & Handrich, Y. 1993. Undisturbed Breeding Penguins as Indicators of Changes in Marine Resources. *Marine Ecology-Progress Series* **95**, 1-6.
- Litzow, M.A., Piatt, J.F., Abookire, A.A., Prichard, A.K. & Robards, M.D. 2000. Monitoring Temporal and Spatial Variability in Sandeel (*Ammodytes Hexapterus*) Abundance With Pigeon Guillemot (*Cepphus Columba*) Diets. *Ices Journal of Marine Science* **57**, 976-986.
- Litzow, M.A., Piatt, J.F., Abookire, A.A., Speckman, S.G., Arimitsu, M.L. & Figurski, J.D. 2004. Spatiotemporal Predictability of Schooling and Nonschooling Prey of Pigeon Guillemots. *Condor* **106**, 410-415.
- Litzow, M.A., Piatt, J.F., Prichard, A.K. & Roby, D.D. 2002. Response of Pigeon Guillemots to Variable Abundance of High-Lipid and Low-Lipid Prey. *Oecologia* **132**, 286-295.
- Mcdaniel, J.D. & Emslie, S.D. 2002. Fluctuations in Adelie Penguin Prey Size in the Mid to Late Holocene, Northern Marguerite Bay, Antarctic Peninsula. *Polar Biology* **25**, 618-623.
- Miller, A.K. & Sydeman, W.J. 2004. Rockfish Response to Low-Frequency Ocean Climate Change as Revealed by the Diet of a Marine Bird Over Multiple Time Scales. *Marine Ecology-Progress Series* **281**, 207-216.
- Miller, G.D. & Davis, L.S. 1993. Foraging Flexibility of Adelie Penguins *Pygoscelis-Adeliae* - Consequences for an Indicator Species. *Biological Conservation* **63**, 223-230.
- Mochizuki, M., Hondo, R., Kumon, K., Sasaki, R. E., Matsuba, H., and Ueda, F. 2002. Cadmium contamination in wild birds as an indicator of environmental pollution. *Environmental Monitoring and Assessment* **1**, 229-235.

- Monaghan, P. 1996. Relevance of the Behaviour of Seabirds to the Conservation of Marine Environments. *Oikos* **77**, 227-237.
- Monaghan, P., Uttley, J.D. & Okill, J.D. 1989. Terns and Sandeels - Seabirds as Indicators of Changes in Marine Fish Populations. *Journal of Fish Biology* **35**, 339-340.
- Monaghan, P., Walton, P., Wanless, S., Uttley, J. D., and Burns, M. D. 1994. Effects of Prey Abundance on the Foraging Behaviour, Diving Efficiency and Time Allocation of Breeding Guillemots *Uria aalge*. *Ibis* **136**, 214-222.
- Monteiro, L.R. & Furness, R.W. 1997. Accelerated Increase in Mercury Contamination in North Atlantic Mesopelagic Food Chains as Indicated by Time Series of Seabird Feathers. *Environmental Toxicology and Chemistry* **16**, 2489-2493.
- Monteiro, L.R. & Furness, R.W. 1995. Seabirds as Monitors of Mercury in the Marine-Environment. *Water Air and Soil Pollution* **80**, 851-870.
- Montevecchi, W. A. Seabirds as Indicators of Ocean Pollution. Steele, JH, Turekian, KK, and Thorpe, SA eds. *Encyclopedia of Ocean Sciences* 5 (S), 2686-2690. 2001.
- Montevecchi, W.A. & Myers, R.A. 1997. Centennial and Decadal Oceanographic Influences on Changes in Northern Gannet Populations and Diets in the North-West Atlantic: Implications for Climate Change. *Ices Journal of Marine Science* **54**, 608-614.
- Montevecchi, W.A. & Myers, R.A. 1996. Dietary Changes of Seabirds Indicate Shifts in Pelagic Food Webs. *Sarsia* **80**, 313-322.
- Montevecchi, W.A. & Myers, R.A. 1995. Prey Harvests of Seabirds Reflect Pelagic Fish and Squid Abundance on Multiple Spatial and Temporal Scales. *Marine Ecology Progress Series* **117**, 1-9.
- Oedekoven, C.S., Ainley, D.G. & Spear, L.B. 2001. Variable Responses of Seabirds to Change in Marine Climate: California Current, 1985-1994. *Marine Ecology Progress Series* **212**, 265-281.
- Oka, N., Maruyama, N., and Skira, I. 1987. Chick Growth and Mortality of Short-tailed Shearwaters in Comparison with Sooty Shearwaters, as a possible index of fluctuations of Australian Krill Abundance. *Proceedings of the NIPR Symposium on Polar Biology* 1, 166-174.

- Olsson, O. & Van Der Jeugd, H.P. 2002. Survival in King Penguins *Aptenodytes Patagonicus*: Temporal and Sex-Specific Effects of Environmental Variability. *Oecologia* **132**, 509-516.
- Oro, D., Cam, E., Pradel, R. & Martinez-Abraín, A. 2004. Influence of Food Availability on Demography and Local Population Dynamics in a Long-Lived Seabird. *Proceedings of the Royal Society of London Series B-Biological Sciences* **271**, 387-396.
- Oro, D. Ruiz X. Jover L. Pedrocchi V. and González-solís. 1997. Audouin's Gull Diet and Adult Time Budget Responses on Changes in Food Availability Induced by Commercial Fisheries. *Ibis* **112**, 242-255.
- Oxynos, K., Schmitzer, J. & Kettrup, A. 1993. Herring Gull Eggs as Bioindicators for Chlorinated Hydrocarbons (Contribution to the German-Federal-Environmental-Specimen-Bank). *Science of the Total Environment* **140**, 387-398.
- Parrish, J. K. and Zador, S. G. 2003. Seabirds as Indicators: An Exploratory Analysis of Physical Forcing in the Pacific Northwest Coastal Environment. *Estuaries* **26**, 1044-1057.
- Pastor, D., Jover, L., Ruiz, X. & Albaiges, J. 1995. Monitoring Organochlorine Pollution in Audouin's Gull Eggs - the Relevance of Sampling Procedures. *Science of the Total Environment* **162**, 215-223.
- Peacock, L., Paulin, M. & Darby, J. 2000. Investigations Into Climate Influence on Population Dynamics of Yellow-Eyed Penguins *Megadyptes Antipodes*. *New Zealand Journal of Zoology* **27**, 317-325.
- Perriman, L., Houston, D., Steen, H. & Johannesen, E. 2000. Climate Fluctuation Effects on Breeding of Blue Penguins (*Eudyptula Minor*). *New Zealand Journal of Zoology* **27**, 261-267.
- Piatt, J. F. 1990. Aggregative response of Common Murres and Atlantic Puffins to their prey. *Studies in Avian Biology* **14**, 36-51.
- Piatt, J. F. and A.M. Springer. 2003. Advection, pelagic food webs, and the biogeography of seabirds in Beringia. *Marine Ornithology*. *Marine Ornithology* **31**, 141-154.
- Piatt, J. F. and Anderson, P. J. Response of Common Murres to the *Exxon Valdez* oil spill and longterm changes in the Gulf of Alaska marine ecosystem. Pp. 720-737 in: *Exxon Valdez Oil Spill Symposium Proceedings*. Rice, S. D., R. B. Spies, D. A. Wolfe and B. A. Wright (Eds). American Fisheries Society Symposium 18, Bethesda, Maryland.

Piatt, J. F., J. Wetzel, K. Bell, A. DeGange, G. Balogh, G. Drew, T. Geernaert, C. Ladd, and G.V. Byrd. 2005. Predictable hotspots and foraging habitat of the endangered short-tailed albatross (*Phoebastria albatrus*) in the North Pacific: Implications for conservation. *Deep Sea Research*.

Piatt, J. F. and Van Pelt, T. I. 1997. Mass-mortality of Guillemots (*Uria aalge*) in the Gulf of Alaska in 1993. *Marine Pollution Bulletin* **34**, 656-662.

Pinaud, D., Cherel, Y. & Weimerskirch, H. 2005. Effect of Environmental Variability on Habitat Selection, Diet, Provisioning Behaviour and Chick Growth in Yellow-Nosed Albatrosses. *Marine Ecology-Progress Series* **298**, 295-304.

Pinaud, D. & Weimerskirch, H. 2002. Ultimate and Proximate Factors Affecting the Breeding Performance of a Marine Top-Predator. *Oikos* **99**, 141-150.

Poloczanska, E.S., Cook, R.M., Ruxton, G.D. & Wright, P.J. 2004. Fishing vs. Natural Recruitment Variation in Sandeels as a Cause of Seabird Breeding Failure at Shetland: a Modelling Approach. *Ices Journal of Marine Science* **61**, 788-797.

Raymond, B. & Woehler, E.J. 2003. Predicting Seabirds at Sea in the Southern Indian Ocean. *Marine Ecology-Progress Series* **263**, 275-285.

Regehr, H.M. & Montevecchi, W.A. 1997. Interactive Effects of Food Shortage and Predation on Breeding Failure of Black-Legged Kittiwakes: Indirect Effects of Fisheries Activities and Implications for Indicator Species. *Marine Ecology-Progress Series* **155**, 249-260.

Reid, K., Croxall, J.P., Briggs, D.R. & Murphy, E.J. 2005. Antarctic Ecosystem Monitoring: Quantifying the Response of Ecosystem Indicators to Variability in Antarctic Krill. *Ices Journal of Marine Science* **62**, 366-373.

Reid, K., Sims, M., White, R.W. & Gillon, K.W. 2004. Spatial Distribution of Predator/Prey Interactions in the Scotia Sea: Implications for Measuring Predator/Fisheries Overlap. *Deep-Sea Research Part Ii-Topical Studies in Oceanography* **51**, 1383-1396.

Ribic, C.A., Ainley, D.G. & Spear, L.B. 1997. Scale-Related Seabird-Environmental Relationships in Pacific Equatorial Waters, With Reference to El Nino Southern Oscillation Events. *Marine Ecology-Progress Series* **156**, 183-203.

- Richardson, A. J. and Schoeman D. D. 2004. Climate Impact on Plankton Ecosystems in the Northeast Atlantic. *Science* **305**[5690], 1609-1612.
- Rindorf, A., Wanless, S. & Harris, M.P. 2000. Effects of Changes in Sandeel Availability on the Reproductive Output of Seabirds. *Marine Ecology-Progress Series* **202**, 241-252.
- Robards, M. D., Gould, P. J., and Piatt., J. F. The highest global concentrations and increased abundance of oceanic plastic debris in the North Pacific: Evidence from seabirds. Pp. 71-80 in *Marine Debris*. J.M. Coe and D.B. Rogers (Eds.), Springer-Verlag New York Inc.
- Rodway, M. S. and Montevecchi, W. A. 1996. Sampling Methods for Assessing the Diets of Atlantic Puffin Chicks. *Marine Ecology Progress Series* **144**, 41-55.
- Russell, R. W. Comparative Demography and Life History Tactics of Seabirds: Implications for Conservation and Marine Monitoring. Musick, JA. Life in the Slow Lane: Ecology and Conservation of Long-Lived Marine Animals. pp. 51-76. American Fisheries Society Symposium [Am. Fish. Soc. Symp.]. Vol. 23.: 23. AFS Symp.: Conservation of Long-Lived Marine Animals, Monterey, CA (USA), 24 Aug 1997 .
- Ryan, P.G. & Fraser, M.W. 1988. The Use of Great Skua Pellets as Indicators of Plastic Pollution in Seabirds. *Emu* **88**, 16-19.
- Sandvik, H., Erikstad, K.E., Barrett, R.T. & Yoccoz, N.G. 2005. The Effect of Climate on Adult Survival in Five Species of North Atlantic Seabirds. *Journal of Animal Ecology* **74**, 817-831.
- Spear, L.B., Ballance, L.T. & Ainley, D.G. 2001. Response of Seabirds to Thermal Boundaries in the Tropical Pacific: the Thermocline Versus the Equatorial Front. *Marine Ecology Progress Series* **219**, 275-289.
- Springer, A. M., Piatt, J. F., and Van Vliet, G. 1996. Sea birds as Proxies of Marine Habitats and Food Webs in the Western Aleutian Arc. *Fisheries Oceanography* **5**[1], 45-55.
- Thompson, D. R., Furness, R. W., and Monteiro, L. R. 1998. Seabirds as biomonitors of mercury inputs to epipelagic and mesopelagic marine food chains. *Science of the Total Environment* **213**, 307-315.
- Thompson, D.R., Furness, R.W. & Walsh, P.M. 1992. Historical Changes in Mercury Concentrations in the Marine Ecosystem of the North and North-East Atlantic-Ocean as Indicated by Seabird Feathers. *Journal of Applied Ecology* **29**, 79-84.

- Thompson, D. R. and Hamer, K. C. 2000. Stress in Seabirds: Causes, Consequences and Diagnostic Value. *Journal of Aquatic Ecosystem Stress and Recovery* **7**, 91-110.
- Thompson, D. R., Stewart, F. M., and Furness, R. 1990. Using seabirds to monitor mercury in marine environments. The validity of conversion ratios for tissue comparisons. *Marine Pollution Bulletin*. **21**, 339-342.
- Thompson, P.M. & Ollason, J.C. 2001. Lagged Effects of Ocean Climate Change on Fulmar Population Dynamics. *Nature* **413**, 417-420.
- Uttley, J. D., Walton, P., Monaghan, P., and Austin, G. 1994. The Effects of Food Abundance on Breeding Performance and Adult Time Budgets of Guillemots *Uria aalge*. *Ibis* **136**, 205-213.
- van Franeker, J. A. 1992. Top Predators as Indicators for Ecosystem Events in the Confluence Zone and Marginal Ice Zone of the Weddell and Scotia Seas, Antarctica, November 1988 to January 1989 (EPOS Leg 2). *Polar biology*. **12**, 93-102.
- Vanfraneker, J.A. 1992. Top Predators as Indicators for Ecosystem Events in the Confluence Zone and Marginal Ice-Zone of the Weddell and Scotia Seas, Antarctica, November 1988 to January 1989 (Epos Leg 2). *Polar Biology* **12**, 93-102.
- Veit, R.R., Pyle, P. & McGowan, J.A. 1996. Ocean Warming and Long-Term Change in Pelagic Bird Abundance Within the California Current System. *Marine Ecology-Progress Series* **139**, 11-18.
- Vander Pol, S.S., Becker, P.R., Kucklick, J.R., Pugh, R.S., Roseneau, D.G., and Simac, K.S. 2004. Persistent organic pollutants in Alaskan murre (*Uria* spp.) eggs: geographical, species, and temporal comparisons. *Environmental Science and Technology* **38**: 1305-12.
- Velarde, E., Tordesillas, M. S., Vieyra, L., and Esquivel, R. 1994. Seabirds as Indicators of Important Fish Populations in The Gulf of California. Reports of California Cooperative Oceanic Fisheries Investigations 35, 137-143.
- Vermeer, K. 1976. Colonial Auks and Eiders as Potential Indicators of Oil Pollution. *Marine Pollution Bulletin* **7**[6], 165-167.

Votier, S.C., Furness, R.W., Bearhop, S., Crane, J.E., Caldow, R.W.G., Catry, P., Ensor, K., Hamer, K.C., Hudson, A.V., Kalmbach, E., Klomp, N.I., Pfeiffer, S., Phillips, R.A., Prieto, I. & Thompson, D.R. 2004. Changes in Fisheries Discard Rates and Seabird Communities. *Nature* **427**, 727-730.

Wagner, B. & Melles, M. 2001. A Holocene Seabird Record From Raffles So Sediments, East Greenland, in Response to Climatic and Oceanic Changes. *Boreas* **30**, 228-239.

Walsh, P. M. 1990. The use of seabirds as monitors of heavy metals in the marine environment. Furness, RW and Rainbow, PS eds. CRC PRESS, BOCA RATON, FL (USA). 183-204.

Wanless, S., Grémillet, D., and Harris, M. P. 1998. Foraging Activity and Performance of Shags *Phalacrocorax aristotelis* in Relation to Environmental Charactersitics. *Journal of Avian Biology* **29**, 49-54.

Wanless, S., Harris, M. P., Redman, P., and Speakman, J. R. 2005. Low Energy Values of Fish as a Probable Casue of a Major Seabird Breeding Failure in the North Sea. *Marine Ecology Progress Series* **294**, 1-8.

Wanless, S., Wright, P.J., Harris, M.P. & Elston, D.A. 2004. Evidence for Decrease in Size of Lesser Sandeels *Ammodytes Marinus* in a North Sea Aggregation Over a 30-Yr Period. *Marine Ecology Progress Series* **279**, 237-246.

Weimerskirch, H., Doncaster, C.P. & Cuenotchaillet, F. 1994. Pelagic Seabirds and the Marine-Environment - Foraging Patterns of Wandering Albatrosses in Relation to Prey Availability and Distribution. *Proceedings of the Royal Society of London Series B-Biological Sciences* **255**, 91-97.

Weimerskirch, H., Inchausti, P., Guinet, C. & Barbraud, C. 2003. Trends in Bird and Seal Populations as Indicators of a System Shift in the Southern Ocean. *Antarctic Science* **15**, 249-256.

Weimerskirch, H., Zimmermann, L. & Prince, P.A. 2001. Influence of Environmental Variability on Breeding Effort in a Long-Lived Seabird, the Yellow-Nosed Albatross. *Behavioral Ecology* **12**, 22-30.

Wiese, F. K. and Ryan, P. C. 2003. The Extent of Chronic Marine Oil Pollution in Southeastern Newfoundland Waters Assessed Through Beached Bird Surveys 1984-1999. *Marine Pollution Bulletin* **46**[9], 1090-1101.

Wilson, L.J., Bacon, P.J., Bull, J., Dragosits, U., Blackall, T.D., Dunn, T.E., Hamer, K.C., Sutton, M.A. & Wanless, S. 2004. Modelling the Spatial Distribution of Ammonia Emissions From Seabirds in the UK. *Environmental Pollution* **131**, 173-185.

Wilson, P.R., Ainley, D.G., Nur, N., Jacobs, S.S., Barton, K.J., Ballard, G. & Comiso, J.C. 2001. Adelie Penguin Population Change in the Pacific Sector of Antarctica: Relation to Sea-Ice Extent and the Antarctic Circumpolar Current. *Marine Ecology Progress Series* **213**, 301-309.

Wilson, R. P., Grémillet, D., Syder, J., Kierspel, M. A. M., Garthe, S. G., Weimerskirch, H., Schäfer-Neth, C., Scolaro, J. A., Bost, C-A. Plötz J., and Nel, D. 2002. Remote-sensing systems and seabirds: their use, abuse and potential for measuring marine environmental variables. *Marine Ecology Progress Series* **228**, 241-261.