

Species arranged according to the Sibley & Monroe World List of Bird Names
<http://www.itc.nl/~deby/SM/SMorg/sm.html>

S/M #	Scientific Name	English Name	PT	RA	NA # birds	TB	TN	BD	ND	Sources	Category	Rule
3179	<i>Stercorarius skua</i>	Great Skua	3	4	?	Na	2		3	East Coast Specialist Team	Moderate	3c
3182	<i>Stercorarius maccormicki</i>	South Polar Skua	3	4	?	Na	2		1	East Coast Specialist Team & W. Coast/AK Specialist Team	Moderate	3c
3184	<i>Stercorarius pomarinus</i>	Pomarine Jaeger	3	3	20,000-40,000 breeders	3	2	1	1	East Coast Specialist Team, W. Coast/AK Specialist Team and M. Belisle	Low	4a
3185	<i>Stercorarius parasiticus</i>	Parasitic Jaeger	3	3	?	3	2	1	1	East Coast Specialist Team, W. Coast/AK and K. Morgan	Low	4a
3186	<i>Stercorarius longicaudus</i>	Long-tailed Jaeger	3	2	150,000+?	3	2	1	1	W. Coast/AK Specialist Team, East Coast Specialist Team and BNA	Low	4a
3187	<i>Rynchops niger</i>	Black Skimmer	4	2	65,000-70,000 breeders	4	3	3	3	R.M.Erwin (member of Caribbean Specialist Team)	High	2a
3196	<i>Larus heermanni</i>	Heermann's Gull	3	2	350,000	4	5	5	4	B. Tershy, E. Mellink	Moderate	3b
3199	<i>Larus canus</i>	Mew Gull	4	2	160,000 - 240,000	1	1	2	2	J. King	Not at risk	5
3201	<i>Larus delawarensis</i>	Ring-Billed Gull	1	1	~1,700,000 breeders	1	1	2	2	East Coast Specialist Team and J.P. Ryder	Not at risk	5
3202	<i>Larus californicus</i>	California Gull	3	2	at least 414,000 breeders	5	2	2	3	D. Winkler	Moderate	3b
3203	<i>Larus marinus</i>	Great Black-backed Gull	2	2	121430 breeders	2	2	3	2	East Coast Specialist Team and T. Good	Not at risk	5
3205	<i>Larus glaucescens</i>	Glaucous-winged Gull	3	2	380,000 breeders	2	2	3	3	W. Coast/AK Specialist Team and N.A.M. Verbeek	Low	4a
3206	<i>Larus occidentalis</i>	Western Gull	2	2	>77,000 breeders	2	2	4	4	W. Coast/Ak Specialist Team	Low	4b
3207	<i>Larus livens</i>	Yellow-footed Gull	3	3	40000 breeders	3	3	5	5	M. Patten & B. Tershy	Moderate	3b
3208	<i>Larus hyperboreus</i>	Glaucous Gull	3	2	>120,000 breeding (possibly another 30% breeding)	1	1	1	1	East Coast Specialist Team and G. Gilchrist	Not at risk	5
3209	<i>Larus glaucooides</i>	Iceland Gull	3	2	100,000+	3	3	3	2	East Coast Specialist Team	Low	4a
	<i>Larus thayeri</i>	Thayer's Gull	3	3	<10,000 in Canada	3	5	3	2	East Coast Specialist Team	Moderate	3c
3210	<i>Larus argentatus</i>	Herring Gull	3	2	246,000+ breeders	3	2	1	1	East Coast Specialist Team and G. Fox, D. Allen and C. Hunter	Low	4a
3214	<i>Larus fuscus</i>	Lesser Black-backed Gull	3	4-5		Na	3		3	East Coast Specialist Team	Moderate	3c
3223	<i>Larus ridibundus</i>	Black-headed Gull	3	5	40 breeders, 400 non-breeders	3	3	4	3	East Coast Specialist Team	Moderate	3d
3225	<i>Larus philadelphia</i>	Bonaparte's Gull		3	?	3	3	1	2	East Coast Specialist Team	Moderate-Not at risk	3a-5

Bolded species do not breed in North America

S/M #	Scientific Name	English Name	PT	RA	NA # birds	TB	TN	BD	ND	Sources	Category	Rule
3231	<i>Larus atricilla</i>	Laughing Gull	2	2	528,000 - 538,000 breeders (doesn't include C. and S. America)	2	2	3	2	BNA and East Coast Specialist Team and Caribbean Specialist Team (West Indies #'s)	Not at risk	5
3232	<i>Larus pipixcan</i>	Franklin's Gull	3	1-2	315,608 - 990,864 breeders	4	3	2	2	BNA	Moderate	3b
3233	<i>Larus minutus</i>	Little Gull	4	5	100-200 breeders	3	1	5	4	C. Weseloh and East Coast Specialist Team	High	2a
3234	<i>Pagophila eburnea</i>	Ivory Gull	3	4	>2,400 breeders	3	3	4	1	BNA and East Coast Specialist Team	Moderate	3b
3235	<i>Rhodostethia rosea</i>	Ross's Gull		5	<200	2	3	4	1	A. Bledsoe, East Coast Specialist Team and W. Coast/AK Specialist Team	High	
3236	<i>Xema sabini</i>	Sabine's Gull	2	2	200,000-400,000	2	4	2	1	R. Day, East Coast Specialist Team and W. Coast/AK Specialist Team	Low	4b
3238	<i>Rissa tridactyla</i>	Black-legged Kittiwake	3	1	3,126,000 breeders	2	2	2	1	W. Coast/AK Specialist Team	Not at risk	5
3239	<i>Rissa brevirostris</i>	Red-legged Kittiwake	4	2	160,000-180,000 individuals at breeding colonies	4	2	5	3	W. Coast/AK Specialist Team, G.V. Byrd	High	2a
3240	<i>Sterna nilotica</i>	Gull-billed Tern	3	3	6,000-8,000 breeders	3	2	3	2	R. M. Erwin, BNA and Caribbean Specialist Team (West Indies #'s)	Low	4a
3241	<i>Sterna caspia</i>	Caspian Tern	3	2	66,000 - 70,000 breeders	5	2	2	2	J. Quinn	Moderate	3c
3243	<i>Sterna maxima</i>	Royal Tern	3	2	100,000-150,000 breeders	4	3	3	3	R.M. Erwin & PA & Francine Buckley and Caribbean Specialist Team (West Indies #'s)	Moderate	3b
3244	<i>Sterna elegans</i>	Elegant Tern	3	3	34,000 - 60,000	4	4	4	3	G. Burness & B. Tershy	Moderate	3b
3246	<i>Sterna bergii</i>	Great Crested-Tern	3	5	few		2	5	4	Pacific Specialist Team	Moderate	3c
3248	<i>Sterna sandvicensis</i>	Sandwich Tern	2	2	75,000-100,000 *probably close to 100,000	3	2	3	3	D. Shealer and Caribbean Specialist Team (West Indies #'s)	Not at risk	5
3249	<i>Sterna dougallii</i>	Roseate Tern	4	3	16000 breeders	5	5	3	3	H. Hays, J. Spendelow, I.C.T. Nisbet and Caribbean Specialist Team (West Indies #'s)	High	2a
3253	<i>Sterna hirundo</i>	Common Tern	3	2	300,000 breeding individuals	5	4	2	1	R. Morris, H. Hays, & I.C.T. Nisbet and Caribbean Specialist Team (West Indies #'s)	Moderate	3b
3254	<i>Sterna paradisaea</i>	Arctic Tern	4	3	?	4	2	1	1	W. Coast/AK Specialist Team, J. Hatch & T. Diamond	High	2a
3257	<i>Sterna forsteri</i>	Forster's Tern	1	3	37,000 - 40,000	3	2	2	2	Caribbean Specialist Team	Not at risk	5
3259	<i>Sterna albifrons</i>	Little Tern	2	5	few	4	2	5	5	Pacific Specialist Team	High	2b
3261	<i>Sterna antillarum</i>	Least Tern	4	2	60,000-100,000 breeders	5	4	3	2	W. Coast/AK Specialist Team, B.C. Thompson and Caribbean Specialist Team (West Indies #'s)	High	2a
3268	<i>Sterna aleutica</i>	Aleutian Tern	4	3	12950 breeders	4	2	4	3	W. Coast/AK Specialist Team and M. North	High	2a
3269	<i>Sterna lunata</i>	Grey-backed Tern	3	2	72,000-104,000	4	2	4	3	Pacific Specialist Team	Moderate	3c

Bolded species do not breed in North America

S/M #	Scientific Name	English Name	PT	RA	NA # birds	TB	TN	BD	ND	Sources	Category	Rule
3270	<i>Sterna anaethetus</i>	Bridled Tern	4	3	8,700 - 14,700 breeders	4	3	3	3	BNA and Caribbean Specialist Team	High	2a
3271	<i>Sterna fuscata</i>	Sooty Tern	3	1	>3,360,000-4,380,000 breeders	4	2	3	2	Pacific Specialist Team and Caribbean Specialist Team (for Hawaii numbers)	Moderate	3c
3275	<i>Chlidonias niger</i>	Black Tern	3	2	100,000-500,000 breeders	4	3	2	2	E. Dunn	Moderate	3b
3277	<i>Anous stolidus</i>	Brown Noddy	2	2	286,000 - 298,000 breeders	2	2	3	2	Pacific Team and Caribbean Specialist Team	Not at risk	5
3278	<i>Anous minutus</i>	Black Noddy	3	2	>86,400 breeders; >250,000 total	4	2	3	2	Pacific Specialist Team and Caribbean Specialist Team (West Indies #s)	Moderate	3c
3280	<i>Procelsterna cerulea</i>	Blue Noddy	3	4	?	4	2	4	3	Pacific Specialist Team	High	2b
3281	<i>Gygis alba</i>	White Tern	3	3	30000 breeders (total N.A. population - 80,700)	2	2	4	3	Pacific Specialist Team and K. Niethammer	Moderate	3c
3284	<i>Alle alle</i>	Dovekie	3	4	1,000 breeders	2	3	5	2	East Coast Specialist Team	Moderate	3c
3285	<i>Uria aalge</i>	Common Murre	3	1	4,250,000	4	4	3	2	W. Coast/AK Specialist Team, T. Gaston, H. Carter, W. Sydeman and East Coast Specialist Team	Moderate	3c
3286	<i>Uria lomvia</i>	Thick-billed Murre	3	1	8000000 breeders	4	4	2	2	W. Coast/AK Specialist Team and East Coast Specialist Team	Moderate	3c
3287	<i>Alca torda</i>	Razorbill	3	2	40,000 - 80,000	4	4	4	3	East Coast Specialist Team and F. Huetteman, G. Robertson	Moderate	3b
3289	<i>Cepphus grylle</i>	Black Guillemot	2	2	100,000-200,000	3	3	2	1	East Coast Specialist Team and D. Cairns	Not at risk	5
3290	<i>Cepphus columba</i>	Pigeon Guillemot	4	3	<69,000 breeders	4	2	3	3	W. Coast/AK Specialist Team and BNA	High	2a
3292	<i>Brachyramphus marmoratus</i>	Marbled Murrelet	5	2	300,000 - 800,000 individuals	4	2	3	4	W. Coast Specialist Team, K.J. Kuletz, M. Rodway and S.K Nelson	High	2a
3293	<i>Brachyramphus brevirostris</i>	Kittlitz's Murrelet	4	3	7,000 - 18,000	4	4	3	4	W. Coast/AK Specialist Team, R.H.Day & K. Kuletz	High	2a
3294	<i>Synthliboramphus hypoleucus</i>	Xantus's Murrelet	4	3	6,000 - 7,000 breeders	5	4	5	5	W. Coast/AK Specialist Team and B. Keitt	High	2a
3295	<i>Synthliboramphus craveri</i>	Craveri's Murrelet	4	3	10,000	5	3	5	5	B. Tershy	High	2a
3296	<i>Synthliboramphus antiquus</i>	Ancient Murrelet	4	1	1300000 breeders	5	4	4	3	W. Coast/AK Specialist Team, T. Gaston & M. Rodway	High	2a
3298	<i>Ptychoramphus aleuticus</i>	Cassin's Auklet	4	1	3,200,000-3,570,000 breeders	4	2	4	3	W. Coast/AK Specialist Team, M. Rodway & D. Manuwal	High	2a
3299	<i>Aethia psittacula</i>	Parakeet Auklet		2	400,000	2	2	3	3	W. Coast/AK Specialist Team	Low	4a
3300	<i>Aethia cristatella</i>	Crested Auklet		1	3000000 breeders	4	4	4	3	W.Coast/AK Specialist Team and BNA	Moderate	3c
3301	<i>Aethia pygmaea</i>	Whiskered Auklet		3	25,000+ individuals in water around nesting colonies	4	4	4	4	W. Coast/AK Specialist team	Moderate	3c
3302	<i>Aethia pusilla</i>	Least Auklet		1	9000000 total	4	2	4	3	W. Coast/AK Specialist Team and BNA	Moderate	3c
3303	<i>Cerorhinca monocerata</i>	Rhinoceros Auklet	2	1	922,000 breeders	4	2	3	3	W. Coast/AK Specialist Team, S. Hatch, T. Gaston & M. Rodway	Low	4b
3304	<i>Fratercula arctica</i>	Atlantic Puffin	1	2	750,000 - 760,000	4	4	3	2	East Coast Specialist Team and M. Rodway	Not at risk	5

Bolded species do not breed in North America

S/M #	Scientific Name	English Name	PT	RA	NA # birds	TB	TN	BD	ND	Sources	Category	Rule
3305	<i>Fratercula corniculata</i>	Horned Puffin		1	1,000,000	4	2	3	2	W. Coast/AK Specialist Team and M. Rodway	Moderate	3c
3306	<i>Fratercula cirrhata</i>	Tufted Puffin	2	1	2,750,000-3,000,000	4	2	2	2	W. Coast/AK Specialist Team and M. Rodway	Low	4b
3331	<i>Rostrhamus sociabilis</i>	Snail Kite	3	4	600-1,000	4	4	5	5	Wading Bird Specialist Team	High	2b
3624	<i>Podiceps nigricollis</i>	Eared Grebe	3	1	3,500,000 - 4,100,000	2	4	2	3	S. Cullen & J.R. Jehl Jr. (Specialist Team leader)	Moderate	3c
3629	<i>Aechmophorus occidentalis</i>	Western Grebe	3	2	110,000+ breeders	4	4	3	3	Grebe Specialist Team, BNA and Grebes Action Plan	Moderate	3b
3630	<i>Aechmophorus clarkii</i>	Clark's Grebe	3	3	10,000 (?)	3	3	3	3	G. Nuechterlein	Low	4a
3631	<i>Phaethon aethereus</i>	Red-billed Tropicbird	4	4	3,800 - 7,000 breeders	5	2	3	3	Caribbean Specialist Team	High	2a
3632	<i>Phaethon rubricauda</i>	Red-tailed Tropicbird	3	3	32,000	4	2	4	2	Pacific Specialist Team	Moderate	3c
3633	<i>Phaethon lepturus</i>	White-tailed Tropicbird	4	3	10,000-23,000 breeders	5	3	3	2	Caribbean Specialist Team(Caribbean and S. and C. America #'s)	High	2a
3635	<i>Morus bassanus</i>	Northern Gannet	1	2	155, 456 breeders	3	3	4	2	East Coast Specialist Team	Not at risk	5
3638	<i>Sula neboxii</i>	Blue-footed Booby	4	2	~90,000 in Gulf of CA	5	5	5	4	B. Tershy	High	2a
3640	<i>Sula dactylatra</i>	Masked Booby	4	2	80,000 - 120,000 breeders	4	2	3	2	Caribbean Specialist Team	High	2a
3641	<i>Sula sula</i>	Red-footed Booby	4	2	300,000 breeders	5	5	3	2	Caribbean Specialist Team	High	2a
3642	<i>Sula leucogaster</i>	Brown Booby	4	2	280,000-300,000 breeders	5	3	3	2	Caribbean Specialist Team	High	2a
3643	<i>Anhinga anhinga</i>	Anhinga	3	3	20,000-34,000	3	3	3	4	Wading Bird Specialist Team	Moderate	3b
3653	<i>Phalacrocorax penicillatus</i>	Brandt's Cormorant	4	2	151200 breeders	5	4	4	4	G. Wallace	High	2a
3657	<i>Phalacrocorax brasilianus</i>	Neotropic Cormorant	2	3	16,000 in US, MX?	3	3	3	4	R. Telfair	Moderate	3c
3658	<i>Phalacrocorax auritus</i>	Double-crested Cormorant	1	2	>740,000 breeders	2	2	2	2	W. Coast/AK Specialist Team, J. Glahn, T. King, S. Werner&D. Siegel Causey	Not at risk	5
3662	<i>Phalacrocorax carbo</i>	Great Cormorant	3	3	11,600 breeders	2	2	4	4	J. Hatch (BNA author), D. Cairns and C. Weseloh	Moderate	3c
3678	<i>Phalacrocorax urile</i>	Red-faced Cormorant	4	3	<50,000 breeders	4	4	3	3	W. Coast/AK Specialist Team and D. Siegel-Causey	High	2a
3679	<i>Phalacrocorax pelagicus</i>	Pelagic Cormorant	4	3	<69,000 breeders	4	4	3	3	W. Coast/AK Specialist Team, K.A. Hobson & D. Siegel-Causey	High	2a
3685	<i>Egretta rufescens</i>	Reddish Egret	3	3	6,000-10,000	5	5	4		Wading Bird Specialist Team	Moderate	3c
3688	<i>Egretta tricolor</i>	Tricolored Heron	4	3	<194,000 breeders in US	4	3	4	4	Wading Bird Specialist Team	High	2a
3690	<i>Egretta caerulea</i>	Little Blue Heron	4	2	?	4	4			Wading Bird Specialist Team	High	2a
3694	<i>Egretta thula</i>	Snowy Egret	4	3	>40,000	4	3	3	4	Wading Bird Specialist Team	High	2a
3699	<i>Ardea herodias</i>	Great Blue Heron	1	2	83,000 breeders	2	2	2	3	Wading Bird Specialist Team and J. Glahn & T. King	Not at risk	5

Bolded species do not breed in North America

S/M #	Scientific Name	English Name	PT	RA	NA # birds	TB	TN	BD	ND	Sources	Category	Rule
3709	<i>Ardea alba</i>	Great Egret	1	2	18,000 in MS	2	2			J. F. Glahn and Wading Bird Specialist Team:	Not at risk	5
3711	<i>Bubulcus ibis</i>	Cattle Egret	2	2	1160000 (TX only)	2	2	3	3	Wading Bird Specialist Team	Not at risk	5
3719	<i>Butorides virescens</i>	Green Heron	2	3	unknown	2	3	2	4	Wading Bird Specialist Team	Low	4c
3722	<i>Nyctanassa violacea</i>	Yellow-crowned Night-Heron	3		?	2	3	3	5	Wading Bird Specialist Team	Mod-Low	
3723	<i>Nycticorax nycticorax</i>	Black-crowned Night-Heron	4	3	50,000+ breeders (doesn't include central america)	3	3	2	3	K. Parsons and Wading Bird Specialist Team	Moderate	3b
3730	<i>Tigrisoma mexicanum</i>	Bare-throated Tiger-Heron	4	3	10,000	3	3			J.C. Sandoval	High-Low	
3750	<i>Phoenicopterus ruber</i>	Greater Flamingo	2	2	90,000 - 150,000	2	2			Wading Bird Specialist Team	Not at risk-Low	5-4b
3755	<i>Eudocimus albus</i>	White Ibis	3	2	>100,000 breeders (US)	3	3	4	5	Wading Bird Specialist Team, K. Bildstein, P. Frederick & J. Kushlan	Moderate	3c
3758	<i>Plegadis falcinellus</i>	Glossy Ibis	1	3	13,000 - 15,000 breeders	3	2	5	5	Wading Bird Specialist Team	Low	4c
3759	<i>Plegadis chihi</i>	White-faced Ibis	2	2	>100,000 breeders	4	3	3	4	Wading Bird Specialist Team, and G. Ivey	Low	4b
3787	<i>Ajaia ajaja</i>	Roseate Spoonbill	3	3	20,500 breeders	5	5	5	5	Wading Bird Specialist Team	Moderate	3c
3794	<i>Pelecanus erythrorhynchos</i>	American White Pelican	3	2	>120,000 breeders	4	3	2	2	Wading Bird Specialist Team	Moderate	3c
3795	<i>Pelecanus occidentalis</i>	Brown Pelican	3	2	93,000 breeders (12,100 CA; 31,340 atlantic coast; 43,524 gulf coast) added 6,000 for Caribbean and S. and C. America (team)	4	4	3	3	Caribbean Specialist team: (for Caribbean and C. and S. America #s) M. Shields & W. Indian Seabird book	Moderate	3c
3804	<i>Mycteria americana</i>	Wood Stork	4	3	32,000-46,000 breeders	4	3	5	5	Wading Bird Specialist Team and M. Coulter, J. Ogden, J. Kushlan & J. Rodgers	High	2a
3819	<i>Jabiru mycteria</i>	Jabiru	3	5	450	5	5			Wading Bird Specialist Team	High	2b
3823	<i>Fregata magnificens</i>	Magnificent Frigatebird	4	2	106,000 - 174,000 breeders	4	2	3	3	Caribbean Specialist Team	High	2a
3825	<i>Fregata minor</i>	Great Frigatebird	3	3	24,000 breeders	2	2	4	2	Pacific Specialist Team	Moderate	3c
3852	<i>Fulmarus glacialis</i>	Northern Fulmar	3	1	2,100,000 breeders	4	4	2	1	W. Coast/AK Specialist Team, East Coast Specialist Team and S. Hatch	Moderate	3c
3860	<i>Pterodroma rostrata</i>	Tahiti Petrel	5	5	?	5	2		5	Pacific Specialist Team	Highly Imperiled	1a
3864	<i>Pterodroma cervicalis</i>	White-necked Petrel	3	2	>100,000	Na	3		2	S. Bailey	Low	4a
3866	<i>Pterodroma hypoleuca</i>	Bonin Petrel	3	2	460,792 - 716.632 breeding	4	2	4	3	Pacific Specialist Team and N. Seto	Moderate	3c

Bolded species do not breed in North America

S/M #	Scientific Name	English Name	PT	RA	NA # birds	TB	TN	BD	ND	Sources	Category	Rule
3868	<i>Pterodroma cookii</i>	Cook's Petrel	3	2	>100,000	Na	2		1	S. Bailey	Not at risk	5
3873	<i>Pterodroma alba</i>	Phoenix Petrel	5	5	?	5	2	5	3	Pacific Specialist Team	Highly Imperiled	1a
3874	<i>Pterodroma arminjoniana</i>	Herald Petrel	3	4	?	5	2		3	Pacific Specialist Team	Moderate	3c
3875	<i>Pterodroma sandwichensis</i>	Hawaiian Petrel	5	4	2,000 breeders	5	2	5	2	Pacific Specialist Team and T. Simons	Highly Imperiled	1a
3878	<i>Pterodroma externa</i>	Juan Fernandez Petrel	4	1	>1,000,000	Na	3		1	S. Bailey	Moderate	3a
3889	<i>Pterodroma cahow</i>	Bermuda Petrel	2	5	100 breeders	5	5	5	5	Caribbean Specialist Team	High	2b
3890	<i>Pterodroma hasitata</i>	Black-capped Petrel	5	2	4,000 - 10,000 breeders	5	3	5	3	Caribbean Specialist Team	Highly Imperiled	1a
3898	<i>Bulweria bulwerii</i>	Bulwer's Petrel	3	2	260000 breeders	5	4	4	2	Pacific Specialist Team and J. Megyesi	Moderate	3b
3904	<i>Calonectris diomedea</i>	Cory's Shearwater	3		?	3	3		2	East Coast Specialist Team	Moderate-Low	3c-4a
3906	<i>Puffinus pacificus</i>	Wedge-tailed Shearwater	3	2	<665,170 breeders	3	2	3	2	W. Coast/AK and Pacific Specialist Teams and G. Causey-Whittow	Low	4a
3907	<i>Puffinus bulleri</i>	Buller's Shearwater		2	2,500,000		2		1	W. Coast/AK Speciaist Team and K Morgan	Not at risk	5
3908	<i>Puffinus carneipes</i>	Flesh-footed Shearwater	3	1	1,500,000		3		2	W. Coast/AK and Pacific Specialist Teams and K. Morgan	Low	4a
3909	<i>Puffinus creatopus</i>	Pink-footed Shearwater	4	3	34,000 - 60,000 (unsure if # of breeders or total population)		4		2	W. Coast/AK Specialist Team and K. Morgan	High	2a
3910	<i>Puffinus gravis</i>	Greater Shearwater	3	4	?	Na	4		2	East Coast Specialist Team	High	2b
3911	<i>Puffinus griseus</i>	Sooty Shearwater	4	1	2,800,000 breeders	Na	3		1	K. Morgan, F. Huetteman, East Coast Specialist Team and W. Coast/AK Specialist Team	Moderate	3b
3912	<i>Puffinus tenuirostris</i>	Short-tailed Shearwater	3	1	30,000,000	Na	2		1	Pacific Specialist Team and K. Morgan	Not at risk	5
3913	<i>Puffinus nativitatis</i>	Christmas Shearwater	3	4	5,000 - 6,600 breeders	4	4	3	3	Pacific Specialist Team and N. Seto	High	2b
3914	<i>Puffinus puffinus</i>	Manx Shearwater	3	5	360 breeders	3	2	5	2	East Coast Specialist Team and BNA	Moderate	3c
3916	<i>Puffinus auricularis newelli</i>	Newell's Shearwater	5	3	29,200 breeders	5	2	5	4	Pacific Specialist Team and T. Telfer	Highly Imperiled	1a
3916	<i>Puffinus auricularis townsendi</i>	Townsend's Shearwater	5	4	low	5	2	5	4	B. Tershy	Highly Imperiled	1a
3917	<i>Puffinus opisthomelas</i>	Black-vented Shearwater	4	2	1,000-2,000(Guadalupe and San Benito) 300,000 (Natividad)	5	3	5	4	B. Keitt	High	2a
3920	<i>Puffinus lherminieri</i>	Audubon's Shearwater	5	3	6,000-10,000 breeders in West Indies	5	4	4	3	D. Lee and Caribbean Specialist Team	Highly Imperiled	1a

Bolded species do not breed in North America

S/M #	Scientific Name	English Name	PT	RA	NA # birds	TB	TN	BD	ND	Sources	Category	Rule
3933	<i>Phoebastria albatrus</i>	Short-tailed Albatross	2	4	~1,300		5		2	Pacific Specialist Team and K. Rivera	High	2b
3934	<i>Phoebastria nigripes</i>	Black-footed Albatross	5	2	170,000 breeders	5	5	4	2	Pacific Specialist Team and G. Causey-Whittow	Highly Imperiled	1a
3935	<i>Phoebastria immutabilis</i>	Laysan Albatross	4	2	800,000 breeders	4	4	4	2	Pacific Specialist Team and G. Causey-Whittow	High	2a
3943	<i>Oceanites oceanicus</i>	Wilson's Storm-Petrel	3	2	50,000-100,000 non breeders	Na	2		1	East Coast Specialist Team	Not at risk	5
3949	<i>Nesofregatta fuliginosa</i>	Polynesian Storm-Petrel	5	5	?	5	2	5	3	Pacific Specialist Team and S. Bailey	Highly Imperiled	1a
3951	<i>Oceanodroma microsoma</i>	Least Storm-Petrel	4	1	>1,000,000	5	2	5	4	B. Tershy	High	2a
3952	<i>Oceanodroma tethys</i>	Wedge-rumped Storm-Petrel	3	2	>500,000	Na	3		3	S. Bailey	Low	4a
3953	<i>Oceanodroma castro</i>	Band-rumped Storm-Petrel	5	5	200 breeding	5	2	5	2	Pacific Specialist Team	Highly Imperiled	1a
3954	<i>Oceanodroma leucorhoa</i>	Leach's Storm-Petrel	2	1	15, 275,000 breeders	4	3	2	2	East Coast Specialist Team, W. Coast/AK Specialist Team and R.G. Butler	Low	4b
3957	<i>Oceanodroma tristrami</i>	Tristram's Storm-Petrel	3	3	<10,000	4	2	4	3	Pacific Specialist Team	Moderate	3c
3960	<i>Oceanodroma melania</i>	Black Storm-Petrel	4	3	10,000 -100,000 probably <20,000 individuals	5	3	4	3	W. Coast/AK Specialist Team and B. Tershy	High	2a
3961	<i>Oceanodroma homochroa</i>	Ashy Storm-Petrel	5	3	<10,000 breeders	4	2	5	4	W. Coast/AK Specialist Team and BNA	Highly Imperiled	1a
3963	<i>Oceanodroma furcata</i>	Fork-tailed Storm-Petrel	1	1	5,000,000 - 6,000,000	4	2	3	2	W. Coast/AK Specialist Team and M. Rodway	Not at risk	5

Bolded species do not breed in North America

Species with no information												
S/M #	Scientific Name	English Name	PT	RA	NA # birds	TB	TN	BD	ND	Sources	Category	Rule
3212	<i>Larus schistisagus</i>	Slaty-backed Gull										
	<i>Sula granti</i>	Nazca Booby										
3692	<i>Egretta gularis</i>	Western Reef-Egret										
3697	<i>Pilherodius pileatus</i>	Capped Heron										
3700	<i>Ardea cocoi</i>	Cocoi Heron										
3718	<i>Butorides striatus</i>	Striated Heron										
3721	<i>Agamia agami</i>	Agami Heron										
3729	<i>Cochlearius cochlearius</i>	Boat-billed Heron										
3731	<i>Tigrisoma fasciatum</i>	Fasciated Tiger-Heron										
3732	<i>Tigrisoma lineatum</i>	Rufescent Tiger-Heron										
3756	<i>Eudocimus ruber</i>	Scarlet Ibis										
3766	<i>Mesembrinibis cayennensis</i>	Green Ibis										
3865	<i>Pterodroma inexpectata</i>	Mottled Petrel										
3867	<i>Pterodroma leucoptera</i>	White-winged Petrel										
3877	<i>Pterodroma neglecta</i>	Kermadec Petrel										

Bolded species do not breed in North America