## Appendix A



Bobolink Scott A. Vincent©

## **Species of Conservation Concern**

Shawangunk Grassland NWR Trust Species and other Species of Conservation Concern (see notes on next page\*)

Soiontifio Nomo	Common Nome(a)	FWS	NY State- listed	Global HP	NYNHP	NABCI BCR28	PIF B	PIF W
Scientific Name	Common Name(s) Frank's sedge	BCC (1)	(2) E	(3) G5	<b>(4)</b> S1	(5)	(6)	(6)
Clemmys guttata	spotted turtle		SC	65	31			
Glyptemys insculpta	wood turtle		SC					
	wood duck		30				llb	
Aix sponsa								
A. rubripes Circus cyaneus	American black duck		т	G5	S3B,		lb V	llc
Accipiter striatus	sharp-shinned hawk		SC		S3N		V	
A. cooperii	Cooper's hawk		SC				V	
A. gentilis	northern goshawk		SC				V	
Buteo lineatus	red-shouldered hawk		SC				V	
Falco peregrinus	peregrine falcon	х	Е	G4	S3B, SZN	х	V	
Bartramia longicauda	upland sandpiper	Х	Т	G5	S3B	Х	llc	
Scolopax minor	American woodcock						la	
Coccyzus erythropthalmus	black-billed cuckoo	х				Х		
Tyto alba	barn owl			G5	S3			
Asio otus	long-eared owl						V	
Asio flammeus	short-eared owl	Х	Е	G5	S2	Х		llc
Chordeilis minor	common nighthawk		SC				V	
Melanerpes	red-headed							·
erythrocephalus	woodpecker	X	SC			Х	lb	IIIb
Sphyrapicus varius	yellow-bellied sapsucker	Х				Х		
Contopus virens	eastern wood-pewee						lla	
Lanius Iudovicianus	loggerhead shrike	х	E	G4	S1B, SZN		V	
Eremophila alpestris	horned lark		SC				V	
Toxostoma rufum	brown thrasher						lla	
Hylocichla mustelina	wood thrush	Х				Х	la	
Vermivora pinus	blue-winged warbler						IIIb	
Dendroica discolor	prairie warbler	Х				Х	IIIb	
D. palmarum	palm warbler			G5	S1			
Icteria virens	yellow-breasted chat		SC				V	
Piranga olivacea	scarlet tanager						llb	
Pipilo erythropthalmus	eastern towhee						lla	
Spizella pusilla	field sparrow						la	
Pooecetes gramineus	vesper sparrow		SC				V	
Passerculus sandwichensis	savannah sparrow						V	
Ammodramus savannarum	grasshopper sparrow		SC				llc	
A. henslowii	Henslow's sparrow	х	Т	G4	S3B, SAN	Х	lb	
Dolichonyx oryzivorus	bobolink						IIIb	
lcterus galbula	Baltimore oriole						lla	

Notes:

- (1) U.S. Fish and Wildlife Service, region 5, Birds of Conservation Concern 2002
- (2) New York State; E= endangered, T= threatened, SC= species of concern
- (3) New York Natural Heritage Program: Global rank
  - **G1** Critically imperiled globally because of extreme rarity (5 or fewer occurrences), or very few remaining acres, or miles of stream) or especially vulnerable to extinction because of some factor of its biology.
  - **G2** Imperiled globally because of rarity (6 20 occurrences, or few remaining acres, or miles of stream) or very vulnerable to extinction throughout its range because of other factors.
  - **G3** Either rare and local throughout its range (21 to 100 occurrences), or found locally (even abundantly at some of its locations) in a restricted range (e.g. a physiographic region), or vulnerable to extinction throughout its range because of other factors.
  - G4 Apparently secure globally, though it may be quite rare in parts of its range, especially at the periphery.
  - G5 Demonstrably secure globally, though it may be quite rare
  - GH Historically known, with the expectation that it might be rediscovered.
  - **GX** Species believed to be extinct.
  - GU Status unknown.
- (4) New York Natural Heritage Program: State Rank
  - S1 typically 5 or fewer occurrences
  - S2 typically 6-20 occurrences
  - S3 typically 21 100 occurrences
  - **S4** apparently secure in NYS
  - S5 demonstrably secure in NYS
  - SA accidental species
  - SH historically known from NYS, but not seen in the past 15 years
  - SX apparently extirpated from NYS
  - **SR** reported to occur in NYS, but no specific locations documented
  - SU species unrankable due to uncertainty about number of occurrences
  - SZ species occurs in NYS, but generally not in specific locations
  - S? species not evaluated yet
  - NR not rated yet

Modifiers: (B) signifies that the species breeds instate, (N) signifies it does not breed instate

- (5) North American Bird Conservation Initiative, Bird Conservation Region 28, species of concern
- (6) Partners in Flight, Area 17, (B) = breeding, (W) = wintering
  - Tier I. High Continental Priority.
  - Tier IA. High Continental Concern High Regional Responsibility.
  - Tier IB. High Continental Concern Low Regional Responsibility.
  - Tier II. High Regional Priority.
  - Tier IIA. High Regional Concern.
  - Tier IIB. High Regional Responsibility.
  - Tier IIC. High Regional Threats.
  - Tier III. Additional Federally Listed.
  - Tier IV. Additional State Listed.
  - Tier V. Additional Stewardship Responsibility.
  - Tier VI. Local concern species of justifiable local concern or interest.

\* There is no documentation that the Indiana bat occurs on the refuge; however, it is also true that no surveys have been conducted. It is possible they could be present due the proximity of the refuge to known roost sites (pers. comm. with Laury Zicary, NYFO) and the presence on the refuge of trees in excess of 5 inches dbh.