



Federal Crop Insurance Corporation



Product Development Division

FCIC-25720 (11-2003)

PILOT PROCESSING **CUCUMBER** LOSS **ADJUSTMENT STANDARDS** HANDBOOK

2004 and Succeeding Crop Years

UNITED STATES DEPARTMENT OF AGRICULTURE WASHINGTON, D.C. 20250

| FEDERAL CROP INSURANCE HANDBO | OK NUMBER: 25720 (11-2003) | |
|---|--|--|
| SUBJECT: | DATE: November 28, 2003 | |
| PILOT PROCESSING CUCUMBER LOSS ADJUSTMENT STANDARDS HANDBOOK 2004 AND SUCCEEDING | OPI: Product Development Division | |
| | APPROVED: Jai 13. With | |
| CROP YEARS | Deputy Administrator, Research and Development | |

THIS HANDBOOK CONTAINS THE OFFICIAL FCIC-APPROVED LOSS ADJUSTMENT STANDARDS FOR THIS CROP FOR THE 2004 AND SUCCEEDING CROP YEARS. IN THE ABSENCE OF INDUSTRY-DEVELOPED, FCIC-APPROVED PROCEDURE FOR THIS CROP FOR 2004 AND SUCCEEDING CROP YEARS, ALL REINSURED COMPANIES WILL UTILIZE THESE STANDARDS FOR BOTH LOSS ADJUSTMENT AND LOSS TRAINING.

SUMMARY OF CHANGES/CONTROL CHART

Major Changes: See changes or additions in text, which have been highlighted. Three stars (***) identify where information has been removed.

Changes for Crop Year 2004 (FCIC-25720) issued NOVEMBER 2003:

- A. Page 1, Subsection 2 B (3): Added abbreviations for Catastrophic Risk Protection and Crop Insurance Handbook (CIH).
- B. Page 5, Subsection 3 A (2): Updated language to maintain consistency with the Pilot Processing Cucumber Crop Provisions.
- C. Page 6, Subsection 3 B (2): Deleted Written Agreements from Provisions Not Applicable to CAT Coverage.
- D. Page 6, Subsection 3 C: Updated to cohere with standard language for "Bypassed" acreage.
- E. Page 9, Subsection 5 C (2): Revised procedures for determining the row width to coincide with procedure in the LAM for measuring row width skipped row pattern.
- F. Page 10, Subsection 5 D (1) (d): Added language stating to "make appraisals that accurately reflect the potential production that remains in the field."
- G. Pages 11, Subsection 5 E: Moved example to follow Table B and moved row width information up to Subsection 5 C (4).

SUMMARY OF CHANGES/CONTROL CHART (Continued)

- H. Page 13, Subsection 5 G (2): Updated table to include all plant lengths between 0.1" and 18.0". Also updated Number of Leaves for stages 7 11 to be 10+.
- I. Page 15, Subsection 6 A (3): Added reference to the Special Provisions for the "minimum requirements for row and plant spacing for insurable practices, if applicable." Also added a formula for calculating plants per acre and an example calculation.
- J. Page 17, Subsection 6 E: Changed "Bushels Per Acre of Sound Fruit" to "Bushels Per Acre of Marketable Cucumbers" throughout the entire LASH. Also changed all references of "Sound Fruit" to "Marketable Cucumbers" and "fruit" to "cucumbers" throughout the LASH.
- K. Page 19, Subsection 6 F (5): Changed language to clarify cucumbers that are sorted and culls that are discarded.
- L. Page 22, Subsection 8 B (1), Item 20: Change "remaining" to "live" plants in the sample area.
- M. Page 28, Cucumber Appraisal Worksheet, Stand Reduction with Defoliation, Fruit Damage and Final Adjustment Example: Updated to correctly reflect the example.
- N. Page 29, Subsection 8 B (2), Item 7: Deleted the word "mechanically" from Date Planted items throughout the LASH.
- O. Page 32, Cucumber Appraisal Worksheet, Weight Method for Hand-Harvest Operations: Updated example to correctly match the instructions.
- P. Page 37, Subsection 8 C, Item 11: Added language "without regard to discounts or incentives," to clarify gross value amount to be entered from the sales invoice.
- Q. Page 37, Subsection 8 C, Item 12: Added reference to the Special Provisions when entering allowable cost.
- R. Page 37, Subsection 8 C, Item 13: Added "If the value is negative, enter "0.00"" and deleted "No value can be less than the minimum value shown in the Special Provisions" because it is addressed in Item Q_1 of the Claim Form.
- S. Page 38, Summary of Harvested Production Worksheet: Updated example to correctly reflect the instructions.
- T. Page 42, Subsection 9 B SECTION I (Item A): Added reference to LAM for information on first crop, second crop, and subsequent crop codes.

SUMMARY OF CHANGES/CONTROL CHART (Continued)

- U. Page 43, Subsection 9 B, SECTION I, Item E: Updated instructions for Risk entry according to standard language.
- V. Page 49, Subsection 9 B, SECTION II, General Information, Item (7) (b): Deleted "The number of harvested bushels times."
- W. Page 49, Subsection 9 B, SECTION II, General Information, Item (8): Update language to remain consistent with the Pilot Processing Cucumber Crop Provisions.
- X. Page 50, Subsection 9 B SECTION II, Item A₂: Added reference to LAM for information on first crop, second crop, and subsequent crop codes.
- Y. Page 51, Subsection 9 B, SECTION II, Item I: Added "in bushels, to tenths."
- Z. Page 53, Production Worksheet: Updated example to remain consistent with instructions and previous examples.
- AA. Page 55, Table B: Inserted NOTE and formula for calculating row widths other than those that are listed in the table.
- BB. Made various editorial changes throughout the handbook to comply with current approved format.

| Control Chart For: Pilot Processing Cucumber Loss Adjustment Standards Handbook | | | | | | |
|---|--|---------------|-----------------|-----------------------|---------|---------------------|
| | SC Page(s) | TC Page(s) | Text Page(s) | Reference Material | Date | Directive Number |
| Remove | Entire Handbook and Replace with FCIC-25720 date 11-2003 | | | | | |
| Current Index | 1-4 | 1-4 | 1-53 | 55-58 | 11-2003 | FCIC-25720 |

SUMMARY OF CHANGES/CONTROL CHART (Continued)

TABLE OF CONTENTS

PAGE

| 1. | INT | TRODUCTION 1 |
|----|-----------|--|
| 2. | SPI | ECIAL INSTRUCTIONS |
| | А. В. | DISTRIBUTION |
| | | |
| 3. | INS | SURANCE CONTRACT INFORMATION |
| | A. | INSURABILITY |
| | В. С. | PROVISIONS NOT APPLICABLE TO CAT COVERAGE |
| | C. | ACREAGE |
| | D. | UNIT DIVISION |
| | E. | QUALITY ADJUSTMENT |
| 4. | RE | PLANTING <mark>PAYMENT</mark> PROCEDURE <mark>S</mark> 8 |
| 5. | PR | OCESSING CUCUMBER APPRAISALS9 |
| | A. | GENERAL INFORMATION |
| | B. | SELECTING REPRESENTATIVE SAMPLES FOR APPRAISALS |
| | C. | MEASURING ROW WIDTH FOR SAMPLE SELECTION |
| | D. | APPRAISING HARVESTED AND UNHARVESTED CUCUMBERS |
| | E. | DETERMINING THE ADJUSTEDACREAGE FACTOR FOR GRID SAMPLE |
| | F. | PROCESSING CUCUMBER LIFE CYCLES 12 |
| 6. | AP | PRAISAL METHODS |
| | A. | GENERAL INFORMATION |
| | B. | DEFERMENT OF CUCUMBER APPRAISALS BEFORE MATURITY |
| | C. | STAND REDUCTION METHOD ¹⁶ |
| | D. | DEFOLIATION METHOD |
| | E. | FRUIT DAMAGE AND FINAL ADJUSTMENT METHOD |
| | F. | WEIGHT METHOD FOR HAND-HARVEST OPERATIONS |
| | G. | WEIGHT METHOD FOR MACHINE-HARVEST OPERATIONS |

TABLE OF CONTENTS (Continued)

| 7. | AP | PRA | ISAL DEVIATIONS AND MODIFICATIONS | <mark>20</mark> |
|----|----|-----|--|-----------------|
| | A. | DEV | VIATIONS | <mark>20</mark> |
| | B. | | DIFICATIONS | |
| 8. | AP | PRA | ISAL WORKSHEET ENTRIES AND COMPLETION | |
| | PR | OCE | DURES | <mark>20</mark> |
| | A. | GEN | NERAL INFORMATION | <mark>20</mark> |
| | B. | WO | RKSHEET ENTRIES AND COMPLETION INFORMATION | <mark>21</mark> |
| | | (1) | CUCUMBER EARLY APPRAISALS AND FRUIT DAMAGE AND FINAL | |
| | | | ADJUSTMENT APPRAISAL WORKSHEET INSTRUCTIONS | |
| | | | STAND REDUCTION METHOD | |
| | | | DEFOLIATION METHOD | |
| | | | FRUIT DAMAGE AND FINAL ADJUSTMENT METHOD | |
| | | | PROCESSING CUCUMBER FIELD NOTES | |
| | | | APPRAISAL WORKSHEET EXAMPLE (Stand Reduction Only) | |
| | | | APPRAISAL WORKSHEET EXAMPLE (Defoliation Only) | <mark>26</mark> |
| | | | APPRAISAL WORKSHEET EXAMPLE (Defoliation with Fruit Damage and Eigel A directory and | 07 |
| | | | Final Adjustment) | <mark>21</mark> |
| | | | APPRAISAL WORKSHEET EXAMPLE (Stand Reduction with Defoliation, Fruit Damage and Final Adjustment) | <mark>28</mark> |
| | | (2) | CUCUMBER APPRAISAL WORKSHEET INSTRUCTIONS - WEIGHT | 20 |
| | | | METHOD FOR HAND-HARVEST OPERATIONS | <mark>29</mark> |
| | | | APPRAISAL WORKSHEET EXAMPLE (Weight Method for Hand-Harvest Operations) | <mark>32</mark> |
| | | (3) | CUCUMBER APPRAISAL WORKSHEET INSTRUCTIONS - WEIGHT METHOD FOR MACHINE-HARVEST OPERATIONS | <mark>33</mark> |
| | | | APPRAISAL WORKSHEET EXAMPLE (Weight Method for Machine-Harvest Operations) | <mark>35</mark> |
| | C. | | MMARY OF HARVESTED PRODUCTION WORKSHEET ENTRIES AND MPLETION INFORMATION | 36 |
| | | | RT I - PRODUCTION | |
| | | | RT II - WEIGHTED VALUE | |
| | | | MMARY OF HARVESTED PRODUCTION WORKSHEET EXAMPLE | |
| | | | | |

TABLE OF CONTENTS (Continued)

PAGE

| 9. | CLAIM FORM ENTRIES AND COMPLETION PROCEDURES | 9 |
|-----|--|------------------|
| | A. GENERAL INFORMATION | |
| | 3. FORM ENTRIES AND COMPLETION INFORMATION | 2 |
| | SECTION II - HARVESTED PRODUCTION4 CLAIM FORM EXAMPLE | |
| 10. | REFERENCE MATERIAL | <mark>5</mark> |
| | FABLE A - MINIMUM REPRESENTATIVE SAMPLE REQUIREMENTS | 5 <mark>5</mark> |
| | T ABLE B - ROW WIDTH <mark>S</mark> AND LENGTH <mark>S</mark> FOR 1/100 ACRE | |
| | TABLE D - HAND HARVESTED PROCESSING CUCUMBERS PERCENT YIELD LOSS DUE TO DEFOLIATION | 6 |
| | ABLE E - MACHINE HARVESTED PROCESSING CUCUMBERS PERCENT YIELD LOSS DUE TO DEFOLIATION | |
| | FABLE F - HARVEST FACTORS | |

TABLE OF CONTENTS (Continued)

THIS PAGE INTENTIONALLY LEFT BLANK

NOVEMBER 2003

1. INTRODUCTION

THIS HANDBOOK MUST BE USED IN CONJUNCTION WITH THE LOSS ADJUSTMENT MANUAL (LAM).

This handbook identifies the crop-specific procedural requirements for adjusting Multiple Peril Crop Insurance (MPCI) losses in a uniform and timely manner. These procedures, which include crop appraisal methods and claims completion instructions, supplement the general (not crop-specific) procedures, forms, and manuals for loss adjustment identified in the LAM.

2. SPECIAL INSTRUCTIONS

This handbook remains in effect until superseded by reissuance of **either** the entire handbook **or** selected portions (through slipsheets or bulletins). If slipsheets have been issued for a handbook, the original handbook as amended by slipsheet pages shall constitute the handbook. A bulletin can supersede either the original handbook or subsequent slipsheets.

A. **DISTRIBUTION**

The following is the minimum distribution of forms completed by the adjuster for the loss adjustment inspection:

One legible copy to the insured. The original and all remaining copies as instructed by the insurance provider.

NOTE: It is the insurance providers' responsibility to maintain original insurance documents relative to policyholder servicing as designated in their approved plan of operations.

B. TERMS, ABBREVIATIONS, AND DEFINITIONS

- (1) Terms, abbreviations, and definitions **general** (not crop specific) to loss adjustment are identified in the LAM.
- (2) Terms, abbreviations, and definitions **specific** to processing cucumber loss adjustment and this handbook, which are not defined in this section, are defined as they appear in the text.
- (3) Abbreviations:

| CAT | Catastrophic Risk Protection |
|-----|------------------------------|
| CIH | Crop Insurance Handbook |

(4) Definition(s):

| Allowable Cost | The dollar amount per bushel for harvesting (picking, grading, packing containers and selling) and hauling that is shown in the Special Provisions. | |
|--------------------------------|---|--|
| Amount of Insurance | The amount shown on the actuarial documents for the corresponding coverage level percentage the insured selects. | |
| Bushel | 50 pounds of marketable processing cucumbers. | |
| Direct Marketing | Sale of the insured crop directly to consumers without the intervention of an intermediary such as a wholesaler, retailer, packer, processor, shipper, or buyer. Examples of direct marketing include selling through an on-farm or roadside stand, farmer's market, and permitting the general public to enter the field for the purpose of picking all or a portion of the crop. | |
| Hand-Harvest Operations | Harvest operations that consist of the crop being harvested by hand and of which multiple harvests are normally performed. | |
| Harvest | The picking of cucumbers from the plant by hand or machine. | |
| Intermediary | A business enterprise that has all licenses and permits required by the state in which it operates and has an agreement in writing with a processor that authorizes the intermediary to contract processing cucumber production on behalf of the processor. | |
| Machine -Harvest Operations | Harvest operations that consist of the crop being harvested by machine and which only one harvest is performed. | |
| Marketable Cucumbers | Processing cucumbers that meet or have met (untimely harvest will result in larger cucumbers that would have met better grades if they had been timely harvested) the U.S. Standards for Grades of U.S. No. 3 or better. | |
| Minimum Value | The dollar amount per bushel shown in the Special Provisions that is used for valuing the production. | |
| Processor | Any business enterprise regularly engaged in processing cucumbers for human consumption, that possesses all licenses and permits for processing cucumbers required by the state in which it operates, and that possesses facilities, or has contractual access to such facilities, with enough equipment to accept and process the contracted cucumbers within a reasonable amount of time after harvest. | |

| Normal Yield | The "expected yield stated in the Special Provisions that is used for determining the maximum insurable acreage under a quantity based processor contract." The yield is stated in bushels. | | |
|----------------------|--|---|--|
| Processor Contract | A written agreement between the insured and a processor, or between the insured and an intermediary, containing at a minimum: | | |
| | (a) | The insured's commitment to plant and grow the processing cucumbers, and to deliver the cucumber production to the processor or intermediary; | |
| | (b) | The processor's, or intermediary's commitment to purchase all the production stated in the processor contract; and | |
| | (c) | A base contract price. | |
| | amo cont | tiple contracts with the same processor that specify unts of production will be considered a single processor ract unless the contracts are for different types of umbers. | |
| Processing Cucumbers | Varieties of cucumbers with characteristics that enable them to be processed by pickling. | | |

3. INSURANCE CONTRACT INFORMATION

The insurance provider is to determine that the insured has complied with all policy provisions of the insurance contract. Crop provisions, which are to be considered in this determination include (but are not limited to):

A. **INSURABILITY**

- (1) The crop insured will be all the cucumbers in the county that are planted for harvest as processing cucumbers in which the insured has a share; for which a premium rate is provided by the actuarial documents:
 - (a) That are grown under and in accordance with the requirements of a processor contract, executed on or before the acreage reporting date, and are not excluded from the processor contract at any time during the crop year;

- (b) That are planted within the planting periods designated in the actuarial documents; and
- (c) That are initially planted in rows unless otherwise provided in the Special Provisions;
- (d) That are grown by a person who, in at least one of the three previous crop years:
 - <u>1</u> Grew processing cucumbers for commercial sale; or
 - <u>2</u> Managed a processing cucumber farming operation;
- (e) That are not:
 - <u>1</u> Interplanted with another crop; or
 - <u>2</u> Planted into an established grass or legume.
- (f) The insured will be considered to have a share in the insured crop to the extent that the insured is at risk of loss of the insured crop under the processor contract and the processor contract provides for the delivery of the processing cucumbers under specific conditions and at a stipulated base contract price.
- (g) When multiple processor contracts are applicable to the insured acreage, one processor contract may be fulfilled and additional bushels may continue to be accepted by the processor for that acreage. (Refer to the LAM for additional information on processor contracts.) For example: A producer has two contracts on a single unit, one with processor A for 5,000 bushels, and the other with processor B for 5,000 bushels. The producer delivers the cucumbers to processor A and fulfills the contracted bushels. However, the producer continues to deliver bushels to processor A because they have elected to accept additional bushels. The total bushels delivered to processor A was 6,000 bushels. As no bushels have yet been delivered to processor B, the contract is open to 5,000 bushels. The unit liability will be limited to the lessor of the bushels remaining on the unit guarantee, or the bushels remaining on **all** contracts. If the unit guarantee is met, and the contract for processor B remains open, the result would be a "No Indemnity Due" claim. When the processor no longer accepts production under a remaining open contract, the insurance period ends for that unit, provided no other qualifying event has occurred earlier to end the insurance period. When the "total paid for" bushels exceed the total contracted bushels, the insurance liability has been met.
- (h) A commercial processing cucumber producer who is also a processor or intermediary may establish an insurable interest if the following requirements are met:
 - <u>1</u> The producer must comply with the Pilot Processing Cucumber Crop Provisions;

- 2 Prior to the sales closing date, the Board of Directors or officers of the processor or the intermediary must execute and adopt a resolution that contains the same terms as an acceptable processor contract. Such resolution will be considered a processor contract under the Pilot Processing Cucumber Crop Provisions; and
- <u>3</u> The insurance provider's inspection reveals that the processing facilities comply with the definition of a processor contained in the Pilot Processing Cucumber Crop Provisions.
- (2) Any acreage of the insured crop that is damaged before the final planting date for the respective planting period, to the extent that the majority of producers in the area would not normally further care for the crop, must be replanted unless the insurance provider agrees that it is not practical to replant.
- (3) Insurance coverage is not provided on acreage that:
 - (a) Does not meet any rotation requirements, if applicable, contained in the Special Provisions; or
 - (b) Is intended for direct marketing.
- (4) For any processing contract that stipulates an amount of production to be delivered, the maximum acreage insurable will be determined by the quantity stated in the processing contract divided by the expected yield per acre stated in the Special Provisions.
- (5) In addition to the causes of loss excluded in section 12 of the Basic Provisions, insurance coverage is not provided against loss of production due to:
 - (a) Nematode damage, unless the acreage has been fumigated in the same calendar year or an approved screening test for the applicable crop year is negative, unless otherwise allowed by the Special Provisions.
 - (b) Failure to harvest as a direct result of:
 - <u>1</u> Acreage bypassed due to the breakdown of harvesting or processing equipment or failure to operate such equipment.
 - 2 Acreage bypassed whenever insured under the terms of the insurance contract and acreage that is not insured is harvested instead; or
 - <u>3</u> Acreage bypassed if the insured and the processor are the same or related persons.
 - (c) The insured's failure to follow the requirements contained in the processor contract.
 - (d) Inadequate pollination unless the insured can prove that he/she caused an adequate number of honeybees to be placed in and about the field during the entire period of time the cucumber plants were flowering.

B. <u>PROVISIONS NOT APPLICABLE TO CAT COVERAGE</u>

- (1) Optional units.
- *** (2) Hail and Fire Exclusion provisions (also not applicable if additional coverage is less than 65/100 or equivalent coverage).
 - (3) High Risk Land Exclusion.

NOTE: Refer to the CIH and LAM for other provisions not applicable to CAT.

C. <u>GUIDELINES RELATIVE TO "BYPASSED" PROCESSING CUCUMBER</u> <u>ACREAGE</u>

- (1) Bypassed acreage is "land on which production is ready for harvest but the processor elects not to accept such production, so it is not harvested."
 - (a) Inspections must be made by the insurance provider on all unharvested acreage of cucumbers to verify the cause of loss and the reason the acreage was bypassed by the processor.
 - (b) Appraisals are not required on acreage bypassed due only to an insurable cause of loss. Appraisals will be made on all unharvested acreage when any uninsurable cause of loss prevented timely harvest of the crop.
- (2) The insured must provide acceptable documentation of the reason the acreage was bypassed. Failure to provide such documentation will result in the insurance provider's determination that the acreage was bypassed due to an uninsured cause of loss.
- (3) Production losses of cucumbers unharvested, not timely harvested, or bypassed are insurable if the losses are due to an insurable cause of loss (as stated in the crop provisions), such as adverse weather conditions. Adverse weather includes, but is not limited to:
 - (a) excessive moisture that prevents harvesting equipment from entering the field or that prevents the timely operation of harvesting equipment; and
 - (b) abnormally hot or cold temperatures that cause an unexpected number of acres over a large producing area to be ready for harvest at the same time, affecting the timely harvest of a large number of such acres or the processing of such production is beyond the capacity of the processor, either of which causes the acreage to be bypassed.

NOTE: Refer to the Pilot Processing Cucumber Crop Provisions for notice of damage requirements. The insured should contact the insurance provider immediately upon being notified that acreage will be bypassed so an inspection by the insurance provider can be made, but not later than the time specified in the crop provisions.

- (4) Insurance coverage is not provided on any loss of production if acreage is not timely harvested (unless such delay in harvesting is solely and directly due to an insured cause of loss) or is bypassed due to:
 - (a) breakdown or non-operation of equipment or facilities;
 - (b) the insured is the processor and did not harvest the insured acreage first;
 - (c) the availability of a crop insurance payment; or
 - (d) failure to follow the requirements contained in the processor contract.
- (5) The stage column on the claim form will show "UB" for unharvested acreage that is bypassed or not timely harvested by the processor because the cucumbers are damaged due to INSURED causes of loss. The potential production per acre shown on the claim form in the column for appraised potential for such acreage will be **zero** ("0").
- (6) When there is damaged and undamaged cucumber acreage in the same field (and can be identified as such) and the processor chooses to bypass the entire field instead of harvesting the undamaged acreage, the damaged and undamaged acreage will be divided into separate subfields.
 - (a) An appraisal is not required on the damaged acres, provided the insurance provider can verify the damage was due to an insurable cause of loss.
 - (b) The undamaged acreage will be appraised and the production will be counted as production to count for claim purposes.
- (7) The stage column on the claim form will show "PB" for unharvested (bypassed) acreage when insured cause(s) of loss did not prevent the processor from timely harvesting (e.g., the processor over-contracted, equipment breakdown, etc.). The potential production per acre (as of the date the crop should have been harvested) shown on the claim form in the column for appraised potential will be the appraised amount and will be counted as production against the guarantee for claim purposes.
 - (a) A separate appraisal is required to assess production lost on acreage damaged by uninsured causes of loss (e.g., livestock damage, failure to follow good farming practices, etc.). The appraised per acre production from such acreage will be shown on the claim form in the item for uninsured causes.
 - (b) Although acreage may have been bypassed and an insured cause of loss did not prevent harvest (e.g., the processor over-contracted, equipment breakdown, etc.), an appraisal which shows production below the unit guarantee due to insurable causes (e.g., drought reduced the potential PRIOR to bypass) may result in an indemnity.

- (8) When an insured cause of loss did not prevent timely harvest of the cucumbers, the production to count for cucumber acreage that is bypassed or not timely harvested will include:
 - (a) The appraised production on unharvested acreage;
 - (b) Any production or value lost due to uninsured cause(s), whether harvested or unharvested acreage; or
 - (c) The harvested/delivered production from any acreage not timely harvested. The amount of harvested production to count will be determined by dividing the dollar amount paid, payable, or which should have been paid under the terms of the processor contract for the quality and quantity of the cucumbers delivered to the processor, by the base contract price per bushel.

NOTE: If the price paid for the harvested production had been reduced because of quality deficiencies resulting from not timely harvesting (when an insured cause of loss did not prevent timely harvest of cucumbers), an appraisal for uninsured cause will be required. Subtract the amount paid from the amount that would have been paid before the price reduction. Divide this amount by the contract price and enter the result in the column on the claim form for uninsured cause appraisals.

(9) **PROCESSOR PAYMENT FOR "BYPASSED" ACREAGE** – Do NOT include such payments in any appraisal OR as production to count.

D. UNIT DIVISION

Refer to the insurance contract for unit provisions. **NOTE:** Unless limited by the Crop or Special Provisions, a basic unit, as defined in the Basic Provisions, may be divided into additional basic units by planting period. Optional units do not apply unless provided for in the Special Provisions.

E. QUALITY ADJUSTMENT

There is no quality adjustment for processing cucumbers; however, cucumbers that meet the U.S. Standards for Grades of U.S. No. 3 or better, are marketable cucumbers.

4. REPLANTING PAYMENT PROCEDURES

There is currently no replanting payment available for processing cucumbers. Refer to the Basic Provisions and the Crop Provisions for this crop for replanting requirements prior to the final planting date.

5. PROCESSING CUCUMBER APPRAISALS

A. **GENERAL INFORMATION**

Potential production for all types of inspections will be appraised in accordance with procedures specified in this handbook and the LAM.


B. <u>SELECTING REPRESENTATIVE SAMPLES FOR APPRAISALS</u>

- (1) Determine the minimum number of required samples and general location of vines to be used in the required representative sample for a field or subfield by the field size, the average stage of growth, age (size) and general capabilities of the plants, and variability of potential production and plant damage within the field or subfield.
- (2) Split the field into subfields when:
 - (a) Variable damage causes the crop potential to appear to be significantly different within the same field; or
 - (b) The insured wishes to destroy a portion of a field.
- (3) Each field or subfield must be appraised separately.
- (4) Take not less than the minimum number (count) of representative samples required in **TABLE A** for each field or subfield.

C. MEASURING ROW WIDTH FOR SAMPLE SELECTION

Use these instructions for the stand reduction and defoliation appraisal methods:

- (1) Use a measuring tape marked in inches or convert a tape marked in tenths, to inches, to measure row width (refer to the LAM for conversion table).
- (2) Measure across FOUR OR MORE rows, from the center of the first row space to the center of the fifth row space (or as many rows as needed), and divide the result by the number of rows measured across, to determine an average row width.



120 inches \div 4 rows = 30 inch average row width

- (3) Where rows are skipped for tractor and planter tires, refer to the LAM.
- (4) Apply the average row width to **TABLE B** to determine the length of sample row required for a 1/100 of an acre sample.

D. APPRAISING HARVESTED AND UNHARVESTED CUCUMBERS

- (1) Circumstances that require an appraisal include (but are not limited to):
 - (a) Unharvested acreage of processing cucumbers.
 - (b) As directed by the insurance provider.
 - (c) Partially harvested acreage of processing cucumbers when harvesting was or will be possible and there is no intention of further harvesting.
 - (d) Processing cucumber acreage that is bypassed by the processor, to verify the cause of loss (if any) and to make appraisals that accurately reflect the potential production that remains in the field. For additional instructions on bypassed acreage of processing cucumbers, refer to subsection 3 C (Guidelines Relative to "BYPASSED" Processing Cucumber Acreage) or contact the insurance provider.
 - (e) Uninsured causes of loss.
 - (f) Damage to an immature crop such as hail, frost/freeze, flooding, pollination problems, etc. Defer appraisals to a later date in order to assess crop recovery and to obtain more accurate appraisals. Refer to the LAM for further instruction on deferred appraisals.
- (2) Refer to the LAM for additional circumstances that require appraisals.

E. <u>DETERMINING THE ADJUSTED ACREAGE FACTOR FOR GRID</u> <u>SAMPLE</u>

Use these instructions for the following appraisal methods: the fruit damage and final adjustment method, weight method for hand-harvest operations and weight method for machine-harvest operations.

(1) Use at least a 36 square foot grid sample (e.g., 6' x 6', 4' X 9', 3' x 12', etc.).

NOTE: Do not include more than one-half the distance of a normal row width in the sample area if there is land that is not planted in excess of the normal planted row width (e.g., if the cucumbers are planted in beds with alleys between the beds).

- (2) Multiply the sample area size (e.g., 6' x 6', 8' x 8', etc.) to obtain the square-footage area.
- (3) Divide 43,560 square feet by the square-footage area in (2) above and divide the result by 50 (number of pounds in a bushel) to obtain the adjusted acreage factor, rounded to tenths, for calculating the bushels per acre.

EXAMPLE:

6' times 6' = 36 square feet

43,560 square feet/acre \div 36 square feet = 1,210.0 acre equivalent

1,210.0 acre equivalent \div 50 pounds/bushel = 24.2 Adjusted Acreage Factor

F. <u>PROCESSING CUCUMBER LIFE CYCLES</u>

It is important to remember that processing cucumbers are very susceptible to damage in the early stages of development; however, processing cucumbers have a unique crop characteristic of being able to recover after sustaining vegetative damage during the majority of the crop's life cycle. Due to the nature of harvesting, hand-harvest operations having multiple pickings, and machine-harvest operations consisting of a single picking, the life cycles are different.

(1) The following table represents the life cycle for **hand-harvested** processing cucumbers:

| LIFI | LIFE CYCLE OF HAND-HARVESTED PROCESSING CUCUMBERS | | | | |
|-----------------|---|------------------------------|---------------------|---|--|
| STAGE NUMBER | STAGE OF DEVELOPMENT | PLANT LENGTH | NUMBER OF LEAVES | DEFINED AS | |
| 1 | SEEDLING STAGE | 0.1" - 7.0" | COTYLEDONS - 5 | EMERGENCE FROM THE SOIL UNTIL THE BEGINNING OF HORIZONTAL GROWTH | |
| 2 | VINING STAGE | 7. <mark>1</mark> " - 14.0" | 6 - 9 | FROM THE DEVELOPMENT OF THE VINE TIP UNTIL THE FIRST FRUIT IS SET | |
| 3 | EARLY FRUIT STAGE | 14. <mark>1</mark> " - 18.0" | 10 <mark>+</mark> | FIRST HARVESTABLE FRUIT, FLOWERING AND FRUIT SETTING ABUNDANT | |
| 4 | LATE FRUIT STAGE | OVER 18.0" | 10 <mark>+</mark> | LATER PART OF HARVEST, BLOSSOMING DISCONTINUES | |

(2) The following table illustrates the life cycle for **machine-harvested** processing cucumbers:

| | LIFE CYCLE OF MACHINE-HARVESTED PROCESSING CUCUMBERS | | | | | |
|-----------------|--|---------------------------------|----------------------------------|--|--|--|
| STAGE NUMBER | STAGE OF DEVELOPMENT | PLANT LENGTH | NUMBER OF LEAVES | PLANT CHARACTERISTICS | | |
| 1 | VEGETATIVE | 0.1" - 1.0" | COTYLEDONS | EMERGENCE FROM THE SOIL | | |
| 2 | VEGETATIVE | 1. <mark>1</mark> " - 3.0" | FIRST TRUE LEAVES UNFOLDED | FORMATION OF THE SECONDARY LEAVES BETWEEN THE COTYLEDONS | | |
| 3 | VEGETATIVE | 3. <mark>1</mark> " - 5.0" | 2 - 3 | VERTICAL GROWTH OF THE PLANT STEM | | |
| 4 | VEGETATIVE | 5. <mark>1</mark> " - 7.0" | 4 - 5 | END OF VERTICAL GROWTH, INCREASE OF STEM DIAMETER AND LEAF SURFACE AREA | | |
| 5 | VEGETATIVE | 7. <mark>1</mark> " - 9.0" | 6 - 7 | BEGINNING OF HORIZONTAL GROWTH OF THE PLANT, FIRST SIGN OF THE VINE TIP | | |
| 6 | VEGETATIVE, START OF REPRODUCTIVE | 9. <mark>1</mark> " - 11.0" | 8 - 9 | HORIZONTAL GROWTH AND LEAF DEVELOPMENT INCREASING, ONSET OF THE PRIMARY BLOSSOMS AT THE CENTER OF THE PLANT | | |
| 7 | VEGETATIVE, EARLY REPRODUCTIVE | 11. <mark>1</mark> " - 14.0" | 10 <mark>+</mark> | FLOWERING AND FRUIT SETTING, CONTINUED GROWTH OF PLANT STEM IN LENGTH AND DIAMETER ALONG WITH FOLIAGE DEVELOPMENT | | |
| 8 | LATE VEGETATIVE, REPRODUCTIVE | 14. <mark>1</mark> " - 18.0" | 10 <mark>+</mark> | FLOWERING, FRUIT SETTING, AND SMALL FRUIT RANGING FROM 0.5" - 2.0" IN LENGTH | | |
| 9 | REPRODUCTIVE | OVER 18.0" | 10 <mark>+</mark> | FRUIT 2.0" - 3.0" IN LENGTH, GRADES 1 AND 2 PREVALENT IN THE FIELD | | |
| 10 | REPRODUCTIVE | OVER 18.0" | 10 <mark>+</mark> | FRUIT 3.0" - 6.0" IN LENGTH, GRADES 1, 2, AND 3 REPRESENTED IN THE FIELD | | |
| 11 | LATE REPRODUCTIVE | OVER 18.0" | 10 <mark>+</mark> | BEGINNING OF OVERSIZED (MATURE) FRUIT IN THE FIELD, BLOSSOMING DISCONTINUES | | |

6. APPRAISAL METHODS

A. GENERAL INFORMATION

(1) These instructions provide information for appraisal methods for:

| Appraisal Method | Use | | |
|---|---|--|--|
| Stand Reduction Method | from emergence to first fruit set to determine the plant population when it is less than the original. This method is used alone or, if applicable, in conjunction with the defoliation and/or the fruit damage and final adjustment method(s). | | |
| Defoliation Method | from emergence to first fruit set to determine when leaves are damaged or missing. This method is used alone or, if applicable, in conjunction with the stand reduction method and/or the fruit damage and final adjustment method(s). | | |
| Fruit Damage and Final Adjustment Method | only for hand-harvest operations when plants are in the reproductive stage. Only use this method in conjunction with the stand reduction and/or the defoliation method(s), unless additional damage has occurred and a reappraisal ensues. | | |
| | when plants are in the reproductive stage (hand-harvest operations, only). | | |
| | NOTE: | | |
| Weight Method for Hand-Harvest Operations | This method is used to determine the Bushels Per Acre when the fruit damage and final adjustment method is used in conjunction with the stand reduction and/or defoliation method(s). | | |
| | (2) This method is used in its entirety when fruit damage is the only damage involved (i.e., no plant or leaf damage). | | |
| Weight Method for Machine-Harvest Operations | when plants are in the reproductive stage (machine harvested operations, only). Do not use this method in conjunction with the stand reduction and/or defoliation method(s). | | |

(2) When additional damage has occurred and a reappraisal ensues, the appraisal methods for stand reduction, defoliation, and fruit damage and final adjustment can be used as individual appraisal methods or in combination. In situations where hail has damaged the crop before fruit set; delay the appraisal for 7-10 days. When hail damages the fruit, the adjuster should sample the field as soon as possible after the storm.

(3) Refer to the Special Provisions for the minimum requirements for row and plant spacing for insurable practices. If applicable, document the calculations in the "Remarks" section of the appraisal worksheet.

NOTE: To determine the plants per acre, multiply the row width (in whole inches) times the plant spacing (nearest tenth of an inch) and divide the result into 6,272,640 square inches per acre (round result to the nearest whole number). (43,560 square feet per acre x 144 square inches = 6,272,640 square inches per acre.)

Example: Machine Harvest Operations
4 in. Plant Spacing
28 in. row width
4 in. x 28 in. = 112 sq. in.
6,272,640 sq. in./acre ÷ 112 sq. in. = 56,006 plants per acre

B. <u>DEFERMENT OF CUCUMBER APPRAISALS BEFORE MATURITY</u>

(1) If practical, and the insured will agree, defer the appraisal until the cucumbers are in the reproductive stage, and then use one of the appraisal methods for the reproductive stage.

NOTE: If there is no production potential, enter "0" appraised potential in the applicable item on the claim form and complete the claim.

- (2) If not practical and/or the insured will not agree to defer the appraisal until the cucumbers are in the reproductive stage, use the stand reduction and defoliation methods as outlined below.
- (3) Complete the preliminary inspection with special attention to the type of damage and its severity.
- (4) If acreage will be released to go to another use:
 - (a) Look at all fields or subfields thoroughly. It is important to note the acreage that is not damaged.
 - (b) Explain to the insured that, at this time, the amount of loss cannot be determined accurately.
 - (c) Do not attempt to estimate the damage for the insured.
 - (d) Mark the areas as instructed in the LAM for deferred appraisals.
 - (e) Advise the insured that if the crop is destroyed, the samples that you specified must be preserved and cared for.
- (5) Refer to the LAM for additional instructions regarding deferred appraisals.

C. STAND REDUCTION METHOD

All sampling for this method shall be based on the number of remaining plants in 1/100 of an acre sample row length. Do not use this method in conjunction with the weight method for machine-harvest operations.

- (1) Determine the row width for the processing cucumber field.
- (2) Refer to **TABLE B** for the length of row for 1/100 of an acre.
- (3) Refer to **TABLE A** for minimum representative sample requirements.
- (4) Determine the normal number of plants for 1/100 of an acre by counting the original number of plants in the sample (living, dead, missing, or non-emerged).
- (5) Select representative sample areas of remaining processing cucumber plants from different parts of the field following subsection 5 B guidelines.
- (6) Count the number of live plants in the sample area.
- (7) Divide the number of live plants by the normal number of plants per 1/100 acre to determine the percent of live plants remaining in the sample.
- (8) Refer to TABLE C to determine the yield factor from the percent live plants remaining in (7) above. Express the yield factor as a 3-place decimal.
- (9) Multiply the yield factor (from item 8 above) times the "normal yield" to determine the bushels per acre. The "normal yield" is the expected yield shown in the Special Provisions.

D. <u>DEFOLIATION METHOD</u>

Do not use this method in conjunction with the weight method for machine-harvest operations.

- (1) Refer to **TABLE A** for minimum representative sample requirements.
- (2) Select representative sample areas from different parts of the field or subfield using subsection 5 B guidelines, as applicable.
- (3) Determine the stage of life cycle of the processing cucumber field or subfield. For defoliation purposes, there are **different stages** of the life cycle for **hand-harvest** and **machine -harvest operations**. Refer to the appropriate table in 5G (1) or (2).
- (4) To determine the percent defoliation:
 - (a) Select 20 consecutive plants in a representative sample.

- (b) Count the number of live leaves on each plant.
- (c) Count the number of missing or damaged leaves on each plant.
- (d) Total (b) and (c) above.
- (e) Divide (c) above by (d) above to obtain the percent defoliation for each plant.
- (5) Individually record in the field notes section (item 39) the percent of defoliation for each plant. Add the percentages together and divide by the number of plants evaluated to calculate the average percent of defoliation in the sample.
- (6) Refer to **TABLE D** for hand-harvested processing cucumber percent yield loss due to defoliation. Refer to **TABLE E** for machine-harvested processing cucumber percent yield loss due to defoliation.
- (7) Subtract the percent yield loss from 100.0 to calculate the yield factor for the sample area. Express as a 3-place decimal.
- (8) Multiply the yield factor from (7) above times the "normal yield" or "adjusted normal yield" (whichever is applicable) to determine the bushels per acre. The "normal yield" is used when the Defoliation Method is the only method used. The "normal yield" is the expected yield shown in the Special Provisions. The "adjusted normal yield" (the bushels per acre (item 24) determined on the appraisal worksheet for Stand Reduction) is used when the Stand Reduction Method is used in conjunction with the Defoliation Method.

E. FRUIT DAMAGE AND FINAL ADJUSTMENT METHOD

Use the Fruit Damage Method ONLY if it is a hand-harvest operation AND it is used in conjunction with the Stand Reduction or Defoliation Method(s). If the Fruit Damage Method is applicable, use the **weight** method for hand-harvest operations as described in item 33 of the appraisal worksheet instructions to determine the "Bushels Per Acre of Marketable Cucumbers."

However, if the type of damage does not require a Stand Reduction or Defoliation appraisal method (i.e., requires a fruit damage appraisal only), use the **weight** method for hand-harvest operations in its entirety.

NOTE: This method does not apply for Machine-Harvest Operations.

- (1) Refer to **TABLE A** for minimum representative sample requirements.
- (2) Refer to subsection 5 F for sample size requirements.
- (3) Select representative sample areas from different parts of the field or subfield using subsection 5 B guidelines, as applicable.

(4) Determine the percent harvest remaining factor.

The percent harvest remaining factor is determined as follows:

- (a) If there have been no prior harvests, divide the number of normal harvests into **1.000** and express as a 3-place decimal. Subtract the result from 1.000.
- (b) If there have been one or more prior harvests, **add 1.000** to the number of prior harvests and divide by the number of normal harvests. Express as a 3-place decimal. Subtract the result from 1.000.

NOTE: 1.000 is added because the appraisal is counted as a harvest.

- (5) Enter the "adjusted normal yield."
 - (a) The "adjusted normal yield" is the "Bushels Per Acre" (item 24 or 29) determined in the Stand Reduction or Defoliation section of the appraisal worksheet when **either** (not both) is performed in conjunction with the Fruit Damage and Final Adjustment Method.
 - (b) If the Stand Reduction and Defoliation Methods **both** are used in conjunction with the Fruit damage and Final Adjustment Method, the "adjusted normal yield" is the "Bushels Per Acre" (item 29) determined in the Defoliation section of the appraisal worksheet.
- (6) Multiply (4) above times (5) above.
- (7) Determine the number of bushels of marketable cucumbers per acre obtained from item 22 of the weight method for hand-harvest operations appraisal worksheet. Do not apply the harvest factor.
- (8) Add the number of bushels of marketable cucumbers obtained in (7) above to the result obtained in (6) above to determine the potential in bushels per acre.

F. WEIGHT METHOD FOR HAND-HARVEST OPERATIONS

This method is used for hand-harvest operations when plants are in the reproductive stage.

When this method is used to determine the "Bushels Per Acre of Marketable Cucumbers" for the Fruit Damage Method in addition to any appraisal for Stand Reduction or Defoliation, complete the **weight** method appraisal worksheet through item 22. Transfer the result from item 22 to item 32 of the Cucumber Early Appraisals and Fruit Damage and Final Adjustment Appraisal Worksheet.

Attach the partially completed **weight** method appraisal worksheet to the Cucumber Early Appraisals and Fruit Damage and Final Adjustment Appraisal Worksheet, and **document** (in the Remarks sections of both worksheets) that the **weight** method appraisal has been partially performed to obtain the "Bushels Per Acre of Marketable Cucumbers."

No signatures are required on the partially completed **weight** method appraisal worksheet. Complete the signature(s), adjuster code no., and dates on the Cucumber Early Appraisals and Fruit Damage and Final Adjustment Appraisal Worksheet as instructed.

- (1) Refer to **TABLE A** for minimum sample requirements.
- (2) Refer to subsection 5 F for sample size requirements.
- (3) Select representative sample areas from different parts of the field or subfield using subsection 5 B guidelines, as applicable.
- (4) Harvest all cucumbers in the sample area.
- (5) Sort cucumbers harvested in the sample area and discard culls. For the purposes of these standards, culls will be those cucumbers that, due to insurable causes, do not meet the U.S. Standards for Grades of U.S. No. 3 or better.

NOTE: A small number of cucumbers that exceed 6 inches in length or 2 ¹/₄ in diameter is considered normal. The small amount should be considered cull and removed from the sample. It is considered a good farming practice to remove cucumbers to encourage growth, however a small amount of cucumbers is typically missed during hand harvest.

If the sample area contains a large proportion of cucumbers that exceed 6 inches in length or 2 ¼ in diameter, then damage may be due to failure to follow recommended good farming practices rather than an insured cause of loss. The Pilot Processing Cucumber Crop Provisions requires the value of potential production and unharvested marketable cucumbers which also includes production that **would have been marketable** had the crop been timely harvested be included in the production to count. When the crop has not been timely harvested, cucumbers that exceed 6 inches in length or 2 ¼ in diameter shall remain in the sample to be weighed.

- (6) From each sample, weigh the cucumbers in the sample to the nearest tenth of a pound.
- (7) Add the weight of each sample together, and divide by the number of samples to determine the average weight per sample.
- (8) Multiply the average weight per sample by the determined adjusted acreage factor. Refer to subsection 5 F. Round the results to tenths.

- (9) Multiply the appropriate harvest factor by the "normal yield" to obtain the appraised potential per acre. The "normal yield" is the expected yield shown in the Special Provisions.
- (10) Add the appraised potential per acre (from the harvest factor for future harvests) to the number of bushels per acre (weighed and appraised) to obtain the total potential per acre.

G. WEIGHT METHOD FOR MACHINE-HARVEST OPERATIONS

This method is to be used for machine-harvest operations **only**, AND only when the cucumbers are in the reproductive stage.

- (1) Follow the instructions given in subsection 6 F (1) through (8) for hand-harvest operations to obtain the number of bushels per acre.
- (2) Multiply the number of bushels per acre by the yield loss factor (.90) to obtain the total potential per acre.

7. APPRAISAL DEVIATIONS AND MODIFICATIONS

A. **DEVIATIONS**

Deviations in appraisal methods require FCIC written authorization (as described in the LAM) prior to implementation.

B. MODIFICATIONS

There are no pre-established modifications contained in this handbook. Refer to the LAM for additional information.

8. APPRAISAL WORKSHEET ENTRIES AND COMPLETION PROCEDURES

A. GENERAL INFORMATION

- (1) Include the insurance provider's name in the appraisal worksheet title if not preprinted on the insurance provider's worksheet or when a worksheet entry is not provided.
- (2) Include the claim number on the appraisal worksheet (when required by the insurance provider), when a worksheet entry is not provided.

- (3) Separate appraisal worksheets are required for each unit appraised, and for each field or subfield which has a differing farming practice. Refer to section 5 for sampling requirements.
- (4) For every inspection, complete all applicable items on the appraisal worksheet.

NOTE: Standard appraisal worksheet items are numbered consecutively in subsection B. Examples of the appraisal worksheets are also provided to illustrate how to complete entries.

B. WORKSHEET ENTRIES AND COMPLETION INFORMATION

(1) CUCUMBER EARLY APPRAISALS AND FRUIT DAMAGE AND FINAL ADJUSTMENT APPRAISAL WORKSHEET INSTRUCTIONS

Verify or make the following entries:

Item

No. Information Required

Company: Name of insurance provider, if not preprinted on the worksheet (Company Name).

Claim Number: Claim number as assigned by the insurance provider.

- 1. **Insured's Name:** Name of the insured that identifies EXACTLY the person (legal entity) to whom the policy is issued.
- 2. **Policy Number:** Insured's assigned policy number.
- 3. **Unit Number:** Five-digit unit number from the Summary of Coverage after it is verified to be correct (e.g., 00100).
- 4. **Crop:** "Processing Cucumbers" (0106).
- 5. **Crop Year:** Crop year, as defined in the policy, for which the claim is filed.
- 6. **Field ID:** Field or subfield identification symbol.
- 7. **Acres:** Number of determined acres, to tenths, in field or subfield being appraised.
- 8. **Date of Damage:** First three letters of the month during which MOST of the insured damage (including progressive damage) occurred. Include SPECIFIC DATE where applicable, as in the case of hail damage (e.g., Aug 11).

- 9. **Variety:** Appropriate variety name (e.g. "Discover," "Vlaspik," etc.).
- 10. **Min. Value:** The minimum value as stated in the Special Provisions.
- 11. **Harvest Type:** Hand or Machine-Harvest operation.
- 12. **Date Planted:** Date the processing cucumber seeds were incorporated into the soil.
- 13. **Stage of Life Cycle:** Determined stage of growth code at the time of damage (e.g., Vegetative, Flowering, or Fruiting) and appropriate life cycle stage number. Refer to subsection 5 G for the appropriate life cycle code.
- 14. **Normal No. of Harvests:** Normal number of times in which the insured gathers production from the field.
- 15. **No. of Prior Harvests:** Number of times the field has previously been harvested.
- 16. **No. of Harvests Remaining:** Subtract the number of prior harvests from the normal number of harvests.
- 17. **Row Width:** Row width to the nearest inch. Refer to subsection 5 C for row width determination.

STAND REDUCTION METHOD

- 18. **Sample Number:** MAKE NO ENTRY if sample numbers are preprinted on worksheet, otherwise number consecutively.
- 19. **Normal No. of Plants Per 1/100 Acre:** Determine by counting the potential (living, dead, missing, or non-emerged) plants in a length of row equivalent to 1/100 acre.
- 20. No. of Live Plants Per 1/100 Acre: Number of live plants in the sample area.
- 21. **% Live Plants Remaining:** No. of Live Plants Per 1/100 Acre (item 20) divided by Normal No. of Plants Per 1/100 Acre (item 19). Enter the result to the nearest tenth of a percent.
- 22. **Yield Factor:** Refer to the % of live plants remaining in **TABLE C** to determine the yield factor for the sample area. For percentages that fall between the 5 increments of the percent live plants remaining, interpolate to determine the yield factor. Enter as a 3-decimal.
- 23. **Normal Yield:** Enter the "normal yield." The "normal yield" is the expected yield shown in the Special Provisions.
- 24. **Bushels Per Acre:** Multiply the Yield Factor (item 22) times the Normal Yield (item 23) and enter the result to the nearest tenth of a bushel.

DEFOLIATION METHOD

- 25. **% Defoliation:** Enter the percent of defoliation to the nearest 5 percent from the % Defoliation (item 42). Refer to subsection 6 D for how to determine % defoliation.
- 26. **% Yield Loss (Defoliation Chart):** Corresponding entry from **TABLE D** or **TABLE E**, for % Defoliation (item 25).
- 27. **Yield Factor:** Subtract the % Yield Loss (item 26) from 100.0%. Express as a 3-place decimal.
- 28. **Normal Yield/Adjusted Normal Yield:** Enter the "Normal Yield," (The "Normal Yield" is the expected yield shown in the Special Provisions) if the Stand Reduction Method has not been used. If the Stand Reduction method has been used, transfer the entry from item 24 (Bushels Per Acre). Item 24 results in an "Adjusted Normal Yield."
- 29. **Bushels Per Acre:** If the Defoliation method is used independently or in conjunction with the Stand Reduction method, multiply the Yield Factor (item 27) by the Normal Yield / Adjusted Normal Yield (item 28), and enter the result to the nearest tenth of a bushel.

FRUIT DAMAGE AND FINAL ADJUSTMENT METHOD

Use the Fruit Damage and Final Adjustment Method (items 30-34) for hand-harvest operations only when this method is used in conjunction with the Stand Reduction or Defoliation Methods.

- 30. **% Harvest Remaining Factor:** Enter the % harvest remaining factor. Refer to subsection 6 E (4) for method of determination.
- 31. **Adjusted Normal Yield:** Enter the "adjusted normal yield." The "Adjusted Normal Yield" is the "Bushels Per Acre" determined in the Stand Reduction section (item 24) or Defoliation section (item 29) of the appraisal worksheet when **either** is performed in conjunction with the Fruit Damage and Final Adjustment Method. If the Stand Reduction and Defoliation Methods **both** are performed in conjunction with the Fruit Damage and Final Adjustment Method, the "Adjusted Normal Yield" is the "Bushels Per Acre" determined in the Defoliation section (item 29) of the appraisal worksheet.
- 32. **Marketable Cucumbers Harvested:** Enter the Bushels Per Acre of Marketable Cucumbers (item 22 of the Weight Method for Hand-Harvest Operations appraisal worksheet) obtained by using the Weight Method for Hand-Harvest Operations appraisal method.
- 33. **Bushels Per Acre:** Multiply the % Harvest Remaining Factor (item 30) by the Adjusted Normal Yield (item 31). Add this result to the Marketable Cucumbers Harvested (item 32), and round the result to the nearest tenth of a bushel.

- 34. **Total Bushels Per Acre:** If the Stand Reduction Method is the only method used, transfer the entries from item 24 to this item. If Stand Reduction is used in conjunction with the Defoliation method, transfer the entries from item 29 to this item. If Stand Reduction or Defoliation and the Fruit Damage and Final Adjustment Methods are used, transfer the entries from item 33 to this item.
- 35. **Total Bushels of the Samples:** Total of item 34.
- 36. **Number of Sample Plots:** Total number of plots sampled.
- 37. **Bushels Per Acre:** Divide the Total Bushels of the Samples (item 35) by the Number of Sample Plots (item 36), rounded to the nearest tenth of a bushel.
- 38. **Remarks:** Pertinent information about the appraisal.

PROCESSING CUCUMBER FIELD NOTES

Complete the field notes for a representative 20 consecutive plant sample.

39. **Sample Number:** Match the sample with the same numbered sample used in item 18. If more than five samples are needed, use additional pages, and number the samples 6, 7, 8, etc.

Individually record in the field notes section (1-20) the percent defoliation of each plant. Refer to subsection 6 D for information on determining the percent of defoliation.

- 40. **Total %:** Enter the total of the percentages in 1-20.
- 41. **No. of Plants Evaluated:** Enter 20.
- 42. **% Defoliation:** Divide the Total % (item 40) by the No. of Plants Evaluated (item 41). Round the result to the nearest 5%.
- 43. **Adjuster's Signature, Code Number, and Date:** Signature of the adjuster, code number, and date signed **after** the insured (or insured's authorized representative) has signed. If the appraisal is performed prior to the signature date, document the date of the appraisal in the "Remarks" section of the Appraisal Worksheet (if available); otherwise, document the appraisal date in the Narrative of the Production Worksheet.
- 44. **Insured's Signature and Date:** Insured's (or insured's authorized representative's) signature and date. Before obtaining insured's signature, REVIEW ALL ENTRIES on the Appraisal Worksheet WITH THE INSURED, particularly explaining codes, etc., which may not be readily understood.

Page: Page numbers - (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

Company

| 1 | | DED | Compa | | | A | ANY COM | MPANY | | 1. | Insured's Nan | | | | | | | | | 2. Policy Numbe |
|--|--|--|----------------------------|------------------|-----------------|--------------------------|---------|------------------|--|----------|---------------------------|--------------|----------------------------------|-----------|--------------------|-------------------|--------------|--|--|---|
| | CUCUM | BEK DRKSHEET | Claim | Number | | | XXXXX | XXXX | | | | | | I. M | . INSURI | ED | | | | XXXXXX |
| EAR | LY APPRAI ' DAMAGE | SALS AND AND FINAL | 3. Unit | Number 00100 | | CESSING UMBERS | G | . Crop Yea YY | | 6. Field | ID. 1A | 7. Acı | res 8.0 | | | Of Damag UN 10 | ge | 9. Variety VLASPI | K | 10. Min Value \$ 3.75 PER |
| | ADJUSTM | IENT | 11. Ha | rvest Type | | 0106 e Planted | 13 | 3. Stage O | of Life Cycle | 14. | Normal No. C | f Harvests | 15.1 | No. Of Pr | ior Harve | sts | 16. No | . Of Harvests Ren | naining | 17. Row Width |
| (For | Illustration Pu | rposes only) | | IAND | | 5/YYYY | | U | 2 | | 6 | | | | 2 | | | 4 | U | 36" |
| | | S | TAND RED | | 03/1. | 5/1111 | | | 2 | DEFOLI | | | | | 2 | FRUI | T DAM | AGE AND FINA | L ADJUTN | |
| sample Number | Normal No. of Plants Per 1/100 Acre | No. of Live Plants Per 1/100 Acre | % Live Plants Remaining | Y ield Factor | Normal Yield | <mark>Bushels</mark> Per | Acre | % Defoliation | % Yield Loss (Defoliation Chart) | Yield | Normal Yield\ Adjusted | Normal Yield | <mark>Bushels</mark> Per Acre | % Harvest | Kemaumng Factor | Adjusted | Normal Yield | <mark>Marketable</mark> Cucumbers Harvested | <mark>Bushels</mark> Per Acre | Total Bushels |
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 4 | 25 | 26 | 27 | 2 | 8 | 29 | 3 | 0 | 3 | 1 | 32 | 33 | 34 |
| 1 | 300 | 15 | 5.0 | .100 | 160 | 16. | .0 | | | | | | | | | | | | | 16. |
| 2 | 300 | 30 | 10.0 | .200 | 160 | 32. | .0 | | | | | | | | | | | | | 32. |
| 3 | 300 | 22 | 7.3 | .146 | 160 | 23. | .4 | | | | | | | | | | | | | 23. |
| 4 | 300 | 30 | 10.0 | .200 | 160 | 32. | .0 | | | | | | | | | | | | | 32. |
| | | | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | | |
| Rema | | | DEDI | | | V | | | | | | | | | | | | 35. Total Bush Sample | nels of the | 103. |
| Rema | | STAND | REDU | | N ONL | | | | | | | | | | | | | 35. Total Bush Sample 36. Number of | | |
| 8. Rema EXAI | MPLE – | STAND | | | N ONL | _ Y | | | | | | | | | | | | Sample | f Sample Plo | |
| Rema XAI ROCES 39 ample No. | MPLE – | MBER FIELD | NOTES | 5 6 | N ONL | .Y ∗8 | 9 | 10 | 11 | 12 1 | 3 14 | 15 | 16 | 17 | 18 | 19 | 20 | Sample 36. Number of | f Sample Plo er Acre 4 No Pla Evalu | tts 4 25. 1. of 4 nts 25. nated Defo |
| Rema XAI ROCES | MPLE – | MBER FIELD | NOTES | | | | 9 | 10 | 11 | 12 1 | 3 14 | 15 | 16 | 17 | 18 | 19 | 20 | Sample 36. Number of 37. Bushels Po 40 Total | f Sample Plo er Acre 4 No Pla | ts 4 25. 1 . of 4 nts |
| Rema XAI ROCES 39 ample No. | MPLE – | MBER FIELD | NOTES | | | | 9 | 10 | 11 | 12 1 | 3 14 | 15 | 16 | 17 | 18 | 19 | 20 | Sample 36. Number of 37. Bushels Po 40 Total | f Sample Plo er Acre 4 No Pla Evalu | tts 4 25. 1. of 4 nts 25. nated Defo |
| Rema XAI 39 mple No. 1 2 | MPLE – | MBER FIELD | NOTES | | | | 9 | 10 | 11 | 12 1 | 3 14 | 15 | 16 | 17 | 18 | 19 | 20 | Sample 36. Number of 37. Bushels Po 40 Total | f Sample Plo er Acre 4 No Pla Evalu ÷ | tts 4 25. 1 . of . of . of . defo . defo . defo |
| Rema XAI ROCES 39 ample No. 1 | MPLE – | MBER FIELD | NOTES | | | | 9 | 10 | | | 3 14 | 15 | 16 | 17 | 18 | 19 | 20 | Sample 36. Number of 37. Bushels Po 40 Total | f Sample Plo er Acre 4 No Pla Evalu ÷ • | tts 4 25. 1 . of 4 nts Defo = |
| Rema XAI 39 ample No. 1 2 3 | MPLE – | MBER FIELD | NOTES | | | | 9 | 10 | | | 3 14 | 15 | 16 | 17 | 18 | 19 | 20 | Sample 36. Number of 37. Bushels Po 40 Total | f Sample Plo er Acre 4 No Pla Evalu ÷ ÷ | tts 4 25. 1 . of nts Defo = + = |

25

1. Insured's Name

ANY COMPANY

2. Policy Number

NOVEMBER 2003

| | | | БD | Co | mpany | | | I | ANY CO | MPANY | | | 1. Insu | red's Nam | e | | | | | | | | 2. Polic | cy Number |
|--|--|---------------------|--|----------------------------|---------------------|---------------------|----------------------|--------------------------|----------------|----------------|--|-----------------|-----------------|---------------------------|----------------|----------------------------------|-----------------|---------------------|----------------|-----------------|---|---|---|---|
| | CUCU MISAL | | E K KSHEE' | T Cla | im Num | ıber | | | XXXX | XXXXX | | | | | | | I. M | 1. INSURI | ED | | | | Х | XXXXXXX |
| EARI | Y APP | RAISA | LS AND | 3. U | Jnit Nu | nber | 4, Crop | CESSIN | | 5. Crop Ye | ar | 6. I | Field ID. | | 7. Ac | cres | | 8. Date (| Of Damag | ge | 9. Variety | | 10. Mi | n Value |
| FRUIT | DAMA ADJUS | - | ND FINA) NT | L | 0020 | 0 | | UMBER 0106 | | YY | YY | | 2A | 1 | | 20.0 | | J | UN 30 | | VLASPI | K | \$ 3 | .75 PER BU. |
| (For | Illustratio | | | 11. | Harves | t Type | 12. Dat | e Plantec | 1 1 | 13. Stage C | of Life Cyc | le | 14. Norr | nal No. O | f Harvest | s 15. | No. Of P | rior Harve | ests | 16. No. | . Of Harvests Rer | naining | 17. Ro | w Width |
| (1.01 | inustratio | n i urpos | • | | MACH | | 05/2 | 0/YYYY | <u>.</u> | | 6 | | | 1 | | | | 0 | | | 1 | | | 36" |
| | | | : | STAND R | EDUC | FION | | | | | | DEF | OLIATI | ON | | | | | FRUI | T DAM | AGE AND FINA | AL ADJUT | MENT | |
| Sample Number | Normal No. of Plants Der 1/100 | Acre | No. of Live Plants Per 1/100 Acre | % Live Plants Remaining | 9 | Yield Factor | Normal Yield | <mark>Bushels</mark> Per | Acre | % Defoliation | % Yield Loss (Defoliation Chart) | Î | Yield Factor | Normal Yield\ Adjusted | Normal Yield | <mark>Bushels</mark> Per Acre | % Harvest | Remaining Factor | Adjusted | Normal Yield | <mark>Marketable</mark> Cucumbers Harvested | <mark>Bushels</mark> Per Acre | | Total Bushels Per Acre |
| 18 | 19 | | 20 | 21 | | 22 | 23 | 24 | 4 | 25 | 26 | | 27 | 28 | ; | 29 | - | 30 | 3 | 1 | 32 | 33 | | 34 |
| 1 | | | | | | | | | | 85 | 81 | | .190 | 160 |) | 30.4 | | | | | | | | 30.4 |
| 2 | | | | | | | | | | 95 | 93 | | .070 | 160 |) | 11.2 | | | | | | | | 11.2 |
| 3 | | | | | | | | | | 90 | 87 | | .130 | 160 |) | 20.8 | | | | | | | | 20.8 |
| 4 | | | | | | | | | | 80 | 75 | | .250 | 160 |) | 40.0 | | | | | | | | 40.0 |
| 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | с <u>–</u> Л | FFOI | | | ONI | V | | | | | | | | | | | | | | 35. Total Bus Sample | hels of the | | 102.4 |
| | | E – D | <mark>EFOI</mark> | | I <mark>ON</mark> | ONL | <mark>/Y</mark> | | | | | | | | | | | | | | | | ots | 102.4 |
| | MPLI | | EFOI er fieli | | | ONL | <mark>/Y</mark> | | | | | | | | | | | | | | Sample | f Sample Pl er Acre | | |
| EXAN PROCES | MPLI | | | | | ONL 6 | Y 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | Sample 36. Number o | f Sample Pl er Acre N Pl | ots 41 o. of ants luated | 4 25.6 42 % |
| EXAI ROCES 39 Sample | MPLI | JCUMB | ER FIELI | D NOTES | | | | 8 83 | 9 85 | 10 88 | 11 82 | 12 84 | 13 89 | 14 81 | 15 84 | 16 86 | 17 80 | 18 82 | 19 86 | <u>20</u> 91 | Sample 36. Number o 37. Bushels P 40 Total | f Sample Pl er Acre N Pl Eva | 41 o. of ants luated | 4 25.6 42 % |
| ROCES 39 Sample No. | | 2 | ER FIELI | D NOTES | 5 | 6 | 7 | | | | | | | | | | | | | | Sample 36. Number o 37. Bushels P 40 Total % | f Sample Pl er Acre N Pl Eva ÷ | 41 o. of ants luated 20 = | 4 25.6 42 % Defoliatio |
| ROCES 39 ample No. 1 | MPLI SING CU 1 90 | 2 87 | ER FIELI 3 83 | <u>0 NOTES</u> 4 80 | 5 86 | 6 89 | 7 87 | 83 | 85 | 88 | 82 | 84 | 89 | 81 | 84 | 86 | 80 | 82 | 86 | 91 | Sample 36. Number o 37. Bushels P 40 Total % 1703 | f Sample Pl er Acre N Pl Eva ÷ 2 | 41 o. of ants luated 20 = | 4 25.6 42 % Defoliati 85 |
| EXAN ROCES 39 Sample No. 1 2 | SING CU 1 90 | 2 87 92 | ER FIELI 3 83 92 | <u>4</u> 80 95 | 5 86 99 | 6 89 87 | 7 87 95 | 83 99 | 85 89 | 88 | 82 98 | 84 100 | 89 94 | 81 97 | 84 98 | 86 97 | 80 100 | 82 100 | 86 89 | 91 94 | Sample 36. Number o 37. Bushels P 40 Total % 1703 1903 | f Sample Pl er Acre N Pl Eva ÷ 2 ÷ 2 ÷ 2 | 41 o. of ants luated 20 = 20 = | $\begin{array}{c c} 4 \\ \hline 25.6 \\ \hline 42 \\ \% \\ \hline Defoliatio \\ = 85 \\ \hline = 95 \\ \hline \end{array}$ |
| EXAN PROCES 39 Sample No. 1 2 3 | SING CU 1 90 100 86 | 2 87 92 87 | 3 83 92 83 | 4 80 95 88 | 5 86 99 89 | 6 89 87 85 | 7 87 95 100 | 83 99 92 | 85 89 90 | 88 88 88 | 82 98 86 | 84 100 88 | 89 94 91 | 81 97 94 | 84 98 86 | 86 97 100 | 80 100 96 | 82 100 92 | 86 89 93 | 91 94 86 | Sample 36. Number o 37. Bushels P 40 Total % 1703 1903 1800 | f Sample Pl er Acre N Pl Eva ÷ 2 ÷ 2 | 41 o. of ants luated 20 = 20 = 20 = | $ \begin{array}{c} 4\\ 25.6\\ 42\\ \%\\ Defoliatio\\ = 85\\ = 95\\ = 90\\ + 90\\ $ |

26

| | | | - | Cor | mpany | | | 1 | ANY CO | MPANY | | | 1. Insu | ired's Nam | ie | | | | | | | | 2. Policy | Number |
|---------------------|-------------------------|----------------|--|----------------------------|---------|-----------------|-----------------|--------------------------|--------|---------------|------------------------------|--------|-----------------|---------------------------|--------------|----------------------------------|------------|---------------------|----------|--------------|--------------------------------------|----------------------------------|-----------|---------------------------|
| | CUCU | | E R KSHEE' | Cla | im Nun | ber | | | XXXX | XXXX | | | | | | | I. N | 1. INSUR | ED | | | | XX | XXXXXX |
| | | | LS AND | 2.1 | Jnit Nu | nber | 4, Crop | | | . Crop Ye | ar | 6. | Field ID. | | 7. A | cres | | 8. Date | Of Dama | ge | 9. Variety | | 10. Min ' | Value |
| FRUIT | | GE AN STMEN | ID FINAI NT | L | 0010 | 0 | | CESSIN CUMBER 0106 | | YY | YYY | | 3. | A | | 9.0 | | A | AUG 12 | | VLASPII | ĸ | \$ 3.7 | 5 PER BU. |
| (For | Illustratio | n Purnos | es only) | 11. | Harves | t Type | 12. D a | te Planteo | 1 1 | 3. Stage (| Of Life Cy | cle | 14. Nor | mal No. O | f Harves | ts 15. | . No. Of P | rior Harv | ests | 16. No | . Of Harvests Rem | aining | 17. Row | Width |
| (101 | inustrutio | ni i uipos | | | HAN | | 05/ | 15/YYYY | 7 | | 3 | | | 6 | | | | 2 | | | 4 | | | 36" |
| | | | 5 | STAND R | EDUC | FION | | <u> </u> | | | 1 | DEF | OLIATI | ION | <u> </u> | | | | FRUI | IT DAM | AGE AND FINA | L ADJUTM | ENT | |
| Sample Number | Normal No. of Plants | Acre | No. of Live Plants Per 1/100 Acre | % Live Plants Remaining | 0 | Yield Factor | Normal Yield | <mark>Bushels</mark> Per | Acre | % Defoliation | % Yield Loss (Defoliation | Chart) | Yield Factor | Normal Yield\ Adiusted | Normal Yield | <mark>Bushels</mark> Per Acre | % Harvest | Remaining Factor | Adjusted | Normal Yield | Marketable Cucumbers Harvested | <mark>Bushels</mark> Per Acre | | Total Bushels Per Acre |
| 18 | 19 | | 20 | 21 | | 22 | 23 | 2 | 4 | 25 | 26 | | 27 | 28 | 3 | 29 | | 30 | 3 | 1 | 32 | 33 | | 34 |
| 1 | | | | | | | | | | 25 | 13 | | .870 | 16 | 0 | 139.2 | | 500 | 13 | 9.2 | 13.6 | 83.2 | | 83.2 |
| 2 | | | | | | | | | | 25 | 13 | | .870 | 16 | 0 | 139.2 | | 500 | 13 | 9.2 | 14.4 | 84.0 | | 84.0 |
| 3 | | | | | | | | | | 25 | 13 | | .870 | 16 | 0 | 139.2 | | 500 | 13 | 9.2 | 14.8 | 84.4 | | 84.4 |
| 4 | | | | | | | | | | 20 | 10 | | .900 | 16 | 0 | 144.0 | | 500 | 14 | 4.0 | 13.0 | 85.0 | | 85.0 |
| 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| 88. Remar | | | FEOI | TAT | | | | | | | | | | | | | | | | | 35. Total Bush Sample | els of the | | 336.6 |
| LAA I | VIPLI | <u>t – D</u> | EFOI | | UN | VVII. | H FK | | DAN | IAGE | ANL |) FIIN | | ADJU | <u>21 IV</u> | <u>EN I</u> | | | | | 36. Number of | Sample Plot | s | 4 |
| PROCES | SING CI | UCUMB | ER FIELD | NOTES | | | | | | | | | | | | | | | | | 37. Bushels Pe | • | | 84.2 |
| 39 Sample No. | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 40 Total % | 41 No. Plan Evalua | of its | 42 % Defoliation |
| 1 | 20 | 22 | 26 | 20 | 21 | 25 | 27 | 27 | 18 | 28 | 29 | 20 | 24 | 19 | 26 | 27 | 28 | 22 | 24 | 29 | 482 | \div 20 | | 25 |
| 2 | 28 | 30 | 33 | 24 | 22 | 21 | 28 | 30 | 25 | 27 | 25 | 22 | 24 | 29 | 31 | 20 | 24 | 25 | 26 | 30 | 524 | ÷ 20 | | 25 |
| 3 | 28 | 21 | 23 | 29 | 30 | 20 | 22 | 24 | 26 | 28 | 31 | 21 | 26 | 27 | 22 | 24 | 26 | 25 | 23 | 28 | 504 | \div 20 | = | 25 |
| 4 | 19 | 18 | 16 | 24 | 26 | 20 | 23 | 21 | 15 | 20 | 22 | 26 | 22 | 21 | 18 | 17 | 24 | 22 | 23 | 19 | 416 | \div 20 | | 20 |
| 5 | | | | | | | | | | | | | | | | | | | | | | | = | |
| 3. Adjust | ter's Sign | | . ADJUST | ER | • | · | Code | Number XXXX | XX | Dat | e MM/DE | D/YYYY | | 44. Insure | d's Signa | iture | I. N | I. INSURI | ED | • | | Date | MM/DD | YYYY |
| | | | | | | | | | | | | | | | | | | | | | | Page _ | 1of | 1 |

NOVEMBER 2003

FCIC-25720 (P CUCUMBER)

| | | | ED | Com | pany | | | 1 | ANY CO | MPANY | | | 1. Insu | red's Nam | e | | | | | | | 2. | Policy Number |
|---|-------------------------|--------------------|--|----------------------------|-------------|-----------------|-----------------|--------------------------|--------|---------------|------------------------------|--------|-------------------|---------------------------|--------------|----------------------------------|-----------------|---------------------|------------------|------------------|--------------------------------------|----------------------------------|---------------------------|
| | CUCU | | EK RKSHEET | Clair | n Num | ber | | | XXXX | XXXX | | | | | | | I. M | I. INSUR | ED | | | | XXXXXXX |
| EAR | LY APP | RAIS | ALS AND ND FINAL | 3. Ui | nit Nun | | | CESSIN | G | . Crop Ye | | 6. | Field ID. | | 7. A | | | | OfDama | ge | 9. Variety | | . Min Value |
| 1.011 | ADJU | | | | 0010 | | | UMBER 0106 | | | YY | | <mark>1</mark> E | | | 20.0 | | | JUN 30 | | VLASPIK | | \$ 3.75 PER BU. |
| (For | Illustratio | on Purpo | oses only) | 11. F | Iarvest | Туре | 12. Dat | e Planteo | d 1 | 3. Stage (| Of Life Cy | /cle | 14. Nori | nal No. O | f Harves | ts 15 | 5. No. Of Pi | rior Harvo | ests | 16. No | Of Harvests Rem | aining 17 | . Row Width |
| | | | ST | TAND RE | HAN DUCT | | 05/2 | 0/YYYY | Y | | <mark>4</mark> | | DEF | <mark>4</mark> OLIATIO | N | | | 1 | | FRU | <mark>4</mark> T DAMAGE AN | D FINAL AD | 36" IUTMENT |
| Sample Number | Normal No. of Plants | Fer 1/100 Acre | No. of Live Plants Per 1/100 Acre | % Live Plants Remaining | | Yield Factor | Normal Yield | <mark>Bushels</mark> Per | Acre | % Defoliation | % Yield Loss (Defoliation | Chart) | Y ield Factor | Normal Yield\ Adiusted | Normal Yield | <mark>Bushels</mark> Per Acre | % Harvest | Kemaining Factor | Adiusted | Normal Yield | Marketable Cucumbers Harvested | <mark>Bushels</mark> Per Acre | Total Bushels Per Acre |
| 18 | 19 | | 20 | 21 | | 22 | 23 | 2 | 4 | 25 | 26 | | 27 | 28 | | 29 | | 30 | | 81 | 32 | 33 | 34 |
| 1 | 300 |) | 15 | 5.0 | | .100 | 160 | 16 | 5.0 | 85 | <mark>49</mark> | | <mark>.510</mark> | 16. | 0 | <mark>8.2</mark> | .7 | <mark>50</mark> | 8 | .2 | 13.6 | <mark>19.8</mark> | <mark>19.8</mark> |
| 2 | 300 |) | 30 | 10.0 | | .200 | 160 | 32 | 2.0 | 95 | <mark>55</mark> | | <mark>.450</mark> | 32. | 0 | <mark>14.4</mark> | .7 | <mark>50</mark> | 14 | <mark>4.4</mark> | 14.4 | 25.2 | <mark>25.2</mark> |
| 3 | 300 |) | 22 | 7.3 | | .146 | 160 | 23 | 3.4 | 90 | <mark>52</mark> | | <mark>.480</mark> | 23. | 4 | <mark>11.2</mark> | .7 | <mark>50</mark> | 1 | l.2 | 14.8 | <mark>23.2</mark> | <mark>23.2</mark> |
| 4 | 300 |) | 30 | 10.0 | | .200 | 160 | 32 | 2.0 | 80 | <mark>46</mark> | | <mark>.540</mark> | 32. | 0 | <mark>17.3</mark> | <mark>.7</mark> | <mark>50</mark> | <mark>1</mark> ′ | 7.3 | 13.0 | <mark>26.0</mark> | <mark>26.0</mark> |
| 5 <mark>38.</mark> Remai EXA I | | E – S | TAND | RED | UC' | FION | WIT | H D | EFO | LIAT | ION, | FRU | IT D | AMA | GE / | AND | FINA | L | | | 35. Total Busho Sample | els of the | 94.2 |
| <mark>ADJU</mark> | J <mark>STN</mark> | <mark>IEN</mark> ' | T | | | | | | | | | | | | | | | | | | 36. Number of 37. BushelsPer | • | 4 23.6 |
| PROCES | SING CU | JCUMI | BER FIELD N | NOTES | | | | | 1 | 1 | 1 | 1 | | 1 | | | | | | 1 | 57. BusnelsPer | 41 | 23.0 |
| 39 Sample No. | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 40 Total % | No. of Plants Evaluate | 42 % Defoliation |
| 1 | 90 | 87 | 83 | 80 | 86 | 89 | 87 | 83 | 85 | 88 | 82 | 84 | 89 | 81 | 84 | 86 | 80 | 82 | 86 | 91 | 1,703 | ÷ 20 | = 85 |
| 2 | 100 | 92 | 92 | 95 | 99 | 87 | 95 | 99 | 89 | 88 | 98 | 100 | 94 | 97 | 98 | 97 | 100 | 100 | 89 | 94 | 1,903 | ÷ 20 | = 95 |
| 3 | 86 | 87 | 83 | 88 | 89 | 85 | 100 | 92 | 90 | 88 | 86 | 88 | 91 | 94 | 86 | 100 | 96 | 92 | 93 | 86 | 1,800 | ÷ 20 | <u> </u> |
| 4 | 75 | 73 | 77 | 86 | 95 | 80 | 82 | 77 | 78 | 79 | 84 | 85 | 80 | 82 | 83 | 86 | 75 | 77 | 79 | 79 | <mark>1,612</mark> | ÷ 20 | = 80 |
| 5 | | | | | | | | | | | | | | | | | | | | | | ÷ | = |
| 43. Adjus | ter's Sign | | M. ADJUSTEI | R | | | Code N | Number XXXX | KΧ | Dat | | D/YYYY | | 4. Insure | d's Signa | ature | I. M | . INSURI | ED | | | Date M | M/DD/YYYY |

NOVEMBER 2003

FCIC-25720 (P CUCUMBER)

(2) CUBUMBER APPRAISAL WORKSHEET INSTRUCTIONS – WEIGHT METHOD FOR HAND-HARVEST OPERATIONS

Verify or make the following entries:

Item

No. Information Required

Company: Name of insurance provider, if not preprinted on the worksheet (Company Name).

Claim Number: Claim number as assigned by the insurance provider.

- 1. **Insured's Name:** Name of the insured that identifies EXACTLY the person (legal entity) to whom the policy is issued.
- 2. **Policy Number:** Insured's assigned policy number.
- 3. **Unit Number:** Five-digit unit number from the Summary of Coverage after it is verified to be correct (e.g. 00100).
- 4. **Crop:** "Processing Cucumbers" (0106).
- 5. **Crop Year:** Crop year, as defined in the policy, for which the claim is filed.
- 6. **Total Acres:** Total acreage (to tenths) in fields or subfields being appraised.
- *** 7. **Date Planted:** Date the crop seed was incorporated into the soil.
 - 8. **Date of Damage:** First three letters of the month during which MOST of the insured damage (including progressive damage) occurred. Include SPECIFIC DATE where applicable, as in the case of hail damage (e.g., Aug 11).
 - 9. **Minimum Value:** The minimum value as stated in the Special Provisions.
 - 10. **Normal Number of Harvests:** Normal number of times in which the insured gathers production from the field.
 - 11. **Number of Prior Harvests:** Number of times the field has previously been harvested.
 - 12. **Number of Remaining Harvests:** Subtract the number of prior harvests from the normal number of harvests.
 - 13. **Field ID:** Field or subfield identification symbol.
 - 14. **Acres:** Number of determined acres, to tenths, in field or subfield being appraised.

29

- 15. **Variety:** Appropriate variety name (e.g. 'Discover,' 'Vlaspik,' etc.).
- 16. **Sample Area Size:** The dimensions and square foot area used for sampling (e.g., 6' x 6', 8' x 8', etc.). Refer to subsection 5 F.
- 17. **Weight of Each Sample:** Weight in pounds to tenths of the sample of all harvestable and marketable processing cucumbers in the representative area.
- 18. **Total Weight of All Samples:** Weight in pounds to tenths of all sample entries in item 17.
- 19. **Number of Sample Plots:** Number of representative areas sampled in the field.
- 20. **Average Weight Per Sample:** Total Weight of All Samples (item 18) divided by Total Number of Sample Plots (item 19). Record results in pounds to tenths.
- 21. **Adjusted Acreage Factor:** Obtained by dividing 43,560 square feet in an acre by the total square feet are used for the sample and further divided by 50 (50 equals the number of pounds in a bushel). Record the results to tenths [e.g., $(43,560 \div 36) \div 50 = 24.2$]. Refer to subsection 5 F.
- 22. **Number of Bushels Per Acre:** Average Weight Per Sample (item 20) multiplied by the Adjusted Acreage Factor (item 21). The resulting weight is to be recorded in bushels to tenths.

NOTE: If this worksheet is being used to determine the "Bushels Per Acre of Marketable Cucumbers," transfer the entry in item 22 to item 32 of the Cucumber Early Appraisals and Fruit Damage Final Adjustment Appraisal Worksheet. Do not complete items 23 through 26 and items 28 and 29.

Complete items 23 through 29 when all acres of the field or subfield being appraised are in the reproductive stage.

23. Harvest Factor: The appropriate harvest factor from TABLE F.

To determine the appropriate harvest factor, appraise in the harvest stage related to the number of prior harvests.

EXAMPLE: 6 NORMAL HARVESTS

If there have been 3 prior harvests, count the appraisal as the fourth harvest and the remaining harvest would be the fifth harvest or H-5. Enter the percentage for H-5 from **TABLE F**.

24. **Normal Yield:** Enter the "normal yield". See subsection 2 B (3) for the definition of "Normal Yield."

- 25. **Appraised Potential Per Acre:** Multiply the Harvest Factor (item 23) by the Normal Yield (item 24). Round to the nearest tenth of a bushel.
- 26. **Total Number of Bushels Per Acre:** Add the Number of Bushels Per Acre (item 22) to the Appraised Potential Per Acre (item 25).
- 27. **Remarks:** Pertinent information about the appraisal.
- 28. **Adjuster's Signature, Code Number, and Date:** Signature of the adjuster, code number, and date signed **after** the insured (or insured's authorized representative) has signed. If the appraisal is performed prior to the signature date, document the date of the appraisal in the "Remarks" section of the Appraisal Worksheet (if available); otherwise, document the appraisal date in the Narrative of the Production Worksheet.
- 29. **Insured's Signature and Date:** Insured's (or insured's authorized representative's) signature and date. Before obtaining insured's signature, REVIEW ALL ENTRIES on the Appraisal Worksheet WITH THE INSURED, particularly explaining codes, etc., which may not be readily understood.

Page: Page numbers - (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

| | | CUMBER | | Compan | У | | ANY CO | OMPANY | | 1. In | sured's Name | | | | 2. Policy Num | ber | | |
|----------------|--------------------------|---------------------------|------------------------|-----------|-----------|--------------|----------|-----------------------------------|--------------------|-------|---------------------------------|------------|--------------------------------------|---|-------------------|------------------------|------------------------------------|-------------------------------------|
| | | L WORKS | | Claim N | umber | | XXXX | XXXXX | | 1 | | I. M. I | NSURED | | | XX | XXXXXX | |
| We | | thod For H t Operation | | 3. Unit N | Number | | 4. Crop | PROCESSING | | 5. Ci | rop Year | | 6. Total Acre | s | 7: Date Plante | 1 | 8. Date of Da | mage |
| | | • | | | 00100 | | | PROCESSING CUCUMBERS | | | YYYY | | | 9.0 | 05/18/Y | YYY | J | UN 15 |
| | or Illustrat mum Valu | tion Purposes | Only) | | 10 Norma | al Number of | Homeoto | 0106 | | | 11. Number o | f Dai on I | Tomasta | | 12. Number of | Domoinin o I | Iomuooto | |
| 9. MIIII | mum van | le | | | 10. Norma | ai number of | narvests | | | | 11. Number o | DI Prior I | Tarvests | | 12. Number of | Kemanning r | Tarvests | |
| | | \$ 3.75 per bu | | 1 | | | 6 | | 10 | | 20 | - | 3 | | | 1 24 | 3 | |
| 13 | 14 | 15 | 16 | | | 17 | | 18 | 19 | | 20 | | 21 | 22 | 23 | 24 | 25 | 26 Total Number |
| Field ID | Acres | Variety | Sample Area Size | | Weight Of | Each Sample | | Total Weight Of All Samples | Number Sample F | | Average Weight Per Sample | Adju | <mark>isted</mark> Acreage Factor | Number of <mark>Bushels</mark> Per Acre | Harvest Factor | Normal Yield | Appraised Potential Per Acre | of Bushels Per Acre (22 + 25) |
| 3B | 9.0 | VLASPIK | 6' x 6' | 3.0 | 5.0 | 4.2 | 3.8 | 16.0 | • 4 | = | - 4.0 - | l x | 24.2 - | 96.8 | H3 – .50 | X <mark>300</mark> | <u>150.0</u> | <mark>246.8</mark> |
| | | | | | | | | | | | - · · | ^ | | - | | | | |
| | | | | | | | | | <u>.</u> | = | _ , | ı x | - | = | | I X | I = | |
| | | | | | | | | | • | | - 2 | л | - | _ | | л | _ | |
| | | | | | | | | | : | = | | l X | - | = | | x | = | |
| | | | | | | | | | | _ | - , | л | - | _ | | л | _ | |
| | | | | | | | | | l | = | | l X | - | = | | x | = | |
| | | | | | | | | | | _ | - , | л | - | _ | | л | _ | |
| | | | | | | | | | : | = | | l X | - | = | | l X | = | |
| | | | | | | | | - | | | | л | - | - | | л | _ | |
| | | | | | | | | | l | = | | l X | - | = | | l x | = | |
| | | | | | | | | | • | _ | | л I | - | - | | Λ | - | |
| 27. Ren EXA | | – WEI G | HT ME | THOD | FOR HA | AND-HA | RVEST | OPERATIO | ONS | | 1 | <u>I</u> | | 1 | 1 | 1 | 1 | 1 |
| 28. Adj | uster's Sig | gnature | | | | | Co | ode Number | | Date | e | 29.1 | Insured's Signat | ure | | | Date | |
| | | | I. M. AD | IUSTER | | | | XXXXX | | м | M/DD/YYYY | 1 | | I. M. INSUF | PED | | MM/I | DD/YYYY |

(3) CUCUMBER APPRAISAL WORKSHEET INSTRUCTIONS - WEIGHT METHOD FOR MACHINE-HARVEST OPERATIONS

Verify or make the following entries:

Item

No. Information Required

Company: Name of insurance provider, if not preprinted on the worksheet (Company name).

Claim Number: Claim number as assigned by the insurance provider.

- 1. **Insured's Name:** Name of the insured that identifies EXACTLY the person (legal entity) to whom the policy is issued.
- 2. **Policy Number:** Insured's assigned policy number.
- 3. **Unit Number:** Five-digit unit number from the "Summary of Coverage" after it is verified to be correct.
- 4. **Crop:** "Processing Cucumbers" 0106.
- 5. **Crop Year:** Crop year, as defined in the policy, for which the claim is filed.
- 6. **Total Acres:** Total acreage (to tenths) in fields or subfields being appraised.
- 7. **Date Planted:** Date in which the crop seed was incorporated into the soil.
- 8. **Date of Damage:** First three letters of the month during which MOST of the insured damage (including progressive damage) occurred. Include SPECIFIC DATE where applicable, as in the case of hail damage (e.g., Aug 11).
- 9. **Minimum Value:** The minimum value as stated in the Special Provisions.
- 10. **Field ID:** Field or subfield identification symbol.
- 11. **Acres:** Enter acreage (to tenths) in field identified by (10) above.
- 12. **Variety:** Appropriate variety name (e.g. 'Discover,' 'Vlaspik,' etc.).
- 13. **Sample Area Size:** The square-foot area used for sampling (e.g., 6' x 6', 8' x 8', etc.). Refer to subsection 5 F.
- 14. **Weight of Each Sample:** Weight in pounds to tenths of each sample of all harvestable and marketable processing cucumbers in the representative area.

- 15. **Total Weight of All Samples:** Weight in pounds to tenths of all sample entries in Item 14.
- 16. **Number of Sample Plots:** Number of representative areas sampled in the field.
- 17. **Average Weight Per Sample:** Total Weight of All Samples (item 15) divided by Total Number of Sample Plots (item 16). The resulting weight is to be recorded in pounds to tenths.
- 18. **Adjusted Acreage Factor:** Obtained by dividing 43,560 square feet in an acre by the total square feet of area used for the sample and further divided by 50 (50 equals the number of pounds in a bushel). Record the results to tenths [e.g., $(43,560 \div 36) \div 50 = 24.2$]. Refer to subsection 5 F.
- 19. Number of Bushels Per Acre: Average Weight Per Sample (item 17) multiplied by Adjusted Acreage Factor (item 18). The resulting weight is to be recorded in bushels to tenths.
- 20. **Yield Loss Factor:** Harvesting by machine can be expected to result in a 10% loss in yield as compared to the hand-harvesting method; therefore, enter .90 (1.00 minus .10).
- 21. **Total Number of Bushels Per Acre**: Number of Bushels Per Acre (item 19) multiplied by Yield Loss Factor (item 20). The resulting weight is to be recorded in bushels to tenths.
- 22. **Remarks:** Pertinent information about the appraisal.
- 23. **Adjuster's Signature, Code No., and Date:** Signature of the adjuster, code number, and date signed **after** the insured (or insured's authorized representative) has signed. If the appraisal is performed prior to the signature date, document the date of the appraisal in the "Remarks" section of the Appraisal Worksheet (if available); otherwise, document the appraisal date in the Narrative of the Production Worksheet.
- 24. **Insured's Signature and Date:** Insured's (or insured's authorized representative's) signature and date. Before obtaining insured's signature, REVIEW ALL ENTRIES on the Appraisal Worksheet WITH THE INSURED, particularly explaining codes, etc., which may not be readily understood.

Page: Page numbers - (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

| | | CUMBER | | Company | y | | ANY CO | OMPANY | | 1. In | sured's Name | | | | 2. Policy | Number | • | 3. U | Jnit Nu | mber |
|----------------|------------|----------------------------|------------------------|---------|-------------------------------|-------------|-----------|-----------------------------------|--------------------|-------|---------------------------------|-----------|----------------------------------|--------|----------------------------------|----------------------|-----------|----------|----------|-------------------------------------|
| | | L WORK | | Claim N | umber | | XXXX | XXXXX | | | I. N | 1. INSURI | ED | | | XXXXX | XXXX | | | 00300 |
| Weig | | hod For Ma st Operation | | 4. Crop | DDOGEGGD | 10 | 5. Crop Y | ear | | 6. To | otal Acres | | 7: Date Plant | ed | | 8. Date | of Damage | 9 | . Minir | num Value |
| (Fe | | tion Purposes | | | PROCESSIN CUCUMBEI 0106 | | | YYYY | | | 21.0 | | 05/01 | I/YYYY | | | JUN | | | \$ 3.75 |
| 10 | 11 | 12 | 13 | | | 14 | | 15 | 16 | | 17 | I | 18 | | 19 | | 20 |) | | 21 |
| Field ID | Acres | Variety | Sample Area Size | | Weight Of | Each Sample | : | Total Weight Of All Samples | Number Sample I | | Average Weight Per Sample | | <mark>ed</mark> Acreage actor | Numbe | er of <mark>Bushe</mark> Acre | <mark>els</mark> Per | Yield Los | s Factor | | Total Number of Bushels Per Acre |
| 2D | 12.0 | VLASPIK | 6' x 6' | 6.1 | 3.9 | 2.0 | 4.5 | | - | | 10 | | | | 0.4.0 | | | | | 87.1 |
| 20 | 12.0 | VENDI IK | 0 x 0 | 3.5 | | | | 20.0 | - 5 I | = | 4.0 | X | 24.2 = | = 1 | 96.8 | У | K .90 | | = | 87.1 |
| 2E | 9.0 | CALYPSO | 8' x 8' | 6.3 | 7.7 | 7.2 | 6.8 | - 28.0 | · 4 | | 7.0 | | 13.6 - | ſ | 95.2 | | z .90 | | | 85.7 |
| | | | | | | | - 28.0 - | - * | | 7.0 | X | 15.0 | = + | 93.2 | У | X | | = | 85.7 | |
| | | | | | | | | | | | | | | l | | | | | ļ | |
| | | | | | | | | | . | - | - 2 | X | - | = + | | У | K | | = | |
| | | | | | | | | | | _ | | | | | | | _ | | I | |
| | | | | | | | | | . | - | - 2 | X | - | = + | | У | κ | | = | |
| | | | | | | | | | | _ | | | | | | | _ | | I | |
| | | | | | | | | | . | = | - 2 | X | - | = + | | У | K | | = | |
| | | | | | | | | l . | | | | 17 | _ | _ | | _ | - | | I | |
| | | | | | | | | | | = | | x | = | - | | У | K | | = | |
| 22. Ren EXA | | – WEIG | HT ME | THOD | FOR MA | ACHINE | -HARV | EST OPER | ATION | IS | | L | | 1 | | | | | I | |
| 23. Adj | uster's Si | gnature | | | | | C | ode Number | | Date | | 24. Ins | ured's Signat | ture | | | | E | Date | |
| | | | I. M. AD | JUSTER | | | | XXXXX | | MN | M/DD/YYYY | | | I. M | I. INSURE | D | | | N | /M/DD/YYYY |

Page <u>1</u>____of ____1

C. <u>SUMMARY OF HARVESTED PRODUCTION WORKSHEET ENTRIES</u> <u>AND COMPLETION INFORMATION</u>

- (1) Use this worksheet to record harvested production of processing cucumbers for which adequate harvesting records have been maintained. Record sold and unsold production on separate Summary of Harvested Production Worksheets.
- (2) Refer to the Special Provisions for the applicable allowable cost.
- (3) A separate worksheet is required for each unit.

Verify or make the following entries:

Company: Name of insurance provider, if not preprinted on the worksheet (Company Name).

Claim Number: Claim number as assigned by the insurance provider.

- 1. **Insured's Name:** Name of insured that identifies EXACTLY the person (legal entity) to whom the policy is issued.
- 2. **Crop:** "Processing Cucumbers" (0106).
- 3. **Crop Year:** Crop year, as defined in the policy, for which the claim has been filed.
- 4. **Policy Number:** Insured's assigned policy number.
- 5. **Plant Period:** Planting period (e.g. "Spring" or "Fall"). See the acreage report for the planting date and the Special Provisions to determine the planting period.
- 6. **Unit Number:** Five-digit unit number from the Summary of Coverage after it is verified to be correct (e.g. 00100).
- 7. **Name/Address, and Phone Number of Buyer/Packer:** Name, address, and telephone number (with area code) of the buyer of the production. MAKE NO ENTRY for unsold production. Document in the lower right-hand corner the minimum value from the Special Provisions.

PART I - PRODUCTION

8. **Sale Date:** Enter date, in MM/DD/YYYY format the load was sold. Enter "unsold" for unsold production (harvested but could not be sold due to insured causes).

- 9. **Load Number:** Ticket number of the load. For unsold production enter the number of the USDA certificate of inspection, if available, and attach a copy of the certificate to the Summary of Harvested Production worksheet.
- 10. **Number Of Bushels:** Total amount of graded bushels for which the insured sold in the load. For unsold production, enter the number of bushels of such production to tenths.
- 11. **Per Bushel Gross Value:** The dollar and cent value per bushel (the gross value of the sales from the sales invoice, without regard to discounts or incentives) divided by Number of Bushels (item 10). For unsold production, MAKE NO ENTRY.
- 12. **Per Bushel Allowable Cost:** FOR SOLD PRODUCTION ONLY, enter the allowable cost, in dollars and cents per bushel from the Special Provisions. The allowable cost will include the actual costs per bushel for picking, grading, and hauling the processing cucumbers.
- 13. **Net Value:** Subtract Per Bushel Allowable Cost (item 12) from Per Bushel Gross Value (item 11). If the value is negative, enter 0.00." MAKE NO ENTRY for unsold production.
- 14. **Total Value Per Load:** Number of Bushels (item 10) multiplied by Net Value (item 13). Enter the result in dollars and cents. MAKE NO ENTRY for unsold production.
- 15. **Total:** Sum of all Number of Bushels (Column 10) entries.
- 16. **Total Value (\$) All Loads:** Sum of all Total Value Per Load (Column 14) entries.

PART II - WEIGHTED VALUE

- 17. **Total Value (\$) All Loads:** Enter total from item 16.
- 18. **Total Number of Bushels:** Enter total from item 15.
- 19. **Value Per Bushel:** Total Value (\$) All Loads (item 17) divided by Total Bushels (item 18) in dollars and cents, rounded to the nearest penny.
- 20. **Adjuster's Signature, Code Number, and Date:** Signature of adjuster, code number, and date signed after the insured (or insured's authorized representative) has signed.
- 21. **Insured's Signature and Date:** Insured's (or insured's authorized representative) signature and date. BEFORE obtaining insured's signature, REVIEW ALL ENTRIES on the Summary of Harvest Production Worksheet WITH THE INSURED, particularly explaining codes, allowable cost, etc., which may not be readily understood.

Page: Page numbers - (Example Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

| | OF HARVES | | Company | /: | | 1. Insured's Name | |
|------------------------|---------------------|-----------|--------------------|---------------------------------|---------------------|---------------------|---------------------|
| PRODUCTI | ON WORKSH | IEET | | ANY COMPAN | Y | | INSURED |
| | | | Claim Nu | mber: | | 2. Crop | |
| | tion Purposes | Only) | | XXXXXXXX | | | CUCUMBERS (0106) |
| 3. Crop Year | 4. Policy Number | | 7. Name, | Address, and Phone | Number of Buye | er/Packer | |
| YYYY | XXXXXXX | х | | CKING COMPANY | | | |
| 5. Plant Period | 6. Unit Number | | BOX XX | | | | |
| SPRING | 00100 | | | WN, ANYSTATE XX XX) XXX-XXXX | λλλλ | MINIMUM VAI | LUE \$3.75 |
| PART I – PRODU | | | | , | | | |
| | | | | PER B | USHEL | | TOTAL VALUE |
| | | | BER OF | | r | NET VALU | - |
| SALE DATE 8 | LOAD NUMBER 9 | | HELS 10 | GROSS VALUE 11 | ALLOWABI COST 12 | LE (11 - 12) 13 | (10 x 13) 14 |
| 0 | | | | 11 | 000112 | | 17 |
| 07/15/YYYY | 120 | 7(|)0. <mark>0</mark> | \$4.20 | \$0.22 | \$3.98 | \$2,786.00 |
| 07/15/YYYY | 127 | 75 | 53. <mark>0</mark> | \$4.00 | \$0.22 | \$3.78 | \$2,846.34 |
| 07/15/YYYY | 129 | 79 | 94. <mark>0</mark> | \$3.90 | \$0.22 | <mark>\$3.68</mark> | \$2,921.92 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | 15. TOTAL | 2.2 | 47.0 | | 16. TOTAL | VALUE (\$) ALL LOA | ADS \$8,554.26 |
| PART II – WEIGH | | ı, | | 1 | | | |
| 17. Total Value (\$) A | All Loads | 18. Total | Number of | f Bushels | | 19. Value Per B | ushel |
| <mark>\$8,55</mark> | 5 <mark>4.26</mark> | | | 2,247.0 | | | <mark>\$3.81</mark> |
| 20. Adjuster's Signa | ture | Code Nu | mber | Date | 21. Insured's S | ignature | Date |
| I. M. AD | JUSTER | XX | XXX | MM/DD/YYYY | I. N | A. INSURED | MM/DD/YYYY |
| | | | | | | Page | 1 of 1 |

NOVEMBER 2003

9. CLAIM FORM ENTRIES AND COMPLETION PROCEDURES

A. <u>GENERAL INFORMATION</u>

- (1) The claim form, (hereafter referred to as a "Production Worksheet") is a progressive form containing all notices of damage for all preliminary and final inspections on a unit.
- (2) If a Production Worksheet has been prepared on a prior inspection, verify each entry and enter additional information as needed. If a change or correction is necessary, strike out all entries on the line and re-enter correct entries on a new line. The adjuster and insured should initial any line deletions.
- (3) Refer to the LAM for instructions regarding the following:
 - (a) Acreage report errors.
 - (b) Delayed notices and delayed claims.
 - (c) Corrected claims or fire losses (double coverage) and cases involving uninsured causes of loss, unusual situations, controversial claims, concealment, or misrepresentation.
 - (d) Claims involving a Certification Form (when all the acreage on the unit has been appraised to be put to another use, or other reasons described in the LAM).
 - (e) "No Indemnity Due" claims (which must be verified by an APPRAISAL or NOTIFICATION from the insured that the production exceeded the guarantee).
- (4) The adjuster is responsible for determining if the insured has complied with all of their requirements under the notice and claim provisions of the policy. If they have not, the adjuster should contact the insurance provider.
- (5) Instructions labeled "**PRELIMINARY**" apply to preliminary inspections only. Instructions labeled "**FINAL**" apply to final inspections only. Instructions not labeled apply to ALL inspections.

B. FORM ENTRIES AND COMPLETION INFORMATION

Verify or make the following entries:

Item No. Information Required

- 1. **Crop/Code #:** "Processing Cucumbers" (0106).
- 2. **Unit #:** Five-digit unit number from the Summary of Coverage after it is verified to be correct (e.g., 00100).
- 3. **Legal Description:** Section, township, and range number or other legal description that identifies the location of the unit.
- 4. **Date of Damage:** First three letters of the month during which MOST of the insured damage (including progressive damage) occurred for each inspection. Include the SPECIFIC DATE where applicable as in the case of hail damage (e.g., AUG 11).
- 5. **Cause of Damage:** Name of insured cause(s) of loss for **this crop** as listed in the LAM. If it is evident that no indemnity is due, enter "NONE." If an insured cause of loss is coded as "Other," explain in the "Narrative."

NOTE: Refer to the Basic Provisions and the crop provisions for this crop for information pertaining to insured and uninsured causes of loss.

6. **Primary Cause %:**

PRELIMINARY: MAKE NO ENTRY.

FINAL: Percent of damage for the cause of damage listed in item 5 above that is determined to be the primary cause of damage, to the nearest whole percent. The primary cause of damage must exceed 50 percent (e.g., 51%). Enter an "X" in the major secondary cause of damage.

- 7. **Company/Agency:** Name of company and agency servicing the contract.
- 8. **Name of Insured:** Name of the insured that identifies EXACTLY the person (legal entity) to whom the policy is issued.
- 9. **Claim #:** Claim number as assigned by the insurance provider.
- 10. **Policy #:** Insured's assigned policy number.
- 11. **Crop Year:** Crop year, as defined in the policy, for which the claim is filed.

12. Additional Units:

PRELIMINARY: MAKE NO ENTRY.

FINAL: Unit number(s) for ALL non-loss units for the crop at the time of final inspection. A non-loss unit is any unit for which a Production Worksheet has not been completed. Additional non-loss units may be entered on a single Production Worksheet.

NOTE: If more spaces are needed for non-loss units, enter the unit numbers, identified as "Non-Loss Units," in the Narrative or on an attached Special Report.

13. Est. Prod. Per Acre:

PRELIMINARY: MAKE NO ENTRY.

FINAL: Estimated yield per acre, in whole bushels, of all non-loss units for the crop at the time of final inspection.

14. **Date(s) Notice of Loss:**

PRELIMINARY:

- a. Date the notice of damage was given for the unit in item 2.
- b. A third preliminary inspection (if needed) requires an additional set of Production Worksheets. Enter the date of notice for a third preliminary inspection in the 1st space of item 14 on the second set.
- c. Reserve the "Final" space on the first page of the first set of Production Worksheets for the date of notice for the final inspection.
- d. If the inspection is initiated by the insurance provider, enter "Company Insp." instead of the date.

FINAL: Transfer the last date in the 1st or 2nd space to the FINAL space if a final inspection should be made as a result of the notice. Always enter the complete date of notice (month, day, year) for the FINAL inspection in the FINAL space on the first page of the first set of Production Worksheets. For a delayed notice of loss or delayed claim, refer to the LAM.

15. **Companion Policy(s):**

a. If no other person has a share in the unit (insured has 100 percent share), MAKE NO ENTRY.

- b. In all cases where the insured has LESS than a 100 percent share of a loss-affected unit, ask the insured if the OTHER person sharing in the unit has a multiple-peril crop insurance contract (i.e., not crop-hail, fire, etc.). If the other person does not, enter "NONE."
 - (1) If the other person has a multiple-peril crop insurance contract and it can be determined that the SAME insurance provider services it, enter the contract number. Handle these companion policies according to the insurance provider instructions.
 - (2) If the OTHER person has a multiple-peril crop insurance contract and a DIFFERENT insurance provider or agent services it, enter the name of the insurance provider and/or agent (and contract number) if known.
 - (3) If unable to verify the existence of a companion contract, enter "Unknown" and contact the insurance provider for further instructions.

NOTE: Refer to the LAM for further information regarding companion contracts.

SECTION I - ACREAGE APPRAISED, PRODUCTION AND ADJUSTMENTS

Make separate line entries for varying:

- (1) Rate classes, types, or farming practices;
- (2) Dollar amount of insurance;
- (3) Appraisals;
- (4) Stages or intended use(s) of acreage;
- (5) Shares (e.g., 50 percent and 75 percent shares on the same unit); or
- (6) Appraisals for damage due to hail or fire if Hail and Fire Exclusion is in effect.

Verify or make the following entries:

Item

No. Information Required

A. **Field ID:** The field identification symbol from a sketch map or an aerial photo. Refer to the narrative. In the margin (or in a separate column), enter the date of inspection for the last line entry of each inspection.

NOTE: REFER TO THE LAM FOR INSTRUCTIONS REGARDING REQUIRED ENTRY OF FIRST CROP, SECOND CROP, AND SUBSEQUENT CROP CODES.

B. **Preliminary Acres:**

PRELIMINARY: The number of acres, to tenths, (include "E" if estimated) for which consent for other use has been given. Determine actual acreage, to tenths, when the boundaries of the appraised acreage may not be determined later.

FINAL: MAKE NO ENTRY.

C. **Final Acres:** Refer to the LAM for definition of acceptable determined acres used herein.

Determined acres to tenths (include "E" if estimated) for which consent is given for other use and /or:


- a. Put to other use without consent.
- b. Abandoned.
- c. Damaged by uninsured causes.
- d. For which the insured failed to provide acceptable records of production.

FINAL: Determined acres to tenths.

NOTE: Acreage breakdowns WITHIN a unit may be estimated (enter "E" in front of the acres) if a determination is impractical AND if authorization was received from the insurance provider. Document authorization in the Narrative.

ACCOUNT FOR ALL ACREAGE IN THE UNIT. In the event of over-reported acres, handle in accordance with individual insurance provider's instructions. In the event of under-reported acres, draw a diagonal line in Column "C" as shown.

 C_1 Enter the ACTUAL acres for the field or subfield. C_2 Enter the REPORTED acres for the field or subfield.



D. **Interest or Share:** Insured's interest in the crop to three decimal places as determined at the time of inspection. If shares vary on the same UNIT, use separate line entries.

E. **Risk:** Three digit code for the correct "Rate Class" specified on the actuarial documents. If a "Rate Class" or "High Risk Area" is not specified on the actuarial documents, make no entry. Verify with the Summary of Coverage and if the Rate Class is found to be incorrect, revise according to the insurance provider's instructions. Refer to the LAM.

NOTE: Un-rated land is uninsurable without a written agreement.

- F. **Practice:** Three-digit code number, entered exactly as specified on the actuarial documents, for the practice carried out by the insured. If "No Practice Specified," enter appropriate 3-digit code number from the actuarial documents.
- G. **Type/Class/Variety:** Three-digit code number, entered exactly as specified on the actuarial documents, for the type grown by the insured. If "No Type Specified," enter appropriate 3-digit code number from the actuarial documents.
- H. Stage:

PRELIMINARY: MAKE NO ENTRY.

FINAL: Stage abbreviation as shown below.

STAGE EXPLANATION

- "P"Acreage abandoned without consent, put to other use without consent, damaged solely by uninsured causes, or for which the insured failed to provide records of production which are acceptable to the insurance provider, or from which production was sold by direct marketing.
- "H".....Harvested.
- "UH"......Unharvested or put to other use with consent.
- "UB".....Bypassed (insured causes).
- "PB".....Bypassed (uninsured causes).

GLEANED ACREAGE: Refer to the LAM for information on gleaning.

I. Intended or Final Use: Use of acreage. Use the following "Intended Use" abbreviations.

USE EXPLANATION

| "To snapbeans, etc" | . Use made of the acreage |
|---------------------|----------------------------|
| "WOC" | .Other use without consent |
| "SU" | .Solely uninsured |
| "ABA" | .Abandoned without consent |
| "Н" | .Harvested |
| "UH" | .Unharvested |
| "Bypassed" | .Bypassed by the processor |

Verify any "Intended Use" entry. If the final use of the acreage was not as indicated, strike out the original line and initial it. Enter all data on a new line showing the correct "Final Use."

GLEANED ACREAGE: Refer to the LAM for information on gleaning.

J. Appraised Potential:

PRELIMINARY AND FINAL: Per-acre appraisal in bushels, to tenths, of POTENTIAL production for the acreage appraised. Refer to Section 5, "Processing Cucumber Appraisals" for additional instructions.

NOTE: If there is no potential on UH acreage, enter "0."

- (1) For unharvested acreage that is bypassed by the processor due to INSURED causes of loss, no appraised potential production to count should be shown on the claim form.
- (2) For unharvested acreage, and/or acreage that is bypassed when NO insured cause of loss prevented the processor from harvesting, the potential production must be appraised and counted as production against the guarantee.

NOTE: Refer to subsection **3** C for more information pertaining to bypassed acreage.

$K_{1.}$ - $K_{2.}$ MAKE NO ENTRY.

- L. **Shell and/or Quality Factor:** (Line out the heading, and enter "Value.") The value of the appraised potential per bushel in dollars and cents. Enter the greater of:
 - a. The actual market value per bushel (determined from a sample provided to the processor); or
 - b. The applicable minimum value per bushel, as shown in the Special Provisions.

M. +Uninsured Cause:

PRELIMINARY AND FINAL: EXPLAIN IN THE NARRATIVE.

- a. Hail and Fire exclusion NOT in effect.
 - (1) Enter NOT LESS than the insured's amount of insurance per acre in dollars and cents for the line, for any "P" stage acreage.

NOTE: On preliminary inspections, advise the insured to keep the harvested production from any acreage damaged SOLELY by uninsured causes separate from other production.

(2) For acreage that is damaged PARTLY by uninsured causes, enter the APPRAISED UNINSURED loss of production per acre in dollars and cents, for any such acreage.

- b. Refer to the LAM when a Hail and Fire Exclusion is in effect and damage is from hail or fire.
- c. Enter the result of adding uninsured cause appraisals to hail and fire exclusion appraisals.

NOTE: For fire losses, if the insured also has other fire insurance (double coverage), refer to the LAM.

N. Adjusted Potential:

PRELIMINARY AND FINAL: Column "J" times Column "L" plus Column "M," rounded to dollars and cents.

O. **Total to Count:** Column "C" or " C_1 " (**actual** acres) times Column "N," rounded to whole dollars.

NOTE: For CAT policies, multiply result times .55, unless otherwise instructed by the insurance provider because adjustment will be made by other manual or automated computation process.

- P. **Per Acre:** Per Acre Guarantee Enter the dollar amount of insurance per acre from the insured's policy.
- Q. **Total:** Column " C_2 " (**reported** acres; "C" if acreage is not under-reported) times Column "P," to whole dollars.
- 16. **Total Acres:**

PRELIMINARY: MAKE NO ENTRY.

FINAL: Total Actual Acres [Column "C" (or " C_1 " if there are under-reported acres)], to tenths.

NOTE: FOR ITEM 17, WHEN SEPARATE LINE ENTRIES ARE MADE FOR VARYING SHARES, TYPES, ETC., WITHIN THE UNIT, AND TOTALS NEED TO BE KEPT SEPARATE FOR CALCULATING INDEMNITIES, MAKE NO ENTRY AND FOLLOW THE INSURANCE PROVIDER'S INSTRUCTIONS; OTHERWISE, MAKE THE FOLLOWING ENTRIES.

17. **Totals:**

PRELIMINARY: MAKE NO ENTRY.

FINAL: Total of Column "O" and total of Column "Q."

NARRATIVE:

If more space is needed, document on a Special Report, and enter "See Special Report." Attach the Special Report to the Production Worksheet.

- a. If no acreage is released on the unit, enter "No acreage released," adjuster's initials, and date.
 b. If notice of damage was given and "No Inspection" is necessary, enter the unit number(s), "No Inspection," date, and adjuster's initials. The insured's signature is not required.
 c. Explain any uninsured causes, unusual, or controversial cases.
 d. If there is an appraisal in Section I, Column "M" for uninsured causes due to hail/fire exclusion, show the original hail/fire liability per acre and the hail/fire indemnity per acre.
- e. Document the actual appraisal date if an appraisal was performed prior to the adjuster's signature date on the appraisal worksheet, and the date of the appraisal is not recorded on the appraisal worksheet.
- f. State that there is "No other fire insurance" when fire damages or destroys the insured crop, and it is determined that the insured has no other fire insurance. Also refer to the LAM.
- g. Explain any errors found on the Summary of Coverage.
- h. Explain any commingled production. Refer to the LAM.
- i. Explain any entry for "Production Not to Count" in Section II, Column "O," and/or any production not included in Section II, Column "I" or Columns "B" through "E" entries (e.g., harvested production from uninsured acreage that can be identified separately from the insured acreage in the unit).
- j. Explain a "NO" checked in item 19.
- k. Attach a sketch map or aerial photo to identify the total unit:
 - (1) If consent is or has been given to put part of the unit to another use;
 - (2) If uninsured causes are present; or
 - (3) For unusual or controversial cases.

NOTE: Indicate on the sketch map or aerial photo, the disposition of acreage destroyed or put to other use with or without consent.

1. Explain any difference between date of inspection and signature dates. For an ABSENTEE insured, enter the date of the inspection AND the date of mailing the Production Worksheet for signature.

- m. When any other adjuster or supervisor accompanied the adjuster on the inspection, enter the code number of the other adjuster or supervisor and date of inspection.
- n. Explain the reason for a "No Indemnity Due" claim. "No Indemnity Due" claims are to be distributed in accordance with insurance provider's instructions.
- o. Explain any delayed notices or delayed claims as instructed in the LAM.
- p. Document any authorized estimated acres shown in Section I, Column "C" as follows: "Line 3 'E' acres authorized by insurance provider MM/DD/YYYY."
- q. Document the method and calculation used to determine acres for the unit. Refer to the LAM.
- r. Specify the type of insects or disease when the insured cause of damage or loss is listed as insects or disease. Explain why control measures did not work.
- s. Document the name and address of the charitable organization when gleaned acreage is applicable. Refer to the LAM for more information on gleaning.
- t. Document any other pertinent information, including any data to support any factors used to calculate the production.

SECTION II - HARVESTED PRODUCTION

GENERAL INFORMATION:

- (1) Account for ALL HARVESTED PRODUCTION (for **ALL ENTITIES** sharing in the crop) except production appraised BEFORE harvest and shown in Section I because the quantity cannot be determined later (e.g., released for other uses, etc.).
- (2) For production commercially sold, etc., enter the name and address of the Broker/ buyer, etc., as applicable in items B through E.
- (3) If acceptable sales or weight tickets are not available, refer to the LAM.
- (4) If additional lines are necessary, the data may be entered on a continuation sheet. USE SEPARATE LINES FOR:
 - (a) Varying names and addresses of buyers of sold production.

- (b) Varying shares; e.g., 50 percent and 75 percent shares on same unit.
- (5) There will generally be no harvested production entries in Columns "A₁" through "S" for preliminary inspections.
- (6) If there is harvested production from more than one insured practice (or type) and a separate amount of insurance (if applicable) has been established for each, the harvested production also must be entered on separate lines in Columns "A₁" through "S" by type or practice. If production has been commingled, refer to the LAM.
- (7) The total average value of marketable production will be the greater of:
 - (a) The actual value per bushel minus the allowable cost shown in the Special Provisions; or
- *** (b) The applicable minimum value shown in the Special Provisions.
- (8) Production that is not marketable due to insurable causes (does not meet the U. S. Standards for Grades of U.S. No. 3, or better), which is not and will not be sold (zero value) will not be counted as production to count.

Verify or make the following entries:

Item

No. Information Required

18. **Date Harvest Completed: (Used to determine if there is a delayed notice or a delayed claim. Refer to the LAM.)**

PRELIMINARY: MAKE NO ENTRY.

FINAL:

- a. The earlier of the date the ENTIRE acreage on the unit was (1) harvested (final) or the date harvest should have started but acreage will not be harvested, (2) totally destroyed or abandoned, (3) harvested and the proceeds from the processor minus the allowable costs exceeds the dollar amount of insurance, (4) a combination of harvested, destroyed, abandoned, or put to other use, (5) the calendar date for the end of the insurance period.
- b. If at the time of final inspection, (if prior to the end of the insurance period) there is any unharvested insured acreage remaining on the unit and the insured does not intend to harvest, enter "**Incomplete**."

- c. If at the time of final inspection (if prior to the end of the insurance period) **none** of the insured acreage on the unit has been harvested, and the insured does not intend to harvest such acreage, enter **"No Harvest."**
- d. If the case involves a Certification Form, enter the date from the Certification Form, when the entire unit is put to another use, etc. Refer to the LAM.

19. Similar Damage:

PRELIMINARY: MAKE NO ENTRY.

FINAL: Check "Yes" or "No." Check "Yes" if amount and cause of damage due to insurable causes is similar to the experience of other farms in the area. If "No" is checked, explain in the Narrative.

- 20. **Assignment of Indemnity:** Check "Yes" **only** if an assignment of indemnity is in effect for the crop year; otherwise, check "No." Refer to the LAM.
- 21. **Transfer of Right to Indemnity:** Check "Yes" **only** if a transfer of right to indemnity is in effect for the unit for the crop year; otherwise, check "No." Refer to the LAM.
- A₁. **Share:** RECORD ONLY VARYING SHARES on SAME unit to three decimal places.

A₂. **Field ID:**

- (a) If only one practice, and/or type of harvested production is listed in Section I, MAKE NO ENTRY.
- (b) If more than one practice and/or type of harvested production is listed in Section I, and a separate amount of insurance exists, indicate for each practice/type, the corresponding Field ID (from Section I, Column "A").

NOTE: REFER TO THE LAM FOR INSTRUCTIONS REGARDING REQUIRED ENTRY OF FIRST CROP, SECOND CROP, AND SUBSEQUENT CROP CODES.

B. - E. Buyers, Packinghouse, or Processor:

- (a) For production sold, enter the name and address of the buyer, packinghouse, or processor, etc., as applicable. For production otherwise disposed of, indicate the disposition.
- (b) For unsold marketable production, enter "UNSOLD."

F. - H. MAKE NO ENTRY.

- I. **Bu., Ton, Lbs., Cwt.:** Circle "Bu" in column heading. Enter harvested sold or unsold production in bushels, to tenths. Separate line entries are required for:
 - a. Unsold harvested marketable production; and
 - b. Each buyer, packer, or processor for sold production.
- J. M_{2.} MAKE NO ENTRY.
- N. Adjusted Production: Enter bushels to tenths, from Column I.
- O. **Prod. Not to Count:** Net production NOT to count, in bushels to tenths, WHEN ACCEPTABLE RECORDS IDENTIFYING SUCH PRODUCTION ARE AVAILABLE, from harvested acreage which has been assessed an appraisal of not less than the guarantee per acre, or from other sources (e.g., other units or uninsured acreage).

THIS ENTRY MUST NEVER EXCEED PRODUCTION SHOWN ON THE SAME LINE. EXPLAIN ANY "PRODUCTION NOT TO COUNT" IN THE NARRATIVE.

- P. **Production:** Result of subtracting the entry in Column "O" from Column "N," to tenths.
- Q₁. **Value:** Dollar and cents value:
 - a. For SOLD bushels, enter the greater of:
 - (1) The value per bushel (not less than zero) of production from item 19 of the Summary of Harvested Production form, OR;
 - (2) The minimum value per bushel as listed in the Special Provisions.
 - b. For UNSOLD MARKETABLE bushels enter not less than the applicable minimum value per bushel as listed in the Special Provisions.
 - c. For UNSOLD, UNMARKETABLE bushels that are damaged or defective due to insurable causes enter "0.00."

Q₂. - R. MAKE NO ENTRY.

S. **Production to Count:** Production from Column "P" times "Q₁," rounded to whole dollars.

NOTE: For CAT policies, multiply result times .55, unless otherwise instructed by the insurance provider because adjustment will be made by other manual or automated computation process.

NOTE: FOR ITEMS 22-24, WHEN SEPARATE LINE ENTRIES ARE MADE FOR VARYING SHARES, TYPES, ETC., WITHIN THE UNIT, AND TOTALS NEED TO BE KEPT SEPARATE FOR CALCULATING INDEMNITIES, MAKE NO ENTRY AND FOLLOW THE INSURANCE PROVIDER'S INSTRUCTIONS; OTHERWISE, MAKE THE FOLLOWING ENTRIES.

22. Section II Total:

PRELIMINARY: MAKE NO ENTRY.

FINAL: Total of Column "S," in whole dollars.

23. Section I Total:

PRELIMINARY: MAKE NO ENTRY.

FINAL: Enter figure from Section I, Column "O" total, in whole dollars.

24. Unit Total:

PRELIMINARY: MAKE NO ENTRY.

FINAL: Total of 22 and 23, in whole dollars.

25. **Adjuster's Signature, Code #, and Date:** Signature of adjuster, code number, and date signed **after** the insured (or insured's authorized representative) has signed. For an absentee insured, enter adjuster's code number ONLY. The signature and date will be entered AFTER the absentee has signed and returned the Production Worksheet.

NOTE: Final indemnity inspections should be signed on bottom line.

26. **Insured's Signature and Date:** Insured's (or insured's authorized representative's) signature and date. BEFORE obtaining insured's signature, REVIEW ALL ENTRIES on the Production Worksheet WITH THE INSURED, particularly explaining codes, etc., that may not be readily understood.

NOTE: Final indemnity inspections should be signed on bottom line.

27. **Page:**

PRELIMINARY: Page numbers - "1," "2," etc., at the time of inspection.

FINAL: Page numbers - (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.)

| 1. Crop/Co Processin | de # ng Cucumb | 2 ers | . Unit # | 3.1 | Legal Desc | ription | | | PR | ROD | UCTIC | ON WOF | RKSHE | ЕТ | 8. Nan | ne of Insured | | I. M. IN | NSURED | | |
|-------------------------|-------------------|----------------|--------------------------|----------------|-------------|-----------|------------------|------------------------|-----------------|---------------------|------------------------|----------------|------------------------|-----------------------------------|-------------------|------------------|-------------------------|----------|-----------------------|------------------|---------------------|
| | 0106 | | 00100 | | S1/2 - 5 | - 50 - 20 |) | | (FOI | RILL | USTRAT | ION PURI | POSES O | NLY) | 9. Clai | | XXXXXX | | 11. | Crop Year YYY | Y |
| 4. Date of I | Damage | | JUN | J | UN 15 | JUI | | | 7 Co | ompany | | ANY COMPA | NY | | 10. Po | | XXXXXXX | x | | | |
| 5. Cause of | U | | EX MOIS | ST | HAIL | EX MO | DIST | | I | Agency | | ANY AGENC | Y | _ | 14. Da | | | | 2 nd | Fina | |
| 6. Primary | Cause % | | 80 % | | Х | | | | | | | | | | Notice | e of Loss | MM/DD/YY | ŶŶŶ | MM/DD/Y | YYY MM | I/DD/YYYY |
| 12. Additio | | | 00200 | | | | | | | | | | | | 15. Co | mpanion Po | olicy(s) | | | | |
| 13. Est. Pro | | | 87 | | | | | | | | | | | | | | | | | | |
| SECTION | I – ACRE | AGE AP | PRAISED, | | TION AN | D ADJU | STMEN | TS | | | | | | POTENTIAL YIELI | | | | | ST | AGE GUARA | NTEE |
| | | | | | | | | | | | | K1 | | TOTENTIAL HELI | | | | | 517 | ICE CUARA | INTEE |
| А | В | С | D | | Е | F | G | Н |] | I | J | K ₂ | L | М | N | | 0 | | Р | | Q |
| | | | | | | | Туре | | | | | Moisture % | Shell and/o | | | | | | | | |
| Field ID | Prelim Acres | Final Acres | Intere Sha | | lisk Pra | actice | Class Variety | Stage | Intend Final | | Appraised Potential | Factor | Quality Fac Value | +Uninsured Cause | Adjus Poten | | Total to Con (C x N) | unt | Per Acr | e | Total (C x P) |
| 1A MM/DD | E 7.0 | 8.0 | 1.0 | 00 E | 001 | 131 | 997 | UH | т | °0 beans | 25.9 | | 3.75 | | 97 | | 777 | | 480 | | 3,840 |
| 3A | | 9.0 | 1.0 | оо г | 001 | 131 | 997 | UH | | Н | 84.2 | | 3.75 | | 315 | 75 | 2,842 | | 480 | | 4,320 |
| | | 2.0 | 110 | | | | | | | | 0.112 | | 5175 | | | | 2,012 | | | | 1,020 |
| 3B MM/DD | - | 9.0 | 1.0 | 00 E | 001 | 131 | 997 | UH | U | Н | <mark>246.8</mark> | | 3.75 | | <mark>925</mark> | <mark>.50</mark> | <mark>8,330</mark> | | 480 | | 4,320 |
| <u>4A</u> | - | 8.0 | 1.0 | 00 E | 001 | 131 | 997 | UB | Вура | assed | 0 | | 3.75 | | (|) | 0 | | 480 | | 3,840 |
| 5 MM/DD | - | 10.0 | 1.0 | 00 E | 001 | 131 | 997 | Н | ŀ | ł | | | - | | | | | | 480 | | 4,800 |
| 16. TC | DTAL | 44.0 | | • | | | | • | | | | | | | 17. TC | DTALS | <mark>11,949</mark> |) | | | 21,120 |
| NARRATI | VE (If mor | e space is | needed, att | ach a Speci | al Report) | | | | | | | | | | | | | | | | |
| DETERM | INED ACI | RES USIN | IG WHEEI | . MEASUF | REMENTS | . SEE A | TTACHE | ED <mark>SPEC</mark> I | AL REPO | <mark>RT</mark> FOF | R WHEEL M | IEASUREMEN | NTS <mark>AND C</mark> | ALCULATIONS. | | | | | | | |
| FIELD 4A | ABYPASS | ED DUE | TO HAIL I | DAMAGE. | | | | | | | | | | | | | | | | | |
| SECTION | II – HAR | VESTED | PRODUC | FION | | | | | | | | | | | | | | | | | |
| 18. Date H | Iarvest Co | | MM/DD/YY | /WW | | | 19 | 9. Damag | | o other f | farms in the a | irea? | | 20. Assignment of In Yes | demnity | No 🛛 | | 21. Tra | ansfer of Rigl Yes | ht To Indemni | ity? |
| | MEA | SUREMI | | | | GROS | S PRODU | UCTION | 1 | | I | 0 🗖 | | ADJUSTMENTS TO | | | DUCTION | | 105 | | |
| <u>A</u> 1 | _ | | | | | | | | Ι | | <u>K</u> 1 | L ₁ | <u>M₁</u> | _ | | | | · | <u>Q</u> ₁ | | |
| A ₂ | В | С | D | Е | F | | | H Bross | Bu. Don | J Shell/ | K ₂ | L ₂ | M ₂ | N | | 0 | Р | | Q ₂ | R | S Production |
| Share | - Length o | | | Deduc- | Net Cub | | on P | Prod. | Lbs. | Sugar | | Moisture% | | - Adjusted Produc | | Prod. Not | Productio | | Value | Quality | To Count |
| Field ID | Diameter | | - • F ···· | tion | Feet | Fa | ctor (F | 7 x G) | Cwt. | Factor | Factor | Factor | Factor | (H or I) x J x K ₂ x I | $L_2 x M_2$ | To Count | (N – O) | N | Akt. Price | Factor | (P x Q1) |
| | | | CESSING C n, Any Stat | | | | | | 2,247.0 | | | - + | | - 2,247.0 | | | 2,247.0 | | <u>3.81</u> | | <mark>8,561</mark> |
| | - | | | | | | | | | | | | | _ | | | | | | | |
| I certify th | ne informat | ion provid | led above, 1 | to the best of | of my know | ledge, to | be true a | and comp | lete and that | at it wi l | l be u sed to | determine my l | loss, if any, to | o my insured crops. I | understa | nd that this I | Production | | 22. Sect | ion II Total | <mark>8,561</mark> |
| | | | | | | | | | | | | | | by the Federal Crop I | | | | | 23. Sect | ion I Total | <mark>11,949</mark> |
| | | | other feder | | ite informa | tion may | result in | the sanct | ions outlin | ed in my | y policy and | administrative | , civil, and cr | iminal sanctions unde | r 18 U.S. | C. §§ 1006 a | and 1014, 7 | U.S.C. | 24. Unit | Total | <mark>20,510</mark> |
| 25. Adjust | ter's Signat | ture | | | | С | ode # | 1 | Date | | 26. Ins | ured's Signatu | re | | | | | Date | | | • |
| 1 st Inspect | ion | | I. M. A | DJUSTER | | | XXXXX | X | MM/DD/ | YYYY | 1 st Insp | pection | | I. M. INS | URED | | | MM/ | /DD/YYYY | 1 | |
| 2 nd Inspec | tion | | I. M. A | DJUSTER | | | XXXXX | X | MM/DD/ | <u>YYYY</u> | 2 nd Ins | pection | | I. M. INS | <mark>URED</mark> | | | MM/ | DD/YYYY |] | |
| Final Insp | ection | | I. M. A | DJUSTER | | | XXXXX | Х | MM/DD/ | YYYY | Final I | nspection | | I. M. INS | URED | | | MM/ | /DD/YYYY | 27. Page | e 1 of 1 |

| - |
|-------|
| |
| |
| - |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

10. REFERENCE MATERIAL

TABLE A - MINIMUM REPRESENTATIVE SAMPLE REQUIREMENTS

| ACRES IN FIELD OR SUBFIELD | MINIMUM NO. OF SAMPLES |
|----------------------------|------------------------|
| 0.1 - 10.0 | 4 |
| 10.1 - 20.0 | 5 |
| | |

Add one additional sample for each additional 10.0 acres (or fraction thereof) in the field or subfield.

TABLE B - ROW WIDTHS AND LENGTHS FOR 1/100 ACRE

| ROW WIDTH | SAMPLE ROW LENGTH (FEET) | ROW WIDTH | SAMPLE ROW LENGTH (FEET) |
|--------------|-----------------------------|--------------|-----------------------------|
| (INCHES) | 1/100 ACRE | (INCHES) | 1/100 ACRE |
| 12 | <mark>435.6</mark> | 28 | <mark>186.7</mark> |
| 14 | 373.4 | 30 | <mark>174.2</mark> |
| 16 | 326.7 | 32 | <mark>163.4</mark> |
| 18 | <mark>290.4</mark> | 34 | 153.7 |
| 20 | <mark>261.4</mark> | 36 | 145.2 |
| 22 | 237.6 | 38 | <mark>137.6</mark> |
| 24 | 217.8 | 40 | 130.7 |
| 26 | <mark>201.0</mark> | 42 | <mark>124.5</mark> |

NOTE: For row widths other than those in TABLE B, determine the sample row length as follows:

- (1) Divide row width in inches (nearest one-half inch) by 12 in./ft. and round to the nearest thousandth.
- (2) Divide 43,560 sq. ft./acre by the determined row width in item (1) above and round to the nearest thousandth.
- (3) Divide 100 (for 1/100 acre) by the result in item (2) above and round to the nearest tenth.
- **EXAMPLE:** Measured row width in the field is 37 in. 37 in. \div 12 in./ft. = 3.083 ft. 43,560 sq. ft./acre \div 3.083 ft. = 14,129.095 14,129.095 \div 100 = 141.3 ft. row length

| % LIVE PLANTS REMAINING | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 |
|-------------------------------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| YIELD FACTOR | 0 | .100 | .200 | .300 | .520 | .672 | .674 | .680 | .688 | .700 | .713 | .729 | .749 | .771 | .795 | .823 | .852 | .885 | .921 | .959 | 1.000 |

TABLE C - YIELD FACTORS STAND REDUCTION METHOD

INTERPOLATION EXAMPLE:

The percent live plants remaining is calculated to be 7.3% in the sample area. The yield factor for 5% live plants remaining and 10% live plants remaining is .100 and .200, respectively. The difference in the percent live plants remaining is 5 (10 - 5 = 5) and the difference in the yield factor is .100 (.200 - .100 = .100). Divide the difference in the yield factors by the difference of the percent live plants remaining to calculate each 1.0 increment of percent live plants remaining rounded to a 3-place decimal (.100 ÷ 5 = .020). The difference between the sample's percent live plants remaining and the lower of the charted percent live plants remaining is 2.3 (7.3 – 5.0= 2.3). Multiply 2.3 by .020 and add this result to .100 ($2.3 \times .020 = .046 + .100 = .146$). Enter as a 3-place decimal. Therefore, a 7.3% stand loss equals a .146 yield factor.

| D HI 0 | | | | | | | | | | | | | | | | | | | | |
|---------------|---|----|----|----|----|----|----|----|------|-------|------|------|----|----|----|----|----|----|----|-----|
| LIFE CYCLE | | | | | | | | PE | RCEN | T DEF | OLIA | TION | 1 | | | | | | | |
| STAGE | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 |
| 1 | 2 | 3 | 5 | 6 | 9 | 12 | 14 | 15 | 18 | 20 | 22 | 23 | 26 | 28 | 30 | 31 | 34 | 36 | 38 | 40 |
| 2 | 3 | 5 | 7 | 9 | 12 | 14 | 16 | 18 | 21 | 23 | 25 | 27 | 31 | 32 | 34 | 36 | 39 | 41 | 44 | 46 |
| 3 | 4 | 5 | 8 | 10 | 13 | 16 | 19 | 21 | 24 | 26 | 29 | 31 | 34 | 36 | 39 | 41 | 44 | 46 | 49 | 51 |
| 4 | 5 | 6 | 9 | 12 | 15 | 18 | 21 | 23 | 26 | 29 | 32 | 35 | 38 | 40 | 43 | 46 | 49 | 52 | 55 | 58 |

TABLE D - HAND HARVESTED PROCESSING CUCUMBERS PERCENT YIELD LOSS DUE TO DEFOLIATION

TABLE E - MACHINE HARVESTED PROCESSING CUCUMBERS PERCENT YIELD LOSS DUE TO DEFOLIATION

| LIFE | | PERCENT DEFOLIATION | | | | | | | | | | | | | | | | | |
|----------------|----|---------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| CYCLE STAGE | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 |
| 3 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 5 | 5 | 6 | 7 | 9 | 10 |
| 4 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 11 | 12 | 14 | 15 | 19 | 21 | 25 | 29 |
| 5 | 2 | 4 | 8 | 10 | 11 | 13 | 16 | 19 | 21 | 23 | 26 | 33 | 37 | 40 | 45 | 56 | 61 | 72 | 83 |
| 6 | 5 | 8 | 13 | 17 | 21 | 25 | 29 | 33 | 37 | 42 | 48 | 54 | 63 | 69 | 75 | 81 | 87 | 93 | 100 |
| 7 | 4 | 6 | 10 | 12 | 14 | 17 | 21 | 24 | 26 | 29 | 34 | 40 | 45 | 48 | 54 | 66 | 78 | 84 | 97 |
| 8 | 3 | 5 | 9 | 11 | 13 | 16 | 19 | 22 | 24 | 26 | 31 | 37 | 42 | 45 | 48 | 58 | 72 | 79 | 94 |
| 9 | 2 | 4 | 6 | 8 | 9 | 12 | 14 | 16 | 17 | 19 | 23 | 26 | 29 | 31 | 34 | 43 | 52 | 56 | 65 |
| 10 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 16 | 20 | 24 | 28 | 30 |
| 11 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 5 | 5 | 6 | 6 |

TABLE F - HARVEST FACTORS

| EIGHT NORMA (ALL A) | | SEVEN NORMAL HARVESTS (ALL AREAS) | | | | |
|--------------------------|--------|--------------------------------------|--------|--|--|--|
| NO. OF PRIOR HARVESTS | FACTOR | NO. OF PRIOR HARVESTS | FACTOR | | | |
| H1 | .88 | H1 | .86 | | | |
| H2 | .75 | H2 | .71 | | | |
| H3 | .63 | H3 | .57 | | | |
| H4 | .50 | H4 | .43 | | | |
| H5 | .38 | H5 | .29 | | | |
| H6 | .25 | H6 | .14 | | | |
| H7 | .125 | | | | | |

| SIX NORMAL (NORTH CAROLI CAROI | NA AND SOUTH | SIX NORMAL HARVESTS (ALL AREAS EXCEPT NORTH CAROLINA AND SOUTH CAROLINA) | | | | |
|--------------------------------------|--------------|--|--------|--|--|--|
| NO. OF PRIOR HARVESTS | FACTOR | NO. OF PRIOR HARVESTS | FACTOR | | | |
| H1 | .83 | H1 | .75 | | | |
| H2 | .67 | H2 | .55 | | | |
| H3 | .50 | H3 | .35 | | | |
| H4 | .33 | H4 | .20 | | | |
| H5 | .17 | H5 | .10 | | | |

| FIVE NORMAI (ALL A) | | FOUR NORMAL HARVESTS (ALL AREAS) | | | |
|--------------------------|--------|-------------------------------------|--------|--|--|
| NO. OF PRIOR HARVESTS | FACTOR | NO. OF PRIOR HARVESTS | FACTOR | | |
| H1 | .80 | H1 | .75 | | |
| H2 | .60 | H2 | .50 | | |
| H3 | .40 | НЗ | .25 | | |
| H4 | .20 | | | | |

| THREE NORMA (ALL A) | | TWO NORMAL HARVESTS (ALL AREAS) | | | |
|--------------------------|--------|------------------------------------|--------|--|--|
| NO. OF PRIOR HARVESTS | FACTOR | NO. OF PRIOR HARVESTS | FACTOR | | |
| H1 | .67 | H1 | .50 | | |
| H2 | .33 | | | | |

NOVEMBER 2003