

AERONAUTICAL DATA SHEET  
 NATIONAL GEODETIC SURVEY

DATE GENERATED: 10/01/2004

PROJECT NUMBER: 725  
 ARPT IDENTIFIER: OWD  
 ARPT NAME: NORWOOD MEMORIAL AIRPORT  
 CITY: NORWOOD  
 STATE: MASSACHUSETTS  
 ARPT ELEVATION: 49.2  
 AIRPORT REFERENCE POINT

SITE NUMBER: 09180.A  
 SURVEY DATE: 10/10/2003  
 HORIZONTAL DATUM: NAD83  
 VERTICAL DATUM: NAVD88  
 ATCT FLOOR ELEV: 98.0  
 DECLINATION: 15.6W

DISTANCE FROM RWY END: 17+170  
 LATITUDE: 421125.9      LONGITUDE: -711022.6

RUNWAY INFORMATION

---

RUNWAY: 10/28      LENGTH: 3995      WIDTH: 75      SURFACE TYPE: SPECIALLY PREPARED HARD SURFACE - PAVED

RUNWAY END DATA  
 GEODETIC

DISPLACED THRESHOLD DATA

| RWY | LATITUDE    | LONGITUDE    | ELEV | AZ (N)  | TDZE | LENGTH | LATITUDE    | LONGITUDE    | ELEV |
|-----|-------------|--------------|------|---------|------|--------|-------------|--------------|------|
| 10  | 421131.5996 | -711042.6203 | 48.5 | 884525  | 47.8 | 981    | 421131.8097 | -711029.5898 | 47.8 |
| 28  | 421132.4524 | -710949.5598 | 46.1 | 2684601 | 47.8 |        |             |              |      |

PROFILE DATA

DISTANCES FROM APPROACH END 10

DISTANCES FROM APPROACH END 28

| DISTANCE | ELEV |
|----------|------|
| 0        | 48.5 |
| 456      | 48.3 |
| 981      | 47.8 |
| 3995     | 46.1 |

| DISTANCE | ELEV |
|----------|------|
| 0        | 46.1 |
| 3014     | 47.8 |
| 3539     | 48.3 |
| 3995     | 48.5 |

---

RUNWAY: 17/35      LENGTH: 4008      WIDTH: 100      SURFACE TYPE: SPECIALLY PREPARED HARD SURFACE - PAVED

RUNWAY END DATA  
 GEODETIC

DISPLACED THRESHOLD DATA

| RWY | LATITUDE    | LONGITUDE    | ELEV | AZ (N)  | TDZE | LENGTH | LATITUDE | LONGITUDE | ELEV |
|-----|-------------|--------------|------|---------|------|--------|----------|-----------|------|
| 17  | 421137.6464 | -711040.3357 | 49.2 | 1544557 | 49.2 |        |          |           |      |
| 35  | 421101.8310 | -711017.6405 | 47.1 | 3344612 | 48.5 |        |          |           |      |

DISTANCES FROM APPROACH END 17

| DISTANCE | ELEV |
|----------|------|
| 0        | 49.2 |
| 170      | 49.2 |
| 666      | 48.3 |
| 4008     | 47.1 |

DISTANCES FROM APPROACH END 35

| DISTANCE | ELEV |
|----------|------|
| 0        | 47.1 |
| 3342     | 48.3 |
| 3838     | 49.2 |
| 4008     | 49.2 |

DATE GENERATED: 10/01/2004

PROJECT NUMBER: 725  
ARPT IDENTIFIER: OWD  
ARPT NAME: NORWOOD MEMORIAL AIRPORT  
CITY: NORWOOD  
STATE: MASSACHUSETTS

SITE NUMBER: 09180.A  
SURVEY DATE: 10/10/2003  
HORIZONTAL DATUM: NAD83  
VERTICAL DATUM: NAVD88

NAVIGATIONAL AID INFORMATION

| ELECTRONIC | LATITUDE    | LONGITUDE    | ELEV | OFFSET<br>DISTANCE | ALONG CNTRLN<br>DISTANCE |
|------------|-------------|--------------|------|--------------------|--------------------------|
| DME (35)   | 421143.1646 | -711047.6044 | 61.2 |                    |                          |
| FM (35)    | 420931.3166 | -710911.0402 |      |                    |                          |
| LOC (35)   | 421145.2871 | -711045.1675 | 45.4 |                    | 855                      |
| LOM (35)   | 420711.1115 | -710742.3413 |      |                    | 26121                    |

| VISUAL    | LATITUDE    | LONGITUDE    |
|-----------|-------------|--------------|
| ALS (35)  |             |              |
| APBN      | 421111.0137 | -711035.7082 |
| PAPI (17) |             |              |
| PAPI (35) |             |              |

DATE GENERATED: 10/01/2004

PROJECT NUMBER: 725  
 ARPT IDENTIFIER: OWD  
 ARPT NAME: NORWOOD MEMORIAL AIRPORT  
 CITY: NORWOOD  
 STATE: MASSACHUSETTS

SITE NUMBER: 09180.A  
 SURVEY DATE: 10/10/2003  
 HORIZONTAL DATUM: NAD83  
 VERTICAL DATUM: NAVD88

OBSTRUCTION INFORMATION

10 BV

| OBJECT  | LATITUDE  | LONGITUDE  | A  | ELEV | AGL | HAR | HAT | HAA | DEND  | DTHR  | DCLN  | PNTR |
|---------|-----------|------------|----|------|-----|-----|-----|-----|-------|-------|-------|------|
| TREE    | 421134.04 | -710947.15 | 1A | 55   |     | 7   | 7   | 6   | -4180 | -3199 | 157L  | 9    |
| TREE    | 421132.30 | -711049.94 | 1A | 73   |     | 25  | 25  | 24  | 549   | 1530  | 83L   | 7    |
| TREE    | 421130.87 | -711050.49 | 1A | 81   |     | 33  | 33  | 32  | 594   | 1575  | 61R   | 12   |
| TREE    | 421128.71 | -711051.16 | 1A | 99   |     | 51  | 51  | 50  | 649   | 1630  | 278R  | 28   |
| TREE    | 421134.82 | -711052.66 | 1A | 101  |     | 53  | 53  | 52  | 748   | 1730  | *342L | 26   |
| TREE    | 421133.13 | -711052.98 | 1A | 100  |     | 52  | 52  | 51  | 776   | 1758  | 172L  | 22   |
| TREE    | 421131.71 | -711105.74 | 1A | 158  |     | 110 | 110 | 109 | 1739  | 2721  | 49L   | 33   |
| LT      | 421129.15 | -711105.75 | 1A | 126  |     | 78  | 78  | 77  | 1746  | 2727  | 210R  | 0    |
| POLE    | 421134.20 | -711106.30 | 1A | 114  |     | 66  | 66  | 65  | 1776  | 2757  | 302L  | -14  |
| TREE    | 421127.07 | -711106.32 | 1A | 148  |     | 100 | 100 | 99  | 1794  | 2775  | *419R | 20   |
| TREE    | 421133.11 | -711108.19 | 1A | 167  |     | 119 | 119 | 118 | 1921  | 2902  | 195L  | 33   |
| OL BLDG | 421127.57 | -711108.19 | 1A | 128  |     | 80  | 80  | 79  | 1933  | 2914  | 366R  | -7   |
| TREE    | 421134.60 | -711108.90 | 1A | 170  |     | 122 | 122 | 121 | 1971  | 2953  | 346L  | 33   |
| TREE    | 421129.54 | -711113.82 | 1A | 172  |     | 124 | 124 | 123 | 2353  | 3334  | 157R  | 15   |
| TREE    | 421128.43 | -711116.81 | 1A | 171  |     | 123 | 123 | 122 | 2580  | 3561  | 265R  | 3    |
| TREE    | 421130.58 | -711120.71 | 1A | 188  |     | 140 | 140 | 139 | 2869  | 3850  | 41R   | 6    |

28 BV

| OBJECT | LATITUDE  | LONGITUDE  | A  | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN  | PNTR |
|--------|-----------|------------|----|------|-----|-----|-----|-----|------|------|-------|------|
| TREE   | 421134.04 | -710947.15 | 1A | 55   |     | 9   | 7   | 6   | 185  |      | 157R  | 9    |
| BUSH   | 421129.85 | -710946.64 | 1A | 52   |     | 6   | 4   | 3   | 214  |      | *268L | 5    |
| BUSH   | 421130.10 | -710946.57 | 1A | 53   |     | 7   | 5   | 4   | 220  |      | 243L  | 5    |
| TREE   | 421135.08 | -710944.96 | 1A | 92   |     | 46  | 44  | 43  | 352  |      | 259R  | 39   |
| BUSH   | 421133.45 | -710944.81 | 1A | 53   |     | 7   | 5   | 4   | 359  |      | 93R   | -1   |
| TREE   | 421134.95 | -710940.45 | 1A | 96   |     | 50  | 48  | 47  | 691  |      | 239R  | 25   |
| TREE   | 421135.82 | -710940.14 | 1A | 103  |     | 57  | 55  | 54  | 716  |      | *326R | 31   |
| TREE   | 421133.93 | -710938.74 | 1A | 94   |     | 48  | 46  | 45  | 817  |      | 132R  | 17   |

28 BV (CONTINUED)

| OBJECT | LATITUDE  | LONGITUDE  | A  | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN  | PNTR |
|--------|-----------|------------|----|------|-----|-----|-----|-----|------|------|-------|------|
| TREE   | 421136.24 | -710935.61 | 1A | 111  |     | 65  | 63  | 62  | 1058 |      | *361R | 22   |
| TREE   | 421134.65 | -710935.04 | 1A | 109  |     | 63  | 61  | 60  | 1097 |      | 199R  | 18   |
| TREE   | 421129.29 | -710933.77 | 1A | 101  |     | 55  | 53  | 52  | 1181 |      | 345L  | 6    |
| TREE   | 421130.97 | -710932.76 | 1A | 110  |     | 64  | 62  | 61  | 1261 |      | 177L  | 10   |
| TREE   | 421133.14 | -710927.77 | 1A | 118  |     | 72  | 70  | 69  | 1641 |      | 35R   | 0    |
| TREE   | 421129.61 | -710926.52 | 1A | 118  |     | 72  | 70  | 69  | 1728 |      | 325L  | -5   |
| TREE   | 421130.98 | -710925.70 | 1A | 124  |     | 78  | 76  | 75  | 1793 |      | 187L  | -2   |

17 BV

| OBJECT        | LATITUDE  | LONGITUDE  | A  | ELEV | AGL | HAR | HAT | HAA | DEND  | DTHR | DCLN  | PNTR |
|---------------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| OL ON LTD WSK | 421111.42 | -711021.08 | 1A | 55   |     | 6   | 6   | 6   | -3020 |      | 180L  | 7    |
| OL ON DME     | 421143.16 | -711047.60 | 1A | 65   |     | 16  | 16  | 16  | 739   |      | 257R  | -11  |
| OL ON LOC     | 421145.29 | -711045.17 | 1A | 56   |     | 7   | 7   | 7   | 855   |      | 1L    | -25  |
| TREE          | 421144.06 | -711049.19 | 1A | 74   |     | 25  | 25  | 25  | 872   |      | *326R | -9   |
| TREE          | 421144.57 | -711048.55 | 1A | 79   |     | 30  | 30  | 30  | 898   |      | 261R  | -5   |
| TREE          | 421145.38 | -711046.94 | 1A | 81   |     | 32  | 32  | 32  | 920   |      | 116R  | -4   |
| TREE          | 421150.57 | -711043.09 | 1A | 106  |     | 57  | 57  | 57  | 1272  |      | *370L | 3    |
| TREE          | 421148.44 | -711049.70 | 1A | 102  |     | 53  | 53  | 53  | 1289  |      | 172R  | -2   |
| TREE          | 421149.49 | -711048.37 | 1A | 103  |     | 54  | 54  | 54  | 1342  |      | 36R   | -4   |
| TREE          | 421151.91 | -711045.16 | 1A | 112  |     | 63  | 63  | 63  | 1461  |      | 287L  | 0    |
| TREE          | 421154.41 | -711053.04 | 1A | 113  |     | 64  | 64  | 64  | 1942  |      | 141R  | -23  |

35 C

| OBJECT        | LATITUDE  | LONGITUDE  | A  | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN  | PNTR |
|---------------|-----------|------------|----|------|-----|-----|-----|-----|------|------|-------|------|
| OL ON LTD WSK | 421111.42 | -711021.08 | 1A | 55   |     | 8   | 6   | 6   | -988 |      | 180R  | 7    |
| TREE          | 421055.43 | -711018.59 | 1A | 60   |     | 13  | 11  | 11  | 556  |      | *341L | 3    |
| FENCE         | 421056.42 | -711011.09 | 1A | 52   |     | 5   | 3   | 3   | 705  |      | 213R  | -10  |
| FENCE         | 421054.62 | -711016.22 | 1A | 52   |     | 5   | 3   | 3   | 706  |      | 214L  | -10  |
| TREE          | 421057.05 | -711009.18 | 1A | 71   |     | 24  | 22  | 22  | 710  |      | *370R | 9    |
| TREE          | 421047.30 | -711000.65 | 1A | 99   |     | 52  | 50  | 50  | 1876 |      | *530R | 3    |
| TREE          | 421045.07 | -711003.37 | 1A | 98   |     | 51  | 49  | 49  | 1993 |      | 249R  | -2   |

35 C (CONTINUED)

| OBJECT | LATITUDE  | LONGITUDE  | A  | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN  | PNTR |
|--------|-----------|------------|----|------|-----|-----|-----|-----|------|------|-------|------|
| TREE   | 421044.11 | -710959.89 | 1A | 106  |     | 59  | 57  | 57  | 2192 |      | 445R  | 0    |
| TREE   | 421038.16 | -710958.63 | 1A | 126  |     | 79  | 77  | 77  | 2778 |      | 274R  | 3    |
| TREE   | 421036.16 | -711003.35 | 1A | 113  |     | 66  | 64  | 64  | 2809 |      | 134L  | -10  |
| TREE   | 421032.40 | -711008.77 | 1A | 124  |     | 77  | 75  | 75  | 2980 |      | 666L  | -5   |
| TREE   | 420956.96 | -710916.74 | 1A | 196  |     | 149 | 147 | 147 | 7895 |      | 1350R | -77  |

ARP HCT

| OBJECT               | LATITUDE  | LONGITUDE  | A  | ELEV | AGL | HAA | MAG | BEARING | DISTANCE | PNTR |
|----------------------|-----------|------------|----|------|-----|-----|-----|---------|----------|------|
| ANT ON OL AMOM       | 421128.52 | -711023.75 | 1A | 73   |     | 24  |     | 35734   | 278      | 12   |
| TREE                 | 421135.40 | -711021.24 | 1A | 92   |     | 43  |     | 2139    | 967      | 30   |
| TREE                 | 421134.99 | -711028.35 | 1A | 99   |     | 50  |     | 35023   | 1016     | 41   |
| TREE                 | 421135.03 | -711028.46 | 1A | 100  |     | 51  |     | 35006   | 1024     | 42   |
| TREE                 | 421136.00 | -711029.68 | 1A | 103  |     | 54  |     | 34804   | 1153     | 30   |
| TREE                 | 421137.32 | -711031.66 | 1A | 92   |     | 43  |     | 34504   | 1343     | -1   |
| TREE                 | 421112.64 | -711016.28 | 1A | 89   |     | 40  |     | 17605   | 1424     | -2   |
| TREE                 | 421135.77 | -711007.38 | 1A | 103  |     | 54  |     | 6429    | 1520     | 39   |
| TREE                 | 421139.33 | -711033.32 | 1A | 97   |     | 48  |     | 34454   | 1581     | 5    |
| TREE                 | 421138.14 | -711035.98 | 1A | 63   |     | 14  |     | 33630   | 1597     | 4    |
| TREE                 | 421109.69 | -711018.17 | 1A | 62   |     | 13  |     | 18406   | 1674     | 7    |
| ANT AND APBN ON ATCT | 421111.01 | -711035.71 | 1A | 128  |     | 79  |     | 22849   | 1801     | -3   |
| TREE                 | 421142.31 | -711012.20 | 1A | 149  |     | 100 |     | 4050    | 1837     | -10  |
| TREE                 | 421142.77 | -711033.48 | 1A | 107  |     | 58  |     | 34959   | 1894     | -6   |
| TREE                 | 421107.82 | -711014.16 | 1A | 72   |     | 23  |     | 17626   | 1938     | -10  |
| TREE                 | 421138.74 | -711003.27 | 1A | 118  |     | 69  |     | 6349    | 1951     | 13   |
| TREE                 | 421135.36 | -710956.98 | 1A | 94   |     | 45  |     | 7911    | 2153     | 40   |
| TREE                 | 421103.89 | -711025.45 | 1A | 61   |     | 12  |     | 20105   | 2239     | -14  |
| TREE                 | 421135.47 | -711050.73 | 1A | 105  |     | 56  |     | 31010   | 2329     | 20   |
| TREE                 | 421103.75 | -711013.46 | 1A | 62   |     | 13  |     | 17832   | 2345     | -2   |
| TREE                 | 421145.94 | -711038.34 | 1A | 108  |     | 59  |     | 34518   | 2349     | 6    |
| TREE                 | 421136.85 | -711050.89 | 1A | 119  |     | 70  |     | 31305   | 2401     | 14   |
| TREE                 | 421103.59 | -711011.31 | 1A | 76   |     | 27  |     | 17458   | 2413     | -7   |
| TREE                 | 421128.52 | -710950.73 | 1A | 88   |     | 39  |     | 9917    | 2414     | 21   |
| TREE                 | 421126.82 | -711054.87 | 1A | 131  |     | 82  |     | 28747   | 2431     | 25   |
| TREE                 | 421134.82 | -711052.66 | 1A | 101  |     | 52  |     | 30721   | 2436     | 20   |

| ARP        | HCT | (CONTINUED) |            |    |      |     |     |       |         |          |      |
|------------|-----|-------------|------------|----|------|-----|-----|-------|---------|----------|------|
| OBJECT     |     | LATITUDE    | LONGITUDE  | A  | ELEV | AGL | HAA | MAG   | BEARING | DISTANCE | PNTR |
| TREE       |     | 421101.09   | -711023.17 | 1A | 68   |     | 19  | 19635 |         | 2512     | -2   |
| TREE       |     | 421137.19   | -711052.86 | 1A | 127  |     | 78  | 31214 |         | 2549     | 11   |
| TREE       |     | 421139.57   | -711051.15 | 1A | 120  |     | 71  | 31822 |         | 2556     | 2    |
| TREE       |     | 421136.55   | -711053.77 | 1A | 129  |     | 80  | 31016 |         | 2582     | 20   |
| TREE       |     | 421129.49   | -710948.47 | 1A | 63   |     | 14  | 9732  |         | 2594     | 10   |
| TREE       |     | 421135.08   | -711054.79 | 1A | 116  |     | 67  | 30635 |         | 2595     | 25   |
| TREE       |     | 421110.20   | -711050.82 | 1A | 183  |     | 134 | 24848 |         | 2653     | -16  |
| TREE       |     | 421141.54   | -711051.30 | 1A | 116  |     | 67  | 32150 |         | 2679     | 2    |
| TREE       |     | 421144.06   | -711049.19 | 1A | 74   |     | 25  | 32810 |         | 2718     | -10  |
| BUSH       |     | 421129.85   | -710946.64 | 1A | 52   |     | 3   | 9712  |         | 2737     | 3    |
| TREE       |     | 421059.07   | -711010.44 | 1A | 65   |     | 16  | 17658 |         | 2867     | -2   |
| TREE       |     | 421057.45   | -711020.59 | 1A | 63   |     | 14  | 19235 |         | 2884     | -5   |
| TREE       |     | 421135.88   | -710946.67 | 1A | 97   |     | 48  | 8506  |         | 2888     | 37   |
| TREE       |     | 421150.57   | -711043.09 | 1A | 106  |     | 57  | 34353 |         | 2935     | 1    |
| TREE       |     | 421151.32   | -711041.74 | 1A | 110  |     | 61  | 34622 |         | 2949     | -13  |
| TREE       |     | 421057.05   | -711009.18 | 1A | 71   |     | 22  | 17630 |         | 3091     | 3    |
| TREE       |     | 421055.43   | -711018.59 | 1A | 60   |     | 11  | 19000 |         | 3099     | -3   |
| TREE       |     | 421057.04   | -711008.00 | 1A | 75   |     | 26  | 17459 |         | 3121     | -5   |
| TREE       |     | 421127.07   | -711106.32 | 1A | 148  |     | 99  | 28740 |         | 3294     | 19   |
| TREE       |     | 421135.82   | -710940.14 | 1A | 103  |     | 54  | 8809  |         | 3350     | 27   |
| TREE       |     | 421101.19   | -711053.64 | 1A | 210  |     | 161 | 23839 |         | 3423     | 11   |
| TREE       |     | 421135.88   | -711107.87 | 1A | 165  |     | 116 | 30207 |         | 3554     | 24   |
| TREE       |     | 421136.24   | -710935.61 | 1A | 111  |     | 62  | 8906  |         | 3689     | 19   |
| TREE       |     | 421047.30   | -711000.65 | 1A | 99   |     | 50  | 17240 |         | 4243     | -2   |
| TREE       |     | 421040.36   | -711013.09 | 1A | 114  |     | 65  | 18646 |         | 4665     | 0    |
| TREE       |     | 421147.81   | -711125.75 | 1B | 213  |     | 164 | 31037 |         | 5246     | 14   |
| TREE       |     | 421217.51   | -711031.04 | 2C | 223  |     | 174 | 840   |         | 5263     | 24   |
| TREE       |     | 421221.19   | -710946.52 | 1A | 264  |     | 215 | 4128  |         | 6221     | 65   |
| TREE       |     | 421121.25   | -710852.83 | 1A | 211  |     | 162 | 10934 |         | 6774     | 12   |
| ROD ON STK |     | 421123.97   | -711156.26 | 1A | 234  |     | 185 | 28401 |         | 7053     | 35   |
| TREE       |     | 421123.52   | -710848.69 | 1A | 215  |     | 166 | 10732 |         | 7074     | 15   |
| TREE       |     | 421102.14   | -710851.10 | 2C | 241  |     | 192 | 12450 |         | 7296     | 42   |
| TREE       |     | 421112.06   | -710845.97 | 1B | 229  |     | 180 | 11629 |         | 7408     | 29   |
| FLGPL      |     | 421233.93   | -711102.26 | 1A | 216  |     | 167 | 35210 |         | 7505     | 17   |
| SPIRE      |     | 421143.34   | -711203.28 | 1A | 284  |     | 235 | 29843 |         | 7782     | 85   |
| BLDG       |     | 421102.41   | -711209.79 | 1A | 216  |     | 167 | 26911 |         | 8413     | 17   |
| SPIRE      |     | 421127.09   | -711219.50 | 1A | 268  |     | 219 | 28623 |         | 8801     | 69   |

| ARP           | HCT | (CONTINUED) |            |    |      |     |     |     |         |          |      |
|---------------|-----|-------------|------------|----|------|-----|-----|-----|---------|----------|------|
| OBJECT        |     | LATITUDE    | LONGITUDE  | A  | ELEV | AGL | HAA | MAG | BEARING | DISTANCE | PNTR |
| TREE          |     | 421131.62   | -710816.01 | 1B | 242  |     | 193 |     | 10206   | 9547     | 43   |
| TREE          |     | 421301.12   | -711009.85 | 1B | 270  |     | 221 |     | 2117    | 9687     | 71   |
| TREE          |     | 420956.96   | -710916.74 | 1A | 196  |     | 147 |     | 16645   | 10279    | -3   |
| STK           |     | 421231.37   | -711209.78 | 1A | 287  |     | 238 |     | 32501   | 10441    | 88   |
| TREE          |     | 421054.96   | -711236.16 | 1B | 205  |     | 156 |     | 26818   | 10531    | 6    |
| TREE          |     | 421056.85   | -711242.43 | 1B | 230  |     | 181 |     | 27000   | 10930    | 27   |
| ANT ON SPIRE  |     | 421126.42   | -711251.99 | 1A | 335  |     | 286 |     | 28553   | 11246    | 136  |
| ANT ON TK     |     | 421136.50   | -711257.45 | 1A | 335  |     | 286 |     | 29052   | 11706    | 124  |
| TREE          |     | 421012.73   | -710816.99 | 1B | 280  |     | 231 |     | 14339   | 12013    | 71   |
| STK           |     | 421005.89   | -711224.27 | 1A | 267  |     | 218 |     | 24407   | 12228    | 14   |
| TREE          |     | 421309.05   | -711147.62 | 1A | 249  |     | 200 |     | 34406   | 12246    | 33   |
| TREE          |     | 421240.03   | -711241.90 | 1A | 304  |     | 255 |     | 32112   | 12893    | 58   |
| SPIRE         |     | 421251.74   | -711245.65 | 1A | 364  |     | 315 |     | 32431   | 13836    | 71   |
| TREE          |     | 420909.56   | -710955.08 | 1B | 287  |     | 238 |     | 18703   | 13957    | 23   |
| TREE          |     | 421253.13   | -711249.09 | 1B | 353  |     | 304 |     | 32418   | 14126    | 46   |
| ROD ON OL STK |     | 421033.29   | -710727.73 | 1A | 326  |     | 277 |     | 12736   | 14202    | -23  |
| TREE          |     | 420904.19   | -710958.17 | 1B | 316  |     | 267 |     | 18817   | 14462    | 26   |

## ADDITIONAL INFORMATION:

AERONAUTICAL DATA IS AVAILABLE ON THE INTERNET AT [HTTP://WWW.NGS.NOAA.GOV](http://www.ngs.noaa.gov).

ADDITIONAL INFORMATION ON DATA STANDARDS CAN BE FOUND IN FAA NO. 405, "STANDARDS FOR AERONAUTICAL SURVEYS AND RELATED PRODUCTS".

AN ASTERISK "\*" INDICATES THAT THIS OBJECT IS OUTSIDE, BUT WITHIN 50 FEET, OF THE OBSTRUCTION IDENTIFICATION SURFACE.