

## Attachment 1 Benthic Invertebrate Species Identified in the Lower Duwamish Waterway

Note: The species names listed in the table below are as reported in the references. Because of revisions to the benthic invertebrate nomenclature over the time span of the references (1978 to 2005), the same species may be listed under different names.

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
<b>Cnidaria</b>				
<b>Hydrozoa</b>				
			Hydroida	
			Tubulariidae	
			<i>Euphysa</i> sp.	
			Sertulariidae	
			<i>Hydrallmania distans</i>	
			<i>Nynantheae</i> spp.	
<b>Anthozoa (sea anemones)</b>				
			Actiniaria	
			Edwardsiidae	
			<i>Edwardsia</i> sp.	
			<i>Edwardsia californica</i>	
			<i>Edwardsia callimorpha</i>	
			<i>Edwardsia leidya</i>	
			<i>Edwardsia sipunculoids</i>	
			Metridiidae	
			<i>Metridium senile</i>	
			Pennatulacea	
			Pennatulidae	
			<i>Ptilosarcus gurneyi</i>	
<b>Platyhelminthes</b>				
<b>Turbellaria (flatworms)</b>				
			Polycladida	
			Leptoplanidae	
			Stylochidae	
			<i>Kaburakia excelsa</i>	
			<i>Rhabdocoela</i> sp.	
<b>Nemertea (proboscis worms)</b>				
<b>Anopla</b>				
			Heteronemertea	
			Lineidae	
			<i>Cerebratulus californiensis</i>	
			<i>Cerebratulus</i> sp.	
			Palaeonemertea	
			Carinomidae	
			<i>Carinoma mutabilis</i>	
			Tubulanidae	

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
				<i>Tubulanus cingulatus</i>
				<i>Tubulanus pellucidus/polymorphus</i>
				<i>Tubulanus</i> sp.
<b>Enopla</b>				
			Hoploneurtea	
			Emplectonematidae	
			<i>Paranemertes californica</i>	
			<i>Paranemertes peregrina</i>	
<b>Nematoda</b>				
<b>Annelida (segmented worms)</b>				
<b>Archianellida</b>				
<b>Oligochaeta</b>				
			Megascolecidae	
			<i>Enchytraeus</i> sp.	
			Naididae	
			<i>Paranais</i> sp.	
<b>Polychaeta</b>				
			Ampharetidae	
			<i>Ampharete lobrops</i>	
			<i>Ampharete cf crassiseta</i>	
			<i>Amphicteis</i> sp.	
			<i>Amphicteis scaphobranchiata</i>	
			<i>Asabellides sibirica</i>	
			<i>Asabellides lineata</i>	
			<i>Pseudoamphicteis</i> sp.	
			<i>Hobsonia florida</i>	
			Arabellidae	
			Arenicolidae	
			<i>Abarenicola pacifica</i>	
			Autolytinae	
			Capitellidae	
			<i>Barantolla nr americana</i>	
			<i>Capitella capitata</i>	
			<i>Heteromastus filiformis</i>	
			<i>Heteromastus filobranchus</i>	
			<i>Heteromastus</i> sp.	
			<i>Mediomastus</i> sp.	
			<i>Notomastus hemipodus</i>	

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
				<i>Nodomastus</i> sp.
			Chaetopteridae	
				<i>Mesochaetopterus taylori</i>
				<i>Phyllochaetopterus prolifica</i>
				<i>Spiochaetopterus pottsii</i>
			Chrysopetalidae	
				<i>Paleanotus bellis</i>
			Cirratulidae	
				<i>Aphelochaeta</i> sp.
				<i>Aphelochaeta cf glandaria</i>
				<i>Aphelochaeta monilaris</i>
				<i>Cauleriella pacifica</i>
				<i>Chaetozone acuta</i>
				<i>Chaetozone setosa</i>
				<i>Chaetozone nr setosa</i>
				<i>Chaetozone</i> sp. N1
				<i>Chaetozone</i> sp.
				<i>Cirratulus</i> sp.
				<i>Monticellina secunda</i>
				<i>Monticellina serratiseta</i>
				<i>Monticellina</i> sp.
				<i>Tharyx multifilis</i>
			Cossuridae	
				<i>Cossura</i> sp.
				<i>Cossura pygodactylata</i>
			Dorvilleidae	
				<i>Dorvillea (Schistomeringos) annulata</i>
				<i>Protodorvillea gracilis</i>
			Eunicidae	
			Glyceridae	
				<i>Glycera americana</i>
				<i>Glycera nana</i>
				<i>Glycera capitata</i>
			Goniadidae	
				<i>Glycinde armigera</i>
				<i>Glycinde picta</i>
				<i>Glycinde polygnatha</i>
				<i>Goniada</i> sp.
				<i>Goniada maculate</i>
			Hesionidae	
				<i>Micropodarke dubia</i>
				<i>Ophiodromus pugettensis</i>
				<i>Podarkeopsis glabra</i>
			Lumbrineridae	
				<i>Lumbrineris californiensis</i>
				<i>Lumbrineris luti</i>
				<i>Scoletoma luti</i>
			Maldanidae	

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
				<i>Euclymene zonalis</i>
				<i>Euclymeninae</i> sp.
				<i>Praxillella gracilis</i>
				<i>Rhodine bitorquata</i>
			Nephtyidae	
				<i>Nephtys</i> sp.
				<i>Nephtys cornuta</i>
				<i>Nephtys ferruginea</i>
			Nereidae	
				<i>Neanthes limnicola</i>
				<i>Neanthes</i> sp.
				<i>Nereis procera</i>
				<i>Nereis vexillosa</i>
				<i>Nereis</i> sp.
				<i>Platyeris bicanaliculata</i>
			Onuphidae	
				<i>Onuphis iridescens</i>
			Opheliidae	
				<i>Ammotrypane</i> sp.
				<i>Ammotrypane aulogaster</i>
				<i>Armandia brevis</i>
				<i>Ophelina acuminata</i>
			Orbiniidae	
				<i>Leitoscoloplos pugettensis</i>
				<i>Levinsenia gracilis</i>
				<i>Phylo felix</i>
				<i>Scoloplos acmeceps</i>
				<i>Scoloplos</i> sp.
			Paraonidae	
				<i>Aricidea lopezi</i>
			Pectinariidae	
				<i>Pectinaria californiensis</i>
				<i>Pectinaria granulata</i>
			Pholoidae	
				<i>Pholoides asperus</i>
			Phyllodocidae	
				<i>Anaitides</i> sp.
				<i>Eteone californica</i>
				<i>Eteone longa</i>
				<i>Eteone spilotus</i>
				<i>Eteone</i> sp.
				<i>Eumida longicornuta</i>
				<i>Phyllodoce groenlandica</i>
				<i>Phyllodoce hartmanae</i>
				<i>Phyllodoce longipes</i>
				<i>Phyllodoce</i> sp.
			Pilargiidae	
				<i>Pilargus maculata</i>

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
			Polynoidae	
				<i>Gatjana treadwelli</i>
				<i>Harmothoe imbricata</i>
				<i>Harmothoe sp.</i>
				<i>Malmgreniella macginitiei</i>
				<i>Malmgreniella sp.</i>
				<i>Tenonia priops</i>
			Sabellariidae	
				<i>Neosabellaria cementarium</i>
			Sabellidae	
				<i>Sabella sp.</i>
				<i>Manayunkia aestuarina</i>
				<i>Euchone incolor</i>
				<i>Euchone limnicola</i>
				<i>Fabricia pacifica</i>
				<i>Fabricia sp.</i>
			Sigalionidae	
				<i>Pholoe minuta</i>
				<i>Pholoe sp. N1</i>
				<i>Pholoe sp.</i>
				<i>Sthenelais berkeleyi</i>
			Sphaerodoridae	
				<i>Sphaerodoropsis sphaerulifer</i>
			Spionidae	
				<i>Dipolydora caulleryi</i>
				<i>Dipolydora socialis</i>
				<i>Dipolydora sp.</i>
				<i>Laonice sp.</i>
				<i>Polydora uncata</i>
				<i>Polydora cornuta</i>
				<i>Polydora cardilia</i>
				<i>Polydora quadrilobata</i>
				<i>Polydora sp.</i>
				<i>Prionospio lighti</i>
				<i>Prionospio multibranchiata</i>
				<i>Prionospio steenstrupi</i>
				<i>Prionospio sp.</i>
				<i>Prionospio jubata</i>
				<i>Paraprionospio pinnata</i>
				<i>Pseudopolydora kempii japonica</i>
				<i>Pseudopolydora kempii</i>
				<i>Pseudopolydora paucibranchiata</i>
				<i>Pygospio elegans</i>
				<i>Pygospio sp.</i>
				<i>Spio filicornis</i>
				<i>Spiophanes berkeleyorum</i>
			Syllidae	
				<i>Exogone lourei</i>

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
				<i>Exogone molestra</i>
				<i>Sphaerosyllis ranunculus</i>
				<i>Typosyllis cornuta</i>
				<i>Typosyllis heterochaeta</i>
				<i>Typosyllis hyperioni</i>
			Terebellidae	
				<i>Amphitrite cirrata</i>
				<i>Artacama coniferi</i>
				<i>Eupolymnia heterobranchia</i>
				<i>Lanassa venusta</i>
				<i>Lanassa venusta venustai</i>
				<i>Pista nr brevibranchiata</i>
				<i>Polycirrus sp. 1</i>
				<i>Polycirrus sp.</i>
				<i>Streblosoma bairdi</i>
				<i>Terebellides californica</i>
				<i>Terebellides sp.</i>
			<b>Mollusca</b>	
			<b>Bivalvia</b>	
			Myoida	
			Hiatellidae	
				<i>Hiatella arctica</i>
			Cuspidariidae	
				<i>Cardiomya pectinata</i>
			Myidae	
				<i>Cryptomya californica</i>
				<i>Mya arenaria</i>
			Mytiloidea	
			Mytilidae	
				<i>Megacrenella Columbiana</i>
				<i>Modiolus modiolus</i>
				<i>Mytilus edulis</i>
				<i>Mytilus sp.</i>
				<i>Solamen columbianum</i>
			Nuculoidea	
			Nuculidae	
				<i>Ennucula tenuis</i>
				<i>Nucula tenuis</i>
			Nuculanidae	
				<i>Nuculana minuta</i>

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
		Ostreoida		
			Anomiidae	
				<i>Pododesmus cepio</i>
				<i>Pododesmus macrochisma</i>
		Pectinidae		
				<i>Chlamys hastata</i>
		Pholadomyoidea		
			Lyonsiidae	
				<i>Lyonsia californica</i>
		Pandoridae		
				<i>Pandora filosa</i>
				<i>Pandora sp.</i>
		Thraciidae		
				<i>Thracia trapezoides</i>
		Veneroidea		
			Cardiidae	
				<i>Clinocardium sp.</i>
				<i>Clinocardium nuttali</i>
			Kelliidae	
				<i>Odontogena borealis</i>
			Lasaeidae	
				<i>Rochefortia tumida</i>
			Lucinidae	
				<i>Lucinoma acutlineata</i>
				<i>Lucinoma annulatum</i>
				<i>Parvilucina tenuisculpta</i>
			Mactridae	
				<i>Simomactra falcata</i>
			Montacutidae	
				<i>Mysella tumida</i>
				<i>Mysella sp.</i>
			Semelidae	
				<i>Semele rubropicta</i>
			Solenidae	
				<i>Solen sicarius</i>
			Tellinidae	
				<i>Macoma balthica</i>
				<i>Macoma carlottensis</i>
				<i>Macoma elimata</i>
				<i>Macoma expansa</i>
				<i>Macoma golikovi</i>
				<i>Macoma incongrua</i>
				<i>Macoma inquinata</i>
				<i>Macoma nasuta</i>
				<i>Macoma yoldiformis</i>
				<i>Macoma sp.</i>
				<i>Tellina modesta</i>
				<i>Tellina sp.</i>

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
			Thyasiridae	
				<i>Axinopsida serricata</i>
				<i>Thyrasira flexuosa</i>
			Veneridae	
				<i>Compsomyax subdiaphana</i>
				<i>Nutricula lordi</i>
				<i>Protothaca staminea</i>
				<i>Psephidia lordii</i>
				<i>Saxidomus giganteus</i>
				<i>Transennella tantilla</i>
			<b>Gastropoda (snails)</b>	
			Heterostropha	
				Pyramidellidae
				<i>Turbonilla sp.</i>
			Mesogastropoda	
				Epitoniidae
				<i>Epitonium sp.</i>
				Melanellidae
				<i>Melanella sp.</i>
				Rissoidea
				<i>Alvania compacta</i>
				<i>Barleeia sp.</i>
				Turritellidae
				<i>Tachyrhynchus sp.</i>
			Neogastropoda	
				Nassariidae
				<i>Nassarius mendicus</i>
				<i>Nassarius sp.</i>
				Columbellidae
				<i>Alia carinata</i>
				<i>Mitrella gouldii</i> alias <i>Astyris gausapata</i>
				<i>Nitidella gouldi</i>
				Conidae
				<i>Kurtzia arteaga</i>
				Muricidae
				<i>Nucella lamellosa</i>
				Olividae
				<i>Olivella baetica</i>
			Neotaenioglossa	
				Eulimidae
				<i>Polygireulima rutila</i>
				Littorinidae
				<i>Lacuna vincta</i>
				Naticidae
				<i>Polinices lewisii</i>
			Systemommatopora	
				Onchidiidae

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
				<i>Onchidella</i> sp.
			Opisthobranchia (subclass)	
			Cylichnidae	
				<i>Cylichna attonsa</i>
			Pyramidellidae	
				<i>Odostomia</i> sp.
			Nudibranchia	
			Aeolidacea	
			Arminidae	
				<i>Armina californica</i>
			Cephalaspidea	
			Gastropteridae	
				<i>Gastropteron pacificum</i>
			Doridiidae	
				<i>Melanochlamys diomedea</i>
			Pteropoda	
			<b>Aplacaphora</b>	
			Chaetodermatidae	
				<i>Chaetoderma</i> sp.
			<b>Arthropoda</b>	
			<b>Arachnida</b>	
			Acari	
				Halacaridae
			<b>Crustacea</b>	
			Amphipoda	
			Protellidae	
				<i>Tritella pilimana</i>
			Pleustidae	
				<i>Incisocalliope</i> sp.
				<i>Eochelidium miraculum</i>
				<i>Eochelidium</i> sp.
				<i>Chromopleustes oculatus</i>
			Aoridae	
				<i>Aoroides inermis</i>
				<i>Aoroides</i> sp.
				<i>Grandierella japonica</i>
			Ampeliscidae	
				<i>Byblis millsii</i>
			Ampithoidae	
				<i>Ampithoe lacertosa</i>
				<i>Ampithoe valida</i>
				<i>Ampithoe</i> sp.
			Anisogammaridae	
				<i>Eogammarus confervicolus</i>
				<i>Anisogammarus confervicolus</i>
				<i>Anisogammarus pugettensis</i>
				<i>Anisogammarus</i> sp.
			Caprellidae	

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
			Corophiidae	
				<i>Corophium acherrusicum</i>
				<i>Corophium salmonis</i>
				<i>Corophium spinicorne</i>
				<i>Corophium insidiosum</i>
				<i>Corophium</i> sp.
			Eusiridae	
				<i>Paramoera</i> sp.
			Isaeidae	
				<i>Photis brevipes</i>
				<i>Photis</i> sp.
			Ischyroceridae	
				<i>Protomeдея prudens</i>
				<i>Protomeдея</i> sp.
			Lysianassidae	
				<i>Hippomedon caecus</i>
				<i>Orchomene decipiens</i>
			Melitidae	
				<i>Desdimelita desdichada</i>
				<i>Melita desdichada</i>
				<i>Melita</i> sp.
			Oedicerotidae	
				<i>Americhelidium shoemakeri</i>
				<i>Monoculoides</i> sp.
				<i>Westwoodilla caecula</i>
			Podoceridae	
				<i>Dyopedos</i> sp.
			Cladocera	
			Podonidae	
				<i>Podon leuckarti</i>
			Euphausiacea	
			Euphausid	
			Isopoda	
			Idoteidae	
				<i>Idotea</i> sp.
			Paramunnidae	
				<i>Munnogonium</i> sp.
				<i>Munnogonium tillerae</i>
			Pleurogoniidae	
				<i>Pleurogonium rubricundum</i>
			Sphaeromatidae	
				<i>Gnorimosphaeroma insulare</i>
				<i>Gnorimosphaeroma oregonesis</i>
			Epicaridea	
			Cumacea	
			Diastylidae	
				<i>Diastylis santamariensis</i>
			Lampropidae	

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
				<i>Lamprops quadriplicata</i>
			Nannastacidae	
				<i>Cumella vulgaris</i>
			Leuconidae	
				<i>Eudorella pacifica</i>
				<i>Nippoleucon hinumensis</i>
			Tanaidacea	
			Leptocheliidae	
				<i>Leptochelia</i> sp.
				<i>Leptochelia dubia</i>
				<i>Leptochelia savignyi</i>
			Tanaidae	
				<i>Sinelobus stanfordi</i>
				<i>Tanais</i> sp.
			Mysidacea	
			Mysidae	
				<i>Neomysis mercedis</i>
				<i>Alienacanthomysis macropsis</i>
			Decapoda	
			Cancridae	
				<i>Cancer gracilis</i>
				<i>Cancer magister</i>
				<i>Cancer oregonensis</i>
				<i>Cancer productus</i>
			Callianassidae	
				<i>Neotrypaea</i> sp.
			Crangonidae	
				<i>Crangon</i> sp.
				<i>Crangon alaskensis</i>
				<i>Crangon franciscorum</i>
				<i>Mesocrangon munitella</i>
			Epiplatidae	
				<i>Pugettia producta</i>
			Hippolytidae	
				<i>Eualus pusiolus</i>
				<i>Eualus</i> sp.
				<i>Spirontocaris prionata</i>
			Paguridae	
				<i>Elassochirus</i> sp.
				<i>Paragus caurinus</i>
				<i>Paragus</i> sp.
			Pandalidae	
				<i>Pandalus danae</i>
			Panopeidae	
				<i>Lophopanopeus bellus</i>
			Pinnotheridae	
				<i>Pinnixa schmitti</i>
				<i>Pinnixa</i> sp.

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
			Pisidae	
				<i>Loxorhynchus crispatus</i>
			Thoracica	
			Balanomorpha (suborder)	
			Balanidae	
				<i>Balanus crenatus</i>
				<i>Balanus</i> sp.
			Copepoda (subclass)	
			Harpacticoida	
			Ancorabolidae	
			Ameiridae	
				<i>Ameira</i> sp.
				<i>Nitocra</i> sp. A
				<i>Nitocra</i> sp.
			Canthocamptidae	
				<i>Leimia vaga</i>
				<i>Cletocamptus</i> sp.
				<i>Mesochra</i> sp.
				<i>Mesochra rapines</i>
			Canuellidae	
				<i>Coullana canadensis</i>
			Cletodidae	
				<i>Acrenhydrosoma</i> sp.
				<i>Enhydrosoma</i> sp.
			Cylindropsyllidae	
			Darcythompsoniidae	
			Diosaccidae	
				<i>Amphiascopsis cinctus</i>
				<i>Amphiascopsis</i> sp.
				<i>Amphiascoides</i> sp.
				<i>Amonardia perturbata</i>
				<i>Amonardia normani</i>
				<i>Diosaccus</i> sp.
				<i>Diosaccus spinatus</i>
				<i>Bulbamphiascus</i> sp.
				<i>Robertsonia</i> sp.
				<i>Typhlamphiascus pectinifer</i>
				<i>Typhlamphiascus</i> sp.
				<i>Stenhelia asetosa</i>
				<i>Stenhelia peniculata</i>
				<i>Stenhelia</i> sp.
				<i>Schizopera knabi</i>
				<i>Schizopera</i> sp.
			Ectinosomatidae	
				<i>Pseudobradya</i> sp.
			Harpacticidae	
				<i>Harpacticus uniremis</i>
				<i>Harpacticus</i> sp.

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
				<i>Harpacticus compressus</i>
				<i>Harpacticus obscurus</i>
				<i>Harpacticus spinulosus</i>
				<i>Harpacticus arcticus</i>
				<i>Zaus</i> sp.
			Huntemanniidea	
				<i>Nannopus palustris</i>
				<i>Huntemannia jadenis</i>
			Laophontidae	
				<i>Heterolaophonte discophora</i>
				<i>Heterolaophonte longisetigera</i>
				<i>Heterolaophonte hamondi</i>
				<i>Laophonte</i> sp.
				<i>Laophonte cornuta</i>
				<i>Laophonte elongata</i>
				<i>Echinolaophontes</i> sp.
				<i>Onychocamptus mohammed</i>
				<i>Paralaophonte</i> sp.
				<i>Paralaophonte pacifica</i>
				<i>Paralaophonte perplexa</i>
				<i>Pseudonychocamptus</i> sp.
			Longipediidae	
				<i>Longipedia</i> sp.
			Normanellidae	
				<i>Normanella</i> sp.
			Orthopsyllidae	
				<i>Orthopsyllus illgi</i>
			Paramesochridae	
				<i>Apodopsyllus</i> sp.
			Parastenheliidae	
				<i>Parastenhelia hornelli</i>
				<i>Parastenhelia spinosa</i>
			Peltidiidae	
			Tachidiidae	
				<i>Microarthridion littorale</i>
				<i>Tachidius disciples</i>
				<i>Tachidius triangularis</i>
			Tegastidae	
			Thalestridae	
				<i>Dactylopodia crassipes</i>
				<i>Dactylopodia vulgaris</i>
				<i>Dactylopodia tisboides</i>
				<i>Dactylopodia paratisboides</i>
				<i>Dactylopodia glacialis</i>
				<i>Diarthrodes</i> sp.
				<i>Idomene</i> sp.
				<i>Paradactylopodia</i> sp.
				<i>Parathalestris</i> sp.

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
				<i>Rhynchothalestris helgolandica</i>
			Tisbidae	
				<i>Scutellidium</i> sp.
				<i>Tisbe</i> sp.
			Cyclopoida	
			Cyclopoidae	
				<i>Halicyclops</i> sp.
			Oithonidae	
				<i>Oithona similis</i>
				<i>Oithona longirastris</i>
			Calanoida	
			Temoridae	
				<i>Eurytemora</i> sp.
				<i>Eurytemora americana</i>
			Centropagidae	
				<i>Centropages abdominalis</i>
			Pseudodiaptomidae	
				<i>Pseudodiaptomus marinus</i>
			Stephidae	
				<i>Stephos</i> sp.
			Calanidae	
				<i>Calanus</i> sp.
			Paracalanidae	
				<i>Paracalanidae</i> sp.
			Clausocalanidae	
				<i>Microcalanus</i> sp.
				<i>Pseudocalanus</i> sp.
			Acartiidae	
				<i>Acartia</i> sp.
				<i>Acartia longiremis</i>
			Poecilostomatoida	
			Corycaeidae	
				<i>Corycaeus anglicus</i>
			Clausidiidae	
				<i>Hemicyclops</i> sp.
			Ergasilidae	
			Oncaeidae	
				<i>Oncaea</i> sp.
			<b>Ostracoda</b>	
			Myodocopida	
			Cylindroleberididae	
			Philomedidae	
				<i>Euphilomedes carcharodonta</i>
				<i>Euphilomedes producta</i>
			Podocopida	
			<b>Insecta (larvae)</b>	
			Acarina	
			Ceratopogonidae	

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
			Coleoptera	
			Diptera (pupa)	
			<i>Dolichopodidae</i> (larvae)	
			<i>Chironomidae</i> (larvae)	
			Empididae	
			Collembola	
			Trichoptera	
			Thysanoptera	
<b>Sipuncula</b>				
			Golfingiidae	
			<i>Thysanocardia nigra</i>	
<b>Bryozoa</b>				
			<u>Cheilostomata</u>	
			Bugulidae	
			<u>Hippothoidae</u>	
			<i>Celleporella hyalina</i>	
			<u>Ctenostomata</u>	
			<u>Alcyonidiidae</u>	
			<i>Alcyonidium</i> sp.	
			Pedicellinida	
			Pedicellinidae	
			<i>Barentsia benedeni</i>	
<b>Echinodermata</b>				
			Asteroidea	
			Spinulosida	
			Solasteridae	
			<i>Solaster stimpsoni</i>	
			Forcipulatida	
			Asteriidae	
			<i>Evasterias troschelii</i>	
			<i>Pycnopodia helianthoides</i>	

PHYLUM	CLASS	ORDER	FAMILY	GENUS AND SPECIES
				<i>Pisaster</i> sp.
				Luidiidae
				<i>Luidia</i> sp.
			Stelleroidea	
			Ophiurida	
			Amphiuridae	
			<i>Amphiodia</i> sp.	
			<i>Amphiodia digitata</i>	
			<i>Amphiodia (Amphispina) urtica</i>	
			<i>Amphipholis squamata</i>	
			Holothuroidea	
			Dendrochirotida	
			Cucumariidae	
			<i>Pentamera lissoplaca</i>	
			<i>Pentamera trachyplaca</i>	
			<i>Pentamera populifera</i>	
			<i>Pentamera</i> sp.	
<b>Cephalorhyncha</b>				
			Priapulida	
			Priapuloidae	
			<i>Priapulus caudatus</i>	
<b>Rhizopoda</b>				
			<b>Rhizopodea</b>	
			Foraminiferida	
<b>Rotifera</b>				

Sources: Bingham (1978); Leon (1980); Williams (1990); Cordell et al. (1996; Cordell et al. 1997); Taylor et al. (1999); Striplin Environmental Associates (1998); Woodward (2005)

## REFERENCES

Bingham CR. 1978. Aquatic disposal field investigations, Duwamish Waterway, disposal site Puget Sound, Washington. Appendix G: Benthic community structural changes resulting from dredged material disposal, Elliott Bay disposal site. Technical report D-77-24. U. S. Army Engineer Waterways Experiment Station, Vicksburg, MS.

Cordell JR, Tear LM, Simenstad CA, Hood WG. 1996. Duwamish river coastal America restoration and reference sites: Results from 1995 monitoring studies. Fish Research Institute, University of Washington, Seattle, WA.

Cordell JR, Tear LM, Jensen K, Luiting V. 1997. Duwamish river coastal America restoration and reference sites: Results from 1996 monitoring studies. Fisheries Research Institute, University of Washington, Seattle, WA.



- Leon H. 1980. Final Report: Terminal 107 environmental studies. Benthic community impact study for terminal 107 (Kellogg Island) and vicinity. Prepared for Port of Seattle Planning and Research Department. Pacific Rim Planners, Inc., Seattle, WA.
- SEA. 1998. Benthic infaunal communities in the vicinity of the Duwamish Diagonal combined sewer overflow. Final report. Prepared for King County Water Quality Division, Seattle, WA. Striplin Environmental Associates, Inc., Olympia, WA.
- Taylor WJ, Shreffler DK, Cordell JR. 1999. Duwamish East Waterway channel deepening project: alternative dredge disposal sites juvenile salmonid and epibenthic prey assessment. Technical report. Preliminary draft. Prepared for Port of Seattle. Taylor Associates, Seattle, WA.
- Williams MS. 1990. Port of Seattle Terminal 107 (Kellogg Island), biological assessment - 1989. Parametrix, Inc, Bellevue, WA.
- Windward. 2005. Lower Duwamish Waterway remedial investigation. Data report: Taxonomic identifications of benthic invertebrate communities. Prepared for Lower Duwamish Waterway Group. Windward Environmental LLC, Seattle, WA.