

Index

A

- abandoned mines, 13
- absorption, 87, 88, 195, 203, 205
- abutment contact slopes, 331
- abutment pads, 339
- accelerometers, 77
- acoustic
 - beams, 61
 - borehole imaging device, 61, 62
 - caliper, 75
 - energy, 57, 61, 91
 - energy (seismic waves), 57
 - imaging, 63, 64
 - imaging device, 64
 - logging, 19, 57, 58
 - logging devices, 57, 58
 - signal, 91
 - transducer, 74, 75
 - velocity devices, 61
 - velocity logger, 56
 - waves, 61
- active remote sensing, 90
- adjusting the blow control, 382
- adobe charge, 241, 264
- aerial photography, 85, 90, 92, 198
- aggregate, 184, 188, 203, 207, 240, 334, 335, 431
- air injection method, 166, 167
- air jetting, 332
- air/water jet, 348
- air-powered venturi pipe, 348
- alkali sensitive aggregates, reactive, 334, 335
- alteration of minerals, 195
- alternate delays, 233
- aluminum foil wrapping, 415
- American Society of Testing and Materials, 353
- amplitude-modulated devices, 58
- ANFO (ammonium nitrate/fuel oil mixture), 226
- angled cut, 239, 243, 244, 245, 247, 249

FIELD MANUAL

- angular-shaped rocks nested together, 189
- anti-spoofing, 442, 446, 447
- aperture, 67, 73
- apparent
 - attenuation, 66
 - resistance, 42
 - resistivity, 9, 45
- appraisal stage investigations, 435
- aquaclude delineation, 11
- aquifer, 2, 11, 108, 111, 115, 116, 166, 168, 171-173, 306, 308, 309,
- aquifer tests, 111, 116, 306, 309
- archaeological investigations, 14, 18, 19
- arch dam sites, 339, 340
- arching, 321
- arrival times, 31, 55, 60, 64, 66
- artesian conditions, 304, 313, 363
- artificial abutment, 340
- ASTM D 1586, 377
- ASTM D-5778, 397
- ASTM D 3550, 353
- atmospheric delay, 444-446
- atmospheric spectral features, 88
- automated spooling winch, 383
- automated water level monitoring system, 317
- automatic data logger, 167
- automatic hammer, 371, 373, 380, 382, 383, 385, 387
- axial dipole array, 11

B

- backfill concrete, 340, 342, 343, 347
- backflow, 104
- background potentials, 15, 16
- backhoe, 183, 348
- ball check housing, 364

INDEX

- bar magnet, 17
- Barite, 363
- barring, 332, 348
- basement complex, 17
- basket type catcher, 378
- Becker Drills, Ltd. model AP-1000, 389
- Becker Penetration Test (BPT), 351
- bedding, riprap, 183, 190, 195
- bedding planes, 114, 210, 215, 254, 325, 333
- bedrock
 - delineation studies, 11
 - depths, 18
 - topography, 14
- Begemann friction cones, 395
- bench blasting, 219, 227, 233
- bench floor, 217
- benches, 234, 235, 257, 298, 330
- bentonite, 315, 338, 361-363, 369
- BIPS analysis, 73
- blanket grouting, 329
- blast and processing testing, 199
- blast hole size, 218, 221, 223
- blast tests, 199
- blasthole cutoffs, 217
- blasting procedures, techniques, 192, 207, 209, 218, 233, 253, 254, 259, 261, 264, 325, 331
- blotting with soil, 348
- blow count rate, 371, 372
- blow counts, 111, 306, 371, 375, 383, 388, 391
- blowout, 302, 313
- boils, 302
- bond, 325, 326, 328, 329, 334
- bonding of fill to concrete, 335
- borehole
 - caliper log, surveys, 74
 - deviation, 75
 - diameter, 49, 52, 57, 61, 74

FIELD MANUAL

effects, 74
electric logs, 38
film camera probe, 73
film camera systems, 69
fluid, 38, 39, 42, 45, 52, 57, 61, 77, 78, 81
 acoustic velocity, 57
 temperature, 77
gravity log, 74, 78
gravity logger, meter, 78, 79, 80
imaging, 56, 61-63
 device, 56, 61, 62
 velocity devices, 56
mapping, 69
peculiarities, 38
permeabilities, 112
spacing (distance), 65
television systems, 69
temperature log, 74
wireline surveying, 37
bounce chamber, 390, 391
bounce-chamber pressure, 390, 391
bound water, 41
boundary definition of thick strata, 45
Bouwer slug test, 168
box cut, 239
brooming, 332, 336
buckling of smaller AW rods, 384
bulk and shear moduli, 60
bulk density, 49, 51-53, 78, 80, 290
 log, 52
bulk density/porosity logging methods, 80
bulk-loaded charges, 226
burden-to-charge diameter ratio, 211
buried
 channels, 5, 333
 manmade objects, 15
 metallic waste, 14

INDEX

pipelines, 14, 16, 18, 21
stream channels, 13
burning powder train, 237
bypass line, 361, 362, 365, 367

C

calcium chloride, 363
calculated permeability values, 100, 114
calibration
 chambers, 404
 for hole diameter, 52
 pits, 49
caliper, 52, 61, 74-76
caliper log, 52, 74
camera, 32, 67-73, 75, 85, 395, 413
canals (and distribution systems), 16, 431, 435, 437
canyon profile for a damsite, 344
capillary
 fringe, 115
 rise, 327
 system, 15, 16
 zone, 110, 175
CAPWAP, 392
carburizing, 377
care of samples, 431
cased boreholes, 37, 49, 50, 55
casing advancer method, 369
casing advancer systems, 385
cat head, 353
cathodic protection, 1, 10, 11, 21
cavities, 15, 56, 62, 63, 66, 67, 69, 210, 211, 302,
 330, 332
cement, 77, 96, 184, 206, 321, 325, 334, 335, 348
cementation, 66, 74, 176, 195, 204, 206
centrifugal mixer, 335

FIELD MANUAL

- channels, 5, 13, 84, 87, 188, 325, 330, 333, 448
- channels in rock surfaces, 325
- cheese cloth, 415-417
- chemical and biologic
 - content of water, 316
 - quality of water discharged, 312
- chemical concentration cells, 15
- Cherenkov
 - light, 55
 - photons, 55
- chronology of dewatering, 319
- claims, 306, 312, 433, 436, 437
- clay plug, 257
- cleanout bit, 359
- cleanup procedures, 332
- clock errors, 440, 444, 445, 457, 458, 460
- closed-end diesel pile hammer, 390
- CME automatic hammer, 382
- coefficient of storage, 108
- cofferdams, 303, 304
- cold protection, 412
- collar distance, 222, 228-231, 271
- color of the borehole wall, 67
- commercial
 - quarry or pit deposits, 201
 - sources, 196
- compaction, 66, 140, 153, 321, 322, 326-329, 336, 337, 348, 389, 417
 - techniques, 329
- compass/clinometer, 68, 71
- compressed air or water cleaning (air jetting), 323, 332
- compression fracturing of core, 409
- compression packers, 118
- compressional
 - energy, 57
 - (P) wave velocity, 5
 - wave oscillations, 57

INDEX

- wave velocities, 3, 5, 61
- waves, 5, 6, 57
- concrete, 66, 67, 69, 203, 207, 302, 313, 321, 323-325, 329-331, 333-343, 345-349, 351, 431
 - backfill, 342, 346
 - backfilled cutoff shafts, 346
 - cracking, 334, 335
 - grout caps, 323
 - joints, 69
 - modulus, 340
- conductive fluid in the borehole, 47
- conductivity, 13, 14, 32, 78, 107, 110, 132, 134, 146, 147, 317, 395
- cone tip resistance, 395
- connectivity, 96-98
- cone tip resistance, 395
- construction
 - specifications, 206, 306
 - traffic, 326
- contact log, 46
- contacts of rock or soil against concrete, 67
- contaminant plumes, 10, 14
- continuity of geologic strata, 38
- continuity of the bedding, 38
- continuous acoustic velocity (sonic) logger, 57
- continuously recorded hydrofracture/jacking test, 104
- contour blasting, 257
- contrasting lithologies, 63
- contractor compliance, 319
- contractual negotiations, 437
- control segment, 439, 446, 456-458, 460
- controlled blasting techniques, 233, 253, 254, 259, 325
- conventional flowmeters, 81
- conventionally excavated (drill-blast) tunnel, 106
- core
 - box, 411, 412, 413, 415, 416, 420-423, 434, 435, 437, 438

FIELD MANUAL

contact area, 336
contact criteria, 322
drilling, 199, 202
materials, 329, 338
storage facilities, 433
core/foundation contact, 326, 338
coring, 202, 377, 387
corner cut, 239
cornish cuts, 244
correlate strata, 41, 45, 48, 51
corrosion, 21, 302
CPT, 351, 358, 363, 387, 388, 395, 397-401, 403,
 405-407
crack potential, 321
cracks in the foundation, 325, 329, 335, 338
cross-hole
 geophones, 64
 seismic tomography, 66
 test(s), 64, 65
crowd-out plugged bit, 390
crown sheaves, 381, 382
crypto keys, 447
curing compound, 333, 335
curve shapes, 45
cushion blasting, 233, 259-262, 272-274
cushion holes, 261, 273
cushioning material, 416, 420
cutoff
 depths, 342, 346
 facilities, 303
 shafts, 342, 346
 trench(s), 322, 327
 wall, 323
cutoffs, 217, 235-237, 274, 299, 300
cylindrical and cube samples, 417-419

INDEX

D

- daily drill report, 423
- dam foundation, 95, 98, 106, 350
- dam height, 106
- damp sawdust, 419
- damsite foundation permeabilities, 96
- deck charge, 215, 230, 231
- deck of inert stemming material, 213
- deformation, 340-342, 345, 346, 357, 359
 - moduli, 340, 341, 345
- degree of compaction, 66
- delay
 - interval, 222
 - pattern, 210, 251, 252, 276
- delineating thin strata, 45
- densities of materials in the Earth, 18
- density
 - contrasts, 18, 19
 - logger, 49, 78
 - logging device, 51
- dental
 - concrete, 321, 324, 325, 330, 331, 333-338, 345
 - fillets, 334
 - treatment, 340, 341, 344-346
 - concrete, 341
 - work, 343, 347
- depth
 - of geologic materials, 38
 - of investigation, 11, 14, 47
 - of investigation for the microlog, 47
 - of penetration, 45
- design data, 304-306, 351, 431
 - collection program, 304
- Design Standards No. 13, Embankment Dams, 358
- detecting cavities, 15

FIELD MANUAL

- determination, 18, 41, 52, 119, 133, 191, 203, 408, 417
 - of lithologies from SP logs, 41
 - of physical properties, 38, 203
 - of the relationship between weight and size, 191
 - of volumetric water content, 52
- detonating cord, 236, 242, 255, 272, 274-277, 282, 284, connectors, 236
- deviation surveys, 6, 65, 288, 297
- dewatering, 96, 198, 299, 300, 302-306, 309, 312, 314-320
- design, 306
- facilities, 299, 304, 314-316
- wells, 306
- diesel pile-driving hammer, 387
- differential GPS (DGPS), 449
- differential
 - movement, 343, 347
 - settlement, 324, 330, 331
- digital processing, 84, 87
- dilution, 302, 444, 450, 451, 462
 - factor, 450
 - of precision (DOP), 444
- direct (non-refracted) arrivals, 64
- directional
 - detectors, 64
 - surveys, 74, 75
- discontinuity (discontinuities), 20, 56, 62, 63, 67, 69, 71, 190, 194-196, 200, 203, 204, 330, 340, 341, 345
- disk-type meter, 126, 141
- disks, 326, 418, 428
- disturbed zone, 106
- dispersive clays, 338
- dispersive
 - embankment materials, 327
 - material(s), 338
 - soil, 338
- dispersivity tests, 338

INDEX

- disposal guidelines, 431
disposing of samples, 432
ditches, 198, 299
double packers, 119
down-hole probe, 67, 69
drag force, 189
drainage trenches, 323
draining, 300, 302
surrounding surface water and groundwater, 302
drawdown with time, 308
draw cut, 243
drill hole deviation surveys, 6
drill jumbos, 244
drill rod energy ratio, 356, 379
drilling
 fluid loss, 67
 mud, 38, 39, 361, 362, 364, 372
 mudcake, 45
drive cap, 367
drive shoe, 153
driving friction, 392, 393
drop pipe, 162-165
drummy rock, 348
dry boreholes, 47
dual frequency receivers, 460
durability tests, 204, 205
durable rock types, 190
dynamic elastic properties of rock, 60
dynamites, 226, 227, 285, 294
D-6067, 397

E

- earthquake
 design analysis, 8
 liquefaction, 375

FIELD MANUAL

- Earth's magnetic field, 80
- effective porosity, 50, 56, 61, 108, 308
- effects
 - of bed thickness, 45
 - of mud cake, 52
 - of traffic, 9
 - on sensitive equipment, 9
- EHE, 452-454
- electric
 - log, 37, 38
 - log correlation, 38
 - sounder (M-scope), 315
- electrical
 - current, 9, 26, 32, 77, 292, 293
 - field, 9
 - properties, 2, 10, 11, 13, 37, 38
 - resistivity, 1, 2, 9-11, 13
 - surveys, 38, 45
- electrode(s), 9-11, 23, 33, 37, 41, 43-45, 47
 - array, 11, 13, 42, 45
 - spacing, 10, 11, 43, 45
- electrolyte, 16
- electromagnetic (EM)
 - conductivity, 13, 14
 - profiling surveys, 10, 13, 14
 - induction, 13
 - radiation, 84
 - spectrum, 84, 86
 - surveying, 13
 - wave propagation, 13
- electromagnetically induced telluric, 16
 - (large scale flow in the earth's crust) currents, 16
- electron density, 51, 445
- electro-filtration, 16
- electro-mechanical pulse, 57
- embankment, 183, 188, 321-329, 333, 338, 349, 350, 358

INDEX

- embankment layer (lift), 326
- embankment zones, 321
- energy
 - losses in rods, 379
 - transfer effects, 387
- energy/count plot, 55
- EPE, 453-455, 461
- erodible
 - foundation materials, 322
 - nonplastic materials, 338
- erosion, 90, 183, 291, 307, 329, 330, 338
 - channels, 330
- erosional history, 96
- erosive
 - action of water, 189
 - water forces, 191
- erosion-resistant plastic materials, 338
- ETE, 455, 456, 461
- evaluating
 - an existing source, 197
 - subsurface conditions, 197
- excavated slopes, 302, 312
- excavating, 192, 200, 266, 321-323, 338
- excavation, 96, 211, 213-215, 217, 220, 229, 253, 254, 257, 259, 260, 272, 280-282, 286, 289, 297, 299, 300, 302, 303, 307, 313, 323, 329-333, 339-343, 345, 347
- existing quarries, 197, 206
- expandable packers, 418, 426
- exploration program(s), 4, 17, 95, 99, 304, 306

F

- fabricated well screens, 118
- falling head test(s), 112, 118, 120, 162
- false-color infrared images, 85

FIELD MANUAL

- fault(s), 5, 23, 85, 96, 205, 210, 321, 330, 340-342, 344-347
 - investigations, 4
 - studies, 10, 14
- feasibility stage, 198, 200, 435
- feathering (edges), 334, 336, 337
- feathering of the earthfill lift, 337
- feeder canals, 437
- field
 - laboratory testing, 436
 - spectra, 88
 - spectrometer, 88
 - surface reconnaissance, 198
- fill material, 326, 328, 331
- fillet steep slopes, 325, 333
- film, 67, 69-73, 75, 83-85, 176, 412, 415, 417, 419, 427
- film-recording cameras, 67
- filter(s), 25, 85, 189, 322, 327-329, 331
 - criteria, 327
 - pack, 167
 - zone(s), 328, 338
- first lift, 326-328
- fishtail-type drag bit, 361
- flap valves, 368
- flooding, 302, 303
- flow in fractures, 103
- flow nets, 319, 342, 346
- flowing sands, 365
- flowmeter(s), 74, 81, 111
 - log, 74, 81
- fluff, 348
- fluid
 - content, 41, 53
 - density, 51, 78
 - flow, 81
 - temperature logging device, 77
 - velocity, 57

INDEX

- fluid-filled borehole, 57, 64
- fluxgate compass, 77
- focused
 - device, 47
 - logs, 45
- focused-current, or guard, resistivity device, 43, 45
- foliation, 195, 205, 210, 215, 217
- FOM, 454, 455
- forced cooling, 343, 347
- Foremost Mobile Drilling Company hammer, 383
- formation water resistivities, 41
- foundation
 - and abutment excavations, 342, 346
 - contact surfaces, 328
 - data, 305
 - depth, 303
 - materials, 322, 326, 327, 332, 334, 335
 - modulus, 340
 - strength, 351
 - studies, 4
 - surface, 321, 322, 326, 329-331, 336, 337, 344
- fracture(s), 60, 62, 74, 78, 81, 97, 98, 100, 103, 106, 107, 113, 114, 120, 137-139, 190, 192, 199, 207, 236, 239, 260, 303, 321, 330, 332
 - changes, 96
 - orientations, 98
 - zones, 66
- fracturing, 66, 98, 104, 115, 190, 205, 229, 231, 278, 321, 335, 370, 409
 - the fill, 335
- fragmentation, 9, 206, 209, 212-214, 218-222, 226, 227, 230, 232, 234-236, 239, 241, 242, 249, 250, 278
- free face, 209, 218, 219, 223, 225, 226, 231, 235, 239, 243, 246, 251, 273, 276, 278, 282, 287, 294, 297

FIELD MANUAL

freeze-thaw
 deterioration, 204
 durability testing, 204
 testing, 204, 205
freezing, 195, 204, 299, 339, 343, 382, 420-422, 424,
 426, 428, 434
French satellite, 89
frequency
 (number per foot of borehole) of discontinuities, 67
fresh water, 13, 39, 41
 sands, 41
friction
 loss, 105, 115
 ratio, Fr, 400
 sleeve, 397, 398
frozen rope, 382
fs, 171, 400
full column loading, 261
fully penetrating wells, 173

G

gabions, 189
gamma
 radiation, 49-52
 ray(s), 49, 50-52, 55, 61
gamma borehole, 111
 logging techniques, 37, 38, 47, 56, 78, 111
gamma ray
 count, 50, 52
 detector, 50, 55
 energy, 55
 logs, 50
gamma-gamma
 density log(s), 49, 50

INDEX

- density logger, 78
- logs, 51, 52
- gelatin dynamite, 263, 280
- geologic photogrammetry, 85
- geologic structure, 31, 60, 100, 114, 209, 238
- Geometric Dilution of Precision (GDOP), 444
- geometric distortions, 86
- geophones, 20, 27, 32, 34, 64
- geophysical
 - surveys, 1-3, 14, 16, 56
 - tomography, 66
- geotechnical
 - exploration, 37
 - investigations, 1-3, 5, 8, 15-18, 38, 48, 56, 351
- geothermal
 - applications, 16
 - areas, 16
 - exploration, 4, 13
 - investigations, 11
- glacial or alluvial deposits, 189
- Global Positioning System (GPS), 91, 439-450, 452-455, 457, 458, 460-463
- GPR, 14
- gradation requirements, 205, 206
- grading for riprap, 192
- grain density, 18, 51
- graphite, 15
- gravel
 - deposits, 10, 14
 - sumps, 348
- gravimeter, 26, 78
- gravity
 - anomalies, 18, 80
 - effect, 18
 - meter, 78, 79
 - meter density, 78

FIELD MANUAL

- permeability test, 112, 142, 147, 153, 157
- values, 80
- grizzly, 192
- ground
 - conditions, 95, 399
 - failure, 318
 - roll, 7, 34
 - support, 257, 300
 - surface electrode, 42
- groundwater
 - aquifers, 18
 - geophysics, 13
 - investigations, 11, 14
 - levels, 308, 312-315, 318
 - in excavations, 300, 313
 - maps, 198
 - monitoring, 313, 314
 - monitoring instrumentation, 313, 314
 - occurrence, 303
 - quality investigations, 55
 - withdrawal, 318
- ground-truth, 3
- grout
 - cap, 323
 - injection, 104, 114
 - nipples, 323
 - pipes, 335, 348
 - potential, 97
 - program, 95
 - travel, 98
- groutability, 95-98
- grouting, 19, 69, 95, 98, 99, 105, 106, 299, 300, 323, 329, 335
 - depth, 106
 - in rock, 300
 - in tunnels, 106

INDEX

operations, 19, 69
pressures, 98
guard arrays, 47
gyratory crushers, 194
gyroscope, 77
gyroscopic sensors, 77

H

hammer drop
 friction, 379
 height, 379, 382
hammer type, 379
hammers, 379
 (casing type) hammers, 379
hand
 cleaning, 348
 compaction, 328
 tamper(tampering), 328, 336
 tighten each joint, 384
Harder-Seed method, 390, 391, 393
harrows, 326
haul distance, 197, 198
hauling, 184, 205, 206, 208, 214, 220, 222, 223
HAV-180 rig, 391
hazardous materials (chemicals), 14, 275, 304, 315, 424
hazardous waste studies (investigations), 10, 14, 17,
 431
HDOP, 444, 450-453, 457
headache ball, 241, 276
heading round, 243, 246, 248, 291
heat pulse flowmeter, 81
heavy grain detonating cord, 255
high resolution seismic reflection, 5
high-energy neutrinos, 55
high-frequency acoustic energy, 61

FIELD MANUAL

- hole wandering, 234
- hollow
 - AW drill rod, 381
 - guide rod safety hammer, 381
- hollow-stem, 356, 359, 360, 364-366, 372
 - augers (HSAs), 364, 365, 377, 385
- horizontal
 - displacement, 318
 - permeability, 111, 174
 - plane, 71, 452, 453
- hydraulic
 - conductivity, 107
 - excavator, 323, 348
 - fracturing, 321, 370
 - models, 98
 - wedging device, 241
- hydrofracture tests, 104
- hydrofractured rock, 100
- hydrofracturing, 98, 100, 104, 114
- hydrogen atoms (nuclei), 52
- hydrologic studies, 50
- hyperspectral data, 88
- hydrographs, 309, 319

I

- igneous rock, 194
- Ilmenite additives, 363
- Imhoff cone, 316
- impact anvil, 356, 371, 379
- impeller-type meter, 126, 141
- impervious materials, 322
- impervious zone(s), 323, 324, 331, 336, 356
 - foundation contact, 323
- inclined core, 321
- inclinometer, 398

INDEX

inert stemming materials, 213
infiltration, 307
inflatable (straddle) packers, 118, 119, 162
initial lift, 328, 337
inspection control, 206, 207
investigations during the design stage, 199
ionosphere, 445, 446, 460
irregular rock surfaces, 328

J

jacking, 97, 98, 100, 104, 114, 127, 335, 397, 399
tests, 100
jetting and driving, 147
joint
mortar, 325
sets, 210, 214, 340

K

kerf, 246, 247, 282

L

Landsat, 83, 89, 90
lateral, 1, 10, 13, 16, 24, 43-45, 47, 303, 308
array (resistivity), 43, 44
array spacing, 43
device(s), 43, 45
logs, 45
lava tubes, 302
layer velocities, 4
leakage paths, 16
leather cups, 118
left-hand polarized, 449

FIELD MANUAL

- lifts, 328, 329, 336-338, 343, 347
- lime, 328, 338, 339
- line drilling, 254, 255, 257, 272, 282, 325
- linear features, 63
- lining design, 96
- liquefaction, 351, 356, 358, 359, 362, 375-378, 381, 383, 385, 388, 389, 394, 406-408
- evaluation(s), 351, 362, 376, 378, 381, 389, 406
- resistance, 356, 389, 406-408
- resistance evaluations, 356
- triggering, 406
- lithologic contacts, 60, 66
- lithology, 38, 39, 41, 48, 53, 74, 96
- litigation, 312
- load cells, 397, 398
- local differential base station, 463
- location
 - map of the core and samples, 435
 - of drill hole core, 438
 - of stratigraphic contacts, 67
- logging tools, 37, 49, 55
- long-normal, 43, 45
- loss of fines, 303
- low
 - permeabilities, 108, 302
 - plasticity, 338, 339
- low-alkali cement, 334, 335
- Lugeon value, 100

M

- machine stripping, 348
- machine-bored tunnel, 106
- magnetic
 - features, 17
 - log, 74, 80

INDEX

- materials, 17, 28
- north, 62
- surveys, 2, 13, 17, 18
- susceptibility, 80
- material properties for static and dynamic stress analysis, 65
- mechanical
 - breakdown, 195
 - calipers, 74, 75
 - penetrometers, 395
- metal expandable packers, 418
- methods for obtaining size and weight data, 191
- Michigan cuts, 244
- microlod, 46, 47
 - electrode spacings, 47
 - sonde, 47
 - survey, 47
- microsurvey, 46
- microwave bands, 84
- military GPS, 462
- millisecond delays, 235, 250
- mineral
 - composition, 38
 - deposits, 15, 16
 - exploration, 13, 17
 - textures, 67
- mineralogy, 38, 192, 194, 204, 405
- minilog, 47
- model input parameters, 99
- monitoring
 - during construction, 313
 - leakage, 17
 - of water control parameters, 312
 - well design, 317
 - wells, 116, 315, 317
- mortar, 295, 325, 335, 336, 338, 344
- movement by water, 189

FIELD MANUAL

- ms delays, 232, 233, 236
- MSS, 86, 89
- mud cake, 47, 52
- mud pumps, 121
- mud slab, 333
- mudcap, 241
- multiple
 - aquifers, 107
 - electrode arrays, 42, 43
 - pressure tests, 127, 136, 137
- multiple-arm calipers, 74
- multiple-electrode resistivity
 - arrays, 45
 - sonde, 38
- multispectral photographs, 85
- multi-beam sonar, 91
- multi-beam systems, 91
- muon, 55

N

- N value, 356, 364, 370, 371, 374, 375, 378, 379, 381, 385
- NAD27, 463
- NAD83, 463
- natural color images, 85
- natural electrical potential, 15
- natural gamma
 - log, 53
 - logger, 49
 - radiation, 49, 50, 52
 - ray detector, 50
 - ray logging, 61
 - ray logs, 50
- natural potential, 15, 33

INDEX

- Navigation Satellite Time and Ranging
(NAVSTAR), 439
- near infrared wavelengths, 83
- near-infrared spectrum, 85
- neat cement grout, 335
- needle valves, 141
- negative subdrill, 229
- nephelometric turbidity units (NTU), 316
- neutron
- activation, 55
 - detectors, 52
 - devices (source), 49, 53, 55
 - log(s), 50, 52, 53
 - logger, 49
 - radiation, 52, 53
 - water content log, 49
- new quarry or pit investigation, 197
- Nk, 405
- nonconducting fluids, 47
- nondispersive earthfill (material), 327, 328, 338
- nonerodible embankment materials, 330
- normal
- array(s), 43, 44
 - devices, 43, 45
 - resistivity arrays, 43
 - spacing devices, 47
- NTU, 316
- nuclear borehole measurements, 49
- nuclear logs, 49, 55
- nuclear radiation logging
- systems, 49
 - tools, 49

FIELD MANUAL

O

- objectives of foundation surface treatment, 329
- observation well(s), 158, 160, 161, 172, 307, 308, 312, 314, 315, 317
- observed gravity, 18
- office responsible for the core or samples, 437
- oil exploration, 4, 7
- open discontinuities, 62, 67
- open holes, 37, 162
- open-ended diesel hammer, 390
- optical logging systems, 67
- optimum
 - drill hole orientations, 100
 - moisture content, 327, 328
- orange smoke, 264
- organic material, 322
- orientation of the drill hole relative to the fractures, 113
- outcrops, 198, 202
- overburden (depth), 98, 100, 114, 199, 202, 286, 321, 323, 358, 361, 375
- overexcavation, 331, 340
- overhangs, 323-325, 330, 331, 333, 334

P

- packer, 105, 110, 112, 113, 115, 116, 118-120, 126, 128, 130, 138, 164, 165, 309
- packer(s), 74, 105, 115, 118-120, 128, 130, 162, 164, 418, 426
- seal, 120
 - test(s), 110, 112, 113, 116, 309
- packing material, 189, 418, 421, 428
- pails, 417-419, 428
- panchromatic photography, 85
- parallel hole cuts, 243-245, 253
- partially penetrating wells, 173, 174

INDEX

- PDA measurement, 392
PDOP, 444, 445, 451, 452, 462
peeling, 348
penetration
 per blow, 375, 376
 resistance, 351, 356, 358, 385, 388, 397,
 400, 408
penetrometer, 387, 388, 395, 397, 399
 tip, 387, 388
perforated pipe, 140, 315
performance, 188, 319, 388, 392
 on existing structures, 189
performing gradations on the blasted product, 207
perimeter
 blasting, 257
 cracking, 253
 holes of a blast, 214
permafrost, 14
permanent
 labeling, 438
 markers, 437
permeabilities, 45, 95, 96, 99, 108, 111, 112, 114, 115,
 147, 302, 306, 307
permeabilities of strata, 45
permeability, 39, 95-100, 103, 105, 106, 107-119, 121,
 126, 128, 130, 131, 133, 136-139, 142-145,
 147-149, 153, 154, 157, 159-161, 163, 164, 166,
 168, 170, 171, 174, 177-179, 181, 182, 198, 300,
 302, 306-308, 316, 330, 331, 347, 403, 412, 417,
 419
 coefficients, 143
 of the soil, 306
test(s), 97, 112-116, 118, 121, 126, 128, 131, 138,
 139, 142, 145, 147, 149, 153, 154, 157, 159, 160,
 179, 306, 308

FIELD MANUAL

- permeable, 38, 39, 41, 47, 81, 96, 106, 120, 137, 138, 150, 164, 307, 347
 - path, 347
 - sand bed, 41
- permeameter, 115, 182
- pervious rock, 106
- petrographic examination, 203, 205
- petroleum
 - exploration, 1, 17, 18
 - traps, 18
- pH, 194, 317
- photographs, 69, 71, 83, 85, 198, 201, 227, 435, 437
- photography, 83, 85, 90, 92, 411, 414
 - frame, 414
- photomultiplier tubes, 55
- physical properties, 2, 37, 38, 81, 203, 205, 340, 356, 431
- piezoelectric transducer, 61
- piezometer(s), 178, 306-308, 314, 315, 362, 363
 - permeability test, 179
- pile-driving analyzer, 392
- pilot bit, 359, 364, 365, 367, 368, 370
 - cutting teeth, 368
 - seat, 368
- pipable material, 342
- pipelines, 16, 18, 21, 67, 295
- piping, 15, 105, 115, 327, 342, 346
- pit development, 199
- planar discontinuities, 63, 71
- plastic
 - bags, 298, 417, 419
 - material, 329
 - pails, 418, 428
- plasticity, 329, 337-339, 388, 415
- PLGR, 460-462
- PLGR+96 receivers, 460
- PMT, 55

INDEX

- pneumatic instruments, 315
- pneumatic-tire(d)
 - equipment, 328, 337
 - roller, 328, 329
- points of high stress concentration, 343, 347
- Poisson's ratio, 24
- polar regions, 17
- polymer-enhanced drill fluid, 361
- (poly)urethane foam, 416
- pore
 - fluid content, 41
 - spaces, 9
 - water, 41, 341, 346, 395, 399, 400, 403
 - water stress, 395, 399
 - dissipation measurements, 399
- porosity, 9, 18, 38, 45, 49-53, 56, 61, 66, 67, 78, 80, 107, 108, 117, 192, 194, 195, 300, 302, 308
- porous
 - media, 16
 - permeable zones, 47
 - tube, 315
- position dilution of precision (PDOP), 462
- positive ions, 16
- potassium isotope K40, 50
- potential electrodes, 11, 43-45
- power conduits, 437
- powerplants, 431, 433, 437
- powder factor, 211, 213, 237-239, 251, 283, 289
- PPS accuracy, 447
- precipitation, 300, 303, 308, 317
- Precise Position (Positioning) Service (PPS), 440, 446, 460
- preferred site frequencies, 8
- presentation of information, 184
- preshearing, 255, 289
- presplitting, 254-258, 261, 272, 274, 289

FIELD MANUAL

pressure
 transducer, 130, 131, 162, 167, 398
 versus flow curves, 100, 114
principal joint sets, 214
production blast, 256
progressive delays, 233, 234
propagation velocities, 57
protecting and shipping samples, 431
Protection against wetting and drying, 434
protective
 filters, 329
 outer box, 422
pseudorange, 444, 449
pseudo-random noise (PRN), 442
pump bypass line, 361
pumping caused by construction equipment travel, 327
pyramid cut, 243
pyrotechnic delay elements, 237
P- and S-wave energies, 57
P- and S-waves, 64
P-code, 440-442
P-wave, 56, 60, 66

R

R95, 453
radar
 interferometry, 90
 remote sensing, 90
radiation
 detector, 47
 logging device, 61
 logging systems, 49, 50
radioactive
 isotopes, 50

INDEX

- material, 53
 - source (material), 47, 49, 52
- ramping the fill, 329
- rapid freeze-thaw durability evaluation, 203
- real-time viewing, 67
- rebound, 336
- receiver measurement uncertainties, 457
- recharge conditions, 303
- record tests, 436
- rectangular pattern, 223
- reference electrode, 45
- reflectance spectra, 87
- reflected shock wave, 384
- refraction, 2-6, 21, 22, 25-28, 31-33, 35, 57, 64, 66, 201
- refusal rule, 375
- relationship between weight and size, 191
- relative
 - clay content, 49
 - density, 50, 226, 327, 357, 404, 417
- remote sensing, 83, 84, 89-93
 - interpretations, 83
- representative
 - permeabilities, 307
 - samples, 199, 202, 203, 205
- requirements
 - for length of storage, 436
 - for storage of core and samples, 432
- reservoir load, 344
- resistance
 - of a circuit, 41
 - of the conductor, 41
- resistivity, 1, 2, 9-11, 13, 32, 33, 38-48, 77, 395
 - deflection, 41
 - logs, 39, 43, 46, 77
 - measurements, 43
- revertible drilling fluids, 362
- RF Link signals, 439

FIELD MANUAL

- right-hand polarized, 449
- rippers, 330
- rippability, 4
- riprap, 183-189, 191, 192, 194-197, 199-208, 261, 263, 291, 298, 431
 - characteristics, 188
 - durability, 194
 - evaluation, production, and placement, 184
 - fragments, 189
 - quality, 188, 189, 199, 203
 - Quality Evaluation Report, 199, 203
 - quarries, 207
 - source(s), 184, 188, 189, 192, 194-196, 202
 - evaluation, 184
 - investigation, 195
- riser and hole diameter, 314
- rock
 - abutments, 328
 - breakage, 9, 200, 239
 - bucket, 192, 323
 - characteristics, 113, 184, 192
 - durability, 195
 - failure criterion, 204
 - foundation(s), 327, 328, 330, 339, 341, 344, 345, 350
 - surfaces, 328
 - fragments, 183, 187, 189, 190, 192, 195, 203, 204, 323, 330
 - mass
 - design parameters, 97, 114
 - permeability, 97, 98, 113, 114
 - quarries, 189, 194
 - rake, 192, 193
- rockfill dams, 331, 349, 350
- roller, 326, 328, 329, 337
 - passes, 328

INDEX

rotary

- casing advancers, 369
- drilling, 356, 361-363, 369, 385, 389

rounded stone assemblage, 189

rover data, 463

rubber-tired roller, 337

S

SA, 444, 447, 449, 458, 462

Safety Driver, 383

safety

- hammer, 353, 373, 374, 380-382, 385
- of dams analysis, 437

saline water, 15

salinity, 9, 38, 39, 41, 46

- of pore fluids, 46

salt water intrusion, 14

saltwater/fresh water interfaces, 13

sample

- data sheets, 431
- retention (criteria), 431, 434
- selection, 434
- size, 95, 99, 202

sampler

- shoe, 377
- tip, 368

sand

- heave, 362, 363

- pack, 110, 167, 317, 318

sanding in (sandlocked), 142, 356

sand-cement slurry, 335

satellite(s), 83, 89, 90, 215, 230, 231, 263, 317, 318, 439-452, 456-458, 460-463

- differential correction signal, 463

- vehicle position, 457

FIELD MANUAL

- saturated
 - low-strength materials, 304
 - materials, 7, 52, 110, 115
 - sand, 10, 53
- saturation, 38, 53, 66, 204, 325, 327
- sawdust, 416, 419, 427
- sawed kerf, 246, 247
- sawteeth, 330, 333
- scarification, 326, 328, 336, 337
- scarifying the lift surfaces, 329
- schistosity, 199, 205, 206, 210
- screen slot size, 317
- screening of wells, 322
- screens of water wells, 69
- sculpture blasting, 257
- sealing samples, 415
- secondary arrivals, 5
 - blasting, 214, 220, 229, 241, 242, 292
 - emission of neutrons and gamma rays, 52
 - fragmentation, 241, 242
 - fragmentation techniques, 241
- sediment content, 312, 316, 317
- seepage, 11, 16, 95-98, 148, 299, 304, 319, 321, 322, 347, 403
 - control, 96, 304, 322
 - evaluation, 95
- investigations, 11
- potential, 95, 98
- quantities, 96
- seeps, 302, 348, 349
- seismic
 - anomalies, 65
 - energy, 26, 28, 29, 35, 56, 66
 - pulse, 64
 - P-wave velocity, 66
 - refraction interpretation, 4
 - signal, 32, 66

INDEX

- source, 6, 64
- stability, 325
- surveys, 3, 14, 60
- tomography, 66
- velocities, 6, 56, 57, 60, 61, 64
- wave(s), 6, 25, 27, 30, 31, 32, 34, 57, 64, 288
 - velocities, 64
- Seisviewer, 61
- Selective Availability (SA), 444, 446, 447, 462
- selective quarrying, 196
- self-potential surveys, 2, 11, 15, 16
- sequential timers, 236
- service history of material produced, 202
- settlement during dewatering activities, 318
- settlement of claims, 437
- shaft sinking cut, 239
- shale baseline (line), 38, 39
- shape of individual rock fragments, 189
- shatter cuts, 244
- shaving, 348
- shear wave velocity (velocities), 2, 5, 6, 57, 61, 64, 358
- shear waves, 6, 57
- shell zones, 327
- shipping containers, 420-422, 429
- shop vac, 348
- short normal array, 44
- short rods, 384
- shotcrete, 336
- shotpoint depth, 65
- shrinkage, 338, 342, 343, 347
- Side Scan Sonar (SSS), 91
- side-looking airborne radar (SLAR), 90
- single
 - column charge, 237
 - frequency receivers, 460
 - packer, 110, 119
- single-beam systems, 92

FIELD MANUAL

- single-electrode array, 45
- single-point array, 43
- single-receiver devices, 57
- siting studies, 1, 4
- slab cut, 243
- slabbing, 259
- slake (slaking), 195, 323, 332, 333, 339, 343, 432
- slashing, 259
- slope
 - failure, 318
 - protection, 184, 187, 188
- sloughing, 139, 326
- slug tests, 112, 118, 166
- slush grout, 321, 325, 330, 335, 336, 338
 - mix, 335
- small-strain dynamic properties, 2
- smooth blasting, 233, 257-259, 272, 274, 294, 325, 331
- sodium sulfate soundness test, 204, 205
- soil
 - cement, 184
 - foundation compaction requirements, 327
 - infiltration data, 307
 - liquefaction criteria, 375
- solar flare(s) activity, 445, 460
- solid steel guide rod, 381
- solution
 - cavities, 56, 63, 66, 67, 210, 211, 302, 330
 - features, 60, 333
- sonde, 37, 38, 43, 45, 47, 49-53, 55-57, 61, 77
 - electrodes, 45
- sonic
 - energy, 56
 - vibrations, 9
- SP log (logging), 38, 41, 43, 50
- SP peak, 41
- space segment, 439

INDEX

- spacer
 - blocks, 423
 - ring, 371
- spacing-to-burden ratio, 232, 233
- spalling, 194, 343, 347
- special purpose electric logging devices, 46
- specific gravity (gravities), 18, 78, 191, 204, 294, 297
- spectral
 - analyses, 55
 - bands, 87, 88
 - data, 83, 84
 - logging sonde, 55
 - logs, 55
 - ranges, 83
 - resolution, 83, 84, 87, 89
 - signatures, 84
- spectrometers, 84
- spontaneous potential, 15, 33, 38, 41
- spoofing, 441, 442, 446, 447
 - environment, 447
- spray coating, 333
- spring suspension system, 422
- springs, 74, 302, 342, 346, 439
- square drill pattern, 223
- SSGS, 205
- SSSG, 191, 192, 204
- stability requirements, 342, 346
- staggered pattern, 223, 224, 295
- Standard Penetration Test (SPT), 351
- Standard Position Service, 446
- standard surveying methods, 318
- standing water, 328
- standpipe, 165, 315
- Stanley waves, 6
- static
 - pore water pressures, 395
 - water levels, 308

FIELD MANUAL

- Station Receiver, 449
- statistically significant sample size, 99
- steeply dipping plane, 71
- stemming, 213, 215, 222, 227-230, 239, 257, 260, 263, 271, 274, 295, 296, 298
- stemming column, 222
- stepped
 - pressure tests (step test), 100, 104, 114
 - surfaces, 321, 324, 331
- stereo imaging, 89
- storage, 107-109, 128, 142, 167, 168, 265, 266, 281, 283, 289, 295, 300, 307, 409, 410, 414, 415, 418, 420, 424, 427, 431-436, 438
- costs, 431
- facility, 432-434
- of core, 432, 434
- periods, 431
- storativity, 108, 307
- stove to melt wax, 427
- straddle packer, 164
- strain gauges, 397
- strata boundaries, 39, 41, 45
- stratum boundary resolution, 45
- stream gravel, 183
- stress
 - anomalies, 321
 - caused by placing earthfill, 335
 - concentrations, 324, 331, 340
 - relief, 96
- strike and dip of planar features (strikes and dips), 63, 73
- string loaded, 257
- stripping, 322, 325, 348
 - of pervious materials, 325
 - operations, 325
- structural concrete, 334, 336
- Su, 405

INDEX

- subdrilling requirements, 217
- subsurface cutoffs, 300
- subsurface
 - geologic conditions, 37, 195, 305
 - hydraulic conditions, 303, 305
 - layer resistivities, 38
 - materials, 2, 10, 11, 13, 48, 107, 112, 115
- suitable riprap source, 196
- sulfates, 334, 335
- sulfide, 15
- sump pumps, 315
- sumps, 299, 300, 322, 323, 348
- sunspots, 445
- supplementary dewatering, 300
- surface
 - and subsurface data, 305
 - cracks, 329, 335
 - in the foundation, 329
 - drains, 299
 - electrical surveys, 38, 45
 - saturated dry specific gravity (SSSG), 191
 - water, 299, 300, 302, 303, 307, 309, 312, 318
- wave(s), 5-8, 27, 34, 57, 60
 - surveying, 8
- survey control, 85, 318
- susceptibility logs, 80
- swelling rock, 103
- swivels, 126
- S-wave, 33, 57, 60, 64, 65
 - arrival, 64
 - cross-hole tests, 65
- Sy method, 390, 392, 393
- synthetic polymers, 362

FIELD MANUAL

T

- talus, 7, 194, 198, 202
 - piles, 198, 202
- TelevIEWER, 61
- tamped cartridges, 226, 255
- tamping (tamper)
 - feet, 326, 328, 329
 - plug, 257
 - roller(s), 326, 328, 329
 - roller feet, 328
- TDOP, 444, 451
- television cameras, 67
- temperature
 - changes, 426, 434
 - device, 77
 - logging, 77, 78
 - probe, 78
 - variations in the fluid, 77
- temporary
 - labeling, 438
 - storage, 433
- tension zones, 321
- tensioned mechanical arms, 74
- test
 - blasting (blasts), 207, 263, 267, 281, 286, 297
 - grout section, 105
 - pressure(s), 96, 100, 103, 104, 113, 114, 119
 - wells, 110, 133, 134, 306-308
- testing subsurface samples, 197
- TFOM, 455, 456
- theoretical overburden stress, 114
- thermal
 - infrared, 84, 86, 87, 90
 - systems, 86
 - wavelengths, 87
- properties of materials, 86

INDEX

- thermistor (thermal resistor), 77
thick-wall, 353
thickness of the riprap, 184
thrust blocks, 339
tight, impermeable rock, 106
timbers, 15
time-varying, low frequency, electromagnetic fields, 13
top of rock configuration, 19
topographic maps, 198, 463
total dissolved solids (TDS), 317
total porosity, 108
toxic waste studies, 11
tracer elements, 50
tracked equipment, 330
tracking, 424, 460, 461
transferring core, 432
trapped water, 41
travel times, 57
trial blasts, 263
triaxial arrays, 64
tricone
 bit, 370
 rockbit, 361
trimming, 259
troposphere, 445, 446, 461
true orientation (strike and dip), 67
true P- and S-wave velocities, 65
true velocities, 64
tunnel alignments, 95
tunnel delays, 250
tunnel studies, 96
tunnels, 67, 95, 98, 99, 106, 244, 273, 291, 431, 448
turbidity, 116, 315-317
turbulent flow, 103, 117, 127
two-dimensional (2-D) projection, 73

FIELD MANUAL

U

- UERE, 456, 457
- ultraviolet radiation, 445
- uncased boreholes, 51
- unconfined compression, 358, 405
- underground blast rounds, 243
- underwater surveys, 91
- undisturbed soil samples, 436
- undrained strength in clays, 358
- uniformity of rock, 195
- unsaturated conductivity coefficient, 132, 146
- unsuitable subgrade, 302
- unsupervised storage, 432
- unwatering (methods), 198, 299, 300, 302, 317
- uplift of constructed features, 302
- URA, 452, 458, 459
- USBR 7020, 397
- user
 - equipment (UE) errors, 456
 - Equivalent Range Error (URE), 456
 - Range Accuracy (URA), 452, 458
 - segment, 439, 440

V

- vacuuming, 348
- vadose zone, 112, 115, 306
- vane shear, 358, 405
 - testing, 405
- variable head tests, 170
- variations in fluids, 45
- VDOP, 444, 450-453, 457
- velocity
 - contrast, 11, 66
 - reversal, 5

INDEX

- vertical
 - electrical soundings, 11
 - hammer device, 64
 - surfaces, 330, 333, 334
- very high resolution mapping of near-surface geology, 15
- vibration
 - damage, 9
 - levels, 9, 332
 - protection, 412
- vibratory compactors (rollers), 326
- videotaped, 69
- vinylidene chloride, 415, 427
- visible spectrum, 85
- void ratio, 53
- vugs, 63, 78

W

- WAGE, 460
- wall
 - irregularity (irregularities), 52
 - of a borehole, 37
- washout zones, 74
- wastage, 196, 200, 201
- waste piles, 194
- water
 - action, 189, 205
 - content, 38, 46, 49, 52, 53, 358, 417
 - content (saturation), 38
 - by weight, 53
 - of strata, 46
 - control, 299, 303-306, 309, 312, 317, 319, 322, 347
 - data, 306, 309
 - facilities, 305, 306, 312, 319

FIELD MANUAL

- investigations, 305, 317
- methods, 322
- energy, 183
- gel columns, 255
- jetting, 332
- level monitoring instrumentation, 313
- meters, 126, 141
- quality, 166, 308, 309, 316-318, 334, 336
 - analyses, 308
- removal, 300, 348
- salinity, 38
- table, 7, 15, 119, 127, 130, 144, 148, 150, 155, 157, 158, 164, 175, 299, 303, 356, 358, 359, 365, 385
- take(s), 96, 103, 105, 113, 127, 136
- test(s), 98, 100, 105, 114
 - calculation, 97
 - data, 96, 106, 113
 - information, 97
 - pressure, 103
 - results, 96, 97, 103
- washing, 332
- watertight riser, 315
- wavelength range, 84
- wavy core surfaces, 409
- wax, 412, 415-419, 427
- waxed wood disks, 418
- weight of the rock fragment, 191
- well(s), 67, 69, 109, 110, 116, 133, 134, 158, 160, 161, 173, 174, 299, 306-308, 312, 314-318, 322
 - collapse, 316
 - point systems, 315, 316
 - points, 322
 - screen(s), 64, 74, 118, 172, 315
- well-graded riprap, 194, 207
- wet
 - and dry density, 53

INDEX

- foundations, 327
- rope, 382
- whipping, 384
- Wide Area GPS Enhancement (WAGE), 460
- wireline (wire line), 370
 - acoustic/seismic logging systems, 56
 - devices, 73
 - electrical systems, 42
 - nuclear radiation systems, 49
 - packers, 105, 115
- wood shipping containers, 422
- workability and nesting of the rock assemblage, 189

Y

- Young's modulus, 24