SEER*DMS Field Name	N	AACCR # and Name	New Logic For Setting	Notes
addrAtDxCity	70	Addr at DXCity	copy from DC record. defaults to UNKNOWN	
			Copy from DC if available, else Impute from	
countyAtDx	90	County at DX	address/zip/census tract; otherwise set to 999	
maritalStatusAtDx	150	Marital Status at DX	Copy from DC record, if blank set to 9	
			Copy from DC record if it exists; if it doesn't exist	
			set to 99 if Race1 99, else set to 88; Need to set	
			rules for known race codes to fill race 1 then race	
			2, etc. When there are no more races the	
			remaining races are set to 88. If one race is 99	
			and there are no other known races, then all races	
race2	161	Race 2	are set to 99	
			Copy from DC record if it exists; if it doesn't exist	
			set to 99 if Race1 99, else set to 88; Need to set	
			rules for known race codes to fill race 1 then race	
			2, etc. When there are no more races the	
			remaining races are set to 88. If one race is 99	
			and there are no other known races, then all races	
race3	162	Race 3	are set to 99	
			Copy from DC record if it exists; if it doesn't exist	
			set to 99 if Race1 99, else set to 88; Need to set	
			rules for known race codes to fill race 1 then race	
			2, etc. When there are no more races the	
			remaining races are set to 88. If one race is 99	
			and there are no other known races, then all races	
race4	163	Race 4	are set to 99	
			Copy from DC record if it exists; if it doesn't exist	
			set to 99 if Race1 99, else set to 88; Need to set	
			rules for known race codes to fill race 1 then race	
			2, etc. When there are no more races the	
			remaining races are set to 88. If one race is 99	
			and there are no other known races, then all races	
race5	164	Race 5	are set to 99	
spanishHispanicOrigin	190	Spanish/Hispanic Origin	Copy from DC record if exists, else set to 9	

SEER*DMS Field Name	NAACCR # and Name		New Logic For Setting	Notes
			copy from DC. If unknown, change to 1 if primary site recoded from DC is between C600 and C639	
sex	220	Sex	and change to 2 if between C510 and C589	
ageOfDiagnosis	230	Age at Diagnosis	copy age at death from DC record, otherwise polisher will fill in	
birthDateYyyy	240	Birth Date	Copy from DC record if known value. If missing, impute YYYY from Age at death and date of death, otherwise set to 9999	
birthplace	250	Birthplace	Copy from DC. Default to 999 if not there	These fields should all be there. If they aren't there then these defaults are OK.
occupationCodeCensus	270	Occupation CodeCensus	Copy from DC	
industryCodeCensus	280	Industry CodeCensus	Copy from DC	
industrySource	290	Occupation Source	Copy from DC (importer always sets it to 2)	
occupationSource	300	Industry Source	Copy from DC (importer always sets it to 2)	
sequenceNumber (ctc)	380	Sequence NumberCentral		
primarySite	400	Primary Site	Code from Cause-of-Death - see other spreadsheet; if blank or code not on spreadsheet, set to C809	
laterality	410	Laterality	Copy from DC record if blank use algo (Set based on site: if paired organ code 9; if non-paired organ code 0.see squish issue # 24607)	
grade	440	Grade	Set to 9 if ydx >= 1992	
ambiguousTerminologyDX	442	Ambiguous Terminology DX	Set to 9 if yeardx >= 2007 (yeardx is RptDateYear on the DC record), else blank	
dateConclusiveDXDd	443	Date of Conclusive DX	if year of death < 2007 leave blank; if >=2007 set to 9s	
dateConclusiveDXMm	443	Date of Conclusive DX	if year of death < 2007 leave blank; if >=2007 set to 9s	
dateConclusiveDXYyyy	443	Date of Conclusive DX	if year of death < 2007 leave blank; if >=2007 set to 9s	

SEER*DMS Field Name	N	AACCR # and Name	New Logic For Setting	Notes
multiTumorRptAsOnePrim	444		If DxYear >=2007 then set to 88 else leave blank	
dateOfMultipleTumorsDd	445	Date of Multiple Tumors	If DxYear >= 2007 set to 88 else set to blanks	
dateOfMultipleTumorsMm	445	Date of Multiple Tumors	If DxYear >= 2007 set to 88 else set to blanks	
dateOfMultipleTumorsYyyy	445	Date of Multiple Tumors	If DxYear >= 2007 set to 8888 else set to blanks	
numberOfTumorsHist	447	Number of Tumors/Hist	99 if yDx >= 2007, else blank	
siteCodingSysCurrent	450	Site Coding SysCurrent	set to 5	
siteCodingSysOriginal	460	Site Coding SysOriginal	set to 6	
morphCodingSysCurrent	470	Morph Coding SysCurrent	set to 7, if ydx >= 2001, else blank	
morphCodingSysOriginal	480	Morph Coding SysOrigin	set to 7, if ydx >= 2001, else blank	
screeningDateDd	510	Screening Date	set to 99	For registries that blank these out for some hospitals. Should be blanked out as default on DCO build
screeningDateMm	510	Screening Date	set to 99	For registries that blank these out for some hospitals. Should be blanked out as default on DCO build
screeningDateYyyy	510	Screening Date	set to 9999	For registries that blank these out for some hospitals. Should be blanked out as default on DCO build
histologyICDO3	522	Histologic Type ICD-O-3	Code from Cause-of-Death - see other spreadsheet; if blank or code not on spreadsheet, set to 8000. valid values considered are 8000-9989	
behaviorICDO3	523	Behavior Code ICD-O-3	Code from Cause-of-Death - see other spreadsheet; if blank or code not on spreadsheet, set to 3 if COD starts with C, 2 if COD starts with D	
dateOfInpatientAdmDd	590	Date of Inpatient Adm	Copy from DC record (use DOLC) if died in hospital; Otherwise 99	
dateOfInpatientAdmMm	590	Date of Inpatient Adm	Copy from DC record (use DOLC) if died in hospital; Otherwise 99	
dateOfInpatientAdmYyyy	590	Date of Inpatient Adm	Copy from DC record (use DOLC) if died in hospital; Otherwise 9999	

SEER*DMS Field Name	N	AACCR # and Name	New Logic For Setting	Notes
			Copy from DC record (use DOLC) if died in	
dateOfInpatientDischDd	600	Date of Inpatient Disch	hospital; Otherwise 99	
			Copy from DC record (use DOLC) if died in	
dateOfInpatientDischMm	600	Date of Inpatient Disch	hospital; Otherwise 99	
			Copy from DC record (use DOLC) if died in	
dateOfInpatientDischYyyy	600	Date of Inpatient Disch	hospital; Otherwise 9999	
primaryPayerAtDx	630	Primary Payer at DX	99 if yDx >= 1996, else blank	
surgPrimSite	670	RX HospSurg Prim Site	set to 99 if yDx >= 1998	
_		RX HospScope Reg LN		
scopeRegLnSur	672	Sur	set to 9 if yDx gte 2003	
· · ·		RX HospSurg Oth		
surgOthRegDis	674	Reg/Dis	set to 9 if yDx gte 2003, else blank	
		RX HospReg LN		
regLnRemoved	676	Removed	set to 99 if yDx is 1998-2002, blank otherwise	
chemo (tx_proc)	700	RX HospChemo	set to 99	
brm (tx_proc)	720	RX HospBRM	set to 99	
other (tx_proc)	730	RX HospOther	set to 9	
				For registries that blank these out for
				some hospitals. Should be blanked out
dxStgProc	740	RX HospDX/Stg Proc	Set to 09	as default on DCO build
				For registries that blank these out for
				some hospitals. Should be blanked out
screenBxType	742	RX HospScreen/BX Proc1	set to 0 if yDx < 2003, else blank	as default on DCO build
		·		For registries that blank these out for
				some hospitals. Should be blanked out
screenBxGuidance	743	RX HospScreen/BX Proc2	set to 0 if yDx < 2003, else blank	as default on DCO build
		·		For registries that blank these out for
				some hospitals. Should be blanked out
screenBxApproach	744	RX HospScreen/BX Proc3	set to 0 if yDx < 2003, else blank	as default on DCO build
		·		For registries that blank these out for
				some hospitals. Should be blanked out
screenBxPalpability	744	RX HospScreen/BX Proc3	set to 0 if yDx < 2003, else blank	as default on DCO build
		·		For registries that blank these out for
				some hospitals. Should be blanked out
screenBxFirstDetect	745	RX HospScreen/BX Proc4	set to 0 if yDx < 2003, else blank	as default on DCO build

SEER*DMS Field Name	N	AACCR # and Name	New Logic For Setting	Notes
				For registries that blank these out for
				some hospitals. Should be blanked out
screenBxOtherSite	745	RX HospScreen/BX Proc4	set to 0 if yDx < 2003, else blank	as default on DCO build
			set to 99 if yDx between 1998 and 2002 inclusive,	
surgSite9802	746	RX HospSurg Site 98-02	else blank	
		RX HospScope Reg 98-		
scopeReg9802	747	02	set to 9 if yDx 1998-2002, blank otherwise	
surgOth9802	748	RX HospSurg Oth 98-02	set to 9 if yDx 1998-2002, blank otherwise	
		SEER Summary Stage		
seerSummaryStage2000	759	2000	set to 9 if yDx > 2000 and < 2004	
		SEER Summary Stage		
seerSummaryStage1977	760	1977	9 if yDx <= 2000, otherwise blank	
eodTumorSize	780	EODTumor Size	999 if yDx 1988-2003 inclusive	
eodExtension	790	EODExtension	99 if yDx 1988-2003 inclusive	
eodLymphNodeInvolv	810	EODLymph Node Involv	9 if yDx 1988-2003 inclusive	
regionalNodesPositive	820	Regional Nodes Positive	see CS SS	
regionalNodesExamined			see CS SS	
eodOld2Digit		EODOld 2 Digit	"" if yDx < 1982	
eodOld4DigitExtent	860	EODOld 4 Digit	9 if yDx 1983-1987 inclusive	
eodOld4DigitNodes		EODOld 4 Digit	9 if yDx 1983-1987 inclusive	
eodOld4DigitSize	860	EODOld 4 Digit	99 if yDx 1983-1987 inclusive	
tumorMarker1	1150	Tumor Marker 1	9 if yDx <= 2003; blank if yDx >= 2004	
tumorMarker2	1160	Tumor Marker 2	9 if yDx <= 2003; blank if yDx >= 2004	
tumorMarker3	1170	Tumor Marker 3	9 if yDx <= 2003; blank if yDx >= 2004	
		RX SummSurgical		
surgicalApproach		Approch	set to 9 if yDx 1998-2002, else blank	
surgRadSeq	1380	RX SummSurg/Rad Seq	Always set to 0	
		RX Coding System		
rxCodingSystemCurrent	1460	Current	Always set to 06	
				For registries that blank these out for
				some hospitals. Should be blanked out
radIntentOfTreatment	1560	RadIntent of Treatment	set to 9	as default on DCO build
				For registries that blank these out for
				some hospitals. Should be blanked out
radRxCompletionStatus	1580	RadRX Completion Status	set to 9	as default on DCO build

SEER*DMS Field Name	N	AACCR # and Name	New Logic For Setting	Notes
				For registries that blank these out for some hospitals. Should be blanked out
radLocalControlStatus	1590		set to 9	as default on DCO build
		RX SummSystemic/Sur		
systemicSurgSeq	1639		set to 9 if yDx >= 2006, else blank	
surgeryType	1640	RX SummSurgery Type	set to 09 if yDx Ite 1997, else blank	
reconstruction	1741	Subsq RXReconstruct Del	set to 9 if yDx is 1998-2002, blank otherwise	
dateOfLastContactDd	1750	Date of Last Contact	Copy from DC (this is actually the death date)	
dateOfLastContactMm	1750	Date of Last Contact	Copy from DC (this is actually the death date)	
dateOfLastContactYyyy	1750	Date of Last Contact	Copy from DC (this is actually the death date)	
cancerStatus	1770	Cancer Status	always set to 9	
followUpSourceCentral	1791	Follow-up Source Central	Set to 05 unless registry specifies that they use a county/municipal death file. In that case, use 06.	I'm not sure I understand the logic for the 06 setting.
city (patient)	1810	Addr CurrentCity	copy from DC record, if no city listed set to UNKNOWN	
county	1840	CountyCurrent	Copy from DC if available, else Impute from address/zip/census tract; otherwise set to 999	
recurrenceDate1stDd	1860	Recurrence Date1st	set to 99	For registries that blank these out for some hospitals. Should be blanked out as default on DCO build
recurrenceDate1stMm	1860	Recurrence Date1st	set to 99	For registries that blank these out for some hospitals. Should be blanked out as default on DCO build
recurrenceDate1stYyyy	1860	Recurrence Date1st	set to 9999	For registries that blank these out for some hospitals. Should be blanked out as default on DCO build
recurrenceType1st	1880	Recurrence Type1st	set to 99	For registries that blank these out for some hospitals. Should be blanked out as default on DCO build
causeOfDeath (primary)	1910	Cause of Death	Copy from DC.Default to 7797	These fields should all be there. If they aren't there then these defaults are OK.

SEER*DMS Field Name	N	AACCR # and Name	New Logic For Setting	Notes
			Old logic: if DOLC year is 1973-1978 set to 8 if DOLC year is 1979-1998 set to 9	
codlcdRevisionNumber	1920	ICD Revision Number	if DOLC year after 1998 set to 1 else set to 1	
autopsy	1930	Autopsy	Copy from DC. Default to 9 if not there	These fields should all be there. If they aren't there then these defaults are OK.
placeOfDeath		Place of Death	Copy from DC. Default to 999 if not there	This used to default to 999
gradelCDO1	1973	Grade (73-91) ICD-O-1	9 if yDx <= 1991	
conversionReviewedICDO3	2116	ICD-O-3 Conversion Flag	set to 0	For registries that blank these out for some hospitals. Should be blanked out as default on DCO build
nameLast (alias)	2280	NameAlias	Copy from DC.	
	2320	Social Security Number	Copy from DC record, if blank or 000000000 then set to 999999999	
dcState		DC State	Copy from DC. Default to 999 if not there	These fields should all be there. If they aren't there then these defaults are OK.
dcStateFileNumber	2380	DC State File Number	Copy from DC	
				Not sure if DC record actually has lastFollowUpHospital - Wherever the importer is putting the facility ID or Name
lastFollowUpHospital		Last Follow-Up Hospital	Copy from DC record if exists	is where you should copy from
attendingPhysician		PhysicianManaging	copy Doctor 1 from DC record	
followUpPhysician		PhysicianFollow-Up	copy Doctor 1 from DC record	
lastFollowUpPhysician (patient)			Get physician from license number.	
textPrimarySiteTitle		TextPrimary Site Title	copy from DC record	
textHistologyTitle csTumorSize		TextHistology Title CS Tumor Size	copy from DC record	
csExtension		CS Tumor Size	See collaborative staging default document See collaborative staging default document	
csTumorSizeExtEval		CS Tumor Size/Ext Eval	See collaborative staging default document	
csLymphNodes		CS Lymph Nodes	See collaborative staging default document	
csRegNodesEval		CS Reg Node Eval	See collaborative staging default document	
csMetsAtDx		CS Mets at DX	See collaborative staging default document	
csMetsEval	2860	CS Mets Eval	See collaborative staging default document	

SEER*DMS Field Name	N	AACCR # and Name	New Logic For Setting	Notes
csSiteSpecificFactor1	2880	CS Site-Specific Factor 1	See collaborative staging default document	
csSiteSpecificFactor2	2890	CS Site-Specific Factor 2	See collaborative staging default document	
csSiteSpecificFactor3	2900	CS Site-Specific Factor 3	See collaborative staging default document	
csSiteSpecificFactor4	2910	CS Site-Specific Factor 4	See collaborative staging default document	
csSiteSpecificFactor5	2920	CS Site-Specific Factor 5	See collaborative staging default document	
csSiteSpecificFactor6	2930	CS Site-Specific Factor 6	See collaborative staging default document	
comorbidComplication1	3110	Comorbid/Complication 1	set to 00000	For registries that blank these out for some hospitals. Should be blanked out as default on DCO build
readmSameHosp30Days	3190	Readm Same Hosp 30 Days	set to 9	For registries that blank these out for some hospitals. Should be blanked out as default on DCO build
calculationMethod		#N/A	set to 0	
causeOfDeath (other)		#N/A	This should be padded with 9 if length is 3.	
comorbidity1(dt registry field)		#N/A #N/A	set to 00000 Always set to 9 (Detroit specific Dx Conf)	
confDx (dt specific)				
diagPhys (dt specific)		#N/A	Use physician from physician license number.	
dcArmedForcesFlag		#N/A	Copy from DC	
dcPhysicianLicenseNumber diagPhys		#N/A #N/A	Copy from DC copy Doctor 1 From DC record, set to PER-9993 if blank	
facilityId (admission)	#N/A	#N/A	Lookup using hospital Number. Default to FAC- 0002 (that is Detroit-specific code). Use the FAC- NNNN for DCO for the registry.	
facilityId (treatment)		#N/A	set to FAC-9999	Registry specific (Facility code for UNK)
fdLicenseNumber	#N/A	#N/A	Copy from DC	
followUpPhysician (dt registry			copy Doctor 1 From DC record, set to PER-9993 if	Registry specific (Physician code for
field)	#N/A	#N/A	blank	UNK)
hospHistNo (dt registry field)	#N/A		Copy from DC record (use med rec number) - use DC number? CT says NO	
locFileNumber		#N/A	Copy from DC	
medicalExam		#N/A	Copy from DC	
medicalExamCaseNumber	#N/A	#N/A	Copy from DC	

SEER*DMS Field Name	N	AACCR # and Name	New Logic For Setting	Notes
metastatic1 (dt registry field)	#N/A	#N/A	If behavior = 3 set to 9999, else set to 9000	
multiplicityCounter newdxFlag (dt registry field)		#N/A #N/A	If DxYear >=2007 then set to 88 else leave blank set to 3	
	#11/7	#N/A		
causeOfDeath282 (dt specific)	#N/A	#N/A	Copy from DC (dt only). It groups the causes of death into 282 causes. Rougher than underlying.	
payerAtDx (dt registry field)	#N/A	#N/A	set to 99 if yDx >= 1996, else blank	This is required for all SEER regs as of 2007
reportingFacilityId		#N/A	Set to FAC-9999	Registry specific (Facility code for UNK)
reviewedFlag	#N/A	#N/A	0	
rxSummDateDxStgProcDd	#N/A	#N/A	set to 99	For registries that blank these out for some hospitals. Should be blanked out as default on DCO build
rxSummDateDxStgProcMm	#N/A	#N/A	set to 99	For registries that blank these out for some hospitals. Should be blanked out as default on DCO build
rxSummDateDxStgProcYyyy	#N/A	#N/A	set to 9999	For registries that blank these out for some hospitals. Should be blanked out as default on DCO build
rxSummDateOtherDd	#N/A	#N/A	set to 99	
rxSummDateOtherMm		#N/A	set to 99	
rxSummDateOtherYyyy		#N/A	set to 9999	
rxSummDateSystemicDd	#N/A	#N/A	set to 99	
rxSummDateSystemicMm		#N/A	set to 99	
rxSummDateSystemicYyyy		#N/A	set to 9999	
rxSummDtRadiationDd		#N/A	set to 99	
rxSummDtRadiationMm	#N/A	#N/A	set to 99	
rxSummDtRadiationYyyy	#N/A	#N/A	set to 9999	
rxSummDtSurgeryDd		#N/A	set to 99	
rxSummDtSurgeryMm	#N/A	#N/A	set to 99	
rxSummDtSurgeryYyyy	#N/A	#N/A	set to 9999	
				For registries that blank these out for some hospitals. Should be blanked out
rxSummDxStgProc	#N/A	#N/A	set to 09	as default on DCO build

SEER*DMS Field Name	NAACCR # and Name		New Logic For Setting	Notes
				For registries that blank these out for
				some hospitals. Should be blanked out
rxSummPalliativeProc	#N/A	#N/A	set to 9	as default on DCO build
sequenceNumber (course)	#N/A	#N/A	set to 1	
typeRecurr (dt registry field)	#N/A	#N/A	set to 99	