LIST OF PUBLICATION:

OXFORD, MS LOCATION

USDA, FOREST SERVICE SOUTHERN RESEARCH STATION FOREST HYDROLOGY LABORATORY 1000 FRONT STREET OXFORD, MS 38955 UNITED STATES

1946

Arend, J.L. 1946. Growing eastern redcedar on the farm. Southern Lumberman. 174(2177): 63.

Mesavage, C. 1946. New tables for estimati12ng board-foot volume of timber. Southern Lumberman. 173(2177):153-156.

Mesavage, C.; Girard, J.W. 1946. Comment on "A simple method of volume table construction." Journal of Forestry. 44: 196-197.

Read, R.A. 1946. White-tailed deer--a forest crop in the Arkansas Ozarks. Southern Lumberman. 173(2177):141-142.

Wheeler, P.R. 1946. Previewing research work in the Ozarks. Forest Farmer. 6(3): 6-7.

1947

Arend, J.L. 1947. An early eastern recedar plantation in Arkansas. Journal of Forestry. 45: 358-360.

Burke, H.D. 1947. Research at Tallahatchie. Forest Farmer. 6(7): 3.

Mesavage, C. 1947. Tables for estimating cubic-foot volume of timber. Southern Forest Experiment Station. Occassional Paper 111, 71.

Mesavage, C. 1947. Board-foot volume tables for southern lumberman. Southen Lumberman. 175(2201): 195-197.

1948

Arend, J.L. 1948. Hardpan development in the Landes region of France. Ecology 29: 375-376.

Arend, J.L. 1948. Naval stores industry in post-war France. Naval Stores Rev. 57(48): 14-15, 27.

Arend, J.L. 1948. Review ("Is the beech a soil improving species?" by Ph. Duchaufour, Revue des Eaux et Forets 85:729-737). Journal of Forestry. 49: 940.

Arend, J.L.; Allen, H.V. 1948. Forestry education in France. Journal of Forestry. 46: 914-917.

Arend, J L. 1948. Influences on recedar distribution in the Ozarks. Southern Forest Experiment Station. Southern Forestry Notes 58.

Arend, J.L.; Julander, O. 1948. Oak sites in the Arkansas Ozarks. Arkansas Agricultural Experiment Station Bulletin. 484. 42.

Broadfoot, W.M. 1948. Soil and litter under pine plantations. Southern Forestry Notes 55. (May).

Hornkohl, L.W.; Read, R.A. 1948. Forest grazing in the Ozarks. Society of American Foresters Proceedings. 1947: 270-277.

Huckenpahler, B.J. 1948. Loblolly pine is superior to shortleaf. Mississippi Farm Research 11(7): 8. (July).

Huckenpahler, B.J. 1948. Improving farm forests by planting. Clarksdale, Mississippi Delta Farm Press (Special School Edition). 6(51): 16-17. (December 23).

Mesavage, C. 1948. Cubic-foot volume tables. Southern Forest Experiment Station. Southern Forestry Notes 53.

Mesavage, C. 1948. Review ("Board-foot volume tables for 32-foot logs," by James W. Girard and Donald Bruce, 40. Mason, Bruce, and Girard, Amer. Bank Bldg., Portland, Oregon) Journal of Forestry. 46: 540-541.

Read, R A. 1948. Winter browsing of cedar by Ozark deer. Southern Forest Experiment Station. Southern Forestry Notes 55.

1949

Arend, J.L.; Collins, R.F. 1949. A site classification for eastern redcedar in the Ozarks. Soil Science Society of America Proceedings. 13: 510-511.

Arend, J.L.; Grosenbaugh, L.R. 1949. International rule modified for small eastern redcedar logs. Journal of Forestry. 47: 736, 738-739.

Huckenpahler, B.J. 1949. Cut the right tree. Progressive Farmer. 64(5): 124.

Huckenpahler, B.J. 1949. Which is best? A study of loblolly vs. shortleaf. Southern Lumber Journal. 53(3): 19, 108.

Huckenpahler, B.J. 1949. Four main Southern yellow pines best suited for west Tennessee. The Commercial, Section IV: 3 Memphis, TN. (January 16).

Huckenpahler, B.J. 1949. Underplanted loblolly pines need early release. Southern Forestry Notes 61. (May).

Mesavage, C. 1949. Outline of timber cruising principles. The Louisiana State University Annual Ring 10: 22-23, 45-46, 50, and 53.

Mesavage. C. 1949. Tick repellent. Southern Forest Experiment Station. Southern Forestry Notes 62.

Arend, J.L. 1950. Influences of fire and soil on distribution of eastern redcedar in the Ozarks. Journal of Forestry 48: 129-130.

Broadfoot, W.M. 1950. Forty-eight grasses and legumes in erosion control experiment. Mississippi Farn Research. 13(12): 7. (December).

Huckenpahler, B.J. 1950. Development of 19-year-old southern pine plantations in Tennessee. Journal of Forestry. 48:722-723.

Read, R.A. 1950. Relation between time of treatment and sprouting of poisoned trees. Science. 111: 264.

Read, R.A. 1950. Rocks make the trees. Southern Lumberman. 181(2273): 217-219.

Read, R.A.; Walker, L.C. 1950. Influence of eastern redcedar on soil in Connecticut pine plantations. Journal of Forestry. 48: 337-339.

1951

Broadfoot, W.M. 1951. Forest planting sites in north Mississippi, Tennessee. Occasional Pap. SO-120. New Orleans, LA. U.S. Department of Agriculture, Forest Service, Southern Forest Experiment station: 15. (May).

Broadfoot, W M. 1951. Redcedar litter improves surface soil. Southern Forestry Notes 71. (January).

Broadfoot, W.M. 1951. Soil rehabilitation under eastern redcedar and loblolly pine. Journal of Forestry. 49:780-781.

Huckenpahler, B.J. 1951. Planting conifers for stand improvement. Southern Lumberman. 183(2297): 144.(December 15).

Huckenpahler, B.J. 1951. Planting conifers for stand improvement. Southern Forestry Notes 73. (May).

Huckenpahler, B.J. 1951. Planted hardwoods survive and grow rapidly. Southern Forestry Notes 71. (January).

Mesavage, C. 1951. Research helps forestry go forward in the central Ozarks. Southern Forest Experiment Station, 17.

Read, R.A. 1951. Stand improvement in upland hardwoods. Southern Lumberman. 183(2297): 163-165.

Read, R.A. 1951. Timber stand improvement benefits Ozark hardwoods. Southern Forest Experiment Station. Southern Forestry Notes 73. [Also in Southern Lumberman]. 183(2297): 213].

Read, R.A. 1951. Woodland forage in the Arkansaa Ozarks. Journal of Range Management. 4: 391-396.

Broadfoot, W.M. 1952. Comparison of firm and mediun mull in northern Mississippi. Journal of Forestry 50: 222.

Huckenpahler, B.J. 1952. Ax or poison? Southern Lumberman. 185(2321): 180-182. (December).

Read, R.A. 1952. Conditioning Ozark forests for management. Southern Lumberman. 185(2321): 322-324.

Read, R.A. 1952. Tree species occurrence as influenced by geology and soil on an Ozark north slope. Ecology 33:239-246.

Shoulders, E. 1952. Cold hurts loblolly in Ozarks. Southern Forest Experiment Station. Southern Forestry Notes 82.

1953

Harrington, T.A. 1953. Hybrid pines fail to grow as well as shortleaf, loblolly. Mississippi Farn Research. 16(4): 8. (April).

Huckenpahler, B.J. 1953. Loblolly best in north Mississippi despite tip moth and webworm. Journal of Forestry. 51(9): 640. (September).

Huckenpahler, B.J. 1953. Planting hardwoods for stand improvement in North Mississippi. Tree Planters Notes 14: 18-21. (April).

Huckenpahler, B.J. 1953. Source of seed affects pine survival and growth. Mississippi Farm Research. 16(6): 6.(June).

King, D.B. 1953. Cost of rebuilding a depleted forest. Southern Forestry Notes 88. (November).

King, D B. 1953. Water affects agriculture, industry; forests playing big part in conservation. Jackson (Miss.) Daily News. (April 1).

McClurkin, D.C. 1953. Soil and climatic factors related to the growth of longleaf pine. Occasional Pap. SO-132. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. (December).

Read, R.A. 1953. Forecasting shortleaf pine seed crops. Southern Forest Experiment Station. Southern Forestry Notes 85.

Huckenpahler, B.J. 1954. Poisoning versus girdling to release underplanted pines in north Mississippi. Journal of Forestry. 52(4): 266-268. (April).

King, D.B. 1954. Experiment reveals costs of rebuilding farm forest in test on 40-acre plot. Mississippi Farm Research. 17(2): 8. (February).

McClurkin, D.C. 1954. Estimating quality of longleaf sites. Southern Forestry Notes 89. (January).

Mesavage, C. 1954. Cruising efficiency. Southern Forest Experiment Station. Southern Forestry Notes 91.

Shoulders, E. 1954. Costs of skidding eastern redcedar. Southern Forest Experiment Station. Southern Forestry Notes 90.

Shoulders, E. 1954. Timber stand improvement work benefits Ozark hardwood forests. Arkansas Farm Research 3(1): 6.

Shoulders, E. 1954. Putting Ozark forests to work. Southern Forest Experiment Station. Southern Forestry Notes 98.

Toole, E.R.; Huckenpahler, B.J. 1954. Yellow-poplar dieback. Plant Disease Reporter. 38(11): 786-788. (November).

1955

Graham, W.L. 1955. Carrying case for chain saw. Fire Control Notes 16(3): 7.(July).

Huckenpahler, B.J. 1955. Auxins fail to stimulate rooting of yellow-poplar cuttings. Botanical Gazette. 117(1): 73-75. (September).

Huckenpahler, B.J. 1955. Underplanted loblolly pine responds to delayed release. Journal of Forestry. 53(7): 512. (July).

King, D.B. 1955. A test of Krilium soil conditioner in gully planting. Journal of Forestry. 53: 731-732.

Shoulders, E. 1955. Timber stand improvement in Ozark forests--an appraisal after 15 year. Journal of Forestry. 54: 824-827.

Williston, H.L. 1955. Fifth-year results of hardwood species adaptability studies. Papers presented at the Forestry Department Section Meeting, 1955 Annual Research Conference, Mississippi Agricultural Experiment Station, December 5,1955, 3-9.

McClurkin, D.C. 1956. Aluminum foil useful as a soil sample container. Soil Science. 82(2): 179. (August).

Mesavage, C.; Grosenbaugh, L.R. 1956. Efficiency of several cruising designs on small tracts in north Arkansas. Journal of Forestry. 54: 569-576.

Ursic, S.J. 1956. Bale storage effective for loblolly pine seedlings. Journal of Forestry. 54(12): 815-816. (December).

Ursic, S.J. 1956. Bale storage of loblolly seedlings. Southern Forestry Notes 103. (May).

Ursic, S.J. 1956. Late winter prelifting fertilization of loblolly seedbeds. Tree Planters' Notes No. 26: 11-13. (October).

Williston, H.L. 1956. Watershed management research in north Mississippi. Jackson (Miss.) Daily News and Clarion Ledger. (October).

1957

Burns, R.M. 1957. Rabbits prefer sweetgum to pine. Southern Forestry Notes No. 111. (September).

Huckenpahler, B.J. 1957. Wanted: a method of rooting yellow-poplar cuttings. Journal of Forestry. 55: 425. (June).

Maple, W.R. 1957. Redcedar growth in Arkansas Ozarks. Southern Forest Experiment Station. Southern Forestry Notes. 112.

Thames, J.L.; Ursic, S.J. 1957. Improved rain gage supports. Journal of Soil and Water Conservation. 12(6):283. (November).

Williston, H.L.; Huckenpahler, B.J. 1957. Hardwood underplanting in north Mississippi. Journal of Foresty. 55:287-290. (April).

Williston, H.L. 1957. Pole grower's guide. Occasional Pap. 153. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 34.

1958

Maple, W.R.; Mesavage, C. 1958. Remarkable shortleaf pine stand. Journal of Forestry. 56: 290-291.

McClurkin, D.C. 1958. Maleic hydrazide fails to control fertilized bermuda grass. Tree Planters' Notes 33: 29.(June.)

McClurkin, D.C. 1958. Soil moisture content and shortleaf pine radial growth in north Mississippi. Forest Science.4(3): 232-238. (September).

Stoeckeler, J.H.; Thames, J.L. 1958. The Lake States penetrometer for measuring depth of soil freezing. Soil Science. 85(1): 47-50. (January).

Thames, J.L. 1958. Hydraulic inserter for soil-moisture units. Soil Science 86(3): 156-159. (September).

Ursic, S.J.; Thames, J.L. 1958. An inexpensive rain gage. Journal of Soil and Water Conservation. 13(5): 231-232. (September).

Williston, H.L.; Huckenpahler, B.J. 1958. Response of six conifers in north Mississippi underplantings. Journal of Forestry. 56(2): 135-137. (February).

Williston, H.L. 1958. Cost of pruning loblolly and shortleaf. Southern Forestry Notes No. 114. (March).

Williston, H.L. 1958. Loblolly preferred over shortleaf (reprinted as Benton County, Mississippi pine growth). Mississippi Farm Research. 21(8): 7. (August).

Williston, H.L. 1958. Shortleaf versus loblolly pine in north Mississippi. Journal of Forestry. 56(10): 761.(October).

1959

Burns, R.M. 1959. Direct seeding of pines shows promise in test. Mississippi Farm Research. 22(10): 3-4. (October).

Burns, R.M. 1959. An incense cedar thrives in the South. Southern Lumberman. 199(2489): 124. (December 15).

Crawford, H.S. 1959. 2,4,5-T on Ozark hardwoods. Southern Forest Experiment Station. Southern Forestry Notes 120.

Crawford, H.S. 1959. Sampling the production of fruits and seeds of woody and herbaceous plants. Techniques and Method of Measuring Understory Vegetation, 116-122.U.S. Forest Service, Southern and Southeastern Forest Experiment Stations.

Lawson E.R. 1959. 2,4,5-T better in diesel oil. Southern Forest Experiment Station. Southern Forestry Notes 119.

Maple, W.R.; Smith, W.S. 1959. Management of small woodland tracts in the Arkansas Ozarks. Experiment Station. 4.

Smith, J.L. 1959. 2,4,5-T concentrations for tree injection in the Arkansas Ouachitas. Southern Forest Experiment Station. Southern Forestry Notes 123.

Smith, J.L. 1959. Benzoic acid ineffective on hardwoods. Southern Forest Experiment Station. Southern Forestry Notes 122.

Smith, J.L. 1959. Sampling forest flood and soils in the Arkansas Highlands. Techniques and Methods of Measuring Understory Vegetation, 114-115. U.S. Forest Service, Southern and Southeastern Forest Experiment Stations.

Smith, J.L. 1959. Test of injected chemicals for hardwood control in the Arkansas Mountains. Southern Weed Conference Proceedings. 12: 123-125.

Smith, J.L.; Lawson, E.R. 1959. Sampler for gravelly plastic soils. Soil Science. 88: 56-57.

Thames, J.L.; Ursic, S.J. 1959. Abstract of the soil moisture variable in surface runoff prediction. Journal of Geophysical Research. 64(8): 1127. (August).

Thames, J.L. 1959. Measuring soil moisture over large areas with single installations of moisture units. Journal of Geophysical Research. 64(2): 257-262. (February).

Thames, J.L.; Ursic, S.J. 1959. Precise temperature control with thermocouples. Agricultural engineering. 40(7):401-402. (July).

Ursic, S.J.; Thames, J.L. 1959. Abstract of effect of cover types and soils on surface run-off. Journal of Geophysical Research. 64(8): 1128. (August).

Ursic, S.J.; McClurkin, D.C. 1959. Small plots for measuring vegetation composition and cover. In: Techniques and methods of measuring understory vegetation: Proceedings of a symposium: 1958 Oct. 23-31:Tifton, GA. [place of pub. unknown]. USDA, FS. Southern Forest Experiment Station and Southeastern Forest Experiment Station: 70-78.

Ursic, S.J. 1959. Sites and seedling grades influence loblolly growth. Southern Forestry Notes No. 122. (July).

Williston, H.L. 1959. Ten-Year Results of Releasing Loblolly Pine. Mississippi Farm Research. 22(10): 3-4. (October).

Williston, H.L. 1959. Growth of Four Southern Pines in West Tennessee. Journal of Forestry. 57(9): 661-662. (September).

Williston, H.L. 1959. Inundation damage to loblolly pine seedlings. Tree Planters' Notes No. 36. (June).

Williston, H.L. 1959. Cost of pruning loblolly and shortleaf pine. Southern Lumberman. 198(2470): 43. (March 1).

Williston, H.L. 1959. North Mississippi's blue-ribbon baldcypress stand. Southern Lumberman. 199(2489): 144-145. (December 15).

Williston, H.L. 1959. Inundation damage to upland hardwoods. Southern Forestry Notes No. 123. (Septenber).

1960

Burns, R.M. 1960. Copper carbonate--boon or bane? Tree Planters' Notes No. 40. 5-6. (February).

Burns, R.M. 1960. Mortality of newly germinated southern pine seedlings following inundation. Tree Planters' Notes 43: 23-25. (October).

Burns, R.M. 1960. Repellents reduce rabbit damage. Southern Forestry Notes No. 129. (September).

Crawford, H.S. 1960. Effect of 2,3,5-T sprays on forage production in west-central Arkansas. Journal of Range Management. 13; 44.

Crawford, H.S. 1960. Single aerial spray with 2,3,5-T effective on hardwoods in west-central Arkansas. Arkansas Farm Research. 9(3): 6.

Halls, L.K.; Crawford, H.S. 1960. Deer-forest habitat relationships in north Arkansas. Journal of Wildlife Management 24: 387-395.

Halls, L.K.; Read, R.A; Crawford, H.S. 1960. Forage and ground-cover conditions in unmanaged Ozark forests. Southern Forest Experiment Station. Southern Forest Research. 1: 1-6.

Maples, W.R. 1960. Loblolly for the Arkansas Ozarks? Southern Forest Experiment Station. Southern Forestry Notes 126.

Maples, W.R. 1960. Rotary cutter prepares pine seedbed for natural regeneration while clearing brush. U.S.Department of Agriculture Tree Planter' Notes 40:17-19.58.

McClurkin, D.C. 1960. Legumes fail to benefit loblolly pine plantings in north Mississippi. Tree Planters' Notes No. 43.11-12. (October).

McReynolds, R.D. 1960. Mortality of newly gerninated southern pine seedlings following inundation. Tree Planters'Notes No. 43. 23-25. (October).

Mesavage, C.; Smith, W.S. 1960. Timesavers for installing dendrometer bands. Journal of Forestry.58: 396.

111

Smith, J.L. 1960. Hardwood removal lessens litter-humus in Ozarks. Southern Forest Experiment Station. Southern Forest Research 1: 9-10.

Smith, J.L. 1960. Mist blower for controlling undesirable hardwoods. Lumberman. Southern Lumberman. 210(2513): 185-186.

Smith, J.L.; Lawson, E.R. 1960. Herbicidal sprays damage pine seedlings. Southern Forest Experiment Station. Southern Forestry Notes 125.

Smith, J.L.; Lawson, E.R. 1960. Late sprays kill hardwoods in wet year. Southern Forest Experiment Station. Southern Forestry Notes 125.

Smith, J.L.; Bower, D.R.; Lawson, E.R. 1960. Site preparation aids pine seedlings in Ouachitas. Southern Forest Experiment Station. Southern Forestry Notes 129.

Thames, J.L.; Ursic, S.J. 1960. Runoff as a function of moisture-storage capacity. Journal of Geophysical Research. 65(2): 651-654. (February).

Ursic, S.J.; Thames, J.L. 1960. Effect of cover types and soils on runoff in northern Mississippi. Journal of Geophysical Research. 65(2): 663-667. (February).

Ursic, S.J. 1960. Effect of cover types and on runoff in northern Mississippi. Journal of Geophysical research.65(2): 663-667. (February).

Ursic, S.J. 1960. What's your survival? Tree Planters' Notes No. 40. (February).

Ursic, S.J. 1960. Review of Hydrology by C.O. Wisler & E.F. Brater, Journal of Range Management. 13(5): 264-265. (September).

Ursic, S.J. 1960. Pit satisfactory for storage of pine seedlings. Mississippi Farm Research. 23(11): 2. (November).

Williston, H.L. 1960. Crown kill and sprouting of post oak and blackjack oak following treatment with 2, 4, 5-T. Mississippi Farm Research. 23(10): 2. (October).

Williston, H.L. 1960. Loblolly moves north. Forest Farmer. 19(9):11-18. (May).

1961

Bower, D.R. 1961. Are scales better than scale sticks? Southern Lumberman. 203(2530): 38.

Bower, D.R.; Smith, J.L. 1961. Partial girdling multiplies shortleaf cones. Southern Forest Experiment Station. Southern Forestry notes 132.

Bower, D.R. Planting vs. seeding Ouachitas. Southern Forest Experiment Station. Southern Forestry Notes 131.

Burns, R.M. 1961. No advantage in planting hardwoods deep or with mattock. Southern Forestry Notes No. 134. (July).

Burns, R.M. 1961. Cold-stored hardwoods survive delayed planting. Southern Forestry Notes 131. (January).

Burns, R.M. 1961. Rabbit repellents in north Mississippi. Tree Planters' Notes No. 45. 19-22. (March).

Burns, R.M. 1961. Seed sowing tool. Tree Planters' Notes 45: 3-4. (March).

Crawford, H.S. 1961. Identifying greenbrier growth. Journal of Range Management. 14: 42.

Crawford, H.S. 1961. Eastern redcedar, Jumiperus virgininana. Deer Browse Plants of Southern Forests, 34-35. U.S. Forest Service, Southern and Southeastern Forest Experiment Stations.

Freese, F. 1961. Relation of plot size to variability: an approximation. Journal of Forestry. 59: 679.

Maple, W.R. 1961. Forest trees for the Arkansas Ozarks. Arkansas Farm Research. 10(5): 7.

Maples, W.R. 1961. Treated shortleaf pine be can be stored. Southern Forest Experiment Station. Southern Forestry Notes. 136.

McClurkin, D.C. 1961. Eroded sites rebuild slowly. Mississippi Farm Research. 24(3): 5. (March).

McClurkin, D.C. 1961. Fertilizer no help to loblolly seedlings. Southern Forestry Notes No. 131. (January).

McClurkin, D.C. 1961. Soil moisture trends following thinning in shortleaf pine. Soil Science Society of America Proceedings. 25(2): 135-138. (March-April).

Mesavage, C. 1961. Exploratory relations of stand growth to measurable elements of stand structure. Southern Forest Experiment Station. Occassional Papers 182, 4.

Smith, J.L.; Bower, D.R. 1961. Burning destroys duff-stored seed. Southern Forest Experiment Station. Southern Forestry Notes 131.

Smith, J.L.; Blocker, W.R. 1961. Seedings mortality in Ouachitas. Southern Forest Experiment Station. Southern Forestry Notes 134.

Thames, J.L.; McReynolds, R.D. 1961. A hydraulic soil sampler. Agricultural Engineering. 42(8): 431-432. (August).

Thames, J.L. 1961. Effects of wax coatings on leaf temperatures and field survival of pinus taeda seedlings. Plant Physiology. 36(2): 180-182. (March).

Ursic, S.J. 1961. Post-hole tree planting for stabilizing gullies. Journal of Soil and Water Conservation. 16(4):188-189. (July-August).

Ursic, S.J. 1961. Lethal root temperatures of 1-0 loblolly pine seedlings. Tree Planters' Notes No. 47: 25-28. (August).

Ursic, S.J. 1961. First-year critical for loblolly on eroded lands. Southern Forestry Notes No. 136. (November).

Ursic, S.J. 1961. Tolerance of loblolly pine seedlings to soil moisture stress. Ecology 42: 823-825. (Autumn).

Ursic, S.J. 1961. Pit storage of baled loblolly seedlings. Tree Planters' Notes No. 45. 13-14. (March).

Williston, H.L. 1961. Intensive early release promotes growth of pines. Mississippi Farm Research. 24(10). 5.(October).

Williston, H.L.; McClurkin, D.C. 1961. Soil moisture-seedling growth relations in conservation of blackjack and post oak ridges to pine. Journal of Forestry. 59(1): 20-23. (January).

Bower, D.R. 1962. Volume-weight relationships for loblolly pine sawlogs. Journal of Forestry. 60: 41I-412.

Bower, D.R. 1962. Removing understory hardwoods from pine stands impairs moisture relation. Southern Forest Experiment Station. Southern Forestry Notes 141.

Bower, D.R.; Smith, J.L. 1962. Seedbed burns in Arkansas Mountain compact surface soil. Southern Forest Experiment Station. Southern Forestry Notes 139.

Burns, R.M. 1962. Southern pines and sweetgums do not mix. Southern Forestry Notes 141. (September).

Maple, W.R. 1962. Direct seeding shortleaf pine in the Ozarks. In: Proceedings, University of Missouri forestry short course. 50-54.

McClurkin, D.C. 1962. Good survival of nondormant loblolly pine seedlings. Tree Planters' Notes No. 51: 10. (April).

Mesavage, C.; Smith, J.L. 1962. Soi1-Erosion Gauge. Journal of Soil and Water Consevation. 17(1): 22.

Smith, J.L. 1962. Rocky soil sampling and analysis. Journal of Soil and Water Conservation. 17: 71.

Thames, J.L. 1962. Litter production as influenced by species of southern pine. Journal of Forestry. 60: 565.

Thames, J.L. 1962. Loblolly best but seed source important in erosion control. Tree Planters' Notes 55: 21-22.

Thames, J.L. 1962. Seedling size and soil moisture affect survival of loblolly pine sprouts. Tree Planters' Notes 55.27-29. (November).

Ursic, S.J. 1962. Early survival of loblolly plantings on eroded lands. Tree Planters' Notes 53. 27-28. (July).

Williston, H.L. 1962. Conifers for conversion planting in north Mississippi. Tree Planters' Notes 54: 5-7.

Williston, H.L. 1962. Hardwood brush control with foliar sprays. Mississippi Farm Research. 25(4): 4-5. (April).

Williston, H.L. 1962. Loblolly seedlings survive twelve days' submergence. Journal of Forestry. 60(6): 412. (June).

Williston, H.L. 1962. Pine planting within an impoundment area. Southern Forestry Notes 137. (January).

Williston, H.L.; MacNaughton, V.B. 1962. Timber management guide.

1963

Blocker, W.R.; Bower, D.R. 1963. Filter for sampling sediment in small streams. Journal of Soil and Water Consevation. 18: 222.

McClurkin, D.C. 1963. Soil-site index predictions for white oak in north Mississippi and west Tennessee. Forest Science. 9(1): 108-113. (March).

Thames, J.L. 1963. Needle variation in loblolly pine from four geographic seed sources. Ecology. 44(1): 168-169. (Winter).

Ursic, S.J. 1963. Planting loblolly pine for erosion control in north Mississippi. U.S. Forest Service Research paper SO-3. New Orleans, LA. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 20. illus.

Ursic, S.J. 1963. Planting loblolly pine to stop erosion. Forest Farmer. 23(3): 10-12,16. illus. (December).

Ursic, S.J. 1963. Modifications of planting technique not recommended for loblolly on eroded soils. Tree Planters'Notes 57. 13-17.

Ursic, S.J. 1963. Kraft-polyethylene bags recommended for packing and storing loblolly seedlings. Tree Planters' Notes 57. 23-28.

Williston, H.L. 1963. Early yield on erosion-control plantations in north Mississippi. U.S. Forest Service, Southern Forest Experiment Station. 7.

1964

Bennett, N.C.; McCurkin, D.C. 1964. Water stage recorder wells protected from freezing by home-made candles. Agricultural Engineering. 45: 330, illus. (June).

Krumbach, A.W.; White, D.P. 1964. Moisture, pore space, and bulk density changes in frozen soil. Soil Science Society of America Proceedings. 28: 422-425.

Mesavage, C. 1964. Core examination kit. Journal of Forestry. 62: 635.

Mesavage, C. 1964. Drafting table for field projects. U.S. Department of Agriculture Forest Service. Fire Control Notes 25: 4.

Mesavage, C. 1964. Aids for using Barr and Stroud Dendrometers. Proceedings, Society of American Foresters. 238-244.

Rogerson, T.L. 1964. Low-cost rain gage improved. Journal of Soil & Water Conservation. 19(4): 157-158, illus.

Rogerson, T.L.1964. Estimating foliage on loblolly pine. U.S. Forest Service Research Note S0-16: 3, illus.

Ursic, S.J. 1964. Packing, shipping, and storing loblolly seedlings in kraft-polyethylene bags. In: Proceedings Region-8 Forest Nurserymen's Conferences. 65-67. U.S. Forest Service, Southern Region.

Williston, H.L. 1964. Seedling storage in refrigerator cars. Tree Planters' Notes 65: 20. (April).

Williston, H.L. 1964. Refrigerator-car storage of loblolly pine seedlings highly successful. U.S. Forest Service Research Note S0-13: 3, illus. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 3, illus.

1965

Bower, D.R. 1965. Precommercial thinnings accelerate diameter growth of loblolly pine. Journal of Forestry. 63: 210.

Maple, W.R. 1965. Shortleaf pine stands five years after seed fall on prepared sites. Research Note S0-27. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station.

Maple, W.R. 1965. Forest species compared in Ozark plantations. Research Note, S0-28. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station.

McClurkin, D.C. 1965. Diameter growth and phenology of trees on sites with high water tables. U.S. Forest Service Research Note SO-20. New Orleans, LA. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 4, Illus.

McClurkin, D.C.; Covell, R.R. 1965. Site index predictions for pines in Mississippi. U.S. Forest Service Research Paper S0-15. New Orleans, LA: U.S Department of Agriculture, Forest Service, Southern Forest Experiment Station. 9, illus.

Mesavage, C. 1965. Definition of merchantable sawtimber height. Journal of Forestry. 63: 30-32.

Mesavage, C. 1965. Three-P sampling and denrometry for better timber estimating. Southern Lumberman. 211(2632): 107-109.

Ursic, S.J.; Dendy F.D..1965. Sediment yields from small watersheds under various land uses and forest covers. In: Proceedings of the Federal Inter-Agency Sedimentation Conference. U.S. Department of Agriculture Publication No.970, 7-52. Illus.

Ursic, S.J. 1965. Land erosion and control (Discussion--Symposium I). A panel discussion including John B. Stall, Moderator, and Russell Woodburn, and Sam Maner panelists. In: Proceedings of the Federal Inter-Agency Sedimentation Conference. U.S. Department of Agriculture Misc. Publ. No.970, 177-184, illus.

Williston, H.L. 1965. Forest floor in loblolly pine plantations as related to stand characteristics. U.S. Forest Service Research Note S0-26. New Orleans, LA: U.S.Department of Agriculture, Forest Service, Southern Forest Experiment Station. 3, illus.

Williston, H.L. 1965. Moss not needed in kraft-polyethylene bags during loblolly pine seedling transport and coldstorage. Tree Planters' Notes 72: 10-11.

1966

Anderson, H.W.; Duffy, P.D.; Yamamoto, T. 1966. Rainfall and streamflow from small tree-covered, fern-covered and burned watersheds in Hawaii. Berkeley, CA. Pacific SW. Forest & Range Experiment Station 10, illus.

Bower, D.R.; Blocker, W.R. 1966. Accuracy of bands and tape for measuring diameter increments. Journal of Forestry. 64: 21-22.

Bower, D.R. 1966. Surface soil recovers quickly after turn. Research Note, S0-46. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station.

Maple, W.R. 1966. Appalachian loblolly grows well in Arkansas Ozarks. Research Note, So-33. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station.

McClurkin, D.C. 1966. Survival of planted loblolly pine seedlings: Moisture temperature, and soil as influences. Journal of Forestry. 64(11): 731-734, illus.

Ursic, S.J. 1966. Mulch improves loblolly pine survival on Coastal Plain parent materials. Journal of Forestry. 64(11): 728-730, illus.

Ursic, S.J., Williston, H.L.; Burns. R.M. 1966. Late planting improves loblolly survival. U.S. Forest Service Research Paper S0-24, 12, illus.

Ursic, S.J. 1966. Forest hydrology research in Mississippi. In: Proceedings, Mississippi Water Resources Conference. 98-103. Water Resources Res. Inst., Miss. State Univ.

Williston, H.L. 1966. Stand survival and expected yield according to stocking level. In: Proceedings Direct Seeding Workshops, Alexandria, La., and Tallahassee, Fla., 51-57. U.S. Forest Service, Atlanta, GA.

1967

Covell, R.R.; McClurkin D.C. 1967. Site index of loblolly pine on Ruston soils in the Southern Coastal Plain. Journal of Forestry. 65(4): 263-264, illus.

Duffy, P.D. 1967. Fertilizing with nitrogen and phosphorus increases loblolly pine foliage production. Journal of Miss. Acadeny of Science. 13: 21-23.

Duffy, P.D.; McClurkin, D.C. 1967. Stabilizing gully banks with excelsior mulch and loblolly pine. Journal Soil & Water Conservation. 22(2): 70-71, illus.

Lawson, E.R. 1967. Throughfall and stemflow in a pine hardwood stand in the Ouachita Mountains of Arkansas. Water Resources Research. 3: 731-735.

McClurkin, D.C. 1967. Evaluating forest soil productivity. In: Processing, Ass. South. Agr. Workers, Inc., 64th Annu. Conv. held in New Orleans, La. (Jan. 30-Feb. 1).

McClurkin, I.T.; McClurkin, D.C. 1967. A potassium-activated adenosine triphosphatase in mycorrhizae associated with loblolly pine root tips. Assoc. of Southeastern Microbiology., University of Miss. (March 31).

McClurkin, I.T.; McClurkin, D.C. 1967. Cytochemical demonstration of a sodium-activated and a potassium-activated adenosine triphosphatase in loblolly pine seedling root tips. Plant Physiology. 42(8): 1103-1110, illus.

McClurkin, D.C. 1967. Transpiration loss from loblolly pine seedlings treated with succinic acid. Journal of Miss. Acadeny of Science. 13: 23 (Abstract only)

McClurkin, D.C.; Ahlrich, V.E. 1967. Longfingergrass covers bare sites quickly. Crops and Soils. 20(3): 18-19, illus.

McClurkin, D.C. 1967. Vegetation for erosion control in the Southern Coastal Plain of the United States. In: Proceedings of a National Science Seminar, Penn. State University, Pennsylvania. International Symposium on Forest Hydrology, 655-661, illus.

Mesavage, C. 1967. Modification of FP12 Barr and Stroud Dendrometer for easier field use. Research Note S0-50. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station.

Mesavage, C. 1967. Random integer dispenser. Research Note S0-49. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station.

Rogerson, T.L. 1967. Throughfall in pole-sized loblolly pines affected by stand density. In: Proceeding of a National Science Seminar, Penn. State Univ., Pennsylvania. International Symposium on Forest Hydrology, 187-190, illus.

Rogerson, T.L.; Ursic, S.J. 1967. New neutron probe system spends logging of soil water profiles. In: 14th Congr. Proceedings, Int. Union Forest. Res. Organ., Vol. 1: 416-419, illus. (Munich, Germany).

Ursic, S.J. 1967. The Yazoo-Little Tallahatchie plantations and their role in watershed protection. In: plantations on erosive oils conf. Proc., 1967: 16-20. Southeast. Area, State & Priv. Forest., U.S.D.A. Forest Service Atlanta, Ga. (University of Miss., Feb. 14-15, 1967)

Ursic, S.J. 1967. Improved standards for neutron soil water meters. Soil Science. 104(5): 323-325.

Ursic, S.J.; Biesterfeldt, R.C. 1967. It pays to delay pine planting. Progressive Farner. (Ga.-Ala.-Fla. ed). 82(12): 28C, illus.

Ursic, S.J.; Williston, H.L.; Burns, R.M. 1967. Late planting improves loblolly survival. U.S.D.A. Forest Service Tree Planters' Notes 18(3): 26. (Abstract only).

Ursic, S.J.; Williston, H.L.; Burns, R.M. 1967. Late planting improves survival. Forest Farmer. 26(9): 6-8, 16,18, illus.

Ursic, S.J.; Popham, T.W. 1967. Using runoff events to calibrate small forested catchments. In: 14th Congr. Proceedings, Intermat Union of Forestry. Resenance Oregan. Vol 1: 319-324. (Munich, Germany).

Williston, H.L. 1967. Thinning desirable in loblolly pine plantations in west Tennessee. U.S D.A. Forest Service Research Note S0-61. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 7, illus.

Williston, H.L. 1967. Growth of pine planted for erosion control in north Mississippi. U.S.D.A. Forest Service Research Note. S0-67, 4, illus.

Williston, H.L. 1967. Improving loblolly pine survival in roadbank stabilization. U.S.D.A. Forest Service Tree Planters' Notes. 18(3): 18-20, illus.

Williston, H.L. 1967. Clay slurry root dip impairs survival of loblolly pine seedlings in Mississippi. U.S.D.A. Forest Service Tree Planters' Notes. 18(4): 28-30.

Williston, H.L. 1967. Yields from Yazoo-Little Tallahatchie plantations. In: Harvesting pine plantations on erosive soils Conf. Proc., 1967: 21-25. Southeast. Area, State & Priv. Forest., U.S.D.A. Forest Service, Atlanta, Ga. (University of Miss., Feb. 14-15, 1967)

1968

Bower, D.R.; Ferguson, E.R. 1968. Understory removal improves shortleaf pine growth. Journal of Forestry. 66: 421-422.

Dickerson, B.P. 1968. Logging disturbance on erosive sites in north Mississippi. U.S.D.A. Forest Service Research Note S0-72. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 4,illus.

Ferguson, E.R.; Lawson, E.R.; Maple, W.R.; Mesavage, C. 1968. Managing eastern redcedar. Research Paper SO-37. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station.

Mesavage, C. 1968. Revised calculator for Barr and Stroud Dendrometers. Research Note SO-84. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station.

Rogerson, T.L. 1968. Net rainfall under hardwoods and red pine in central Pennsylvania. Water Resources Research. 4(1): 55-57.

Rogerson, T.L. 1968. Thinning increases throughfall in loblolly pine plantations. Journal of Soil and Water Conservation. 23(4): 141-142. (July-August).

Thames, J.L.; Evans, D.D. 1968. An analysis of the vertical infiltration of water into soil columns. Water Resources Research. 4(4): 817-828. (August).

Ursic, S.J. 1968. Reforestation and water resources of the Yazoo-Little Tallahatchie Watershed. Miss. Water Resources Conf. Proc. 1968: 9-13. Water Resources Res. Inst., Miss. State Univ., State College, Miss. (Held at Jackson, Miss., Apr. 9-10, 1968)

Ursic, S.J.; McClurkin, D.C. 1968. New U.S. Forest Service Laboatrory. Ole Miss Engineer. 8(4): 6-7, 10. (May).

Williston, H.L. 1968. Clearcutting and planting best for regenerating pine in northern Mississippi study. U.S.D.A. Forest Service Research Note S0-81. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 5.

Williston, H.L.; Dickerson, B.P. 1968. Influence of site and stand density on loblolly pine yield. Forest Farmer. 27(6):10-11.

Williston, H.L. 1968. Farm forestry--some concepts and problems. Forest Farmer. 28(3): 6-8, 17. (December)

Yocom, H.A. 1968. Shortleaf pine seed dispersal. Journal of Forestry 66: 422.

1969

Mesavage, C. 1969. Converting dendrometer estimates of out-side-bark stem diameters to wood diameters on major southern pines. Research Note SO-93. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station.

Mesavage, C. 1969. Measuring bark thickness. Journal of Forestry. 67: 753-754.

Mesavage, C. 1969. Modification of a Zeiss Telemeter Teletop for precision dendrometry. Research Note SO-95. New Orleans, LA: U.S Department of Agriculture, Forest Service, Southern Forest Experiment Station.

Mesavage, C. 1969. New Barr and Stroud Dendrometer FP 15. Journal of Forestry. 67: 40-41.

Popham, T.W.; Ursic, S.J. 1969. Computer program for converting neutron probe readings to soil water equivalents. Soil Science. 107: 302.

Ursic, S.J. 1969. Hydrologic effects of prescribed burning on abandoned fields in northern Mississippi. U.S.D.A. Forest Service Research Pap. S0-46. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 4.

Williston, H.L. 1969. Unmanaged growth in north Mississippi uplands. U.S.D.A. Forest Service Research Note S0-90. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 4.

Yocom, H.A.; Blocker, W.W. 1969. Herbicide injections on cull hardwoods. Arkansas Farm Research. 18(1): 7.

Duffy, P.D. 1970. Fertilizers for bullet-planted loblolly pines. Mississippi Farm Research. 33(7): 1, 5.

Ferguson, E.R. 1970. Eastern redcedar: an annotated bibliography. Research Paper SO-64. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station.

Ferguson, E.R.; Guttenberg, S. 1970. Type conversion: key to increased output of southern pine. Forest Farmer. 29(9):6-7, 17-18.

Ferguson, E.R.; Graney, D.L. 1970. Exposing profiles on forested mountain soils wth a backhoe. Journal of Soil and Water Conservation. 25: 153-154.

Hosner, J.F.; Graney, D.L. 1970. The relative growth of three forest tree species on soils associated with different successional stages in Virginia. The American Midland Naturalist. 84: 418-427.

McClurkin, D.C. 1970. Site rehabilitation under planted redcedar and pine. In: Tree Growth and Forest Soils 339-345. Proc., Third North American Forest Soils Conf., 1968, N.C. State Univ., Raleigh. C.T. Youngberg and C.B. Davey, Eds. Oreg. State Univ. Press.

Rogerson, T.L. 1970. Half-minute counts for neutron probes. Soil Science. 110(5): 359-360.

Ursic, S.J. 1970. Hydrologic effects of prescribed burning and deadening upland hardwoods in northern Mississippi. U.S.D.A. Forest Service Research Pap. S0-54. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 15.

Yocom, H.A. 1970. Vernier scales for diameter tapes. Journal of Forestry. 68: 725.

1971

Dickerson, B.P. 1971. Texas "Lost Pines" not superior on dry sites in northern Mississippi. U.S.D.A. Forest Service Research Note S0-119. New Orleans, LA: U.S. Department of Argiculture, Forest Service, Southern Forest Experiment Station. 4.

Duffy, P.D. 1971. Loblolly pine seedlings respond to foliar nitrogen fertiliation. U.S.D.A. Forest Service Research Note S0-122. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 4.

Ferguson, E.R. 1971. Chinese chestnuts do well in Ozarks. Arkansas Farm Research. 20(6): 6.

Graney, D.L.; Ferguson, E.R. 1971. Site-quality relationships for shortleaf pine in the Boston Mountains of Arkansas. Forest Science. 17(1): 16-22.

Graney, D.L.; Bower, D.R. 1971. Site index curves for red and white oaks in the Boston Mountains of Arkansas. Research Note SO-121. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 4.

Griffing, C.G.; Elam, W.W. 1971. Height growth patterns of loblolly pine saplings. Forest Science. 17(1):52-54.

McClurkin, D.C.; McClurkin, I.T.; Culpepper, T.J. 1971. Cytochemical and tissue homogenate analysis of adenosine triphosphatase in root tips of Texas "Lost Pines." Forest Science. 17(4): 446-451, illus.

McClurkin, D.C. 1971. Containerized pines for eroded watersheds. Journal of Soil & Water Conservation. 26(1):25-26, illus. (January-February).

Rogerson, T.L. 1971. Hydrologic characteristics of small headwater catchments in the Ouachita Mountains. Research Note SO-117. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station.

Yocom, H.A. 1971. Releasing shortleaf pine increases cone and seed production. Research Note SO-125. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station.

1972

Burroughs, E.R., Jr.; Marsden, M.A.; Haupt, H.F. 1972. Volume of snowmelt intercepted by logging roads. Journal of Irrigation and Drainage Division Proceeding of ASCE-IR 1:1-12.

Dickerson, B.P. 1972. Changes in the forest floor under upland oak stands and managed loblolly pine plantations. Journal of Forestry. 70: 560-562.

Duffy, P.D.; Dell, T.R. 1972. System for measuring and computing ephemeral runoff from small watersheds. U.S.D.A. Forest Service Research Note S0-138. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 4.

Ferguson, E.R.; Graney, D.L. 1972. Site index table for shortleaf pine in the Boston Mountains of Arkansas. Research Note SO-137. New Orleans, LA: U.S. Department of Agricuture, Forest Service, Southern Forest Experiment Station. 4.

Graney, D.L.; Ferguson, E.R. 1972. Shortleaf pine site-index relationships in the Ozark Highlands. Soil Science Society of America Proceedings. 36(3): 495-500.

Ursic, S.J.; Duffy, P.D. 1972. Hydrologic performance of eroded lands stabilized with pine. Miss. Water Resour. Conf. Proc., 203-216.

Yocom, H.A. 1972. Burning to reduce understory hardwood in the Arkansas Mountains. Research Note 145. New Orleans, LA: U.S. Department of Agricuture, Forest Service, Southern Forest Experiment Station.

1973

Beasley, R.S.; Klemmedson, J.O. 1973. Recognizing site adversity and drought-sensitives trees in stands of bristlecone pine (Pinus longaeva). Econ. Bot. 27: 141-146.

Dickerson, B.P. 1973. Containerized loblolly pines promising for erosion control planting. U.S.D.A. Forest Service Tree Planters' Notes. 24(1): 35-37.

Graney, D.L.; Burhart, H.E. 1973. Polymorphic site index curves for shortleaf pine in the Ouachita Mountains. Research Paper S0-84. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 12.

Bonner, F.T.; Ferguson, E.R. 1974. Osage-orange. In: Seeds of Woody Plants in the United States. U.S. Department of Agriculture. Agricultural Handbook. 450: 525-526.

Bonner, F.T.; Graney, D.L. 1974. Catalpa. In: Seeds of Woody Plants in the United States. U.S. Department of Agriculture. Agricultural Handbook. 450: 281-283.

Dickerson, B.P. 1974. Seedling age influences survival of containerized loblolly pines. U.S.D.A. Forest Service Research Note S0-171. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 4.

Duffy, P.D. 1974. Planting grass and pine for erosion control. U.S.D.A. Forest Service Tree Planters' Notes 25(1): 10-13.

Duffy, P.D.; McClurkin, D.C. 1974. Difficult eroded planting sites in north Mississippi evaluated by discriminant analysis. Soil Science Society of America Proceedings 38(4): 676-678.

Ferguson, E.R.; Lawson, E.R. 1974. Eastern redcedar-an American wood. U.S. Department of Agriculture, Forest Service. Publication FS-260, 6.

Graney, D.L. 1974. Site index predictions for shortleaf pine and oak in the mountains of Arkansas and Oklahoma: A comparison of principal components and analysis and multiple regression techniques. Ph.D. Thesis, Virginia Poly. Tech. Inst. and State Univ., Blacksburg, 165.

Lawson, E.R.; Ferguson, E.R. 1974. Soil-applied herbicides for control of red oaks and hickories in the Boston Mountains of Arkansas. Research Note S0-180. New Orleans, LA: U.S. Department Agriculture, Forest Service, Southern Forest Experiment Station. 3.

Lawson, E.R. 1974. Chemical for winter kill of hickories in the Ozark-Ouachita Highlands. Arkansas Farm Research. 23(2): 16.

McClurkin, D.C. 1974. Survival, dry matter accumulation, and water use of loblolly pine seedlings treated with chemical antitranspirants. Forest Science. 20(4): 372-374.

Ursic, S.J. 1974. Pine management influences the southern water resource. In: Symposium on Management of Young Pines Proceedings, 1974: 42-48. Southeast. Area, State and Priv. Forest., SO and SE For. Exp. Stns. (Invited Paper presented at Symposium on Management of Young Pines, Alexandria, La.,Oct. 22-24, 1974.)

Watson, E.S.; McCurkin, D.C.; Honeycutt, M.B. 1974. Fungal succession on loblolly pine and upland hardwood foliage and litter in north Mississippi. Ecology 55(5): 1128-1134.

Yocom, H.A.; Bower, D.R. 1974. Comparison of algorithms and instruments for estimation of individual tree volumes. Journal of Forestry. 73(9).

Dickerson, B.P. 1975. Stormflows and erosion after tree-length skidding on Coastal Plain soils. Transaction of the American Society of Agricultural Engineers. 18(5): 867-868,872.

Ferguson, E.R.; Larson, E.R. 1975. Chemical injections for thinning pole-size hardwoods in the Ozarks. Research Note SO-189. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station.

Lawson, E.R. 1975. Effects of partial and complete vegetation removal on soil water, runoff and tree growth in the Ouachita Mountains of Arkansas. Ph.D. Thesis, Colorado State University, Fort Collins, 171.

McClurkin, D.C.; Duffy, P.D. 1975. Evaluating impact of forest site preparation on soil and water quality in the U.S. Gulf Coastal Plain. In: Forest Soils and Forest Land Management, 315-321. Proceedings, 4th North American Forest Soils Conf., 1973, Laval University, Quebec. Edited by B. Bernier and C.H. Winget. (Duffy presented paper.)

Ursic, S.J. 1975. Harvesting southern forests: A threat to water quality? In: Non-poing Sources of Water Pollution, 145-151. Proceeding, southeaster Regional Conference, Virginia Water Resources Center, Va. Polytechnic Inst. & State Univ., Blacksburg, Va., May 1-2, 1975.

1976

Beasley, R.S.; Klemmedson J.O. 1976. Water stress in bristlecone pine and associated plants. Communications in Soil Science and Plant Analysis 7(7):609-618. (Based on plant-water relations section of RSB's dissertation).

Beasley, R.S. 1976. Contribution of subsurface flow from the upper slopes of forested watersheds to channel flow. Soil Science Society of America Journal. 40: 955-957. (November December).

Beasley, R.S. 1976. Potential effects of forest management practices on stormflow sources and water quality. In: Proceedings, Mississippi Water Resources Conference 1976, 111-117. Water Resources Research Institute, Mississippi State Univ.

Dickerson, B P. 1976. Soil compaction after tree-length skidding in northern Mississippi. Soil Science Society of America Journal. 40: 965-966.

Ferguson, E.R.; Graney, D.L. 1976. Site index tables for shortleaf pine in the Ozark Highlands of northern Arkansas and southern Missouri. Research Note SO-207. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 5.

Lawson, E.R. 1976. 2,4,5-T residues in storm runoff from small watersheds. Journal of Soil and Water Conservation. 31(5): 217-219.

May, J.T.; Buckner, J.L.; Ursic, S.J. 1976. Multiple use in the southern Coastal Plains in the United States. Georgia Forest Research Council Report No. 35, 23.

McClurkin, D.C. 1976. Influence of spacing on growth of loblolly pines planted on eroded sites. Forest Service Research Note S0-209. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 4.

Rogerson, T.L. 1976. Soil water deficits under forested and clearcut areas in north Arkansas. Soil Science Society of American Proceedings. 40(5): 801-805.

Rogerson, T.L. 1976. Simulating hydrologic behavior on Ouachita Mountain drainages. Research Paper SO-119. New Orleans LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 9.

Schreiber, J.D.; Duffy, P.D.; McCurkin, D.C. 1976. Dissolved nutrient losses in storm runoff from five southern pine watersheds. Journal of Environmental Quality. 5(2): 201-205.

Ursic, S.J. 1976. Water quality and southern forests..where we presently stand. Forest Farmer. 36(2): 17, 35. (November-December).

Yocom, H.A. 1976. Another Arkansas record of NEVIUSIA. Research Note SO-211. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station.

1977

Duffy, P.D. 1977. Fertilization to accelerate loblolly pine foliage growth for erosion control. Forest Service Research Note S0-230. New Orleans, LA: U.S. Department of Agriculture Forest Service, Southern Forest Experiment Station. 4.

Griffing, C.G.; Ursic, S.J. 1977. Ethephon advances loblolly pine needle cast. Forest Science. 23: 351-354.

Graney, D.L. 1977. Site index relationships for shortleaf pine and upland oaks in the Ozark-Ouachita Highlands of Missouri, Arkansas and Oklahoma. Fralish, J.S.; G.I. Weaver; R.C. Schlesinger (eds.). Proceedings, 1st Central Hardwoods
Forest Conference, 309-326. 1976 October 11-19, Southern Illinois University at Carbondale.

Graney, D.L. 1977. Site index predictions for red oaks and white oak in the Boston Mountains of Arkansas. Research Paper SO-139. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 9.

Rogerson, T.L. 1977. Hydrologic characteristics of mixed hardwood catchments in the Ozark Plateau. In: Fralish, J.S.; G.I. Weaver; R.C. Schlesinger (eds.), Proceedings, 1st Central hardwoods Forest Conference, 1976 October 17-19, Southern Illinois University at Carbondale, 327-333 [Vol. 2].

Ursic, S.J. 1977. Problems in applying Public Law 92-500. In: Forestry for America's Future, 143-146. Proc., SAF 1976 National Convention, 10/3-7/76, New Orleans, La.

Ursic, S.J. 1977. Water quality impacts of harvesting and regeneration practices. In: Proceedings "208" Symposium, Non Point Sources of Pollution from Forested Land. 223-232. Southern Illinois University, Carbondale.

Yocom, H.A.; Lawson, E.R. 1977. Tree percent from naturally regenerated shortleaf pine. Southern Journal of Applied Forestry. 1(2): 10-11.

1978

Duffy, P.D.; Schreiber, J.D.; McClurkin, D.C.; McDowell, L.L.1978. Aqueous-and sediment-phase phosphorus yields from five southern pine watersheds. Journal of Environmental Quality7 (1): 45-50.

Graney, D.L.; Pope, P.E. 1978. Response to red oaks and white oak to thinning and fertilization in the Boston Mountains of Arkansas. In: Fralish, J.S.; G.I. Weaver; R.C. Schlesinger (eds)., Proceedings 1st Central Harwoods Forest Conference, 1976 October 17-19, Southern Illinois University at Carbondale, 357-369 LVol. 2].

Graney, D.L. 1978. Ferilization increases growth of thinned and nonthinned upland oak stands in the Boston Mountains of Arkansas. Research Note SO-243. New Orleans, LA: U.S.Department of Agriculture, Forest Service, Southern Forest Experiment Station. 4.

Lawson, E.R. 1978. Information requirements for watershed management. U.S. Department of Agriculture, Rocky Mountain Forest Experiment Station. General Technical Report RM-55, 68-71.

McClurkin, D.C.; Moehring, J.O. 1978. Consequences of site disturbances in the upper Coastal Plain. In: Proceedings, Symposium on Principles of Maintaining Productivity on Prepared Sites (Mississippi State Univ., March 1978). 73-8484. (U.S. Forest Service and Southern Region of the Association of State College & University Forestry Research Organizations.)

McClurkin, D.C. 1978. Book review of Soil Erosion: Predictionand Control, Proceedings, Natl. Conf. on Soil Erosion, 1976, Purdue Univ., 393. Soil Conserv. Soc. of Am. Spec. Publ. 21, Ankeny, Iowa, 1977. Journal of Forestry. 76(1): 57.

Schreiber, J.D.; Duffy, P.D. 1978. Organic carbon and oxygen demand (BOD and COD) relationships in stormflow from southern pine watersheds. Agronomy Abstracts, Div. S-7, 192.[The ASA-CSSA-SSSA Annual Meetings held 12/3-8/78, Chicago, III]

Ursic, S.J. 1978. Effect of harvesting systems on water quality and supply. In: C.W. McMillin, ed. Proceedings, Symp: Complete Tree Utilization of Southern Pine (New Orleans, La., April 1978), 103-107. For. Prod. Res. Soc., Madison, Wisc. (Midsouth Section of the Forest Products Research Society, the Southern Forest Experiment Station, and the International Union of Forestry Research Organizations.)

Wells, O.O.; Batnett, P.E.; Funk, D.T.; LaFarge, I.; Lawson, E.R.; Little, S. 1978. Shortleaf x slash pine hybrids out perform parents in parts of the Southeast. Southern Journal of Applied Forestry. 2(1): 28-32.

Beasley, R.S. 1979. Intensive site preparation and sediment losses on steep watersheds in the Gulf Coastal Plain. Soil Science Society of America Journal. 43(2): 412-417.

Dendy, F.E.; Ursic, S.J.; Bowie, A.J. 1979. Sediment sources and yields from upland watersheds in north Mississippi. Proceedings, Mississippi Water Resources Conference 1979, 49-54. Water Resources Research Institute, Mississippi State University. [Sept. 24-25, 1979, Jackson MS]

Graney, D.L. 1979. Site quality relationships for oak hickory forest type. Southern American Forest Annual Meeting Proceedings. 339-343.

Hornbeck, J.W.; Ursic, S.J. 1979. Intensive harvest and forest streams: are they compatible? In: Proceedings, Impact of Intensive Harvesting on Forest Nutrient Cycling. [Symp. held at State Univ. of New York Syracuse, NY, Aug. 13-16,1979]. 249-262.

Lawson, E.R. 1979. Natural regeneration of shortleaf pine. In: Symposium for the Management of Pines in the Interior South. 1-6.

Pope, P.E.; Graney, D.L. 1979. Family differences influence the above ground biomass of loblo11y pine plantations. Research Paper S0-155. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 6.

Ursic, S.J. 1979. Hydrologic effects of converting hardwoods to southern pine. Abstracts, Am. Water Resour. Assoc. 1979 Conf., "Water Resources Management in a Changing Society,"15. [Conf. held in conjunction with AWRA Symp., "The Use of Scientific Information in Planning for Environmental Quality Objectives," 9/24-28/79, Las Vegas, Nev.]

Ursic, S.J.; Douglass, J.E. 1979. The effects of forestry practices on water resources. In: The W. Kelly Mosley Environmental Forum Proceedings, 33-49. Auburn University, Auburn, Ala. [May 10-11, 1978]

Ursic, S.J. 1979. Sediment contributions from southern forest management practices. In: Pollution Control in the Forest Products Industry. U.S. Environmental Protection Agency Seminar Publication, Technology Transfer EPA 625/3-79-010, 53-55,79,81.

Ursic, S.J. 1979. Forestry practices and the water resource of the upper Coastal Plain. In: Florida's Water Resources Implications for Forest Management. 11th Spring Symp. Florida Section, SAF. Sch. For. Resour. & Conserv., Inst. Food & Agric. Sci., University of Florida Resource Report 6:83-91. [May 30-31.

Williston, H.L.; Ursic, S.J. 1979. Planting loblolly pine for erosion control: review. U.S. Department of Agriculture, Forest Service, Tree Planters' Notes. 30(2): 15-18.

Dickerson, B.P.; McClurkin, D.C. 1980. A field trial of year round planting of "bullet" seedlings. U.S.D.A. Forest Service, Tree Planters' Notes 31(2): 21-22.

Graney, D.L. 1980. Mid-south upland hardwood site-yield potentials. In: Proceedings, Mid-South Upland Hardwood Symposium for the Practicing Forester and Land Manager. U.S. Department of Agriculture, Forest Service. Technical Publication SA-TP-12. 33-49.

Lawson, E.R. 1980. Water management and control of soil loss in southern upland hardwood stands. In: Proceeding, Mid-South Upland Hardwood Symposium for the Practicing Forester and Land Manager. U.S. Department of Agriculture, Forest Service. Technical Publication SA-TP-12. 134-143.

Rogerson, T.L. 1930. Rainfall data simulation. Research Note SO-260. New Orleans, LA: U.S. Department of Agriculture, Forest Service. 8.

Schreiber, J.D.; Duffy, P.D.; McClurkin, D.C. 1980. Aqueous-and sediment-phase nitrogen yields from five southern pine watersheds. Soil Science Society of America Journal. 44(2): 401-407.

Snyder, C.S.; Thompson, L.F.; Graney, D.L. 1980. Understory growth and soil nutrient status of upland oak stands fertilized with NH4N03. In: Abstracts of Technical Paper on the Annual Meeting of the Southern Branch of the American Society Agronomy. 14.

Ursic, S.J. 1980. Hydrologic effects of replacing off site hardwoods with southern pine. In: Research and field investigation on the impact of southern forestry management practices on receiving water quality and utility, 25-27. NCASI Stream Improvement Technical Bulletin 337. National Council of the Paper Industry for Air and Stream Improvement, Inc., New York, NY.[NCASI Special Technical Session, 1980 Southern Regional Meeting, 6/3/80, Atlanta.

1981

Esher, R.J.; Wolfe, J.L. 1981. Least shrew (Cryptotis parva) mortality during simulated rainfall. American Midland Naturalist. 106: 201-202.

Snyder, C.S.; Thompson, L.F.; Graney, D.L. 1981. Nitrogen fertilization and thinning of oak stands in the Ozarks. Agronomy Abstracts. 231.

Wolfe, J.L.; Esher R.J. 1981. Relative abundance of the Southeastern shrew. Journal of Mammalogy 62: 649-650.

1982

DeHaven, M.G.; Blackburn, W.H.; Knight, R.W.; Weichert, A.T. 1982. Assessment of stornflow and water quality from undisturbed and site prepared forest land in east Texas. Texas Water Resources Institute Technical Report 117. 152.

Graney, D.L. 1982. Response of red oak and white oak to thinning and fertilization in the Boston Mountains of Arkansas: 7-year results. In: Muller, R.N. ed.); Proceedings Fourth Central Hardwood Forest Conference; 1982 November 8-10; University of Kentucky at Lexington, KY; 64-78.

Rogerson, T.L. 1982. Portable data recorded in forest research. Southern Journal of Applied Forestry 6(2): 78-80.

Rogerson, T.L. Stimulating hydrologic behavior in the Ouachita Mountains of Central Arkansas. In: Applied Modeling in Catchment Hydrology, Water Resources Publications, Littleton, CO; 445-458.

Rogerson, T.L.; Lawson, E.R. 1982. Hydrologic characteristics of mixed hardwood watersheds in the Boston Mountains. In: Muller, R.N. (ed.), Proceeding, Fourth Central Hardwood Forest Conference; 1982 November 8-10; University of Kentucky at Lexington, KY; 344-349.

Schreiber, J.D.; Duffy, P.D. 1982. Sediment and nutrient transport from pine watersheds of the United States southern Coastal Plain. In: Hydrological Research Basins and their Use in Water Resources Planning: Proceedings International Symposium, 1982 September 21-23, Berne, Switzerland; 3vols.; 725-734 [Vol.3].

Schreiber, J.D.; Duffy, P.D. 1982. Organic carbon and oxygen demand relationships in stormflow from southern pine watersheds. Soil Science Society of America Journal. 46(1):142-148.

Snyder, C.S.; Graney, D.L.; Thompson, L.F. 1982. Nitrogen fertilization and thinning of oak stands in the Ozarks: effects on soil nitrogen, growth and nitrogen uptake of understory vegetation. In: Muller, R.N. (ed.). Proceedings, Fourth Central Hardwood Forest Conference; 1982 November 8-10; University of Kentucky at Lexington, KY; 51-63.

Ursic, S.J. 1982. Hydrologic changes after replacing hardwoods with southern pine. In: Hydrological Research Basins and their use in Water Resources Planning: Proceedings International Symposium, 1982 September 21-23, Berne, Switzerland; 3 vols.; 735-746 [Vol. 3.]

1983

Beasley, R.S; Granillo, A.B. 1983. Sediment losses from forest practices in the Gulf Coastal Plain of Arkansas. In: Jones, Earle P.; Jr., ed. Proceedings of the Second Biennial Southern Silvicultural Research Conference; 1982 November 4-5; Atlanta, GA. Gen. Tech. Rep. SE-24. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; :461-467.

Graney, D.L. 1983. Effects of thinning and fertilization on growth of upland oak stands in the Boston Mountains of Arkansas: 7-year results. In: Jones, Earle P. Jr. (ed.), Proceedings, Second Biennial Southern Silvicultural Research Conference; 1982 November 4-5; Atlanta, GA. Gen. Tech. Rep. SE-24. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 269-274.

Graney, D.L. 1983. Intermediate oak stand management in the Boston Mountains. Proceeding, Eleventh Annual Hardwood Symposium of the Hardwood Research Council. 1983 May 10-13; Cashiers, NC: Hardwood Research Council; Asheville, NC; 44-56.

Graney, D.L.; Kitchens, R.N. 1983. Oak-pine. In: Burns, Russell M. (tech. Comp.) Proceedings, Silvicultural Systems for the Major Forest Types of the United States. Agricultural Handbook 445; Washington, DC: U.S. Department of Agriculture, Forest Service. 172-174.

Lawson, E.R.; Hileman, L.H. 1983. Nutrient distributions in runoff from Ouachita Mountain watersheds. In: Jones, Earle P. Jr. (ed.). Proceedings, Second Biennial Southern Silvicultural Research Conference; 1982 November 4-5; Atlanta, GA. Gen. Tech. Rep. SE-24. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 477-482.

Lawson, E.R.; Kitchens, R.N. 1983. Shortleaf pine. In: Burns, Russell M. (tech. comp.), Proceedings, Silvicultural Systems for the Major Forest Types of the United States. Agricultural Handbook 445; Washington, DC: U.S. Department of Agriculture, Forest Service. 157-161.

Lawson, E.R.; Law, J.R. 1983. Eastern redcedar. In: Burns, Russell M. (tech. comp). Proceedings, Silvicultural Systems for the Major Forest Types of the United States. Agricultural Handbook 445; Washington, DC: U.S. Department of Agriculture, Forest Service. 109-112.

Nelson, N.S. 1983. A convenient membrane filtration system. American Laboratory. 15(5): 90-91.

1984

DeHaven, M.G.; Blackburn, W.H.; Knight, R.W.; Weichert, A.T. 1984. The impact of harvesting and site preparation on stormflow and water quality in east Texas. Texas Water Resources Institute Technical Report 130. 147.

Granillo, A.B.; Beasley, R.B. 1984. Recovery of ground cover after clearcutting and site preparation. Arkansas Farm Research. 33(2): 12. Hornbeck, J.W.; Corbett, E.S.; Duffy, P.D.; Lynch, J.E.1984. Section 12, Forest hydrology and watershed management, 637-677. In: Forestry Handbook, Second Edition. Karl F. Wenger, ed., for Society of American Foresters. John Wiley & Sons, New York.

Sherar, J.R.; Koger, J.L. 1984. The Clearwater Yarder: A Mississippi case study. In: Peter, Penn A. Luchok, John, eds. Mountain Logging Symposium Proceedings; 1984 June 5-7; Morgantown, WV. Morgantown, WV: West Virginia University; 1984: 337-349.

Beasley, R.S.; Granillo, A.B. 1985. Soil protection by natural vegetation clearcut forest land in Arkansas. Journal of Soil and Water Conservation. 40(4):379-382.

Beasley, R.S.; Granillo, A.B. 1985. Comparative hydrologic effects of silvicultural alternatives on flat terrain in the Gulf Coastal Plain. In: Blackmon, B.G., ed. Proceedings, forestry and water quality: a Mid-South symposium; 1985 May 8-9; Little Rock, AR. Fayetteville, AR: University of Arkansas: 94-105.

Blackburn, W.H.; Wood, J.C.; DeHaven, M.G. Forest harvesting and site preparation impacts on stormflow and water quality in east Texas. In: Blackmon, B.G., ed. Proceedings, forestry and water quality: a Mid-South symposium; 1985 May 8-9; Little Rock, AR. Fayetteville, AR: University of Arkansas: 74-93.

Bouchard, D.C.; Lavy, T.L.; Lawson, E.R. 1985. Mobility and persistence of hexazinone in a forest watershed. Journal of Environmental Quality. 14(2): 229-233.

Duffy, P.D.; Schreiber, J.D.; McDowell, L.L. 1985. Leaching of nitrogen, phosphorus, and total organic carbon from loblolly pine litter by simulated rainfall. Forest Science. 31(3): 750-759.

Duffy, P.D. 1985. Nutrient gains and losses for loblolly pine plantations. In: Blackmon, B.G., ed. Proceedings of forestry and water quality: A Mid-South symposium; 1985 May 8-9; Little Rock, AR. Deptpartment of Forest Resources, University of Arkansas, Monticello, AR; 42-54.

Graney, D.L.; Rogerson, T.L. 1985. Development of oak, ash and cherry reproduction following thinning and fertilization of upland hardwood stands in the Boston Mountains of Arkansas. In: Shoulders, Eugene (ed.), Proceedings, Third Biennial Southern Silvicultural Research Conference; 1984 November 7-8; Atlanta, GA. Gen. Tech. Rep. S0-54. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 171-177.

Graney, D.L. 1985. Growth of oak, ash, and cherry reproduction following overstory thinning of upland hardwood stands in the Boston Mountains of Arkansas. In: Proceedings, Fifth Central Hardwood Forest Conference; 1985 April 15-17; Urbana-Champaign, IL. SAF Publication 85-05. Urbana- Champaign, IL: University of Illinois, Department of Forestry. 4-10.

Lawson, E.R.; Rogerson, T.L.; Hileman, L.H. 1985. Nutrients in storm runoff from hardwood-forested watersheds in the Ozark Highlands. In: Shoulders, Eugene (ed.), Proceedings, Third Biennial Southern Silvicultural Research Conference; 1984 November 7-8; Atlanta, GA. Gen. Tech. Rep. S0-54. New Orleans, LA: U.S. Department of Agriculture, Forest Service Southern Forest Experiment Station. 558-564.

Lawson, E.R. 1985. Eastern redcedar. In: An American Wood, FS-260. Washington, DC: U.S. Department of Agriculture, Forest Service. 1-7.

Lawson, E.R.; Rogerson, T.L.; Hileman, L.H. 1985. Water quality of stormflows from hardwood forested catchments in the Boston Mountains. In: Proceedings, Fifth Central Hardwood Forest Conference; 1985 April 15-17; Urbana-Champaign, IL. SAF Publication 85-05. Urbana-Champaign, IL: University of Illinois, Department of Forestry. 215-221.

Lawson, E.R. 1985. Effects of forest practices on water quality in the Ozark-Ouachita Highlands. In: Blackmon, B.G. (ed). Proceedings, Forestry and Water Quality: A Mid-South Symposium; 1985 May 8-9; Little Rock, AR. Fayetteville, AR: Department of Forest Resources, University of Arkansas, Monticello, AR; 130-140.

McClurkin, D.C.; Duffy, P.D.; Ursic, S.J.; Nelson, N.S. 1985. Water quality effects of clearcutting upper Coastal Plain loblolly pine plantations. Journal of Environmental Quality. 14(3): 329-332.

Miller, E.L.; Beasley, R.S.; Lawson, E.R. 1985. Stormflow, sedimentation and water quality responses following silvicultural treatments in the Ouachita Mountains. In: Blackmon, B.G. (ed), Proceedings, Forestry and Water Quality: A Mid-South Symposium; 1985 May 8-9; Little Rock, AR. Fayetteville, AR: Department of Forest Resources, University of Arkansas, Monticello, AR; 117-129.

Rogerson, T.L. 1985. Hydrologic responses to silvicultural practices in pine hardwood stands in the Ouachita Mountains. In: Proceedings, Fifth Central Hardwood Forest Conference; 1985 April 15-17; Urbana-Champaign, IL. SAF Publication 85-05. Urbana-Champaign, IL. University of Illinois, Department of Forestry. 209-214.

Snyder, C.S.; Thompson, L.F.; Graney, D.L. 1985. Nitrogen content of soils and understory vegetation following thinning and fertilization of upland oak stands. Arkansas Farm Research. 23(1): 4.

Ursic, S.J. 1985. Hydrologic effects of complete and conventional harvest of loblollypine biomass. In: Shoulders, Eugene, ed. Proceedings of the third biennial southern silvicultural research conference; 1984 November 7-8; Atlanta, GA. Gen. Tech. Rep. S0-54. New Orleans, LA: U.S.Department of Agriculture, Forest Service, Southern Forest Experiment Station. 565-572.

Williston, H.L. 1985. Growth and yield of planted loblolly and shortleaf pines in a norh Mississippi creek bottom. Southern Journal of Applied Forestry. 9(4): 247-249.

Blackburn, W.H.; Wood, J.C; DeHaven, M.G. 1986. Storm flow and sediment losses from site-prepared forest land in east Texas. Water Resources Research. 22(5): 776-784.

Duffy, P.D.; Schreiber, J.D.; Ursic, S.J. 1986. Nutrient transport by sediment from pine forests. In: Proceedings, Fourth Federal Interagency Sedimentation Conf.. 1986 March 24-27; Las Vegas, NV. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 57-65.

Graney, D.L. 1986. Site quality relationships for shortleaf pine. In: Proceedings, Symposium on the Shortleaf Pine Ecosystem; 1986 March 31-April 2; Little Rock, AR. Monticello, AR: Arkansas Cooperative extension Service. 41-52.

Lawson, E.R. 1986. Natural regeneration of shortleaf pine.In: Proceedings, Symposium on the Shortleaf Pine Ecosystem; 1986 March 31-April 2; Little Rock, AR. Monticello, AR: Arkansas Cooperative Extension Service. 53-63.

Mistretta, P.A.; Bylin, C.V.; Baker, R. 1986. Incidence and impact of damage to Tennessee's timber, 1982. Resource Bulletin SO-IIO. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 18.

Nelson, N.S. 1986. The AC approach to liquid spill cleanup. Journal of Chemical Education. 63(7): A167-A169.

Stoin, H.R.; Kadmin, B.B.; Thompson, L. 1986. Changes in forest soils following clearcutting of pine forest in the Ouachita Mountains of Arkansas. In: Proceedings, Arkansas Academy of Science; 1985 April 5-6; Fayetteville, AR. Monticello, AR: Arkansas Academy of Science, Department of Natural Science; 39: 116-119.

Thomas, D.L.; Beasley, D.B. 1986. A physically-based forest hydrology model I: development and sensitivity of components. Transactions of the American Society of Agricultural Engineering. 29(4): 962-972.

Ursic, S.J. 1986. Sediment and forestry practices in the South. In: Proceedings, Fourth Federal Interagency Sedimentation Conf.; 1986 March 24-27; Las Vegas, NV. Washington, DC: Government Printing Office. 28-37. Vol. Ursic, S.J.; Duffy, P.D. 1986. Hydrologic effects of forestry practices in Mississippi. In: Proceedings, Mississippi Water Resources Research Institute, Mississippi State University; Mississippi Water Resources Conference. February 12-13 Jackson, MS. 85-88.

Ursic, S.J. 1986. Forestry effects on small-stream floods. Hydrological Science and Technology: Short Papers 2(2):13-15.

Ursic, S.J. 1986. Water management--an integral element of forest management planning. In: Carpenter, S.B., ed.Proceedings, Southern Forestry Symposium; 1985 November 19-21;

Atlanta, GA. Stillwater, OK: Agricultural Conference Services, Oklahoma State University. 238-247.

Beasley, R.S.; Miller, E.L.; Lawson, E.R. 1987. Chemical properties of soils and streams in natural and disturbed forest ecosystems in the Ouachita Mountains. Technical Completion Report Research Project G-1212-02, Publ. 132. Fayetteville, AR: Arkansas Water Resources Research Center.93.

Graney, D.L. 1987. Ten-year growth of red and white oak crop trees following thinning and ferilization in the Boston Mountains of Arkansas. In: Proceedings, fourth biennial southern silvicultural research conference; 1986 November 4-6; Atlanta, GA. Gen. Tech. Rep. SE-42. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 445-450.

Joyce, L.A.; Baker, R.L. 1987. Forest overstory-understory relationships in Alabama forests. Forest Ecology and Management. 18: 49-59.

Komar, J.D. 1987. The effects of acid deposition on the soil water chemistry of a loblolly pine ecosystem. Thesis M.S. 247.

McClurkin, D.C.; Duffy, P.D.; Nelson, N.S. 1987. Changes in forest floor and water quality following thinning and clearcutting of 20-year-old pine. Journal of Environmental Quality. 16(3): 237-241.

Nelson, N.S. 1987. An acid-pesulfate digestion procedure for determination of phosphorus in sediments. Communications in Soil Science and Plant Analysis. 18(4): 359-369.

Popham, T.W.; Baker, R.L. 1987. Ocular and densimeter estimates of understory foliar cover in forests of Alabama. Research Note S0-334. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 4.

Steele, K.F.; Thasan, P.; Lawson, E.R. 1987. Deposition of heavy metals by rain filtrate and paticulate material at asemi-urban versus a rural mid-continent site, USA. In: S.E. Lindberg and T.C. Hutchinson, eds. Proceedings, international conference: "Heavy Metals in the Environment"; 1987 September; New Orleans, LA. Edinburg, UK: CEP Consultants Ltd.; 1: 278-280.

Ursic, S.J.; Duffy, P.D. 1987. Strip cutting to regenerate erosion-control plantations of loblolly pine. In: Proceeding fourth biennial southern silvicultural research conference; 1986 November 4-6; Atlanta, GA. Gen. Tech. Rep. SE-42. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 326-330.

1988

Miller, E.L.; Beasley, R.S.; Lawson, E.R. 1988. Forest harvest and site perparation effects on stormflow and peakflow of ephemeral streams in the Ouachita Mountains. Journal of Environmental Quality. 17(2): 212-218.

Mansell, R.S.; Bloom, S.A.; Rhue, R.D. 1988. Simulated transport of multiple cations in soil using variable selectivity coefficients. Soil Science Society Amereica Journal. 52(6): 1533-1540.

Miller, E.L.; Beasley, R.S.; Lawson, E.R. 1988. Forest harvest and site preparation effects on erosion and sedimentation in the Ouachita Mountains. Journal of environmental Quality. 17 (2): 219-225.

Ursic, S.J.; Esher, R.J. 1988. Influence of small mammals on stormflow responses of pine-covered catchments. Water Resources Bulletin. 24(1): 133-139.

Williston, H.L. 1988. The Yazoo-Little Tallahatchie flood prevention project: a history of the Forest Service's role. Forestry Report R8-FR 8. Atlanta, GA: U.S. Department of Agriculture, Forest Service, Southern Region. 63.

1989

Duffy, P.D.; Schreiber, J.D.; McDowell, L.L. 1989. Nutrient flux through a loblolly pine forest floor using simulated rainfall. Soil Science Society of American Journal. 53 (3):951-957.

Graney, D.L. 1989. Growth of oak, ash, and cherry reproduction following understory thinning and understory control in upland hardwood stands of northern Arkansas. In: Proceedings of the fifth biennial southern silvircultural research conference; 1988 November 1-3; Memphis, TN. Gen. Tech. Rep. SO-74. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station: 245-252

Graney, D.L. 1989. The importance of site quailty. Central Hardwood Notes. U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station.

Lawson E.R.; Beasley. R.S.; Miller, E.L.; Turton, D.J. 1989. Water resources research overview: forest watershed. Arkansas Farm Research. 38(6): 6:

Lawson, E.R; Coltharp, G.B. 1989. Factors influencing water resources. Central Hardwood Notes. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 11.01 to 11.013.

Lawson, E.R.; Settergren, C.D. 1989. Management practices and water quality. Central Hardwood Notes. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 11.02-11.024.

Lybrand, M.S. 1989. Variation of headwater stream chemistry in watersheds with different forestry practices, northwest Arkansas.

Parrott, H.; Marion, D.A.; Perkinson, R.D. 1989. A four-level hierarchy for organizing wildland stream resource information. In: Woessmer, William W.: Potts, Donald F., eds. Proceedings

of the symposium on headwaters hydrology; 1989 June 26-30; Missoula, M.T. Bethesda, M.D.: American Water resources Association: 41-54.

Swift, L.W., Jr.; Waide, J.B.; White, D.L. 1989. Refinements in the Z-T method of extreme value analysis forsmall watersheds. In: Proceedings of Preprint Volume of the sixth conference on supplied climatology; 1989 March 7-10; Charleston, SC. Boston, MA: American Meteorological Society: 60-65

Wheeler, L.; Lawson, E.R. 1989. The effects of solution pH and anion composition of leaching of upland forest soils. In: Proceedings of the fifth biennial southern silvicultural research conference; 1988 November 1-3; Memphis, TN. Gen. Tech. Rep. SO-74. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station: 41-56.

1990

Duffy. P.D.; Ursic, S.J. 1990. Headwater rehabilitation in the south-central United States. In: Krecek, Josef; Grip, Harald; Haigh, Martin J. [and others], eds. Proceedings of the international conference on headwater control; 1989 September 21-23; Praque, Czechoslovakia. Praque, Czechoslovakia: World Association of Soil and Water Conservation, International Union of Forestry Research Organization; 2: 295-301.

Duffy, P.D.; Schreiber, J.D. 1990. Nutrient leaching of a loblolly pine forest floor by simulated rainfall. II. Environmental factors. Forest Science. 36(3): 777-789.

Graney, D.L. 1990. Carya ovata (Mill) K. Koch. Shagbark hickory. In: Burns, Russell M.; Honkala, Barbara H., comps.,eds. Silvics of North American. volume 2. hardwoods. Agric. Handb. 654. Washington, DC. U.S. Department of Agriculture, Forest Service: 219-225.

Joyce, L.A.; Flather, C.H.; Flebbe, P.A.; Hoekstra, T.W.; Ursic, Stan J. 1990. Integrating forage, wildlife, water, and fish projections with timber projections at the regional level: a case study in southern United States. Environmental Management. 14 (4): 489-500.

Kress, M.W.; Baker, R.; Ursic, S.J. 1990. Chemistry response of two forested watersheds to acid atmospheric deposition. Water Resources Bulletin. 26(5): 747-756.

Lawson, E.R. 1990. Juniperus virginiana L. eastern redcedar. In: Burns, Russell M.; Honkala, Barbara H. comps., eds. Silvics of North America. volume 1. conifers. Agric. Handb. 654. Washington, DC: U.S. Department of Agriculture, Forest Service: 131-140.

Lawson, E.R. 1990. Pinus echinata Mill. shortleaf pine. In: Burns, Russell M.; Honkala, Barbara H., comps., eds. Silvics of North America. volume 1. conifers. Agric. Handb. 654. Washington, DC: U.S. Department of Agriculture, Forest Service: 316-326.

Lawson, E.R. 1990. Ulmus serotina Sarg. September elm. In: Buren, Russell M.; Honkala, Barbara H., comps., eds. Silvics of North America. volume 2. hardwoods. Agric. Handb. 654. Washington, DC: U.S. Department of Agriculture, Forest Service: 817-820.

Schreiber, J.D.; Duffy, P.D.; McDowell, L.L. 1990. Nutrient leaching of a loblolly pine forest floor by simulated rainfall. I. Intensity effects. Forest Science. 36(3): 773-776.

Swift, L.W., Jr.; Waide, J.B.; White, D.L. 1990. Application of the Z-T extreme event analysis using Coweeta streamflow and precipitation data. In: Greenland, David; Swift, Lloyd W.; Jr., eds. Climate variability and ecosystem response: Proceedings of a long-term ecological research workshop; 1988 August 21-23; Boulder, CO. Gen. Tech. Rep.Se-65. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station: 13-18.

Van Lear, D.H.; Kapeluck, P.R.; Waide, J.B. 1990. Nitrogen pools and processes during natural regeneration of loblolly pine, In: Gessel, S.P.; Lacate, D.S.; Weetman, G.F. [and others], eds. Sustained productivity of forest soils: Proceedings of the 7th North American forest soils conference; 1988 July 24-28; Vancouver, B.C. Vancouver, B.C.: University of British Columbia, Faculty of Forestry: 234-252.

William, M.A. 1990. Saturated interflow and water table response of a small forested watershed in the Ouachita Mountains of central Arkansas. 142.

1991

Duffy, P.D.; Ursic, S.J. 1991. Land rehabilitation success in the Yazoo basin, USA. Land Use Policy. July: 196-205.

Horton, R.T. 1991. Dynamics of green leaf utilization in Ozark streams. Fayetteville, AR: University of Arkansas. M.S. thesis.

Murphy, P.A.; Lawson, E.R.; Baker, J.B. 1991. Selection management of shortleaf pine in the Ouachita Mountains. Southern Journal of Applied Forestry. Vol. 15 Issue 1. Feb. 61-67.

Schreiber, J.D.; Duffy, P.D.; Smith, S., Jr. 1991. Rainfall simulators for water quality research. In: Fan, Shou-Shan; Kuo, Yung-Huang, eds. Proceedings of the fifth federal interagency sedimentation conference; 1991 March 18-21; Las Vegas, NV. Washington, DC.: U.S. Government Printing Office; 2: PS-86 to PS-93.

Steele, K.F.; Wheeler, G.L.; Waide, J.B.; Lybrand, M.S.; Lawson, E.R. 1991. Effects of season and silvicultural practices on the chemistry of first-order streams in the Ozark National Forest, Arkansas, U.S.A. Peters, N.E.; Walling, D.E., eds. Sediment and stream water quality in a changing environment: trends and explanation: Proceedings of a symposium, 20th General Assembly of the International Union of Geodesy and Geophysis. Vienna, Austria. 8/11-24. IAHS Publication No. 203.

Steele, K.F.; Lybrand, M.S.; Wheeler, G.L.; Lawson, E.R.; Waide, J.B. 1991. Effects of season and silvicultural practices on the chemistry of first-order streams in the Ozark National Forest, Arkansas, U.S.A. In: Peters, N.E.; Walling, D.E., eds. Sediment and stream

waterquality in a changing environment; trends and explanation: Proceedings of a symposium, 20th General Assembly of the International Union of Geodesy and Geophysics; 1991 August 11-14; Vienna, Austria. IAHS Publication No. 203. Wallingford, Oxfordshire, UK: (Publisher name unknown)

Swanston, D.N.; Marion, D.A. 1991. Landslide response to timber harvest in Southeast Alaska. In: Fan, Shou-Shan; Kno, Yung-Huang, eds. Proceedings of the fifty federal interagency sedimentation conference; 1991 March 18-21; Las Vegas, NV. Washington, DC: Government Printing Office; 2: 10-49 to 10-56.

Ursic, S.J. 1991. Hydrologic effects of clearcutting and stripcutting loblolly pine in the Coastal Plain. Water Resources Bulletin. 27(6): 925-938.

Ursic, S.J. 1991. Hydrologic effects of two methods of harvesting mature southern pine. Water Resources Bulletin. 27(2): 303-315of central Louisiana. Baton Rouge, LA: Louisiana State University. 104 p. M.S. thesis

Ursic, S.J. 1991. Hydrologic effects of two methods of harvesting mature southern pine. Water Resources Bulletin. 27(2): 303-315.

1992

Esher, Robert J; Baker, Roger L.; Ursic, S.J.; Miller, L. Xheriarophwe. 1992. Responses of invertebrates to experimental acidification of the forest floor under southern pines. In: Biological Report 16. 75-83.

Esher, R.J.; Marx, D.H.; Ursic, S.J.; Baker, R.L.; Brown, C.R.; Coleman, D.C. 1992. Simulated acid rain effects on fine roots, ectomycorrhizae, microorganisms, and invertebrates in pine forests of the Southern United States. Water, Air, and Soil Pollution. 61: 269-278.

Gentry, C.E.; Willis, R. B.; Halverson, H.G. 1992. Chemical and pedogenetic effects of simulated precipitation on strip mine spoil. In: Achieving land use potential through reclamation: Proceedings of the 9th annual national meeting of the American Society for Surface Mining and Reclamation; 1992 June 14-18; Duluth, MN. ASSMR9-92 (Place and name of publisher unknown): 61-67

Halverson, H.G.; Sidle, R.C. 1992 Cumulative effects of mining on hydrology, water quality, and vegetation. Gen. Tech. Rep. NE-164. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 99-104.

Johnston, C.E.; Page, L.M. 1992 The evolution of complex reproductive strategies in North American minnows (Cyprinidae). In: Mayden, Richard L., comp., ed. Systematics Historical Ecology, & North American Freshwater

Fishes. Stanford, CA: Stanford, University Press: 600-621

Marion, Daniel A.; Ursic, S.J. 1993. Sediment production in forests of the Coastal Plain, Piedmont, and Interior Highlands. Paper. Technical workshop on; sediments; Proceedings of the EPA/Forest Service Workshop. 1992. Feb. 3-7. Corvallis, ORWashington D.C.: Terrene Institute: 19-27.

Simon, T.P.; Tyberghein, E.J.; Scheidegger, K.J.; Johnston, C.E. 1992. Descriptions of protolarvae of the sand darters (Percidae: Ammocrypta and Crystallaria) with comments on systematic relationships. Ichthyology Exploration of Freshwaters. 3(4): 347-358.

Warren, Melvin L., Jr. 1992. Variations of the spotted sunfish, Lepomis punctatus complex. (Centrarchidae): Meristics, morphometrics, pigmentation and species limits. In: Alabama Museum of Natural History. Bulletin No. 12, May 1992.

1993

Burr, B.M.; Warren, M.L., Jr. 1993. The Southern Illinois University at Carbondale ichthyological research collections. Southeastern Fishes Council Proceedings. March 27: 6-8

Burr, B.M.; Warren, M.L. Jr. 1993. Fishes of the big muddy river drainage with emphasis on historical changes. In: Proceedings of the Symposium on restoration planning for the rivers of the Mississippi River ecosystem; Unknown; (place held unknown). Biological Report 19. Washington, DC: U.S. Department of the Interior, National Biological Survey: 186-209

Dickson, James G.; Warren, Melvin L., Jr. 1993. Wildlife and fish communities of eastern riparian forests. In: Functions, values and management. Proceedings of riparian ecosystems in the humid U.S. March 15-18,1993 in Atlanta GA.

Garton, D.W.; Berg, D.J.; Stoechmann, A.M.; Haag, W.R. 1993 Biology of recent invertebrate invading species in the Great Lakes: the spiny water flea, BYTHOTREPHES CEDERSTROEMI, and the zebra mussel, DREISSENA POLYMORPHA. In: Biological Pollution: The Control and Impact of Invasive Exotic Species. Indianapolis, In: Indiana Academy of Science: 63-84.

Guldin, James M; Baker, James B.; Shelton, Michael G. 1993. Midstory and overstory plants in mature pine/hardwood stands of the Ouachita/Ozark National Forests. In: Paper presented at Symposium on Ecosystem Management Review. Pretreatment conditions and preliminary findings. Hot Springs, AR Oct..26-27.

Haag, W.R.; Berg, D.J.; Garton, D.W.; Farris, J.L. 1993. Reduced survival and fitness in native bivalves in response to fouling by the introduced zebra mussel (Dreissena polymorpha) in western Lake Erie. Canadian Journal of Fishes and Aquatic Sciences. 50(1): 13-19.

Matthews, W.J. 1993. Fish community composition and biomass as related to physical stream environments, seasons, and forest management in the Ouachita Mountains of south-western Arkansas. Final report; Research cooperative Agreement #19-89-043. 47 p. Available from: University of Oklahoma Biological Station, HC 71, Box 205, Kingston, Oklahoma.

Mersmann, Timothy J.; Baker, James B.; Guldin, James M.; Pell, William P. 1993. Implementing ecosystem management researchers: Bringing researchers, managers and ctizens together In: Paper presented at Symposium on Ecosystem management Research. Conditions and preliminary findings. Hot Springs, AR 10/26-27.

Warren, M.L., Jr. 1993. Review of River conservation and management. Transactions of the American Fisheries Society. 122: 155-156..

Williams, J.D.; Warren, M.L., Jr.; Cummings, K.S.; Harris, J.L.; Neves, R.J. 1992. Conservation status of freshwater mussels of the United States and Canada. Fisheries. 18(9): 1-22.

1994

Foti, T.L.; Guldin, J.M. 1994. Multivariate analysis of the ground cover layer, shrub layer, midstory, and overstory of the Ouachita/Ozark National Forests. In: Prodeedings Symposium on ecosystem management rsearch in the Ouachita Mountains: Pretreatment conditions and preliminary findings; 1993 October 26-27; Hot Springs, AR. Gen Tech. Rep. SO-112. New Orleans, LA; U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station: 186-190.

Fowler, W.P. 1994. Woody debris dynamics in zero order streams of the Ouachita National Forest: preliminary findings. In: Proceedings of the Symposium on ecosystem management research in the Ouachita Mountains: Pretreatment conditions and preliminary findings; 1993 October 26-27; Hot Springs AR. Gen. Tech. Rep. SO-112. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station: 182-185.

Guldin, James M.; Baker, J.B.; Shelton, M.G.; Mersmann, T.J. 1994. When paint hits the tree—accuracy; of implementing alternative reproduction ctting methods. Paper presented at the Eighth Biennial Southern Silvicultural Research Conf. Auburn Al. Nov. 1—3,1994.

Guldin, J.M.; Baker, J.B.; Shelton, M.G. 1994. Midstory and overstory plants in mature pine/hardwood stands of the Ouachita/Ozark National Forests. In: Proceedings of the Symposium on ecosystem management research in the Ouachita Mountains: Pretreatment conditions and preliminary findings; 1993 October 26-27; Hot Springs, AR. Gen Tech. Rep. SO-112. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment

Halverson, Howard G.; Guldin, M. James. 1994. Effects of a severe ice storm on mature loblolly pine stands in North Mississippi. Edwards, M. Boyd, Proceedings: of the Eighth Biennial Southern Silvicultural Research Conference, 1994, November 1-3, Auburn, AL. General Technical Report SRS-1 Ashville, NC. USDA Forest Service, Sourthern Research Station, p 147-153Station: 29-49.

Johnston, C.E.; Kleiner, K., Jr. 1994. Reproductive behavior of the rainbow shiner (NOTROPHIS CHROSOMUS) and the rough shiner (NOTROPIS BAILEYI), nest associates of the bluehead chub (NOCOMIIS LEPTROCEPHALUS) (Pisces: Cyprinidae) in the Alabama River Drainage. Journal of the Alabama Academy of Science 65(4) Oct.: 230-240.

Johnston, Carol E., 1994. Nest association in fishes: evidence for mutalism. Behavior Ecology Sociobiology 35: 379-383.

Johnston, C.E. 1994. Spawning behavior of the goldstripe darter (ETHEOSTOMA PARVIPINNE Gilbert and Swain) (Percidae). Copeia. 3: 823-825

Johnston, C.E. 1994. The benefit of some minnows of spawning in the nests of other species. Environmental Biology of Fishes. 40: 213-218

Mersmann, T.J.; Baker, J.B.; Guldin, J.M.; Pell, W.F. 1994. Implementing ecosystem management research: bringing researchers, managers, and citizens together. In: Proceedings of the Symposium on ecosystem management research in the Ouachita Mountains: Pretreatment conditions and preliminary findings; 1993 October 26-27; Hot Springs, AR. Gen Tech. Rep. SO-112. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station: 10-17.

Michael, J.L.; Fowler, W.P.; Gibbs, H.L.; Fischer, J.B. 1994. Water chemistry of ephemeral streams. In: Proceedings of the Symposium on ecosystem management research in the Ouachita Mountains: Pretreatment conditions and preliminary findings; 1993 October 26-27; Hot Springs, AR. Ge. Tech. Rep. SO-112. New Orleans, LA: U:.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station: 186-190.

O'Hara, K.L.; Seymour, R.S.; Tesch, S.D.; Guldin, J.M. 1994. Silviculture and our changing profession: Leadership for shifting paradigms. Journal of Forestry. 92(1): 8-13.

Warren, M.L., Jr.; Burr, B.M. 1994. Status of freshwater fishes of the United States: overview of an imperiled fauna. Fisheries. 19(1): 6-18

Warren, M.L., Jr.; Burr, B.M.; Taylor, C.A. 1994. The relict darter, ETHEOSTOMA CHIENENSE (Percidae): status review of a Kentucky endemic. Transactions of the Kentucky Academy of Science. 55(1-2): 20-27

Warren, Melvin L., Jr.; Burr, Brooks M.; Grady, James M.. 1994. NOTROPIS ALBIZONATUS, a new cyprinid fish endemic to the Tennessee and Cumberland River drainages, with a phylogeny of the NOTROPIS PROCNE species group. Copeia 199 (4): 868-886

Warren, Melvin L., Jr.; Burr, Brooks M.; Biggins, Richard G. 1994. Technical/Agency draft recovery plan for Relict Darter (ETHESTOMA CHIENENSE). July 1994. written for Southeast Region, U.S. Fish and Wildlife Service. Atlanta, GA.

Warren, Melvin L., Jr.; Pardew, Mitzi; Fowler, W. Pat . 1994. Abstract. You can't get there from here: stream crossings and small-stream fishes in the Ouachita Mountains, Arkansas. In: Program and Abstracts, 1994 Annual Meeting ASIH AES NIA, Univ. of Southern California.

1995

Aguila, Yolanda; Brown, Arthur V. 1995. Macroinvertebrate community responses to five methods of harvesting trees in Ouachita National Forest. 43 Annual Meeting Program Issue, Keystone Resort, CO, Spring 1995. Bulletin of the North American Benthological Society. 12(1), 138

Burr, B.M.; Warren, M.L., Jr. 1994. Freshwater fishes of Virginia. (Book Review) Copeia. 1:Dickson, James G.; Warren, Melvin L., Jr. 1993. Wildlife and fish communities of eastern riparian forest. In: Functions, values and management: Proceedings of riparian ecosystems in the humid U.S. Days of Proceedings, 1993 March 15-18 Atlanta, GA. p. 1-31

Berg, David J.; Haag, Wendell R.; Guttman, Sheldon I.; Sickel, James B.1995. Mantle biopsy: a technique for nondestructive tissue-sampling of freshwater mussels. Journal North American Benthological Society 14(4):577-581

Guldin, James M.; 1996 The role of uneven-aged silviculture in the context of ecosystem management. Journal of Applied Forestry. 11(1):4-12 January.

Haag, Wendell R.; Garton, David W. 1995. Variation in genotype frequencies during the life history of the bivalve DREISSENA POLYMORPHA. Evolution 49(6)1284-1228.

Haag, Wendell R.; Butler, Robert S.; Hartfield, Paul D. 1995. An extraordinary reproductive strategy in freshwater byvalves: prey mimicry to facilitate larval dispersal.. Freshwater Biology 34: 471-476

Haag, Wendell R.; Warren, Melvin L., Jr. 1995. Current distributional information on freshwater mussels (family UNIONIDE) in Mississippi National Forest General Technical Report S)-119. New Orleans, LA USDA Forest Service, 10 p.

Jackson, Donald C.; Brown-Peterson, Nancy J. 1997 Fisheries Sesson. Habitat accessibility, and watershed variables as they relate to largemouth bass and bluegill in Mississippi's National Forest impoundments. In: 1995 Proc. Annu. Conf. SEAFWA 26-36.

Johnston, Carol E.; Ramsey, John S.; Sobaski, Stephen T.; Swing, C. Kelly; 1995 Introduced species of fishes in the southern Appalachians: consequences for conservation. Journal of the Tennessee Academy of Science. 70(2-3):65-76

Johnston, Carol E. 1995. Book review, Sexual selection by Malte Anderson. 1995 In: Fisheries Review; 40(3):218.

Johnston, Carol E. 1995. Spawning behavior of the paleback darter, Etheostoma Pallididorsum, (Percidae). The Southwestern Naturalist 40(4) December p 422-425.

Johnston, Carol; Fiegiel, Chester. 1995. Population estimates, microhabitat parameters and life history characteristics of FALLICAMBARUS BURRISI, and FALLICAMBARUS GORDONI, two crayfishes associated with pitcher plant bogs in Southern Mississippi: final report to USFWS, the Mississippi Wildlife Heritage Program and National Forests in Mississippi: 1995 December 31; Jackson, MS 18p

Johnston, Carol E.; Damon, Kimberly B. 1995. An assessment of the fish faunas of three north-central Mississippi Streams: Report to National Forests in Mississippi; 1995 December 31; Jackson, MS 21p. Available USDA, Forest Service Forest, Forest Hydrology Lab., Oxford, MS 38655.

Marion, Daniel A.,; Weirich, Frank H. 1995. Abstract: Assessing peak flow effects on high-gradient, low-order mountain stream channels, Annual Meeting of the Association of American Geographers. Chicago, March 14-18, 1995. Washington DC Assoc. Amer. Geographers. p 194. Supplement of AAG Newsletter. Feb. 1995. Hydrology Lab., Oxford, MS 38655.

Michael, J.L.; Smith, M.C.; Knisel, W.G.; Neary, D.G.; Fowler, W.P. 1995. Using a hydrologic model to determine the most environmentally safe windows for herbicide application. Proceedings: Gaskin, R.E.., Zabkiewicz Proceedings of Popular Summaries from Second International Conference on Forest Vegetation management. March 20-24, 1995. Rotorua New Zealand, FRI Bulletin No. 192 p 204-206.

1996

Angermeier, Paul L.; Winston, Matthew R.; Warren, Melvin L. 1996. Development of a protocol for assessing monitoring aquatic biodiversity in the Eastern United States: final report from Virginia Cooperative Fish and Wildlife Research Unit, Virginia Tech. Available from National Biological Service, kNational Fisheries Research Center-Leetown, Box 700, Kearneysville, WV 25430

Baker, James B.; Cain, Michael D.; Guldin, James M.; Murphy, Paul A.; Shelton, Michael G. 1996 Uneven-aged silviculture for the loblolly and shortleaf pine forest cover bypes. General Technical Report SO-118. pub. Ashville, NC, USDA, Forest Service, Southern Research Station. 65 p.

Burr, Brooks M.; Warren, Melvin L., Jr. 1996. Threatened fishes of the world: Etheostoma chienese. Page & Ceas, 1992 (Percidae). In: Environmental Biology of Fishes 47:142, 1996.

Halverson, Howard G.; Harwell, Clifford; Henderson, Gayle; Marion, Daniel A.; McWhirter, Gordon. 1997. Status of fluvial data from experimental watersheds operated by Forest Service personnel at the Forest Hydrology Laboratory, Oxford, Mississippi. File name .DatStats. wdp 13. p

Johnston, Carol E.; Armbruster, Jonathan W.; Laird, Christopher A.. 1996. Parallel swims as a means of intra- and interspecific assessment in stream fishes. Environmental Biology of Fishes 46: 405-408

Johnston, Carol E.; Damon, Kimberly G. 1996. Long-term monitoring of rare fishes in the Conasauga River, Georgia and Tennessee. Interim Report to U.S. Fish and Wildlife Service. Dec. 1996.

Johnston, Carol E.; McWhirter, Gordon. 1996. An assessment of the fish faunas of selected streams in three Mississippi National Forests. Final report submitted to USDA Forest Service. Dec. 1996. 1-62 P.

Johnston, Carol E.; Haag, Wendell R. 1996. Life history of the Yazoo Darter (Percidae: ((Estheostoma Raneye) a

species endemic to north-central Mississippi. Tulane Studies in Zoology and Botany 30:47-60. 1996

Slack, William Todd. 1996. Abstract of a Dissertation. Fringing floodplains and assemblage structure of fishes in the Desoto National Forest, Mississippi. 91 pages.

Taylor, Christopher A.; Warren, Melvin L., Jrl; Fitzpatrick, J. F.; Hobbs, Horton H. III; Jezerinac, Raymond F.;

Pflieger, William L.. 1996. Conservation status of crayfishes of the United States and Canida. 21(4):25-38.

Trexler, Joel, Turner, Thomas. 1996. Molecular genetic of the Ouachita and Ozark populations of the longnose darter, PERCINA NASUTA: final report from Department of Biological Sciences, Florida International University. Available from Department of Biological Sciences, Florida International University, Miami, FL 33199.

Warren, Melvin L.; Burr, Brooks, M.; Biggins, Richard G. 1996. Agency draft recovery plan for Palezone Shiner (NOTROPIS ALBIZONATUS): for Southeast Region U.S. Fish and Wildlife Service, Atlanta Georgia.

Warren, Melvin L.. 1996 Imperiled fishes and aquatic communities across the southern landscape: spatiotemporal data base for the 21st century. Southeastern Fishes Council Proceedings 33: 7

1997

Adams, Susan B.; Bjornn, Theodore C. 1997. Bull trout distributions related to temperature regimes in four central Idaho streams. In: Proceedings, Friends of Bull Trout. Von. 371-380.

Brown, Arthur V.; Aquila, Yolanda; Brown, Kristine B.; Fowler, William P.. 1997. Responses of benthic macroinvertebrates in small intermittent streams to silvicultural practices. In: Hydrobiologia 347: 110-125. 1997.

Burr, Brooks M.; Warren, Melvin L., Jr.;. 1997. Fishes of the Daniel Boone National Forest, Kentucky. 11 p.

Haag, Wendell R.; Warren, Melvin L., Jr.. 1997. Host fishes and reproductive biology of 6 freshwater mussel species from the Mobile Basin, USA. J.N. Am Benthol Soc.. 1997 16(3)-576-585

Johnston, Carol E.; Shute, J.R.. 1997. Observational notes on the spawning of the Blue Shiner (Cypronella caerulea) and the Holiday Darter (Etheostoma brevirostrum), two rare fishes of the Conasqaga River, Georgia and Tennessee. In: Proc: 1997 Southeastern Fishes Council. No. 35 page 1.

Johnston, Carol E.; Figiel, Chester. 1997. Microhabitat parameters and life-history characteristics of Fallicambarus Gordone) Fitzpatrick, a crayfish associated with pitcher plant bogs in southern Mississippi. Journal of Crustacean Biology, 17 (4): 687-691.

Marion, Daniel A. 1997. Peak flow effects on high-gradient, low order stream channels of the Ouachita Mountains: A research progress report. Stream Notes. July 1997 p 4-5.

Marion, Daniel A.; Weirich, Frank. 1997. Simulating storm events. Environment Testing & Analysis 15-16.

Marion, Daniel A.; Malstaff, Greg; Halverson, Howard G. 1997. Sediment production from small, undisturbed forested basins in the Upper Coastal Plain. In: Proc. 1997 Conf. On Management of Landscapes Disturbed by Channel Incisions. 873-878.

Marion, Daniel A.; Holcomb, Jack; Parrott,; Harry; Paustain, Steven; Perkinson, Doug. 1997. Ecosystem characterization and analysis; aquatic biophysical task team report, Oct. 1997

Pierson, W. Kevin. (Thesis) 1997. Disolved and particulate organic matter dynamics in stream ecosystems of the Ouachita Mountains.

Warren, Melvin; L., Jr.; Burr, Brooks M.; Biggins, Richard G. 1997. Recovery plan for Palezone shiner, (Notropis Albizonatus) 28 pages.

Warren, Melvin L., Jr.; Angermeier, Paul L.; Burr, Brooks M.; Haag, Wendell R. 1997. Decline of a diverse fish fauna: patterns of imperilment and protection in the southeastern United States. In: Benz. George W.; Collins, David E., eds. Aquatic fauna in perill: the southeastern perspective. Decatur, GA: Lenz Design & Communications: 105-164.

Warren, Melvin L., Jr.. 1997. Sharpnose darter. Percina pxyrhynchus (Hubbs: and Raney). Occasional Paper of the North Carolina Biological Survey. Raleigh, NC. P.79.

Warren, Melvin L., Jr.; 1997. Roanoke Bass Ambloplites cavifrons cope. Occasional Paper of the North Carolina Museum of Natural Sciences and the North Carolina Biological Survey. Raleigh, NC p85

1998

Aguila, Yolanda S. 1998. (Dissertation) Effects of forestry practices on stream ecosystems.

Devall, Margaret S.; Baldwin, Virgil C., Jr. (Compilers) 1998. Long term research does pay off. A summary of the Southern Station Experience.

Haag, Wendell R. 1998. Role of ecological factors in reproductive strategies in structuring freshwater mussel communities. Canadian Journal Fisheries Aquatic Science. 55; 297-304.

Haag, Wendell R.; Warren, Melvin L., Jr. 1998. Freshwater mussels of the Delta National Forest, Mississippi. Final report. National Forest in Mississippi, Jackson Mississippi 17.

Lonzarich, David George; Warren, Melvin L. ,Jr.; Lonzarich, Mary Ruth Elger. 1998. Effects of habitat isolation on the recovery of fish assemblages in experimentally defaunated stream Pools in Arkansas. In: Can. J. Fish Aauat. Sci. 55: 2141-2149 1998.

Marion, Daniel A. 1998. Mathcad 7. a review. AAG Microcomputer Specialty Group Newsletter. Association of American Geographers. 14(1): 3-6.

Smithson, Elizabeth B. 1998. Movement patterns of fishes in two Ouachita Highlands streams; a test of the restricted movement paradigm. Oxford, MS University of Mississippi. 46 p. Master of Science dissertation.

Warren, Melvin L., Jr.; Pardew, Mitzi G. 1998 Road crossing as barriers to small-stream fish movement. Transactions of the Fisheries Society. 127(4): 637-644.

Warren, Melvin L., Jr.; Burr, Brooks M. 1998. Threatened fishes of the world: Notropis albizonatus. 1994 Environmental Biology of Fishes. 51: 128 p.

Warren, Melvin L., Jr.. (Smithsonian Article): To reproduce, mussels go fishing. Smithsonian Magazine Jan. 1998 p. 64.

1999

Crump, B.; Warren, M.L., Jr. 1999. Diversity of aquatic insects.In: Ozark-Ouachita Highlands Assessment, Aquatic Conditions Report 3 of 5. GTR SRS-33.

Fiorillo, Riccardo A.; Thomas, Brent; Warren, Melvin L., Jr.; Taylor, Christopher M.. 1999. Structure of the Helminth Assemblage of an endemic madtom catfish(Noturus Lachneri.). In: The Southwestern Naturalist, 44(4):552-526..

Haag, Wendell R.; Warren, Melvin L., Jr.; Shillingsford, Mahala. 1999. Host fishes and host-attracting behavior of Lampsilis altilis and Villosa vibex (Bivalvia: Uniionidae). American Midland Naturalist. 141: 147-157.

Haag, Wendell R..; Warrne, Melvin L., Jr. 1999. Mantle displays of freshwater mussels elict attacks from fish.

Freshwater Biology. 42(1)35-40.

Johnston, Carol E.; Knight, Charles L. 1999. Life history traits of the Bluenose Shiner, "Petronotropis welaka". Cypriniformes: Cyprinidae. In: Copeia 99(1): 200-205.

Johnston, Carol E.; Smithson, Elizabeth. 1999 Retention of passive integrated transponder (PIT) tags for individual identification of warmwater stream fishes In: Southeastern Fishes Council Proceedings 38(99)4 pages.

Meier, Calvin E.; Stanturf, John A.; Gardiner, Emile S.; Hamel, Paul B.; Warren, Melvin L., Jr. 1999. A quantitative assessment of the structure and functions of a mature bottomland hardwood community: the latt Creek ecosystem site. In: Paper prsented at the Tenth Biennial Southern Silvicultural Research Conf., Shreveport, La.Feb.16-18, 1999.

Smithson, Elizabeth R.; Johnston, Carol E. 1999. Movement patterns of stream fishes in a Ouachita Highlands stream; an examination of the restricted movement paradigm. Transacions of the American Fisheries Society. 128:847-853.

Warren, Melvin L., Jr.; Clingenpeel, J. Alan. 1999. Aquatic habitats. (Chapter 2: Status of aquatic resources). In: Ozark-Ouachita Highlands assessment: aquatic conditions. Report 3 Gen. Tech. Rep. SRS-33. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 176-180.

Warren, Melvin L., Jr.; Hlass, Lisa. 1999. Diversity of fishes. (Chapter 2: Status of aquatic resources.) In:Ozark Ouachita Highlands assessment: aquatic conditions. Report 3 of 5. Gen. Tch Rep. SRS-33. Asheville, NC: U.S.

Forest Service, Southern Research Station: 100-115.

Warren, Melvin L., Jr.; Robinson, Henry W.; Tinkle, Karen. 1999. Diversity of crayfishes. (Chapter 2: Status of aquatic resources). In; Ozark-Orachita Highlands assessment: aquatic conditions. Report 3 of Gen. Tech. Rep. SRS-33, Asheville, NC: Department of Agriculture, U.S. Forest Service, Southern Research Station: 132-139.

Warren, Melvin L., Jr.; Tinkle, Karen,. 1999. Endangered, threatened, and other aquatic species of special concern. (Chapter 2: Status of aquatic resources). In: Ozark—Orachita Highlands assessment conditions. Report 3 of 5. GTR- SRS-33. Asheville, NC, U.S. Department of AgricIture, Forest Service, Southern Research Station: 153-155.

Warren, Melvin L., Jr.; Haag, Wendell R.; Burr, Brooks M. 1999. Status of the mussel resource in Little South Fork Cumberland River. Final report. Kentucky Department of Fish and Wildlife Resources. Frankfort, KY. 46 p

2000

Adams, Susan B.; Ross, Stephen T.; Warren, Melvin L., Jr. 2000. Literature review, information needs assessment and research proposal for gulf sturgeon, Alabama shad, and American eel: diadromous fishes of USFS region 8. Final report. USDA, Forest Service, Wildlife, Fisheries, Water, and Atmospheric Sciences Research. Washington, DC. 38p

Adams, Susan B.; Frissell, Christopher A.; Rieman, Bruce E.. 2000. Movements of nonnative brook trout in relation to stream channel slope. In: Transactions of the American Fisheries Society. 129:638 2000.

Haag, Wendell R.; Warren, Melvin L., Jr.; 2000. Effects of light and presence of fish on lure display and larval release behaviours in two species of freshwater mussels. Animal Behaviour. 60: 879-886.

Holland, Majorie M.; Warren, Melvin L., Jr.; Stanturf, John A. 2000. Proceedings of a conference on sustainability of wetlands and water resources: How well can riverine ntinue to support society into the 21st century? 2000. Oxford, MS May 23-25, 2000.

Johnston, Carol E.; Smithson, Elizabeth B. 2000 Movement patterns of stream-dewlling sunfishes: effects of pool size. In: Journal of Freshwater Ecology 15(4) Dec. 2000.

Johnston, Carol E.; Johnson, Dawn L. Sound production during the spawning season in cavity nesting darters of the subgenus Catonotus (Percidae: Etheostoma) In: Copeia 2000 (2) 475-481.

Johnston, Carol E. Johnson, Dawn L. 2000 Sound production in Pimephales notatus (Rafinesque) (Cyprinidae). In: Copeia, (2) 2000. pp567-5710.

Lonzarich, David G.; Warren, Melvin L. Jr.; Lonzarich, Mary E.. 2000. Consequences of pool habitat isolation on stream fishes. (Paper).

Lonzarich, David G.; Lonzarich, Mary E.; Warren, Melvin L. Jr.; 2000...Using snorkeling to quantify fish assemblage structure in Arkansas streams. (Paper)

Matthews, William J.; Miller-Lemke, Maria; Warren, Melvin L. Jr.; Cobb, Donna; Stewart, Jeffery G.; Crump, Betty; and Gelwich Frances P. 2000. Context-specific trophic and functional ecology of fishes of small stream exosystems in the Ouachita National Forest. (Paper).

Musick, B.A.; Berkeley, S.A.; Cailliet, M. Camhi; Huntsman, G.; Nammack, M.; Warren, Melvin L., Jr. 2000. Protection of marine fish stocks at risk of extinction. In: Fisheries 25(3) 6-8.

Robinson, Henry W; Henderson, Gayle; Warren, Melvin L. Jr.; Rader, Janet S. 2000. Computerization of the Arkansas fishes database. (Paper).

Taylor, Christopher M.; Williams, Lance R. Fiorillo, Riccardo A.; Thomas, Rodney B. Warren, Melvin L., Jr. 2000. Fish assemblage structure under variable environmental conditions in the Ouachita Mountains. (Final Draft)

Warren, Melvin L., Jr.; Haag, Wendell R. Adams, Susan B. 2000. Fish communities of lowland stream systems: forest linkages to diversity and abundance. In: Center for Aquatic Technology Transfer. USDA Forest Service. Forest Hydrology Laboratory, Oxford, MS.

Warren, Melvin L., Jr.; Burr, Brooks M.; Walsh, Stephen J.; Bart, Henry L., Jr.; et al. 2000. Diversity, distribution, and conservation status of the native freshwater fishes of the southern United States. In: Fisheries 25; (10) 8-29.

Warren, Melvin L., Jr.; Adams, Susie, Haag, Wendell; 2000. Research summary—aquatic fauna. (Paper).

Williams, Lance Robin. 2000. The role of regional and local factors in structuring Ouachita Mountain stream assemblages. A Dissertation , Dept. Biological Sciences, Mississippi State University

2001

Adams, Susan B.; Frissell, Christopher A.; Rieman, Bruce E.. 2001 Geography of invasion in mountain streams: consequences of headwater lake fish introductions. In: Ecosystems 2001: 296-3067.

Adams, Susan B.; Frissell, Christopher A. 2001. Thermal habitat use and evidence of seasonal migration by Rocky Mountain tailed frogs, Ascaphus montanus, in Montana. The Canadian Field-Naturalist. 115(2): 251-256

Burr, Brooks M.; Adams, Ginny L.; Krejca; Paul, Regina J.; Warren, Melvin L., Jr. 2001. Troglomorphic sculpins of the Cottus carolinae species group in Perry County, Missouri: distribution, external morphology, and conservation status. In: Environmental Bioloby of Fishes 62: 279-296. 2001.

Haag, Wendell R.; Warren, Melvin L., Jr. 2001. Report for U.S. Fish and Wildlife Service Endangered/Threatened Species subpermittee. Details field work and data collection for 2000 on federally listed freshwater mussels.

Authorization Number: SA-98-06

Haag, Wendell R.; Warren, Melvin L., Jr. 2001. Host fishes and reproductive biology of freshwater mussels in the Buttahatchee River, Mississippi. Final Report. Submitted to Mississippi Wildlife Heritage 2001 Research Program, Mississippi Museum of Natural History, Mississippi Wildlife, Fisheries and Parks. Jackson Ms. 41 p

Staten, J. Leanne; Haag, Wendell R.; Warren, Melvin L. Jr.; Miller, Gary L. 2001. Fecundity variables of six species of freshwater mussels. Freshwater Mollusk Conservation Society 2nd symposium. 2001 March12-14. Pittsburgh, Pa. (Abstract)

Taylor, Christopher M.; Warren, Melvin L. Jr.; 2001.. Dynamics in species composition of stream fish assemblages: environmental variability and nested subsets. In: Ecology 82(8), 2 320-2330

Warren, Melvin L., Jr. 2001. American aquarium fishes. Fisheries. 26(7):; 40-42.

2002

Adans Susan B.; Frissell, Christopher A. 2002. Changes in distribution of non-native brook trout in an Idaho drainage over two decades. In: Transactions of the American Fisheries Society. 131:561-568

Dunham, Jason B; Adams, Susan B.; et al. 2002 Alien invasions in aquatic ecosystems: toward an understanding of brook trout invarions and potential impacts on inland cutthroat trout in wetern North America. In: Fish Biology and Fisheries 12:373-391. 2002.

Haag, Wendell R.; Warren, Melvin L., Jr.; Wright, Keith; Shaffer, Larry. 2002. Occurrence of the rayed creekshell, anodontoides radiatus, in the Mississippi River basin: implications for conservation and biogeography. Southeastern Naturalist. 1(2): 169-178.

Haag, Wendell R. 2002. Spatial, temporal, and taxonomic variation in population dynamics and community structure of freshwater mussels. University of Mississippi: Ph.D. Dissertation. 128 p.

Haag, Wendell R.; Warren, Melvin L., Jr.; 2003. 2002 Report for U.S. Fish and Wildlife Service endangered/threatened species subpermittee authorization number SA-95-06.

Nelson, Joseph S.; Warren, Melvin L., Jr.; Starnes, Wayne;. 2002. A capital case for common nmes of species of fishes—a white crappie orWhite Crappie. In: Fisheries. July 2002, 31-34

.

Williams, Lance R.; Warren, Melvin L., Jr.; Clingenpeel, Alan. Large-scale effects of timber harvesting on stream systems in the Ouachita Mountains, Arkansas, USA. In: Environmental Management. Vol. 29, No. 1, pp 76-87.

2003

Haag, Wendell R.; Staten, J.Leann. 2003. Variation in fecundity and other reproductive traits in freshwater mussels. In: Freshwater Biology (2003) 48, 2118-2130.

Haag, Wendell R.; Warren, Melvin L.., Jr. 2003. Host fishes and infection stratgies of freshwater mussels in large Mobile Basin Streams, USA. J.N. Am. Benthol Soc. 2003, 22(1):78-91.

Stanturf, John A.; Gardnier, Emile S.; Warren, Melvin L., Jr.. 2003. Achieving sustainable freshwater systems: A web of connections. Chapter 9. Restoring forested wetland Ecosystems. 193-220.

Williams, Lance R.; Taylor, Christopher M.; Warren, Melvin L., Jr.; 2003. Influence of fish predation on assemblage structure of macroinvertebrates in an intermittent stream. Transactions of the American Fisheries Society 132:120-130, 2003.

2004

Haag, W.R.; Staton, J.L. 2003. Variation in fecundity and other reproductive traits in freshwater mussels. Freshwater Biology. 48(12): 2118-2130.

Haag, W.R.; Warren, M.L., Jr. 2003. Collections and research for U.S. Fish and Wildlife Service endangered/threatened species subpermittee authorization number <u>SA-98-06</u> amendment 3. Annual report; U.S. Fish and Wildlife Service. Oxford, Mississippi: U.S. Department of Agriculture, Forest Service, Southern Research Station. 2 plus attachments p.

Haag, W.R.; Warren, M.L., Jr. 2003. Changes in freshwater mussel populations in Bankhead National Forest from 1993-2003. Final report; Alabama National Forests. Oxford, Mississippi: U.S. Department of Agriculture, Forest Service, Southern Research Station. 24 p.

Haag, W.R. 2004. Alabama heelsplitter, *Potamilus inflatus*. In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 102.

Haag, W.R. 2004. Southern clubshell, *Pleurobema decisum* (Lea). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 100-101.

- Haag, W.R. 2004. Alabama moccasinshell, *Medionidus acutissimus*. In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 98.
- Haag, W.R. 2004. Alabama hickorynut, *Obovaria unicolor* (Lea). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 99.
- Haag, W.R. 2004. Alabama spike, *Elliptio arca* (Conrad). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 44.
- Haag, W.R. 2004. Black clubshell, *Pleurobema curtum*. In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 29.
- Haag, W.R. 2004. Coosa moccasinshell, *Medionidus parvulus* (Lea). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 25.
- Haag, W.R. 2004. Dark pigtoe, *Pleurobema furvum (*Conrad). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 72.
- Haag, W.R. 2004. Finerayed pocketbook, *Lampsilis altilis* (Conrad). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 93-94.
- Haag, W.R. 2004. Flat pigtoe, *Pleurobema marshalli* Frierson. In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 30.
- Haag, W.R. 2004. Heavy pigtoe, *Pleurobema taitianum* (Lea). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 80.
- Haag, W.R. 2004. Orangenacre mucket, *Lampsilis perovalis* (Conrad). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 94-95.
- Haag, W.R. 2004. Ovate clubshell, *Pleurobema perovatum* (Conrad). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, Volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 75.
- Haag, W.R. 2004. Rayed creekshell, *Anodontoides radiatus* (Conrad). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 91.

- Haag, W.R. 2004. Southern acornshell, *Epioblasma othcaloogensis* (Lea). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 22.
- Haag, W.R. 2004. Southern combshell, *Epioblasma penita* (Conrad). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 51.
- Haag, W.R. 2004. Southern pigtoe, *Pleurobema georgianum* (Lea). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 73.
- Haag, W.R. 2004. Triangular pigtoe, *Ptychobranchus greenii* (Conrad). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 82.
- Haag, W.R. 2004. Upland combshell, *Epioblasma metastriata* (Conrad). In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 20.
- Haag, W.R.; Warren, M.L., Jr. 2004. Population dynamics and demography of freshwater mussels: application of population models and population viability analysis. Final report; National Fish and Wildlife Foundation. Oxford, Mississippi: U.S. Department of Agriculture, Forest Service, Southern Research Station. 43 p.
- Haag, W.R.; Warren, M.L., Jr. 2004. Species richness and total population size of freshwater mussels in Horse Lick Creek, Kentucky in 2003. Final report; United States Fish and Wildlife Service. Oxford, Mississippi: U.S. Department of Agriculture, Forest Service, Southern Research Station. 43 p.
- Hill, B.H.; McCormick, F.H. 2004. Nutrient uptake and community metabolism in streams draining harvested and old-growth watersheds: a preliminary assessment. Guldin, J.M. tech. comp. SRS-74. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 214-220.
- Lonzarich, D.G.; Lonzarich, M.E.; Warren, M.L., Jr. 2004. Using snorkeling to quantify fish assemblage structure in Arkansas streams. Guldin, J.M. tech. comp. SRS-74. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 253-256.
- Lonzarich, D.G.; Warren, M.L., Jr.; Lonzarich, M.E. 2004. Consequences of pool habitat isolation on fishes. Guldin, J.M. tech. comp. SRS-74. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 246-252.
- Matthews, W.J.; Miller-Lemke, A.M.; Warren, M.L., Jr.; [and others] 2004. Context-specific trophic and functional ecology of fishes of small stream ecosystems in the Ouachita National Forest. Guldin, J.M. tech. comp. SRS-74. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 221-230.

- Robison, H.W.; Henderson, L.G.; Warren, M.L., Jr.; Rader, J.S. 2004. Computerization of the Arkansas fishes database. Guldin, J.M. tech. comp. SRS-74. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 257-264.
- Stiles, R.A.; Warren, M.L., Jr. 2004. Pygmy Sculpin, *Cottus paulus* Williams. In: Mirachi, R.E.; Bailey, M.A.; Garner, J.T.; [and others]. Alabama wildlife, volume 4, conservation and management recommendations for imperiled wildlife. Tuscaloosa, Alabama: University of Alabama Press. 132.
- Stiles, R.A.; Warren, M.L., Jr. 2004. Pygmy Sculpin, *Cottus paulus* Williams. In: Mirarchi, R.E.; Garner, J.T.; Mette, M.F.S.; O'Neil, P.E. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, AL: University of Alabama Press. 182-183.
- Strayer, D.L.; Downing, J.A.; Haag, W.R.; [and others] 2004. Changing perspectives on pearly mussels, North America's most imperiled animals. BioScience. 54(5): 429-439.
- Taylor, C.M.; Williams, L.R.; Fiorillo, R.A.; [and others] 2004. Fish assemblage structure under variable environmental conditions in the Ouachita Mountains. Guldin, J.M. tech. comp. SRS-74. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 239-245.
- Warren, M.L., Jr. 2004. Trispot darter, *Etheostoma trisella* Bailey and Richards. In: Mirarchi, R.E.; Garner, J.T.; Mette, M.F.S.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 173.
- Warren, M.L., Jr.; Haag, W.R.; Adams, S.B.; Sheldon, A.L. 2004. Population size estimates and distribution of freshwater mussels in Shoal Creek, Talladega National Forest, Alabama. Final report; U.S. Department of Agriculture, Forest Service, Southern Region. Oxford, MS: U.S. Department of Agriculture, Forest Service, Southern Research Station. 42 p.
- Warren, M.L., Jr. 2004. Trispot Darter, *Etheostoma trisella* Bailey and Richards. In: Mirachi, R.E.; Bailey, M.A.; Garner, J.T.; [and others]. eds. Alabama wildlife, volume 4, conservation and management recommendations for imperiled wildlife. Tuscaloosa, Alabama: University of Alabama Press. 129.
- Warren, M.L., Jr. 2004. Brindled Madtom, *Noturus miurus* Jordan. In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.S.; O'Neil, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 219-220.
- Warren, M.L., Jr.; Haag, W.R.; Commens, A.M. 2004. Observations of watersnake (*Nerodia*, Colubridae) predation on darters (Percidae). Southeastern Fishes Council Proceedings. 47: 1-3.
- Warren, M.L., Jr. 2004. Spring Pygmy Sunfish, *Elassoma alabamae* Mayden. In: Mirachi, R.E.; Garner, J.T.; Mettee, M.F.S.; O'Neill, P.E. eds. Alabama wildlife, volume 2, imperiled aquatic mollusks and fishes. Tuscaloosa, Alabama: University of Alabama Press. 184-185.
- Warren, M.L., Jr. 2004. Brindled Madtom, *Noturus miurus* Jordan. In: Mirachi, R.E.; Bailey, M.A.; Garner, J.T.; [and others]. eds. Alabama wildlife, volume 4, conservation and

management recommendations for imperiled wildlife. Tuscaloosa, Alabama: University of Alabama Press. 141.

Warren, M.L., Jr. 2004. Spring Pygmy Sunfish, *Elassoma alabamae* Mayden. In: Mirachi, R.E.; Bailey, M.A.; Garner, J.T.; [and others]. eds. Alabama wildlife, volume 4, conservation and management recommendations for imperiled wildlife. Tuscaloosa, Alabama: University of Alabama Press. 132-133.

Williams, L.R.; Taylor, C.M.; Warren, M.L., Jr.; Clingenpeel, J.A. 2003. Environmental variability, historical contingency, and the structure of regional fish and macroinvertebrate faunas in Ouachita Mountain stream systems. Environmental Biology of Fishes. 67: 203-216.

Williams, L.R.; Taylor, C.M.; Warren, M.L., Jr.; Clingenpeel, J.A. 2004. The role of regional factors in structuring Ouachita Mountain stream assemblages. Guldin, J.M. tech. comp. SRS-74. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 231-238.

Williams, L.R.; Warren, M.L., Jr.; Adams, S.B.; [and others] 2004. Basin visual estimation technique (BVET) and representative reach approaches to stream surveys: methodological limitations and future directions. Fisheries. 29(8): 12-22.