

	PROCESSES	24.1	.With classifying or separating of material
1	.By operations other than force of contact with solid surface	24.11	..Including separating liquid from solid
2	.With cell rupturing or liberation of contained liquids	24.12	..Of plural, diverse materials
		24.13	...Including metal
3	.With solidifying, consolidating or shaping	24.14Magnetically , electrostatically, or by use of eddy currents
4	.Laminated or fibrous mineral material	24.15Sorting by use of sieve
5	.By utilizing kinetic energy of projected or suspended material	24.16	...Including food
		24.17	...Including rubber
		24.18	...Including plastic
6	.Cereal and other seeds or seed parts	24.19	...Including fibrous material, e.g., paper
7	..With operation to detach or loosen adhering hull portion	24.2Wood or bark
8	..With application of fluid to, or heating or cooling of, whole seed	24.21Sorting by use of sieve
		24.22	...Including glass
		24.23	...Including clay
9	..With separation or classification	24.24	...Including coal
		24.25	..Of metal
10	...With recombination or recirculation of separated parts	24.26	..Of food
		24.27	..Of rubber
		24.28	..Of plastic
11	...Successive alternate separation and comminution steps	24.29	..Of fibrous material
		24.3	..Of glass
		24.31	..Of coal
12	..With application of fluid	25	.Combined
13	..Plural successive comminuting operations	26	.By contact between relatively moving portions of material
14	.Selective or differential comminution of mixed or bonded solids	27	.Subjecting material to impact by moving comminuting surface
15	.With application of fluid or lubricant material	28	.Wood and similar natural-fibrous vegetable material
16	..To aid dispersion or prevent chemical reaction, deliquescence, agglomeration or frothing	29	.Plural successive comminuting operations
17	..With additional heating or cooling	30	.Miscellaneous
18	..Gas or vapor		APPARATUS
19	...To classify or separate material	31	.With explosion preventing or relieving means
20	..Liquids added to classify or separate material	32	.With overload release means
21	..Liquids added to make pulp or suspension	32.5	.With sink drain stopper interlock
22	.Application of solids to material	33	.With automatic control
23	.With heating or cooling of material	34	..Of feed of material
		35	...By speed or torque of comminutor drive
		36	..Of comminutor drive
		37	..Of comminuting surface contiguity
		37.5	.With means to protect operator from injury

38	.Including means applying fluid to material	55	...Comminuting element or comminuting element attached, gas moving means
39	..Fluid comminutor type		
40	...Stationary abutment impact only	56	...Gas moving means and rotary comminuting element on same shaft
41	..Plural fluid applying means on same material	57	...Local application within comminuting zone
42	...With plural comminuting zones		
43	..With plural comminuting zones	58	...Suction applied above and coaxially of comminuting member or members
44	...Parallel material flow type		
45	...Horizontal fluid current past successive comminuting zone	59	...With non-automatic gas flow control means
46.01	..Liquid submerged comminuting zone	60	..Applied subsequently to comminuting
46.012	...Combined with dishwasher		
46.013	...Under-sink garbage disposal	61	...With recirculation of material to comminuting zone
46.014	...Having particular housing structure	62	..Applied prior to comminuting
46.015Provision to mount to sink	63	..With simultaneous control of interrelated feed, drive and/or surface positioning means
46.016Inlet provision		
46.017	...Striker having vertical axis	64	..Control of feed and surface positioning means only
46.02	...With material feed means		
46.04	...Including adjustable component	65	..With temperature modification of material
46.06	...By cooperating members	66	..Temperature modification of comminuting member
46.08	...Including centrifugally driven striking member (i.e., hammer mill)	67	...Thermal fluid within or carried by moving comminuting member
46.11	...Including impeller-type agitating means		
46.13	...Reciprocating or oscillating	68	..With separation or classification of material
46.15	...Including roller or roller-like member (e.g., ball, cylinder, etc.)	69	..Comminuted material discharge permitting screen
46.17	...By rotating impeller-type agitating means	70	...Screen partition or end wall in rotary drum
47	..Gas swept comminuting zone	71	...Plural partitions or end walls
48	..With recirculation of gas to comminuting zone		
49	..Gas borne material applied to screen	72Series flow of material
50	...Elevating fan on comminutor shaft	73	...Arcuate screen concentric with rotary comminuting member
51	...Screen forms part of comminuting surface	74	..Annular screen above or surrounding comminuting zone
52	...With return of removed oversize material to comminuting zone	75	..Parallel material flow through plural comminuting zones and/or separators
53	...Suction applied above and coaxially of comminuting member or members	76	..Series material flow only through plural alternate comminuting zones and separators
54	..Horizontal gas current through rotary drum	77	..Comminuting zone interposed between plural separators
		78	..Separator interposed between plural comminuting zones

79	..Separator in discharge from comminuting zone	88Provided with special comminuting surfaces or characteristics
79.1	...By adhesion, electric field force, specific gravity, or chemical change	88.1Perforation bounded by sharp edge
79.2	...Rotating comminutor combined with a sifting device	88.2And auxiliary imperforate surface (e.g., breakerplate)
79.3Sifting device rotates	88.3Three or more serially acting alternate perforate and imperforate surfaces
80	...Oversize return to comminuting zone	88.4Spaced parallel bars (e.g., "grate")
81	..Separator in feed to comminuting zone	89	...Hinged or dumping type screen or support
82	.Projected material trap chamber	89.1	...With means to change or adjust comminuting position of screen or screen element
82.1	.Helical pusher inside tube moves material toward perforated member	89.2	...Removable or interchangeable screen or screen portion
82.2	..With means to vary particle coarseness	89.3	...Stationary concave surface
82.3	..Wherein the perforated member is other than flat	89.4	...Stationary flat circular surface
82.4	..With series of axially aligned rotary knife blades	91	..Rotating comminuting surface having openings
82.5	..With rotary knife before member	92	...Radial comminuting face
82.6	...Tube having configured interior surface	93	...Outer peripheral comminuting face
82.7	..With rotary knife after member	94	..Reciprocal comminuting surface having openings
83	.Comminuting surface provided with openings to permit discharge of material	95	..Stationary comminuting surface having openings
84	..Cooperates with moving comminuting surface or member	96	.Oversize rejection by comminuting surface
84.1	...Loose cylinder or sphere	97	.With recirculation of material to comminuting zone
84.2	...Travelling roll surface or member	98	.With agitator
84.3	...Oscillating surface or member	99	.Bottle breakers
84.4	...Rectilinearly reciprocating surface or member cooperates with rotary comminuting member	100	.With independent removable or detachable material receiver or receiver engaging means
85	...Rotary comminuting surface having openings cooperates with moving surface	101.01	.Combined or convertible
86	...Cooperates with rotary comminuting member	101.1	..Convertible to non-comminuting apparatus
86.1Material thrown against perforated surface by centrifugal force	101.2	..Combined with non-comminuting means
86.2Comminutor mounted for movement relative to rotating support member	101.3	...With means to indicate condition of apparatus, work or product
87Screen or screen elements move during comminution	101.4	...Prior shaping means (e.g., quartering)
87.1Offset fingers on stationary surface and on rotary member	101.5	...With material handling other than to or from comminuting zone
		101.6	...And means to mix plural materials

101.71	...With support vehicle	118	...With planetary movement of plural surfaces
101.72Having extendable, comminutor-supporting arm	119	...With material moving or discharge means
101.73Reciprocating surface-type comminutor	120	...Positively driven plural surfaces
101.74Self-propelled vehicle	121	...Plural surfaces forcible away from common surface
101.741Refuse support vehicle	122	...Common surface rotates on horizontal axis
101.742Self-loading from ground	123	..Planetary movement of plural surfaces
101.75Detachable from propelling vehicle	124	...With material moving or discharge means
101.76From rear	125	...Compounded planetary movement
101.761Tub grinder	126	...Positively driven plural surfaces
101.762Operated while propelled	127	...Forcible away from common surface
101.763Self-loading from ground	128Pivotally mounted for forced movement
101.77From front	129Centrifugally urged toward contact
101.78	...Manually propelled	130With centrifugal force modifying means
101.8	..With mixer	131	...Centrifugally urged toward contact
102	.Comminuting surface deformable by contact with material	132	...With means in addition to weight of plural surfaces for urging surfaces toward contact
103	.Rolls frictionally driven and supported by relatively moving surfaces (e.g., ball chasers)	133	...Rotors independently forcible away from common surface
104	..With additional diverse type of comminutor	134	.Parallel material flow through plural comminuting zones
105	..Plural comminuting zones	135	..With unitary or interconnected feed mechanisms or controls for plural zones
106	..Frictional drive surface on horizontal axis	136	..Interconnected means forcing material against moving comminuting surface or surfaces
107	.Plural rotary or oscillatory surfaces cooperate with common surface (e.g., chasing mills)	137	..All comminuting zones of loose grinding body type
108	..With additional diverse type of comminutor	138	..All comminuting zones of rotary striking member type
109	..With material feeding mechanism or control	139	..All comminuting zones of cooperating surface type
110	..Plural surfaces move across common surface	140	...All comminuting zones of compound movement type
111	..Outer peripheral contact of common surface by plural surfaces	141	...All comminuting zones of rotary surface type
112	..With surface cleaner or scraper	142	...Circumferential or tangential material flow only
113	..Plural surface cooperate with each other	143All cooperating surfaces rotate
114	..Radial faces of plural rotary surfaces cooperate with common surface		
115	..Plural sets of plural surfaces cooperating with plural common surfaces		
116	..Coaxial rotors radially arranged on same side or common surface axis		
117	..Common surface moves during comminution		

144Rotary surfaces of separate zones coaxial	171	..With feed and/or discharge
145Simultaneous adjusting or positioning of separate surfaces	172	..With independent means moving or guiding the material and/or grinding bodies in receptacle
146Axial or radial material flow only	173	...Rotary grinding body pusher (e.g., ball chasers)
147	..All comminuting zones of reciprocating surface type	174Horizontal axis
148Oscillating surface	175	..Compound movement receptacle
149Vertical rectilinear movement	176	..Rotating receptacle
150Annularly mounted moving surfaces	177	...Tiltable axis of rotation
151	..All comminuting zones of single surface zones	178	...Roller supported receptacle
152.1	.Series material flow only through plural comminuting zones	179	..Receptacle structure
152.2	..Diverse type comminuting zones	180	...With non-axial opening
153	..All comminuting zones of loose grinding body type	181	...With lifting or distributing at extremity of receptacle
154	..All comminuting zones of rotary striking member type	182	...With lining
155	..All comminuting zones of cooperating surface type	183	...With lifting or distributing characteristics
156	..All comminuting zones of compound movement type	184	..Grinding bodies
157	..All comminuting zones of rotary surface type	185.5	.Rotary striking member with feed or discharge conveyor or regulator
158Circumferential or tangential material flow only	185.6	..Rotary striking member combined with pump
159All cooperating surfaces rotate	186.1	..With distinct plural paths to striking member
160One surface of each couple nonrotary	186.2	..Feed or discharge regulator
161Axial or radial material flow only	186.3	...Including means to alter direction of flow
162Common axis of rotation	186.35	..Endless loop feed or discharge conveyor
163Horizontal axis	186.4	..Rotating or oscillating feed or discharge conveyor
164	..All comminuting zones of reciprocating surface type	186.5	...Screw feed or discharge conveyor
165Vertical rectilinear movement	187	.Rotary striking member with moving cooperating surface or member
165.5	..All comminuting zones of rotating noncooperating type	188.1	.Rotary striking member with axial or radial flow of material
166	.With comminuting member cleaner or scraper	188.2	..Radial flow, pin-disc comminutor, overlapping pins on cooperating members
167	..Contacting working surfaces of rotary comminuting member	189.1	.Rotary striking member with circumferential or tangential flow
168	.Hand support comminutor	189.2	..Reversible rotary mill
169	..Reciprocating cooperating comminuting surfaces	190	...With intermeshing impact members
169.1	..Rotary tool	191	.Rotary striking member, rotor structure
169.2	..Masher or pestle	192	..With striking member adjusting means
170	.Loose grinding body comminutor (e.g., ball or rod mills)		

193	..With loosely mounted striking member	213Bottom shaft adjusting means
194	..Striking member pivoted to rotor	214Eccentric shaft gyratory drive
195	..Rotary striking member or hammer	215Eccentric gyratory sleeve below gyratory member
196	..Loose ring type	216With gyratory member sealing means
197	..With attached wear member	217	...Unitary comminuting member and eccentric strap
198.1	..Cooperating comminuting surfaces (e.g., jaw crusher)	218	...With moving cooperating surface
199	..Batch type (e.g., mortar and pestle)	219	...Comminuting member pivoted to oscillating supporting link
199.1	...With means to move batch container or support	220	..Rotary surface (or surfaces)
199.2Intermittent movement of support interrelated with movement of cutter or knife	221	..Circumferential or tangential flow of material (e.g., roll mills or roll and concave mills)
199.3Rectilinearly reciprocating knife	222	...With material feed and/or discharge mechanism or control
199.4Rocking knife	223Endless belt conveyer
199.5Uni-directional movement of support	224Hopper
199.6With means to feed or discharge batch	225With roll or rotary material agitator
199.7With revolving tool	226	...With material retaining means at axial end of rotary surface
199.8With rectilinear reciprocating tool	227	...Both cooperating surfaces rotate (e.g., roll mills)
199.9	...Stationary container or support	228Internal comminuting surface
199.11With rectilinear reciprocating tool	229Surfaces rotate in same direction and/or mounted on non-horizontal axis
199.12	...With rotary tool	230Adjustably or yieldably mounted rotary surface
200	..Endless belt type comminuting surface or surfaces	231Hydraulic or pneumatic mounting and/or axially yieldable or adjustable
201	..Compound movement comminuting surface or surfaces	232Pivoted roll support
202	...With feeding and/or discharging mechanism or control	233Adjustable pivot
203	...Rotary component	234Both rotating surfaces adjustable or yieldable
204Circumferential or tangential flow of material	235Cooperating non-smooth surface characteristic
205Rotating and reciprocating surface	236Intermeshing
206With moving cooperating surface	237	...With non-rotary surface moving means
207Gyratory or planetary movement	238	...With plural alternatively usable nonrotary surfaces and/or retractable rotor projections and/or adjustably or yieldably mounted rotary surface
208Eccentric drive sleeve within gyratory member		
209With upper guide or support for gyratory member		
210Unbalanced weight drive		
211Gyratory member yieldinly mounted		
212Upper gyratory drive		

239Nonrotary surface adjustable or yieldable relative to rotary surface	265With feed and/or discharge mechanism or control
240Sectional nonrotary surface having independently adjustable or yieldable parts	266With moving cooperating surface
241Radially of rotary surface	267Link and eccentric type actuator
241.5Single roll jaw crusher	268Serial pivoted links type actuator or link with lever type actuator (e.g., toggle type)
242Cooperating non-smooth surface characteristics	269Means actuating pivot of serial links
243Intermeshing	270	..Vertical rectilinear movement (e.g., stamp mills)
244	...Axial or radial flow of material (e.g., disc mill, or cone and shell mill)	271With feeding and/or discharging mechanism or control
245With feed and/or discharge mechanism or control	272With means to rotate moving surface on non-comminuting stroke
246Axially mounted rotary propeller or screw	273Gravity projected surface only
247Horizontal axis	273.1	.Multi-barbed comminuting face (e.g., grater)
248Hopper supply	273.2	..On radial face
249Subjacent shaking shoe or receptacle	273.3	..Cylindrical
250With moving cooperating surface	273.4	..Stationary curved face
251Both cooperating surfaces rotate	274	.Stationary comminuting surface or material bed
252Non-coaxial or eccentric	275	..Centrifugal projection of material
253Vertical axis	276	..Conveyer material forcing means (e.g., scroll type or locomotive stoker type)
254With rotary surface axis noncoaxial or eccentric relative to nonrotary surface axis	277	.Rotating comminuting surface
257.1Vertical axis	278.1	..Radial comminuting surface
258Rotary shaft supported above rotary comminuting member	278.2	..Internal comminuting surface
259Adjustable rotary member	279	..with means to support material for rotation during comminution
259.1With means vary space between surfaces	280	..With means to force material toward periphery of comminuting surface
259.2By fluid	281	...Means engaging sides of column of material
259.3Surface yieldably held in position	282	...Radially arranged rectilinearly reciprocating follower
260Cooperating non-smooth surface characteristics	282.1	..Elongated edged member
260.1Worm or screw comminutor	282.2	...Detachably secured to a rotary element
261Intermeshing	283	.Reciprocating comminuting surface
261.1Conoidal surface	284	.Mutual attrition or compression comminutors
261.2Opposed, flat coaxial surfaces (e.g., disk mill)		
261.3Having plural angularly related land and groove		
262	..Reciprocating surface or surfaces		
263	...Parallel motion		
264	...Oscillating comminuting surface		

- 285.1 .Comminuting mounting means, frames or other normally stationary structure
- 285.2 ..Removable or displaceable housing section
- 285.3 ...Pivoted housing section
- 286 ..With means to adjustably or yieldably mount normally stationary comminuting element
- 287 ...Pivotally mounted
- 288 ...Self-adjusting (e.g., universal mounting)
- 289 ...Yielding
- 290 ...Yieldingly mounted
- 291 .Comminuting elements
- 292 ..with balancing means
- 292.1 ..Edged blades extending radially
- 293 ..Cylindrical or frusto-conical (i.e., peripheral comminuting face)
- 294 ...Sectional or separable surface element
- 295 ...Annular sections
- 296 ..Disklike comminuting surface (i.e., radial comminuting face)
- 297 ...Plural comminuting faces
- 298 ...Prefabricated assembled surface sections or parts
- 299 ..Annular internal comminuting face
- 300 ..Wear face to backing connections
- 300.1 ..Plural stationary edged blades
- 301 .Miscellaneous
- FOR 000 **CLASS-RELATED FOREIGN DOCUMENTS**
- DIGESTS**
- DIG 10 **FOUNDRY SAND TREATMENT**
- DIG 14 **GRINDING IN INERT, CONTROLLED ATMOSPHERE**
- DIG 17 **ICE CRUSHERS**
- DIG 27 **PILL OR TABLET CRUSHERS**
- DIG 30 **RUBBER ELEMENTS IN MILLS**
- DIG 31 **RUBBER PREPARATION**
- DIG 37 **CRYOGENIC COOLING**
- DIG 38 **SOLID WASTE DISPOSAL**

CROSS-REFERENCE ART COLLECTIONS

- 600 **FURNACE STOKERS**
- 601 **SAND MULLERS**
- 602 **SOAP DISPENSERS**
- 603 **ANIMAL POWERED MILL**
- 604 **PLURAL INLETS FOR DIVERSE SOLID MATERIALS**
- 605 **HAY UNBALER**
- 606 **MEDICAL/SURGICAL WASTE COMMINATION**

FOREIGN ART COLLECTIONS