Chincoteague National Wildlife Refuge 8231 Beach Road P.O. Box 62 Chincoteague Island, VA 23336-0062 757/336 6122 FAX: 757/336 5273 email: R5RW_CHNWR@mail.fws.gov

Virginia Relay Center 1 800/828 1120 TDD 1 800/828 1140 voice

U.S. Fish & Wildlife Service http://www.fws.gov

For Refuge Information 1 800/344 WILD

October 1999

Fish & Wildlife Service

Chincoteague National Wildlife Refuge

Birds



Introduction



This goose, designed by J.N. "Ding" Darling, has become a symbol of the National Refuge System.

The topography of Chincoteague National Wildlife Refuge consists of wide, sandy beach backed by a series of low dunes which fall away to extensive salt marshes bordering Chincoteague Bay. Some parts of the refuge, particularly the southern end, also contain extensive areas of pine and oak interspersed with ponds and potholes. Over 2600 acres of shallow freshwater moist soil management units were developed to make the refuge more attractive to waterfowl.

Thousands of brant, geese, and ducks winter on the refuge. Shorebirds are an outstanding feature during spring and fall migrations. Large numbers of herons and egrets can usually be found in the moist soil management units from mid-spring to late fall.

Most of the Maryland portion of Assateague Island is managed by the National Park Service whose policies emphasize maintaining natural habitats. Birds found on the Virginia portion of the island may also be observed in Maryland. Because of the freshwater moist soil management units, however, the Virginia portion tends to attract larger numbers of birds.



This brochure lists 324 birds that have been identified on the refuge, and is in accordance with the Sixth American Ornithologists' Union Checklist.

Most birds are migratory, therefore, their seasonal occurrence is coded as follows:

Season

Sp	spring	March – May
Su	summer	June – August

F fall September – November W winter December – February

•Birds known to nest on or near the refuge Italics indicate threatened/endangered species

Relative Abundance

Relative abundance indicates how frequently you might see a bird in its favored habitat.

a abundant
 b c common
 a species which is very numerous
 b likely to be seen or heard in suitable habitat

u uncommon
 present, but not certain to be seen
 o occasional
 r rare
 present, but not certain to be seen
 during a season
 may be present but not every year



COMMON NAME	Sp	Su	F	w
Loons-Grebes				
Red-throated Loon	u		u	u
Common Loon	c	r	c	c
Pied-billed Grebe	c	u	c	c
Horned Grebe	c		c	c
Red-necked Grebe	r		r	r
Eared Grebe			r	
Shearwaters-Storm-Petrels				
Cory's Shearwater	r	r	u	
Greater Shearwater	r	r	u	
Sooty Shearwater	r	r	u	
Wilson's Storm-Petrel	r	r	u	

COMMON NAME	Sp	Su	F	w	COMMON NAME	Sp	Su	F	w
Gannet-Pelicans-Cormorants					Surf Scoter	u		u	u
Northern Gannet	r				White-winged Scoter			u	u
American White Pelican	0	0	0	0	Common Goldeneye	- u		u	u
Brown Pelican	u	c	u		Bufflehead	- c	r	c	c
Great Cormorant	r		r	r	Hooded Merganser	- u	1	u	u
Double-crested Cormorant	a	c	a	c	Common Merganser	_		u	u
		Ŭ			Red-breasted Merganser	c	r	c	c
Bitterns-Herons-Ibises					Ruddy Duck	- u	0	u	u
American Bittern	O	0	0	0		_		O.	a
• Least Bittern	u	c	u		Vultures-Hawks-Falcons				
Great Blue Heron	c	u	c	c	Black Vulture	0	u	u	0
Great Egret	c	a	c	u	Turkey Vulture	u	u	u	u
Snowy Egret	c	a	a	0	• Osprey	c	c	c	
Little Blue Heron	c	c	c	0	- • Bald Eagle $-$	\overline{u}	0	u	u
Tricolored Heron	u	c	c	r	Northern Harrier	u	0	u	u
Cattle Egret	u	u	c		Sharp-shinned Hawk	u		c	u
• Green Heron	u	u	u		Cooper's Hawk	u		u	u
Black-crowned Night-Heron	u	c	u	u	Red-shouldered Hawk	0		0	0
Yellow-crowned Night-Heron	0	u	0		• Red-tailed Hawk	u	0	u	u
White Ibis		r	r		Rough-legged Hawk	_			r
Glossy Ibis	c	a	c	r	American Kestrel	0	r	u	0
					Merlin	0		u	0
Swans-Geese-Ducks					Peregrine Falcon	\overline{u}	u	u	u
Tundra Swan	c		c	c		_			
• Mute Swan	c	c	c	c	Grouse – Quail – Turkey				
Greater White-fronted Goose				r	• Northern Bobwhite	a	a	a	a
Greater Snow Goose	c	r	a	a	D. II. 0				
Brant	c	r	c	c	Rails-Cranes				
• Canada Goose	c	c	c	c	Yellow Rail	_		r	
• Wood Duck	u	u	u	r	Black Rail Clapper Rail	r	r	r	
Green-winged Teal	c	r	c	c	• Clapper Rail	c	c	c	u
• American Black Duck	c	c	c	c	King Rail	u	u	u	u
• Mallard	C	c	c	c	• Virginia Rail	u	u	u	u
Northern Pintail	c	r	c	c	Sora	0		0	
Blue-winged Teal	c	u	c	r	Purple Gallinule	_	r	r	
Northern Shoveler	c	0	c	c	Common Moorhen	r	0	0	
• Gadwall	c	c	c	c	American Coot	u	r	u	u
Eurasian Wigeon			r	r	Plovers-Sandpipers				
American Wigeon	c	r	c	c					
Canvasback	r		r	r	Black-bellied Plover	_ c	c	c	u
Redhead	r		r	r	American Golden-Plover	_ r	0	u	
Ring-necked Duck	r		u	u	• Wilson's Plover	u	u		
Greater Scaup	u		u	u	Semipalmated Plover	a	a	c	
Lesser Scaup	u		u	u	• Piping Plover	$\underline{}$	u	u	
Common Eider			r	r	• Killdeer	_ u	c	u	0
Oldsquaw	u		u	u	• American Oystercatcher		c	c	c
Black Scoter	u		u	u	Black-necked Stilt	r	r	r	


COMMON NAME		Su	F	W	COMMON NAME	Sp	Su	F	w
American Avocet	0	0	u	r	• Least Tern	c	c		
Greater Yellowlegs	u	c	c	u	Black Tern		0	0	
Lesser Yellowlegs	u	c	c	0	• Black Skimmer	u	c	c	r
Solitary Sandpiper	0	0	0						
• Willet	c	c	u	r	Doves-Cuckoos-Owls-Swifts-				
WilletSpotted Sandpiper	u	u	u	r	Hummingbirds				
Upland Sandpiper		r	r		Rock Dove	u	u	u	u
Whimbrel	c	c	u	r	Mourning Dove	C	c	c	c
Whimbrel Hudsonian Godwit		u	0		• Black-billed Cuckoo	0	r	0	
Marbled Godwit	r	u	0		• Yellow-billed Cuckoo	c	c	c	r
Ruddy Turnstone	a	c	c	u	• Barn Owl • Eastern Screech-Owl	0	0	0	0
Red Knot	c	c	u	r	• Eastern Screech-Owl	c	c	c	c
Sanderling	a	a	c	c	• Great Horned Owl	c	c	c	c
Semipalmated Sandpiper	a	a	c		Snowy Owl				r
Western Sandpiper	\mathbf{r}	c	c	0	Long-eared Owl			0	c
Least Sandpiper	a	c	c	0	Short-eared Owl			0	0
White-rumped Sandpiper	c	u	u		Common Nighthawk	u	c	u	
Baird's Sandpiper	r	r	0		• Chuck-will's Widow	c	c		
Pectoral Sandpiper	$\ddot{\mathbf{r}}$	c	c	r	• Chimney Swift • Ruby-throated Hummingbird	c	c	c	
Dunlin	a	0	a	a	• Ruby-throated Hummingbird	u	u	u	
Dunlin Curlew Sandpiper	r	\mathbf{r}	r	а	Belted Kingfisher	u	0	c	u
Stilt Sandpiper	0	c	c						
Stilt Sandpiper Buff-breasted Sandpiper	U	0	u		Woodpeckers-Flycatchers				
Ruff	r	\mathbf{r}	r		• Red-headed Woodpecker	0	0	0	
RuffShort-billed Dowitcher	a	a	c	c	Red-bellied Woodpecker	0	0	u	u
Long-billed Dowitcher	u	r	u	0	Yellow-bellied Sapsucker	0		0	
Common Snipe	u	r	u	u	 Downy Woodpecker 	u	u	u	u
• American Woodcock	11	u	u	0	Hairy Woodpecker	0		0	0
Wilson's Phalarope	r	r	r	U	• Northern Flicker	c	c	a	c
Red-necked Phalarope	0	r	r		• Pileated Woodpecker	r	r	r	r
	O	1	-		Olive-sided Flycatcher	r			
Jaegerss-Gulls-Terns-Auks					• Eastern Wood-Pewee	c	c	c	
• Laughing Gull	a	a	a	r	Yellow-bellied Flycatcher	0			
Black-headed Gull	r		r		• Acadian Flycatcher	u	u		
Bonaparte's Gull	u		0	u	Willow Flycatcher	u	r		
Ring-billed Gull	a	c	a	a	Least Flycatcher	r		r	
Herring Gull	c	c	a	a	• Eastern Phoebe	u	r	c	0
Lesser Black-backed Gull		Ŭ	0		• Great Crested Flycatcher	c	c	c	
Great Black-backed Gull	c	c	c	c	Western Kingbird			r	
Gull-billed Tern		u	0		• Eastern Kingbird	a	a	c	
Caspian Tern	0	u	c						
Royal Tern		c	c	r	Larks-Swalllows-Jays-Crows				
Sandwich Tern	r	0	0	1	• Horned Lark	c	u	c	c
Roseate Tern	1	\mathbf{r}	J		Purple Martin	c	c		
• Common Tern	c	c	c	0	~ ~	a	c	a	0
Arctic Tern	r			U	• Tree Swallow Northern Rough-winged Swallow		r	r	
• Forster's Tern	c	c	c	r	Bank Swallow	u	0	r	
1015001 5 10111				1					

COMMON NAME	Sp	Su	F	w	COMMON NAME	Sp	Su	F	w
•Barn Swallow	a	a	a		Tennessee Warbler			r	
• Blue Jay	O	0	0	0	Orange-crowned Warbler			r	r
• American Crow	c	c	c	c	Nashville Warbler			r	
• Fish Crow	c	c	u	u	• Northern Parula	0	r	O	
					• Yellow Warbler	c	c	r	
Titmice – Nuthatches – Wrens					Chestnut-sided Warbler	r		r	
• Carolina Chickadee	c	c	c	c	Magnolia Warbler Cape May Warbler	u		c	
Tufted Titmouse			r		Cape May Warbler			c	
Red-breasted Nuthatch	0	r	0	0	Black-throated Blue Warbler	0		c	
White-breasted Nuthatch			r	r	Yellow-rumped Warbler	a	r	a	a
• Brown-headed Nuthatch	u	u	u	u	Black-throated Green Warbler	r	r	r	
Brown Creeper		r	u	u	Blackburnian Warbler	r	r	r	
• Carolina Wren	c	c	c	c	Yellow-throated Warbler	u	u		
• House Wren	c	c	c	\mathbf{r}	• Pine Warbler	a	a	a	0
Winter Wren	u		c	u	Pine Warbler Prairie Warbler	c	c		
Sedge Wren Marsh Wren	0		u	u	Palm Warbler	0		a	0
Marsh Wren	u	u	u		Bay-breasted Warbler			\mathbf{r}	
					Blackpoll Warbler	u		u	
Kinglets – Thrushes – Thrashers					Cerulean Warbler	r		r	
Golden-crowned Kinglet	c	r	c	c	Black-and-white Warbler	u	u	c	
Ruby-crowned Kinglet	c	r	c	c	American Redstart	u		a	
• Blue-gray Gnatcatcher	u	u	u		Prothonotary Warbler	r	r		
• Eastern Bluebird	r	r	r	r	Worm-eating Warbler	r	1	r	
Veery Bicknell's Thrush	r		u		Swainson's Warbler	r		r	
Bicknell's Thrush	0		c		• Ovenbird	u	c	c	
Swainson's Thrush			c		• Ovenbird Northern Waterthrush	u	c	c	
Hermit Thrush	u		c	c	Louisiana Waterthrush	r	Č	r	
Wood Thrush	u		u		Kentucky Warbler	r	r	-	
• American Robin	c	c	a	u	Connecticut Warbler	r	1	r	
• Gray Catbird • Northern Mockingbird	c	c	c	u	• Common Yellowthroat	a	a	a	u
• Northern Mockingbird	u	u	u	0	Hooded Warbler	r	а	a	u
• Brown Thrasher	c	c	c	u	Wilson's Warbler	•		0	
Manual and Challes Challes					Canada Warbler	r	r	$^{ m c}$	
Waxwings-Shrikes-Starlings					• Yellow-breasted Chat	u	u	0	r
American Pipit	0		0	0	Ichow bicastea Chat	и	u		•
Cedar Waxwing		u	c	u	Tanagers-Sparrows				
• European Starling	c	c	a	a	• Summer Tanager	0	0	r	
Vireos-Wood Warblers					Scarlet Tanager	0	r	u	
					• Northern Cardinal	c	c	c	c
• White-eyed Vireo		c	c		Rose-breasted Grosbeak	u		u	
Solitary Vireo	r		r		Blue Grosbeak	u	0	0	
Yellow-throated Vireo	r				• Indigo Bunting	u	u	u	
Warbling Vireo	r				Dickcissel		r	r	
Philadelphia Vireo					• Eastern Towhee	c	c	c	c
- Red-eyed Vireo	c	c	c		American Tree Sparrow		ر ا		0
Blue-winged Warbler	r		r		Chipping Sparrow	c	0	c	
Golden-winged Warbler	r		r				Ĭ		

COMMON NAME	Sp	Su	F	w
• Clay-colored Sparrow			r	
• Field Sparrow	c	c	c	0
Vesper Sparrow			0	u
Lark Sparrow		\mathbf{r}	r	
Lark SparrowSavannah Sparrow	c	u	c	c
Grasshopper Sparrow		\mathbf{r}	r	
Henslow's Sparrow	r		r	
• Saltmarsh Sharp-tailed Sparrow	0	c	u	u
Nelson's Sharp-tailed Sparrow				r
• Seaside Sparrow	c	c	c	0
Fox Sparrow	u		u	u
• Song Sparrow	c	c	c	c
Lincoln's Sparrow	r		r	
Swamp Sparrow	c	\mathbf{r}	c	c
White-throated Sparrow	c		c	c
White-crowned Sparrow	r	0	0	0
Dark-eyed Junco	u		c	u
Lapland Longspur				0
Snow Bunting	0		u	u
Blackbirds-Finches				
Bobolink	0		u	u
• Red-winged Blackbird	a	a	a	a
• Eastern Meadowlark	c	c	c	c
Yellow-headed Blackbird	r		r	
Rusty Blackbird			0	0
Boat-tailed Grackle	c	c	c	c
Common Grackle Brown-headed Cowbird	c	c	c	c
• Brown-headed Cowbird	c	c	c	u
• Orchard Oriole	0	0	0	
Baltimore Oriole	0	0	c	
Purple Finch	r		0	
- House Finch	u	0	u	
	r			r
Red Crossbill Common Redpoll	r			r
rine Siskin	0		0	0
• American Goldfinch	c	c	c	c
Evening Grosbeak	r			r

Tips for Field I.D.

The identification of birds is greatly aided by simply noting a few key field marks. The diagram opposite top illustrates several of these. In addition, general size, color, habitat, song and behavior help narrow down the options. Remember, use more than one field mark, as many species are similar and can only be distinguished by using a combination of several marks.



Accidental Species

These additional 30 species have been seen only once or twice on the refuge:

White-faced Ibis	Elegant Tern
Ross' Goose	Dovekie
Fulvous Whistling Duck	Atlantic Puffin
Broad-winged Hawk	Common Ground Dove
Swainson's Hawk	Ash-throated Flycatcher
Golden Eagle	Gray Kingbird
Mountain Plover	Scissor-tailed Flycatcher
Sharp-tailed Sandpiper	Northern Rough-winged Swallow
Purple Sandpiper	Cliff Swallow
Pomarine Jaeger	Northern Wheatear
Parasitic Jaeger	Northern Shrike
Long-tailed Jaeger	Black-headed Grosbeak
Little Gull	Le Conte's Sparrow
Iceland Gull	Chestnut-collared Longspur
Glaucous Gull	House Sparrow
	•

Notes

Location		
Date		
Observers		