

Author Index to Volume 113

Numbers in parentheses in italic type after the volume number are the issue numbers

No. 1 January-February
No. 2 March-April
No. 3 May-June
No. 4 July-August
No. 5 September-October
No. 6 November-December

B

Barnes, R. A.

Sources of Differences in On-Orbital Total Solar Irradiance Measurements and Description of a Proposed Laboratory Intercomparison. Butler, J. J., Johnson, B. C., Rice, J. P., Shirley, E. L., Barnes, R. A., **113(4)**, 187 (2008).

Bermudez, J. C.

Bilateral Optical Power Meter Comparison Between NIST and CENAM. Vayshenker, I., Li, X., Livigni, D. J., Lehman, J. H., Bermudez, J. C., Molina, J. C., Ruiz, Z. E., **113(4)**, 205 (2008).

Bischoff, J. E.

Stiffening of the Extrapulmonary Arteries From Rats in Chronic Hypoxic Pulmonary Hypertension. Drexler, E. S., Bischoff, J. E., Slifka, A. J., McCowan, C. N., Quinn, T. P., Shandas, R., Ivy, D. D., Stenmark, K. R., **113(4)**, 239 (2008).

Bryant, G. W.

Accelerating Scientific Discovery Through Computation and Visualization III. Tight-Binding Wave Functions for Quantum Dots. Sims, J. S., George, W. L., Griffin, T. J., Hagedorn, J. G., Hung, H. K.,

Kelso, J. T., Olano, M., Peskin, A. P., Satterfield, S. G., Terrill, J. D., Bryant, G. W., Diaz, J. G., **113(3)**, 131 (2008).

Butler, J. J.

Sources of Differences in On-Orbital Total Solar Irradiance Measurements and Description of a Proposed Laboratory Intercomparison. Butler, J. J., Johnson, B. C., Rice, J. P., Shirley, E. L., Barnes, R. A., **113(4)**, 187 (2008).

C

Cessna, J. T.

Standardization of $^{68}\text{Ge}/^{68}\text{Ga}$ Using Three Liquid Scintillation Counting Based Methods. Zimmerman, B. E., Cessna, J. T., Fitzgerald, R., **113(5)**, 265 (2008).

Chiao, J. C.

Metrology and Standards Needs for Some Categories of Medical Devices. Chiao, J. C., Goldman, J. M., Heck, D. A., Kazanzides, P., Peine, W. J., Stiehl, J. B., Yen, D., Dagalakis, N. G., **113(2)**, 121 (2008).

Chirico, R. D.

Web Thermo Tables—an On-Line Version of the TRC Thermodynamic Tables. Kazakov, A., Muzny, C. D., Chirico, R. D., Diky, V. V., Frenkel, M. L., **113(4)**, 209 (2008).

Chow, L. C.

Properties of Calcium Phosphate Cements With Different Tetracalcium Phosphate and Dicalcium Phosphate Anhydrous Molar Ratios. Hirayama, S., Takagi, S., Markovic, M., Chow, L. C., **113(6)**, 311 (2008).

Clark, C.

Observation of the $^3\text{He}(n, tp)$ Reaction by Detection of Far-Ultraviolet Radiation. Thompson, A. K., Coplan, M. A., Cooper, J. W., Hughes, P. P., Vest, R. E., Clark, C., **113(2)**, 69 (2008).

Cockayne, E.

The Pole Term in Linear Response Theory: An Example From the Transverse Response of the Electron Gas. Levine, Z. H., Cockayne, E., **113(5)**, 299 (2008).

Cooper, J. W.

Observation of the $^3\text{He}(n, tp)$ Reaction by Detection of Far-Ultraviolet Radiation. Thompson, A. K., Coplan, M. A., Cooper, J. W., Hughes, P. P., Vest, R. E., Clark, C., **113(2)**, 69 (2008).

Cooper, S. L.

An Absorbed-Dose / Dose-Rate Dependence for the Alanine-EPR Dosimetry System and Its Implications in Hi h-Dose Ionizing Radiation Metrology. Desrosiers, M. F., Puhl, J. M., Cooper, S. L., **113(2)**, 79 (2008).

Coplan, M. A.

Observation of the $^3\text{He}(n, tp)$ Reaction by Detection of Far-Ultraviolet Radiation. Thompson, A. K., Coplan, M. A., Cooper, J. W., Hughes, P. P., Vest, R. E., Clark, C., **113(2)**, 69 (2008).

Cromer, C.

Reflective Optical Chopper Used in NIST High-Power Laser Measurements. Li, X., Scott, T., Hadler, J., **113(6)**, 305 (2008).

D**da Silva, F. C. S.**

Development of a Thin Film Magnetic Moment Reference Material. Pappas, D. P., Halloran, S. T., Owings, R. R., da Silva, F. C. S., **113(1)**, 1 (2008).

Dagalakis, N. G.

Metrology and Standards Needs for Some Categories of Medical Devices. Chiao, J. C., Goldman, J. M., Heck, D. A., Kazanzides, P., Peine, W. J., Stiehl, J. B., Yen, D., Dagalakis, N. G., **113(2)**, 121 (2008).

Desrosiers, M. F.

An Absorbed-Dose / Dose-Rate Dependence for the Alanine-EPR Dosimetry System and Its Implications in Hi h-Dose Ionizing Radiation Metrology. Desrosiers, M. F., Puhl, J. M., Cooper, S. L., **113(2)**, 79 (2008).

Diaz, J. G.

Accelerating Scientific Discovery Through Computation and Visualization III. Tight-Binding Wave Functions for Quantum Dots. Sims, J. S., George, W. L., Griffin, T. J., Hagedorn, J. G., Hung, H. K., Kelso, J. T., Olano, M., Peskin, A. P., Satterfield, S. G., Terrill, J. D., Bryant, G. W., Diaz, J. G., **113(3)**, 131 (2008).

Diky, V. V.

Web Thermo Tables—an On-Line Version of the TRC Thermodynamic Tables. Kazakov, A., Muzny, C. D., Chirico, R. D., Diky, V. V., Frenkel, M. L., **113(4)**, 209 (2008).

Doiron, T.

Gauge Blocks—A Zombie Technology. Doiron, T., **113(3)**, 175 (2008).

Drexler, E. S.

Stiffening of the Extrapulmonary Arteries From Rats in Chronic Hypoxic Pulmonary Hypertension. Drexler, E. S., Bischoff, J. E., Slifka, A. J., McCowan, C. N., Quinn, T. P., Shandas, R., Ivy, D. D., Stenmark, K. R., **113(4)**, 239 (2008).

E**Estler, W. T.**

Uncertainty Due to Finite Resolution Measurements. Phillips, S. D., Toman, B., Estler, W. T., **113(3)**, 143 (2008).

F**Fick, S. E.**

Long-term Stability of the NIST Standard Ultrasonic Source. Fick, S. E., **113(5)**, 281 (2008).

Filliben, J. J.

Methods for Quantifying and Characterizing Errors in Pixel-Based 3D Rendering. Hagedorn, J. G., Terrill, J. E., Peskin, A. P., Filliben, J. J., **113(4)**, 221 (2008).

Fitzgerald, R.

Standardization of $^{68}\text{Ge}/^{68}\text{Ga}$ Using Three Liquid Scintillation Counting Based Methods. Zimmerman, B. E., Cessna, J. T., Fitzgerald, R., **113(5)**, 265 (2008).

Forbes, M.

Refining the In-Parameter-Order Strategy for Constructing Covering Arrays. Forbes, M., Lawrence, J., Lei, Y., Kacker, R. N., Kuhn, D. R., **113(5)**, 287 (2008).

Frenkel, M.

Web Thermo Tables—an On-Line Version of the TRC Thermodynamic Tables. Kazakov, A., Muzny, C. D., Chirico, R. D., Diky, V. V., Frenkel, M. L., **113(4)**, 209 (2008).

G**Gaigalas, A. K.**

Measurement of the Fluorescence Quantum Yield Using a Spectrometer With an Integrating Sphere Detector. Gaigalas, A. K., Wang, L., **113(1)**, 17 (2008).

Modeling of Photochemical Reactions in a Focused Laser Beam, II. Gaigalas, A. K., Hunt, F., Wang, L., **113(5)**, 251 (2008).

George, W. L.

Accelerating Scientific Discovery Through Computation and Visualization III. Tight-Binding Wave Functions for Quantum Dots. Sims, J. S., George, W. L., Griffin, T. J., Hagedorn, J. G., Hung, H. K., Kelso, J. T., Olano, M., Peskin, A. P., Satterfield, S. G., Terrill, J. D., Bryant, G. W., Diaz, J. G., **113(3)**, 131 (2008).

Goldman, J. M.

Metrology and Standards Needs for Some Categories of Medical Devices. Chiao, J. C., Goldman, J. M., Heck, D. A., Kazanzides, P., Peine, W. J., Stiehl, J. B., Yen, D., Dagalakis, N. G., **113(2)**, 121 (2008).

Grantham, S.

A Low-Cost Fiducial Reference Phantom for Computed Tomography. Levine, Z. H., Grantham, S., Sawyer, D. S., IV, Reeves, A. P., Yankelevitz, D. F., **113(6)**, 335 (2008).

Griffin, T. J.

Accelerating Scientific Discovery Through Computation and Visualization III. Tight-Binding Wave Functions for Quantum Dots. Sims, J. S., George, W. L., Griffin, T. J., Hagedorn, J. G., Hung, H. K., Kelso, J. T., Olano, M., Peskin, A. P., Satterfield, S. G., Terrill, J. D., Bryant, G. W., Diaz, J. G., **113(3)**, 131 (2008).

H**Hadler, J.**

Reflective Optical Chopper Used in NIST High-Power Laser Measurements. Li, X., Scott, T., Hadler, J., **113(6)**, 305 (2008).

Hagedorn, J. G.

Accelerating Scientific Discovery Through Computation and Visualization III. Tight-Binding Wave Functions for Quantum Dots. Sims, J. S., George, W. L., Griffin, T. J., Hagedorn, J. G., Hung, H. K., Kelso, J. T., Olano, M., Peskin, A. P., Satterfield, S. G., Terrill, J. D., Bryant, G. W., Diaz, J. G., **113(3)**, 131 (2008).

Methods for Quantifying and Characterizing Errors in Pixel-Based 3D Rendering. Hagedorn, J. G., Terrill, J. E., Peskin, A. P., Filliben, J. J., **113(4)**, 221 (2008).

Halloran, S. T.

Development of a Thin Film Magnetic Moment Reference Material. Pappas, D. P., Halloran, S. T., Owings, R. R., da Silva, F. C. S., **113(1)**, 1 (2008).

Heck, D. A.

Metrology and Standards Needs for Some Categories of Medical Devices. Chiao, J. C., Goldman, J. M., Heck, D. A., Kazanzides, P., Peine, W. J., Stiehl, J. B., Yen, D., Dagalakis, N. G., **113(2)**, 121 (2008).

Hirayama, S.

Properties of Calcium Phosphate Cements With Different Tetracalcium Phosphate and Dicalcium Phosphate Anhydrous Molar Ratios. Hirayama, S., Takagi, S., Markovic, M., Chow, L. C., **113(6)**, 311 (2008).

Huber, M. L.

Revised Standardized Equation for Hydrogen Gas Densities for Fuel Consumption Applications, Lemmon, E. W., Huber, M. L., Leachman, J. W., **113(6)**, 341 (2008).

Hughes, P. P.

Observation of the $^3\text{He}(n, tp)$ Reaction by Detection of Far-Ultraviolet Radiation. Thompson, A. K., Coplan, M. A., Cooper, J. W., Hughes, P. P., Vest, R. E., Clark, C., **113(2)**, 69 (2008).

Hung, H. K.

Accelerating Scientific Discovery Through Computation and Visualization III. Tight-Binding Wave Functions for Quantum Dots. Sims, J. S., George, W. L., Griffin, T. J., Hagedorn, J. G., Hung, H. K., Kelso, J. T., Olano, M., Peskin, A. P., Satterfield, S. G., Terrill, J. D., Bryant, G. W., Diaz, J. G., **113(3)**, 131 (2008).

Hunt, F.

Modeling of Photochemical Reactions in a Focused Laser Beam, II. Gaigalas, A. K., Hunt, F., Wang, L., **113(5)**, 251 (2008).

I**Ivy, D. D.**

Stiffening of the Extrapulmonary Arteries From Rats in Chronic Hypoxic Pulmonary Hypertension. Drexler, E. S., Bischoff, J. E., Slifka, A. J., McCowan, C. N., Quinn, T. P., Shandas, R., Ivy, D. D., Stenmark, K. R., **113(4)**, 239 (2008).

J**Johnson, B. C.**

Sources of Differences in On-Orbital Total Solar Irradiance Measurements and Description of a Proposed Laboratory Intercomparison. Butler, J. J., Johnson, B. C., Rice, J. P., Shirley, E. L., Barnes, R. A., **113(4)**, 187 (2008).

K**Kacker, R. N.**

Refining the In-Parameter-Order Strategy for Constructing Covering Arrays. Forbes, M., Lawrence, J., Lei, Y., Kacker, R. N., Kuhn, D. R., **113(5)**, 287 (2008).

Kazakov, A.

Web Thermo Tables—an On-Line Version of the TRC Thermodynamic Tables. Kazakov, A., Muzny, C. D., Chirico, R. D., Diky, V. V., Frenkel, M. L., **113(4)**, 209 (2008).

Kazanides, P.

Metrology and Standards Needs for Some Categories of Medical Devices. Chiao, J. C., Goldman, J. M., Heck, D. A., Kazanides, P., Peine, W. J., Stiehl, J. B., Yen, D., Dagalakis, N. G., **113(2)**, 121 (2008).

Kelso, J. T.

Accelerating Scientific Discovery Through Computation and Visualization III. Tight-Binding Wave Functions for Quantum Dots. Sims, J. S., George, W. L., Griffin, T. J., Hagedorn, J. G., Hung, H. K., Kelso, J. T., Olano, M., Peskin, A. P., Satterfield, S. G., Terrill, J. D., Bryant, G. W., Diaz, J. G., **113(3)**, 131 (2008).

Kuhn, D. R.

Refining the In-Parameter-Order Strategy for Constructing Covering Arrays. Forbes, M., Lawrence, J., Lei, Y., Kacker, R. N., Kuhn, D. R., **113(5)**, 287 (2008).

L**Lawrence, J.**

Refining the In-Parameter-Order Strategy for Constructing Covering Arrays. Forbes, M., Lawrence, J., Lei, Y., Kacker, R. N., Kuhn, D. R., **113(5)**, 287 (2008).

Leachman, J. W.

Revised Standardized Equation for Hydrogen Gas Densities for Fuel Consumption Applications, Lemmon, E. W., Huber, M. L., Leachman, J. W., **113(6)**, 341 (2008).

Lehman, J. H.

Bilateral Optical Power Meter Comparison Between NIST and CENAM. Vayshenker, I., Li, X., Livigni, D. J., Lehman, J. H., Bermudez, J. C., Molina, J. C., Ruiz, Z. E., **113(4)**, 205 (2008).

Lei, Y.

Refining the In-Parameter-Order Strategy for Constructing Covering Arrays. Forbes, M., Lawrence, J., Lei, Y., Kacker, R. N., Kuhn, D. R., **113(5)**, 287 (2008).

Lemmon, E. W.

Revised Standardized Equation for Hydrogen Gas Densities for Fuel Consumption Applications, Lemmon, E. W., Huber, M. L., Leachman, J. W., **113(6)**, 341 (2008).

Levin, I.

Workshop on Measurement Needs for Local-Structure Determination in Inorganic Materials. Levin, I., Vanderah, T., **113(6)**, 321 (2008).

Levine, Z. H.

A Low-Cost Fiducial Reference Phantom for Computed Tomography. Levine, Z. H., Grantham, S., Sawyer, D. S., IV, Reeves, A. P., Yankelevitz, D. F., **113(6)**, 335 (2008).

The Pole Term in Linear Response Theory: An Example From the Transverse Response of the Electron Gas. Levine, Z. H., Cockayne, E., **113(5)**, 299 (2008).

Li, X.

Bilateral Optical Power Meter Comparison Between NIST and CENAM. Vayshenker, I., Li, X., Livigni, D. J., Lehman, J. H., Bermudez, J. C., Molina, J. C., Ruiz, Z. E., **113(4)**, 205 (2008).

Reflective Optical Chopper Used in NIST High-Power Laser Measurements. Li, X., Scott, T., Hadler, J., **113(6)**, 305 (2008).

Lippa, K.

Microarray Scanner Performance Over a Five-Week Period as Measured With Cy5 and Cy3 Serial Dilution Slides. Satterfield, M. B., Lippa, K., Lu, Z. Q., Salit, M. L., **113(3)**, 157 (2008).

Livigni, D. J.

Bilateral Optical Power Meter Comparison Between NIST and CENAM. Vayshenker, I., Li, X., Livigni, D.

J., Lehman, J. H., Bermudez, J. C., Molina, J. C., Ruiz, Z. E., **113(4)**, 205 (2008).

Lu, Z. Q.

Microarray Scanner Performance Over a Five-Week Period as Measured With Cy5 and Cy3 Serial Dilution Slides. Satterfield, M. B., Lippa, K., Lu, Z. Q., Salit, M. L., **113(3)**, 157 (2008).

M

Markovic, M.

Properties of Calcium Phosphate Cements With Different Tetracalcium Phosphate and Dicalcium Phosphate Anhydrous Molar Ratios. Hirayama, S., Takagi, S., Markovic, M., Chow, L. C., **113(6)**, 311 (2008).

McCowan, C. N.

Stiffening of the Extrapulmonary Arteries From Rats in Chronic Hypoxic Pulmonary Hypertension. Drexler, E. S., Bischoff, J. E., Slifka, A. J., McCowan, C. N., Quinn, T. P., Shandas, R., Ivy, D. D., Stenmark, K. R., **113(4)**, 239 (2008).

McLinden, M. O.

A Liquid Density Standard Over Wide Ranges of Temperature and Pressure Based on Toluene. McLinden, M. O., Splett, J. D., **113(1)**, 29 (2008).

Molina, J. C.

Bilateral Optical Power Meter Comparison Between NIST and CENAM. Vayshenker, I., Li, X., Livigni, D. J., Lehman, J. H., Bermudez, J. C., Molina, J. C., Ruiz, Z. E., **113(4)**, 205 (2008).

Muzny, C. D.

Web Thermo Tables—an On-Line Version of the TRC Thermodynamic Tables. Kazakov, A., Muzny, C. D., Chirico, R. D., Diky, V. V., Frenkel, M. L., **113(4)**, 209 (2008).

N

Nedzelnitsky, V.

Non-Contact Methods for Measuring Front Cavity Depths of Laboratory Standard Microphones Using a Depth-Measuring Microscope. Nedzelnitsky, V., Wagner, R. P., **113** (2), 97 (2008).

O

Olano, M.

Accelerating Scientific Discovery Through Computation and Visualization III. Tight-Binding Wave Functions for Quantum Dots. Sims, J. S., George, W. L., Griffin, T. J., Hagedorn, J. G., Hung, H. K., Kelso, J. T., Olano, M., Peskin, A. P., Satterfield, S. G., Terrill, J. D., Bryant, G. W., Diaz, J. G., **113**(3), 131 (2008).

Owings, R. R.

Development of a Thin Film Magnetic Moment Reference Material. Pappas, D. P., Halloran, S. T., Owings, R. R., da Silva, F. C. S., **113**(1), 1 (2008).

P

Pappas, D. P.

Development of a Thin Film Magnetic Moment Reference Material. Pappas, D. P., Halloran, S. T., Owings, R. R., da Silva, F. C. S., **113**(1), 1 (2008).

Peine, W. J.

Metrology and Standards Needs for Some Categories of Medical Devices. Chiao, J. C., Goldman, J. M., Heck, D. A., Kazanzides, P., Peine, W. J., Stiehl, J. B., Yen, D., Dagalakis, N. G., **113**(2), 121 (2008).

Peskin, A. P.

Accelerating Scientific Discovery Through Computation and Visualization III. Tight-Binding Wave Functions for Quantum Dots. Sims, J. S., George, W. L., Griffin, T. J., Hagedorn, J. G., Hung, H. K., Kelso, J. T., Olano, M., Peskin, A. P., Satterfield, S. G., Terrill, J. D., Bryant, G. W., Diaz, J. G., **113**(3), 131 (2008).

Methods for Quantifying and Characterizing Errors in Pixel-Based 3D Rendering. Hagedorn, J. G., Terrill, J. E., Peskin, A. P., Filliben, J. J., **113**(4), 221 (2008).

Phillips, S. D.

Uncertainty Due to Finite Resolution Measurements. Phillips, S. D., Toman, B., Estler, W. T., **113**(3), 143 (2008).

Puhl, J. M.

An Absorbed-Dose / Dose-Rate Dependence for the Alanine-EPR Dosimetry System and Its Implications in Hi h-Dose Ionizing Radiation Metrology. Desrosiers, M. F., Puhl, J. M., Cooper, S. L., **113**(2), 79 (2008).

Q

Quinn, T. P.

Stiffening of the Extrapulmonary Arteries From Rats in Chronic Hypoxic Pulmonary Hypertension. Drexler, E. S., Bischoff, J. E., Slifka, A. J., McCowan, C. N., Quinn, T. P., Shandas, R., Ivy, D. D., Stenmark, K. R., **113**(4), 239 (2008).

R

Reeves, A. P.

A Low-Cost Fiducial Reference Phantom for Computed Tomography. Levine, Z. H., Grantham, S., Sawyer, D. S., IV, Reeves, A. P., Yankelevitz, D. F., **113**(6), 335 (2008).

Rice, J. P.

Sources of Differences in On-Orbital Total Solar Irradiance Measurements and Description of a Proposed Laboratory Intercomparison. Butler, J. J., Johnson, B. C., Rice, J. P., Shirley, E. L., Barnes, R. A., **113(4)**, 187 (2008).

Ruiz, Z. E.

Bilateral Optical Power Meter Comparison Between NIST and CENAM. Vayshenker, I., Li, X., Livigni, D. J., Lehman, J. H., Bermudez, J. C., Molina, J. C., Ruiz, Z. E., **113(4)**, 205 (2008).

S

Salit, M. L.

Microarray Scanner Performance Over a Five-Week Period as Measured With Cy5 and Cy3 Serial Dilution Slides. Satterfield, M. B., Lippa, K., Lu, Z. Q., Salit, M. L., **113 (3)**, 157 (2008).

Satterfield, M. B.

Microarray Scanner Performance Over a Five-Week Period as Measured With Cy5 and Cy3 Serial Dilution Slides. Satterfield, M. B., Lippa, K., Lu, Z. Q., Salit, M. L., **113 (3)**, 157 (2008).

Satterfield, S. G.

Accelerating Scientific Discovery Through Computation and Visualization III. Tight-Binding Wave Functions for Quantum Dots. Sims, J. S., George, W. L., Griffin, T. J., Hagedorn, J. G., Hung, H. K., Kelso, J. T., Olano, M., Peskin, A. P., Satterfield, S. G., Terrill, J. D., Bryant, G. W., Diaz, J. G., **113(3)**, 131 (2008).

Sawyer, D. S., IV

A Low-Cost Fiducial Reference Phantom for Computed Tomography. Levine, Z. H., Grantham, S., Sawyer, D. S., IV, Reeves, A. P., Yankelevitz, D. F., **113(6)**, 335 (2008).

Scott, T.

Reflective Optical Chopper Used in NIST High-Power Laser Measurements. Li, X., Scott, T., Hadler, J., **113(6)**, 305 (2008).

Shandas R.

Stiffening of the Extrapulmonary Arteries From Rats in Chronic Hypoxic Pulmonary Hypertension. Drexler, E. S., Bischoff, J. E., Slifka, A. J., McCowan, C. N., Quinn, T. P., Shandas, R., Ivy, D. D., Stenmark, K. R., **113(4)**, 239 (2008).

Shirley, E. L.

Sources of Differences in On-Orbital Total Solar Irradiance Measurements and Description of a Proposed Laboratory Intercomparison. Butler, J. J., Johnson, B. C., Rice, J. P., Shirley, E. L., Barnes, R. A., **113(4)**, 187 (2008).

Sims, J. S.

Accelerating Scientific Discovery Through Computation and Visualization III. Tight-Binding Wave Functions for Quantum Dots. Sims, J. S., George, W. L., Griffin, T. J., Hagedorn, J. G., Hung, H. K., Kelso, J. T., Olano, M., Peskin, A. P., Satterfield, S. G., Terrill, J. D., Bryant, G. W., Diaz, J. G., **113(3)**, 131 (2008).

Slifka, A. J.

Stiffening of the Extrapulmonary Arteries From Rats in Chronic Hypoxic Pulmonary Hypertension. Drexler, E. S., Bischoff, J. E., Slifka, A. J., McCowan, C. N., Quinn, T. P., Shandas, R., Ivy, D. D., Stenmark, K. R., **113(4)**, 239 (2008).

Splett, J. D.

A Liquid Density Standard Over Wide Ranges of Temperature and Pressure Based on Toluene. McLinden, M. O., Splett, J. D., **113(1)**, 29 (2008).

Stenmark, K. R.

Stiffening of the Extrapulmonary Arteries From Rats in Chronic Hypoxic Pulmonary Hypertension. Drexler, E. S., Bischoff, J. E., Slifka, A. J., McCowan, C. N., Quinn, T. P., Shandas, R., Ivy, D. D., Stenmark, K. R., **113(4)**, 239 (2008).

Stiehl, J. B.

Metrology and Standards Needs for Some Categories of Medical Devices. Chiao, J. C., Goldman, J. M., Heck, D. A., Kazanzides, P., Peine, W. J., Stiehl, J. B., Yen, D., Dagalakis, N. G., **113(2)**, 121 (2008).

T**Takagi, S.**

Properties of Calcium Phosphate Cements With Different Tetracalcium Phosphate and Dicalcium Phosphate Anhydrous Molar Ratios. Hirayama, S., Takagi, S., Markovic, M., Chow, L. C., **113(6)**, 311 (2008).

Terrill, J. E.

Accelerating Scientific Discovery Through Computation and Visualization III. Tight-Binding Wave Functions for Quantum Dots. Sims, J. S., George, W. L., Griffin, T. J., Hagedorn, J. G., Hung, H. K., Kelso, J. T., Olano, M., Peskin, A. P., Satterfield, S. G., Terrill, J. D., Bryant, G. W., Diaz, J. G., **113(3)**, 131 (2008).

Methods for Quantifying and Characterizing Errors in Pixel-Based 3D Rendering. Hagedorn, J. G., Terrill, J. E., Peskin, A. P., Filliben, J. J., **113(4)**, 221 (2008).

Thompson, A. K.

Observation of the $^3\text{He}(n, tp)$ Reaction by Detection of Far-Ultraviolet Radiation. Thompson, A. K., Coplan, M. A., Cooper, J. W., Hughes, P. P., Vest, R. E., Clark, C., **113 (2)**, 69 (2008).

Toman, B.

Uncertainty Due to Finite Resolution Measurements. Phillips, S. D., Toman, B., Estler, W. T., **113(3)**, 143 (2008).

V**Vanderah, T.**

Workshop on Measurement Needs for Local-Structure Determination in Inorganic Materials. Levin, I., Vanderah, T., **113(6)**, 321 (2008).

Vayshenker, I.

Bilateral Optical Power Meter Comparison Between NIST and CENAM. Vayshenker, I., Li, X., Livigni, D. J., Lehman, J. H., Bermudez, J. C., Molina, J. C., Ruiz, Z. E., **113(4)**, 205 (2008).

Vest, R. E.

Observation of the $^3\text{He}(n, tp)$ Reaction by Detection of Far-Ultraviolet Radiation. Thompson, A. K., Coplan, M. A., Cooper, J. W., Hughes, P. P., Vest, R. E., Clark, C., **113 (2)**, 69 (2008).

W**Wagner, R. P.**

Non-Contact Methods for Measuring Front Cavity Depths of Laboratory Standard Microphones Using a Depth-Measuring Microscope. Nedzelnitsky, V., Wagner, R. P., **113 (2)**, 97 (2008).

Wang, L.

Measurement of the Fluorescence Quantum Yield Using a Spectrometer With an Integrating Sphere Detector. Gaigalas, A. K., Wang, L., **113(1)**, 17 (2008).

Modeling of Photochemical Reactions in a Focused Laser Beam, II. Gaigalas, A. K., Hunt, F., Wang, L., **113(5)**, 251 (2008).

Wolf, G.

On the Asymptotic Behavior for the Fourier Coefficients of Mathieu Functions. Wolf, G., **113(1)**, 11 (2008).

Y

Yankelevitz, D. F.

A Low-Cost Fiducial Reference Phantom for Computed Tomography. Levine, Z. H., Grantham, S., Sawyer, D. S., IV, Reeves, A. P., Yankelevitz, D. F., **113(6)**, 335 (2008).

Yen, D.

Metrology and Standards Needs for Some Categories of Medical Devices. Chiao, J. C., Goldman, J. M., Heck, D. A., Kazanzides, P., Peine, W. J., Stiehl, J. B., Yen, D., Dagalakis, N. G., **113(2)**, 121 (2008).

Z

Zimmerman, B. E.

Standardization of $^{68}\text{Ge}/^{68}\text{Ga}$ Using Three Liquid Scintillation Counting Based Methods. Zimmerman, B. E., Cessna, J. T., Fitzgerald, R., **113(5)**, 265 (2008).