

**CHECK LIST OF PLANTS
CARRIZO PLAIN
SAN LUIS OBISPO COUNTY, CALIFORNIA**

SCIENTIFIC NAME	COMMON NAME	COMMUNITY												LOCATION						FLOWER			NAT	REF
		S I N K	S A L T	G R A S	D E N P	J U K M	O A E R P	S E O D M	F O E N A	S O E D T	C E E N S	W E E T T	M T N	E L K	T E M B	MO	COL							
MARSILEACEAE	MARSILEA FAMILY																							
<i>Pilularia americana</i>	pillwort	x							x										4		n	h		
PTERIDACEAE	BRAKE FAMILY																							
<i>Adiantum jordanii</i>	California maiden-hair																				n	v		
<i>Bowlesia incana</i>																					f			
<i>Pellaea andromedifolia</i>																					f			
<i>Pentogramma triangularis</i>																					b,dk			
<i>Pellaea mucronata</i>	bird's-foot fern								x										12-6		n	k		
CUPRESSACEAE	CYPRESS FAMILY																							
<i>Cupressus arizonica</i> ^{ro}	Arizona cypress								t												i	v		
<i>Cupressus macrocarpa</i> ^{ro}	Monterey cypress								t												i	v		
<i>Juniperus californica</i>	California juniper	x	C	C	C		s		x	C	C	C	C	1-3						n	t			
EPHEDRACEAE	EPHEDRA FAMILY																							
<i>Ephedra californica</i>	desert tea		x	C	C		s		C		C			4-8						n	t			
<i>Ephedra viridis</i>	green ephedra			x	x	s		x	x					4-6						n	t			
PINACEAE	PINE FAMILY																							
<i>Pinus monophylla</i>	singleleaf pinyon			x		t				x										n	h			
AMARANTHACEAE	PIGWEED FAMILY																							
<i>Amaranthus albus</i>	tumbleweed		x					h	x					6-10						i	t			
ANACARDIACEAE	SUMAC FAMILY																							
<i>Schinus molle</i> ^{ro}	Peruvian pepper tree							t												i	v			
<i>Toxicodendron diversilobum</i>	western poison oak			x	x	s			x					3-5	y					n	j			
APIACEAE	CARROT FAMILY																							
<i>Conium maculatum</i>																					s			
<i>Daucus pusillus</i>																					b,cs			
<i>Eryngium spinosum*</i>	spiny-sepaled button-celery. rare		x					h	x					6-8	w					n	h			
<i>Eryngium aristulatum v hooveri</i>																					b,cs			
<i>Lomatium caruifolium</i>	biscuitroot	x						h	x					3-4	y					n	t			
<i>Lomatium mohavense</i>								h		x										n	h			
<i>Lomatium utriculatum</i>	wild parsley	x	C					h	C	C		C	C	2-6	y					n	t			
<i>Perideridea pringlei</i>	Pringle's yampah							p		x										n	h			

<i>Sanicula bipinnata</i>																					b,cs
<i>Yabea microcarpa</i>																					f
ASCLEPIADACEAE	MILKWEED FAMILY																				
<i>Asclepias erosa</i>	desert milkweed		x			h	x								w	n	t				
<i>Asclepias fascicularis</i>	narrow-leaf milkweed		x			h	x							6-8	w	n	t				
ASTERACEAE	SUNFLOWER FAMILY																				
<i>Achillea millefolium</i>	yarrow		x			h	x		x					6-9	w	n	t				
<i>Achyranthes mollis</i>	blow-wives		x			h	x		x					3-4	y	n	t				
<i>Agoseris heterophylla</i>																				b,dk	
<i>Agoseris retrorsa</i>			x			p	x		x					4-6	y	n	h				
<i>Ambrosia acanthicarpa</i>	annual bur-sage		x			h	x							9-10		n	k				
<i>Ancistrocarphus filagineus</i> (<i>Stylocline f.</i>)	woolly fishhooks					h								4-5		n	n				
<i>Anisocoma acaulis</i>						h		x									n	h			
<i>Anthemis cotula</i>																		s			
<i>Artemisia californica</i>	California sagebrush		C	C	x	s		C						9-10		n	t				
<i>Artemisia douglasiana</i>	mugwort					x	p							7-10		n	v				
<i>Artemisia dracunculus</i>																		b,dk			
Aster sp.	purple aster		x			h		x		x				4-9	p	n	t				
<i>Baccharis douglasii</i>																		b			
<i>Baccharis salicifolia</i>	mule fat		x			x	s	x						most	w	n	c				
<i>Blennosperma nanum</i>		x	x			h	x							3-4	y	n	t				
<i>Blepharizonia plumosa</i>	big tarweed		x			h				x				9-11	w	n	t				
<i>Blepharizonia plumosa</i> ssp <i>viscosa</i>																	b,s				
<i>Brickellia nevinii</i>	Nevin's brickellbush. uncommon					s		x									n	h			
<i>Canthium strumarium</i>	cocklebur		x			h			x					7-10		n	t				
<i>Centaurea melitensis</i>	tocalote		C			h	C							5-6	y	i	t				
<i>Centaurea solstitialis</i>	yellow star-thistle		x			h	x							5-10	y	i	t				
<i>Chaenactis fremontii</i>	desert pincushion		x			h	x		x					3-5	w	n	h				
<i>Chaenactis glabriuscula</i> <i>vglabriuscula</i>	yellow pincushion		x	C	x	h		C	C					2-7	y	n	t				
<i>Chaenactis stevioides</i>	desert pincushion		x			h			x					6	w	n	h				
<i>Chaenactis xantiana</i>	pincushion					h			x					4-6		n	h				
<i>Chamomilla occidentalis</i>		x				h	x										n	h			
<i>Chamomilla suaveolens</i> (<i>Matricaria</i> <i>matricarioides</i>)	pineapple weed	C	C	x		h	C	x						3-6	y	i	t				
<i>Chrysothamnus nauseosus</i> ssp <i>mohavensis</i>	rubber rabbitbrush			C	C	x	s		C					9-11	y	n	t				
<i>Cirsium</i> sp.	thistle		x			h				x				5-9	r	n	t				

<i>Cirsium vulgare</i>												b
<i>Conyza canadensis</i>												b, s
<i>Conyza coulteri</i>	horseweed	x			h	x				9-11		n t
<i>Coreopsis bigelovii</i>	tickseed	x			h	x				4-6	y	n t
<i>Coreopsis calliopsisidea</i>	tickseed	x			h	x				3-5	y	n t
<i>Eastwoodia elegans</i>	yellow mock aster		C C		s		C	C C	6	y	n t	
<i>Encelia actoni</i>	encelia		x		s		x			2-7	y	n k
<i>Ericameria cuneata</i>	wedge-leafed goldenbush		x x		s		x		x	10-1	y	n h
<i>Ericameria linearifolia</i>	interior goldenbush (linear-leaved g.)		C C C		s		C C			3-6	y	n t
<i>Erigeron foliosus</i>												b,dk
<i>Eriophyllum confertifolium</i>	golden yarrow		C C x		s		C C x C			2-7	y	n t
<i>Eriophyllum multicaule</i>												b,dk
<i>Eriophyllum pringlei</i>	woolly sunflower				h			x				n h
<i>Filago californica</i>												s
<i>Filago gallica</i>	herbia impia				h					4-6		i n
<i>Gnaphalium luteo-album</i>	everlasting				x h					3-10	w	i k
<i>Gnaphalium californicum</i>												b
<i>Gutierrezia californica (G. bracteata)</i>	Calif. matchweed, snakeweek		C C C		s		C C			7-10	y	n t
<i>Gnaphalium canescens</i> ssp <i>beneoleans</i>												b
<i>Gnaphalium palustre</i>												b,dk
<i>Gnaphalium stramineum</i>												b
<i>Grindelia camporum</i> <i>vcamporum</i>												b
<i>Hazardia stenolepis</i>	sawtooth goldenbush		x x		s		x	x	11	y	n h	
<i>Helianthus annuus</i>	sunflower	C			h	C				7-10	y	n t
<i>Hemizonia fitchii</i>	tarplant, spikeweek	x			h	x				5-11	y	n h
<i>Hemizonia pallida*</i>	Kern tarplant. uncommon	x x			h		x	x		6-9	y	n t
<i>Hemizonia pentactis</i>	Salinas River tarplant	x			h	x				5-10	y	n h
<i>Hemizonia pungens</i>	common spikeweek	C			h	C				6-9	y	n t
<i>Heterotheca sessiliflora</i>												b,dk
<i>Hymenoclea salsola</i>	burrobush, cheesebush	C			s	C	C C			4-6	w	n t
<i>Isocoma acradenia v bracteosa</i>	alkali goldenbush	C C C C			s C x C		C			8-11	y	n t
<i>Lactuca serriola</i>	prickly lettuce	C			h	C				5-9	y	i t
<i>Lagophylla ramosissima</i>	common hareleaf	C C x			h	C C	C			5-10	y	n t
<i>Lasthenia californica (L. chrysotoma)</i>	goldfields	C C C C C			h C C C		C			3-5	y	n h
<i>Lasthenia debilis</i>	goldfields	x x			h x x					3-5	y	n h

<i>Lasthenia ferrisiae</i>	goldfields	x x											2-6	y	n h
<i>Lasthenia fremontii</i>	goldfields	x x											3-5	y	n h
<i>Lasthenia glabrata</i> ssp <i>coulteri</i>															cs
<i>Lasthenia microglossa</i>															b,dk
<i>Lasthenia minor</i>	goldfields		x										3-4	y	n h
<i>Layia glandulosa</i>				x									4-5	y	n h
<i>Layia heterotricha</i> *	pale-yellow layia. rare												3-6	w	n h
<i>Layia munzii</i> *	Munz's tidy tips. uncommon	C C x											3-4	y	n t
<i>Layia pentachaeta</i> ssp <i>albida</i>	tidy tips	x x x											3-4	y	n t
<i>Layia platyglossa</i>	tidy tips	C C x											2-6	y	n t
<i>Lembertia congdonii</i> *	San Joaquin woolly threads Listed endangered (U.S.)		C x										2-4	y	n t
<i>Lepidospartum squamatum</i>	scale-broom		C C			s		C		x			8-10	y	n t
<i>Lessingia filaginifolia</i> (<i>Corethrogynne f.</i>)	California aster		C x			s		C	x	C			5-8	py	n t
<i>Lessingia glandulifera</i> (<i>L. germanorum</i>)			C					h	C x				5-11	y	n h
<i>Lessingia lemmontii</i> v <i>lemmontii</i>								h			x				n h
<i>Lessingia tenuis</i>	spring lessingia		x					h	x				5-7	y	n h
<i>Madia elegans</i>	common madia		x					h	x				5-6	y	n h
<i>Malacothrix californica</i>	wild marigold		x					h	x				4-6	y	n t
<i>Malacothrix coulteri</i>	snake's-head	x C C						h	x C	C			3-5	y	n t
<i>Malacothrix glabrata</i>	desert dandelion		x x					h	x				4-5	y	n t
<i>Micropus californicus</i> v <i>calif.</i>															f
<i>Microseris campestris</i>			x					h		x			4-5	wy	n t
<i>Microseris douglasii</i>	Douglas's microseris	x						h		x			3-6	wy	n t
<i>Microseris elegans</i>			x					h	x				3-5	y	n t
<i>Monolopia lanceolata</i>	hillside daisy	C C C x						h C C C C C C					3-5	y	n t
<i>Monolopia stricta</i>	woolly hilltop daisy	x x x						h	x	x			3-4	y	n t
<i>Pentachaeta fragilis</i>								h		x					n h
<i>Psilocarphus</i> sp.	woolly marbles	x x						h x					3-6	w	n t
<i>Psilocarphus brevissimus</i>	woolly marbles	x x						h x					3-4	w	n h
<i>Senecio breweri</i>															b,dk
<i>Senecio flaccidus</i> v <i>douglasii</i>	bush groundsel		x			s		x					2-11	y	n t
<i>Senecio vulgaris</i>	common groundsel		x			h		x					all	y	i t
<i>Sonchus asper</i> ssp <i>asper</i>															b,dk
<i>Sonchus oleraceus</i>	common sow thistle		x			h	x						all	y	i

<i>Stebbinsoseris heterocarpa</i>														h							3-5	wy	n	t
<i>Stephanomeria exigua</i> ssp <i>coronaria</i>	small wire lettuce			C	x			h		x	C	C	C	8-10	p							n	t	
<i>Stephanomeria pauciflora</i>	wire lettuce			x				p					x	7-9	p							n	t	
<i>Stylocline gnaphaloides</i>	everlasting nest straw			x				h					x	3-6	w							n	t	
<i>Uropappus lindleyi</i>	silver puffs			x				h					x	3-5	w							n	h	
<i>Xanthium spinosum</i>																						ak		
BORAGINACEAE	BORAGE FAMILY																							
<i>Amsinckia douglasiana</i>	fiddleneck			C	C			h		C		C	C	5-6	y							n	t	
<i>Amsinckia lycopoidea</i>	fiddleneck		x					h	x					3-6	y							n	h	
<i>Amsinckia menziesii</i> v <i>intermedia</i>	rancher's fireweed	x	C	C	C			h	x	C	C			3-5	o						n	t		
<i>Amsinckia menziesii</i> v <i>mnenziesii</i>	rancher's fireweed		x					h	x					3-5	y						n	t		
<i>Amsinckia tessellata</i>	devil's lettuce		x					h					x	3-5	y						n	t		
<i>Amsinckia vernicosa</i> v <i>furcata</i> *	forked fiddleneck. rare		x					h		x			x	3-5	o						n	h		
<i>Amsinckia vernicosa</i> v <i>vernica</i> osa																					b,f			
<i>Cryptantha barbigera</i>			x					h					x	4-6	w						n	h		
<i>Cryptantha circumscissa</i>								h					x								n	h		
<i>Cryptantha flaccida</i>	flaccid cryptantha		x					h		x			x	5	w						n	h		
<i>Cryptantha intermedia</i>	common cryptantha		x					h		x			x	4-7	w						n	t		
<i>Cryptantha muricata</i>								h			x										n	h		
<i>Cryptantha nemaclada</i>								h													n	h		
<i>Cryptantha oxygona</i>								h														h		
<i>Cryptantha pterocarya</i>								h						3-6							n	k		
<i>Heliotropium curassavicum</i>	heliotrope	x	x	x	x			h	x	x	x		x	3-10	w						n	t		
<i>Pectocarya penicillata</i>	winged pectocarya	x	C	C	C	C		h	C	C	C		C	C	4	w					n	t		
<i>Pectocarya heterocarpa</i>								h														h		
<i>Pectocarya setosa</i>	bristly pectocarya		x					h					x	4	w						n	t		
<i>Plagiobothrys acanthocarpus</i>	adobe allocarya		x					h	x					4	w						n	t		
<i>Plagiobothrys arizonicus</i>	Arizona popcorn flower	C	C	C				h	x	C		C	C	3-6	w						n	t		
<i>Plagiobothrys canescens</i>	valley popcorn flower		x					h	x					2-6	w						n	t		
<i>Plagiobothrys leptocladus</i>	alkali plagiobothrys	x	x					h	x					3-6	w						n	h		
<i>Plagiobothrys nothofulvus</i>	popcorn flower		x					p	x					2-6	w						n	k		
<i>Plagiobothrys tenellus</i>								h													b			
BRASSICACEAE	MUSTARD FAMILY																							
<i>Arabis pulchra</i>	desert rock cress		x					p			x			4-6	p						n	h		
<i>Athysanus pusillus</i>			x					h			x			2-4	w						n	t		

<i>Brassica nigra</i>	black mustard	x	x			h	x				4-6	y	i	t
<i>Capsella bursa-pastoris</i>	shepherd's purse	x	x			h	x	x	x	all	w	i	t	
<i>Caulanthus californicus*</i>	Calif. jewelflower. Listed endangered (Calif. and U.S.)	x	x			h		x		2-4	p	n	t	
<i>Caulanthus coulteri</i>	jewelflower					h			x			n	h	
<i>Caulanthus inflatus</i>	desert candle	x				h	x			4-5	p	n	t	
<i>Descurainia pinnata</i>	western tansy mustard	x				h	x			3-7	y	n	t	
<i>Descurainia sophia</i>	tansy mustard	x				h	x			5-8	y	i	t	
<i>Draba verna</i>												b,f		
<i>Erysimum capitatum</i>	western wallflower	x				h	x			3-7	o	n	c	
<i>Guillenia lasiophylla</i> (<i>Thelypodium l.</i>)	California mustard		x			h			x	2-6	w	n	t	
<i>Guillenia lemmonii</i> (<i>Thelypodium l.</i>)	Lemmon's mustard	x				h	x			3-6	p	n	h	
<i>Heterodraba unilateralis</i>	hairy fringe-pod		x			h			x	3-4	w	n	t	
<i>Hirschfeldia incana</i>	winter mustard		x			h	x			5-10	y	i	t	
<i>Hutchinsia procumbens</i>	meadow mustard	x	x	x		h	x			3-4	w	n	t	
<i>Lepidium dictyonum</i>	alkali peppergrass	C	C	C		h	C	C	C	C	4-5	w	n	t
<i>Lepidium dictyonum</i> <i>vacutidens</i>	sharp-toothed peppergrass	x	x			h	x			3-5	w	n	t	
<i>Lepidium jaredii*</i>	Jared's peppergrass. rare	C	C	x		h	C	x	x		4-5	y	n	t
<i>Lepidium lasiocarpum</i> <i>vlasiocarpum</i>	peppergrass		x			h	x			2-3	w	n	h	
<i>Lepidium nitidum</i>	common peppergrass	C	C	C	C	h	C	C	C	C	2-4	w	n	t
<i>Sinapis arvensis</i> (<i>Brassica kaber</i>)	charlock		x			h	x			3-10	y	i	t	
<i>Sisymbrium altissimum</i>	tumble mustard	x				h	x			5-6	y	i	h	
<i>Sisymbrium irio</i>	London rocket	x				h	x			1-4	y	i	t	
<i>Sisymbrium orientale</i>												b		
<i>Stanleya pinnata</i>	Prince's plume		C			h		x	C	5-12	y	n	t	
<i>Thysanocarpus curvipes</i>	fringepod, lacepod	x				h		x		3-5	w	n	h	
<i>Thysanocarpus laciniatus</i>													t	
<i>Tropidocarpum gracile</i>	slender tropidocarpum	x	x	C	C	x	h	x	C	C	2-5	y	n	t
CALLITRICHACEAE	WATER-STARWORT FAMILY													
<i>Callitrichche marginata</i>	water starwort					x	h			3-5		n	h	
CAMPANULACEAE	BELLFLOWER FAMILY													
<i>Parishella californica</i>		x				h			x	4-5	w	n	h	
<i>Nemacladus twisselmannii</i>												b,dw		
CAPPARACEAE	CAPER FAMILY													
<i>Isomeris arborea</i>	bladderpod		C			s		C	C	C	all	y	n	t

CAPRIFOLIACEAE	HONEYSUCKLE FAMILY																				
		x	x	v	x	x	3-8	y	n	h											
<i>Lonicera subspicata</i>	honeysuckle																				
<i>Sambucus mexicana</i>	blue elderberry			x	x	s		x			2-11	w	n	t							
CARYOPHYLLACEAE	PINK FAMILY																				
<i>Herniaria hirsuta</i> ssp <i>cineria</i>	gray herniaria		x			h	x				4-9	w	i	c							
<i>Loeflingia squarrosa</i>																					cs
<i>Minuartia douglasii</i>																					f
<i>Spergula arvensis</i> ssp <i>arvensis</i>	stickwort	x	x					h	x				all	w	i	c					
<i>Spergularia atrosperma</i>	sand spurrey	x					h	x			4-5	w	n	h							
<i>Spergularia marina</i>	sand spurrey	x				h	x				3-9	w	n	t							
<i>Spergularia rubra</i>																					b,d
<i>Stellaria nitens</i>	shining chickweed			x		h			x		3-6			n	t						
CHENOPodiaceae	GOOSEFOOT FAMILY																				
<i>Allenrolfea occidentalis</i>	iodine bush	C				s	C				7		n	t							
<i>Atriplex argentea</i>	silverscale	C	C	C		h	C	x			6-10		n	t							
<i>Atriplex canescens</i>	fourwing saltbush		x		s			x			7-10		n	h							
<i>Atriplex canescens</i> ssp <i>canescens</i>																					b
<i>Atriplex confertifolia</i>	oval-leaf saltbush		x		s			x			7-10		n	j							
<i>Atriplex coronata</i>	crownscale	C	x		h	C					5-8		n	t							
<i>Atriplex fruticulosa</i>	ball saltbush	x	C		p	C	x	x			4-11		n	t							
<i>Atriplex lentiformis</i>	big saltbush		x		s		x				7-11		n	h							
<i>Atriplex phyllostegia</i>	arrowscale	x			h	x					4-8		n	k							
<i>Atriplex polycarpa</i>	common saltbush	C	C		s	x	C	C			7-10		n	t							
<i>Atriplex rosea</i>	tumbling oracle		x		h		x				7-10		i	t							
<i>Atriplex spinifera</i>	spiny saltbush	x	C	C	s	C	C	C			4-6		n	t							
<i>Atriplex suberecta</i>																					b
<i>Atriplex vallicola*</i>	Lost Hills crownscale	x	x		h	x					5-9		n	t							
<i>Bassia hyssopifolia</i>																					b
<i>Chenopodium album</i>	lamb's quarters		x		h	x					6-10		i	t							
<i>Chenopodium californicum</i>	soap plant		x		p				x		3-4		n	t							
<i>Grayia spinosa</i>	hop-sage		x		s				x		4		n	h							
<i>Krascheninnikovia lanata</i> (<i>Ceratooides l.</i>)	winterfat			C	C	s		C	C		3-6		n	h							
<i>Monolepis nuttalliana</i>	poverty weed	x			h	x					3-6		n	h							
<i>Salsola tragus</i>	tumbleweed, Russian thistle		C		h	C					7-10		i	t							
<i>Suaeda moquinii</i> (<i>S. fruticosa</i>)	bush seepweed	C	x		s	C					7-10		n	t							

CONVOLVULACEAE		MORNING-GLORY FAMILY																			
	<i>Convolvulus arvensis</i>	bindweed		x				h	x						5-10	w	i	t			
	<i>Cressa truxillensis</i>	alkali weed	x x					p	x						5-10	w	n	t			
CRASSULACEAE		STONECROP FAMILY																			
	<i>Crassula aquatica</i>																	k			
	<i>Crassula connata</i>	pygmy weed		x				h			x			2-5		n	c				
	<i>Dudleya cymosa</i>			x				p		x				4-7	y	n	h				
	<i>Dudleya lanceolata</i>																	b,dk			
CUCURBITACEAE		GOULD FAMILY																			
	<i>Cucurbita foetidissima</i>	calabazilla		x				v	x					6-8	y	n	h				
	<i>Cucurbita palmata</i>	coyote melon	C C	x				v	x C			x		4-9	y	n	h				
	<i>Marah fabaceus</i>	California man-root	C C	x				v		C x x				1-6	w	n	h				
CUSCUTACEAE		DODDER FAMILY																			
	<i>Cuscuta californica</i>	dodder. parasite		x				v		x				2-3	o	n	t				
ERICACEAE		HEATH FAMILY																			
	<i>Arctostaphylos glauca</i>	bigberry manzanita		x x				s			x			11-3	w	n	t				
EUPHORBIACEAE		SPURGE FAMILY																			
	<i>Chamaesyce ocellata</i> (<i>Euphorbia o.</i>)	prostrate spurge	C					h	C C C		C			5-10		n	t				
	<i>Chamaesyce ocellata</i> ssp <i>ocellata</i>																	b			
	<i>Chamaesyce polycarpa</i>	sand mat		x				p	x					all	w	n	t				
	<i>Eremocarpus setigerus</i>	turkey mullein	C C C	x				h	C C C		C			3-9	w	n	t				
FABACEAE		LEGUME FAMILY (PEA FAMILY)																			
	<i>Astragalus asymmetricus</i>	horse loco		x				p					x	9-10	w	n	t				
	<i>Astragalus didymocarpus</i>	two-seeded milkvetch	x x					h			x			3-6	w	n	t				
	<i>Astragalus douglasii</i>																	b			
	<i>Astragalus lentiginosus v</i> <i>nigricalyx</i>	freckled milkvetch	C C C					p	C C		C			2-6	w	n	t				
	<i>Astragalus macrodon</i>	Salinas milkvetch. uncommon		x				p				x		4-6	w	n	h				
	<i>Astragalus oxyphysus</i>	diablo loco	C C C	x				p	C C		C			4-6	w	n	t				
	<i>Lotus humistratus</i>	hill lotus		x				h		x				2-7	y	n	t				
	<i>Lotus salsuginosus</i>			x				h				x		3-6	w	n	h				
	<i>Lotus scoparius</i>	Calif. broom, deerweed		x				s				x		3-11	y	n	t				
	<i>Lotus strigosus</i>							h			x					n	h				
	<i>Lotus wrangelianus</i>	calf lotus	x C C	x				h x	C C		C			3-6	y	n	t				
	<i>Lupinus albifrons</i>	silver bush lupine	C C					s	C		x			3-6	p	n	t				
	<i>Lupinus bicolor</i>	miniature lupine	x x					h			x			3-5	b	n	t				
	<i>Lupinus microcarpus v</i> <i>horizontalis</i>	chick lupine	C C C	x				h	C C		x			3-5	p	n	h				

<i>Lupinus microcarpus v microcarpus (L. ruber)</i>	chick lupine		x			h			x	3-6	p	n	t
<i>Lupinus nanus</i>	sky lupine		x			h			x	2-5	b	n	t
<i>Lupinus succulentus</i>	arroyo lupine					h				2-5		n	m
<i>Medicago polymorpha</i>	California burclover		x			h		x		3-6	y	i	t
<i>Melilotus indica</i>												b,dk	
<i>Medicago sativa</i>												b,dk	
<i>Prosopis glandulosa v torreyana</i>	mesquite					s			x	4-6		n	l
<i>Robinia pseudoacacia</i>												b	
<i>Trifolium albopurpureum</i>	clover		x			h		x		3-6	p	n	t
<i>Trifolium albopurpureum v olivaceum (T. o.)</i>	clover		x			h		x		3-6	p	n	s
<i>Trifolium depauperatum</i>	depauperate clover	x	x			h	x			4-6	p	n	t
<i>Trifolium gracilentum</i>	pinpoint clover		x			h		x		3-6	p	n	t
<i>Trifolium willdenovii</i>												t	
<i>Trifolium fragiferum</i>												b,f	
<i>Vicia benghalensis</i>												s	
FAGACEAE	OAK FAMILY												
<i>Quercus douglasii</i>	blue oak		x	x	C	t			C	x		n	t
<i>Quercus john-tuckeri (Q. turbinella ssp calif.)</i>	Tucker's oak				x	t			x	5-6		n	t
FRANKENIACEAE	FRANKENIA FAMILY												
<i>Frankenia salina (F. grandiflora campestris)</i>	alkali heath	C	C			s	C			5-11	p	n	t
GARRYACEAE	SILK TASSEL FAMILY												
<i>Garrya flavescens</i>	silk tassel bush				x	s			x	2-4		n	h
GERANIACEAE	GERANIUM FAMILY												
<i>Erodium botrys</i>	long-beaked filaree		x			h		x		3-5	p	i	c
<i>Erodium brachycarpum</i>													b,dk
<i>Erodium cicutarium</i>	red-stemmed filaree	C	C	C	C	C	h	C	C	C	C	i	t
<i>Erodium macrophyllum</i>	round-leaved filaree	x				h	x			3-5	w	n	t
<i>Erodium moschatum</i>	filaree					h				2-5		i	s
GROSSULARIACEAE	GOOSEBERRY FAMILY												
<i>Ribes quercetorum</i>	oak gooseberry		C			s		C		1-3	y	n	h
HYDROPHYLLACEAE	WATERLEAF FAMILY												
<i>Emmenanthe penduliflora</i>	whispering bells	x				h			x	3-8	w	n	t
<i>Nama californicum (Lemmonia c.)</i>	purple mat					h			x			n	h
<i>Nemophila menziesii</i>	baby blue-eyes		C			h	C			2-5	b	n	t

<i>Phacelia cicutaria v hispida</i>																					cs	
<i>Phacelia affinis</i>																					n h	
<i>Phacelia ciliata</i>	valley phacelia	x	C	C	x																n t	
<i>Phacelia cryptantha</i>	sheltered phacelia				x													x		4-6	b n h	
<i>Phacelia distans</i>	common phacelia				x													x		2-5	b n t	
<i>Phacelia douglasii</i>	Douglas phacelia				x													x		3-6	b n t	
<i>Phacelia egena</i>	rock phacelia				x								p				x			6-7	w n t	
<i>Phacelia fremontii</i>	Fremont's phacelia		x	x													x		4-6	b n t		
<i>Phacelia imbricata</i>																					b,dk	
<i>Phacelia ramosissima</i>																					b	
<i>Phacelia tanacetifolia</i>	tansy phacelia					C	x									C	x		3-5	b n t		
<i>Pholistoma membranaceum</i>	white fiesta flower					x										x			3-5	w n h		
JUGLANDACEAE																						
<i>Juglans californica v hindsii</i>																					b,k	
LAMIACEAE		MINT FAMILY																				
<i>Acanthomintha obovata</i> ssp <i>cordata</i>																						b,dk
<i>Marrubium vulgare</i>	horehound	x	C	C									p	x	C	C	x		3-9	w i	t	
<i>Mentha arvensis</i>	mint										x									7-10	w i	c
<i>Monardella breweri</i>																		x				n h
<i>Salvia carduacea</i>	thistle sage	x	C	C									h			C	C		3-5	p	n t	
<i>Salvia columbariae</i>	chia					C							h			C			3-6	b	n t	
<i>Salvia leucophylla</i>	purple sage				C	C						s			C	C			1-6	p	n h	
<i>Salvia mellifera</i>	black sage						x	x					s					x	1-7	w	n h	
<i>Stachys albens</i>																					b,dk	
<i>Trichostema lanceolatum</i>	vinegar weed	x	C	C	C								h	x	C	C	C		4-10	b	n t	
<i>Trichostema ovatum*</i>	San Joaquin bluecurls		x	x									h		x				6-10	b	n h	
LOASACEAE		LOASA FAMILY																				
<i>Mentzelia affinis</i>	blazing star			C	C	x							h			C	C		3-6	y	n t	
<i>Mentzelia albicaulis</i>	blazing star			x									h			x			3-6	w	n h	
<i>Mentzelia dispersa</i>	blazing star			x									h		x				5-7	y	n t	
<i>Mentzelia gracilenta</i>	blazing star						x						h			x			5-6	y	n h	
<i>Mentzelia pectinata</i>	San Joaquin blazing star	x											h	x					4	o	n t	
MALVACEAE		MALLOW FAMILY																				
<i>Eremalche exilis</i>	mallow				x												x		3-5	p	n h	
<i>Eremalche parryi</i>	Parry's mallow	x	C	C	x								h	x	x	C	C		3-6	p	n t	
<i>Malva parviflora</i>	cheeseweed			x									h	x						all	w i	h
<i>Malvella leprosa</i>	alkali-mallow		x										h		x				5-10	w	n c	
MELIACEAE																						

<i>Melia azedarach</i>									b
MORACEAE	MULBERRY FAMILY								
<i>Maclura pomifera^{ro}</i>	osage orange			t				i v	
MYRTACEAE	MYRTLE FAMILY								
<i>Eucalyptus polyanthemos^{ro}</i>	silver dollar gum			t				i v	
<i>Eucalyptus tereticornis^{ro}</i>	red gum			t				i v	
NYCTAGINACEAE	FOUR O'CLOCK FAMILY								
<i>Abronia pogonantha</i>	Mojave sand verbena	x		h		x	5-6	p n h	
<i>Mirabilis californica</i>	wishbone bush	x		s		x	1-7	p n h	
<i>Mirabilis multiflora</i>	giant four o'clock	x		s		x	6	p n h	
OLEACEAE	OLIVE FAMILY								
<i>Forestiera pubescens^{ro}</i>	desert olive			s			3-4		n
ONAGRACEAE	EVENING PRIMROSE FAMILY								
<i>Camissonia boothii</i> ssp <i>decorticans</i>	shredding evening primrose		x		h		x	4-6 w	n t
<i>Camissonia californica</i>									b,dk
<i>Camissonia campestris</i>	Mojave sun cup	C C		h	x C	C	4-7 y	n t	
<i>Camissonia contorta</i>	sun cup	x		h		x	5-6 y	n t	
<i>Camissonia graciliflora</i>									f
<i>Camissonia hirtella</i>									b,dk
<i>Camissonia intermedia</i>									b
<i>Camissonia palmeri</i>	sun cup			h		x	y	n h	
<i>Clarkia cylindrica</i>	farewell to spring	C C C		h	C	C	5-7 p	n t	
<i>Clarkia tembloriensis</i>									b
<i>Clarkia unguiculata</i>									b
<i>Clarkia purpurea</i> ssp <i>quadrivulnera</i>	four-spot		x		h		x	4-6 p	n t
<i>Epilobium canum</i> ssp <i>canum</i> (<i>Zauschneria californica</i>)	California fuschia		C C	s	C		6-11 r	n t	
<i>Epilobium pygmaeum</i> (<i>Boisduvalia glabella</i>)		x		h	x		5-8 p	n h	
<i>Oenothera deltoides</i>	devil's lantern			h	x		3-5 w	n m	
PAEONIACEAE	PEONY FAMILY								
<i>Paeonia californica</i>	California peony	x		h	x		1-3 r	n c	
PAPAVERACEAE	POPPY FAMILY								
<i>Dendromecon rigida</i>									cs
<i>Eschscholzia californica</i>	California poppy	C		h	C		2-7 o	n t	
<i>Eschscholzia lemmonii</i>	Lemmon's poppy	x		h		x	4-5 y	n t	
<i>Platystemon californicus</i>	cream cups	x C C C		h	C C	C	2-6 wy	n t	

<i>Stylomecon heterophylla</i>	wind poppy		x		h		x	3-6	o	n	t
PLANTAGINACEAE	PLAINTAIN FAMILY										
<i>Plantago elongata</i> (<i>P. bigelovii</i>)	plaintain	x			h	x		4-6		n	h
<i>Plantago erecta</i>	Indian wheat		C	C		h	x C	x x	3-5		n t
<i>Plantago ovata</i> (<i>P. insularis</i>)	plaintain		x		h		x	2-4		n	t
<i>Platanus racemosa</i>											b
POLEMONIACEAE	PHLOC FAMILY										
<i>Eriastrum densifolium</i> ssp <i>austromontanum</i>			x		p		x	6-8	b	n	h
<i>Eriastrum densifolium</i> ssp <i>elongatum</i>	mesa phlox		x		p		x	6-10	b	n	h
<i>Eriastrum diffusum</i>			x		h		x	3-5	b	n	h
<i>Eriastrum eremicum</i> ss <i>peremicum</i>	desert eriastrum		x		h	x		4-6	b	n	h
<i>Eriastrum hooveri</i> *	Hoover's eriastrum. Listed threatened (U.S.)		x		h		x	3-6	w	n	h
<i>Eriastrum pluriflorum</i>	many-flowered eriastrum	C	C		h C	C	C C	5-7	b	n	t
<i>Gilia austro-occidentalis</i>			x		h		x	3-6	p	n	h
<i>Gilia brecciarum</i> ssp <i>jacens</i>					h		x			n	h
<i>Gilia capitata</i>											b,dk
<i>Gilia clivorum</i>			x		h		x	3-5	y	n	t
<i>Gilia latiflora</i>											h
<i>Gilia malior</i>			x		h		x	3-4	p	n	h
<i>Gilia minor</i>	common gilia		x		h		x	3-4	p	n	t
<i>Gilia tricolor</i>	bird's-eyes		C	C x	h	C	C C	3-5	y	n	t
<i>Linanthus aureus</i> ssp <i>decorus</i>			x		h		x	3-7	w	n	k
<i>Linanthus bicolor</i>											h
<i>Linanthus bigelovii</i>	Bigelow's linanthus	x			h	x		3-5	w	n	h
<i>Linanthus dichotomus</i>	evening snow		C	C x	h	C	x	3-6	w	n	t
<i>Linanthus liniflorus</i>	flax-flowered linanthus	x	C C C x		h x C C	C	5-7	w	n	t	
<i>Linanthus parviflorus</i>			x		h		x	4-5	w	n	t
<i>Loeseliastrum schotti</i> (<i>Langloisia s.</i>)					h		x x	3-6		n	h
<i>Navarretia atracyloides</i>	holly-leaved navarretia		x		h	x		5-7	p	n	h
<i>Navarretia jaredii</i> (<i>N.</i> <i>mitracarpa</i>)	Paso Robles navarretia		x		h		x	5-6	b	n	t
<i>Phlox gracilis</i> (<i>Microsteris</i> g.)	slender phlox	C	C C C x		h C C C	C C	3-6	p	n	t	
POLYGONACEAE	BUCKWHEAT FAMILY										
<i>Allophylum gilioides</i>											b

<i>Centrostegia thurberi</i>																						h
<i>Chorizanthe angustifolia</i>	spineflower		x			h											4-7	w	n	s		
<i>Chorizanthe membranacea</i>	pink spineflower		x			h					x	5-6	p	n	t							
<i>Chorizanthe polygonoides v longispina</i>																					cs	
<i>Chorizanthe uniaristata</i>	one-awned spineflower		x			h					x	5-7	w	n	t							
<i>Chorizanthe watsonii</i>	Watson's spineflower		x			h				x	5-6	y	n	h								
<i>Chorizanthe xanti</i>	Turk's rugging			x		h				t	5-6	r	n	t								
<i>Eriogonum angulosum</i>	angled buckwheat	x	C	C	C	C	h	C	C	C	5-7	w	n	t								
<i>Eriogonum baileyi</i>	Bailey's buckwheat		x			h			x		7-10	w	n	k								
<i>Eriogonum cithariforme</i>	wild buckwheat					h			x				n	h								
<i>Eriogonum covilleanum</i>	Coville's buckwheat	x			h			x			5	w	n	h								
<i>Eriogonum davidsonii</i>	Davidson's buckwheat	x			h			x			6-9	w	n	k								
<i>Eriogonum elongatum v elongatum</i>	long-stemmed buckwheat	x	C	C	C	p		C	C	C	many	w	n	t								
<i>Eriogonum fasciculatum v polifolium</i>	California buckwheat	x	C	C	C	s		C	C	C	4-10	p	n	t								
<i>Eriogonum gossypinum</i> *	cottony buckwheat. uncommon		C			h		x	C		4-9	p	n	h								
<i>Eriogonum gracillimum</i>	slender buckwheat		x			h			x		7-10	p	n	h								
<i>Eriogonum heermanii</i>	Heerman's buckwheat		x			s		x			7-9	y	n	h								
<i>Eriogonum maculatum</i>	spotted buckwheat	x			h				x		5-11	p	n	t								
<i>Eriogonum nudum v indictum</i>	naked-stemmed buckwheat	x			h			x			6-12	y	n	t								
<i>Eriogonum ordii</i>	Ord's buckwheat	x			h				x	5-10	p	n	h									
<i>Eriogonum roseum</i>													n	h								
<i>Eriogonum temblorense</i> *	temblor buckwheat	x			a			x		4-5	w	n	l									
<i>Eriogonum trichopas</i>	yellow trumpet	C	C	C	x	h	C	x	C	C	6-8	y	n	h								
<i>Eriogonum trichopas v. hooveri</i>	desert trumpet	C	C	C	x	h	x	C	C	C	many	y	n	h								
<i>Eriogonum twisselmannii</i>																				l		
<i>Eriogonum viridescens</i>	green buckwheat	x			h				x	7-11	p	n	t									
<i>Hollisteria lanata</i> *	hollisteria	C	C	x		h	x	C	C	4-6	y	n	h									
<i>Lastariaea coriacea</i> (<i>Chorizanthe c.</i>)			x			h			x	4-6		n	t									
<i>Mucronea perfoliata</i> (<i>Chorizanthe p.</i>)	perfoliate spineflower	x			h				x	5-7	p	n	t									
<i>Polygonum arenastrum</i>																				b,w		
<i>Pterostegia drymarioides</i>	fairy mist	x			h			x		3-7	y	n	t									
<i>Rumex crispus</i>	curly dock	x			p			x		all	y	i	t									
<i>Rumex hymenosepalus</i>	wild rhubarb	x			p			x		2-4	p	n	t									
PORTULACACEAE	PURSLANE FAMILY																					
<i>Calandrinia ciliata</i>	red maids	C	C	x		h	x	C	x	2-5	r	n	t									
<i>Calyptidium monandrum</i>	pussy paws		x		h		x					n	r									

<i>Claytonia gypsofiloides</i>		x		h		x	3-5	p	n	t
<i>Claytonia parviflora</i> ssp <i>viridis</i>									b,dk	
<i>Claytonia parviflora</i> ssp <i>parvifl</i>									f	
<i>Claytonia perfoliata</i> (<i>Montia p.</i>)	miner's lettuce		x		h		x	2-5	w	n t
PRIMULACEAE	PRIMROSE FAMILY									
<i>Androsace elongata</i> ssp <i>acuta</i>	rock jasmine		x		h		x	3-5	w	n h
<i>Dodecatheon clevelandii</i>	shooting star		x		h	x		2-4	p	n h
PUNICACEAE										
<i>Punica granatum</i>										v
RANUNCULACEAE	BUTTERCUP FAMILY									
<i>Delphinium gypsophilum</i> ssp <i>gypsophilum</i> *	gypsum-loving larkspur. Uncommon	x	x		p	x	x	4-5	w	n t
<i>Delphinium parryi</i>	Parry's larkspur		x		p	x		5-6	bp	n t
<i>Delphinium parryi</i> ssp <i>purpureum</i>										cs
<i>Delphinium patens</i> ssp <i>hepaticoidium</i>	spreading larkspur				p		x			n h
<i>Delphinium recurvatum</i> *	valley or recurved larkspur. rare	C	C		p C			3-5	b	n t
<i>Myosurus minimus</i>	mousetail	x			h x			3-4	w	n h
RHAMNACEAE										
<i>Rhamnus ilicifolia</i>										b
ROSACEAE	ROSE FAMILY									
<i>Prunus fasciculata</i>	desert almond		x		s	x		3-5	w	n c
RUBIACEAE	MADDER FAMILY									
<i>Galium andrewsii</i>	phlox-leaved bedstraw			x	p	x	x	4-6	y	n h
<i>Galium angustifolium</i> ssp <i>angustifolium</i>										b,dk
<i>Galium aparine</i>										b,dk
SALICACEAE	WILLOW FAMILY									
<i>Populus fremontii</i> ssp <i>fremontii</i>	Fremont cottonwood			x t				3-4		n t
<i>Salix babylonica</i>	weeping willow			t					i v	
<i>Salix gooddingii</i>										b
<i>Salix laevigata</i>	red willow			x t				2-5		n t
SAPINDACEAE										
<i>Koelreuteria paniculata</i>										v
SAXIFRAGACEAE										
<i>Lithophragma cymbalaria</i>										b,dk
SCROPHULARIACEAE	FIGWORT FAMILY									

<i>Antirrhinum ovatum*</i>	oval-leaved snapdragon. rare		x			h		x		5-6	p	n	h		
<i>Castilleja affinis</i>	Indian paintbrush		x			h			x	1-10	r	n	t		
<i>Castilleja attenuata</i> (<i>Orthocarpus a.</i>)	valley tassels			x		h			x	3-5	w	n	h		
<i>Castilleja brevistyla</i> (<i>O. b.</i>)	owl's clover, Indian paintbrush		x			h	x			3-5	p	n	h		
<i>Castilleja densiflora</i> (<i>O.</i> <i>d.</i>)	owl's clover, Indian paintbrush		x			h	x			2-5	r	n	h		
<i>Castilleja exserta</i> (<i>O.</i> <i>purpurascens</i>)	purple owl's clover	x	C	C	C	x	h	C	C	C	C	3-5	p	n	t
<i>Castilleja foliolosa</i>														f	
<i>Castilleja lineariloba</i> (<i>O.</i> <i>l.</i>)	owl's clover		x			h	x			4-6	y	n	k		
<i>Castilleja plagiotoma</i>	Mojave Indian paintbrush			x		p			x	4	y	n	h		
<i>Castilleja subinclusa</i> ssp <i>subinclusa</i>	Indian paintbrush		x			p			x	4-6	r	n	h		
<i>Collinsia bartsiifolia</i> <i>vdavidsonii</i>	Chinese houses		x			h			x	3-6	p	n	h		
<i>Collinsia heterophylla</i>													cs		
<i>Collinsia sparsiflora</i> v <i>collina</i>													b		
<i>Cordylanthus rigidus</i>	bird's beak		x			h			x	8-9	y	n	t		
<i>Mimulus guttatus</i>	common monkeyflower				x	h				3-10	y	n	t		
<i>Penstemon</i> <i>centranthifolius</i>	scarlet bugler		x	C	x	h		x	x	2-7	r	n	t		
SIMAROUBACEAE	SIMAROUBA FAMILY														
<i>Ailanthus altissima</i> ^{ro}	tree of heaven					t						i	v		
SOLANACEAE	NIGHTSHADE FAMILY														
<i>Datura wrightii</i>	jimson weed		C			h	x	C	x	3-9	w	n	t		
<i>Lycium andersonii</i>	box thorn		x			s			x	3-5	w	n	h		
<i>Nicotiana glauca</i>	tree tobacco					p	x			4-9		i	l		
<i>Nicotiana quadrivalvis</i>	tobacco		x			h		x		5-10	w	n	h		
<i>Solanum umbelliferum</i>	nightshade		x			p		x		3-9	p	n	h		
TAMARICACEAE	TAMARISK FAMILY														
<i>Tamarix aphylla</i>													b		
<i>Tamarix ramosissima</i>	tamarisk	x				t	x			4-8	p	i	c		
URTICACEAE	NETTLE FAMILY														
<i>Parietaria hespera</i> (<i>P.</i> <i>floridana</i>)	pellitory		x			h		x		3-6		n	h		
<i>Urtica dioica</i> ssp <i>holosericea</i>													b,dk		
VALERIANACEAE															

<i>Plectritis macrocera</i>										b,dk
VERBENACEAE	VERVAIN FAMILY									
<i>Verbena lasiostachys</i>	verbena		x	p				3-10	p	n c
VISCACEAE	MISTLETOE FAMILY									
<i>Phoradendron densus (P. bolleanum)</i>	dense mistletoe		x	s		x		w	n h	
<i>Phoradendron juniperinum</i>	juniper mistletoe		x	s		x		w	n h	
<i>Phoradendron villosum</i>										b,dk
CYPERACEAE	SEDGE FAMILY									
<i>Carex douglasii</i>	Douglas's sedge		x	p		x		4-9		n h
<i>Eleocharis parishii</i>	spikerush		x	p	x			4-10		n c
<i>Scirpus maritimus</i>										f
JUNCACEAE	RUSH FAMILY									
<i>Juncus balticus</i>	Baltic rush		x	p		x	4-9		n t	
<i>Juncus bufonius</i>	toad rush		x	h				4-9		n n
<i>Juncus mexicanus</i>										b
<i>Juncus textilis</i>										b,dk
<i>Juncus xiphiooides</i>										b,f
LILIACEAE (AMARYLLIDACEAE)	LILY FAMILY									
<i>Allium crispum</i>	crinkled purple onion	x		p		x	4-5	p	n t	
<i>Allium fimbriatum</i>	wild onion	x		p			5-6	p	n s	
<i>Allium howellii</i>	Howell's onion	x		p		x	5-6	w	n t	
<i>Allium howellii</i> v <i>howellii</i>										b,cs
<i>Allium lacunosum</i>	pitted onion	C	C	x	p	C	C	5-6	w	n h
<i>Allium peninsulare</i>	purple wild onion	x		p		x	4-6	r	n h	
<i>Bloomeria crocea</i>	common goldenstar			p		x				n h
<i>Calochortus clavatus</i> ssp <i>pallidus</i>	yellow mariposa		x	x	p	x		4-7	y	n h
<i>Calochortus splendens</i>	mariposa lily	x		p		x		5-7	p	n h
<i>Calochortus venustus</i>	butterfly mariposa	x		p		x		4-7	p	n h
<i>Dichelostemma capitatum</i>	blue dicks	C	C	C	p	x	C	x	2-6	p
<i>Fritillaria agrestis*</i>	stinkbells	x		p			x	3-4	n	n h
<i>Fritillaria biflora</i>	chocolate lily	x		p	x			2-6	n	n c
<i>Muilla maritima</i>				p				3-6		n
<i>Yucca whipplei</i>	our Lord's candle	C	C	C	s	C	C	5-6	w	n t
POACEAE (GRAMINEAE)	GRASS FAMILY									
<i>Alopecurus saccatus</i>										dk
<i>Achnatherum speciosum</i>	desert needlegrass		x	x	p	x	x	5-7		n t
<i>Avena barbata</i>	slender wild oat	x	C	C	C	a	C	x	x	4-6 i t

<i>Avena fatua</i>	wild oat	x		a	x			3-6	i t
<i>Bromus arenarius</i>	Australian brome	x		a	x			4-7	i k
<i>Bromus diandrus</i>	ripgut grass	x		a	x			4-6	i t
<i>Bromus hordeaceus (B. mollis)</i>	soft chess	C C C C C x		a C C C C C C C			4-7		i t
<i>Bromus madritensis ssp rubens (B. rubens)</i>	red brome	C C C C C C	a	C C C C C C C			3-6		i t
<i>Bromus tectorum</i>									b,dk
<i>Bromus trinii</i>	Chilean chess			a				3-5	i t
<i>Cynodon dactylon</i>	bermuda grass	x		p	x			6-8	i t
<i>Deschampsia danthonioides</i>	annual hairgrass	C C		a C				4-7	n t
<i>Distichlis spicata</i>	salt grass	C C C x x		p C C C	x		4-7		n t
<i>Echinochloa</i> sp.									b,dk
<i>Elymus elymoides ssp elymoides (Sitanion hystrix)</i>	squirreltail		x	p		x	7-8		n t
<i>Elymus glaucus</i>	blue wildrye		x	p		x	3-8		n t
<i>Gastridium ventricosum</i>									cs
<i>Hordeum</i> sp.	barley. many v as crops	x		a x			4-6		t
<i>Hordeum depressum</i>	low barley	x		a x			4-5		n t
<i>Hordeum murinum</i>	barley			a			4-6		i n
<i>Hordeum murinum</i> ssp <i>leporinum</i>	farmer's foxtail	C C C C x	a C C C C C C	4-6					i t
<i>Lamarckia aurea</i>									b
<i>Leymus triticoides (Elymus t.)</i>	alkali wildrye	C C x	p C C				5-8		n t
<i>Lolium multiflorum</i>									s
<i>Lolium perenne</i>									b
<i>Melica californica</i>									b,dk
<i>Melica imperfecta</i>	small-flowered melic		x	p		x	3-7		n t
<i>Nasella cernua (Stipa c.)</i>	nodding needlegrass	x C x x	p	C x C	4-7				n t
<i>Nasella pulchra (Stipa p.)</i>	purple needlegrass	x		p x			3-5		n k
<i>Phalaris canariensis</i>	reed grass			a			4-7		i n
<i>Poa annua</i>	annual bluegrass	x		a x			1-7		i t
<i>Poa bulbosa</i>	bulbous bluegrass	x		p x			4-7		i n
<i>Poa secunda</i> ssp <i>secunda</i> (<i>P. scabrella</i>)	one-sided bluegrass	C C C C C C	p C C C C C C	4-7					n t
<i>Polypogon monspeliensis</i>	annual beard grass		x a				4-8		i t
<i>Schismus arabicus</i>	Mediterranean grass, Arabian sheepgrass	C C C C C x	a C C C C C C	3-5					i t
<i>Schismus barbatus</i>	Mediterranean grass	x	a		x		3-4		i h
<i>Sorghum halepense</i>									s
<i>Sorghum bicolor</i>	sorghum	x	a		x		5-8		i c

<i>Triticum sp.</i>	wheat. many v as crops		x			a	x			4-7		i	t
<i>Vulpia bromoides (Festuca dertonensis)</i>						a				4-6		i	w
<i>Vulpia microstachys vpauciflora (F. reflexa)</i>	few-flowered fescue	x	C	C	C	x	a	x	C	C	C	4-6	n h
<i>Vulpia myuros v hirsuta (F. megalura)</i>	foxtail fescue	x	C	C	C	x	a	x	C	C	C	4-6	i t
TYPHACEAE	CATTAIL FAMILY												
<i>Typha domingensis</i>	southern cattail					x	p			6-10		n	t